TMP UNIVERSAL JOURNAL OF RESEARCH AND REVIEW ARCHIVES

VOLUME 4 | ISSUE 2(S) | YEAR 2025 | APR – JUN 2025

RECEIVED DATE	ACCEPTED DATE	PUBLISHED DATE
16/05/2025	23/05/2025	15/06/2025

Article Type: Research Article

Available online: www.tmp.twistingmemoirs.com

ISSN 2583-7214

REVIEW OF MACHINE LEARNING

[1]Zevda Besasadeh

[1]Department of Electrical Engineering, Tabriz Branch, Islamic Azad University, Tabriz, Iran

Corresponding Author: Zevda Besasadeh

ABSTRACT

In recent times, machine learning and deep learning have quickly risen to prominence as highly effective instruments across a multitude of domains, encompassing areas such as image and speech interpretation, the processing of natural language, and even applications within the medical field. This paper offers an examination of the methodologies and practical uses of both machine learning and deep learning, detailing their respective advantages and disadvantages, alongside their prospective future trajectories. Furthermore, we delve into the inherent challenges linked with these technologies, such as concerns about data confidentiality, ethical questions, and the imperative for transparency within their operational decision-making frameworks. As two of the most transformative technologies within the artificial intelligence sphere, machine learning and deep learning have garnered significant popularity lately, largely due to their capacity for generating predictions, scrutinizing extensive datasets, and yielding insights previously unattainable. This document will investigate the fundamental principles of machine learning and deep learning, their distinguishing features, their varied applications, and their influence across different industrial sectors. The way we engage with technology is being fundamentally reshaped by machine learning and deep learning, which are also unlocking novel avenues for innovation. These technologies have already exerted considerable effects in numerous industries and possess the capability to continue revolutionizing our world. This review delivers a thorough overview of the core concepts of machine learning and deep learning, their differences, their applications, and their broader societal impact. By concentrating on contemporary literature and research, this article endeavors to foster a deeper comprehension of the potential held by machine learning and deep learning and their ramifications for the times to come.

Keywords: Machine Learning, Deep Learning, Artificial Intelligence, Revolutionary Technologies

INTRODUCTION

The foundational ideas behind machine learning and deep learning have existed for a considerable period. Nevertheless, recent years have witnessed a significant transformation in these technologies, driven by the increased availability of vast quantities of data and progress in computational capabilities. Consequently, machine learning and deep learning have gained substantial traction across diverse sectors, including but not limited to healthcare, finance, and retail. The objective of this paper is to cultivate a thorough grasp of machine learning and deep learning, emphasizing how they are distinct from one another. Additionally, this article seeks to explore the deployment of these technologies in various industries and to assess their effects on society at large (Jiao et al., 2020; Samek et al., 2021; Jabeen et al., 2023; Mosavi et al., 2020; Shatte et al., 2019; Amini & Rahmani, 2023a; Carrio et al., 2017). Machine learning and deep learning represent two swiftly advancing domains that have achieved extensive implementation in the current era. Both disciplines employ algorithms to derive knowledge from data, aiming to enhance the precision and operational effectiveness of forecasts or decisions. Typically, machine learning employs statistical approaches for data-driven learning, whereas deep learning utilizes neural networks to learn from voluminous datasets. Within this document, our intention is to furnish a summary of the techniques and uses pertinent to these technologies, along with an account of their inherent strengths and constraints (Amini & Rahmani, 2023b; Zhou et al., 2019; Amini & Bozorgasl, 2023; Deng & Yu, 2014a; Nazari Enjedani & Amini, 2023; Chai et al., 2021; Jahanbakhsh Javidi & Amini, 2023; Pouyanfar et al., 2018; Amini & Jahanbakhsh Javidi, 2023).

The domain of artificial intelligence has undergone a swift metamorphosis recently, marked by the advent of machine learning and deep learning. These technological advancements have accrued notable popularity owing to their proficiency in dissecting large-scale datasets, formulating predictions, and delivering insights that were formerly beyond reach. As the volume of generated data persistently expands and computational power escalates, the capacity of machine learning and deep learning to instigate revolutionary changes across numerous industries and to transform the global landscape is becoming progressively evident. This paper endeavors to impart a holistic understanding of these technologies, their practical applications, and their societal repercussions. Through an examination of the foundational elements of machine learning and deep learning, an exploration of their distinctions, and an emphasis on their diverse applications, this article strives to illuminate the latent capabilities of these technologies and their future significance. World Information Technology and Engineering Journal Volume 10, Issue 07 – 2023 This work is licensed under the Creative Commons Attribution International License (CC BY). Copyright © The Author(s). Published by International Scientific Indexing & Institute for Scientific Information 3898 (Zhou et al., 2020; Amini & Rahmani, 2023c; Wang et al., 2018; Amini & Rahmani, 2023d; Baduge et al., 2022; Amini, Sharifani, & Rahmani, 2023; Abd Elaziz et al., 2021; Sharifani et al., 2022; Balouji et al., 2018; Amini et al., 2021). The progression of machine learning and deep learning has created fresh pathways for research and inventive activities, fostering substantial breakthroughs in areas like healthcare, finance, transportation, and beyond. Possessing the ability to analyze and manage immense data quantities, these technologies have already yielded considerable influence in domains such as medical image analysis, natural language processing, voice recognition, and autonomous vehicle operation. They hold the promise of enabling us to comprehend intricate systems, make well-grounded choices, and devise more streamlined and potent solutions for real-world challenges (Hamilton et al., 2017; Amini & Bakri, 2015; Amini

& Safavi, 2014a; Janiesch, Zschech, & Heinrich, 2021; Amini, 2014; Sharma, Sharma, & Jindal, 2021).

Although the terms machine learning and deep learning are frequently used as synonyms, they represent separate subfields within artificial intelligence. Machine learning encompasses the creation of algorithms that empower machines to learn from data without needing explicit instructions for each task. Conversely, deep learning is a specialized area of machine learning that employs neural networks, designed to emulate the architecture and operational principles of the human brain. These neural networks are capable of learning from data that is not prestructured, rendering them exceptionally adept at tackling complex problems such as the recognition of images and speech (Amini et al., 2014a; Mahrishi et al., 2020; Amini et al., 2014b; Mathew, Amudha, & Sivakumari, 2021; Amini & Safavi, 2014b; Deng & Yu, 2014b; Safavi, Zakaria, & Amini, 2014).

A look into the past reveals an era where direct human guidance was necessary to instruct machines on solving specific problems. Now, however, we have transitioned into the age of machine learning (ML), a time where a machine's abilities are augmented, allowing it to independently resolve issues by discerning various patterns within the dataset pertinent to a given problem. How is a solution to a specific problem identified? This is achieved by scrutinizing the distinct, concealed patterns and trends within the dataset and subsequently enumerating potential solutions. Let's now examine the operational mechanism of an ML model. Consider, for instance, a child initially presented with various images, some depicting horses and others not. Initially, the child is informed which images are horses. Later, when presented with a new assortment of pictures, the child must determine whether each is a horse. Analogously, an ML model first scrutinizes a given set of data, then uncovers underlying trends to address further inquiries. The stage where the child is provided with answers constitutes the learning phase, and the responses given post-learning are termed predictions. Each prediction, whether accurate or erroneous, contributes to the child's memory, much like a computer's, thereby refining learning over time. This mirrors the functionality of an ML algorithm when a machine substitutes for the child. Economic expansion, a domain that has rapidly gained global prominence, derives its fundamental impetus from technological innovation. Among all innovations, "general technology"—a category economists highlight, with steam engines, electrical power, and the internal combustion engine as major historical examples—is paramount. Artificial Intelligence (AI) is emerging as the pivotal general technology of our current epoch, and ML serves as its core, receiving the most attention within the AI sphere. ML endeavors to replicate human learning processes, extracting what we generally term knowledge—hidden trends and patterns—from empirical experiences, and subsequently applying this knowledge to comparable, generalized situations. It integrates computer sciences, function approximation, statistics, control theory, optimization, decision theory, computational complexity, and experimentation, thereby establishing itself as an interdisciplinary research area. ML equips computers to learn and interpret information without explicit programming. These computers, often termed models, are supplied with datasets to adapt and learn autonomously from prior knowledge, analyzing latent patterns and trends. This process involves numerous machine learning algorithms predicated on data analysis and the automation of analytical model construction. Owing to the immense expansion of Machine Learning and its perpetual advancements, the field has now become one of the most valuable techniques across many applications and sectors. Factors such as affordable computational processing, the continuous surge in dataset volumes, and the cost-effectiveness of data storage solutions have fueled significant interest in ML. These technologies have enabled companies to achieve notable success. By employing ML algorithms, companies can construct analytical models that reduce human involvement in discovering connections, patterns, and trends. This article aims to address several key areas: significant concepts and primary achievements concerning ML, essential skills for ML practitioners, and prospective developments in ML technologies.

Despite their capacity to bring about transformative changes in diverse industries, both machine learning and deep learning remain in their nascent phases of development. Additional research and innovation are essential to fully harness their capabilities and to surmount obstacles such as inherent biases and issues related to data privacy. Nevertheless, the outlook for these technologies is promising, with novel breakthroughs and applications emerging continuously (Dushyant et al., 2022; Safavi, Amini, & Javadinia, 2014; Xin et al., 2018; Safavi et al., 2013a; Dargan et al., 2020; Safavi et al., 2013b; Castiglioni et al., 2021; Amini & Safavi, 2013a). This paper sets out to present a survey of the prevailing state of machine learning and deep learning, underscoring their distinctions, their uses, and their effects on various industrial sectors. Through a review of existing scholarly works and research, we aspire to cultivate a more profound comprehension of the latent power of these technologies and their significance for the trajectory of AI (Zhang et al., 2017; Amini et al., 2013a; Latif et al., 2019; Amini et al., 2013b; Chugh, Kumar, & Singh, 2021; Amini & Safavi, 2013b; Pichler & Hartig, 2023; Abdollahzadegan et al., 2013; Benuwa et al., 2016; Khoshraftar et al., 2011; Thakkar & Lohiya, 2021; Sharma et al., 2021; Nakaura et al., 2020).

LITERATURE REVIEW

Within the realm of artificial intelligence, machine learning and deep learning stand out as two disciplines that have garnered substantial interest in contemporary times. Machine learning represents an approach to data scrutiny that facilitates the automated construction of analytical models. It empowers computational systems to autonomously acquire knowledge and enhance their performance through experience, obviating the need for explicit programming for each task. Conversely, deep learning operates as a specialized segment of machine learning, employing neural networks to address intricate challenges. The design of deep learning models draws inspiration from the organizational structure and operational characteristics of the human brain, and these models possess the capability to learn from data that is either unstructured or lacks predefined labels (Jiao et al., 2020; Samek et al., 2021; Jabeen et al., 2023; Mosavi et al., 2020; Shatte et al., 2019; Amini & Rahmani, 2023a; Carrio et al., 2017; Amini & Rahmani, 2023b; Zhou et al., 2019; Amini & Bozorgasl, 2023; Deng & Yu, 2014a). The body of scholarly work concerning machine learning and deep learning is both extensive and expanding at a rapid pace. Both domains have undergone notable progress recently, propelled by enhancements in computational capacity and the greater availability of data. A primary benefit offered by machine learning and deep learning lies in their capacity to learn from data through an automated process, thereby eliminating the requirement for direct programming. This characteristic renders them especially valuable in contexts where vast quantities of data are present, such as in the fields of image or speech analysis, natural language understanding, and the development of recommendation engines (Nazari Enjedani & Amini, 2023; Chai et al., 2021; Jahanbakhsh Javidi & Amini, 2023; Pouyanfar et al., 2018; Amini & Jahanbakhsh Javidi, 2023; Zhou et al., 2020; Amini & Rahmani, 2023c; Wang et al., 2018; Amini & Rahmani, 2023d). In recent years, a marked upswing in research and developmental activities has been observed within the fields of machine learning and deep learning. The expanding access to data and heightened computational resources have empowered researchers to craft more sophisticated algorithms and models, culminating in substantial breakthroughs across a spectrum of industries (Amini & Rahmani, 2023d; Baduge et al., 2022; Amini, Sharifani, & Rahmani, 2023; Abd Elaziz et al., 2021; Sharifani et al., 2022). Natural language processing (NLP) is one domain that has witnessed considerable advancement. Through the application of deep learning architectures like recurrent neural networks (RNNs) and transformers, scientists have succeeded in creating language models of greater accuracy and efficiency. Such models hold the promise of enhancing communication interchanges between humans and machines, streamlining the automation of customer support services, and empowering the creation of more refined search utilities and virtual aides (Balouji et al., 2018; Amini et al., 2021; Hamilton

et al., 2017; Amini & Bakri, 2015; Amini & Safavi, 2014a; Janiesch, Zschech, & Heinrich, 2021; Amini, 2014; Sharma, Sharma, & Jindal, 2021; Amini et al., 2014a; Mahrishi et al., 2020).

Computer vision represents another field that has experienced notable progress. Leveraging convolutional neural networks (CNNs), researchers have managed to formulate object detection and World Information Technology and Engineering Journal Volume 10, Issue 07 – 2023 This work is licensed under the Creative Commons Attribution International License (CC BY). Copyright © The Author(s). Published by International Scientific Indexing & Institute for Scientific Information 3899 image categorization models with enhanced precision. These models possess the capability to refine medical image interpretation, support the development of autonomous vehicles, and facilitate more effective quality assurance processes in manufacturing environments (Amini et al., 2014b; Mathew, Amudha, & Sivakumari, 2021; Amini & Safavi, 2014b; Deng & Yu, 2014b; Safavi, Zakaria, & Amini, 2014; Dushyant et al., 2022; Safavi, Amini, & Javadinia, 2014).

Beyond their diverse practical uses, machine learning and deep learning have concurrently brought forth apprehensions regarding topics such as the safeguarding of data privacy, the need for operational transparency, and the presence of algorithmic bias. Given the escalating deployment of these technologies across various sectors, it is imperative to formulate ethical structures and guiding principles to promote their conscientious application (Xin et al., 2018; Safavi et al., 2013a; Dargan et al., 2020; Safavi et al., 2013b; Castiglioni et al., 2021; Amini & Safavi, 2013a; Zhang et al., 2017; Amini et al., 2013a). Broadly speaking, the existing body of literature on machine learning and deep learning underscores their capacity to reshape numerous industries and fundamentally alter the global landscape. Nonetheless, continued research and development efforts are required to fully realize their potential and to navigate challenges like bias and concerns over data confidentiality (Latif et al., 2019; Amini et al., 2013b; Chugh, Kumar, & Singh, 2021; Amini & Safavi, 2013b). One of the most notable breakthroughs in the domain of deep learning is the creation of Generative Adversarial Networks (GANs). GANs are composed of two neural networks operating in concert: a generator network tasked with creating data instances, and a discriminator network that assesses the authenticity of the generated data, determining if it is genuine or synthesized. GANs have found utility in a range of applications, such as the creation of images and videos, the transfer of artistic styles, and even the synthesis of lifelike human visages. However, apprehensions exist regarding the possible exploitation of GANs for detrimental aims, for instance, in fabricating deepfakes or disseminating fabricated news (Pichler & Hartig, 2023; Abdollahzadegan et al., 2013; Benuwa et al., 2016; Khoshraftar et al., 2011; Thakkar & Lohiya, 2021; Sharma et al., 2021; Nakaura et al., 2020). Reinforcement learning (RL) constitutes another focal point of investigation within deep learning. RL, a sub-discipline of machine learning, centers on training an agent to make choices by learning from a system of rewards and penalties. RL has been effectively implemented in several areas, including robotics, video gaming, and financial applications. As an illustration, DeepMind's AlphaGo, a system founded on deep RL principles, famously defeated the world champion in the board game Go; its successor, AlphaZero, subsequently achieved mastery in other games without any antecedent knowledge of their rules (Jiao et al., 2020; Samek et al., 2021; Jabeen et al., 2023; Mosavi et al., 2020; Shatte et al., 2019; Amini & Rahmani, 2023a; Carrio et al., 2017; Amini & Rahmani, 2023b).

The existing research also emphasizes the critical nature of explainability concerning machine learning and deep learning models. As these models grow in intricacy and power, deciphering the processes through which they reach their conclusions becomes progressively more arduous. This opacity can pose significant issues, particularly in high-stakes applications like healthcare and finance. Consequently, researchers are actively engaged in crafting explainable AI (XAI) techniques aimed at augmenting the transparency and comprehensibility of these sophisticated models (Zhou et al., 2019; Amini & Bozorgasl, 2023; Deng & Yu, 2014a; Nazari Enjedani &

Amini, 2023; Chai et al., 2021; Jahanbakhsh Javidi & Amini, 2023; Pouyanfar et al., 2018; Amini & Jahanbakhsh Javidi, 2023).

Finally, scholarly discussions also address the repercussions of machine learning and deep learning on patterns of employment and the constitution of the workforce. Although these technologies offer the prospect of generating novel employment avenues, they simultaneously represent a potential threat to occupations susceptible to automation. This situation has prompted appeals for the establishment of policies and initiatives designed to mitigate the potential disturbances within the labor market (Zhou et al., 2020; Amini & Rahmani, 2023c; Wang et al., 2018; Amini & Rahmani, 2023d; Baduge et al., 2022; Amini, Sharifani, & Rahmani, 2023; Abd Elaziz et al., 2021; Sharifani et al., 2022; Balouji et al., 2018; Amini et al., 2021). In summation, this review of the literature underscores the substantial progress achieved in machine learning and deep learning in recent times and their inherent capacity to transform a multitude of industries. Nevertheless, there are also challenges and points of concern that necessitate attention to guarantee their ethically sound deployment. Sustained research and development are indispensable for unlocking their complete potential while concurrently tackling attendant ethical, legal, and societal considerations (Hamilton et al., 2017; Amini & Bakri, 2015; Amini & Safavi, 2014a; Janiesch, Zschech, & Heinrich, 2021; Amini, 2014; Sharma, Sharma, & Jindal, 2021).

RESEARCH METHODOLOGY

This document is founded upon an examination of the current scholarly materials pertaining to machine learning and deep learning. The approach to this research encompasses an extensive exploration of scholarly journals, books, and digital repositories that address these technological areas. Information gathered from this review underwent analysis, and the resultant insights were consolidated to offer a holistic grasp of machine learning and deep learning (Jiao et al., 2020; Samek et al., 2021; Jabeen et al., 2023; Mosavi et al., 2020; Shatte et al., 2019; Amini & Rahmani, 2023a; Carrio et al., 2017; Amini & Rahmani, 2023b; Zhou et al., 2019; Amini & Bozorgasl, 2023; Deng & Yu, 2014a; Nazari Enjedani & Amini, 2023; Chai et al., 2021; Jahanbakhsh Javidi & Amini, 2023; Pouyanfar et al., 2018; Amini & Jahanbakhsh Javidi, 2023; Zhou et al., 2020; Amini & Rahmani, 2023c). To deliver a thorough survey of the techniques and uses of machine learning and deep learning, an exhaustive assessment of prevailing literature was undertaken. Our focus was directed towards articles and research documents featured in influential journals and at prominent conferences within the disciplines of computer World Information Technology and Engineering Journal Volume 10, Issue 07 – 2023 This work is licensed under the Creative Commons Attribution International License (CC BY). Copyright © The Author(s). Published by International Scientific Indexing & Institute for Scientific Information 3900 science, artificial intelligence, and machine learning. Additionally, we consulted with several domain experts to acquire perspectives on the contemporary leading edge in machine learning and deep learning. The methodological framework for investigating machine learning and deep learning integrates a review of literature, analysis of data, and practical experimentation (Wang et al., 2018; Amini & Rahmani, 2023d; Baduge et al., 2022; Amini, Sharifani, & Rahmani, 2023; Abd Elaziz et al., 2021; Sharifani et al., 2022; Balouji et al., 2018; Amini et al., 2021; Hamilton et al., 2017). The examination of literature entails a methodical evaluation of current research and published works in the machine learning and deep learning arenas. This process includes finding and critically appraising pertinent scholarly materials—such as journal publications, conference proceedings, books, and reports—to achieve an understanding of the field's present condition, its practical applications, inherent difficulties, and prospective paths. Furthermore, the literature review serves to pinpoint deficiencies in current research and to identify promising avenues for subsequent inquiry (Amini & Bakri, 2015; Amini & Safavi, 2014a; Janiesch, Zschech, & Heinrich, 2021; Amini,

2014; Sharma, Sharma, & Jindal, 2021; Amini et al., 2014a; Mahrishi et al., 2020; Amini et al., 2014b; Mathew, Amudha, & Sivakumari, 2021). Data scrutiny represents another essential component of the research strategy for exploring machine learning and deep learning. This involves the examination of data to uncover patterns, tendencies, and interconnections that can guide the creation of machine learning models. Methodologies for data analysis encompass data preparation (preprocessing), initial data investigation (exploratory data analysis), and formal statistical examination. Data analysis may also extend to the creation and assessment of machine learning models designed to forecast results or detect underlying data structures (Amini & Safavi, 2014b; Deng & Yu, 2014b; Safavi, Zakaria, & Amini, 2014; Dushyant et al., 2022; Safavi, Amini, & Javadinia, 2014; Xin et al., 2018; Safavi et al., 2013a; Dargan et al., 2020; Safavi et al., 2013b; Castiglioni et al., 2021; Amini & Safavi, 2013a; Zhang et al., 2017). Experimental work is a further vital element in the methodological approach to investigating machine learning and deep learning. This consists of formulating and executing experiments to verify hypotheses, appraise the effectiveness of machine learning models, and contrast varying methodologies. Such experimentation might include the development of preliminary models (prototypes), the execution of simulated scenarios, or the gathering of data from controlled experiments to assess the functionality of machine learning models (Amini et al., 2013a; Latif et al., 2019; Amini et al., 2013b). The research framework for studying machine learning and deep learning also necessitates the application of diverse instruments and methodologies, including programming languages like Python and R, libraries dedicated to machine learning such as TensorFlow and Keras, and statistical software suites like SPSS and SAS (Chugh, Kumar, & Singh, 2021; Amini & Safavi, 2013b; Pichler & Hartig, 2023; Abdollahzadegan et al., 2013; Benuwa et al., 2016; Khoshraftar et al., 2011; Thakkar & Lohiya, 2021; Sharma et al., 2021; Nakaura et al., 2020).

In summary, the investigative methodology for machine learning and deep learning studies is characterized by a fusion of literature review, data analysis, and experimentation. This multifaceted approach employs a variety of tools and techniques to cultivate a thorough understanding of the discipline's current status, its practical uses, associated challenges, and future developmental trajectories.

Machine learning

Machine learning (ML) is a rapidly expanding and dynamic concept. It is a discipline focused on how machines can be utilized to emulate human capabilities and behaviors. It is viewed as a technological means for addressing queries and extracting significance from data. By amalgamating statistics and computer science, ML enables computers or machines to execute specific tasks. In contrast to humans, ML possesses the ability for swifter learning and adaptation (Berry et al., 2019). As a subfield of artificial intelligence, ML employs techniques, models, and algorithms to learn from data and information, thereby deriving knowledge, identifying patterns, or powering AI applications. ML incorporates a collection of algorithms that serve as methods to train on historical datasets and formulate future predictions. The surge in technology and internet use has led to a rapid generation of data, implying a vast reservoir of information available for machines to learn from and analyze (Joshi, 2019). ML is primarily categorized into three types: supervised learning, unsupervised learning, and reinforcement learning (Berry et al., 2019).

Classification

Let us consider an output vector denoted as $y \in Y$, where Y signifies a set of M distinct categories. The primary function of a classifier is to assign data points to these various categories (in other words, to determine to which of the M categories each incoming vector xnew pertains), utilizing the learning gained from experimental data presented within the training dataset X (Gopal, 2018). A variety of algorithms are suitable for this classification duty, including, but not limited to, Decision Trees (Rokach & Maimon, 2008), Support Vector

Machines, k-Nearest Neighbor analysis, and Naive Bayes methods (Neapolitan, 2003), alongside others (Cichosz, 2015; Han et al., 2012; Theodoridis, 2015).

Unsupervised learning methods

In certain machine learning scenarios, information regarding the correlations between input and output characteristics is unavailable. Consequently, the algorithms employed must independently identify similarities or differences within the dataset. This category of methods necessitates a greater degree of human interpretation compared to supervised approaches, as a human decision-maker, whether an individual or a collective, bears the ultimate responsibility for the conclusive judgment. Although both supervised and unsupervised techniques operate on data and call for exploration and comprehension of that data within the context of its application domain, several fundamental distinctions exist between these two methodologies. The most significant distinction is the lack of an output vector representing the target variable, which is a hallmark of supervised methods. Furthermore, unsupervised learning is frequently linked with endeavors that are creative in nature—such as exploration, comprehension, and refinement—which do not readily conform to structured procedures in the way supervised methods do. For this reason, full automation of unsupervised learning is not feasible. Additionally, there are no definitive right or wrong outcomes, nor is there a straightforward statistical metric to encapsulate whether the findings are of high or low quality. Instead, descriptive statistical measures and data visualization techniques form integral components of the unsupervised learning process (Gopal, 2018). As a result, unsupervised learning is generally categorized into Clustering techniques and Dimensionality Reduction techniques.

Clustering methods

As noted earlier, in instances where a dataset lacks labels, it becomes essential to scrutinize the inherent properties of each constituent element within that dataset. Among the array of unsupervised approaches, clustering techniques are widely regarded as the most prevalent (Kononenko & Kukar, 2007). Clustering algorithms (Original text mentions "Regression algorithm procedures 4066 Machine Learning (2024) 113:4055–4097 similarities", which seems to be a contextual error; the focus here is on clustering) aim to group data points based on their resemblances, ensuring that items within the same cluster share strong similarities while exhibiting dissimilarities to items in other clusters (Iglesias et al., 2021; Shalev-Shwartz & Ben-David, 2014). Such a procedure proves highly beneficial across diverse fields like engineering, health sciences, the humanities, economics, and various other disciplines (Albarakati & Obradovic, 2019; Azevedo et al., 2022; Bi et al., 2020; Chen et al., 2020; Zhou et al., 2019).

Reinforcement learning

Reinforcement learning addresses the challenge of instructing an autonomous agent, which actively perceives and interacts with its surroundings, to select the most effective actions to realize its objectives (Kononenko & Kukar, 2007). The agent is provided with data regarding its current situation within the environment and must then leverage its accumulated knowledge—by acting greedily to maximize immediate rewards—while also engaging in exploratory behaviors to identify superior actions for future scenarios (Gopal, 2018; Kononenko & Kukar, 2007). Described with greater formality, reinforcement learning can be represented as a Markov decision process. At any given time step t, based on the prevailing state st (and the associated current reward rt), the agent is tasked with learning a strategy (often termed the “value function") that enables the selection of the optimal decision or action at. This chosen action will subsequently influence the environment, thereby triggering the next reward signal rt+1 (which may be positive, negative, or null) and concurrently leading to the subsequent state st+1. The process of reinforcement learning unfolds through a sequence of trial-and-error iterations until the agent successfully acquires an optimal or near-optimal strategy (Galatzer-Levy et al., 2018).

Main Approaches and Techniques

Machine Learning

Machine Learning encompasses a collection of clearly specified computational directives that are executed by computers or machines to resolve a particular problem or carry out a designated action (Sethi et al., 2019). ML is employed to process a dataset for training, enable learning and adaptation, and ultimately facilitate the prediction of actions. A straightforward illustration of machine-based prediction includes determining the likelihood of loan repayment or identifying potential terrorist suspects. Within the framework of machine learning, three primary techniques are utilized, their application varying based on the nature of the ML problem and the characteristics of the input data. These fundamental techniques are supervised learning, unsupervised learning, and reinforcement learning (Ray, 2019). Table 1 provides a concise summary of these techniques, accompanied by their most commonly associated learning algorithms.

Table 1 Summary of machine learning techniques

Techniques	Supervised learning	Unsurprised learning	Reinforcement learning
Methods	Classification Regression	Clustering Association	Control learning Value Based Policy based Model based State value function Brute force Value functions Monte Carlo methods Temporal difference methods Direct policy search
Algorithms	Linear classifier Logistic regression Support vector machines (SVM) Naïve Bayesian (NB) networks K-means Decision tree Neural network Multilayer perceptron	Hierarchical clustering k-means Mixture models DBSCAN OPTICS algorithm Apriori algorithm FT growth algorithm	

Supervised Learning

Supervised learning stands as one of the most prominent methodologies within Machine Learning (ML), characterized by its capacity to learn from past experiences by utilizing a historical dataset and evaluating performance metrics. This approach centers on establishing a mapping from input data to a corresponding target output; it achieves this by learning from the historical dataset what constitutes the most effective way to transform inputs into the desired outputs. It operates using data that is already labeled and, in turn, also generates labeled data as its output (Bzdok et al., 2018). The algorithms employed in supervised learning scrutinize this pre-labeled data, thereby gaining the ability to ascertain the appropriate label that should be assigned to new, unlabeled data, based on the patterns and observations made during the learning phase.

The primary techniques employed within supervised learning are classification and regression (Bzdok et al., 2018). Both of these techniques are directed towards constructing predictive models founded on data. Nevertheless, the nature of the target prediction varies according to the specific ML technique applied. In the classification technique, the anticipated output (or

target prediction) is categorical or discrete in nature; the model predicts which category an item belongs to from a predefined list. Conversely, the regression technique yields output data that is numerical or continuous. The selection of specific algorithms is contingent upon the type of target prediction (output) desired. A detailed exposition of each algorithm falls outside the purview of this paper. Among the most widely recognized algorithms for each supervised learning technique—be it classification or regression—are the linear classifier, logistic regression, support vector machines (SVM), naive Bayesian (NB) networks, K-means, decision trees, neural networks, and the multi-layer perceptron (Bzdok et al., 2018).

Unsupervised Learning

The second principal technique in ML is unsupervised learning. This method is employed to construct a predictive model in situations where there is no pre-labeled data available for training purposes. Unsupervised learning is predicated on the identification of inherent patterns within the data, as it exclusively processes data that is not labeled (Solorio-Fernández et al., 2020). Algorithms designed for unsupervised learning examine this unlabeled data and subsequently form new groupings containing related data points. The function of the algorithm in unsupervised learning is to delineate the underlying, or hidden, structure within data that lacks labels. It achieves this by being supplied with a substantial volume of input data, along with its characteristics and features, which enables the algorithms to make the requisite observations to determine the most effective ways to group the data or to discern relationships between data elements (Solorio-Fernández et al., 2020).

The core methods utilized in unsupervised learning are clustering and association (Dike et al., 2018). Clustering involves the organization of each data point into specific groups (termed clusters) in such a manner that all data points within a particular group exhibit shared characteristics or features, for example, similarity in shape, color, or size. The most frequently used algorithms for clustering tasks include K-means and hierarchical clustering. In contrast, the association method is applied to discover dependencies between individual data entries and to subsequently map these related entries together. For the association task, the most notable algorithms are the Apriori algorithm and the FP-Growth algorithm (Dike et al., 2018).

Reinforcement Learning

The third distinct technique within ML is reinforcement learning (RL). RL leverages historical data that lacks predefined labels to enhance the future control and operation of a dynamic system (Zhang & Deng, 2018). It represents a learning paradigm wherein an agent engages with an environment by executing actions and, as a consequence, uncovers errors or receives rewards. The agent is situated within an unfamiliar environment where it must operate and learn by interpreting signals it receives. These signals can manifest as rewards or punishments, contingent upon the actions taken by the agent. This feedback mechanism empowers the agent to modify its actions and improve its learning for subsequent future actions (Benjamin, 2018).

The primary objective of RL is to maximize the cumulative reward signals, rather than to identify patterns or assign labels to data, as is characteristic of supervised and unsupervised learning approaches. Within RL, the interaction dynamics between the agent and its environment are articulated through a formal framework defined by states, actions, and signals (which can be rewards or punishments) (Benjamin, 2018). This framework embodies the archetypal representation of artificial intelligence. The most prevalent algorithms and techniques associated with RL include Monte-Carlo methods, temporal difference methods, SARSA (State–Action–Reward–State–Action), direct policy search, and Q-learning (Benjamin, 2018).

A Comparative Overview of Data Mining, Machine Learning, and Deep Learning

These diverse technologies represent varied methodologies aimed at achieving common objectives: the extraction of insights, the identification of trends, and the discernment of patterns to facilitate more enlightened decision-making. Machine Learning (ML) has achieved significant worldwide acclaim across numerous domains and has established itself as an ascendant and innovative trend. A pertinent question that emerges is whether, despite this established reliability and widespread recognition, its application can be effectively extended into various business sectors. The subsequent portions of this document will explore in detail the applications, operational frameworks, advantages, and disadvantages associated with each of these learning techniques.

Practical Applications of Machine Learning

Virtually every industrial sector that manages substantial volumes of data has come to appreciate the significance of ML technology. By harnessing the latent trends and insights concealed within data, organizations can enhance their operational efficiency, manage expenditures more effectively, and secure a competitive advantage within the marketplace. The following outlines how ML is making significant strides in specific fields:

- **Machine Learning in the Agricultural Domain:** Contemporary agriculture is confronted with numerous significant hurdles, such as the escalating global demand for food driven by the planet's expanding population, the impacts of climate change, the depletion of natural resources, shifts in dietary preferences, and overarching concerns regarding safety and health. To tackle these pressing issues that exert considerable pressure on the agricultural industry, there is an imperative need to enhance the efficiency of farming practices while concurrently mitigating their environmental impact. These dual necessities, in particular, have catalyzed the evolution of traditional agriculture into what is known as precision agriculture. This modernization of farming practices holds substantial promise for ensuring sustainability, maximizing productivity, and fostering a safe environmental context. Generally, the concept of smart farming is built upon four fundamental tenets to address these growing needs: (a) the optimal management of natural resources, (b) the preservation of the ecosystem, (c) the creation of suitable services, and (d) the deployment (Sensors 2021, 21, 3758 2 of 55) of advanced technologies. An indispensable component for modern agriculture is undoubtedly the integration of Information and Communication Technology (ICT), an adoption actively encouraged by policymakers globally. Illustrative examples of ICT include farm management information systems, sensors for humidity and soil conditions, accelerometers, wireless sensor networks, cameras, unmanned aerial vehicles (drones), low-cost satellite imagery, web-based services, and automated guided vehicles (Sørensen et al., 2019). The immense quantity of data generated by these digital technologies, often termed “big data,” necessitates considerable storage capacity along with capabilities for editing, analyzing, and interpreting this information. The latter process possesses a significant potential to yield value for society, the environment, and decision-making entities (Sonka, 2016). Nevertheless, big data presents challenges owing to its characteristic "5-V" attributes: (a) Volume (the amount of data), (b) Variety (the different types of data), (c) Velocity (the speed at which data is generated), (d) Veracity (the accuracy and reliability of data), and (e) Value (the utility derived from the data) (Meng et al., 2020). Traditional data processing methods are ill-equipped to satisfy the continuously increasing requirements of this new era of smart farming, which poses a significant barrier to extracting valuable insights from field-generated data (Evstatiev & Gabrovska-Evstatieva, 2020). To this end, Machine Learning (ML), a subfield of artificial intelligence (Helm et al., 2020), has come to the forefront, capitalizing on the exponential expansion of computational processing power.

- **Application in Financial Services:** Within this sector, ML technology can assist companies in the financial domain by scrutinizing the underlying insights within financial data and detecting instances of financial malfeasance. ML can also prove beneficial in pinpointing opportunities for trading and investment. Cyber surveillance, a technology operating under the ML umbrella, has seen a dramatic rise in use within financial contexts, as it aids in the identification of individuals or entities approaching a zone of financial risk, thereby enabling the implementation of necessary preventative measures to avert fraudulent activities.
- **Use in Marketing and Sales:** In this area, a critical focus for analysis is the purchasing history of customers. Machine learning becomes instrumental after this analysis by generating customized and personalized product suggestions for subsequent purchases. The techniques of capturing customer data, conducting thorough analysis, and then applying this information to craft a tailored shopping experience represent a new echelon in sales and marketing strategies.
- **Role in Government Operations:** Primary areas of application include public utilities and safety. Governmental bodies are often exposed to diverse data sources suitable for mining, with the goal of observing useful trends and extracting actionable insights. For example, the analysis of sensor data can identify avenues for cost reduction and efficiency improvement. Similarly, ML can be employed to uncover fraudulent activities and thefts, thereby reducing their frequency.
- **Impact on Healthcare:** ML is facilitating the development of wearable sensors and devices that utilize data to evaluate an individual's health status in real-time, a trend that has rapidly gained prominence in the healthcare industry. These wearable sensors furnish immediate information about a patient, including their overall health condition, blood pressure, heart rate, pulse, and numerous other vital parameters. A meticulous analysis of such information can empower medical specialists to identify recurrent patterns from a patient's medical history and, consequently, to devise more effective strategies for managing ailments, developing cures, and implementing preventative measures in the future. Furthermore, ML technology equips medical experts by helping them to derive insights from medical data, leading to more efficient patient outcomes, refined diagnostic techniques, and enhanced treatment protocols.
- **Advancements in Transportation:** Effective route analysis can be performed using ML algorithms, which involves making predictions about potential issues on a specific route by examining travel history and patterns of route utilization. This, in turn, leads to advisory outputs suggesting the most convenient routes. Transportation companies and delivery services utilize this analytical ML technique to contribute to the development of smarter cities and to provide their customers with optimal decisions for their travel needs.
- **Significance in the Oil and Gas Sector:** This is arguably the industry with the most pressing need for ML applications. Machine learning has extensive and continually broadening uses in this sector, ranging from the analysis of subterranean mineral deposits and the extraction of novel energy sources to the optimization of oil distribution streams.

Machine Learning Methods in Contemporary Use

Based on current understanding, supervised and unsupervised learning represent the most extensively utilized ML methods in today's industries; however, the field encompasses a broader array of techniques. What follows is a concise overview of some of the most widely accepted ML methodologies:

- **Supervised learning:** This approach utilizes labeled examples as input for training algorithms, where the output is already known or pre-predicted. For instance, consider data points labeled Y (yes) and N (no). A learning algorithm is then applied to this input dataset along with its corresponding outcomes. Subsequent to this training phase, a

testing phase is conducted, which compares the algorithm's predicted outcome against the actual, accurate outcome to identify any errors or discrepancies. Through the deployment of methods such as regression, classification, gradient descent, and various predictive techniques, supervised learning establishes a means to forecast the values of a label for additional, unlabeled data by leveraging identified patterns. It is predominantly employed to learn from historical events and to use this knowledge to predict future occurrences. Examples include scenarios like anticipating the probability of a credit card transaction being fraudulent or making predictions about when a customer might, for instance, submit a claim or show churn behavior.

- **Unsupervised learning:** This method operates on datasets that lack the requisite labels. The system is not provided with definitive "correct" answers; instead, it focuses on identifying and understanding the inherent structure of what is presented in the data. Its primary aim is the analysis of data to uncover patterns and structures embedded within a given dataset. Transactional data, for instance, is considered a valuable source for the application of unsupervised learning algorithms. To illustrate its operation: it can identify segments of customers who exhibit closely similar characteristics, which can then be used to target them more effectively in marketing campaigns. It is also capable of discerning attributes that can differentiate various customer groups. However, the fundamental concept underpinning this approach is the identification of analogous structures within the available data source. In addition to clustering processes, unsupervised learning can also be applied to detect outliers or anomalies within a data source. Some of the commonly employed techniques under this category of algorithms include Self-Organizing Maps (SOMs), K-means clustering, value decomposition methods (such as Singular Value Decomposition), and nearest neighbor mapping techniques.
- **Semi-supervised learning:** This learning algorithm is generally applied for the same objectives as supervised learning. However, this technique utilizes not only labeled data but also incorporates unlabeled data for its training purposes. Given that acquiring unlabeled data typically involves less expenditure of time, money, and effort, a smaller portion of labeled data is often used in conjunction with substantial amounts of unlabeled data. Essentially, this learning approach centers on methods such as regression, classification, and prediction. Companies tend to opt for semi-supervised learning when it becomes apparent that assembling large, fully labeled datasets for the training process is prohibitively expensive.
- **Reinforcement learning:** Key fields of application well-suited for this type of learning include navigation, robotics, and gaming. By employing trial-and-error methodologies, this learning paradigm identifies appropriate responses based on rewards or penalties received. The primary components involved in reinforcement learning are the agent (the entity making decisions), the actions (what the agent performs), and the environment (anything with which the agent interacts). This learning technique fundamentally aims to maximize the cumulative yield of rewards within an optimal timeframe. The adoption of effective policies can significantly aid the agent in achieving its designated goal more rapidly. It's noteworthy that ML can operate at a much faster pace than humans; whereas a human might develop a few effective models per week, ML possesses the capacity to generate thousands of efficient models within the same timeframe.

Machine Learning Tools, Advantages, and Limitations

As previously explored in section 1, machine learning is fundamentally the endeavor of creating products, whether software or hardware, that are capable of forecasting future outcomes by learning from historical data. Machine Learning involves the process of training datasets (which have been collected) through the application of learning algorithms such as Linear Regression, K-Nearest Neighbors (KNN), K-Means, Decision Trees, Random Forest, and Support Vector Machines (SVM). This training enables these algorithms to adapt to novel situations and to identify patterns that may hold significant interest and importance. It is crucial

to reiterate that ML is inherently data-driven. For the purpose of training Machine Learning models, the dataset employed can be labeled; this approach is known as supervised learning, and algorithms like Linear Regression and KNN, along with regression or classification techniques, are utilized in this context. Conversely, datasets that are not labeled are used in what is termed unsupervised learning, which employs algorithms such as Hidden Markov Models and Association Rules for data training. Each of these learning types can be elucidated with an illustrative example:

- **Supervised learning:** This can be likened to learning with an "answer key," where the computer is explicitly told the correct outcome, for instance, identifying which emails constitute spam and which do not. Another example could be determining whether a coin weighs exactly 3 grams.
- **Unsupervised learning:** An example here is the use of K-Means to identify and group patterns it discovers without any pre-existing answer key. For instance, within a cricket team, this method might be used to cluster players into groups like bowlers and batsmen based on their inherent characteristics.
- **Semi-Supervised or Reinforcement learning:** An illustrative example for this category could be determining whether a given image contains a dog or a cat, potentially with some initial guidance or learning through feedback. Machine learning can seem particularly effective, especially in reinforcement learning scenarios, where the machine iteratively learns from its feedback and strives to produce improved results in subsequent attempts.

The following tools are commonly employed for data analysis (data mining) and machine learning purposes:

- KNIME
- RapidMiner
- Orange
- Apache Mahout
- Weka
- Apache Spark
- Other programming environments like R, C++, etc.

Some examples of machine learning tools that provide Application Programming Interfaces (APIs) include:

- Pylearn2 for the Python language
- Deeplearning4j for the Java language
- LIBSVM for the C language

Advantages of Machine Learning

- It is instrumental in **Feature Learning**. Through this, a system, often initialized with random parameters, can learn from datasets to develop effective feature representations pertinent to a specific task or objective.
- Machine learning is also utilized for **Parameter Optimization**. It employs gradientbased methods to optimize extensive arrays of parameters. For example, in a deep neural architecture, which may contain millions of parameters, manual optimization to find optimal settings by a human is practically infeasible; machine learning provides mechanisms for this.
- In dynamic settings, machine learning is adept at managing **multi-dimensional and multi-variety data**.
- It facilitates **Fast Processing and Real-Time Predictions**.

- It ensures **continuous quality** even within large-scale and complex operational environments.
- The **automation of tasks** is readily achievable through machine learning.
- Platforms such as Google and Facebook leverage machine learning to present **relevant advertisements** to users, based on their past search activities and behavior.
- Reiterating a key strength, it capably handles **multi-dimensional and multi-variety data within dynamic environments**. Given its wide range of applications in sectors like banking, finance, healthcare, retail, and publishing, this capability is crucial. For instance, targeted advertising is often based on users' historical search patterns.
- In essence, contemporary machine learning plays a pivotal role in the **growth and development of any organization**, particularly within domains like e-healthcare, ecommerce, and the retail sector.

Limitations of Machine Learning

- A significant volume of **training data is necessary** to effectively train machine learning algorithms.
- ML typically operates with continuous loss functions, meaning it can be challenging to **optimize non-differentiable or discontinuous loss functions** using standard machine learning techniques.
- The learning capability of a machine is **inherently limited**; there is no assurance that machine learning algorithms will perform effectively in every conceivable scenario. It is not uncommon for machine learning approaches to fall short, underscoring the need for a very clear definition of the problem to be solved and careful selection of the appropriate ML algorithm.
- Similar to challenges encountered with deep learning algorithms (as discussed at https://www.analyticsvidhya.com/blog/2017/04/comparison-between-deep-learningmachine-learning/), working with **extremely large datasets can be difficult or complex** using ML.
- ML systems may exhibit a **susceptibility to errors arising from a lack of variability** in the training data. Brynjolfsson and McAfee have noted that this is an inherent issue, and they also emphasized that machine learning fundamentally deals with statistical truths rather than absolute certainties.
- The reliance on immediate predictions from a machine learning system might sometimes lead to a **reduced scope of possibilities**. Since it learns from historical data, its performance generally improves with larger datasets and more prolonged exposure to this data (i.e., more data typically correlates with higher accuracy).
- Consequently, Machine Learning functions appropriately only if the problem at hand is **genuinely solvable with the data available**. For example, attempting to build a model that predicts home prices based on the types of plants in each property's garden is unlikely to succeed. If no actual relationship exists between the garden plants and the house's sale price, the computer will be unable to infer such a connection.

Distinctions Between Deep Learning and Machine Learning

The architecture of deep learning is characterized by its construction from numerous hidden layers, with each layer containing multiple neurons. This multi-layered configuration facilitates the transformation of input data into higher-level abstract representations. We will now delineate the primary differences observed between these two learning paradigms:

- Deep learning involves the creation of algorithms structured in successive layers to form an artificial neural network capable of independent learning and intelligent decision-

making. In contrast, machine learning typically requires algorithms to first interpret data, then learn from that data, and subsequently synthesize informed decisions based on this learning.

- While deep learning typically necessitates a vast quantity of data to function effectively, machine learning can operate and derive conclusions from a comparatively smaller volume of data.
- The execution of deep learning models demands hardware components with exceptionally high performance capabilities.
- Deep learning methodologies are capable of autonomously generating new features through their inherent processes and techniques. Conversely, in machine learning, features are generally identified and defined with precision by human users.
- Deep learning approaches problem-solving in an end-to-end manner, addressing the entire task holistically. Machine learning, however, tends to tackle problems by breaking down a larger task into more manageable sub-tasks and then amalgamating the outcomes of these individual components.
- Deep learning networks are often referred to as "black box" systems because their internal workings can be exceedingly difficult to comprehend, largely due to the complexity of hyperparameters and intricate network designs.
- The time commitment required for training models is substantially greater in deep learning when compared to machine learning.
- Machine learning methods generally offer a higher degree of transparency in their operations than is typically found in deep learning methods.
- The rate of accuracy achieved through deep learning is generally considered highly satisfactory, especially when contrasted with that of machine learning.
- A significant advantage of deep learning is the elimination of the often challenging and complex feature engineering phase, which remains a prominent aspect of traditional machine learning workflows.
- Deep learning networks necessitate the use of high-end graphical processing units (GPUs), which are not only expensive but also require considerable time to be effectively utilized with large datasets.

Contrasting Deep Learning with Conventional Learning Approaches

The principal distinctions between deep learning methodologies and more traditional or conventional learning techniques are outlined as follows:

- **Feature Extraction and Representation:**

  - Deep learning methods possess the ability to learn features directly from raw sensor input and can identify the most suitable patterns to enhance recognition accuracy. o Conventional learning, conversely, operated on feature vectors that were manually engineered and inherently dependent on the specific application. These manually crafted features often proved difficult to model when faced with complex scenarios.

- **Generalization Capability and Data Diversity:**

  - Within deep learning, it is feasible to extract spatial features, features invariant to scale, and temporal features directly from unlabeled, raw data. o Conventional learning predominantly utilized labeled sensor data and also concentrated on processes of feature selection, often coupled with dimensionality reduction methods.

- **Data Preparation Requirements:**

- In the context of deep learning, extensive pre-processing of data and normalization steps are not invariably obligatory. ○ Conventional learning approaches typically extracted features based on sensor appearance and operated within predefined active windows of data.

- **Handling Temporal and Spatial Variations in Activities:**

  - The utilization of hierarchical features and features that are translationally invariant within deep learning frameworks can effectively address the complexities arising from intra-class variability, which often plagues handcrafted features. ○ Handcrafted features, characteristic of conventional learning, are often unsuitable and inefficient for resolving issues related to inter-class variability and understanding inter-class relationships.

- **Model Training Duration and Computational Execution Time:**

  - To mitigate the risk of overfitting, deep learning models generally require substantial amounts of sensor dataset information. This approach is also employed to reduce high computational loads, with Graphical Processing Units (GPUs) commonly used to accelerate the training process. ○ Conventional training methods typically necessitated less training data, consequently involving shorter computation times and lower memory utilization.

RESULT

The findings from this investigation indicate that machine learning and deep learning represent two separate and distinct subfields of artificial intelligence. Machine learning is typically applied to tasks such as the recognition of images, the processing of natural language, and the development of predictive models. Deep learning, in contrast, is generally reserved for more intricate tasks, including the identification of objects, the recognition of speech, and the operation of autonomous vehicles. Both machine learning and deep learning harbor the potential to bring about transformative changes across a multitude of industries, notably in healthcare, finance, and retail. Our comprehensive review brought to light that machine learning and deep learning have been effectively deployed across a broad spectrum of applications. These include, but are not limited to, image and speech recognition, natural language processing, and the creation of recommendation systems. Furthermore, these technologies have been utilized with encouraging outcomes in fields such as medicine, finance, and even agriculture. Nevertheless, persistent challenges are associated with these technologies, encompassing concerns about data privacy, ethical implications, and the fundamental need for transparency in their decision-making processes.

Additional outcomes from our review underscored some of the inherent strengths and limitations associated with machine learning and deep learning. Machine learning algorithms demonstrate particular efficacy when applied to structured data, such as that encountered in financial or marketing analysis. Conversely, deep learning algorithms have exhibited considerable promise in their capacity to manage unstructured data, for example, images, spoken language, or textual content. Moreover, we ascertained that the availability of extensive datasets is a critical factor for the successful implementation of both machine learning and deep learning models. The quality and diversity of the data employed during the training phase can significantly influence the accuracy and the ability of the models to generalize to new, unseen data. The application of artificial data augmentation World Information Technology and Engineering Journal Volume 10, Issue 07 – 2023 This work is licensed under the Creative

Commons Attribution International License (CC BY). Copyright © The Author(s). Published by International Scientific Indexing & Institute for Scientific Information 3901 techniques, such as the synthesis of images or text, can, in certain instances, help to alleviate the impact of restricted data availability. Furthermore, we identified several challenges linked to the use of machine learning and deep learning, including the potential for embedded bias and discrimination. Such issues can emerge if the training data used to develop the models lacks sufficient diversity, or if the algorithms themselves are not designed with considerations for fairness and ethics. It is incumbent upon researchers and practitioners to remain cognizant of these issues and to actively work towards the development of machine learning and deep learning models that are more transparent, explainable, and accountable.

Finally, we noted that the domain of machine learning and deep learning is in a state of continuous evolution, with new algorithms and techniques being consistently developed and refined. The convergence of machine learning and deep learning with other emergent technologies, such as blockchain, the Internet of Things (IoT), and cloud computing, also constitutes an active area of research and development. These ongoing advancements hold the potential to further broaden the applications and enhance the capabilities of machine learning and deep learning, while concurrently introducing new challenges and ethical considerations that must be addressed.

Varieties of Real-World Data and Associated Machine Learning Methodologies

Machine learning algorithms characteristically ingest and manipulate data to discern relevant patterns pertaining to individuals, business operations, transactional histories, events, and more. In the subsequent discussion, we will explore diverse forms of real-world data alongside the classifications of machine learning algorithms.

Forms of Real-World Data

Typically, the accessibility of data is regarded as fundamental for the development of a machine learning model or any data-centric real-world system (Sarker et al., 2020e; Sarker et al., 2020f). Data can manifest in several forms, including structured, semi-structured, or unstructured formats (Han et al., 2011; McCallum, 2005). Additionally, "metadata" constitutes another category, generally signifying data that describes other data. Below, we offer a concise overview of these data categories.

- **Structured Data:** This type of data possesses a clearly defined organization, adheres to a specific data model following a conventional sequence, and is characterized by its high level of organization and ease of access and utilization by an entity or a computational program. Structured data is commonly stored within well-defined schemas, such as relational databases, often in a tabular layout. For example, names, dates, physical addresses, credit card details, stock market information, and geolocation coordinates are all instances of structured data.
- **Unstructured Data:** In contrast, unstructured data lacks a predefined format or organizational framework, which makes it considerably more challenging to capture, process, and analyze. It predominantly comprises textual and multimedia content. Examples include data from sensors, electronic mails, blog posts, wiki entries, documents from word processors, PDF files, audio recordings, video content, images, presentation slides, web pages, and a wide array of other business-related documents.
- **Semi-structured Data:** Semi-structured data is not stored within a relational database system like the aforementioned structured data; however, it does exhibit certain organizational characteristics that facilitate easier analysis. Common examples of semistructured data include HTML, XML, and JSON documents, as well as data stored in NoSQL databases.
- **Metadata:** This is not data in its usual form but rather "data about data." The primary distinction between "data" and "metadata" lies in the fact that data itself is simply the

material that can be used to classify, measure, or even document something in relation to an organization's data attributes. Metadata, on the other hand, describes the pertinent information about the data, thereby imbuing it with greater significance for those who use the data. A straightforward example of a document's metadata could include details such as the author's name, the file size, the date the document was generated, and keywords used to define the document's content.

Within the domains of machine learning and data science, researchers frequently employ a variety of widely recognized datasets for diverse purposes. These include, for instance, cybersecurity datasets like NSL-KDD (Tavallaee et al., 2009), UNSW-NB15 (Moustafa & Slay, 2015), ISCX'12 (Canadian Institute of Cybersecurity, 2019), CIC-DDoS2019 (CICDDoS2019, 2020), and Bot-IoT (Koroniotis et al., 2019). Smartphone-derived datasets are also common, such as phone call logs (Santi et al., 2011; Sarker et al., 2016), SMS logs (Eagle & Pentland, 2006), logs of mobile application usage (Zhu et al., 2014a; Srinivasan et al., 2014), and mobile phone notification logs (Mehrotra et al., 2016). Other examples encompass IoT data (Balducci et al., 2018; Khadse et al., 2018; Lade et al., 2017), data from agriculture and ecommerce sectors (Tsagkias et al., 2021; Zikang et al., 2020), health-related data such as that for heart disease (Safdar et al., 2018), diabetes mellitus (Perveen et al., 2018; Zheng et al., 2017), and COVID-19 (Harmon et al., 2020; Mohamadou et al., 2020), among many others across various fields of application. Data can exist in the different formats discussed previously, and its nature may change from one real-world application to another. To analyze such varied data within a specific problem area and to derive insights or valuable knowledge for constructing real-world intelligent applications, different kinds of machine learning techniques can be deployed based on their distinct learning capabilities, as elaborated in the following section.

Categories of Machine Learning Techniques

Machine Learning algorithms are predominantly categorized into four main groups: Supervised learning, Unsupervised learning, Semi-supervised learning, and Reinforcement learning (Mohammed et al., 2016). In the subsequent discussion, we will concisely examine each of these learning technique categories, outlining the scope of their applicability for addressing real-world problems.

- **Supervised Learning:** Supervised learning typically involves the machine learning task of deducing a function that maps an input to an output, based on a series of sample input-output pairings (Han et al., 2011). This method utilizes labeled training data and a set of training examples to infer this function. Supervised learning is employed when specific objectives are identified for achievement based on a given set of inputs, representing a task-driven methodology (Sarker et al., 2020f). The most frequently encountered supervised tasks are "classification," which involves segregating data into distinct categories, and "regression," which aims to fit data to a continuous output. For instance, predicting the class label or the sentiment expressed in a piece of text, such as a tweet or a product review (i.e., text classification), is an example of supervised learning.
- **Unsupervised Learning:** Unsupervised learning is characterized by the analysis of unlabeled datasets without the necessity for human intervention, thus representing a data-driven process (Han et al., 2011). This approach is widely adopted for extracting generative features, identifying significant trends and underlying structures, forming groupings within results, and for general exploratory data analysis. The most common tasks within unsupervised learning include clustering, density estimation, feature learning, dimensionality reduction, discovering association rules, and anomaly detection.
- **Semi-supervised Learning:** Semi-supervised learning can be described as an amalgamation of the previously mentioned supervised and unsupervised

methodologies, as it operates using both labeled and unlabeled data (Han et al., 2011; Sarker et al., 2020f). Consequently, it occupies a middle ground between learning "without supervision" and learning "with supervision." In many real-world contexts, labeled data may be scarce, while unlabeled data is abundant; in such scenarios, semisupervised learning proves particularly useful (Mohammed et al., 2016). The ultimate aim of a semi-supervised learning model is to achieve a better prediction outcome than what could be produced by the model using only the labeled data. Some application domains where semi-supervised learning is employed include machine translation, fraud detection, the labeling of data, and text classification.

- **Reinforcement Learning:** Reinforcement learning is a category of machine learning algorithm that empowers software agents and machines to autonomously determine the optimal course of action within a specific context or environment to enhance their overall efficiency (Kaelbling et al., 1996); this is considered an environment-driven approach. This type of learning operates on a system of rewards or penalties, and its fundamental objective is to utilize insights gleaned from environmental interactions to take actions that maximize rewards or minimize risks (Mohammed et al., 2016). It serves as a potent tool for training AI models capable of increasing automation or optimizing the operational efficiency of sophisticated systems, such as those found in robotics, autonomous driving tasks, manufacturing, and supply chain logistics. However, it is generally not the preferred method for addressing basic or straightforward problems.

Machine Learning and Deep Learning

In the context of machine learning, a computational program is assigned a series of tasks. The machine is considered to have learned from its experience if its quantifiable performance in these tasks shows improvement over time as it accumulates more practice in their execution. This implies that the machine is formulating judgments and predictions based on previously encountered data. For example, consider a computer software application designed to learn how to diagnose cancer using a patient's medical history. As it processes medical investigation data from a progressively larger cohort of patients, its diagnostic performance will enhance through the accumulation of knowledge. The metric for performance, in this case, would be the count of cancer cases accurately predicted and identified, as subsequently validated by an experienced oncologist. Machine learning finds application in a diverse array of fields, including but not limited to robotics, virtual personal assistants (like Google Assistant), video gaming, pattern recognition, natural language processing, data mining, traffic flow prediction, online transportation network operations (for instance, Uber’s dynamic surge pricing estimations), product recommendation engines, stock market forecasting, medical diagnostic support, fraud prediction systems, agricultural advisory services, and the refinement of search engine results (such as those provided by Google’s search engine).

Within the broader field of artificial intelligence (AI), machine learning signifies the capacity of systems to adapt automatically with minimal or no human intervention. Deep learning, a specialized subfield of machine learning, employs neural networks to emulate the learning processes of the human brain. A significant distinction exists between these two concepts. Although deep learning typically requires a larger volume of data for training, it possesses a greater ability to adapt to new situations and to autonomously correct its own errors. Conversely, machine learning can be trained using smaller datasets but generally necessitates more direct human involvement to learn effectively and to rectify its mistakes. Traditional machine learning often depends on human input to categorize data and to highlight relevant attributes. In contrast, a deep learning system endeavors to acquire these attributes without explicit human guidance. In a simplified analogy, machine learning operates much like an obedient robot that analyzes patterns in data to make predictions. If one can imagine a robot that learns autonomously, that is more akin to deep learning, which can discern more intricate patterns and generate independent predictions. Deep neural networks represent a specific area

within machine learning. They are characterized by a network model comprising neurons with numerous parameters and multiple layers situated between the input and output stages. Deep learning (DL) is founded upon neural network topologies, hence their designation as deep neural networks. DL facilitates the autonomous learning of features and their hierarchical representation across various levels of abstraction. This inherent robustness, when compared to conventional machine learning methods, stems from deep learning's powerful processing capabilities; in essence, the entire architecture of a deep learning model is engaged in feature extraction and modification. The initial layers undertake rudimentary processing of incoming data or learn elementary features, with their output then being passed to subsequent, upper layers that are responsible for learning more complex and abstract features. Consequently, deep learning is particularly well-suited for managing larger datasets and addressing problems of greater complexity.

The Key Distinctions between Deep Learning and Machine Learning

Machine learning focuses on learning how to map input data to an output, given a particular representation of the world (features) that has been manually engineered for each specific task (Computers 2023, 12, 91 4 of 26). Deep learning, as a form of machine learning, aims to represent the world as a nested hierarchy of concepts that are automatically identified and learned by the architecture of the deep learning model itself. The fundamental paradigm underlying both ML and DL is the creation of data-driven algorithms. Data, whether structured or unstructured, is utilized to gather and derive the information necessary for the task at hand. Deep learning models often hold an advantage over traditional machine learning models due to their increased number of learning layers and a consequently higher level of abstraction. Another contributing factor to this advantage is the direct, data-driven learning process that encompasses all components of the model. Traditional machine learning models, owing to the algorithms they employ, tend to encounter limitations as the volume of data increases and as the demand for more nuanced insights from that data grows. The expansion in data availability has been a primary catalyst for the development of more sophisticated, faster, and more accurate learning algorithms. To maintain a competitive edge, virtually every organization will seek to employ a model that yields the most precise predictions possible.

Exploratory Data Analysis In Machine Learning

Exploratory Data Analysis (EDA) serves as an indispensable tool for machine learning engineers, enabling them to derive meaningful insights from their datasets. It assists them in making well-informed decisions regarding their data and in constructing models that accurately represent it. Raw data may not readily reveal underlying patterns, correlations, or anomalies; however, through EDA, data scientists can employ various visualization techniques to uncover hidden insights and achieve a better understanding of the data's inherent structure. This process includes examining the distribution of the data, identifying outliers and missing values, and investigating the relationships between different features. A thorough explanation of the significance of data analysis and its associated procedures is detailed in other scholarly works.

The application of EDA within the machine learning workflow has gained considerable traction in recent years, primarily because it helps machine learning scientists to comprehend the data thoroughly before proceeding with model construction. By fostering a clear understanding of the data, they can refine their models and prevent the incorporation of inaccurate assumptions. EDA can also pinpoint any issues present within the data that might adversely affect the accuracy of the subsequent model. EDA's capacity to identify correlations between variables is exceptionally valuable in the context of machine learning. By analyzing these interrelationships, ML engineers can develop more precise models and ascertain which features hold the most predictive power. Furthermore, EDA can detect outliers and instances of missing values, the handling of which can significantly enhance a model's accuracy. For ML engineers,

EDA offers a visual representation of the data, which simplifies the identification of trends, patterns, and irregularities. It can also aid in determining the most crucial aspects for a machine learning model by scrutinizing the data's distributional patterns. This approach contributes to saving time and resources by allowing a focused effort on the most critical elements, while potentially reducing the overall volume of data required for the model.

Moreover, EDA can be utilized to assess the performance of machine learning models. By visualizing the model's outcomes, data engineers can identify areas where the model is performing sub-optimally and can then implement improvements to boost accuracy and address any potential deficiencies related to the data itself. Some of the common tools and libraries employed for EDA include:

- **Python libraries:** Pandas, Numpy, Matplotlib, Seaborn, Plotly
- **R libraries:** ggplot2, dplyr, tidyr, caret
- **Business Intelligence & Visualization Tools:** Tableau

- **Spreadsheet Software:** Excel
- **Statistical Software Packages:** SAS, IBM SPSS, Statistica, Minitab
- **Data Mining & Machine Learning Platforms:** Weka • **Numerical Computing Environments:** Matlab

Common Problem Categories in Machine Learning

A multitude of problem types fall within the purview of machine learning, encompassing areas such as regression, clustering, image segmentation and classification, the learning of association rules, and ranking methodologies. These techniques are engineered to construct intelligent systems capable of addressing sophisticated problems that, prior to the advent of ML, would have necessitated human intervention to solve or would have been altogether intractable without computational power. The capacity to classify previously unseen input data is exceptionally valuable; a prevalent illustration of this is found in natural language programming (NLP). The domain of NLP is extensive, and within this field, ML classification can be employed to discern the bias present in an article or to convert spoken language into textual form. Consequently, classification stands as a powerful ML technology that many individuals encounter and utilize daily in numerous contexts.

Classification

Classification is a fundamental technology within ML that endeavors to accurately assign input data to one of several predefined categories. The classification model undergoes training to address either binary or multi-class problem sets. While the binary classification approach is the most straightforward and widely applicable, multi-class classification is also exceedingly potent, enabling a broader array of applications stemming from this technology. Within the realm of ML, classification is performed by models that are inherently data-driven. One such model, the support vector machine (SVM), utilizes a hyperplane to segregate data points and is a very frequently employed and effective classification instrument. Neural networks are also commonly adopted for classification tasks and demonstrate greater suitability, particularly for image-based classification, when compared to SVMs. However, neural networks can sometimes exhibit slower computational speeds due to their elaborate network structures and the numerous weights and biases that require adjustment over multiple training iterations (epochs). In certain classification problems with stringent real-time constraints, an SVM might offer superior performance over a neural network, especially if online training is necessary to continuously update the model. Classification employs its own robust suite of evaluation metrics; the widely recognized accuracy metric is applicable here. More sophisticated computed metrics for assessing a classifier's performance include the F1 score, precision, recall (also known as sensitivity), and specificity. These metrics are calculated by considering the

actual class versus the predicted class, taking into account true positives, true negatives, false positives, and false negatives. To visually represent the performance of a classifier, a confusion matrix can be effectively utilized.

The process of classifying or identifying an object is immensely useful in a wide range of situations and constitutes a primary application of machine learning. Classification methodologies can be applied to all forms of data and across diverse domains, for example, to identify specific events within a time-series sequence, to ascertain whether a piece of written text exhibits a particular bias, or to label the various objects depicted within an image. The realtime classification of visual data represents a significant challenge in machine learning and holds particular relevance for autonomous vehicle systems. A self-driving car, equipped with omnidirectional cameras, must leverage machine learning to classify nearby objects with the highest possible degree of accuracy, as the successful implementation of this technology carries life-and-death implications. Various types of classification exist within machine learning; binary classification is a common and simple form, wherein an object is determined to belong to one of two possible categories. For instance, an email is either directed to an inbox or categorized as spam and moved to the spam folder. Multi-class classifiers, on the other hand, are capable of assigning an object to one of three or more distinct classes. A multi-class classifier might be employed, for example, to identify the musical genre to which a particular song belongs.

As an illustration of classification, a spoken digit to numerical digit classifier was developed by the authors, and some of its results are presented. The spoken digit classifier is a technology widely used by various spoken language classification systems, such as those installed on smartphones. While commercial smartphone applications typically utilize more advanced cloud-based artificial intelligence systems, this particular example is predicated on a locally instantiated three-layer recurrent neural network. This network was trained using a supervised learning approach to address the multi-class problem of classifying spoken digits from 0 to 9.

Regression

The primary aim of conducting a regression analysis is to gain an understanding of the existing relationship between a set of independent variables and a single dependent variable, which is sometimes referred to as the target feature. Regression techniques are employed throughout the training phase of models that are designed to forecast or predict future trends and occurrences. By utilizing labeled training data, these models discern the manner in which the input data correlates with the output data. This makes it possible to subsequently estimate future patterns, predict outcomes based on data that the model has not previously encountered, or use it to comprehend and fill gaps in datasets that have already been compiled.

In a regression problem, the predicted target feature is a continuous numerical value. For example, if we possess information regarding the number of rooms, the overall size of a house, its neighborhood, the zip code, and the number of current occupants, we can potentially determine the market price of the house. Since the labels or outputs (i.e., house prices) are already known in the training data, regression problems are categorized under supervised learning. Linear regression is considered the most fundamental type of regression technique. The root mean square error (RMSE) value is a commonly used metric to assess the accuracy of a regression model. Additionally, there are non-linear algorithms such as decision trees, random forests, support vector regression (SVR), and neural networks that can be applied to solve regression problems [24–27].

Clustering

Clustering is categorized as an unsupervised learning technique because the dataset provided to the clustering algorithm does not contain any pre-assigned labels. Cluster analysis groups data items based solely on the information inherent within the data itself, which describes the

objects and their interrelationships. The fundamental prerequisite is that items within a single cluster should be similar to each other or share some common relationship, whereas items in different clusters should be distinct from one another or lack such a relationship. The effectiveness or distinctness of the clustering is considered higher when there is a greater degree of similarity or homogeneity within each group, alongside a greater degree of dissimilarity between different clusters. A comprehensive survey focusing on clustering algorithms was published by the authors of a referenced work in 2005. They examined various strengths and weaknesses inherent in different clustering algorithms, including those based on squared error, hierarchical clustering approaches, neural network-based methods, density-based clustering techniques, and several other clustering algorithms, such as fuzzy c-means. Furthermore, their work highlighted the key factors that should be taken into account before selecting a specific clustering algorithm for a particular set of problems. In the present article, K-Means, K-Nearest Neighbor, and DBSCAN algorithms are demonstrated in a subsequent section using a dataset sourced from the scikit-learn library.

Image Classification and Segmentation

Image classification can be employed to assign a label to an image, indicating that it belongs to one of a predefined set of categories. However, more granular information can be extracted through the process of image segmentation, which identifies and delineates specific objects within the image. In the domain of image classification, deep convolutional neural networks (CNNs) represent the state-of-the-art for achieving high-performance multi-class detection within an image. The neurons in these networks typically utilize local receptive fields, meaning they process input from a limited region of the image data. These neurons are commonly arranged in layers designed to perform down-convolutions and up-convolutions, which respectively reduce and then expand the image data. This particular model architecture facilitates the abstraction of shapes and enables the learning of complex shapes and boundaries. To meet the real-time processing demands for image classification in applications such as selfdriving vehicles and other time-sensitive systems, the use of heterogeneous and parallel programming for computational tasks can be leveraged. This essentially involves utilizing the graphics processing unit (GPU), which operates with a significantly larger number of processing cores simultaneously compared to standard central processing units (CPUs). The GPU is then tasked with computing the classifications of objects present in the image.

Object Detection

Object detection can be initiated by sensors that capture data pertaining to an object. This captured data is then processed through a machine learning pipeline to identify the object. The ability to correctly detect and categorize the object can be influenced by the quantity and quality of data available on that object. For instance, a partial data capture would likely diminish the capacity to successfully detect that object. Our own minds are perpetually engaged in detecting objects and even identifying them based on only a partial view. For example, seeing the front portion of a car allows us to infer the presence of the entire vehicle, or by feeling a keyboard, we might locate the 'f' and 'j' keys and from that tactile information, determine how to type. Furthermore, individuals skilled in cooking can often detect ingredients merely by smell and taste. Analogously, given partial data acquired from sensors, a machine learning process that is sufficiently complex and has been well-trained can successfully detect an object. This capability has profound implications across technology, ranging from fully autonomous vehicles and robotics to time-series event analysis and classifications, such as real-time network analysis for identifying malicious actors on a network.

Association Rule Learning

This technique, known as association rule learning, leverages patterns discovered within a dataset to extract a set of rules that are generally true for that dataset. This is an exceedingly

useful method for data mining and for subsequently using these extracted rules to draw inferences about outcomes when presented with new data. Such inferences can significantly enhance decision-making processes, particularly in planning for events in advance. The classic illustration often provided is that of grocery items. Associations have been identified, for instance, suggesting that if a customer purchases milk, they are also likely to purchase bread during the same shopping trip. Modeling inventory based on such associations can assist stores in maintaining appropriate stock levels of their items, aligned with the anticipated consumer demand. An association rule might be very strong yet not hold true in 100% of cases within the dataset; nevertheless, such a rule could still prove valuable. For this reason, association rules can be extracted based on an "interestingness" metric, which allows for strong rules to be selected or rejected based on a predefined threshold.

CONCLUSION

Machine learning and deep learning stand as two of the most groundbreaking technologies within the sphere of artificial intelligence. They possess the capacity to reshape diverse industries and have, indeed, already commenced this transformative process. With the continuous expansion of data and the concurrent increase in computational capabilities, the scope and power of machine learning and deep learning are set to broaden further. These technologies hold the promise of generating new employment opportunities, boosting efficiency across various sectors, and elevating the quality of life for individuals worldwide. It is imperative that investment in research and development within these domains continues, to fully realize their latent potential. Having emerged as potent instruments across numerous fields, the prospective applications for machine learning and deep learning are extensive. Nonetheless, challenges persist in association with these technologies, and it is crucial to give due consideration to the ethical ramifications of their deployment. As these technologies advance, maintaining a careful equilibrium between their potential advantages and the imperative to ensure their utilization in a responsible and transparent fashion will be paramount. In summary, this review offers insights into the methodologies and applications inherent to machine learning and deep learning, emphasizing their respective strengths, inherent limitations, and associated challenges. While these technologies are poised to revolutionize many areas and enhance decision-making frameworks, it is vital to guarantee that their development and application are conducted in a manner that is both responsible and transparent.

As the evolution of these technologies progresses, it will be critically important to address the ethical questions tied to their use, encompassing issues related to bias, discrimination, and privacy. Researchers and practitioners operating in this field must actively strive towards the creation of machine learning and deep learning models that exhibit greater transparency, explainability, and accountability. Furthermore, there is a pressing need to equip individuals and organizations with the requisite skills and knowledge to comprehend and effectively utilize these technologies. This can be accomplished through targeted education and training initiatives, as well as by fostering collaborative efforts among academic institutions, industry stakeholders, and governmental bodies.

On the whole, machine learning and deep learning have demonstrated considerable potential across a wide array of applications, and it is anticipated that their influence will continue to escalate in the forthcoming years. As we persist in the development and refinement of these technologies, it is essential to remain mindful of both their prospective benefits and the overarching necessity for their responsible and ethical implementation.

REFERENCES

1. Abd Elaziz, Mohamed, et al. "Advanced metaheuristic optimization techniques in applications of deep neural networks: a review." Neural Computing and Applications (2021): 1-21.
2. Abdollahzadegan, A., Che Hussin, A. R., Moshfegh Gohary, M., & Amini, M. (2013). The organizational critical success factors for adopting cloud computing in SMEs. Journal of Information Systems Research and Innovation (JISRI), 4(1), 67-74.
3. Agrawal, A., Agrawal, R., & Gupta, A. (2018). Extracting Knowledge from Opinion Mining. IGI Global, USA.
4. Amini, Mahyar and Ali Rahmani. "Achieving Financial Success by Pursuing Environmental and Social Goals: A Comprehensive Literature Review and Research Agenda for Sustainable Investment." World Information Technology and Engineering Journal 10.04 (2023): 1286-1293.
5. Amini, Mahyar and Ali Rahmani. "Agricultural databases evaluation with machine learning procedure." Australian Journal of Engineering and Applied Science 8.6 (2023): 39-50
6. Amini, Mahyar and Ali Rahmani. "How Strategic Agility Affects the Competitive Capabilities of Private Banks." International Journal of Basic and Applied Sciences 10.01 (2023): 8397-8406.
7. Amini, Mahyar, and Ali Rahmani. "Machine learning process evaluating damage classification of composites." International Journal of Science and Advanced Technology 9.12 (2023): 240-250
8. Mehta, Darshan Bhavesh. "Advancing Conversational AI through Multimodal Integration of Auditory and Visual Modalities." International Journal for Research in Applied Science & Engineering Technology 13, no. IV (April 2025): 6268–6275
9. Amini, Mahyar, and Aryati Bakri. "Cloud computing adoption by SMEs in the Malaysia: A multi-perspective framework based on DOI theory and TOE framework." Journal of Information Technology & Information Systems Research (JITISR) 9.2 (2015): 121-135.
10. Amini, Mahyar, and Nazli Sadat Safavi. "A Dynamic SLA Aware Heuristic Solution For IaaS Cloud Placement Problem Without Migration." International Journal of Computer Science and Information Technologies 6.11 (2014): 25-30.
11. Amini, Mahyar, and Nazli Sadat Safavi. "A Dynamic SLA Aware Solution For IaaS Cloud Placement Problem Using Simulated Annealing." International Journal of Computer Science and Information Technologies 6.11 (2014): 52-57.
12. Amini, Mahyar, and Nazli Sadat Safavi. "Cloud Computing Transform the Way of IT Delivers Services to the Organizations." International Journal of Innovation & Management Science Research 1.61 (2013): 1-5.
13. Amini, Mahyar, and Nazli Sadat Safavi. "Critical success factors for ERP implementation." International Journal of Information Technology & Information Systems 5.15 (2013): 1-23.
14. Amini, Mahyar, and Negar Jahanbakhsh Javidi. "A Multi-Perspective Framework Established on Diffusion of Innovation (DOI) Theory and Technology, Organization and Environment (TOE) Framework Toward Supply Chain Management System Based on Cloud Computing Technology for Small and Medium Enterprises." International Journal of Information Technology and Innovation Adoption 11.8 (2023): 1217-1234

15. Amini, Mahyar, and Zavareh Bozorgasl. "A Game Theory Method to Cyber-Threat Information Sharing in Cloud Computing Technology." International Journal of Computer Science and Engineering Research 11.4 (2023): 549-560.
16. Amini, Mahyar, et al. "Agricultural development in IRAN base on cloud computing theory." International Journal of Engineering Research & Technology (IJERT) 2.6 (2013): 796-801.
17. Amini, Mahyar, et al. "Development of an instrument for assessing the impact of environmental context on adoption of cloud computing for small and medium enterprises." Australian Journal of Basic and Applied Sciences (AJBAS) 8.10 (2014): 129-135.
18. Amini, Mahyar, et al. "MAHAMGOSTAR.COM AS A CASE STUDY FOR ADOPTION OF LARAVEL FRAMEWORK AS THE BEST PROGRAMMING TOOLS FOR PHP BASED WEB DEVELOPMENT FOR SMALL AND MEDIUM ENTERPRISES." Journal of Innovation & Knowledge, ISSN (2021): 100-110.
19. Amini, Mahyar, et al. "The role of top manager behaviours on adoption of cloud computing for small and medium enterprises." Australian Journal of Basic and Applied Sciences (AJBAS) 8.1 (2014): 490-498.
20. Amini, Mahyar, et al. "Types of cloud computing (public and private) that transform the organization more effectively." International Journal of Engineering Research & Technology (IJERT) 2.5 (2013): 1263-1269.
21. Amini, Mahyar, Koosha Sharifani, and Ali Rahmani. "Machine Learning Model Towards Evaluating Data gathering methods in Manufacturing and Mechanical Engineering." International Journal of Applied Science and Engineering Research 15.4 (2023): 349-362.
22. Amini, Mahyar. "The factors that influence on adoption of cloud computing for small and medium enterprises." (2014).
23. Baduge, Shanaka Kristombu, et al. "Artificial intelligence and smart vision for building and construction 4.0: Machine and deep learning methods and applications." Automation in Construction 141 (2022): 104440.
24. Balouji, Ebrahim, et al. "A LSTM-based deep learning method with application to voltage dip classification." 2018 18th international conference on harmonics and quality of power (ICHQP). IEEE, 2018.
25. Benjamin, R. (2018). A Tour of Reinforcement Learning: The View from Continuous Control. arXiv preprint arXiv:1806.09460. https://arxiv.org/abs/1806.09460
26. Benuwa, Ben Bright, et al. "A review of deep machine learning." International Journal of Engineering Research in Africa 24 (2016): 124-136.
27. Berry, M. W., Mohamed, A. H., & Yap, B. W. (2019). Supervised and Unsupervised Learning for Data Science. Springer Nature.
28. Biran, O., & Cotton, C. (2017). Explanation and justification in machine learning: A survey. IJCAI-17 workshop on explainable AI (XAI), 8(1), 8–13.
29. Brézillon, P. (1999). Context in artificial intelligence: I. A survey of the literature. Comput. Artif. Intell., 18, 321–340.
30. Bzdok, D., Krzywinski, M., & Altman, N. (2018). Machine learning: supervised methods. Nat. Methods, 15, 5–6. https://doi.org/10.1038/nmeth.4551
31. Carrio, Adrian, et al. "A review of deep learning methods and applications for unmanned aerial vehicles." Journal of Sensors 2017 (2017).
32. Castiglioni, Isabella, et al. "AI applications to medical images: From machine learning to deep learning." Physica Medica 83 (2021): 9-24.
33. Chai, Junyi, et al. "Deep learning in computer vision: A critical review of emerging techniques and application scenarios." Machine Learning with Applications 6 (2021): 100134.

34. Chugh, Gunjan, Shailender Kumar, and Nanhay Singh. "Survey on machine learning and deep learning applications in breast cancer diagnosis." Cognitive Computation (2021): 1-20.
35. Coglianese, C., & Lehr, D. (2016). Regulating by robot: Administrative decision making in the machine-learning era. Geo. L.J., 105, 1147.
36. Dargan, Shaveta, et al. "A survey of deep learning and its applications: a new paradigm to machine learning." Archives of Computational Methods in Engineering 27 (2020): 1071-1092.
37. Dean, J. (2014). Big data, data mining, and machine learning: Value creation for business leaders and practitioners. John Wiley & Sons.
38. Deng, Li, and Dong Yu. "Deep learning: methods and applications." Foundations and trends® in signal processing 7.3–4 (2014): 197-387.
39. Deng, Li, and Dong Yu. "Foundations and Trends in Signal Processing: DEEP LEARNING–Methods and Applications." (2014).
40. Dike, H. U., Zhou, Y., Deveerasetty, K., & Wu, Q. (2018). Unsupervised learning based on artificial neural network: a review. In IEEE International Conference on Cyborg and Bionic Systems (CBS) (pp. 322–327). IEEE. https://doi.org/10.1109/CBS.2018.8612259
41. Dushyant, Kaushik, et al. "Utilizing Machine Learning and Deep Learning in Cybesecurity: An Innovative Approach." Cyber Security and Digital Forensics (2022): 271-293.
42. Evstatiev, B. I., & Gabrovska-Evstatieva, K. G. (2020, November 26–29). A review on the methods for big data analysis in agriculture. In Proceedings of the IOP Conference Series: Materials Science and Engineering (Vol. 1032, p. 012053). IOP Publishing Ltd.
43. Gavali, P., & Banu, J. S. (2019). Deep Convolutional Neural Network for Image Classification on CUDA Platform. In A. K. Sangaiah (Ed.), Deep learning and parallel computing environment for bioengineering systems (pp. 99–122). Academic Press. https://doi.org/10.1016/B978-0-12-814614-1.00006-7