MCMASTER UNIVERSITY

CAS 4ZP6 CAPSTONE PROJECT 2013/2014

PORTER SIMULATION

User Manual Revision 1

Authors: Vitaliy Kondratiev - 0945220 Nathan Johrendt - 0950519 Tyler Lyn - 0948978 Mark Gammie - 0964156

Supervisor: Dr. Douglas Down

April 24, 2014

CONTENTS

1	Introduction	3				
2	Background	3				
3	Installation 3.1 Generate Installation File	3				
4	Launch Simulation Tool	4				
5	Input Configuration 5.1 Basic Settings	5				
6	Dashboard	g				
7	Raw Data	12				
8	Configure Development Environment 8.1 Install Python Modules					
9	Supported Systems					
10	Troubleshooting	13				
11	11 Figures and Tables Appendix					
12	12 Legal and Copyright Information					
13	13 Contact Information					
14	Source code and other documentation	13				

1 Introduction

Welcome to the User Manual for the Hamilton Health Science's Porter Simulation, designed for use at the Juravinski Hospital in Hamilton, Ontario. This manual will examine the topics of installation, input configuration, running the simulation, output data and configuring the development environment. This manual will also explain to the reader the meaning of each option in the User Interface and provide the reader with background information.

2 BACKGROUND

This section provides the reader with a high-level overview of key components within the simulation. The simulation begins by importing all of the settings configured through the software's user interface. A data file containing all information about jobs will be sampled by the software and a list of jobs will be generated. The sampling of this data file can be configured through the Basic Settings (Section 5.1). Jobs will then be passed into the Dispatcher and assigned to porters. The Dispatcher can be configured through the Advanced Settings (Section 5.3). Once the simulation is finished an excel file is generated allowing the user to view raw simulation data and graphs (Section 6).

3 INSTALLATION

Setup of the Porter Simulation will be done by running an installer.

- 1. Locate the Porter Simulation-1.0-win32.exe file.
- 2. Double click to run Porter Simulation-1.0-win32.msi.
- 3. Pick a directory to install the application. Default directory will be automatically filled in.
- 4. Wait for the installer to finish then click "Finish".
- 5. The Porter Simulation shortcut will now appear on your desktop.




Figure 3.1: Pick a directory

3.1 GENERATE INSTALLATION FILE

Before building Porter Simulation-1.0-win32.exe the reader must have a working development environment (Section 8: Configure Development Environment)

- (i) From command prompt enter: python setup.py bdst_msi
- (ii) Two folders named "build" and "dist" will be generated.
- (iii) The build folder contains an executable to run the simulation.
- (iv) The dist folder contains the installer (i.e. Simulation-1.0-win32.exe)

4 LAUNCH SIMULATION TOOL

The Porter Simulation tool can be launched by double-clicking on the PorterSimulation2014.exe

5 Input Configuration

The first step in using the software is to configure the simulation with a series of different inputs. These different input variables represent changes to the hospital environment, which will affect the simulated results.




Figure 5.1: Basic Settings

5.1 BASIC SETTINGS

(i) Simulation Duration: Number of days the software will simulate events. Minimum: 1 Maximum: 7

- (ii) **Porter Wait Times:** Maximum number of minutes a porter waits for a delay (patient, equipment, nurse) before cancelling a job
- (iii) **Job Flow:** The rate of event generation during the course of the simulation. The levels are Low, Normal, High. On normal the rate of job creation is consistent to how it appears in the data. On Low and High level the rate is decreased and increased respectively. The program looks at the same time frame across all the data and picks the amount of events to generate as average (Normal), highest (High), or lowest (low).
- (iv) **Start Day:** Define the first day the simulation generates events from. For example; specifying Tuesday means day 1 events will only come from Tuesdays of the statistical data source, day 2 events will come from Wednesday, etc.

5.2 Basic Settings - Data Source

The Data Source setting allows selection of different source input files, pre-configured to aid HHS users in testing a variety of hospital conditions and elements.

- (i) **Statistical Data Source:** A path to the source file that will be used to provide the simulation with statistical distribution information. For more information see section 5.5
- (ii) **Schedule Data Source:** A path to the source file that will be used to provide scheduling information to be used during simulation. For more information see section 5.4
- (iii) Output Location: Determines the Location to store output data

5.3 ADVANCED SETTINGS

The dispatcher will be ordering the pending jobs and giving them to available porters. The dispatcher algorithm was designed using documentation provided by HHS. The values for Appointment Factor, Automatic Job Priority Values and Weighted Job List are set to the default values provided in the documentation.

- (i) **Appointment Factor:** Jobs that are scheduled in advance need to be given priority over jobs generated on-demand. Increasing the appointment factor will decrease the time scheduled jobs spend waiting for a porter.
- (ii) **Automatic Job Priority Values:** Jobs waiting for a porter need to increase their priority after waiting for a specified amount of time. The "Minutes" will determine how long a job waits until it increases in priority.
- (iii) **Weighted Job List:** Jobs of different priorities need to have different weights. This weight helps determine how quickly the job should be assigned to a porter.
- (iv) **Random Seed:** Gives the user the ability to specify a random seed variable. Specific seeds will give unique output data linked to that seed. Setting this value to 0 will make the simulation choose a random seed during runtime. Record your seed after running a random seed simulation to generate the same input.

5.4 PORTER SCHEDULE

Porters need to be scheduled by shifts in order to give the users flexibility over the simulation. This will allow the user full control over the amount of porters available over the course of a simulation.

- (i) **Shift ID:** An identifier for a shift. The Shift ID will allow for easier traceability of shifts in the output data.
- (ii) StartTime: A shift will begin at this time in the simulation.
- (iii) EndTime: A shift will end at this time in the simulation.
- (iv) **Porters Ids:** Allows for the assignment of one or more porter(s) to a shift. A porter is assigned to a shift by adding an identifier. Multiple porters can be assigned to the same shift by adding multiple identifiers each separated by a comma. In the Figure 5.4 *Shift ID 0* has three porters assigned to it: 0,1,2,3,4,5,6.
- (v) **Day:** The day of the week on which the shift occurs. It must be a number from 1-7, 1 being day 1 as specified by Start Day and 7 being day 7.




Figure 5.2: Advanced Settings




Figure 5.3: Random Seed

Shift ID	StartTime	EndTime	Porter Ids	Day
0	12:00 AM	12:00 PM	0,1,2,3,4,5,6	0
1	12:00 PM	11:59 PM	1,2,3,4,5,6,7,8,9,10	0
2	12:00 AM	11:59 PM	0,1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24	1
3	12:00 AM	11:59 PM	0,1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24	2
4	12:00 AM	11:59 PM	0,1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24	3
5	12:00 AM	11:59 PM	0,1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24	4
6	12:00 AM	11:59 PM	0,1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24	5
7	12:00 AM	11:59 PM	0,1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24	6

Figure 5.4: Porter Schedule

5.5 STATISTICAL DATA SOURCE

The data source is the direct output used by HHS during operations. This file must be of the same format for the simulation to function properly. Fields include (in order; * is a required field)

- 1. TransportJobID
- 2. SequenceOrder
- 3. Campus
- 4. Last_Status*
- 5. StatusDate
- 6. Requester
- 7. Origin*
- 8. Destination*
- 9. JobPriorityID
- 10. **OriginalPriorityID***
- 11. Transporter
- 12. AppointmentDT
- 13. PendingDT*
- 14. DispatchedDT*
- 15. InProgressDT*
- 16. CompleteDT*
- 17. DelayMin*
- 18. DelayReason*
- 19. DispatchMins (PE-DI)
- 20. ResponseMins (PE-IP)
- 21. ArrivalMins (DI-IP)

- 22. TransactionMins (PE-CO)
- 23. TripMins (DI-CO)
- 24. PatientMins (IP-CO)
- 25. LostPorterMinsOnCancel (DI-CA)
- 26. PatientTransportFlag*
- 27. PendWeekendFlag
- 28. Created_Status*
- 29. RequesterType
- 30. OriginZone
- 31. OriginBuilding
- 32. OriginUnit
- 33. **DestinZone**
- 34. DestinBuilding
- 35. DestinUnit
- 36. NumberOfJobsBatched
- 37. BatchedToJobID
- 38. ModeOfTravel
- 39. TotalTransportersRequired
- 40. TransportItem
- 41. ReasonCodeID
- 42. NumberOfPages
- 43. UniqueTransportJobID
- 44. RejectCount

6 DASHBOARD

Once the simulation has finished, the results of all of the completed jobs are exported to an excel file. The file is located at the directory specified at the configurable **Output Location**. Upon opening the file please enable macros as specified by your version of Microsoft Excel. Once macros have been enabled click the "Recalculate" button on any of the Sheets named "Dashboard D(1-7)" to calculate the statistics and update all the graphs. Each tab represents data for one day of simulation broken up into 18 time intervals.




Figure 6.1: Dashboard




Figure 6.2: **Transaction Time:** Represents the transaction time for a job created in a specific time interval. Transaction time is defined as the time from when a job is created to when a job has been completed. Chart contains High, Low and Average values.




Figure 6.3: **Response Time:** Represents the response time for a job created in a specific time interval. Response time is defined as the time from when a job has been created to when a job has been taken on by a porter. Chart contains High, Low and Average values.




Figure 6.4: **In Progress Time:** Represents the in progress time for a job created in a specific time interval. In progress time is defined as the time from when a job has been taken on by a porter to when a job has been complete. Chart contains High, Low and Average values.




Figure 6.5: Job Distribution: This graph shows the Number of Jobs created/completed/responded to in the time interval.




Figure 6.6: **Average Transaction Time vs. Jobs Complete vs. Pending Jobs:** Pending Jobs represent any jobs that are still active at the end of each time interval. Number of Complete Jobs and Average Transaction Times are overlaid here.




Figure 6.7: Cumulative Cancelled Jobs: Represents the total number of cancelled jobs at the end of each time interval

7 RAW DATA

Raw data can be accessed from the generated dashboard files. Simply right click on any of the bottom tabs and pick the unhide option. Each dashboard has a corresponding data sheet. All the raw events data is in Sheet1.

8 CONFIGURE DEVELOPMENT ENVIRONMENT

These instructions are for setting up a development environment for running and editing the source code. The following instructions were made for the Microsoft Windows 7 operating system.

8.1 Install Python Modules

- (i) Visit https://www.python.org/download/releases/2.7.6 and download run the "Windows x86 MSI Installer (2.7.6)".
- (ii) After Python is installed add the python path (i.e. C:\Python27) to the Windows System Variables.
- (iii) Download the pip installation file from http://www.pip-installer.org/en/latest/installing.html and install it using the cmd: **python get-pip.py**
- $(iv) \ \ After \ pip \ has \ been \ downloaded \ and \ installed \ add \ the \ path \ (i.e. \ C:\ Python 27 \ Scripts) \ to \ the \ Windows \ System \ Variables$
- (v) Download the binary installer for PyQT 4 and run the executable: http://www.riverbankcomputing.com/software/pyqt/download
- (vi) With command prompt run: pip install python-dateutil
- (vii) With command prompt run: pip install simpy
- (viii) With command prompt run: pip install xlst
- (ix) Download the installer for pywin32 and run the executable: http://sourceforge.net/projects/pywin32/files/pywin32/Build%20218/
- (x) Download the installer for cx_freeze and run the msi: http://cx-freeze.sourceforge.net/
- (xi) Ensure you have a copy of Microsoft Excel (version 2010 or higher) installed on the system to view the dashboard generated file.

9 SUPPORTED SYSTEMS

- (i) Windows XP/Vista/7/8 to run the simulation.
- (ii) Excel 2010/2013 to generate the dashboard.

10 Troubleshooting

The troubleshooting section should be used to help address minor issues that may arise.

- (i) Missing Files and Locations: Failing to specify the correct locations of required files will result in program halts.
- (ii) **Incorrect Schedule Data:** In the event of incorrect schedule input, the program will halt and alert you with the location of the error.
- (iii) **Simulation Stops:** In the event that the simulation is running and suddenly halts before producing output data, it will be necessary to close the simulation manually by clicking the X in the top right corner of the window. If the simulation continues to malfunction, please contact the development team.

11 FIGURES AND TABLES APPENDIX

- Figure 3.1: Installer (Page 3)
- Figure 5.1: BasicSettings (Page 4)
- Figure 5.3: AdvancedSettings (Page 5)
- Figure 5.4: Schedule.png (Page 6)
- Figure 6.1: Dashboard Overview (Page 7)
- Figure 6.2: Transaction Time (Page 7)
- Figure 6.3: Response Time (Page 8)
- Figure 6.4: In Progress Time (Page 8)
- Figure 6.5: Total Number of Jobs Complete (Page 9)
- Figure 6.6: Comparison Graph (Page 9)
- Figure 6.7: Cumulative Cancelled Jobs (Page 10)

12 LEGAL AND COPYRIGHT INFORMATION

Ownership of software and accompanying documentation developed at McMaster University by the Porter Simulation project team is covered by the Joint Intellectual Property Policy as well as the Ownership of Student Work Policy. This software and accompanying documentation is licensed freely for access by Hamilton Health Sciences staff, project supervisor Dr. Douglas Down, and the Comp Sci 4ZP6 course instructors.

13 CONTACT INFORMATION

The Development team can be contacted for praise or support at kondrav@live.ca.

14 Source code and other documentation

The Source code for the simulation and all other documentation can be found at https://github.com/vkondrav/Porter-Simulation