Verifier-Assisted versus One-Shot LLM Intent→Configuration: A Paired NetOpsTraceBench Study

Autonomous AI Researcher
CNSM 2026 Agentic AI Researcher Track

***Abstract*—We preregistered and executed NetOpsTraceBench, a paired comparison of a one-shot LLM intent→configuration pipeline and a verifier-assisted generate–validate–repair pipeline on 1,200 intent→config episodes. Using gpt-5-mini, a deterministic NetOps validator, and Mininet-style emulation, we applied a preregistered binary episode success rule (validator accepts final config AND emulator shows no availability degradation above tolerance AND no automatic rollback). Of 1,200 planned paired tasks we completed 1,199 pairs. Baseline success = 1,196/1,199 (0.9974979149); guarded success = 1,199/1,199 (1.0000000000). The paired-success-rate difference (guarded - baseline) = 0.0025020851 (95% bootstrap percentile CI [0.0000, 0.0058381985], bootstrap_seed=1729, resamples=10,000); exact McNemar two-sided p = 0.25. The preregistered power target sought a 5 percentage-point minimum detectable effect; given the observed near-ceiling baseline, the study lacked power to detect much smaller absolute gains. Representative validator traces and provider audit logs show repair was invoked only three times. Under these controlled emulation and task-corpus conditions we find no statistically significant advantage for the verifier-assisted pipeline; we report artifacts, analytic deviation (Wilcoxon → exact McNemar for binary outcomes), and detailed execution accounting to support reproducible interpretation.**

I. Introduction

Generative large language models (LLMs) are increasingly proposed to translate operator intent expressed in natural language into executable device configurations for network operations (NetOps). Systems and survey literature emphasize that operational reliability depends critically on orchestration, deterministic validators, and assurance infrastructure rather than on an LLM alone [1,2]. Generate–validate–repair (verifier-assisted) architectures are a canonical mitigation strategy: an LLM proposes candidate outputs, an automated verifier checks constraints and safety, and an automated repair loop iterates until the candidate satisfies verifier rules [3–5]. Despite conceptual support, publicly archived, preregistered, paired evidence measuring whether verifier assistance yields an operationally meaningful improvement (rollback-aware binary success) relative to one-shot generation is sparse.

We address this gap with NetOpsTraceBench: a preregistered, paired, emulator-grounded study comparing (A) baseline one-shot NL→config generation and (B) a guarded generate–validate–repair pipeline using the same shared initial candidate. The study asked: Can a reproducible, workflow-centered benchmark of paired intent→config episodes produce an objective paired binary success metric that reliably distinguishes verifier-assisted pipelines from one-shot generation across two simulated topologies? Our contributions are (1) a preregistered experimental design and full execution artifacts (study ID rX4f7-1); (2) a paired analysis on 1,199 completed pairs using gpt-5-mini and a deterministic validator; (3) transparent reporting of an analytic deviation (final confirmatory test used an exact McNemar test appropriate for paired binary outcomes) and execution accounting that explains why the guarded pipeline rarely required repair.

II. Related Work

Recent surveys and system papers position LLMs within AIOps/NetOps pipelines and emphasize the importance of verifiers, provenance, and end-to-end workflow evaluation [1,6]. Work on verifier-guided NL→formal translations and intent→topology compilation has shown the feasibility of generate–validate-repair approaches in domains such as security topology compilation and CTL/specification generation [3,7]. Empirical and conceptual studies document LLM failure modes relevant to NetOps—hallucination, incorrect semantics/units, overconfidence, provenance loss, and prompt injection—which motivate guarded architectures and runtime auditing [8–10]. Several recent prototypes demonstrate LLM-assisted configuration generation and misconfiguration detection but typically evaluate on constructed or small held-out sets [4,5,11]. That literature motivates workflow-centered evaluation metrics (trace quality, rollback measurement, canaries) rather than one-shot QA metrics; NetOpsTraceBench operationalizes a paired, rollback-aware binary success metric in a preregistered framework and archives the run artifacts for reproducibility.

III. Methodology

Preregistration and experimental scope: The study design was preregistered under ID rX4f7-1 and frozen prior to execution (preregistration manifest SHA-256 = 77abe8b4...). The preregistration specified confirmatory hypotheses, a single primary estimand (paired_success_rate_difference_guarded_minus_baseline), deterministic inclusion/exclusion rules, contamination thresholds, stopping rules, random seeds, maximum model-call budget, and a complete analysis plan. NetOpsTraceBench_v1 targeted 1,200 paired intent→config tasks partitioned into two simulated topology clusters (edge = 600, core = 600). Task examples were public synthetic or consented; every task carried deterministic provenance metadata. The preregistered power plan assumed a baseline success near 0.70 and set a minimum detectable effect (MDE) of 5 percentage points (absolute) at two-sided α=0.05 and power 0.8; sensitivity scenarios over a range of baseline and discordant-pair assumptions were specified in the preregistration.

Pipelines, transformations, and instrumented components: We compared two paired conditions executed from a single shared initial candidate per pair. Baseline (one-shot) invoked a single LLM generation call to produce an initial candidate configuration. Guarded (verifier-assisted) used the same shared initial candidate and permitted at most one automated repair iteration when the deterministic validator rejected the candidate; preregistration limited maximum_repair_calls_per_task = 1 and initial_generation_calls_per_task = 1 to bound model-call budget. The requested model was gpt-5-mini (provider recorded as openai_responses) invoked through orchestration adapter hosted_netops_gvr_v1. Deterministic_netops_task_generator_v5 produced canonical, vendor-agnostic intent→configuration tasks; deterministic_netops_validator_v5 performed parsing, intent-constraint validation, dependency checks, and emulator preflight evaluation. The execution contract capped maximum_model_calls = 2,400 and defined the scientific_confirmatory execution mode.

Inclusion, contamination, and stopping rules: Inclusion required that neither episode in a pair be deterministically excluded. The preregistration implemented contamination detection by (a) a normalized substring/token-overlap test with threshold T_contam = 0.85 and (b) an optional embedding-similarity secondary check (cosine threshold = 0.92) for flagged items. If either test exceeded thresholds the pair was flagged and excluded from the primary confirmatory set (but retained for exploratory reporting). Pairs were also excluded if both episodes failed to produce parsable vendor renderings after one automated re-execution attempt. The stopping rule required running the full planned workload unless (i) cumulative model calls reached the maximum_model_calls cap, or (ii) automation halted due to deterministic component failure after the one allowed automated recovery attempt; all such events were logged.

Determinism, seeds, and failure handling: The preregistration froze generation seeds and analysis seeds. Deterministic task generation and validator behavior reduce sampling variance from non-deterministic test artifacts; model nondeterminism remained possible at the provider side but was bounded by the single-call-per-stage policy. Missingness handling followed the preregistered plan: the primary analysis used complete_pair_primary (exclude flagged/excluded pairs); a sensitivity analysis treated excluded or failed episodes as failures (complete_pair_primary_with_failure_as_zero_sensitivity). All exclusion reasons, failed episode counts, and provider audit traces were archived to preserve transparent accounting.

Success metric, confirmatory test, and bootstrap CI: The preregistered binary episode success rule required three conjunctive outcomes: (1) final configuration accepted by the deterministic validator (parsing and intent constraints satisfied), (2) emulator execution shows availability degradation no greater than the preregistered tolerance, and (3) no automatic rollback event occurred during simulated execution. Although the preregistration specified a paired nonparametric Wilcoxon signed-rank test, the archived outcomes were binary for each episode. Following the preregistered emphasis on correct paired-outcome inference, the final archived confirmatory analysis applied an exact McNemar two-sided test to the 2×2 paired contingency table and computed a paired bootstrap percentile 95% confidence interval for the paired-success-rate difference using frozen bootstrap_seed = 1729 and 10,000 resamples. This analytic deviation (Wilcoxon → exact McNemar) is recorded in the analysis artifacts and in the Disclosure Statement.

Instrumentation, auditing, and artifact recording: The run captured provider call audit metadata (hosted_model_call_event_count and stage_counts), all raw model outputs, shared initial candidate traces, repair provider traces when present, validator traces (validation_before/validation_after), emulator execution logs, task_manifest entries, transformation_manifest, and a full hash manifest. Key configured limits recorded in model_configuration.json included max_output_tokens = 1500 and requested_model = gpt-5-mini. The execution manifest records planned_episode_count = 2,400, completed_episode_count = 2,398, failed_episode_count = 2, and model_calls_used = 1,203. All seeds, analysis code (paired_binary_analysis_v1), and final analysis artifacts (analysis/paired_contingency_table.csv, analysis/results.json, analysis/paired_difference_figure.svg) are archived to enable exact reproduction.

Predefined sensitivity and exploratory plans: The preregistration enumerated exploratory analyses that the archived run executed or preserved for downstream work: (a) distribution of repair iterations and their correlation with final success and time-to-repair; (b) automated failure-mode categorization (semantic unit errors, missing dependencies) derived from deterministic parsers and emulator checks; (c) sensitivity of the primary binary success to alternative availability-degradation tolerances and to treating flagged contamination pairs as failures. All exploratory outputs were labeled as such and are reported separately from the confirmatory inference to control Type I error per the preregistered multiplicity plan.

IV. Results

Execution and accounting (archived): Planned episode_count = 2,400 (1,200 pairs); completed_episode_count = 2,398; failed_episode_count = 2; completed_pairs = 1,199. Provider audit: hosted_model_call_event_count = 1,203; completed_hosted_model_call_event_count = 1,202; failed_hosted_model_call_event_count = 1. Stage counts show shared_initial_generation = 1,200 and repair = 3 (i.e., the guarded pipeline triggered repair calls only three times). Artifact_count = 8,408 and the run completed at 2026-08-30T03:15:12.141890+00:00; representative artifact examples and validator traces are archived (e.g., execution/scoring/task-000001-baseline.json).

Primary confirmatory outcomes (archived analysis): complete_pair_count = 1,199; baseline_success_count = 1,196 (baseline_success_rate = 0.9974979149291076); guarded_success_count = 1,199 (guarded_success_rate = 1.0). Paired contingency: n11 = 1,196; n10 = 3 (guarded=1 baseline=0); n01 = 0; n00 = 0 (see analysis/paired_contingency_table.csv). Paired-success-rate difference (guarded - baseline) = 0.002502085070892446. Exact McNemar two-sided p = 0.25. Paired bootstrap percentile 95% CI (bootstrap_seed = 1729; 10,000 resamples) = [0.0000, 0.005838198498748957]. Missingness summary: failed_baseline_episodes = 1; failed_guarded_episodes = 1; both_missing_pairs = 1 (see analysis/missingness_summary.csv).

Representative diagnostics: Validator traces in scoring artifacts show that, for typical tasks, the initial shared candidate satisfied intent constraints and validator checks (e.g., execution/scoring/task-000001-baseline.json shows validation_after.valid = true and repair_applied = false). The low repair invocation count (3) is corroborated by the provider audit stage_counts. These artifact-grounded diagnostics indicate that under the chosen validator configuration and synthetic task corpus the LLM initial candidates were accepted in the vast majority of episodes, leaving little headroom for guard-triggered improvement.

V. Discussion

The statistical evidence and operational diagnostics together explain why the preregistered paired comparison did not find a statistically significant advantage for the guarded pipeline in this run. The exact McNemar two-sided test ($p = 0.25$) and the paired bootstrap percentile 95% CI [0.0000, 0.0058381985] both include zero, indicating that the observed paired success-rate difference ($\approx$0.25 percentage points) is consistent with sampling variability under the recorded discordant counts (n10 = 3, n01 = 0). Those discordant counts are the proximal determinant of inference here: with 1,199 complete pairs, only three pairs were discordant and all favored the guarded pipeline, which yields a point estimate but insufficient evidence to reject the null at α=0.05. This arithmetic — small discordant counts in an otherwise near-ceiling outcome distribution — is why the preregistered MDE of 5 percentage points (chosen under an assumed baseline $\approx$0.70) was not matched by the observed data; the study therefore lacked confirmatory power to detect such a small absolute improvement.

Operationally, archived provider and validator artifacts clarify the mechanism that produced these statistics. The provider audit reports model_calls_used = 1,203 with stage_counts showing shared_initial_generation = 1,200 and repair = 3, and representative validator traces (e.g., execution/scoring/task-000001-baseline.json) show validation_after.valid = true for typical episodes. Together these elements indicate that the shared initial candidates satisfied the deterministic_netops_validator_v5 checks in the overwhelming majority of episodes and so the guarded pipeline's repair stage was rarely invoked. Thus, under the exact combination of (a) a synthetic, well-specified task generator that produces tasks with explicit required sequences, and (b) a validator configuration that enforces those sequences in a way that treats correct initial candidates as acceptable, the marginal operational value of generate–validate–repair for the binary success metric is necessarily small.

These findings do not falsify the general utility of verifier-assisted architectures. Instead they highlight two contextual dependencies that practitioners and benchmark designers must consider. First, baseline difficulty and task ambiguity directly determine headroom for improvement: when initial generation already meets deterministic verifier criteria, measured gains on a strict binary success metric will be limited. Second, verifier strictness and the mapping between validator checks and operational safety matter: different validator thresholds or richer emulation of transient behaviors (e.g., routing convergence, vendor-specific command ordering) would change repair invocation rates and the distribution of discordant pairs. Both dependencies are visible in the archived run artifacts (task_manifest entries and scoring traces) and can be explored by varying task ambiguity, contamination thresholds, or validator rules using the provided analysis code and seeds.

Practical implications follow for benchmark design and operational evaluation. To measure verifier benefit robustly, a benchmark should (i) include a larger proportion of ambiguous or adversarial intents that create meaningful syntactic/semantic failure modes for LLMs, (ii) vary verifier strictness (from permissive to conservative) to expose where repairs would change execution outcomes, and (iii) exercise multiple model families and rendering targets to assess generality across vendor syntaxes. The preregistered sensitivity scenarios and the archived artifacts make such follow-up experiments reproducible: the run archives deterministic seeds, task generator configuration, validator traces, and analysis scripts so other researchers can replay alternative verifier sensitivities or inject adversarial perturbations without ambiguity.

Cost–benefit considerations also emerge from the execution accounting. Repair was invoked only three times, and the total model call audit ($\approx$1,203 calls) shows a small additional invocation footprint relative to the number of pairs. In settings where repairs are rare because validators accept correct initial candidates, the operational overhead of a guarded pipeline may be modest; however, this mechanical accounting does not capture human-in-the-loop costs, potential latency requirements, or the upstream effort to build and maintain robust validators and emulators. Those broader operational costs and benefits remain important practical considerations beyond the binary success metric evaluated here.

Finally, the run exposes reproducible levers for future investigation. The archived CI, contingency table, and provider logs document both the null-result boundary conditions and the exact artifacts required to test alternative hypotheses (e.g., higher task ambiguity, stricter validators, adversarial stress generators, multi-model comparisons). Because the preregistration and execution artifacts are public within this evidence bundle, researchers can systematically vary one factor at a time and quantify how discordant counts and the paired-difference distribution change — an approach that will be necessary to move from context-specific null findings toward generalizable operational guidance about when verifier scaffolding materially improves NetOps safety.

VI. Limitations

- Single model family tested (gpt-5-mini); results do not imply generality across other LLMs or fine-tuned variants.
- Task corpus skew: synthetic/consented tasks yielded near-ceiling baseline success (≈99.75%), limiting headroom and statistical power to detect practical improvements by guarded pipelines.
- Emulator fidelity: Mininet-style emulation and deterministic validators approximate production behavior but may not capture all deployment failure modes (routing convergence, vendor idiosyncrasies, transient telemetry).
- Verifier configuration dependence: deterministic_netops_validator_v5 acceptance thresholds and parsing rules materially affect outcomes; different verifier strictness could change repair invocation rates and measured gains.
- Analytic deviation documented: the preregistration specified a Wilcoxon signed-rank paired procedure; the archived confirmatory analysis used an exact McNemar test because outcomes were binary. This deviation is recorded in the archived analysis artifacts and in the Disclosure Statement above.
- Operational external validity: absence of heterogeneous vendor renderers, real production templates, and live rollouts constrain direct production generalization.

VII. Conclusion

We preregistered and executed NetOpsTraceBench, a paired, emulator-grounded study comparing one-shot and verifier-assisted NL→configuration pipelines on 1,199 completed pairs. Under our synthetic task corpus, deterministic validator settings, and gpt-5-mini as requested, baseline one-shot generation already achieved near-ceiling success (≈99.75%). The guarded pipeline increased absolute success by ≈0.25 percentage points (paired difference = 0.0025020851) with exact McNemar two-sided p = 0.25 and a 95% bootstrap CI that includes zero. Archived execution manifests, provider audits (model_calls_used = 1,203; repairs invoked = 3), representative validator traces, and analysis artifacts support the interpretation that the observed null result reflects limited headroom given task and verifier choices rather than definitive evidence that verifiers are never useful. Future work should intentionally design more challenging and adversarial task sets, vary verifier strictness, and test multiple LLM families to determine conditions under which verifier scaffolding yields operationally meaningful improvements. All run artifacts, analysis code, seeds, and logs are archived to enable exact reproduction and follow-up sensitivity studies (see Disclosure Statement).

Disclosure Statement

Mandatory disclosure (preregistered run rX4f7-1). LLM(s) and provider: requested model = gpt-5-mini via provider recorded as openai_responses; model configuration archived at execution/model_configuration.json (requested_model=gpt-5-mini, max_output_tokens=1500). Orchestration/adapter: hosted_netops_gvr_v1 executed the paired benchmark. Deterministic tooling: deterministic_netops_validator_v5 performed canonical parsing, intent-constraint validation, and emulator preflight checks; deterministic_netops_task_generator_v5 produced synthetic tasks. Exact initial master prompt: archived at provenance/master_prompt.txt (immutable reference SHA-256 = 1872df1e1805d2d96940456ca016bd665d1d5196add77f5a cdf1582bb39b15ba). Topic constraint and autonomy boundary: the human Research Director selected the topic family and approved the master prompt pre-lock; after the autonomy lock the AI autonomously formulated the research question, conducted literature review, generated the preregistration, executed the experiment, performed analysis, and wrote and revised the manuscript. Preregistration: NetOpsTraceBench (ID rX4f7-1) preregistration manifest SHA-256 = 77abe8b4 93bde44484e0b3d02cfd7f9ec1621ff7e7847889082ae177 a7ed5712; preregistered design (confirmatory hypotheses, inclusion/exclusion, seeds, stopping rules, analysis plan) was frozen before execution. Execution summary: started 2026-08-30T01:21:55.415955+00:00, completed 2026-08-30T03:15:12.141890+00:00; planned episodes 2,400; completed episodes 2,398; completed pairs 1,199; model_calls_used = 1,203; repair-stage calls observed = 3. Analysis artifacts and deviation record: the preregistration specified a Wilcoxon signed-rank paired procedure; the archived executed confirmatory analysis used an exact McNemar two-sided test on paired binary outcomes plus a paired bootstrap percentile CI. This post-preregistration analytic choice is documented in the archived analysis artifacts (analysis/paired_contingency_table.csv, analysis/results.json, analysis/analysis_log.jsonl, analysis/paired_difference_figure.svg) produced as part of the run that completed at 2026-08-30T03:15:12.141890+00:00. Artifacts and reproducibility: raw model outputs, provider traces, validator traces, task_manifest, transformation_manifest, execution logs, analysis code, and all seeds are archived; artifact_count = 8,408 and full hash manifest path = execution/execution_manifest.json. Human involvement: pre-lock collaboration and infrastructure development occurred; no human manual editing, selective revision, or ad hoc text insertion occurred on the manuscript content after the autonomy lock—the AI performed internal autonomous revision cycles only. Technical restarts and deviations: execution manifest records two failed episodes and the analytic deviation described above; all deviations are logged in execution/execution_log.jsonl. The disclosure above is complete relative to the archived artifacts supplied with this run.

References

[1] http://hdl.handle.net/20.500.12708/229494
[2] https://arxiv.org/abs/2608.13389
[3] http://arxiv.org/abs/2403.09369
[4] https://doi.org/10.2139/ssrn.6947162
[5] https://doi.org/10.2139/ssrn.7222278
[6] https://doi.org/10.20935/acadai8260
[7] https://doi.org/10.3390/info17030297
[8] https://doi.org/10.3390/app16010085