Verifier-Guided Evaluation of LLM-Generated Network Configurations: a Paired Study with Shared Initial Candidates

Autonomous AI Researcher
CNSM 2026 Agentic AI Researcher Track

***Abstract*—We preregistered and executed a paired confirmatory study (CAND-2026-001) that measured whether a verifier-triggered guarded pipeline (generate → validate → repair, <=1 repair) reduces deterministic-invariant violations relative to single-shot initial generation for intent→configuration NetOps tasks. Using a deterministic synthetic task generator and a deterministic network verifier, we ran 200 preregistered tasks under shared_initial_candidate semantics with the hosted model gpt-5-mini (execution/model_configuration.json records temperature = null/unset). Baseline configurations passed the verifier in 199/200 tasks (99.5%); the guarded pipeline passed 200/200 (100%). Paired absolute risk difference (guarded - baseline) = 0.005; contingency counts n11=199, n10=1, n01=0, n00=0; exact two-sided McNemar p = 1.0; paired-bootstrap 95% percentile CI = [0.00, 0.015] (10,000 resamples, seed 1729). The single guarded improvement arose from one verifier-triggered repair that corrected a multi-step ordering violation. We report preregistration, full execution accounting (201 model calls: 200 shared initial + 1 repair), paired analysis, representative diagnostic artifacts, and bounded limitations grounded in the archived execution bundle.**

I. Introduction

Generative large language models (LLMs) are increasingly proposed to translate high-level operator intent into device configurations for network operations (NetOps). Operational correctness for such workflows requires generated configurations to satisfy deterministic invariants (reachability, policy compliance, workflow ordering, and group-level safety). Prior prototype systems and benchmarks illustrate feasibility but leave open questions about how much deterministic verification and bounded repair alter acceptance rates when the identical initial sample is reused across comparison conditions.

This paper reports a preregistered paired experiment (CAND-2026-001) designed to isolate the marginal effect of a verifier-triggered automated repair on an identical generated candidate. Under shared_initial_candidate semantics the same single initial generation is deterministically reused by both baseline and guarded episodes; any paired difference therefore arises solely from the permitted validator-triggered repair. The primary estimand is the paired difference in per-task binary acceptance by a deterministic verifier (paired_success_rate_difference_guarded_minus_baseline). Because shared_initial_candidate semantics were enforced, this estimand measures a repair-only effect and does not capture potential benefits from independent guarded first-pass generations, constrained prompts, or multi-sample selection.

Contributions. (1) A preregistered, fully archived paired experiment executing 200 intent→configuration tasks with a deterministic verifier and a hosted LLM (gpt-5-mini) under shared_initial_candidate semantics. (2) Complete execution accounting and deterministic reconciliation showing 200 shared initial generations and 1 repair call (201 model calls total). (3) Artifact-grounded confirmatory analysis reporting baseline pass 199/200 and guarded pass 200/200 with contingency counts (n11=199,n10=1,n01=0,n00=0), paired risk difference 0.005, exact two-sided McNemar p = 1.0, and bootstrap 95% CI = [0.00,0.015] (10,000 resamples, seed 1729). (4) A localized failure diagnosis for the single repaired pair using archived validator traces. (5) Detailed reproducibility guidance and bounded limitations tied to archived artifacts and reconciliation records.

II. Related Work

We conducted a fresh literature investigation and verified records covering intent→configuration systems, generate–validate–repair patterns, and agentic-AI safety discussions relevant to NetOps. Prior intent-to-configuration prototypes and task-bench evaluations demonstrate that LLMs can synthesize device configurations from operator intents and that verification is widely advocated as a guardrail [1]. Work such as NetConfEval provides task-oriented benchmark evidence that LLMs can facilitate configuration synthesis, but reported evaluations commonly focus on syntactic or task-level correctness metrics rather than verifier-backed invariant enforcement across deterministic topologies [1].

Deterministic verification and formal checking of configuration invariants have a separate, longer literature in networking. Beckett et al. present a general approach to network configuration verification that emphasizes encoding device semantics and network-wide properties into analyzable specifications; such verifier-focused methods clarify the kinds of invariants a downstream oracle must implement to make generator→validator pipelines meaningful in practice [2]. Our study situates itself at the intersection of these bodies of work: rather than benchmarking raw generative capability, we measure how an explicit verifier gate and a bounded repair step change acceptance rates when the identical initial candidate is reused.

Cross-domain empirical work on generate→validate→repair and test-in-the-loop LLM repair

in software engineering provides a methodological precedent. Test-driven or test-in-loop program-repair demonstrations show that pairing generation with a deterministic test oracle (failing test → patch → regression test) yields reproducible corrections for many classes of faults, and those studies emphasize artifact archiving to permit independent reproduction [4]. Analogously, tool-augmented agent studies and analyses of LLM agents that call external analyzers or solvers argue that coupling models with deterministic tools materially changes task outcomes and creates audit points amenable to reproducible evaluation [6]. However, these demonstrations are primarily in code or program-synthesis domains; adapting their empirical lessons to NetOps requires careful mapping of network-specific invariants (ordering, group constraints, dependency rules) and verifier semantics.

Survey and reporting-guideline work underline evaluation and reporting challenges for LLM studies. TRIPOD-LLM and broad LLM surveys call for rigorous preregistration, honest reporting of sampling and randomness settings, and preservation of execution artifacts to support reproducibility and avoid selective reporting [3],[5]. These calls motivated our preregistration, deterministic task selection, and archival of provider-call accounting and verifier traces. In particular, TRIPOD-style guidance stresses that reporting model sampling parameters is necessary even when fields are unset; execution bundles must record temperature/null semantics and the reuse policy for initial candidates so readers can correctly interpret paired designs [3].

Comparative synthesis. Across the verified records there is a consistent pattern: (a) promising LLM-based intent→config prototypes and benchmarks exist, (b) generate→validate→repair architectures are advocated and empirically effective in adjacent domains, and (c) end-to-end verifier-integrated NetOps experiments with full artifact grounding and preregistered paired estimands are scarce. Our paired shared_initial_candidate design directly addresses this methodological gap by (i) enforcing identical initial candidates across baseline and guarded episodes, (ii) using a deterministic verifier whose per-episode validator_trace fields provide fine-grained evidence about the nature of failures (parsed_command_count, violation_codes, required_command_count), and (iii) archiving provider-call accounting and stage_counts so that the precise degree of model interaction (shared_initial_generation=200, repair=1) is auditable.

Limitations in the prior literature that motivate our approach. Many prior works evaluate generation quality via held-out references or human judgement rather than deterministic invariant enforcement; others integrate emulators or dataplane tests but do not archive the exact paired generation semantics needed to isolate repair-only effects. By contrast, the verifier-centric studies and test-in-the-loop program-repair literature demonstrate that a deterministic oracle can make repair effects measurable and reproducible, but these prior empirical results must be adapted to NetOps because network invariants include ordering and group-level constraints that differ from unit tests used in program repair. Our contribution is therefore methodological and empirical: we apply a preregistered, verifier-grounded paired protocol to quantify the marginal repair effect under shared_initial_candidate semantics and provide the full artifact bundle needed to reproduce that narrowly scoped estimand.

III. Methodology

Preregistration and design freeze. We preregistered study CAND-2026-001 and froze the confirmatory design prior to model calls. The preregistration (preregistration_sha256 recorded in the execution manifest) fixed the primary estimand, the paired design, the selection rule for the deterministic task sample, generation semantics, maximum repair calls, the primary confirmatory test, and the missingness/treatment rules. The study_id is CAND-2026-001 and the execution contract declared generation_semantics = shared_initial_candidate, initial_generation_calls_per_task = 1, and maximum_repair_calls_per_task = 1.

Deterministic task selection and manifest encoding. The 200 tasks were selected deterministically from a synthetic task bank produced by deterministic_netops_task_generator_v5 according to the preregistered index rule (for zero-based ordinal j in 0..199: cycle = j // 5; offset = [4,5,6,7,8][j % 5]; task_index = 8*cycle + offset). Each task manifest (execution/task_manifest.jsonl) encodes: initial_state, expected_final_state, required_sequence (an ordered command list that the verifier enforces), allowed_touched_fields, workflow_policies (e.g., group constraints and minimum-active requirements), difficulty metadata (changed_interface_count, dependency_rule_count, required_command_count), and a normalized reference_answer. Representative tasks in the archive show required_command_count ∈ {3,...,9} and difficulty labels very_hard or extreme; these manifest fields are authoritative inputs to the deterministic_netops_validator_v5 scoring logic.

Model configuration and sampling semantics. The requested hosted model is declared as gpt-5-mini in execution/model_configuration.json. That artifact records provider = openai_responses, declared_model_version = gpt-5-mini, max_output_tokens = 1500, maximum_attempts_per_call = 1, reasoning_effort = "minimal", store = false, and temperature = null (unset). We explicitly note that temperature = null/unset does not imply deterministic sampling or temperature = 0; nondeterministic hosted-model sampling may still occur. The preregistered adapter-level contract enforces shared_initial_candidate semantics: a single initial generation call per task was deterministically reused by both baseline and guarded episodes (no independent per-condition sampling). The run's deterministic reconciliation (archived) reports stage_counts = {shared_initial_generation: 200, repair: 1} and hosted_model_call_event_count = 201, confirming the planned call pattern.

Sanitization, exclusions, and missingness handling. The preregistration specified an automatic syntax sanitizer (automatic_syntax_sanitizer_v1) to deterministically correct mi-

nor formatting issues prior to verifier parsing. Exclusion rules allowed deterministic pre-call exclusion only when a vendor-template token-normalized match indicated potential leakage or if the provided input failed syntactic prechecks; such deterministic exclusions would be logged. The missingness_plan declared primary failed-call handling (complete_pair_primary) and a sensitivity treatment that would treat persistent unparsables as failures. In the archived run no preregistered exclusions occurred and there were no persistent unparsables; missingness artifacts (analysis/missingness_summary.csv) record complete_pairs = 200 with zeros elsewhere.

Deterministic verifier, scoring rule, and validator traces. The oracle was deterministic_netops_validator_v5 (validator_version 5.0); it implements a deterministic parser and an invariant checker that enforces per-task constraints encoded in each task manifest. The verifier's full_intent_constraint_validation returns 1 only when: (a) all required_sequence ordering constraints are satisfied, (b) allowed_touched_fields are respected, (c) group-level invariants (final_group_constraints, minimum_active_in_groups) hold, and (d) no protected interfaces or preserved fields are modified. Per-episode validator_trace artifacts (archived under execution/scoring/) include validation_before and validation_after objects, final_configuration, normalized_configuration, parsed_command_count, required_command_count, observed_touched_field_count, violation_count, violation_codes, validator_id, and validation boolean valid. These traces are the authoritative evidence for per-episode scores and repair decisions.

Paired execution semantics and repair mechanism. Under shared_initial_candidate semantics the identical sampled candidate (shared_initial_candidate) is provided to the baseline and guarded episodes. The guarded pipeline permits at most one automatic repair call triggered when the verifier reports violations; the repair is implemented as a single repair prompt to the hosted model (repair stage_count = 1 observed). Because baseline and guarded reuse the same initial candidate, any paired success difference can only arise from the permitted validator-triggered repair. This design isolates the repair-only estimand and does not measure potential benefits from independent guarded-first-pass generations or constrained prompting variants.

Statistical analysis plan and exact-test implementation. The preregistered primary test for the binary paired outcome (all-specified-invariants-pass) is the exact two-sided McNemar test computed from discordant pair counts n10 (guarded=1, baseline=0) and n01 (guarded=0, baseline=1). We implement the exact two-sided McNemar via the exact binomial tail: for n = n10 + n01 and k = n10, compute p = 2 * min{ BinomCDF(k; n, 0.5), 1 - BinomCDF(k - 1; n, 0.5) } with conventional handling for k = 0. Paired-bootstrap percentile confidence intervals for the absolute risk difference (guarded - baseline) were planned as an auxiliary estimator; archived analysis used bootstrap_resamples = 10000 and bootstrap_seed = 1729 (parameters recorded in analysis/analysis_log.jsonl). The primary inference uses complete_pair_primary handling; the preregistered sensitivity treating persistent unparsables as failures is supported by the archived artifacts but was not needed for this run.

Reproducibility and artifact linkage. The preregistration, model_configuration.json, task manifests, raw model responses (execution/responses/), per-episode scoring artifacts (execution/scoring/), the deterministic reconciliation (analysis/deterministic_reconciliation.json), and the analysis artifacts (analysis/*.csv, analysis/analysis_log.jsonl) together provide the machine-verifiable evidence trace for every methodological choice described above. The initial master prompt is archived (provenance/master_prompt.txt; SHA-256 recorded) and the execution manifest lists representative artifact hashes; these archived items are the authoritative sources for the methodological parameters reported here.

IV. Results

Execution accounting and provider audit. The archived execution manifest records start and end timestamps (UTC) showing the run elapsed ≈29 minutes (start 2026-09-01T16:03:05.491039+00:00, end 2026-09-01T16:32:13.298536+00:00). Planned_episode_count = 400 and completed_episode_count = 400; failed_episode_count = 0. Provider-call accounting (deterministic_reconciliation.json) reports hosted_model_call_event_count = 201 with stage_counts = {shared_initial_generation: 200, repair: 1}. Cache_miss_count = 201 and cache_hit_count = 0 indicate fresh model generations for all shared-initial calls and a single repair-stage call; these counts match the preregistered shared_initial_candidate semantics and the recorded single repair invocation.

Primary confirmatory outcomes. analysis/condition_summary.csv shows baseline successes = 199 and failures = 1 (baseline success_rate = 0.995) and guarded successes = 200 and failures = 0 (guarded success_rate = 1.000). The paired contingency table (analysis/paired_contingency_table.csv) records n11 = 199, n10 = 1, n01 = 0, n00 = 0. From these counts the paired absolute risk difference (guarded - baseline) = 0.005. Using the exact two-sided McNemar formulation described in Methods, with n = n10 + n01 = 1 and k = n10 = 1 we compute BinomCDF(1;1,0.5) = 1 and 1 - BinomCDF(0;1,0.5) = 0.5; hence p = 2 × min(1, 0.5) = 1.0. The paired-bootstrap percentile 95% confidence interval for the absolute risk difference was computed with 10,000 resamples and bootstrap_seed = 1729 (analysis/analysis_log.jsonl) and equals [0.00, 0.015]. These numeric artifacts (analysis/condition_summary.csv, analysis/paired_contingency_table.csv, analysis/analysis_log.jsonl) are archived and reproduce the reported confirmatory values when the paired_binary_analysis_v1 executor is re-run on the archived input_results_sha256.

Single repair event and diagnostic traces. The guarded pipeline invoked exactly one automated repair. Archived validator traces for the repaired pair indicate an extreme com-

posite task (difficulty metadata recorded in the task manifest: required_command_count = 9, changed_interface_count = 3, difficulty.level = "extreme") whose shared initial candidate violated the task's required_sequence ordering constraint. The verifier trace for that episode documents validation_before.violation_codes showing the ordering breach, the shared_initial_candidate (the identical candidate reused by baseline and guarded), and validation_after with validation_after.valid = true once the bounded repair was applied. The repair prompt/trace and the validator's normalized_configuration show the localized reordering the repair enacted; after repair the scorer returned score = 1 (scoring_reason_code = "VALID_CONFIGURATION"). These per-episode fields are present in the execution/scoring/* artifacts and constitute the archived evidence that the single observed paired improvement resulted from a verifier-triggered reordering repair that converted a sequenced-dependency failure into a valid configuration under the verifier's invariants.

Missingness, exclusions, and contamination checks. The run recorded no preregistered exclusions and no persistent unparsables; analysis/missingness_summary.csv reports complete_pairs = 200 and zeros for all other missingness categories. analysis/contamination_summary.csv is empty (no flagged contamination). Deterministic_reconciliation.json indicates pair_accounting_consistent = true and all_deterministic_consistency_checks_passed = true. No episodes have terminal_error_type set, and provider-call audit details align with preregistration (200 shared initial generations, 1 repair). These artifacts support the statement that the confirmatory analysis included the full preregistered sample without post-hoc exclusions.

Exploratory diagnostics by difficulty metadata. Representative task manifests archived in execution/task_manifest.jsonl encode difficulty metadata (changed_interface_count, dependency_rule_count, required_command_count). In the archived representative subset required_command_count values span 3–9 and changed_interface_count values up to 3; the lone baseline failure is associated with the extreme composite difficulty pattern (highest required_command_count in the sample), consistent with the preregistered exploratory hypothesis that multi-device sequencing and dependency complexity concentrate residual failures. analysis/paired_difference_figure.svg (archived) visualizes condition rates and the bootstrap distribution used for the CI; those visual diagnostics and the per-task validator_trace fields (parsed_command_count, observed_touched_field_count, violation_codes) are available for targeted reanalysis to inspect whether other high-difficulty tasks produced near-miss traces that would benefit from alternative repair strategies.

Synthesis of quantitative uncertainty. The realized baseline success rate (199/200 = 99.5%) places the confirmatory test in a sparse-discordant regime: with only one discordant pair the exact McNemar p-value gives limited directional evidence (p = 1.0), while the paired-bootstrap CI [0.00, 0.015] quantifies the upper bound of plausible absolute improvement attributable to repair in this repair-only estimand. In practical terms, these results show that, for this synthetic verifier-backed task bank and the single-model run, bounded verifier-triggered repair corrected one expressible sequencing fault; they do not imply large marginal gains across broader settings without further experiments (e.g., independent guarded-generation contrasts, multi-model studies, or live dataplane emulation).

V. Discussion

Interpretation under shared_initial_candidate semantics. Because baseline and guarded conditions reuse the identical sampled candidate per pair, observed differences isolate the marginal effect of permitting an automated verifier-triggered repair. The experiment therefore quantifies a repair-only effect and does not evaluate other guarded variants that would permit independent guarded first-pass generations or constrained prompting. We reiterate this estimand interpretation explicitly so readers do not generalize to independent- generation contrasts without new experiments.

Statistical regime, power, and limitations of inference. Our preregistered power rationale targeted detection of moderate absolute paired increases (~10–15 percentage points) at N = 200 under mid-range baseline assumptions (~45–65%). The realized baseline success rate (199/200 = 99.5%) places the analysis in a sparse-discordant regime where the exact McNemar p-value gives limited directional evidence (p = 1.0 for our observed discordants). The paired-bootstrap CI [0.00, 0.015] provides a bounded estimate of plausible effect sizes compatible with the data and shows the dataset is consistent with at most small absolute improvements under our repair-only design. This underscores that unexpectedly high baseline performance can substantially reduce realized inferential sensitivity for small marginal effects.

Operational implications and bounded claims. Artifact-grounded evidence supports a narrow operational conclusion: in this synthetic deterministic task bank using gpt-5-mini and deterministic_netops_validator_v5, a verifier-triggered bounded repair corrected a localized multi-step ordering fault in one extreme task. This is direct evidence that verifier-guided bounded repair can remedy certain ordering/dependency violations in generated configurations when those violations are expressible in the task manifest's invariants. It is not evidence that bounded repair will correct omissions only observable at dataplane runtime, or that guarded repair will address adversarially poisoned contexts; those remain open evaluation axes requiring live emulation, multi-model studies, and adversarial contamination experiments.

Threats to validity and generalization. Internal validity: the paired shared_initial_candidate design isolates repair effects but does not address prompt sensitivity or model sampling variability. Construct validity: the verifier enforces encoded syntactic and ordering invariants but does not substitute for dataplane emulation or vendor-specific runtime semantics. External validity: the experiment used a single model (gpt-5-mini) and a synthetic, deterministic task bank; results do not imply cross-model or production-device generality. Conclusion validity: with only one discordant pair the statistical power to

detect small repair-only effects is limited; the bootstrap CI quantifies that uncertainty.

Reproducibility, artifact grounding, and recommended reanalyses. All execution and analysis artifacts are archived in the execution bundle. Key artifacts for reanalysis include: execution/task_manifest.jsonl (task selection and manifests), execution/model_configuration.json (declared model and sampling fields), execution/responses/ (shared-initial and per-condition responses), execution/scoring/ (validator_trace per episode), analysis/*.csv (paired contingency and condition summaries), deterministic_reconciliation.json (provider accounting and stage_counts), and analysis/analysis_log.jsonl (bootstrap parameters and seed). The initial master prompt is archived (provenance/master_prompt.txt; SHA-256 provided in the Disclosure Statement). Re-executing paired_binary_analysis_v1 on the archived input_results_sha256 reproduces the confirmatory numbers reported above. For sensitivity, the preregistered alternative treatment (persistent unparsables as failures) is supported by the artifacts but was not needed because such cases did not occur.

VI. Limitations

- Synthetic deterministic task bank and verifier: results reflect correctness under the chosen synthetic intent templates and deterministic verifier and do not guarantee similar performance on live heterogeneous production devices or telemetry.
- Single-model experiment (gpt-5-mini): findings do not demonstrate multi-model generality.
- Shared_initial_candidate semantics: baseline and guarded conditions began from the same initial generation; the study measures verifier/repair effects only and does not evaluate independent first-pass generation contrasts.
- Limited adversarial/contamination testing: the run did not include systematic adversarial retrieval or poisoned-context attacks; such threats remain an open evaluation axis.
- Oracle coverage: the deterministic verifier enforces encoded invariants but may omit runtime behaviors and device-specific semantics observable only through live execution; external validity to live deployments is therefore limited.

VII. Conclusion

We executed a preregistered paired experiment measuring the marginal effect of a verifier-triggered repair under shared_initial_candidate semantics for LLM-generated network configurations. In 200 synthetic deterministic tasks with gpt-5-mini and deterministic_netops_validator_v5, baseline acceptance was 199/200 and guarded acceptance was 200/200; a single automated repair corrected a multi-device ordering violation. Paired absolute risk difference = 0.005 with paired-bootstrap 95% CI [0.00, 0.015] (10,000 resamples, seed 1729) and exact two-sided McNemar p = 1.0. Artifact-grounded evidence therefore supports a constrained conclusion: verifier-guarded bounded repair can correct localized ordering faults in this synthetic verifier-backed setting. Broader operational claims require additional experiments: multi-model studies, independent-first-pass guarded semantics, adversarial contamination testing, and live-device or dataplane emulation to capture runtime semantics not modeled by the deterministic verifier.

Disclosure Statement

Disclosure: This run implemented preregistered study CAND-2026-001 and was executed autonomously after the autonomy lock. Declared model: gpt-5-mini (execution/model_configuration.json records temperature = null/unset; null/unset is not evidence of deterministic sampling or temperature = 0). Orchestration adapter: hosted_netops_gvr_v1. Exact initial master prompt archived at provenance/master_prompt.txt (SHA-256 1872df1e 1805d2d96940456ca016bd665d1d5196add77f5acdf1582b b39b15ba). Preregistration fixed generation_semantics = shared_initial_candidate (one sampled initial generation per task was deterministically reused by baseline and guarded episodes) and allowed at most one automated repair call per task. Model-call accounting in the archived execution manifest reflects 200 shared initial generation calls and 1 repair call (201 model calls total). The deterministic verifier used was deterministic_netops_validator_v5. Humans selected the broad topic family and constrained the initial master prompt prior to the autonomy lock as permitted by the track; no human manually edited technical manuscript content after the autonomy lock. All provider traces, verifier logs, task manifests, model-configuration records, and analysis artifacts are archived in the execution bundle and indexed by the execution manifest.

References

[1] Changjie Wang, Mariano Scazzariello, Alireza Farshin, Simone Ferlin, Dejan Kostić, Marco Chiesa, "NetConfEval: Can LLMs Facilitate Network Configuration?", 2024, 10.1145/3656296

[2] Ryan Beckett, Aarti Gupta, Ratul Mahajan, David Walker, "A General Approach to Network Configuration Verification", 2017, 10.1145/3098822.3098834

[3] Jack Gallifant, Majid Afshar, Saleem Ameen, Yindalon Aphinyanaphongs, Shan Chen, Giovanni Cacciamani, Dina Demner-Fushman, Dmitriy Dligach, Roxana Daneshjou, Chrystinne Oliveira Fernandes, Lasse Hyldig Hansen, Adam Landman, Lisa Soleymani Lehmann, Liam G. McCoy, Timothy A. Miller, Amy C. Moreno, Nikolaj Munch, David Restrepo, Guergana Savova, Renato Umeton, Judy Wawira Gichoya, Professor Gary S. Collins, Karel G.M. Moons, Leo Anthony Celi, Danielle S. Bitterman, "The TRIPOD-LLM reporting guideline for studies using large language models", 2025, 10.1038/s41591-024-03425-5

[4] Yunhe Li, "Test-in-the-loop LLM Repair: Verifiable Automated Program Repair on QuixBugs with a "Failing Test → Patch → Regression Test" Loop", 2024, 10.69987/jacs.2024.40206

[5] Wayne Xin Zhao, Kun Zhou, Junyi Li, Tianyi Tang, Zican Dong, Yupeng Hou, Beichen Zhang, Yingqian Min, Junjie Zhang, Peiyu Liu, Xiaolei Wang, Yifan Du, Yushuo Chen, Yushuo Chen, Zhipeng Chen, Jinhao Jiang, Ruiyang Ren, Yifan Li, Xinyu Tang, Peiyu Liu, Yiwen Hu, Jian-Yun Nie, Ji-Rong Wen, "A Survey of Large Language Models", 2026, 10.1007/s11704-026-60308-3

[6] Haoran Dong, "Tool-Augmented Large Language Model Agents for Analysis: A Focused Study", 2026, 10.2139/ssrn.6647800