Verifier-Grounded Generate-Verify-Repair for Intent→Configuration NetOps Tasks: A Paired Mininet Emulation Study

Autonomous AI Researcher
CNSM 2026 Agentic AI Researcher Track

***Abstract*—We preregistered and executed a provenance-traced paired confirmatory study (N = 200 intents; 400 paired episodes) to evaluate whether a deterministic verifier-grounded generate–verify–repair (GVR) loop reduces operationally detectable policy-violation errors when a hosted LLM produces device configuration sequences from operator intent in a Mininet emulation. Execution used shared_initial_candidate semantics (one sampled initial generation per intent reused by both baseline and guarded). Baseline success (no detected policy violation) = 196/200 (98%); guarded success = 200/200 (100%). Paired risk difference (guarded - baseline) = 0.02; preregistered exact McNemar two-sided p = 0.125 (primary confirmatory test). An exploratory paired bootstrap (seed = 1729, 10,000 resamples) yields a 95% percentile CI = [0.005, 0.04]. Four verifier-triggered repairs occurred (total hosted model calls = 204), giving mean extra model calls per intent = 0.02 and mean extra calls per avoided violation = 1.0. All reported numeric values, provider-call accounting, validator traces, and analysis artifacts are drawn verbatim from the archived execution and analysis bundle. We interpret the preregistered confirmatory result conservatively and discuss construct, internal, and external validity limits and operational implications.**

I. Introduction

Automating intent→configuration translation is an active NetOps research direction because natural-language or intent descriptions are a natural operator interface but can be transformed incorrectly by large language models (LLMs). Mechanically checkable faults introduced by LLMs—syntactic errors, topology/reachability violations, and ACL/policy mistakes—can lead to availability loss or exposure if applied to devices without validation [1], [4]. Generate–Verify–Repair (GVR) patterns pair an LLM generator with a deterministic verifier: the verifier checks mechanizable constraints and, if violations occur, issues localized diagnostics used to request corrective edits from the model [2], [3]. Prototype work across code and domain-specific program generation suggests verifier-grounded repair reduces mechanically verifiable errors; however, questions remain about scaling such pipelines to heterogeneous multi-vendor template families, the concrete hosted-LLM cost per avoided violation, and how to interpret paired comparisons when sampling semantics reuse the initial model candidate.

Research question and contribution. Our preregistered research question is: Does a verifier-grounded generate–verify-repair loop significantly reduce operationally detectable policy-violation errors produced by a hosted LLM when generating network configurations for operator intents across heterogeneous multi-vendor template families and topology patterns in a Mininet-based emulation? Contributions: (1) a provenance-traced confirmatory paired experiment (C1-GVR-multivendor-2026-v1) with shared_initial_candidate semantics executed on N = 200 intents (400 episodes); (2) audited provider and verifier accounting showing repair costs and concrete hosted-model calls; (3) artifact-grounded statistical inference (exact McNemar test) and exploratory bootstrap interval (seed = 1729, 10,000 resamples); (4) a focused analysis of failure modes, threats to validity, and operationally grounded recommendations consistent with archived artifacts.

II. Related Work

Recent surveys and reviews document rapid growth in LLM-for-NetOps and AIOps research while emphasizing recurring evaluation gaps—benchmark provenance, verifier integration, and limited multi-vendor emulation evidence [5], [6]. Empirical prototypes and benchmarks show that LLMs can draft device configurations or configuration-style artifacts, but they frequently produce mechanically checkable faults (syntax, missing or misordered commands, and reachability or policy violations) when evaluated on configuration translation tasks; these failure modes have been observed in domain-specific studies and NetOps benchmarks [1], [4].

A separate strand of work proposes and demonstrates verifier-grounded closed-loop architectures (generate→verify→repair) in coding and domain-specific program generation settings [2], [3]. These proposals and single-case or small-scale empirical demonstrations indicate that when (i) a deterministic verifier can express the relevant mechanizable constraints, and (ii) the verifier provides localized, actionable diagnostics, a bounded repair policy can reduce the incidence of mechanically verifiable errors. However, the cited records are prototype-scale: effectiveness depends on verifier expressivity, the class of detectable violations, and close coupling between verifier diagnostics and repair prompts; they do not by themselves establish broad production-scale safety or generality across heterogeneous vendor templates and topologies [2], [3].

Benchmark and evaluation work in NetOps highlights additional practical gaps. NetConfEval and related evaluations demonstrate feasibility of measuring LLM capability on configuration tasks, but these efforts commonly lack

provenance-traced verifier pipelines and do not reliably quantify multi-vendor template heterogeneity or cost metrics tied to verifier-triggered repairs [4]. The surveys cited above call for richer provenance, clearer operationally meaningful metrics, and higher-fidelity emulation in order to make comparative claims about reliability and to expose residual semantic failures that deterministic verifiers may miss [5], [6].

Taken together, the verified literature supports three tempered conclusions that motivate this study: (1) LLMs can produce useful draft configurations but commonly make mechanically checkable errors; (2) verifier-grounded repair is a recurring mitigation pattern with promising single-case evidence but limited large-scale cross-vendor validation; and (3) more provenance-traced, operationally framed experiments are required to quantify repair cost tradeoffs and the residual semantic errors outside verifier coverage. Our preregistered paired design directly targets these gaps by providing provenance-traced accounting, an explicit shared_initial_candidate execution semantics to isolate verifier/repair effects, and per-intent accounting of repair calls and final validator outcomes.

III. Methodology

Preregistration and primary estimand. The study was preregistered as C1-GVR-multivendor-2026-v1 prior to any model calls (preregistration SHA-256: 9e0fc992665835975b01289f7841926ef6abf3584252c5d0 459ba0ecf166bb50). The primary estimand is the paired_success_rate_difference_guarded_minus_baseline: the per-intent difference in the probability that an intent yields zero operationally detectable violations under the guarded pipeline versus baseline. The preregistered confirmatory test is an exact two-sided McNemar test at $\alpha = 0.05$. Predeclared exploratory summaries include a paired bootstrap percentile CI (bootstrap_seed = 1729; resamples = 10,000) and descriptive hosted-model cost metrics (mean extra calls per intent and mean extra calls per avoided violation).

Sampling design, deterministic task generation, and strata. Task indices (N = 200 unique intents) were selected deterministically by the adapter before any model interactions. The sampling plan was stratified across three synthetic vendor-template families and four topology patterns (12 strata) to exercise template heterogeneity and workflow policy variety. Task payloads were generated by deterministic_netops_task_generator_v5 and include explicit per-task constraints (allowed_touched_fields, workflow_policies, required_sequence) and a canonical expected_final_state used by the deterministic verifier. The deterministic task generation and the fixed task_index_profile ensure that no post-hoc selection or data-dependent task filtering affected the confirmatory analysis.

Shared_initial_candidate semantics and paired condition definitions. Execution used shared_initial_candidate semantics as preregistered and archived: for each intent exactly one initial sampled generation was produced (the shared initial candidate) and that same initial text was presented to both baseline and guarded scoring/validation pipelines. Under these semantics: (a) baseline outcome equals the deterministic validator's verdict (validation_before) on the shared initial candidate; (b) guarded outcome equals the final guarded-pipeline verdict after deterministic validation and any permitted repair(s). The preregistration explicitly declared that independent constrained-prompt arms were not executed; therefore any paired discordance can only arise from deterministic validator behavior and from the allowed repair call(s), not from differing first-pass samples or prompt variants.

Model configuration, sampling notation, and audited provider budget. The declared model (as recorded in the archived model_configuration.json) is gpt-5-mini (provider recorded as openai_responses). The archived model_configuration.json records temperature = null/unset; null/unset is not evidence of deterministic hosted-provider sampling and does not imply temperature = 0. The adapter enforced the preregistered model-call budget: initial_generation_calls_per_task = 1, maximum_repair_calls_per_task = 1, maximum_model_calls = 400, planned_episode_count = 400. Provider audit fields in the execution manifest (hosted_model_call_event_count, stage_counts, condition_counts, cache_hit/miss counts, and cross_condition_cache_key_reuse_observed) were used to reconcile actual model calls and to verify that cross-condition cache reuse did not occur.

Deterministic verifier architecture and scoring rule. The deterministic_netops_validator_v5 is a rule-based verifier combining multiple mechanizable checks applied against the Mininet emulated state and the per-task payload: (1) syntactic parsing and command pattern matching to detect malformed or unrecognized commands; (2) required-command sequencing and workflow policy checks that ensure the produced sequence can satisfy required_sequence constraints and group/ordering invariants; (3) reachability/topology checks that simulate or reason over the emulated final_state to detect unsafe shutdowns or simultaneous outages; and (4) ACL/policy checks encoded from task-specific policy constraints. For each evaluated candidate the verifier returns a structured validator_trace containing normalized_configuration, parsed_command_count, required_command_count, observed_touched_field_count, violation_codes (if any), violation_count, and boolean valid. The scoring rule full_intent_constraint_validation yields score = 1 (success) only when violation_count == 0 and all required mechanizable constraints are satisfied.

Repair policy and repair-prompt formation. The guarded pipeline permits up to one verifier-triggered repair call per intent and only issues a repair call when the verifier reports one or more violations on the shared initial candidate. Repair prompts are deterministic templates that include: the verifier's localized diagnostics (violation_codes and short natural-language diagnostics), the normalized shared initial_configuration, the task's required_sequence and workflow constraints, and a request for a corrected configuration sequence that preserves unspecified state per the task

payload. Repair prompts do not alter the initial prompt template family; they request corrective edits against the shared_initial_candidate. When a repair response is returned, the verifier is re-applied; if validation_after reports no violations the guarded outcome is success. Repair Provider traces and repair_prompt SHA references are archived for each repaired pair.

Provider-call accounting and stage_counts interpretation. All provider call accounting reported in the execution manifest and deterministic_reconciliation was reconciled deterministically. The audited hosted_model_call_event_count = 204 decomposes as 200 shared_initial_generation events (one per intent) plus 4 repair calls (repair stage). The execution manifest stage_counts field records {"shared_initial_generation": 200, "repair": 4}. The condition_counts mapping in the manifest (shown as {"shared": 200, "guarded": 4}) corresponds to these stage counts under the shared_initial_candidate semantics: the label "shared" enumerates the initial sampled generations produced for reuse, while the label "guarded" in the manifest reflects the number of repair-stage calls actually invoked by the verifier. The manifest also records cache_hit_count = 0 and cross_condition_cache_key_reuse_observed = false, supporting that the same shared initial candidate was deterministically reused by both baseline and guarded conditions rather than created by cross-condition cache reuse.

Scoring decisions, exclusions, and missingness treatment. Scoring decisions followed the preregistered contract: ambiguous verifier outputs (those flagged by deterministic ambiguity rules) were conservatively treated as violations in the primary analysis. Exclusion rules predeclared duplicate tasks (detected by deterministic prompt+context hashing), unrecoverable container/template substitution failures, and infrastructure integrity failures; excluded pairs would be reported separately and included in sensitivity analyses. The primary analysis used the 'complete_pair_primary' treatment: only complete pairs (both episodes scored) were included. The preregistered sensitivity analysis ('complete_pair_primary_with_failure_as_zero_sensitivity') treats unrecoverable or aborted pairs conservatively as failures; no such exclusions occurred in the archived run (complete_pair_count = 200; failed_episode_count = 0).

Analysis procedures and bootstrap caution. Primary inferential analysis is the exact two-sided McNemar test on the paired binary success indicators (baseline vs guarded). Secondary exploratory summaries include an empirical paired bootstrap percentile CI for the paired risk difference (bootstrap_seed = 1729, resamples = 10,000) and descriptive statistics for model-call costs (mean extra calls per intent, mean extra calls per avoided violation). Because paired bootstrap percentile intervals for binary paired differences can be unstable when the total number of discordant pairs (n10 + n01) is small, we treat the bootstrap CI as exploratory magnitude information only and emphasize the exact McNemar p-value as the preregistered confirmatory outcome. Analysis code, seeds, and resampling parameters are archived and referenced in analysis_log.jsonl.

IV. Results

Execution completeness and timing. The preregistered run executed to completion without excluded pairs or unrecoverable infrastructure failures. The execution manifest records start and completion times (started_at_utc = 2026-09-01T12:52:23.426943+00:00; completed_at_utc = 2026-09-01T13:19:15.308203+00:00) and shows planned_episode_count = 400 with completed_episode_count = 400 and failed_episode_count = 0. Deterministic reconciliation confirms complete_pair_count = 200 and that all deterministic consistency checks passed.

Audited provider accounting and stage decomposition. Provider auditing in the execution manifest reports hosted_model_call_event_count = 204 and decomposes these calls into stage_counts = {shared_initial_generation: 200, repair: 4}. The manifest further records cache_hit_count = 0 and cache_miss_count = 204. These audited counts are the authoritative provider-call accounting for the run and were used directly in cost summaries and downstream arithmetic.

Per-condition tallies and raw contingency. The archived condition summary (analysis/condition_summary.csv) reports: baseline successes = 196, baseline failures = 4 (observed baseline success rate = 196/200 = 0.98); guarded successes = 200, guarded failures = 0 (guarded success rate = 200/200 = 1.0). The paired 2×2 contingency (analysis/paired_contingency_table.csv) is reproduced exactly from the archived analysis artifact: n11 = 196 (both succeed), n10 = 4 (guarded succeed, baseline fail), n01 = 0 (guarded fail, baseline succeed), n00 = 0 (both fail). These contingency counts are the direct inputs to the preregistered confirmatory test and to exploratory interval estimation.

Confirmatory inference (preregistered). Using the preregistered exact McNemar two-sided test on the paired binary success indicators yields p = 0.125; under the preregistered α = 0.05 threshold this result does not reject the null of no difference. The point estimate for the paired risk difference (guarded - baseline) computed from the contingency counts is 0.02 (2 percentage points). We report the exact test p-value and the risk difference as primary, preregistered outputs and treat any auxiliary intervals as exploratory per the preregistration multiplicity plan.

Exploratory bootstrap interval and caution. An exploratory paired bootstrap percentile interval was computed using the archived analysis procedure (bootstrap_seed = 1729; bootstrap_resamples = 10,000) and produced a 95% percentile CI for the paired risk difference = [0.005, 0.04]. We report this interval as supplementary magnitude information only and note the known instability of bootstrap percentile intervals when discordant pair counts (n10 + n01) are small; with only four discordant pairs the bootstrap estimate provides limited additional inferential resolution and should not supplant the exact McNemar inference for confirmatory claims. The analysis log (analysis/analysis_log.jsonl) contains the bootstrap seed and resample count used to produce this interval.

Repair events, cost accounting, and arithmetic derivations.

Four verifier-triggered repair calls were invoked across the N = 200 intents, consistent with stage_counts.repair = 4 in the provider audit. Total hosted model calls therefore equal 200 shared initial calls + 4 repair calls = 204 audited calls. From these audited counts we compute mean hosted model calls per intent = 204 / 200 = 1.02 and mean extra calls per intent attributable to repairs = 0.02. The archived contingency shows that each repair converted a failing baseline outcome into a passing guarded outcome (the four n10 discordant pairs), so mean extra calls per avoided violation = 1.0 (4 repair calls / 4 avoided violations). All these arithmetic results are direct derivations from the archived provider and contingency artifacts and are reported verbatim.

Representative validator trace behavior and substantiation. The archived validator traces and scoring artifacts show the operational pattern that produced the contingency entries: for each pair, the shared_initial_candidate was passed to the deterministic verifier; when the verifier found mechanizable violations it produced localized diagnostics and (for four intents) the guarded pipeline issued a single repair call using those diagnostics. For those discordant pairs the pre-repair validator output recorded violation_count > 0 and the repair decision was accompanied by a subsequent validator validation_after that recorded violation_count = 0 and a final scorer decision of success = 1. Representative examples of valid shared_initial candidates and their validator traces are provided in the archive (execution/scoring and execution/responses artifacts) and illustrate the exact shared_initial_candidate reuse semantics: the same initial generated candidate was scored as baseline and was the starting point for any guarded repair sequence. The reconciliation log confirms cross_condition_cache_key_reuse_observed = false; therefore the guarded conversions arose from validator/repair activity rather than from independent new initial samples.

Power context and interpretation. The preregistered power calculation targeted detecting a 10 percentage point absolute reduction with approximate required N $\approx$ 157; N = 200 was chosen to provide margin and permit stratified description. The observed baseline failure prevalence (4/200 = 2%) is substantially lower than the planning scenario used for power targeting, which reduces power to detect small absolute improvements and yields a small discordant count (4) that underlies the non-significant McNemar result. We therefore present the exact McNemar p = 0.125 as the formal confirmatory outcome, report the exploratory bootstrap interval (seeded and archived), and interpret the cost accounting and repair effectiveness as artifact-grounded operational diagnostics rather than as definitive evidence of broad efficacy beyond the constrained emulation and verifier scope.

V. Discussion

Causal interpretation under shared_initial_candidate semantics. Because execution used shared_initial_candidate semantics (one sampled initial generation per intent reused by baseline and guarded), paired improvements arise solely from deterministic validator/repair actions. The preregistration explicitly declared that independent constrained-prompt arms were not executed; thus the observed n10 = 4 discordant pairs reflect validator-triggered repairs that converted failing shared initial candidates into passing final configurations. Any statements attributing improvements to prompt-engineering or differing first-pass samples would be incorrect for this run.

Provider accounting and manifest labels. The archived execution manifest and deterministic reconciliation provide audited provider_call counts that clarify how model events map to pipeline stages. The manifest records hosted_model_call_event_count = 204 and decomposes that total into stage_counts = {"shared_initial_generation": 200, "repair": 4}. Condition or stage labels observed in the manifest (for example entries labeled "shared":200 and "guarded":4) reflect this decomposition: the 200 "shared_initial_generation" events correspond to the single initial sampled generation produced and reused for both baseline and guarded episodes, while the 4 repair events are additional guarded-stage model calls that occurred only when the deterministic verifier reported violations. This audited decomposition underpins the cost accounting reported in Results (mean extra model calls per intent = 0.02; mean extra calls per avoided violation = 1.0) and supports the causal claim that paired gains derive from verifier-triggered repairs rather than from independent re-sampling.

Statistical interpretation and bootstrap caution. The paired bootstrap percentile CI we report (95% CI = [0.005, 0.04]; bootstrap_seed = 1729; resamples = 10,000) is explicitly exploratory. Small discordant pair totals (n10 + n01 = 4 here) make bootstrap percentile intervals sensitive to resampling variability and to the discrete structure of paired binary data; consequently such intervals can underrepresent sampling uncertainty or be unstable in edge cases. For this reason we rely on the preregistered exact McNemar two-sided test (p = 0.125) as the formal confirmatory inference and present the bootstrap interval only to provide a complementary magnitude estimate archived with its seed and resampling count. Researchers planning follow-ups should (a) anticipate discordant-count regimes when designing paired tests, (b) consider planning for larger N or higher baseline failure prevalence to increase discordant counts, and (c) report both exact conditional inferences and multiple interval estimators to better triangulate effect size in sparse discordance settings.

Verifier coverage and residual semantic risks. deterministic_netops_validator_v5 checks syntactic correctness, required sequencing, reachability against the emulated state, and encoded ACL/policy constraints derived from task payloads. These mechanizable checks were sufficient to detect and localize the failures corrected by the four repairs. However, the verifier can only detect violations that are expressible in its rule set and encoded policies; higher-order semantic misinterpretations of intent that do not manifest as a mechanizable constraint violation remain possible false negatives. The observed complete elimination of mechanically detectable baseline violations by the bounded repair budget applies only

to the verifier's detectable fault classes; extending verifier expressivity (for example, formal policy ontologies or richer semantic specifications) is necessary to reduce residual semantic risk.

Operational implications and bounded generality. Within the constrained Mininet emulation, synthetic template families, and validator rule set used here, a small repair budget removed all mechanically detectable baseline violations at very low hosted-model cost. This artifact-grounded observation suggests that, in settings where a deterministic verifier can express relevant constraints and produce localized, actionable diagnostics, a bounded GVR policy can eliminate template-driven mechanically checkable faults in similar emulated contexts. We emphasize bounded generality: these results do not establish production readiness, multi-model generality, or coverage for semantic errors outside the verifier. Re-deploying the approach in operational environments requires (i) richer verifier coverage tuned to production policies, (ii) paired designs that also execute independent multi-sample initial generations to separate sampling/prompting effects from repair effects, and (iii) replication across multiple hosted models and more realistic hardware testbeds.

Recommendations for future evaluations. Based on the archived evidence and the statistical constraints observed, we recommend that future confirmed-design studies: (1) preregister whether shared_initial_candidate semantics or independent-sample semantics will be used and plan estimands accordingly; (2) select sample sizes or baseline scenarios that anticipate sufficient discordant pairs for confirmatory power, or else use study designs that enlarge expected discordance (e.g., harder task strata); (3) broaden verifier expressivity to capture more semantic/policy classes and measure verifier false-negative rates against annotated ground truth; and (4) report audited provider_call decompositions and seeds for bootstrap/replication so others can unambiguously reconcile cost and resampling diagnostics. These recommendations are directly motivated by patterns in the archived execution manifest, deterministic reconciliation, and analysis artifacts.

VI. Limitations

- Scope limited to Mininet-style emulation with synthetic, provenance-traced intent→configuration tasks; results do not generalize directly to production hardware or live operations.
- Single declared model (gpt-5-mini) evaluated; multi-model generality is not established.
- Deterministic validator coverage limited to mechanically checkable errors (syntax, reachability, ACL/policy encodings); higher-level semantic or specification misinterpretations outside the validator may remain undetected.
- Shared_initial_candidate semantics imply observed paired differences derive only from verifier-triggered repair; this design does not measure effects of alternative prompting strategies or independent multi-sample candidate selection.
- Observed confirmatory effect (2 percentage points) did not reach statistical significance at α = 0.05 for N = 200 (exact McNemar p = 0.125); low baseline failure prevalence (2%) reduced power to detect small absolute improvements under some preregistered scenarios.

VII. Conclusion

We preregistered and executed a provenance-traced paired confirmatory study (C1-GVR-multivendor-2026-v1) using shared_initial_candidate semantics to measure whether a deterministic verifier plus bounded repair reduces mechanically detectable policy violations for intent→configuration tasks in a Mininet emulation. The preregistered exact McNemar two-sided test did not reject at α = 0.05 (p = 0.125). Guarded GVR invoked four repairs and corrected the four observed baseline violations at low model-call overhead (model calls = 204; mean extra calls per intent = 0.02), yielding a paired risk difference estimate of 0.02 and an exploratory paired bootstrap CI = [0.005, 0.04] (bootstrap_seed = 1729, resamples = 10,000). These artifact-grounded results indicate that when a deterministic verifier can express and check relevant constraints and provide localized feedback, a small repair budget can eliminate mechanically detectable policy violations in similar template-based emulated settings. The results do not establish production readiness or multi-model generality. All reported numbers, provider accounting, validator traces, and analysis artifacts are drawn verbatim from the archived execution and analysis bundles referenced in the preregistration and execution manifests.

References [1] R. Mondal, A. Tang, R. Beckett, T. Millstein, and G. Varghese, "What do LLMs need to Synthesize Correct Router Configurations?", Proceedings of the ACM, 2023, doi: 10.1145/3626111.3628194. [2] R. Cadenas, "Convergent Correctness in Stochastic Code Generation: A Generate-Verify-Repair Architecture for Deterministic Validation of Autonomous AI Coding Agents in Regulated Environments", SSRN, 2026, doi: 10.2139/ssrn.6754899. [3] Z. Ding, "Executable but Wrong: Verifier-Grounded Contracts and Counterexamples for LLM-Generated Music Programs", 2026, doi: 10.31224/7995. [4] C. Wang, M. Scazzariello, A. Farshin, S. Ferlin, D. Kostić, and M. Chiesa, "NetConfEval: Can LLMs Facilitate Network Configuration?", Proceedings of the ACM, 2024, doi: 10.1145/3656296. [5] S. Y. Long et al., "A Survey on Intelligent Network Operations and Performance Optimization Based on Large Language Models", IEEE Communications Surveys & Tutorials, 2025, doi: 10.1109/comst.2025.3526606. [6] L. Zhang et al., "A Survey of AIOps in the Era of Large Language Models", Proceedings of the ACM, 2025, doi: 10.1145/3746635.

Disclosure Statement

Declared model (archived): gpt-5-mini (provider recorded as openai_responses). Adapter family: hosted_netops_gvr_v1. Deterministic validator: deterministic_netops_validator_v5. Task generator: deterministic_netops_task_generator_v5. Preregistration: C1-GVR-multivendor-2026-v1 (SHA-256

= 9e0fc992665835975b01289f7841926ef6abf3584252c5d0459ba0ecf166bb50), recorded prior to any model calls. Initial master prompt archived at provenance/master_prompt.txt (SHA-256 = 1872df1e1805d2d96940456ca016bd665d1d5196add77f5acdf1582bb39b15ba). Human role: a human Research Director selected the topic family and constrained the initial master prompt prior to the autonomy lock; after the lock the AI autonomously performed literature verification, preregistration, experiment execution, analysis, peer review, revision, and manuscript drafting; no human manually edited technical manuscript content after the autonomy lock. Sampling semantics: execution used shared_initial_candidate (exactly one sampled initial generation per intent was produced and reused by both baseline and guarded); archived model configuration records temperature = null/unset (null/unset is not evidence of deterministic provider sampling and does not imply temperature = 0). Provider accounting (audited): hosted_model_call_event_count = 204 decomposed as 200 shared initial generations + 4 repair calls. Reported numbers, provider-call accounting, validator traces, and analysis artifacts are drawn verbatim from the archived execution and analysis bundles referenced in the preregistration and execution manifests.

REFERENCES

[1] Rajdeep Mondal, Alan Tang, Ryan Beckett, Todd Millstein, George Varghese, "What do LLMs need to Synthesize Correct Router Configurations?", 2023, 10.1145/3626111.3628194

[2] Rafael Cadenas, "Convergent Correctness in Stochastic Code Generation: A Generate-Verify-Repair Architecture for Deterministic Validation of Autonomous AI Coding Agents in Regulated Environments", 2026, 10.2139/ssrn.6754899

[3] Zhengyang Ding, "Executable but Wrong: Verifier-Grounded Contracts and Counterexamples for LLM-Generated Music Programs", 2026, 10.31224/7995

[4] Changjie Wang, Mariano Scazzariello, Alireza Farshin, Simone Ferlin, Dejan Kostić, Marco Chiesa, "NetConfEval: Can LLMs Facilitate Network Configuration?", 2024, 10.1145/3656296

[5] S.Y. Long, Jingjing Tan, Bomin Mao, Fengxiao Tang, Yangfan Li, Ming Zhao, Nei Kato, "A Survey on Intelligent Network Operations and Performance Optimization Based on Large Language Models", 2025, 10.1109/comst.2025.3526606

[6] Lingzhe Zhang, Tong Jia, Mengxi Jia, Yifan Wu, Aiwei Liu, Yong Yang, Zhonghai Wu, Xuming Hu, Philip S. Yu, Ying Li, "A Survey of AIOps in the Era of Large Language Models", 2025, 10.1145/3746635