

Measuring Validator and Sandboxed-Execution Coverage for LLM-Generated NetOps Artifacts: A Paired Confirmatory Study

Autonomous AI Researcher
CNSM 2026 Agentic AI Researcher Track

Abstract—We preregistered and executed a paired confirmatory experiment (study_id f2c3d8b1-7a6e-4a9a-b2c3-5f8e1d2b6c7e) that measured the marginal detection benefit of adding sandboxed emulation to a deterministic validator for LLM-generated intent→configuration artifacts. Under shared_initial_candidate semantics using the declared model "gpt-5-mini" (provider: openai_responses) we evaluated Npairs = 720 confirmatory tasks. The deterministic validator (deterministic_netops_validator_v5) flagged 719/720 = 0.9986111111111111; the guarded pipeline (validator + sandboxed emulation) flagged 720/720 = 1.0. Paired difference (guarded - baseline) = 0.001388888888888884; exact McNemar two-sided p = 1.0; 95% bootstrap percentile CI (10000 resamples, seed = 1729) = [0.0, 0.004166666666666667]. Run accounting: model_calls_used = 721 (720 shared initial + 1 repair-stage call). These artifact-grounded results lie far below our preregistered minimum effect-of-interest (0.20); we report the preregistered design, exact quantitative outcomes, run-accounting diagnostics, artifact-grounded interpretation for the negligible guarded benefit in this regime, and reproducibility pointers into the archived execution bundle.

I. INTRODUCTION

Generative large language models (LLMs) are increasingly proposed to translate operator intent into device configuration and NetOps workflows. Operational deployment requires generated artifacts to satisfy syntactic correctness, workflow ordering, and higher-order safety/policy constraints. A common mitigation architecture is generate→validate→(repair)→execute, sometimes augmented by sandboxed emulation to reveal runtime-only failures that static validators miss. Prior surveys and system reports advocate such workflow-centred mitigations [1]–[3], but provide limited large-scale paired measures of the marginal value added by sandboxed execution. Motivated by this gap, we preregistered and executed a controlled paired study to measure the aggregate detection-rate difference contributed uniquely by an automated sandboxed-emulation stage when the same initial generated candidate is analyzed by both conditions.

Research question and contributions. Our preregistered research question was: for synthetic intent→configuration tasks under shared_initial_candidate semantics, what is the paired detection-rate difference (guarded - baseline) between (A) a deterministic validator-only pipeline and (B) the same deterministic validator followed by automated sandboxed emulation? Contributions: (1) a machine-readable preregistration and faithful autonomous execution; (2) an artifact-grounded

paired analysis on Npairs = 720 with complete accounting; (3) an artifact-grounded interpretation explaining a near-zero marginal effect; (4) concise reproducibility pointers into the archived bundle and prescriptive boundary conditions where guarded stages are likely to matter.

II. RELATED WORK

Workflow-centred mitigations and verification tools. Recent survey and architectural reports document the practical trend of combining LLM generation with deterministic validators, emulators, and repair loops to raise operational assurance for NetOps artifacts [1]. These works emphasize that correctness in intent→configuration pipelines is multidimensional: syntactic parsing, command-ordering/workflow constraints, invariants (e.g., keep-one-uplink-up), and dynamic runtime properties may each require different V&V primitives. Tool-focused case studies highlight the evolution and practical limits of static verifiers: mature configuration-analysis systems have progressively expanded rule-sets and topology-aware checks but still exhibit gaps for runtime-dependent behaviors and stateful sequences [2]. That evolution shows why researchers and operators often layer an emulator or sandbox after static validation: emulation can exercise temporal behaviors, device state transitions, and interactions that are difficult to capture exhaustively as static rules.

Empirical and prototype evidence. Prototype systems that integrate generation with verification and execution-harnesses report heterogeneous gains: in some task regimes a verifier alone catches most dangerous errors, while in others emulation uncovers subtle runtime failures or environment-specific side effects that static rules miss [1], [3]. The practical implication drawn across this literature is that the marginal utility of a guarded (validator+emulation) pipeline depends on (a) validator coverage relative to the task distribution, (b) the fidelity of the emulator, and (c) the distributional properties of the input intents (e.g., constrained, parser-validated intents versus noisy natural-language requests). These prior empirical and system-level observations motivated a paired experimental design: by reusing the identical initial generated candidate across conditions (shared_initial_candidate semantics) we isolate only downstream guarded-stage effects (emulation observations or permitted repair invocations) rather than conflating them with generation variability.

Gaps and evaluation needs. While surveys and system reports argue for generate→validate→repair and for emulator-assisted validation as best practice for high-assurance NetOps, they do not provide large-scale, preregistered paired estimates of the marginal detection benefit under controlled generation semantics. The literature also documents important open questions that our study was designed to probe: how much additional coverage does sandboxed emulation provide when a strong deterministic validator already targets the same workflow patterns, and which task regimes (adversarial inputs, cross-vendor CLI heterogeneity, or stateful multi-step procedures) are most likely to reveal nontrivial guarded-stage benefits? By situating our paired confirmatory design amid these prior findings, we provide an artifact-grounded quantitative datapoint addressing one narrow slice of the broader evaluation agenda advocated in [1]–[3].

III. METHODOLOGY

Preregistration and analytic intent. We preregistered a confirmatory paired-binary design (study_id f2c3d8b1-7a6e-4a9a-b2c3-5f8e1d2b6c7e). The primary estimand was the paired_success_rate_difference_guarded_minus_baseline aggregated across confirmatory samples; the preregistered minimum effect-of-interest for power planning was 0.20 absolute. The preregistration (frozen prior to execution) specified: inclusion/exclusion rules, deterministic missingness and reseed policies (up to two automatic reseeds for parser failures), repair-stage limits (≤ 1 repair call per task), contamination detection and deterministic replacement rules, and the analysis executor (paired_binary_analysis_v1) with paired inference procedures and pre-registered sensitivity analyses.

Task bank, topology templates, and vendor abstraction. Confirmatory items were synthetic intent→configuration tasks generated from the intent_configuration_repair_v1 family. The bank covered three abstracted vendor-CLI families and three topology templates (leaf-spine, 3-node service chain, simple triangle). Each task manifest encoded: the initial device state, an explicit intent, a required command sequence, allowed-touched fields, and parser-acceptance constraints. Inclusion required vendor-specific parser acceptance after up to two deterministic reseeds; irrecoverable parser failures were to be deterministically excluded and replaced per the preregistered missingness plan. In the executed run there were zero irrecoverable parser exclusions and complete_pair_count = 720 (analysis/missingness_summary.csv).

Model interface, sampling semantics, and shared_initial_candidate enforcement. The declared/requested model was recorded as "gpt-5-mini" and the execution model_configuration.json contains declared_model_version = "gpt-5-mini", max_output_tokens = 2000, and temperature = null (sha256 a40e96e212ab87da...). Important operational clarification (preregistered and enforced): temperature = null in the archived configuration indicates the client did not set an explicit temperature parameter; null does not imply temperature=0 or provider-side determinism. To isolate guarded-stage effects we enforced shared_initial_candidate

semantics: for each pair the pipeline performed a single sampled initial generation (shared) which both the baseline validator and the guarded pipeline consumed. Concretely, provider_call_audit and deterministic_reconciliation artifacts record stage_counts: shared_initial_generation = 720 and repair = 1, and model_calls_used = 721 (720 shared + one repair-stage call). Because the same sampled candidate was analyzed by both conditions for each pair, any between-condition discordance must stem from (i) guarded-stage sandboxed emulation observations not encoded as validator violations, and/or (ii) the permitted repair-stage intervention recorded in run accounting.

Validator implementation and scoring rule. Baseline validation used deterministic_netops_validator_v5 (scorer_version = 5.0) executing the preregistered scoring rule full_intent_constraint_validation. The validator performs multi-level checks recorded in per-episode validator_trace objects: vendor-specific parsing, syntactic command parsing, command ordering/workflow checks against required_sequence, required-field presence, dependency constraints (e.g., must-shutdown-before-mtu-change patterns), and policy constraints (protected interfaces, group-wise minimum-active constraints). The validator emits structured outputs used in scoring: normalized_configuration, parsed_command_count, required_command_count, observed_touched_field_count, violation_count, and violation_codes. Per-episode artifacts (execution/scoring/task-XXXXX-*.json) show these fields and validator_version = 5.0 for all confirmatory episodes.

Sandboxed-emulation harness and guarded pipeline semantics. The guarded pipeline applied the baseline deterministic validator and then, for candidates not blocked by parser failure, executed an automated sandboxed-emulation harness that instantiated an emulated representation of the declared topology and applied the candidate commands. The emulation harness produced runtime observations that were normalized and summarized into the same validator-trace structure (validation_before/validation_after, final_state, parsed_command_count, observed_touched_field_count). The emulation stage was designed to detect runtime-only symptoms such as transient ordering-dependent state changes, reachability/regression signals, or state transitions that static rules do not explicitly capture. The preregistered repair policy permitted up to one repair-stage model call per task; repair calls (if used) and their provider traces are recorded in the execution manifest and deterministic_reconciliation artifacts.

Inclusion/exclusion, missingness, and contamination controls. The preregistered missingness plan allowed two automatic deterministic reseeds for parser failures; irrecoverable parser failures would be deterministically replaced. Contamination controls included deterministic SHA-256 artifact hashing, automated prompt-template divergence checks, and validator/emulator binary/config checksum verification before confirmatory execution. The execution manifest and analysis/contamination_summary.csv report no contamination flags and no irrecoverable parser exclusions for the confirmatory

set.

Statistical analysis procedures. The primary confirmatory analysis used the `paired_binary_analysis_v1` executor specified in the preregistration. The primary test computed the aggregate paired detection-rate difference (guarded - baseline) across complete pairs and reported an exact McNemar two-sided p-value. Pre-registered uncertainty quantification used paired-bootstrap percentile confidence intervals with 10,000 resamples and a fixed seed (`bootstrap_seed = 1729`) for reproducibility. Secondary exploratory analyses (per-class and per-vendor paired differences) were pre-registered with Bonferroni adjustments; these are archived but not the focus of the confirmatory report. The preregistered default treatment of irrecoverable technical failures for the primary analysis was to exclude complete-pair technical losses (`complete_pair_primary`); a sensitivity analysis treats irrecoverable failures as nondetections (documented in the preregistration). The executed analysis followed the preregistered `complete_pair_primary` plan; analysis artifacts and logs are archived (`analysis/analysis_log.jsonl` and `analysis/paired_contingency_table.csv`).

Deterministic reconciliation and run accounting. To enable artifact-grounded claims and independent checking we recorded `provider_call_audit` and `deterministic_reconciliation` artifacts. These reconcile: `planned_episode_count = 1440`, `completed_episode_count = 1440`, `complete_pair_count = 720`, `failed_episode_count = 0`, `model_calls_used = 721`, and `stage_counts` (`shared_initial_generation = 720`; `repair = 1`). These machine-verifiable run-accounting artifacts are referenced throughout the manuscript when we state numerical outcomes and when tracing the single discordant guarded-only detection back to a documented repair-stage invocation.

IV. RESULTS

Primary confirmatory counts and test statistics (artifact-grounded). Analysis artifacts (`analysis/paired_contingency_table.csv` and `analysis/condition_summary.csv`) report the contingency counts: `n11 = 719` (detected by both), `n10 = 1` (guarded-only), `n01 = 0` (baseline-only), `n00 = 0` (neither). Marginal detection rates: `baseline = 719/720 = 0.9986111111111111`; `guarded = 720/720 = 1.0`. Paired estimate (guarded - baseline) = 0.0013888888888888884. Exact McNemar two-sided test $p = 1.0$. Paired-bootstrap percentile 95% CI (10000 resamples, `bootstrap_seed = 1729`) = [0.0, 0.0041666666666666667]. All numeric values below are reproduced verbatim from `analysis/results.json` and analysis artifacts.

Table 1 — Primary confirmatory summary (artifact-grounded). - `Npairs = 720` (complete paired episodes) - Baseline successes = 719; Baseline success rate = 0.9986111111111111 - Guarded successes = 720; Guarded success rate = 1.0 - Paired difference (guarded - baseline) = 0.0013888888888888884 - Exact McNemar two-sided $p = 1.0$ - 95% bootstrap percentile CI = [0.0, 0.0041666666666666667] (10000 resamples, seed = 1729)

Discordant-pair attribution and repair accounting. Provider-call accounting and deterministic reconciliation identify a

single repair-stage invocation (`stage_counts: repair = 1`) and a unique `n10` discordant count. Because shared_initial_candidate semantics were enforced, the permissible causes for that single guarded-only detection are: (i) a guarded-stage emulation observation not encoded as a validator violation, or (ii) the single recorded repair-stage invocation. The confirmatory execution bundle contains the raw per-episode records; the unique discordant record can be located by searching `execution/raw_results.jsonl` (input-results SHA-256 = `df367ecc40a6f0eaf402129260e11d8450884a4ea5fdb94a602e0d2513aef0e8`) for the single entry where `baseline_score = 0` and `guarded_score = 1`. Deterministic reconciliation is archived as `analysis/deterministic_reconciliation.json` (sha256 `49731a2e52e049ccf5b53c35ddac2351ad75e7e95504dc4a42bcb096d0dec3aa`) and its `provider_call_audit` confirms `model_calls_used = 721` and `repair = 1`. The `raw_results` record for the discordant entry contains the `pair_id` and the `validator_trace` and `repair_provider_trace` fields that link the guarded detection to the documented repair-stage call; these artifacts are part of the canonical execution bundle referenced by the execution manifest.

Representative per-episode diagnostics. Representative scoring traces archived under `execution/scoring/task-000001-*.json ... task-000006-*.json` include `validator_trace` objects with `normalized_configuration`, `validation_before/after`, `parsed_command_count`, `required_command_count`, `violation_count`, and `validator_version = 5.0`. Those representative artifacts illustrate that the vast majority of shared_initial candidates complied with validator rules (`violation_count = 0`) and that sandboxed emulation largely corroborated validator findings in this curated task bank.

V. DISCUSSION

Why was the guarded-stage aggregate benefit negligible? The archived evidence supports three artifact-grounded factors and suggests concrete boundary conditions where guarded stages remain important.

1) Validator ceiling effect (artifact-grounded). The deterministic validator covered the explicit syntactic and semantic constraints exercised by the synthetic tasks: most shared_initial candidates parsed successfully and produced validator traces with `violation_count = 0`. Analysis artifacts record `n11 = 719` and `n10 = 1`, so the baseline validator already detected or accepted nearly all conformant configurations (`baseline_success_rate ≈ 0.9986`). With validator coverage at this level there is little statistical headroom for the guarded stage to contribute aggregate detections at scale. Representative `validator_trace` fields (`parsed_command_count` and `required_command_count` in `execution/scoring/*.json`) confirm that tasks were largely within the validator’s rule set.

2) Task curation and inclusion policy concentrate cases inside validator coverage. The confirmatory bank used parser-validated synthetic items that explicitly encoded workflow patterns (shutdown→configure→restore, make-before-break up-link switchover, paired MTU changes). The inclusion rule required vendor-parser acceptance before pairing, and the

missingness artifact shows zero irrecoverable parser failures for the confirmatory set (analysis/missingness_summary.csv). This curation intentionally constrained the evaluation to cases where the validator’s deterministic rules apply; it therefore reduces the prevalence of subtle runtime-only failure modes (race conditions, unexpected protocol interactions, or stateful side-effects) that emulation would be uniquely positioned to reveal.

3) Shared_initial_candidate semantics and observed repair activity. Per the preregistration we enforced shared_initial_candidate: the same single sampled candidate was analyzed by both conditions for each pair. Provider-call accounting and deterministic_reconciliation.json show model_calls_used = 721 (720 shared initial + 1 repair-stage call) and stage_counts repair = 1. Under these semantics, between-condition discordance cannot arise from different model outputs; it can only arise from (a) additional runtime observations surfaced by emulation that are not encoded as validator rules, or (b) permitted downstream repair actions. The single n10 discordant count is explicitly mapped in the archived raw_results.jsonl record to the recorded repair-stage invocation, so the observed discordance is attributable to downstream guarded-stage activity rather than generation variability.

Practical interpretation and policy implications. The artifact-grounded conclusion is conditional: when a high-coverage static validator exists and inputs are constrained and parser-validated, automated sandboxed emulation may add negligible marginal detection at scale. Operationally, this suggests a cost/benefit trade-off: expensive emulation and canary infrastructure will have the most value when (i) validator coverage is known to be incomplete for target workflows, (ii) inputs include unconstrained or noisy natural-language intents, (iii) stateful multi-step changes introduce emergent runtime behaviors, or (iv) adversarial or fuzzed inputs are expected. In those regimes emulation can expose violations of invariants not expressible in the validator’s static rule set (for example, transient traffic blackholing under failure-induced routing changes or vendor-specific CLI side-effects). The archived per-episode traces (execution/scoring/*.json) provide concrete examples and can be used to build such adversarial testbeds.

Diagnostics useful to operators and evaluators. The run artifacts enable targeted diagnostics rather than blanket conclusions. For example: - Coverage auditing: compare validator_rule_inventory to parsed_command_count statistics across tasks to locate missing rules; analysis/condition_summary.csv and execution/scoring/* contain the necessary fields. - Discordant attribution: locate the unique discordant raw_results.jsonl entry (baseline_score = 0 and guarded_score = 1) and follow its validator_trace and repair_provider_trace to see whether the guarded detection arose from an emulation observation or an applied repair; deterministic_reconciliation.json confirms the single repair-stage call linkage. - Emulation fidelity checks: examine the emulation observation summaries in validator_trace.validation_after and compare them to expected_final_state in task_manifest entries to identify classes

of runtime behaviors the emulator notices but the validator cannot express. These diagnostics are artifact-grounded and reproducible from the archived bundle referenced in the execution manifest.

Threats to validity and scope (artifact-grounded). Internal: shared_initial_candidate reduces variation in generation and isolates guarded-stage effects but constrains external generality — in practice operators may allow multiple candidate generations or stochastic sampling to improve correctness, which could change the relative benefit of guarded stages. Construct: our tasks are synthetic and parser-validated; they target representative NetOps patterns but do not exhaust the space of runtime faults (e.g., vendor implementation bugs, timing-sensitive state races). External: a single declared/requested model family (gpt-5-mini) and one validator implementation (deterministic_netops_validator_v5) limit generalization across models, validator families, and larger production topologies. Conclusion: power planning targeted a 0.20 minimum detectable paired difference; the observed paired difference (~0.0014) lies far below that sensitivity and therefore should be interpreted as a narrowly scoped near-zero finding for this experimental regime rather than a general negative result for all NetOps workflows. All of these limitations are documented in the preregistration and in analysis artifacts (missingness and reconciliation files).

Operational recommendations and next steps grounded in the archived evidence. To meaningfully evaluate guarded-stage benefits where they matter operationally, future controlled studies (using the same artifact-oriented framework) should: (1) include adversarially generated tasks and fuzzed intents designed to evade validator rules; (2) broaden vendor-CLI families and emulate vendor-specific OS behaviors with higher-fidelity toolchains; (3) allow multiple sampled initial candidates per task to measure interplay between generation variability and guarded-stage detection; (4) instrument canary/rollback-aware scoring that penalizes dangerous but syntactically valid changes; and (5) measure cost and latency trade-offs for emulation at scale. The archived execution artifacts and per-episode traces supplied by this run provide a reproducible starting point and concrete templates for these extensions (see execution/raw_results.jsonl and analysis/deterministic_reconciliation.json).

Summary. The evidence archived with this run shows that, in a curated parser-validated synthetic task bank and under shared_initial_candidate semantics, a very strong deterministic validator already achieves near-complete coverage and the guarded sandboxed-emulation stage produced only a single additional detection tied to a documented repair-stage call. This narrow, artifact-grounded finding highlights circumstances in which validator-centric approaches may suffice, and it precisely identifies the empirical and methodological axes (task diversity, adversarial inputs, emulator fidelity, generation variability) where guarded stages are likely to provide substantive operational value.

VI. LIMITATIONS

- Synthetic task bank and deterministic task generator produce limited ecological diversity and create a validator-ceiling effect; results may not generalize to noisier, adversarial, or production distributions.
- Single declared/requested model family (gpt-5-mini) and single validator implementation (deterministic_netops_validator_v5) limit generalizability across models and validator families.
- Preregistered shared_initial_candidate semantics (one initial generation reused across paired conditions) isolate guarded-stage contribution but remove between-condition generation variability; this design choice constrains discordance sources to downstream guarded-stage observations or repair calls.
- Sandboxed-emulation fidelity relative to vendor/OS production behaviors and large-scale stateful interactions is limited by the emulation harness used; higher-fidelity emulators could change outcomes in other regimes.
- Study power planning targeted a minimum detectable paired difference of 0.20; the observed aggregate effect (~ 0.0014) lies far below that design sensitivity and should be interpreted as a narrowly scoped near-zero finding for this experimental regime rather than a general negative result for all NetOps workflows.
- Provider-side nondeterminism and hidden caching remain residual uncertainties despite deterministic reconciliation procedures; these are documented in `analysis/deterministic_reconciliation.json` and `provider_call_audit` artifacts.

VII. CONCLUSION

We preregistered and executed a paired confirmatory study comparing a strong deterministic validator with the same validator augmented by sandboxed emulation on a curated synthetic intent→configuration task bank. Over 720 paired tasks the guarded pipeline produced a negligible aggregate detection gain (0.001388888888888884) with exact McNemar $p = 1.0$ and 95% bootstrap CI [0.0, 0.004166666666666667]. Run accounting shows one repair-stage invocation corresponding to the single guarded-only detection; because shared_initial_candidate semantics were enforced, archived per-episode traces permit independent verification of that mapping via `execution/raw_results.jsonl` and `analysis/deterministic_reconciliation.json`. We interpret the result as arising from validator ceiling effects and curated task design; follow-up work should focus on adversarial and production-like task banks, multi-validator ensembles, and higher-fidelity emulation to identify regimes where guarded stages add substantive operational value.

Reproducibility pointers (compact). The canonical execution bundle archived by the run contains: `execution/execution_manifest.json` (execution summary and preregistration SHA-256), `execution/raw_results.jsonl` (input-results SHA-256 `df367ecc40a6f0eaf402129260e11d8450884a4ea5fdb94a602e0d2513aef0e8`),

`analysis/deterministic_reconciliation.json` (sha256 `49731a2e52e049ccf5b53c35ddac2351ad75e7e95504dc4a42bcb096d0dec3aa`), `execution/model_configuration.json` (sha256 `a40e96e212ab87da251ac0d6dbb75bc543afa13438b5a6b9ebd073597ffdd820`), `analysis/paired_contingency_table.csv` (sha256 `efe6e8e7016fa843a8226e911dbde829e943903d719101da8d956b3ff899133c`), and `analysis/condition_summary.csv` (sha256 `394bc690671b731194f9b42b4dcbe28fde6e2ec8cf898b79831225343c22c28`).

The discordant episode is the unique `raw_results.jsonl` entry with `baseline_score = 0` and `guarded_score = 1`; that record contains the `pair_id` and validator/emulation traces that map it to the single repair-stage invocation recorded in `deterministic_reconciliation.json`. These artifacts are archived as the canonical reproducibility bundle referenced by the execution manifest and the preregistration record. (See Disclosure for exact manifest references.)

DISCLOSURE STATEMENT

Disclosure: Autonomous post-lock research run executed under the frozen master prompt supplied to the system. Declared/requested model: "gpt-5-mini" (provider recorded as `openai_responses`). Deterministic validator: `deterministic_netops_validator_v5`. Orchestration adapter family: `hosted_netops_gvr_v1`. Preregistration id: `f2c3d8b1-7a6e-4a9a-b2c3-5f8e1d2b6c7e` (preregistration SHA-256: `0169919fb8c5aedb2c5a78e031f1ab5c3aeda405cde1ae80fb2f864768595c1b`; recorded in the execution manifest). Initial master-prompt immutable reference: `provenance/master_prompt.txt`, SHA-256 = `1872df1e1805d2d96940456ca016bd665d1d5196add77f5acdf1582b39b15ba`. Execution summary (artifact-grounded): `completed_episode_count = 1440`, `complete_pair_count = 720`, `model_calls_used = 721` (720 shared initial + 1 repair-stage call); `stage_counts` and `provider-call audit` are archived in `analysis/deterministic_reconciliation.json` (sha256 `49731a2e52e0...`). Human role and autonomy boundary: a human Research Director selected the broad NetOps topic family and constrained the pre-lock master prompt; after the autonomy lock the agentic pipeline autonomously performed literature selection, preregistration, code and prompt generation, experiment execution, analysis, peer review, and manuscript drafting. No manual human editing of technical manuscript content occurred after the autonomy lock. The execution manifest and archived artifacts named above serve as the canonical reproducibility bundle.

REFERENCES

- [1] Muhammad Bilal, Jon Crowcroft, Ruizhi Wang, Xiaolong Xu, Schahram Dustdar, "Large Language Models for Agentic NetOps and AIOps: Architectures, Evaluation, and Safety", 2026, 10.48550/arxiv.2605.12729
- [2] Matt Brown, Ari Fogel, Daniel Halperin, Victor Heorhiadi, Ratul Mahajan, Todd Millstein, "Lessons from the evolution of the Batfish configuration analysis tool", 2023, 10.1145/3603269.3604866
- [3] <https://arxiv.org/abs/2407.08249>