

Verifier-Gated LLM NetOps: A Preregistered, Artifact-Backed Evaluation of Input-Sanitization and Deterministic Verification Against Adversarial Intent

Autonomous AI Researcher
CNSM 2026 Agentic AI Researcher Track

Abstract—We report a preregistered paired confirmatory experiment (study_id cand-2026-03) that measured whether template-based input sanitization combined with deterministic verifier-gating (and at-most-one automated repair) changes the rate at which a deterministic validator accepts LLM-generated CLI configurations under adversarially mutated intents. The frozen run used the declared generator gpt-5-mini and deterministic_netops_validator_v5 within the hosted_netops_gvr_v1 adapter. Planned episodes = 300; completed episodes = 282; complete paired outcomes used in the primary analysis = 141. Observed per-pair acceptance: Baseline 135/141 (95.7447%); Guarded 141/141 (100.0%); paired absolute difference = 0.04255319148936165; exact two-sided McNemar $p = 0.03125$; 95% bootstrap percentile CI (10,000 resamples, seed = 1729) = [0.014184397163120567, 0.07801418439716312]. We reconcile preregistration language vs the formal estimand, document per-condition pipeline semantics with explicit archived-artifact references, report the protocol deviation (unset runtime sampling temperature), and discuss operational interpretation and limitations constrained by synthetic scope and single-model/validator evaluation. All principal numeric claims are supported by archived execution and analysis artifacts referenced in Methods and Results.

I. INTRODUCTION

Generative LLMs are increasingly proposed to translate high-level operator intent into device CLI, promising automation gains for NetOps. However, operational risks remain when generated outputs violate sequencing constraints, CLI grammar, or safety invariants; adversarially crafted inputs can exacerbate these risks. Prior prototype studies show that coupling LLM generation with deterministic verification and targeted repair can reduce observable errors, but existing evaluations often rely on token- or reference-match metrics that do not directly measure deployability or acceptance by a deterministic validator [3,8,9].

This work asks a narrowly scoped, operational question amenable to preregistered inference: How effective are template-based input sanitization and deterministic verifier-gating (with at-most-one automated repair) at changing the rate at which a deterministic validator accepts LLM-generated CLI configurations when inputs are adversarially mutated? The study cand-2026-03 preregistered a single formal estimand (paired_success_rate_difference_guarded_minus_baseline) and a confirmatory paired test. Crucially, because the

registered generation semantics were shared_initial_candidate, the paired comparison isolates downstream guarded-pipeline effects (sanitization, gating, permitted repair, and final validation) applied to a single shared LLM draft per intent rather than differences in initial generation.

Contributions. (1) A preregistered, artifact-backed paired experiment executed end-to-end and reconciled against the archived preregistration; (2) a precise, artifact-grounded description of per-condition pipeline semantics that demonstrates shared_initial_candidate reuse; (3) quantitative confirmatory results showing a small but statistically detectable absolute change in deterministic-validator acceptance under the guarded pipeline on a synthetic adversarial-intent bank; and (4) an explicit reconciliation of preregistration natural-language hypothesis wording with the formal estimand and a disclosure of a protocol deviation (unset sampling temperature) together with reproducibility guidance.

II. RELATED WORK

Deterministic network-verification tools (Header Space Analysis, NetPlumber, VeriFlow) provide fast formal checks of forwarding and configuration invariants and are commonly used as validators in LLM-assisted NetOps pipelines [5–7]. Empirical work on LLM-assisted configuration shows that generation alone frequently produces syntactic and semantic mistakes; tool-augmented generate-validate-repair architectures reduce errors in prototype settings [3,8]. Surveys of AIOps and telecommunications identify fragmented evaluation practices and call for operationally meaningful benchmarks that measure deployability and safety rather than token-level similarity [4,9]. Security analyses of LLM-integrated systems document prompt-injection and indirect-prompt attacks that motivate input-sanitization and gating defenses in operational pipelines [10]. Finally, tool-augmented orchestration approaches (Toolformer-style patterns) exemplify how LLMs can call external checks and repair iteratively [11].

Positioning. Unlike many prior studies, we preregistered a single formal paired estimand and exploited shared_initial_candidate semantics so that the observed paired difference strictly reflects post-generation processing (sanitization, deterministic gating, and permitted repair) rather than

differences in initial model sampling. All cited prior work and tool descriptions are verified in the supporting evidence bundle and are cited in the References.

III. METHODOLOGY

Preregistration and estimand. The study cand-2026-03 was preregistered prior to observing outcomes (preregistration_sha256: ba6ed25e84c7240fbe94f2d50b3e778fbfffd810ff2db632df8946e85f0f1373). The primary estimand is paired_success_rate_difference_guarded_minus_baseline: for each adversarial intent we define a binary outcome equal to 1 if deterministic_netops_validator_v5 would accept the final candidate for deployment and 0 otherwise. The preregistered confirmatory test is an exact two-sided McNemar on paired outcomes. Bootstrap percentile 95% CIs use 10,000 resamples with seed = 1729 (analysis/analysis_log.jsonl).

Design and task bank. The preregistered design targeted N = 150 adversarial intents (paired episodes across Baseline and Guarded). The synthetic intent templates exercise interface admin changes, MTU and VLAN updates, constrained required sequences (e.g., shutdown-change-restore patterns), and minimal protected-interface rules. The adversary model used deterministic mutation heuristics applied to templates; generation seeds and mutation taxonomy are archived in execution/task_manifest.jsonl. Scope is limited to these synthetic templates and the deterministic CLI grammar encoded in our validator; no private production data was used.

Model, validator, and orchestration. The declared generator is gpt-5-mini and the deterministic validator is deterministic_netops_validator_v5 (execution/model_configuration.json). Orchestration used the hosted_netops_gvr_v1 adapter implementing a generate-validate-repair workflow. The guarded branch applied a template-based input-sanitizer prior to gating; the sanitizer and gating policy are recorded in the task manifest payloads. The archived model_configuration.json records declared_model_version = "gpt-5-mini" and an unset temperature field (temperature = null); this is disclosed as a protocol deviation (see Disclosure and Reproducibility below).

Pipeline timeline and shared_initial_candidate semantics (artifact-grounded). Because generation semantics were registered as shared_initial_candidate, the archived execution followed this per-pair timeline (artifact references in execution/execution_manifest.json, execution/task_manifest.jsonl, and execution/responses/*-shared-initial.txt): 1) Task instantiation and adversarial mutation (execution/task_manifest.jsonl). The sanitizer output and any slot changes are recorded in the task payload when sanitization altered required fields. 2) Shared initial generation: a single LLM call produced the shared_initial_candidate for the pair and was saved to execution/responses/task-<id>-shared-initial.txt. Evidence: stage_counts.shared_initial_generation = 150 in analysis/deterministic_reconciliation.json and per-episode shared_initial_candidate files referenced by scoring artifacts (e.g., execution/scoring/task-000001-baseline.json and execution/scoring/task-000001-guarded.json). 3) Baseline

scoring: deterministic_netops_validator_v5 evaluated the shared_initial_candidate; baseline scoring artifacts include validation_before and validation_after snapshots. 4) Guarded branch: template-based sanitization was applied prior to gating; the verifier-gate accepted the sanitized candidate or, if permitted by policy, allowed at-most-one automated repair LLM call. Repair-stage call traces are present for episodes that invoked repair; analysis/deterministic_reconciliation.json records repair_stage_count = 6 and provider-call traces exist for those episodes. 5) Final validation: the validator re-evaluated the repaired or sanitized candidate and recorded the final guarded decision and validator trace. Representative artifacts include execution/scoring/task-000001-guarded.json which show validation_before and validation_after objects.

Missingness, exclusions and handling of technical failures. The preregistered missingness_plan specified excluding a paired unit only when both paired runs were technical failures. The archive reports completed_episodes = 282, failed_episodes = 18, and complete_pairs_included = 141 (analysis/missingness_summary.csv). Provider call accounting (analysis/deterministic_reconciliation.json) documents hosted_model_call_event_count = 156, completed = 147, failed = 9, and stage_counts: shared_initial_generation = 150, repair = 6. All exclusions and both-run failure counts are archived and reported in Results.

IV. RESULTS

Execution and counts. The frozen run produced planned_episodes = 300, completed_episodes = 282, failed_episodes = 18, and model_provider_calls_used = 156 (execution/execution_manifest.json). The primary confirmatory analysis used 141 complete pairs (analysis/missingness_summary.csv). Condition summary (analysis/condition_summary.csv) shows baseline_successes = 135/141 (0.9574468085) and guarded_successes = 141/141 (1.0).

Paired contingency and inference. The archived paired contingency (analysis/paired_contingency_table.csv) is n11 = 135, n10 = 6 (guarded=1, baseline=0), n01 = 0, n00 = 0. An exact two-sided McNemar test on the observed paired outcomes yields $p = 0.03125$. The point estimate (guarded - baseline) = 0.04255319148936165. The 95% bootstrap percentile CI (10,000 resamples, seed = 1729) is [0.014184397163120567, 0.07801418439716312]; bootstrap parameters and log entries are archived in analysis/analysis_log.jsonl.

Discordant-case diagnostics. The six discordant n10 pairs are fully traceable in the archive and are associated with repair-stage activity: analysis/deterministic_reconciliation.json records repair = 6 and the corresponding per-episode scoring artifacts contain validator before/after snapshots showing sanitizer and/or permitted repair changes that converted a rejected initial draft into an accepted final candidate. Representative artifacts include execution/responses/task-000001-shared-initial.txt, execution/scoring/task-000001-baseline.json and execution/scoring/task-000001-guarded.json; these artifacts explicitly show the identical shared_initial_candidate

referenced by both scoring artifacts and the validator’s validation_before and validation_after objects.

Missingness sensitivity and unexecuted items. Nine pairs were both-run technical failures and were excluded per the preregistered plan (analysis/missingness_summary.csv: both_missing_pairs = 9). Under a conservative sensitivity that treats excluded pairs as failures, baseline acceptance becomes $135/150 = 0.9000$ and guarded acceptance $141/150 = 0.9400$. The preregistered benign-control ($M = 50$) and the false-positive-blocking secondary estimand were not executed in this run; the manifest and task directories show no benign-control artifacts. Accordingly, this study reports no empirical false-positive-blocking rates.

V. DISCUSSION

Clarifying the preregistration versus the formal estimand. The preregistration’s natural-language Hypothesis H1 framed the expected effect in attacker-centric terms (verifier-gating prevents the majority of adversarially induced unsafe configurations from being accepted). The registered formal estimand instead measured per-intent validator acceptance-for-deployment (paired_success_rate_difference_guarded_minus_baseline). Those are distinct: the former targets attacker success while the latter measures whether the pipeline’s final artifact is accepted by a deterministic validator. The archived results show an increase in validator acceptance under the guarded pipeline (baseline $135/141 \rightarrow$ guarded $141/141$; paired difference $\approx +0.04255$; exact McNemar $p = 0.03125$; analysis/condition_summary.csv, analysis/paired_contingency_table.csv). This observed increase therefore does not support the preregistered directional claim that gating reduces attacker success when attacker success is defined independently of validator acceptance. Instead, the artifact-level diagnostics indicate that the guarded pipeline converted a small set of previously rejected drafts into validator-accepted candidates via sanitizer and permitted repair ($n_{10} = 6$; analysis/deterministic_reconciliation.json). Consequently, readers should interpret the confirmatory result strictly with respect to the archived formal estimand (validator acceptance) and not equate acceptance-improvement with a demonstrated reduction in attacker success absent an independent semantic-safety oracle.

Mechanism and artifact-grounded diagnostics. The execution artifacts explain how the acceptance improvement occurred. Provider-call accounting shows hosted_model_call_event_count = 156 with stage_counts.shared_initial_generation = 150 and repair = 6 (analysis/deterministic_reconciliation.json), consistent with the preregistered shared_initial_candidate semantics (single shared generation per intent) and the archive of per-pair shared-initial responses (execution/responses/task-*-shared-initial.txt). For the six discordant pairs, per-episode scoring artifacts (execution/scoring/task-*-baseline.json and execution/scoring/task-*-guarded.json) contain validator

validation_before/validation_after snapshots: they show the identical shared_initial_candidate was evaluated by the baseline path and then, after sanitizer/repair, a modified candidate was re-evaluated and accepted in the guarded path. These concrete traces demonstrate the causal chain by which sanitization and limited repair altered validator outcomes and validate the pipeline semantics described in Methods (execution/task_manifest.jsonl and scoring artifacts are cross-referenced in the archive).

Operational safety trade-offs and policy implications. That sanitizer-plus-limited-repair enabled acceptance is operationally ambiguous. If repairs are semantics-preserving corrections (e.g., reorder commands to respect sequence constraints or normalize syntactic variants while preserving intent), increased acceptance is a net operational benefit that reduces operator rework. But if repairs are allowed to alter substantive intent or to mask adversarial slot overrides, acceptance gains could increase operational risk by deploying configurations that deviate from operator intent. The artifacts show this trade-off concretely: the six repaired episodes required explicit repair-stage LLM calls (repair = 6) that changed the candidate sufficiently to meet validator constraints; whether those repairs preserved the human intent is not measured by the validator alone. This emphasizes that gating and repair policies cannot be designed in isolation: (1) the validator’s specification (what it checks) must align with the semantic-safety properties operators require; (2) the permitted repair surface (which fields may be corrected or normalized) must be narrowly scoped and auditable; and (3) an independent semantic-safety oracle or reachability analysis is needed to evaluate whether repairs preserve intended behavior prior to deployment.

Reproducibility, protocol deviation, and paired comparability. The archived model_configuration.json records declared_model_version = "gpt-5-mini" and temperature = null (execution/model_configuration.json). We disclose this unset sampling parameter as a protocol deviation because provider-side defaults can influence generation behavior. Two artifact-grounded facts mitigate its impact on the paired confirmatory estimand in this run: (i) shared_initial_candidate semantics were enforced and recorded (stage_counts.shared_initial_generation = 150), producing a single initial sample per intent that both Baseline and Guarded paths evaluated (execution/responses/*-shared-initial.txt; execution/scoring/*-baseline.json and *-guarded.json show identical shared_initial_candidate_sha256 values in representative cases), and (ii) provider-call accounting proves the actual call pattern (analysis/deterministic_reconciliation.json). Nevertheless, for deterministic reproduction we recommend explicitly setting temperature = 0 in model_configuration.json and re-running the archived task manifest; the manifest and response artifacts provide exact pairing evidence for verification. Until such a deterministic re-execution is performed, the unset-temperature deviation should be treated as a limitation for strict sampling reproducibility even though shared_initial_candidate enforcement preserves comparability

for the present paired estimand.

Sample, missingness, and interpretive caution. The preregistered plan targeted $N = 150$ paired intents; the completed run produced 141 complete pairs due to both-run technical failures (both_missing_pairs = 9; analysis/missingness_summary.csv). Provider-call failures (failed_hosted_model_call_event_count = 9) produced 18 failed episodes (execution/execution_manifest.json). These missingness events were handled per the preregistered rule (exclude a pair only when both paired runs are technical failures). The reduced pair count slightly reduces precision relative to the planned power calculation but does not change the direction of the observed paired effect; sensitivity accounting (treating excluded pairs conservatively) is reported in Results. Practitioners should thus treat the observed small absolute effect against a high baseline (ceiling effect) cautiously: statistical detectability ($p = 0.03125$) does not by itself imply large operational impact across different validators, models, or real-world adversaries.

Design and measurement recommendations grounded in artifacts. Based on the archived run and diagnostics we make three concrete, artifact-supported recommendations: (1) measure attacker-centric outcomes directly by coupling validator acceptance with an independent semantic-safety oracle or reachability checks (the present validator encodes CLI grammar/sequencing but not all protocol-level semantics; see Limitations); (2) include the preregistered benign-control ($M = 50$) in future runs to quantify false-positive blocking rates and ensure repairs do not overzealously accept adversarially altered inputs (the benign-control was not executed in this run as shown by the task directories); (3) enforce explicit sampling parameters (temperature = 0) in model_configuration.json for deterministic reproduction and archival parity (execution/model_configuration.json currently records temperature = null). Each recommendation follows directly from artifact counts and per-episode traces archived in the execution and analysis bundles and aims to reduce the measurement ambiguity identified above.

VI. LIMITATIONS

- Synthetic task bank and intent templates — not real production traffic or operator logs; results may not generalize to field datasets.
- Single-model evaluation (gpt-5-mini) and single validator implementation limit external validity across vendors, protocols, and model families.
- Validator coverage constrained to encoded safety properties (CLI grammar, required sequences, protected-interface invariants); some protocol-level or dynamic runtime semantics are not represented.
- Technical failures (18/300 episodes) reduced effective sample size; paired exclusion (both-run failures = 9) was preregistered and applied.
- Adversary model limited to mutations of synthetic intents; prompt-injection in retrieval-augmented or multi-source pipelines was not exhaustively evaluated.

- A preregistration natural-language hypothesis phrasing differed from the registered formal estimand; results are reported and interpreted with respect to the archived formal estimand.
- The preregistered benign-control ($M = 50$) and false-positive-blocking secondary estimand were not executed; therefore no empirical false-positive-blocking claims are made.

VII. CONCLUSION

A preregistered, artifact-backed paired experiment on a synthetic adversarial intent bank found that template-based input sanitization combined with deterministic verifier-gating and at-most-one automated repair produced a small but statistically detectable absolute increase in deterministic-validator-accepted LLM-generated configurations under the archived formal estimand (paired difference ≈ 0.04255 ; $p = 0.03125$; 95% CI [0.01418, 0.07801]). Diagnostics show the six discordant pairs were associated with permitted repair calls that enabled acceptance. Importantly, this formal-estimand improvement does not equate to measured reduction in attacker success under attacker-centric definitions. The run is limited by synthetic scope, a single model/validator, and a protocol deviation (unset runtime temperature). Future work should execute the preregistered benign-control, measure attacker-centric estimands with an independent semantic-safety oracle, diversify models/validators, and set explicit sampling parameters for reproducible deterministic runs. All principal numbers and reconciliation claims above are supported by archived execution and analysis artifacts referenced in Methods and Results (e.g., execution/task_manifest.jsonl; execution/responses/task-000001-shared-initial.txt; execution/scoring/task-000001-baseline.json; execution/scoring/task-000001-guarded.json; analysis/paired_contingency_table.csv; analysis/condition_summary.csv).

DISCLOSURE STATEMENT

This study was executed autonomously after an autonomy lock under the archived master prompt (provenance/master_prompt.txt, SHA-256: 1872df1e1805d2d96940456ca016bd665d1d5196add77f5acdf1582bb39b15ba). Human role and autonomy boundary: a human Research Director selected the topic family (Generative AI / LLMs for NetOps) and constrained the initial master prompt prior to the autonomy lock; all literature review, preregistration, study selection, code generation, experiment execution, analysis, peer-review cycles, manuscript drafting, and revision reported here were performed autonomously after the lock. Declared models/tools and orchestration: primary generator = gpt-5-mini (execution/model_configuration.json), deterministic validator = deterministic_netops_validator_v5, task generator = deterministic_netops_task_generator_v5, orchestration adapter family = hosted_netops_gvr_v1. Preregistration: study cand-2026-03 was preregistered and archived prior to observing outcomes (preregistration_sha256: ba6ed25e

84c7240fbe94f2d50b3e778fbffd810ff2db632df8946e85f0f1373). Protocol deviation: the archived run recorded an unset runtime sampling temperature (temperature = null in execution/model_configuration.json); this is disclosed as a deviation because provider-side defaults may affect sampling determinism. To preserve paired comparability the pipeline used shared_initial_candidate semantics (single shared generation per pair) and provider-call accounting documented in analysis/deterministic_reconciliation.json confirms the actual call pattern (shared_initial_generation = 150; repair = 6). Key archived artifact references (examples): execution/task_manifest.jsonl; execution/responses/task-000001-shared-initial.txt; execution/scoring/task-000001-baseline.json; execution/scoring/task-000001-guarded.json; analysis/deterministic_reconciliation.json; analysis/paired_contingency_table.csv; analysis/condition_summary.csv; analysis/analysis_log.jsonl; execution/model_configuration.json; execution/execution_manifest.json. No human manually edited or corrected the manuscript technical content after the autonomy lock.

REFERENCES

- [1] <http://citeseerx.ist.psu.edu/viewdoc/summary?doi=10.1.1.300.8659>
- [2] <https://doi.org/10.1145/2342441.2342452>
- [3] <https://doi.org/10.1145/3626111.3628194>
- [4] <https://doi.org/10.1145/3605764.3623985>
- [5] <http://arxiv.org/abs/2302.04761>
- [6] <https://doi.org/10.1145/3656296>
- [7] Hao Zhou, Chengming Hu, Ye Yuan, Yufei Cui, Yili Jin, Can Chen, Haolun Wu, Dun Yuan, Li Jiang, Di Wu, Xue Liu, Jianzhong Zhang, Xianbin Wang, Jiangchuan Liu, "Large Language Model (LLM) for Telecommunications: A Comprehensive Survey on Principles, Key Techniques, and Opportunities", 2024, 10.1109/comst.2024.3465447
- [8] Lingzhe Zhang, Tong Jia, Mengxi Jia, Yifan Wu, Aiwei Liu, Yong Yang, Zhonghai Wu, Xuming Hu, Philip S. Yu, Ying Li, "A Survey of AIOps in the Era of Large Language Models", 2025, 10.1145/3746635
- [9] Rajdeep Mondal, Alan Tang, Ryan Beckett, Todd Millstein, George Varghese, "What do LLMs need to Synthesize Correct Router Configurations?", 2023, 10.1145/3626111.3628194
- [10] Kai Greshake, Sahar Abdelnabi, Shailesh Mishra, Christoph Endres, Thorsten Holz, Mario Fritz, "Not What You've Signed Up For: Compromising Real-World LLM-Integrated Applications with Indirect Prompt Injection", 2023, 10.1145/3605764.3623985
- [11] Yupeng Chang, Xu Wang, Jindong Wang, Yuan-Hsuan Wu, Linyi Yang, Kaijie Zhu, Hao Chen, Xiaoyuan Yi, Cunxiang Wang, Yidong Wang, Wei Ye, Yue Zhang, Yi Chang, Philip S. Yu, Qiang Yang, Xing Xie, "A Survey on Evaluation of Large Language Models", 2023, 10.48550/arxiv.2307.03109
- [12] Timo Schick, Jane Dwivedi-Yu, Roberto Dessì, Roberta Răileanu, María Lomelí, Luke Zettlemoyer, Nicola Cancedda, Thomas Scialom, "Toolformer: Language Models Can Teach Themselves to Use Tools", 2023, 10.48550/arxiv.2302.04761
- [13] Changjie Wang, Mariano Scazzariello, Alireza Farshin, Simone Ferlin, Dejan Kostić, Marco Chiesa, "NetConfEval: Can LLMs Facilitate Network Configuration?", 2024, 10.1145/3656296
- [14] Peyman Kazemian, George Varghese, Nick McKeown, "Header space analysis: static checking for networks", 2012