

PrepAI — Production Readiness Fixes

Pre-deployment audit and remediation summary | 12 GitHub issues resolved | Branch: production_ready

#	Category	Issue	Fix
12	Security	Auth secret was a guessable placeholder value	Replaced with a cryptographically random secret; app now fails to start if it's missing
14	Security	Code execution could bypass the security sandbox	Forced all user code to run inside the isolated Piston sandbox
17	Security	Login tokens were leaking into server logs	Moved tokens out of the URL and into a secure message exchange
13	Deployment	Server was running in unstable dev/hot-reload mode	Built a stable production server configuration
24	Deployment	Production setup required a GPU that our server won't have	Rebuilt the deployment to run on a standard server, no GPU needed
28	Deployment	Production build pulled in a bloated, unnecessary software stack	Switched to a lean, purpose-built package list
22 / 25	Deployment	No working production setup existed for our actual hosting plan	Created a complete, tested production configuration with all required services
15 / 26	Deployment	App URLs were hardcoded to localhost, breaking on a real domain	Made all URLs configurable for the live domain
19	Reliability	App kept running silently even if the database failed to connect	App now stops and reports a clear error if the database is unreachable
21	Reliability	No way to check if the app is actually running correctly	Added a health-check endpoint for uptime monitoring
23	Future work	Login sessions have no automatic renewal mechanism	Documented for a future update — not required for initial launch

Full technical details, code diffs, and discussion for each issue are tracked at github.com/vkr-vavilla/Senior_Design/issues