

Prague University of Economics and Business
Faculty of Informatics and Statistics



A Data Integration Framework for Enterprise Application Security

MASTER'S THESIS

Study program: Applied Data Analytics and Artificial Intelligence

Specialization: Retail and E-Commerce Data Analytics

Author: Bc. Vojtěch Kraus

Supervisor: Ing. Aleš Kotuč

Prague, month YYYY

Acknowledgements

I would like to thank Ing. Aleš Kotuč for his guidance and valuable feedback.

Abstract

To protect their business-critical applications from cybersecurity threats, enterprise security teams rely on numerous tools to detect and resolve vulnerabilities in application source code, configuration, dependencies, CI/CD pipelines, and runtime infrastructure. These tools use different integration patterns, protocols, and data formats, making it difficult to consistently parse, deduplicate, triage, and group their findings. In large environments, additional challenges emerge when linking all findings to the corresponding business applications. This thesis presents a data framework to tackle those challenges, delivering three distinct contributions: (1) a requirements specification for an application security data platform, (2) a reusable and extensible design covering architecture, data model, and medallion-based data pipeline, and (3) a reference implementation built on the Databricks platform. Together, these contributions offer application security teams a foundation for building a robust data platform independent of individual cybersecurity vendors, relieving them of risks usually associated with vendor lock-in.

Keywords

application security, software security, DevSecOps, security integration, data consolidation, medallion architecture, Databricks

Contents

Introduction	11
Motivation	11
Objective	11
Methodology	11
Structure	11
1 Analysis	12
1.1 Asset Discovery and Inventory	12
1.1.1 Application Portfolio Management	12
1.1.2 Configuration Management Databases	13
1.1.3 Integration Options	14
1.1.4 Cloud Asset Discovery	15
1.1.5 Cross-Layer Correlation	16
1.2 Software Development	16
1.2.1 Source Code Management	17
1.2.2 Continuous Integration and Delivery	17
1.2.3 Issue Tracking	18
1.3 Static Application Security	19
1.3.1 Static Application Security Testing	20
1.3.2 Software Composition Analysis	21
1.3.3 Secret Detection	21
1.3.4 Container Image Scanning	22
1.3.5 Infrastructure as Code Security	22
1.4 Dynamic Application Security	23
1.4.1 Dynamic Application Security Testing	23
1.4.2 Penetration Testing	24
1.4.3 Web Application Firewalls	24
1.4.4 Runtime Application Self-Protection	24
1.4.5 Vulnerability Management and Cloud Posture	25
1.5 Data Engineering	26
1.5.1 Data Platform Architecture	26
1.5.2 Data Integration Patterns	26
1.5.3 Domain Data Model	26
1.6 Related Work and Gap Analysis	26
1.6.1 Existing Approaches	26
1.6.2 Databricks Lakewatch	26
1.6.3 Comparative Analysis and Research Gap	26
2 Framework	27

2.1	Solution Architecture	28
2.1.1	Component Design	28
2.1.2	Medallion Architecture	28
2.1.3	Technology Stack	28
2.2	Data Model	28
2.2.1	Schema Patterns	28
2.2.2	Entity Model	28
2.2.3	Aggregation Model	28
2.3	Connector Framework	28
2.3.1	Connector Abstraction	28
2.3.2	Ingestion Patterns	28
2.3.3	Transformation Patterns	28
2.4	Analytics and Serving Layer	28
2.4.1	Aggregation Patterns	28
2.4.2	ML Workflows	28
2.4.3	Serving Patterns	28
2.5	Deployment and Engineering Practices	28
2.5.1	Deployment Strategy	28
2.5.2	Project Structure	28
2.5.3	Testing Strategy	28
3	Implementation	29
3.1	Environment and Deployment	30
3.1.1	Workspace Setup	30
3.1.2	Silver Schema	30
3.1.3	Project Structure and CI/CD	30
3.2	Connectors	30
3.2.1	ServiceNow	30
3.2.2	GitHub	30
3.2.3	GitLab	30
3.2.4	SonarQube	30
3.2.5	Semgrep	30
3.2.6	Dependency-Track	30
3.2.7	TruffleHog	30
3.2.8	Vulnerability Enrichment	30
3.3	Analytics and Serving	30
3.3.1	Application-Repository Mapping	30
3.3.2	Application Risk Scoring	30
3.3.3	Remediation and Compliance Metrics	30
3.3.4	Vulnerability Trends	30
3.3.5	Risk Prediction Model	30
3.3.6	Serving Layer	30
3.4	Testing and Validation	30

Conclusion	31
Thesis Outcomes and Contributions	31
Limitations	31
Future Work	31
References	32
A Generative AI Use Disclosure	36
A.1 Text Content	36
A.2 Diagrams and Figures	36
A.3 Source Code	36
A.4 Requirements Specification	36

List of Figures

List of Tables

1.1 Data Source Integration Characteristics 25

List of source codes

Introduction

Motivation

Objective

Methodology

Structure

1. Analysis

This chapter surveys the literature and analyzes the functional domains relevant to building an application security data platform. Each section covers one domain, combining theoretical foundations with practical tool and Application Programming Interface (API) analysis. The focus is on reviewing existing knowledge, observing source system interfaces, data models, and integration patterns, not on prescribing a solution. Technology choices for the target platform are deferred to [Chapter 2](#) and [Chapter 3](#).

The chapter is organized as follows. [Section 1.1](#) establishes the business and infrastructure asset context underlying all security findings. [Section 1.2](#) examines software development platforms as data sources. Application security tooling is split into two sections: [Section 1.3](#) covers tools that analyze source code and build artifacts before deployment, while [Section 1.4](#) covers tools that test running applications and monitor deployed infrastructure. This separation reflects a fundamental difference in how findings are produced and correlated: static tools identify targets by repository and file path, while dynamic tools identify targets by Uniform Resource Locator (URL), host, or cloud resource, requiring different integration strategies. [Section 1.5](#) covers the data engineering patterns that underpin the framework's design. Finally, [Section 1.6](#) surveys existing solutions and identifies the gap this thesis addresses.

1.1 Asset Discovery and Inventory

Asset discovery and inventory is the foundational data source for any application security data platform. It establishes the business context for all security findings. On the business side, organizations maintain application inventories in a Configuration Management Database (CMDB) or a custom-built catalog. On the infrastructure side, cloud providers and container orchestrators expose asset inventories through APIs. Without a reliable catalog of business applications and their mapping to technical and infrastructure assets, a vulnerability discovered in a repository or a running service cannot be attributed to an owner, assessed for business impact, or prioritized against organizational risk criteria.

1.1.1 Application Portfolio Management

Enterprise organizations maintain catalogs of their business applications with metadata such as application name, description, ownership information, lifecycle status, and relationships to other assets (AXELOS, 2019).

These registries also capture security-relevant attributes. Information security is commonly

assessed along three dimensions known as the Confidentiality, Integrity, and Availability (CIA) triad: confidentiality (preventing unauthorized disclosure), integrity (preventing unauthorized modification), and availability (ensuring authorized access) (Stallings & Brown, 2024). Business impact assessments evaluate all three CIA dimensions to produce criticality ratings, commonly structured as tiers: Tier 1 for mission-critical applications, Tier 2 for important supporting systems, and Tier 3 for non-critical internal tools. Separately, regulatory scope flags identify which compliance frameworks apply to a given application, further contributing to the security requirement set.

The most important attribute from a data integration perspective is the mapping between business applications and their technical assets. A single business application may span multiple source code repositories, microservices, infrastructure components, and deployment environments. This mapping serves as the glue connecting technical security findings to business context. When the framework ingests a vulnerability from a Static Application Security Testing (SAST) scanner linked to a specific repository, the application inventory mapping determines which business application is affected, who owns it, and how critical it is. This enables the risk-aware prioritization that stakeholders require.

1.1.2 Configuration Management Databases

The most common CMDB platform in enterprise environments is ServiceNow, holding over 44% of the global IT Service Management (ITSM) market share (Gartner, 2024). It serves as the reference platform for this thesis. A CMDB organizes all managed assets as Configuration Items (CIs), each with attributes describing its type, status, and ownership (AXELOS, 2019).

ServiceNow arranges CIs in a class hierarchy rooted at the `cmdb_ci` base table. Each subclass inherits base attributes (name, `sys_id`, operational status, environment) and adds domain-specific fields. For application inventory purposes, the most relevant class is `cmdb_ci_app1` (Application), which extends the base CI with attributes such as version, business unit, used-for classification, and references to the owning support group (ServiceNow, 2024a).

Beyond the application record itself, the CMDB captures relationships between CIs through a dedicated relationship table (`cmdb_rel_ci`). These relationships model dependencies such as “runs on” (application to server), “depends on” (application to database), and “hosted on” (application to cloud service). For the framework, the most valuable relationships are those linking business applications to technical assets that correspond to entities in the security data: repository names, deployment targets, and infrastructure components. ServiceNow also allows organizations to define custom attributes and relationship types, so the specific fields available for ingestion may vary between deployments.

1.1.3 Integration Options

Integrating CMDB data into an external data platform requires choosing between two strategies: pulling data from ServiceNow via its APIs, or pushing data from a custom ServiceNow application to an external target.

ServiceNow APIs

ServiceNow exposes two complementary Representational State Transfer (REST) APIs for CMDB data extraction. The Table API provides generic CRUD operations against any ServiceNow table through the endpoint `/api/now/table/{tableName}` (ServiceNow, 2024c). Responses are JavaScript Object Notation (JSON)-formatted, with support for server-side filtering (`sysparm_query`), field selection (`sysparm_fields`), and pagination via `sysparm_limit` and `sysparm_offset` (default maximum of 10 000 records per request). The `sysparm_display_value` parameter resolves reference fields to human-readable names instead of internal `sys_id` values.

The CMDB Instance API (`/now/cmdb/instance/{className}`) provides a CMDB-aware alternative that understands the CI class hierarchy (ServiceNow, 2024a). It can retrieve a CI with its relationships in a single call, reducing the number of API calls needed to reconstruct the application-to-asset mapping. However, it is more constrained in its query capabilities than the Table API.

Both APIs require authentication, typically through Basic Authentication with a service account granted the `rest_service` or `cmdb_read` role, or through OAuth 2.0 for more security-conscious deployments. Rate limits vary by instance configuration and are governed by platform transaction quotas rather than per-endpoint limits. For incremental data extraction, the `sys_updated_on` timestamp field present on all records serves as a reliable high-water mark, allowing consumers to query only records modified since the last extraction.

Any pull-based integration must handle authentication, pagination, rate limiting, and incremental state management. Several integration libraries and platform-native connectors abstract these concerns; the specific tooling choice depends on the target data platform and is discussed in [Section 3.2.1](#).

ServiceNow Application

An alternative to pulling data is to push it from the source. ServiceNow supports building scoped applications that run on the platform itself. A custom application can use Outbound REST Messages to send CMDB data to an external target (e.g., a cloud storage bucket or a REST endpoint) on a schedule defined through Scheduled Jobs or Flow Designer. The

application can also expose a Scripted REST API (ServiceNow, 2024b), a custom endpoint that shapes the data exactly as the consumer needs it, pre-joining application records with their relationships and custom attributes in a single response.

The advantage is full access to ServiceNow's internal scripting capabilities, relationship traversal, and business logic without external API call overhead. The disadvantage is that development and maintenance happen inside the ServiceNow platform, requiring ServiceNow development expertise and a separate deployment lifecycle. Changes to the CMDB schema or extraction logic must be coordinated across two platforms. This approach is best suited for organizations with mature ServiceNow development teams that prefer to own the data export logic on the source side.

Integration Challenges

In implementation phase, the application inventory presents the most significant integration challenge among all data sources because it is the least standardized. Security testing tools converge around common API patterns and output formats, but each organization structures its application inventory differently: the hierarchy of applications, the granularity of asset mapping, and the attributes captured vary substantially (AXELOS, 2019). This makes the application inventory connector the hardest to generalize and the one most likely to require implementation-specific customization.

Data quality in CMDBs is a persistent concern (Williams & Gonzalez, 2021). Application records may be incomplete (missing ownership or criticality assignments), outdated (reflecting decommissioned applications still listed as active), or inconsistently maintained across business units. Any integration must account for these quality issues through validation rules and default values that surface problems without blocking the data pipeline.

Despite these difficulties, the application inventory is indispensable. Without the business context it provides, security findings lack the organizational meaning needed for effective prioritization and governance.

1.1.4 Cloud Asset Discovery

Major cloud providers offer asset inventory APIs. Amazon Web Services (AWS) Config maintains a continuously updated resource inventory through a REST API. Azure Resource Graph supports a query language for cross-subscription metadata retrieval. Google Cloud provides the Cloud Asset Inventory API. All three offer mature Software Development Kits (SDKs) that abstract authentication, pagination, and retry logic. Kubernetes exposes workload metadata (deployments, pods, container specifications) through its API, enabling the framework to trace from runtime workloads to container images and, through Continuous Integration and Continuous Delivery (CI/CD) metadata, to source repositories.

Cloud asset data serves as the infrastructure counterpart to the business application inventory in the preceding subsections. While the application inventory maps business applications to repositories and teams, cloud asset discovery maps applications to their runtime infrastructure: compute instances, containers, load balancers, and network configurations. Joining these two inventories enables the framework to link security findings from any layer to both code owners and infrastructure owners.

1.1.5 Cross-Layer Correlation

The central challenge in asset inventory is correlating identifiers across layers. Security tools that analyze source code identify targets by repository, file path, and code location. Tools that operate on running infrastructure identify targets by host, container, cloud resource, or URL. Bridging these two coordinate systems requires the application-to-asset mapping described in the preceding subsections, which serves as the joining entity linking runtime infrastructure to business applications and their source repositories.

This correlation enables cross-layer analyses: tracing a runtime vulnerability to the code that introduced it, linking a Web Application Firewall (WAF) alert to the responsible application and team, or determining which Infrastructure as Code (IaC) finding corresponds to a live Cloud Security Posture Management (CSPM) detection. Without it, findings from dynamic security tools (Section 1.4) remain isolated from the development context, limiting their actionability. The data model in Chapter 2 addresses this by defining explicit relationships between application entities, infrastructure assets, and security findings across all layers.

1.2 Software Development

Modern software is built collaboratively from source code, organized in repositories, and deployed through automated pipelines (Pressman & Maxim, 2019; Sommerville, 2015). While Section 1.1 established the business context for security findings, the platforms that support software development provide the technical entities around which those findings are organized. Repositories, build pipelines, and issue trackers form the second major data source category for the framework.

These platforms share common integration patterns that simplify connector design. All expose REST APIs with JSON responses as the primary integration surface. Authentication relies on token-based mechanisms: OAuth tokens, Personal Access Tokens (PATs), or service account credentials. Pagination follows either offset-based or cursor-based patterns, and all platforms impose rate limits that consumers must handle through backoff strategies. This consistency enables shared connector logic for authentication, pagination, rate limiting, and error recovery across tools.

1.2.1 Source Code Management

Chacon and Straub (2014) provide a thorough treatment of Git, covering branching strategies, merging, and distributed workflows, while Skoulikari (2024) offers a more recent visual introduction. Winters et al. (2020) extend this perspective to organizational scale, describing how large engineering teams manage repositories with thousands of contributors. For this thesis, the repository is the primary entity around which security findings are grouped, as detailed in the data model in Chapter 2.

Development teams host their Git repositories on cloud-based Source Code Management (SCM) platforms. GitHub is the dominant platform, with over 150 million developers and adoption by 92% of Fortune 100 companies (GitHub, 2025). The 2025 Stack Overflow Developer Survey reports GitHub at 81% adoption for code collaboration, followed by GitLab at 36% (Stack Overflow, 2025). Bitbucket and Azure DevOps serve smaller but significant enterprise segments. Most large organizations use more than one platform, whether through acquisitions, team preferences, or regulatory separation, making multi-platform ingestion a practical requirement.

Beyond source code, SCM platforms expose metadata relevant to security governance. Repository attributes include the primary programming language, creation and last activity dates, visibility settings (public or private), and archive status. Branch protection rules indicate the maturity of the development process. Team and contributor assignments establish ownership relationships that feed into the application-to-team mapping described in Section 1.1.

These platforms share common API patterns. GitHub exposes two complementary APIs (GitHub, 2024): a REST API (v3) with resource-oriented endpoints and page-based pagination, and a GraphQL API (v4) that enables selective field retrieval with cursor-based pagination. Both use the same authentication mechanisms (OAuth tokens or PATs) and share a rate limit of 5 000 requests per hour. GitLab offers a similar dual REST/GraphQL surface (GitLab, 2024). Azure DevOps provides a REST API authenticated through Azure Active Directory, with comparable response formats and pagination. Across all platforms, authentication is token-based and responses are JSON-formatted, enabling shared connector logic for authentication, pagination, and rate limit handling.

1.2.2 Continuous Integration and Delivery

Software Development Lifecycle (SDLC) practices have shifted from sequential models to iterative methodologies and DevOps. Forsgren et al. (2018) present empirical evidence that high-performing teams deploy more frequently with shorter lead times, achieved through CI/CD automation. Kim et al. (2021) complement this with practical guidance for implementing DevOps pipelines at scale. The CI/CD pipeline, an automated sequence of build, test, and deploy stages, is relevant to this thesis because each stage can integrate

security tools whose findings the framework consolidates.

GitHub Actions is the most widely adopted CI/CD platform, used by 62% of developers for personal projects and 41% in organizational settings (JetBrains, 2025). Jenkins remains prevalent in enterprises at 28% organizational adoption, followed by GitLab CI at 19%. Notably, 32% of organizations use two or more CI/CD tools, and 9% use at least three, reinforcing the multi-platform integration challenge observed for SCM platforms.

CI/CD platforms provide contextual data about when and how security scans run. Pipeline definitions reveal which security tools are integrated into the build process. Build results indicate whether security gates passed or failed. Execution metadata records which commit was scanned, when the scan ran, and how long it took. This information serves as operational context rather than a primary finding source: knowing that a repository's last security scan ran three months ago, or that a scan consistently fails, signals coverage gaps and tool health that complement the findings from security tools.

Integration patterns vary more across CI/CD platforms than across SCM tools. GitHub Actions exposes build data through its REST API with JSON responses, consistent with the broader GitHub API surface. Jenkins uses an Extensible Markup Language (XML)-based API with a different authentication model. Azure Pipelines follows the Azure DevOps REST conventions. Despite these differences, the retrieved data is structurally similar: pipeline identifiers, run statuses, timestamps, and associated commit references.

1.2.3 Issue Tracking

Issue tracking systems are relevant to the framework because they track remediation status. When a security finding is assigned for remediation, an issue is typically created in the team's tracker, either manually or through automation. The framework must read issue status to determine whether a finding is under active remediation, who is responsible, and whether it has been resolved within the required Service Level Agreement (SLA) window.

Jira is the dominant issue tracking platform in enterprise environments. The 2025 Stack Overflow Developer Survey reports Jira at 46% adoption, behind only GitHub (81%) and ahead of GitLab (36%) for code documentation and collaboration tools (Stack Overflow, 2025). Azure DevOps Work Items serves organizations within the Microsoft ecosystem. GitHub Issues and GitLab Issues provide lightweight built-in tracking tightly coupled with their respective SCM platforms. As with SCM and CI/CD tools, many organizations use multiple trackers across different teams.

These platforms expose REST APIs with JSON responses and paginated results. Jira provides Jira Query Language (JQL), a query language for precise filtering by project, status, labels, or custom fields, enabling retrieval of only security-relevant issues without downloading entire project backlogs. GitHub and GitLab expose issues through the same API surfaces used for repository data. Most trackers also support webhooks for real-time event notifications

when issue status changes, reducing reliance on periodic polling.

The integration with issue trackers is bidirectional. The framework reads remediation status and may also create new issues when findings require attention. This bidirectional flow introduces complexity around idempotency (avoiding duplicate issue creation) and state synchronization (keeping the framework's view consistent with the tracker's current state).

1.3 Static Application Security

Application security encompasses the practices and tools for identifying vulnerabilities in software throughout its lifecycle (Anderson, 2020; Stallings & Brown, 2024). McGraw (2006) advocated for security touchpoints spanning the entire development process. The DevSecOps paradigm (Kim et al., 2021; Mack, 2023) realizes this vision by embedding security testing into CI/CD pipelines: SAST examines source code, Software Composition Analysis (SCA) checks third-party dependencies, secret scanners flag leaked credentials, and Dynamic Application Security probes running applications. The practical consequence is a high volume of security data from dozens of tools, each with different APIs, output formats, and severity models. The Open Worldwide Application Security Project (OWASP) Top 10 (OWASP Foundation, 2021) provides a widely referenced risk classification, but it is not a data interchange standard.

Several cross-cutting data standards bring partial consistency. The Common Vulnerabilities and Exposures system (MITRE Corporation, 2024a) assigns unique identifiers to known vulnerabilities. The Common Weakness Enumeration (CWE) (MITRE Corporation, 2024b) classifies underlying weakness types. The Common Vulnerability Scoring System (CVSS) (Forum of Incident Response and Security Teams, 2019) scores attack vector, complexity, and impact on a 0–10 scale. The Exploit Prediction Scoring System (EPSS) (Jacobs et al., 2021) complements CVSS with a predictive signal: the probability that a vulnerability will be exploited within 30 days, computed by Machine Learning (ML) models. Cybersecurity and Infrastructure Security Agency (CISA) maintains the Known Exploited Vulnerabilities (KEV) catalog (Cybersecurity and Infrastructure Security Agency, 2024), which adds a third signal: confirmed active exploitation curated from real-world incident data. Together, CVSS, EPSS, and KEV form a three-signal enrichment model used throughout the framework.

For data interchange, Static Analysis Results Interchange Format (SARIF) (OASIS Open, 2024) defines a JSON-based format for static analysis results. CycloneDX (OWASP Foundation, 2024a) and Software Package Data Exchange (SPDX) (Linux Foundation, 2024) provide Software Bill of Materials (SBOM) schemas. The Open Cybersecurity Schema Framework (OCSF) (OCSF Project, 2024) targets Security Information and Event Management (SIEM) events and Security Orchestration, Automation, and Response (SOAR) workflows. No single format covers all tool categories. SARIF addresses static analysis but not SCA or runtime findings. CycloneDX and SPDX cover software composition, not code-level vulnerabilities. OCSF serves security operations, not application security posture. This gap motivates the

normalization model in [Chapter 2](#).

The analysis of security tooling is organized into two sections by operational model. This section covers static analysis tools that examine source code and build artifacts without executing the application. Their findings reference repositories, file paths, and line numbers, making them directly attributable to development teams. [Section 1.4](#) covers tools that operate on running applications and deployed infrastructure, where findings reference URLs, hosts, and cloud resources, requiring additional mapping to connect them back to source code.

1.3.1 Static Application Security Testing

SAST examines source code, bytecode, or binary code for vulnerabilities without executing the program. Chess and West ([2007](#)) provide the foundations, covering taint analysis, control flow analysis, and pattern matching to detect injection flaws, buffer overflows, and insecure data handling. A key tradeoff is between detection coverage and false positive rates: tools with broader rule sets catch more issues but generate more noise (Chess & West, [2007](#)).

SonarQube provides the most mature integration surface among SAST tools. Its REST API offers paginated endpoints with server-side filtering by project, severity, status, and rule, returning JSON responses (SonarSource, [2024](#)). Beyond individual findings, the API exposes project-level quality metrics useful for coverage analysis. Semgrep operates as a Command-Line Interface (CLI) tool running user-defined rules against source code, producing JSON or SARIF output (Semgrep, [2024](#)). The Semgrep Cloud Platform adds a centralized API for managing rules and results across projects. Checkmarx exposes a REST API for scan management and result retrieval, with SARIF export support.

SCM platforms also provide built-in SAST capabilities. GitHub Code Scanning runs CodeQL analysis and exposes results through the code scanning alerts API (GitHub, [2024](#)). GitLab integrates SAST as a CI/CD pipeline job with findings accessible through its security API (GitLab, [2024](#)). When both platform-native and standalone tools scan the same repository, the resulting overlap requires deduplication in the normalization layer.

Each finding typically includes a rule identifier, the affected file path and line number, a severity rating, the offending code snippet, and remediation guidance. However, severity models differ across tools. SonarQube uses a five-level scale (blocker, critical, major, minor, info). Semgrep and Checkmarx use high, medium, and low, sometimes with a numerical score. This divergence makes severity normalization one of the most important tasks in the framework's transformation layer. The reference implementation integrates SonarQube, Semgrep, and additional SAST sources as described in [Chapter 3](#).

1.3.2 Software Composition Analysis

SCA identifies known vulnerabilities in third-party dependencies. Modern applications commonly include hundreds of transitive dependencies, creating a large attack surface (Anderson, 2020). Ohm et al. (2020) provide a systematic review of supply chain attacks, including typosquatting, dependency confusion, and malicious package injection. SCA tools analyze dependency manifests, resolve the full dependency tree, and cross-reference versions against vulnerability databases such as the National Vulnerability Database (NVD).

Snyk provides REST APIs (legacy v1 and current v3) returning JSON responses with filtering by severity and project (Snyk, 2024). Dependabot, integrated into GitHub, exposes alerts through the GitHub GraphQL API (GitHub, 2024). OWASP Dependency-Track is an open-source platform that ingests SBOMs in CycloneDX or SPDX format and identifies vulnerabilities against multiple databases (OWASP Foundation, 2024b). It provides a REST API for project management and findings retrieval. Many SCA tools also generate SBOMs (Linux Foundation, 2024; OWASP Foundation, 2024a), increasingly required by regulatory frameworks (National Telecommunications and Information Administration, 2021). The reference implementation integrates Dependabot, Dependency-Track, and GitLab dependency scanning, as described in Chapter 3.

SCA output is comparatively well standardized because the underlying data originates from shared public databases. Each finding typically includes the vulnerable dependency name and version, a CVE identifier, a CVSS score, the fixed version when available, and exploitability metadata. Despite this, transitive dependency resolution remains a challenge: different tools may resolve the same dependency tree differently, causing one tool to flag a CVE while another does not. The framework must handle this during deduplication, recognizing that the same CVE reported by multiple tools against the same repository likely represents a single issue.

1.3.3 Secret Detection

Secret detection tools scan version control history for credentials, API keys, tokens, and other sensitive material. Once a secret is committed, it persists in Git history even after deletion from the working tree. Tools use two complementary detection approaches. Pattern-based detection matches strings against known credential formats using regular expressions. Entropy-based detection flags strings with unusually high randomness, catching novel credential formats at the cost of higher false positive rates.

GitLeaks scans repositories against over 150 predefined patterns and produces JSON output (Scholl, 2024). It runs as a CLI tool, typically in CI/CD pipelines or pre-commit hooks. TruffleHog supports over 800 secret types, combines pattern and entropy analysis, and adds live credential verification to confirm whether a detected secret remains valid (Truffle Security, 2024). Both tools operate as CLI tools without server-side APIs; integration requires

executing the tool and parsing its output.

Platform-integrated scanners take a different approach. GitHub Secret Scanning exposes alerts through the GitHub REST API with webhook notifications for new detections (GitHub, 2024). GitLab Secret Detection runs as a CI/CD pipeline job and reports results through GitLab's security dashboard and API (GitLab, 2024). These tools are simpler to integrate because they use existing platform API surfaces, but they only cover repositories hosted on their respective platforms.

The primary integration challenge is the absence of a standard output format. Each tool defines its own JSON schema, and none supports SARIF. Findings include the secret type, file path, commit reference, and sometimes a validity status, but field names and structures vary across tools.

1.3.4 Container Image Scanning

Container image scanning examines built container images for vulnerabilities in Operating System (OS) packages, application libraries, and configuration. While SCA analyzes source-level dependency manifests, container scanners operate on assembled images, detecting OS-level vulnerabilities and misconfigurations that source-level analysis does not cover.

Trivy is a widely adopted open-source scanner supporting container images, filesystems, and Git repositories (Aqua Security, 2024). It produces JSON or SARIF output and integrates into CI/CD pipelines as a CLI tool. Commercial alternatives such as Aqua and Prisma Cloud add registry scanning, policy enforcement, and centralized management through REST APIs. Findings typically include the vulnerable package name and version, a CVE identifier, the fixed version, and the image layer where the package was introduced.

The integration challenge is linking image vulnerabilities to source code repositories. Container images are identified by registry, name, and tag, not by the source code that produced them. Establishing this mapping requires tracing through CI/CD metadata: which pipeline built the image, from which repository, at which commit.

1.3.5 Infrastructure as Code Security

IaC security tools perform static analysis on infrastructure definitions: Terraform configurations, CloudFormation templates, Kubernetes manifests, and Dockerfiles. They detect misconfigurations before deployment, such as overly permissive access policies, unencrypted storage, exposed ports, and missing logging.

Checkov is a prominent open-source scanner supporting over 1 000 built-in policies across multiple IaC frameworks (Prisma Cloud by Palo Alto Networks, 2024). tfsec focuses on Terraform, and KICS covers a broad range of formats. All operate as CLI tools producing

JSON or SARIF output. Findings are file-and-line-based, structurally similar to SAST output, but target infrastructure configuration rather than application logic.

These tools complement the runtime monitoring tools discussed in [Section 1.4](#). CSPM scanners and Vulnerability Management, Detection, and Response (VMDR) platforms detect the same misconfiguration classes after deployment in the live environment. Correlating pre-deployment IaC findings with post-deployment runtime detections is a challenge the framework addresses through its unified data model.

1.4 Dynamic Application Security

While the static analysis tools in [Section 1.3](#) examine source code and build artifacts, the tools in this section operate on running applications and deployed infrastructure. The cross-cutting data standards introduced in [Section 1.3](#), particularly CVE, CVSS, EPSS, and KEV, apply equally to dynamic findings. The cross-layer correlation challenge that connects these findings to business applications is addressed in [Section 1.1.5](#).

1.4.1 Dynamic Application Security Testing

DAST tests running applications by sending crafted Hypertext Transfer Protocol (HTTP) requests and analyzing responses for vulnerability indicators (Stuttard & Pinto, 2011). Unlike SAST, which works on source code, DAST requires a deployed application and detects vulnerabilities that manifest only at runtime, such as authentication bypass, server misconfiguration, and certain injection flaws.

OWASP Zed Attack Proxy (ZAP) is the most widely used open-source DAST tool, providing a REST API for scan management and result retrieval with JSON and XML output (OWASP Foundation, 2024c). Burp Suite exposes a REST API in its Enterprise edition; the Professional edition is a desktop tool without programmatic access. Findings from both tools include the target URL, the affected HTTP parameter, the vulnerability type mapped to CWE identifiers (MITRE Corporation, 2024b), exploitation evidence, and a confidence rating.

The core integration challenge is that DAST findings are URL-based, not code-based. A SAST finding points to a file and line in a repository; a DAST finding points to a URL endpoint. Mapping URL-based findings to source repositories requires deployment metadata or application inventory data from [Section 1.1](#). Without this mapping, DAST findings can be attributed to applications but not to development teams or code locations.

1.4.2 Penetration Testing

Manual penetration testing traditionally produces no machine-readable output. External firms deliver results as narrative Portable Document Format (PDF) or Word reports, requiring a structured upload mechanism (e.g., a JSON or Comma-Separated Values (CSV) template) for security teams to transcribe key fields. ML-based document parsing could automate extraction, though the inconsistent formatting of penetration test reports makes this non-trivial.

Emerging platforms such as XBOW use autonomous Artificial Intelligence (AI) agents to perform penetration testing at scale, delivering validated findings with reproducible exploit evidence (XBOW, 2024). These platforms offer API access for test orchestration and integrate with security data ecosystems, moving penetration testing toward the structured, automatable data exchange that other tool categories already provide.

Despite low frequency, penetration testing findings are often among the most critical, representing validated exploitable vulnerabilities. The framework must accommodate both manual uploads and automated API ingestion to cover the full spectrum of penetration testing practices.

1.4.3 Web Application Firewalls

WAFs operate at the network perimeter, inspecting inbound HTTP traffic against rule sets such as the OWASP Core Rule Set. They log blocked and flagged requests, recording the matched rule, request details, and action taken. Most commercial WAFs (AWS WAF, Cloudflare, Akamai) expose REST APIs for log retrieval and configuration management.

WAFs generate high-volume event data rather than discrete findings. The framework ingests aggregated attack patterns and anomaly indicators rather than individual request logs, focusing on the subset relevant to application security posture assessment.

1.4.4 Runtime Application Self-Protection

Runtime Application Self-Protection (RASP) tools instrument the application runtime, detecting attacks such as Structured Query Language (SQL) injection and path traversal from within the application context. Unlike WAFs, which operate at the network perimeter, RASP can correlate attacks with specific application functions and code paths. This produces richer contextual data per event, but RASP adoption remains limited compared to WAFs, and integration surfaces vary across vendors.

Like WAFs, RASP tools produce event streams rather than discrete findings. The integration approach is similar: the framework consumes aggregated indicators rather than raw event

logs.

1.4.5 Vulnerability Management and Cloud Posture

VMDR tools scan infrastructure for OS vulnerabilities, missing patches, and exposed services. Qualys exposes data through a REST API with XML responses. Wiz uses a GraphQL API for selective queries across cloud environments. These tools produce findings tied to infrastructure identifiers (hostnames, IP addresses, cloud resource Amazon Resource Names (ARNs)), not to source code locations.

CSPM tools complement VMDR by evaluating cloud configurations against compliance benchmarks such as Center for Internet Security (CIS) Benchmarks and organizational policies. Findings indicate misconfigurations (public S3 buckets, overly permissive Identity and Access Management (IAM) roles, unencrypted storage) rather than software vulnerabilities. CSPM overlaps with IaC security (Section 1.3.5): both detect the same misconfiguration classes, but IaC tools scan before deployment while CSPM scans the live environment. Correlating pre-deployment and post-deployment findings is a key integration challenge.

Table 1.1 summarizes the integration characteristics across all source categories analyzed in this chapter.

Table 1.1

Data Source Integration Characteristics

Source Category	API	Format	Frequency	Standardization
Application Inventory	REST	JSON	Low	Low
Cloud Assets	REST	JSON	Continuous	Medium
SCM Platforms	REST/GraphQL	JSON	Medium	High
Issue Trackers	REST	JSON	Medium	Medium
CI/CD Platforms	REST/XML	JSON/XML	Medium	Medium
SAST	REST/CLI	JSON/SARIF	On-demand	Medium
SCA	REST/GraphQL	JSON	Continuous	High
Secret Scanning	CLI/REST	JSON	On-demand	Low
Container Scanning	CLI	JSON/SARIF	On-demand	Medium
IaC Scanning	CLI	JSON/SARIF	On-demand	Medium
DAST	REST/CLI	JSON/XML	On-demand	Medium
Penetration Testing	None	PDF	Periodic	None
WAF	REST	JSON	Continuous	Low
RASP	Vendor-specific	JSON	Continuous	Low
VMDR/CSPM	REST/GraphQL	JSON/XML	Continuous	Medium

Several patterns emerge from this comparison. REST APIs with JSON responses are the dominant integration surface, but XML responses, GraphQL queries, CLI output parsing, and manual uploads are all necessary. Standardization varies: SCA benefits from the CVE/NVD ecosystem, SAST is partially standardized through SARIF, and secret scanning has no standard format. Update frequencies range from continuous dependency monitoring to periodic penetration tests. These characteristics define what the ingestion layer described in [Chapter 2](#) must accommodate.

1.5 Data Engineering

1.5.1 Data Platform Architecture

1.5.2 Data Integration Patterns

1.5.3 Domain Data Model

1.6 Related Work and Gap Analysis

1.6.1 Existing Approaches

1.6.2 Databricks Lakewatch

1.6.3 Comparative Analysis and Research Gap

2. Framework

2.1 Solution Architecture

2.1.1 Component Design

2.1.2 Medallion Architecture

2.1.3 Technology Stack

2.2 Data Model

2.2.1 Schema Patterns

2.2.2 Entity Model

2.2.3 Aggregation Model

2.3 Connector Framework

2.3.1 Connector Abstraction

2.3.2 Ingestion Patterns

2.3.3 Transformation Patterns

2.4 Analytics and Serving Layer

2.4.1 Aggregation Patterns

2.4.2 ML Workflows

2.4.3 Serving Patterns

2.5 Deployment and Engineering Practices

2.5.1 Deployment Strategy

2.5.2 Project Structure

3. Implementation

3.1 Environment and Deployment

3.1.1 Workspace Setup

3.1.2 Silver Schema

3.1.3 Project Structure and CI/CD

3.2 Connectors

3.2.1 ServiceNow

3.2.2 GitHub

3.2.3 GitLab

3.2.4 SonarQube

3.2.5 Semgrep

3.2.6 Dependency-Track

3.2.7 TruffleHog

3.2.8 Vulnerability Enrichment

3.3 Analytics and Serving

3.3.1 Application-Repository Mapping

3.3.2 Application Risk Scoring

3.3.3 Remediation and Compliance Metrics

3.3.4 Vulnerability Trends

3.3.5 Risk Prediction Model

Conclusion

Thesis Outcomes and Contributions

Limitations

Future Work

References

- Anderson, R. (2020). *Security engineering: A guide to building dependable distributed systems* (3rd ed.). John Wiley & Sons. (Cit. on pp. 19, 21).
- Aqua Security. (2024). *Trivy documentation*. Retrieved April 11, 2026, from <https://trivy.dev/> (cit. on p. 22).
- AXELOS. (2019). *ITIL foundation: ITIL 4 edition*. TSO (The Stationery Office). (Cit. on pp. 12, 13, 15).
- Chacon, S., & Straub, B. (2014). *Pro git* (2nd ed.). Apress. (Cit. on p. 17).
- Chess, B., & West, J. (2007). *Secure programming with static analysis*. Addison-Wesley. (Cit. on p. 20).
- Cybersecurity and Infrastructure Security Agency. (2024). *Known exploited vulnerabilities catalog*. Retrieved April 11, 2026, from <https://www.cisa.gov/known-exploited-vulnerabilities-catalog> (cit. on p. 19).
- Forsgren, N., Humble, J., & Kim, G. (2018). *Accelerate: The science of lean software and DevOps*. IT Revolution Press. (Cit. on p. 17).
- Forum of Incident Response and Security Teams. (2019). *Common vulnerability scoring system v3.1: Specification document*. Retrieved March 6, 2026, from <https://www.first.org/cvss/v3.1/specification-document> (cit. on p. 19).
- Gartner. (2024). *Market share: IT service management, worldwide, 2024*. Retrieved April 11, 2026, from <https://www.servicenow.com/blogs/2025/no-1-6-tech-workflow-segments> (cit. on p. 13).
- GitHub. (2024). *GitHub REST API documentation*. Retrieved April 11, 2026, from <https://docs.github.com/en/rest> (cit. on pp. 17, 20–22).
- GitHub. (2025). *Octoverse 2025: The state of open source*. Retrieved April 11, 2026, from <https://octoverse.github.com/> (cit. on p. 17).
- GitLab. (2024). *GitLab REST API documentation*. Retrieved April 11, 2026, from <https://docs.gitlab.com/ee/api/rest/> (cit. on pp. 17, 20, 22).
- Jacobs, J., Romanosky, S., Adjerid, I., & Baker, W. (2021). Improving vulnerability remediation through better exploit prediction. *Journal of Cybersecurity*, 7(1), tyab015 (cit. on p. 19).
- JetBrains. (2025). *The state of CI/CD in 2025*. Retrieved April 11, 2026, from <https://blog.jetbrains.com/teamcity/2025/10/the-state-of-cicd/> (cit. on p. 18).
- Kim, G., Humble, J., Debois, P., Willis, J., & Forsgren, N. (2021). *The DevOps handbook: How to create world-class agility, reliability, & security in technology organizations* (2nd ed.). IT Revolution Press. (Cit. on pp. 17, 19).
- Linux Foundation. (2024). *SPDX specification*. Retrieved March 6, 2026, from <https://spdx.dev/specifications/> (cit. on pp. 19, 21).
- Mack, S. D. (2023). *The DevSecOps playbook: Deliver continuous security at speed*. John Wiley & Sons. (Cit. on p. 19).
- McGraw, G. (2006). *Software security: Building security in*. Addison-Wesley. (Cit. on p. 19).
- MITRE Corporation. (2024a). *CVE program*. Retrieved March 6, 2026, from <https://www.cve.org/> (cit. on p. 19).

- MITRE Corporation. (2024b). *CWE – common weakness enumeration*. Retrieved April 11, 2026, from <https://cwe.mitre.org/> (cit. on pp. 19, 23).
- National Telecommunications and Information Administration. (2021). *The minimum elements for a software bill of materials (SBOM)*. Retrieved March 6, 2026, from https://www.ntia.gov/sites/default/files/publications/sbom_minimum_elements_report_0.pdf (cit. on p. 21).
- OASIS Open. (2024). *Static analysis results interchange format (SARIF) version 2.1.0*. Retrieved March 6, 2026, from <https://docs.oasis-open.org/sarif/sarif/v2.1.0/sarif-v2.1.0.html> (cit. on p. 19).
- OCSF Project. (2024). *Open cybersecurity schema framework*. Retrieved March 6, 2026, from <https://schema.ocsf.io/> (cit. on p. 19).
- Ohm, M., Plate, H., Sykosch, A., & Meier, M. (2020). Backstabber’s knife collection: A review of open source software supply chain attacks. *Detection of Intrusions and Malware, and Vulnerability Assessment (DIMVA)*, 23–43 (cit. on p. 21).
- OWASP Foundation. (2021). *OWASP top 10:2021*. Retrieved March 6, 2026, from <https://owasp.org/Top10/> (cit. on p. 19).
- OWASP Foundation. (2024a). *CycloneDX bill of materials standard*. Retrieved March 6, 2026, from <https://cyclonedx.org/> (cit. on pp. 19, 21).
- OWASP Foundation. (2024b). *OWASP Dependency-Track documentation*. Retrieved April 11, 2026, from <https://docs.dependencytrack.org/> (cit. on p. 21).
- OWASP Foundation. (2024c). *OWASP ZAP documentation*. Retrieved April 11, 2026, from <https://www.zaproxy.org/docs/> (cit. on p. 23).
- Pressman, R. S., & Maxim, B. R. (2019). *Software engineering: A practitioner’s approach* (9th ed.). McGraw-Hill. (Cit. on p. 16).
- Prisma Cloud by Palo Alto Networks. (2024). *Checkov documentation*. Retrieved April 11, 2026, from <https://www.checkov.io/1.Welcome/What%5C%20is%5C%20Checkov.html> (cit. on p. 22).
- Scholl, Z. (2024). *Gitleaks: Protect and discover secrets*. Retrieved April 11, 2026, from <https://github.com/gitleaks/gitleaks> (cit. on p. 21).
- Semgrep. (2024). *Semgrep documentation*. Retrieved April 11, 2026, from <https://semgrep.dev/docs/> (cit. on p. 20).
- ServiceNow. (2024a). *CMDB instance API reference*. Retrieved March 7, 2026, from <https://www.servicenow.com/docs/bundle/xanadu-api-reference/page/integrate/inbound-rest/concept/cmdb-instance-api.html> (cit. on pp. 13, 14).
- ServiceNow. (2024b). *Scripted REST APIs*. Retrieved April 11, 2026, from https://www.servicenow.com/docs/bundle/yokohama-api-reference/page/integrate/custom-web-services/concept/c_CustomWebServices.html (cit. on p. 15).
- ServiceNow. (2024c). *Table API reference*. Retrieved March 7, 2026, from https://www.servicenow.com/docs/bundle/xanadu-api-reference/page/integrate/inbound-rest/concept/c_TableAPI.html (cit. on p. 14).

- Skoulrikari, A. (2024). *Learning git: A hands-on and visual guide to the basics of git*. O'Reilly Media. (Cit. on p. 17).
- Snyk. (2024). *Snyk API documentation*. Retrieved April 11, 2026, from <https://docs.snyk.io/snyk-api> (cit. on p. 21).
- Sommerville, I. (2015). *Software engineering* (10th ed.). Pearson. (Cit. on p. 16).
- SonarSource. (2024). *SonarQube web API documentation*. Retrieved April 11, 2026, from <https://docs.sonarsource.com/sonarqube-server/latest/extension-guide/web-api/> (cit. on p. 20).
- Stack Overflow. (2025). *2025 stack overflow developer survey*. Retrieved April 11, 2026, from <https://survey.stackoverflow.co/2025/> (cit. on pp. 17, 18).
- Stallings, W., & Brown, L. (2024). *Computer security: Principles and practice* (5th ed.). Pearson. (Cit. on pp. 13, 19).
- Stuttard, D., & Pinto, M. (2011). *The web application hacker's handbook: Finding and exploiting security flaws* (2nd ed.). John Wiley & Sons. (Cit. on p. 23).
- Truffle Security. (2024). *TruffleHog documentation*. Retrieved April 11, 2026, from <https://trufflesecurity.com/trufflehog> (cit. on p. 21).
- Williams, R., & Gonzalez, K. (2021). *3 steps to improve IT service view CMDB data quality*. Retrieved April 11, 2026, from <https://www.gartner.com/en/documents/3994127> (cit. on p. 15).
- Winters, T., Manshreck, T., & Wright, H. (2020). *Software engineering at Google: Lessons learned from programming over time*. O'Reilly Media. (Cit. on p. 17).
- XBOW. (2024). *Autonomous offensive security platform*. Retrieved April 11, 2026, from <https://xbow.com/platform> (cit. on p. 24).

Appendices

A. Generative AI Use Disclosure

A.1 Text Content

A.2 Diagrams and Figures

A.3 Source Code

A.4 Requirements Specification