Vaibhav Kumar **Roll No: 19**

Assignment 1 Big Data

Date :08-08-2022

Problem Statement:

Write a program to find occurrence of any specific word

This is the File created by me

```
import java.io.IOException;
import org.apache.hadoop.fs.Path;
import org.apache.hadoop.io.IntWritable;//type casted to Int
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapreduce.Mapper.Context;
import org.apache.hadoop.mapreduce.lib.input.FileInputFormat;
import org.apache.hadoop.mapreduce.lib.output.FileOutputFormat;
import org.apache.hadoop.mapreduce.Job;
import org.apache.hadoop.io.LongWritable;
import org.apache.hadoop.mapreduce.Mapper;//mapper class
import org.apache.hadoop.mapreduce.Reducer;

//import CountWord.SumReducer;
//import CountWord.WordMapper;

public class CountWord {
        public static class WordMapper extends
        Mapper<LongWritable,Text,Text,IntWritable>{
            @Override
            public void map(LongWritable key, Text value, Context context)
            throws IOException, InterruptedException{
                String line = value.toString();

                for (String word : line.split("\\W+")){
                    if (word.equals("hello")){
                        word.toLowerCase();
                        context.write(new Text(word), new IntWritable(1));
                    }
                }

            }
        }
        public static class SumReducer extends Reducer<Text, IntWritable,
        Text, IntWritable>{
```

```
        @Override
        public void reduce(Text key, Iterable<IntWritable> values,
    Context context) throws IOException, InterruptedException{
            int wordCount = 0;

            for (IntWritable value: values){
               wordCount += value.get();

               }
            context.write(key, new IntWritable(wordCount));
            }

        }
    public static void main(String[] args) throws Exception{
        if(args.length != 2){
           System.out.printf("Usage: CountWord <input dir> <output dir>\n");
           System.exit(-1);

        }
        Job job = new Job();
        job.setJarByClass(CountWord.class);
        job.setJobName("CountWord");

        FileInputFormat.setInputPaths(job, new Path(args[0]));
        FileOutputFormat.setOutputPath(job, new Path(args[1]));

        job.setMapperClass(WordMapper.class);
        job.setReducerClass(SumReducer.class);

        job.setOutputKeyClass(Text.class);
        job.setOutputValueClass(IntWritable.class);

        boolean success = job.waitForCompletion(true);
        System.exit(success ? 0 : 1);

    }
}
```


Package Explor
WordCount.jav
CountWord.java
CountOfWords
src
(default package)
CountWord.java
JRE System Library [JavaSI
Referenced Libraries
WordCount
//import CountWord.WordMapper;
public class CountWord {
public static class WordMapper extends
Mapper<LongWritable,Text,Text,IntWritable>{
@Override
public void map(LongWritable key, Text value, Context context)
throws IOException, InterruptedException{
String line = value.toString();
for (String word : line.split("\\W+")){
if (word.equals("hello")){
word.toLowerCase();
context.write(new Text(word), new IntWritable(1));
}
}
}
}
public static class SumReducer extends Reducer<Text, IntWritable,
Text, IntWritable>{
@Override
public void reduce(Text key, Iterable<IntWritable> values,


Cloudera-Training-VM-4.1.1.c - VMware Workstation 14 Player (Non-commercial use only)
Player
Applications
Places
System
File
Edit
View
Search
Tools
Documents
Help
Open
Save
Undo
hellocount
hello this is vaibhav
hello hello hello hello
hello shirley setia here from New Zealand
hello Priya here


Cloudera-Training-VM-4.1.1.c - VMware Workstation 14 Player (Non-commercial use only)
Player
Applications Places System
HDFS:/user/trainin
File Edit View History Bookmarks Tools Help
HDFS:/user/training/vk/part-r...
HDFS:/user/training/specifico...
Sign in - Google Accou
localhost.localdomain:50075/browseBlock.jsp?blockId=3852787711577530727&blockSize=
Most Visited
Hadoop NameNode
Hadoop JobTracker
Hadoop YARN
Hue
HBas
File: /user/training/specificoutput/part-r-00000
Goto : /user/training/specificoutput
go
Go back to dir listing
Advanced view/download options
hello 7

```
[training@localhost ~]$ hdfs dfs -copyFromLocal /home/training/Desktop/hellocount /user/training/vaibhav
[training@localhost ~]$ hadoop jar /home/training/specific.jar /user/training/vaibhav/hellocount /user/training/specificoutput
22/08/08 10:45:40 WARN mapred.JobClient: Use GenericOptionsParser for parsing the arguments. Applications should implement Tool for
 the same.
22/08/08 10:45:40 INFO input.FileInputFormat: Total input paths to process : 1
22/08/08 10:45:40 WARN snappy.LoadSnappy: Snappy native library is available
22/08/08 10:45:40 INFO snappy.LoadSnappy: Snappy native library loaded
22/08/08 10:45:40 INFO mapred.JobClient: Running job: job_202208011504_0003
22/08/08 10:45:41 INFO mapred.JobClient:  map 0% reduce 0%
22/08/08 10:45:45 INFO mapred.JobClient:  map 100% reduce 0%
22/08/08 10:45:47 INFO mapred.JobClient:  map 100% reduce 100%
22/08/08 10:45:47 INFO mapred.JobClient: Job complete: job_202208011504_0003
22/08/08 10:45:47 INFO mapred.JobClient: Counters: 32
22/08/08 10:45:47 INFO mapred.JobClient:   File System Counters
22/08/08 10:45:47 INFO mapred.JobClient:     FILE: Number of bytes read=90
22/08/08 10:45:47 INFO mapred.JobClient:     FILE: Number of bytes written=361956
22/08/08 10:45:47 INFO mapred.JobClient:     FILE: Number of read operations=0
22/08/08 10:45:47 INFO mapred.JobClient:     FILE: Number of large read operations=0
22/08/08 10:45:47 INFO mapred.JobClient:     FILE: Number of write operations=0
22/08/08 10:45:47 INFO mapred.JobClient:     HDFS: Number of bytes read=226
22/08/08 10:45:47 INFO mapred.JobClient:     HDFS: Number of bytes written=8
22/08/08 10:45:47 INFO mapred.JobClient:     HDFS: Number of read operations=2

22/08/08 10:45:40 INFO input.FileInputFormat: Total input paths to process : 1
22/08/08 10:45:40 WARN snappy.LoadSnappy: Snappy native library is available
22/08/08 10:45:40 INFO snappy.LoadSnappy: Snappy native library loaded
22/08/08 10:45:40 INFO mapred.JobClient: Running job: job_202208011504_0003
22/08/08 10:45:41 INFO mapred.JobClient:  map 0% reduce 0%
22/08/08 10:45:45 INFO mapred.JobClient:  map 100% reduce 0%
22/08/08 10:45:47 INFO mapred.JobClient:  map 100% reduce 100%
22/08/08 10:45:47 INFO mapred.JobClient: Job complete: job_202208011504_0003
22/08/08 10:45:47 INFO mapred.JobClient: Counters: 32
22/08/08 10:45:47 INFO mapred.JobClient:   File System Counters
22/08/08 10:45:47 INFO mapred.JobClient:     FILE: Number of bytes read=90
22/08/08 10:45:47 INFO mapred.JobClient:     FILE: Number of bytes written=361956
22/08/08 10:45:47 INFO mapred.JobClient:     FILE: Number of read operations=0
22/08/08 10:45:47 INFO mapred.JobClient:     FILE: Number of large read operations=0
22/08/08 10:45:47 INFO mapred.JobClient:     FILE: Number of write operations=0
22/08/08 10:45:47 INFO mapred.JobClient:     HDFS: Number of bytes read=226
22/08/08 10:45:47 INFO mapred.JobClient:     HDFS: Number of bytes written=8
22/08/08 10:45:47 INFO mapred.JobClient:     HDFS: Number of read operations=2
22/08/08 10:45:47 INFO mapred.JobClient:     HDFS: Number of large read operations=0
22/08/08 10:45:47 INFO mapred.JobClient:     HDFS: Number of write operations=1
22/08/08 10:45:47 INFO mapred.JobClient:   Job Counters
22/08/08 10:45:47 INFO mapred.JobClient:     Launched map tasks=1
22/08/08 10:45:47 INFO mapred.JobClient:     Launched reduce tasks=1
22/08/08 10:45:47 INFO mapred.JobClient:     Data-local map tasks=1
22/08/08 10:45:47 INFO mapred.JobClient:     Total time spent by all maps in occupied slots (ms)=3699
22/08/08 10:45:47 INFO mapred.JobClient:     Total time spent by all reduces in occupied slots (ms)=2148
22/08/08 10:45:47 INFO mapred.JobClient:     Total time spent by all maps waiting after reserving slots (ms)=0
22/08/08 10:45:47 INFO mapred.JobClient:     Total time spent by all reduces waiting after reserving slots (ms)=0
22/08/08 10:45:47 INFO mapred.JobClient:   Map-Reduce Framework
22/08/08 10:45:47 INFO mapred.JobClient:     Map input records=4
```

Customer Data

```
public class CustomerData {
        public static class WordMapper extends
          Mapper<LongWritable,Text,Text,IntWritable>{
                @Override
                public void map(LongWritable key, Text value, Context context)
                throws IOException, InterruptedException{
                   String line = value.toString();

                   for (String word : line.split(",")){
                      if (word.equals("Pilot")){
                            word.toLowerCase();
                         context.write(new Text(word), new IntWritable(1));
                      }
                   }

                }
             }
          public static class SumReducer extends Reducer<Text, IntWritable,
          Text, IntWritable>{
                @Override
                public void reduce(Text key, Iterable<IntWritable> values,
          Context context) throws IOException, InterruptedException{
                   int wordCount = 0;

                   for (IntWritable value: values){
                      wordCount += value.get();

                      }
                   context.write(key, new IntWritable(wordCount));
                   }

                }
          public static void main(String[] args) throws Exception{
              if(args.length != 2){
                 System.out.printf("Usage: CountWord <input dir> <output dir>\n");
                 System.exit(-1);

              }
              Job job = new Job();
              job.setJarByClass(CustomerData.class);
              job.setJobName("CustomerData");
```

```
        FileInputFormat.setInputPaths(job, new Path(args[0]));
        FileOutputFormat.setOutputPath(job, new Path(args[1]));

        job.setMapperClass(WordMapper.class);
        job.setReducerClass(SumReducer.class);

        job.setOutputKeyClass(Text.class);
        job.setOutputValueClass(IntWritable.class);

        boolean success = job.waitForCompletion(true);
        System.exit(success ? 0 : 1);

    }
}
```



```
[training@localhost ~]$ hdfs dfs -copyFromLocal /home/training/Desktop/custs /user/training/vaibhav
[training@localhost ~]$ hadoop jar /home/training/specificCustomer.jar /user/training/vaibhav/custs /user/training/Custoutput
22/08/08 11:05:21 WARN mapred.JobClient: Use GenericOptionsParser for parsing the arguments. Applications should implement Tool for
 the same.
22/08/08 11:05:21 INFO input.FileInputFormat: Total input paths to process : 1
22/08/08 11:05:21 WARN snappy.LoadSnappy: Snappy native library is available
22/08/08 11:05:21 INFO snappy.LoadSnappy: Snappy native library loaded
22/08/08 11:05:22 INFO mapred.JobClient: Running job: job_202208011504_0004
22/08/08 11:05:23 INFO mapred.JobClient:  map 0% reduce 0%
22/08/08 11:05:28 INFO mapred.JobClient:  map 100% reduce 0%
22/08/08 11:05:32 INFO mapred.JobClient:  map 100% reduce 100%
22/08/08 11:05:32 INFO mapred.JobClient: Job complete: job_202208011504_0004
22/08/08 11:05:32 INFO mapred.JobClient: Counters: 32
22/08/08 11:05:32 INFO mapred.JobClient:   File System Counters
22/08/08 11:05:32 INFO mapred.JobClient:     FILE: Number of bytes read=2514
22/08/08 11:05:32 INFO mapred.JobClient:     FILE: Number of bytes written=366804
22/08/08 11:05:32 INFO mapred.JobClient:     FILE: Number of read operations=0
22/08/08 11:05:32 INFO mapred.JobClient:     FILE: Number of large read operations=0
22/08/08 11:05:32 INFO mapred.JobClient:     FILE: Number of write operations=0
```