

INTERIOR WORKS						
Sr NO	SERVICE CODES	DESCRIPTION	Long Description	WBS	UOM	RATES
1	INT-R&M-001	PRO&FIX WRITING BOARD 1200X900MM	Providing and fixing in position WRITING BOARD 1200x 900mm IN TrainingRoom	CVL / INT	NOS	4,200.00
2	INT-R&M-002	PRO&FIX SOFT BOARD IN TRAINING ROOM	Providing and fixing in position SOFT BOARDS 2 x 3 FT in Training Room all perdesign, detailed drawings etc.,	CVL / INT	NOS	2,100.00
3	INT-R&M-003	S&A EXTERNAL PAINT	Providing and applying One coat of Acrylic based exterior Primer and Two coats of 100 % Acrylic exterior emulsion paint on external surfaces at all levels of Makes as Asian /Nerolac /Berger/Dulux/ Snowcem etc.	CVL / INT	Sq.ft	28.00
4	INT-R&M-004	S&A INTERNAL EMULSION PAINT-OLD/EXST SRF	Providing and applying premium acrylic emulsion paint of approved shade on Existing Surface or Old Surface / Walls. Surface should be applied with 1 coat of acrylic fine putty, 1 coat of primer and 2 coats of premium quality Acrylic Emulsion Paint. Asian /Nerolac /Berger/Dulux/ Snowcem, etc.	CVL / INT	Sq.ft	29.00
5	INT-R&M-005	S&A SYNTHETIC ENAMEL (OIL) PAINT-NEW SUR	Providing and applying Synthetic Enamel (Oil) paint of approved shade on New Surface / Buildings. Surface should be applied with 2 coats of acrylic fine putty, 1 coat of primer; and applying 2 coats of Synthetic Enamel Paint including tools & tackles etc. Asian /Nerolac /Berger/Dulux/ Snowcem, etc.	CVL / INT	Sq.ft	33.00
6	INT-R&M-006	S&A SYNTHETIC ENAMEL (OIL) PAINT-OLD/EXI	Providing and applying Synthetic Enamel (Oil) paint of approved shade on Existing Surface or Old Surface / Walls. Existing buildings surface & Old Surface means existing building structures. Surface should be applied with 1 coat of acrylic fine putty, 1 coat of primer; diluting with thinner and applying 2 coats of Synthetic Enamel Paint. Asian /Nerolac /Berger/Dulux/ Snowcem, etc.	CVL / INT	Sq.ft	28.00
7	INT-R&M-007	S&A INTERNAL EMULSION PAINT-NEW SURFACE	Providing and applying premium acrylic emulsion paint of approved shade on New Masonry Walls / Fresh Surface. Surface should be applied with 2 coats of acrylic fine putty, 1 coat of primer and 2 coats of premium quality Acrylic Emulsion Paint. Asian /Nerolac /Berger/Dulux/ Snowcem, etc.	CVL / INT	Sq.ft	30.00
8	INT-R&M-008	P&F GODREJ 8 LEVER LOCK	Providing and Fixing Godrej 8 lever lock and applicable hardware - Product Code 5100, Product Description - NAVTAL ULTRA XI+ with Breaking load 3ton.	CVL / INT	NOS	1,600.00
9	INT-R&M-009	PRO&APLY WHITE PUTTY TO WALL	Providing and applying Birla White Wall putty to give smooth finishto walls	CVL / INT	Sq.ft	16.00
10	INT-R&M-010	S&F OZONE MK SS TOP PATCH CAT NO- OPF2	Supply and Fixing of Ozone Make Stainless steel Top Patch , cat no OPF-2	CVL / INT	NOS	2,370.00
11	INT-R&M-011	S&F OZONE MK SS PIVOT CAT NO- OSSPF-GDP	Supply and Fixing of Ozone Make Stainless steel PIVOT ,cat no OSSPF-GDP	CVL / INT	NOS	749.00
12	INT-R&M-012	S&F OZONE MK SS BOTOM PATC CAT NO- OPF-3	Supply and Fixing of Ozone Make Stainless steel Bottom Patch , cat no OPF-3	CVL / INT	NOS	2,350.00
13	INT-R&M-013	S & F OF CENTRAL LOCK 4 ROLLING SHUTTER	Supply and installation of central lock on rolling shutter (Make- Godrej or - Center Shutter Lock # with 4 Dimpled Brass Keys)	CVL / INT	NOS	3,450.00
14	INT-R&M-014	P/APPLY AV.12MM THK POP PUNNING TO WALLS	Providing and applying POP punning to walls of avg. 12mm thickness	CVL / INT	Sq.ft	38.00
15	INT-R&M-015	PRO&FIX 900X600MM NOTICE BRD 19MM THK	Providing and fixing in position NOTICE BOARD 900x 600mm Keku/ Hettich or make only.	CVL / INT	NOS	2,100.00
16	INT-R&M-016	PRO&LAY APPV. DOOR CLOSER F/ FLS DR SHTR	Supplying and fixing to door shutter Door closure DC - 40 of Ozone make / make	CVL / INT	NOS	2,150.00
17	INT-R&M-017	P/APPLY AV.4MM TH POP PUNNING TO CEILING	Providing and applying POP to ceiling of avg. 4 mm thickness	CVL / INT	Sq.ft	18.00
18	INT-R&M-018	P&F 900X600MM 12MM SOFT BOARD W/FRM	PROVIDING AND FIXING IN POSITION NOTICE BOARD 900X 600MM USING 12MM THICK SOFT BOARD	CVL / INT	NOS	2,100.00
19	INT-R&M-019	PRO&FIX PULL HANDLES 600X20MM	Providing and fixing in position PULL Handles 600x 20mm dia. "D" type handle finished with Satin Anodised Aluminium of Ozone/Doorset or make	CVL / INT	Nos	3,336.00
20	INT-R&M-020	S&FOZONE MK SS CORN PAT LOCK CATNO-OPL-1	Supply and Fixing of Ozone Make Stainless steel Corner Patch Lock with strike Plate , cat no OPL-1	CVL / INT	NOS	3,250.00
21	INT-R&M-021	S&FOZONE MK SS DOOR H HANDL CATNO-OGH-55	Supply and Fixing of Ozone Make Stainless steel Glass Door Handle H type Size 1100 x 32 mm , cat no OGH-55	CVL / INT	NOS	3,730.00
22	INT-R&M-022	P&F SS FINISH H HANDLE OZONE MAKE	Providing & fixing of Ozone make Stainless steel ##H Type handle of grade SS-202, OGH-55E of size 25mm X1100mm on existing flush door of 32mm thickness	CVL / INT	NOS	3,730.00
23	INT-R&M-023	S&A INTERNAL EMULSION PAINT-REPAINTING	Providing and applying premium acrylic emulsion paint of approved shade on Old surface or Existing Surface and Ceilings, etc. Surfaces / Walls which have been painted before and requires repainting. - One coat	CVL / INT	Sq.ft	20.00
24	INT-R&M-024	P&F CENTER GLS PATCH LCK F/12MM GLS DRM	Providing & Fixing Glass Center patch lock at 1 m height (or specified height in the drawing) for 12mm thk Glass door. (Make: Ozone Code: OPL-4A-4B K2N)	CVL / INT	NOS	3,600.00

INTERIOR WORKS						
Sr NO	SERVICE CODES	DESCRIPTION	Long Description	WBS	UOM	RATES
25	INT-R&M-025	SITC CEILING FAN 1200MM SWEEP W/EXTN ROD	Supply, installation, testing & commissioning of ceiling fan with MS powder coated extension rod of 1m-2m length of suitable dia for strength & stability single phase, 230 v with electronic regulator etc. ceiling fan Sweep 1200 mm (bajaj/crompton/havells or)	CVL / INT	NOS	3,200.00
26	INT-R&M-026	P&L APPV DR CLSR NSK580-E F/ FLS DR SHTR	Supplying and fixing to door shutter Door closure NSK-580-E of Ozone make/ make	CVL / INT	NOS	2,150.00
27	INT-R&M-027	P&Fof Godrej Door lock of 7 lever.	Supplying and fixing of 'Godrej' make door lock of 7lever.	CVL / INT	NOS	1,400.00
28	INT-R&M-028	P&F OPF 1 PATCH FITTING OVER PNL F/GLASS	Providing and Fixing OPF 1 Patch Fitting over panel-patch fitting forGlass.	CVL / INT	NOS	3,700.00
29	INT-R&M-029	P&A POP PUNING 3MM TO 6MM THICK F/WALL	Providing and Applying Plaster of Paris (POP) Punning of 3mm to 6mmthickness on walls	CVL / INT	Sq.ft	24.00
30	INT-R&M-030	S&F OZONE MK H TYP SS HANDLE 900X32MM	Supply and Fixing of Ozone Make Stainless steel Glass Door Handle H type Size 900 x 32 mm , cat no OGH-55 of Ozone	CVL / INT	NOS	3,600.00
31	INT-R&M-031	P&F CENTER GLASS PATCH LOCK F/GLASS DOOR	Providing & Fixing Glass center patch lock at 1m ht for entry glass door (Make: Ozone Code: OPL-4A-4B N or)	CVL / INT	NOS	3,150.00
32	INT-R&M-032	P&F CENTER GLS DORMA PATCH LCK	Providing & Fixing Glass Corner patch lock at 1 m height for 12mm thk Glass door. (Make: Dorma Code: Corner Lock with LKP and EPC, US10 STD, F700)	CVL / INT	NOS	5,818.00
33	INT-R&M-033	PRVD & APPLY ROYAL MATT PAINT	Providing and applying premium quality- Royal Mat water emulsion paint of approved shade as per finished shedule,on ceiling, as perdrg. Surface should be applied in order of with 1 coat of primer, 2 coats of acrylic fine putty, and 1 coats of primer to receive premium quality water based Emulsion Paint. Asian /Nerolac /Berger/Dulux/ Snowcem, etc.	CVL / INT	Sq.ft	39.00
34	INT-R&M-034	PRVD & APPLY 2C PUTTY AND 1C PRIMER	Providing and applying two coat of Birla White Wall putty and one coat of primer to give smooth finish to the existing surface (Plywood / Wall / Partition / CEILING /RCC /ETC) Asian /Nerolac /Berger/Dulux/ Snowcem, etc.	CVL / INT	Sq.ft	18.00
35	INT-R&M-035	PRO&APPLY TWO COAT ACYLC EMULSION PAINT	Painting, two coats with Dulux paint of Spectrum / Nerolac or make and approved shade on internal walls and ceilings Asian /Nerolac /Berger/Dulux/ Snowcem, etc.	CVL / INT	Sq.ft	26.00
36	INT-R&M-036	S&A 1COAT ACRYLIC EMULSION PAINT	Providing and applying one coat of Acrylic Emulsion paint of Asian Paints or approved make Asian /Nerolac /Berger/Dulux/ Snowcem, etc.	CVL / INT	Sq.ft	13.00
37	INT-R&M-037	CP227-P&A Synthetic Enamel Paint 2 coat	Providing and applying 2 coats of Synthetic Enamel paint Asian /Nerolac /Berger/Dulux/ Snowcem, etc.	CVL / INT	Sq.ft	32.00
38	INT-R&M-038	P&F Floor Spring 60KG	P&F Floor Spring 60KG	CVL / INT	NOS	7,000.00
39	INT-R&M-039	P&F Floor Spring 80 KG	P&F Floor Spring 80 KG	CVL / INT	NOS	8,500.00
40	INT-R&M-040	P&F Floor Spring 90KG	P&F Floor Spring 90KG	CVL / INT	NOS	9,600.00
41	INT-R&M-041	P & F Door Lock	P & F Door Lock	CVL / INT	NOS	2,300.00
42	INT-R&M-042	P&F Drawer Lock	P&F Drawer Lock	CVL / INT	NOS	1,250.00
43	INT-R&M-043	P&F Cupbord Hinges	P&F Cupbord Hinges	CVL / INT	NOS	1,100.00
44	INT-R&M-044	P&F Door Closer	P&F Door Closer	CVL / INT	NOS	2,350.00
45	INT-R&M-045	P&F Cylindrical Lock	P&F Cylindrical Lock	CVL / INT	NOS	2,320.00
46	INT-R&M-046	P&F Keyboard tray with mouse pad	P&F Keyboard tray with mouse pad	CVL / INT	NOS	2,370.00
47	INT-R&M-047	Vitrified flooring 800x800	Providing and Laying of 800 x 800 Polished, straight edged Vitrified Floor Tiles (Tiles of Approved make) laid uniformly over 25 mm thick bed CM 1:4 with butt joints, using cement slurry below tiles for packing	CVL / INT	Sq.ft	172.50
48	INT-R&M-048	Supply and Installation Gypsum False Ceiling	Providing & Fixing 12 mm thk Gypsum board false ceiling (India Gypsum or approved make) to G.I. framing in perfect level.	CVL / INT	Sq.ft	120.00
49	INT-R&M-049	SUP,FAB,CUT,ERECT,CHEQUERED PLATES	Providing,fabricating, cutting & erection of shop coated MS Chequered plates of any thickness and erecting in walkways,platforms, stair treads, any other place as directed etc\	CVL / INT	KGS	200.00
50	INT-R&M-050	PRO&FIX SS HAND RAIL 304 GRADE 50MM DIA	Providing and fixing in position Stainless steel hand rail of 304 Grade as per Site design, drawings includes 50mm dia. S.S. pipe handrail fixed with 2mm thk. and 12mmdia S.S. plate, (Only Hand rail with Bracket support)	CVL / INT	RMT	3,100.00
51	INT-R&M-051	SUPPLY OF COMMERCIAL PLY BOARD 6MM	Supply Of Commercial Ply Board 6Mm	CVL / INT	Sq.ft	45.00
52	INT-R&M-052	SUPPLY OF COMMERCIAL PLY BOARD 8MM	Supply Of Commercial Ply Board 8Mm	CVL / INT	Sq.ft	61.50
53	INT-R&M-053	SUPPLY OF COMMERCIAL PLY BOARD 12MM	Supply Of Commercial Ply Board 12Mm	CVL / INT	Sq.ft	81.00
54	INT-R&M-054	SUPPLY OF MARINE PLY BOARD 19MM	Supply Of Commercial Ply Board 19Mm	CVL / INT	Sq.ft	96.00
55	INT-R&M-055	SUPPLY OF MARINE PLY BOARD 6MM	Supply Of Marine Ply Board 6Mm	CVL / INT	Sq.ft	62.00
56	INT-R&M-056	SUPPLY OF MARINE PLY BOARD 8MM	Supply Of Marine Ply Board 8Mm	CVL / INT	Sq.ft	73.00
57	INT-R&M-057	SUPPLY OF MARINE PLY BOARD 12MM	Supply Of Marine Ply Board 12Mm	CVL / INT	Sq.ft	92.00
58	INT-R&M-058	SUPPLY OF MARINE PLY BOARD 19MM	Supply Of Marine Ply Board 19Mm	CVL / INT	Sq.ft	121.00
59	INT-R&M-059	Professional Cleaning for Projects Completion	Professional Cleaning For Projects Completion	CVL / INT	Sq.ft	12.00
60	INT-R&M-060	Providing & Fixing of Toilet Door Hook	Providing & Fixing Of Toilet Door Hook	CVL / INT	NOS	370.00
61	INT-R&M-061	Providing & Fixing of D Type Handle25mm x 325mm	Providing & Fixing of D Type Handle25mm x 325mm	CVL / INT	NOS	2,800.00

INTERIOR WORKS							
Sr NO	SERVICE CODES	DESCRIPTION	Long Description	WBS	UOM	RATES	
62	INT-R&M-062	Providing & Fixing of D Type Handle25mm x 450mm	Providing & Fixing of D Type Handle25mm x 450mm	CVL / INT	NOS	3,362.00	
63	INT-R&M-063	Providing & Fixing of D Type Handle32mm x 600mm	Providing & Fixing of D Type Handle32mm x 600mm	CVL / INT	NOS	3,887.00	
64	INT-R&M-064	Providing & Fixing of H Type Handle25mm x 325mm	Providing & Fixing of H Type Handle25mm x 325mm	CVL / INT	NOS	2,800.00	
65	INT-R&M-065	Providing & Fixing of H Type Handle25mm x 350mm	Providing & Fixing of H Type Handle25mm x 350mm	CVL / INT	NOS	2,800.00	
66	INT-R&M-066	Providing & Fixing of H Type Handle25mm x 450mm	Providing & Fixing of H Type Handle25mm x 450mm	CVL / INT	NOS	3,362.00	
67	INT-R&M-067	Providing & Fixing of H Type Handle25mm x 600mm	Providing & Fixing of H Type Handle25mm x 600mm	CVL / INT	NOS	3,887.00	
68	INT-R&M-068	Providing & Fixing of H Type Handle25mm x 1100mm	Providing & Fixing of H Type Handle25mm x 1100mm	CVL / INT	NOS	3,730.00	
69	INT-R&M-069	Providing & Fixing of H Type Handle32mm x 600mm	Providing & Fixing of H Type Handle32mm x 600mm	CVL / INT	NOS	3,800.00	
70	INT-R&M-070	Providing & Fixing of H Type Handle32mm x 900mm	Providing & Fixing of H Type Handle32mm x 900mm	CVL / INT	NOS	5,000.00	
71	INT-R&M-071	SCAFFOLDING CHARGES UPTO 200 SQFT	SCAFFOLDING CHARGES UPTO 200 SQFT	CVL / INT	SQ.FT	50.00	
72	INT-R&M-072	SCAFFOLDING CHARGES 200 - 500 SQFT	SCAFFOLDING CHARGES 200 - 500 SQFT	CVL / INT	SQ.FT	45.00	
73	INT-R&M-073	SCAFFOLDING CHARGES 500 - 1000 SQFT	SCAFFOLDING CHARGES 500 - 1000 SQFT	CVL / INT	SQ.FT	40.00	
74	INT-R&M-074	SCAFFOLDING CHARGES ABOVE 1000 SQFT	SCAFFOLDING CHARGES ABOVE 1000 SQFT	CVL / INT	SQ.FT	32.00	