



CLAS6 π^0 BSA, phi distributions — $A_{LU}(\phi)$
no $\tilde{H}$: $\chi^2=620.1/663=0.94$ with $\tilde{H}$ refit: $\chi^2=625.2/663=0.94$ $\Delta = +5.1$




● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS6 π^0 structure functions — $\sigma_U = \sigma_T + \varepsilon\sigma_L$
no $\tilde{H}$: $\chi^2=171.8/96=1.79$ with $\tilde{H}$ refit: $\chi^2=183.7/96=1.91$ $\Delta = +11.9$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS6 π^0 structure functions — σ_{LT}
no $\tilde{H}$: $\chi^2=191.3/96=1.99$ with $\tilde{H}$ refit: $\chi^2=201.8/96=2.10$ $\Delta = +10.5$




CLAS6 π^0 structure functions — $\sigma_{\pi\pi}$
no $\tilde{H}$: $\chi^2=121.1/96=1.26$ with $\tilde{H}$ refit: $\chi^2=124.5/96=1.30$ $\Delta = +3.3$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS6 η structure functions — $\sigma_U = \sigma_T + \varepsilon\sigma_L$
no $\tilde{H}$: $\chi^2=101.0/69=1.46$ with $\tilde{H}$ refit: $\chi^2=121.4/69=1.76$ $\Delta = +20.4$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$


CLAS6 η structure functions — σ_{LT}
no $\tilde{H}$: $\chi^2=46.2/69=0.67$ with $\tilde{H}$ refit: $\chi^2=48.7/69=0.71$ $\Delta = +2.5$




CLAS6 η structure functions — $\sigma_{\pi\pi}$
no $\tilde{H}$: $\chi^2=69.0/69=1.00$ with $\tilde{H}$ refit: $\chi^2=63.5/69=0.92$ $\Delta = -5.5$





Hall-A neutron, σ_{LT}, σ_{TT} (2017) — σ_{LT}
 no $\tilde{H}$: $\chi^2=6.5/4=1.62$ with $\tilde{H}$ refit: $\chi^2=6.4/4=1.59$ $\Delta = -0.1$



Hall-A neutron, σ_{LT}, σ_{TT} (2017) — σ_{TT}
no $\tilde{H}$: $\chi^2=12.2/4=3.05$ with $\tilde{H}$ refit: $\chi^2=6.1/4=1.52$ $\Delta = -6.1$






Hall-A neutron, σ_U at two ε (2017) — $\sigma_U = \sigma_T + \varepsilon\sigma_L$
 no $\tilde{H}$: $\chi^2=6.4/8=0.80$ with $\tilde{H}$ refit: $\chi^2=6.9/8=0.86$ $\Delta = +0.5$






● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton, σ_T separated (2016) — σ_T
 no $\tilde{H}$: $\chi^2=34.0/7=4.86$ with $\tilde{H}$ refit: $\chi^2=34.5/7=4.92$ $\Delta = +0.4$






● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton, σ_T separated (2016) — σ_{LT}
 no $\tilde{H}$: $\chi^2=34.0/7=4.85$ with $\tilde{H}$ refit: $\chi^2=38.4/7=5.48$ $\Delta = +4.4$






● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton, σ_T separated (2016) — σ_{TT}
 no $\tilde{H}$: $\chi^2=28.9/7=4.12$ with $\tilde{H}$ refit: $\chi^2=32.5/7=4.65$ $\Delta = +3.7$







● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton, σ_L separated (2016) — σ_L
 no $\tilde{H}$: $\chi^2=4.7/7=0.67$ with $\tilde{H}$ refit: $\chi^2=4.3/7=0.62$ $\Delta = -0.4$







● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton 6 GeV (2011) — $\sigma_U = \sigma_T + \varepsilon \sigma_L$
 no $\tilde{H}$: $\chi^2=40.5/28=1.45$ with $\tilde{H}$ refit: $\chi^2=39.0/28=1.39$ $\Delta = -1.4$







● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton 6 GeV (2011) — σ_{LT}
 no $\tilde{H}$: $\chi^2=45.8/28=1.64$ with $\tilde{H}$ refit: $\chi^2=41.0/28=1.46$ $\Delta = -4.8$



● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton 6 GeV (2011) — σ_{TT}
 no $\tilde{H}$: $\chi^2=40.4/28=1.44$ with $\tilde{H}$ refit: $\chi^2=41.7/28=1.49$ $\Delta = +1.3$







● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton 6 GeV (2011) — $\sigma_{LT'}$

no $\tilde{H}$: $\chi^2=15.9/28=0.57$


with $\tilde{H}$ refit: $\chi^2=15.4/28=0.55$

$\Delta = -0.5$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton 12 GeV (2021) — $\sigma_U = \sigma_T + \varepsilon\sigma_L$
no $\tilde{H}$: $\chi^2=113.1/36=3.14$ with $\tilde{H}$ refit: $\chi^2=96.3/36=2.68$ $\Delta = -16.7$




● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton 12 GeV (2021) — σ_{LT}
 no $\tilde{H}$: $\chi^2=91.9/36=2.55$ with $\tilde{H}$ refit: $\chi^2=84.9/36=2.36$ $\Delta = -7.0$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton 12 GeV (2021) — $\sigma_{\pi\pi}$
no $\tilde{H}$: $\chi^2=103.6/36=2.88$ with $\tilde{H}$ refit: $\chi^2=107.8/36=3.00$ $\Delta = +4.3$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton 12 GeV (2021) — $\sigma_{LT'}$
 no $\tilde{H}$: $\chi^2=49.6/36=1.38$ with $\tilde{H}$ refit: $\chi^2=49.8/36=1.38$ $\Delta = +0.1$




● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS12 cross sections, preliminary — $\sigma_U = \sigma_T + \epsilon\sigma_L$
no $\tilde{H}$: $\chi^2=355.7/146=2.44$ with $\tilde{H}$ refit: $\chi^2=322.9/146=2.21$ $\Delta = -32.8$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS12 cross sections, preliminary — σ_{LT}
no $\tilde{H}$: $\chi^2=2988.5/146=20.47$ with $\tilde{H}$ refit: $\chi^2=3429.8/146=23.49$ $\Delta = +441.2$







● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS12 cross sections, preliminary — $\sigma_{\pi\pi}$
no $\tilde{H}$: $\chi^2=521.1/146=3.57$ with $\tilde{H}$ refit: $\chi^2=518.5/146=3.55$ $\Delta = -2.6$







● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

COMPASS 2025, averaged over the grid — $\sigma_U = \sigma_T + \varepsilon \sigma_L$
 no $\tilde{H}$: $\chi^2=33.7/13=2.59$ with $\tilde{H}$ refit: $\chi^2=40.1/13=3.08$ $\Delta = +6.4$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

COMPASS 2025, averaged over the grid — $\sigma_{\pi\pi}$
 no $\tilde{H}$: $\chi^2=32.3/13=2.49$ with $\tilde{H}$ refit: $\chi^2=27.9/13=2.15$ $\Delta = -4.4$







● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS6 π^0 beam-spin asymmetry — $A_{LU}^{\sin\phi}$
no $\tilde{H}$: $\chi^2=81.6/56=1.46$ with $\tilde{H}$ refit: $\chi^2=87.2/56=1.56$ $\Delta = +5.6$




CLAS6 η beam-spin asymmetry — $A_{LU}^{\sin\phi}$
 no $\tilde{H}$: $\chi^2=12.9/12=1.07$ with $\tilde{H}$ refit: $\chi^2=9.0/12=0.75$ $\Delta = -3.9$



● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$



CLAS12 $\sigma_{LT'}/\sigma_0$ — $\sigma_{LT'}/\sigma_0$
no $\tilde{H}$: $\chi^2=46.2/30=1.54$ with $\tilde{H}$ refit: $\chi^2=39.5/30=1.32$ $\Delta = -6.8$



● data --- no $\tilde{H}$ (old) — with $\tilde{H}$



eg1-dvcs, polarised target — $A_{UL}^{\sin\phi}$

no $\tilde{H}$: $\chi^2=21.1/10=2.11$ with $\tilde{H}$ refit: $\chi^2=10.8/10=1.08$ $\Delta = -10.3$



● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$



eg1-dvcs, polarised target — $A_{UL}^{\sin 2\phi}$
 no $\tilde{H}$: $\chi^2=9.6/10=0.96$ with $\tilde{H}$ refit: $\chi^2=10.7/10=1.07$ $\Delta = +1.1$



● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

eg1-dvcs, polarised target — A_{LL}^{const}



no $\tilde{H}$: $\chi^2=20.5/10=2.05$ with $\tilde{H}$ refit: $\chi^2=25.2/10=2.52$ $\Delta = +4.7$



● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

eg1-dvcs, polarised target — $A_{LL}^{\cos\phi}$

no $\tilde{H}$: $\chi^2=21.1/10=2.11$ with $\tilde{H}$ refit: $\chi^2=14.7/10=1.47$ $\Delta = -6.3$



● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$