



CLAS6 π^0 BSA, phi distributions — $A_{LU}(\phi)$
no $\tilde{H}$: $\chi^2=620.5/663=0.94$ amp2612 (with $\tilde{H}$): $\chi^2=624.8/663=0.94$ $\Delta = +4.3$




CLAS6 π^0 structure functions — $\sigma_U = \sigma_T + \varepsilon\sigma_L$
no $\tilde{H}$: $\chi^2=168.6/96=1.76$ amp2612 (with $\tilde{H}$): $\chi^2=154.1/96=1.60$ $\Delta = -14.5$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS6 π^0 structure functions — σ_{LT}
no $\tilde{H}$: $\chi^2=191.2/96=1.99$ amp2612 (with $\tilde{H}$): $\chi^2=211.3/96=2.20$ $\Delta = +20.1$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS6 π^0 structure functions — $\sigma_{\pi\pi}$
no $\tilde{H}$: $\chi^2=120.5/96=1.26$ amp2612 (with $\tilde{H}$): $\chi^2=116.1/96=1.21$ $\Delta = -4.4$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS6 η structure functions — $\sigma_U = \sigma_T + \varepsilon\sigma_L$
no $\tilde{H}$: $\chi^2=101.1/69=1.46$ amp2612 (with $\tilde{H}$): $\chi^2=101.2/69=1.47$ $\Delta = +0.1$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS6 η structure functions — σ_{LT}
no $\tilde{H}$: $\chi^2=46.2/69=0.67$ amp2612 (with $\tilde{H}$): $\chi^2=46.4/69=0.67$ $\Delta = +0.2$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS6 η structure functions — $\sigma_{\pi\pi}$
no $\tilde{H}$: $\chi^2=69.9/69=1.01$ amp2612 (with $\tilde{H}$): $\chi^2=65.2/69=0.95$ $\Delta = -4.7$



Hall-A neutron, σ_T separated (2017) — σ_T
no $\tilde{H}$: $\chi^2=0.6/4=0.15$ amp2612 (with $\tilde{H}$): $\chi^2=1.1/4=0.27$ $\Delta = +0.5$




Hall-A neutron, σ_T separated (2017) — σ_{LT}

no $\tilde{H}$: $\chi^2=6.3/4=1.58$

amp2612 (with $\tilde{H}$): $\chi^2=8.0/4=2.00$

$\Delta = +1.7$




Hall-A neutron, σ_T separated (2017) — σ_{TT}




no $\tilde{H}$: $\chi^2=13.2/4=3.30$

amp2612 (with $\tilde{H}$): $\chi^2=13.4/4=3.34$

$\Delta = +0.2$






Hall-A proton, σ_T separated (2016) — σ_T
 no $\tilde{H}$: $\chi^2=34.1/7=4.87$ amp2612 (with $\tilde{H}$): $\chi^2=41.6/7=5.94$ $\Delta = +7.5$






● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton, σ_T separated (2016) — σ_{LT}
 no $\tilde{H}$: $\chi^2=33.9/7=4.85$ amp2612 (with $\tilde{H}$): $\chi^2=42.7/7=6.10$ $\Delta = +8.8$







● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton, σ_T separated (2016) — σ_{TT}
 no $\tilde{H}$: $\chi^2=27.8/7=3.98$ amp2612 (with $\tilde{H}$): $\chi^2=21.2/7=3.03$ $\Delta = -6.6$







● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton 6 GeV (2011) — $\sigma_U = \sigma_T + \varepsilon \sigma_L$
 no $\tilde{H}$: $\chi^2=43.3/28=1.55$ amp2612 (with $\tilde{H}$): $\chi^2=46.7/28=1.67$ $\Delta = +3.5$







● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton 6 GeV (2011) — σ_{LT}
 no $\tilde{H}$: $\chi^2=45.9/28=1.64$ amp2612 (with $\tilde{H}$): $\chi^2=42.1/28=1.51$ $\Delta = -3.7$



● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$





Hall-A proton 6 GeV (2011) — $\sigma_{\pi\pi}$
 no $\tilde{H}$: $\chi^2=39.7/28=1.42$ amp2612 (with $\tilde{H}$): $\chi^2=35.6/28=1.27$ $\Delta = -4.2$



● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$










Hall-A proton 6 GeV (2011) — $\sigma_{LT'}$

no $\tilde{H}$: $\chi^2=16.0/28=0.57$ amp2612 (with $\tilde{H}$): $\chi^2=15.7/28=0.56$ $\Delta = -0.2$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton 12 GeV (2021) — $\sigma_U = \sigma_T + \varepsilon\sigma_L$
 no $\tilde{H}$: $\chi^2=113.9/36=3.16$ amp2612 (with $\tilde{H}$): $\chi^2=100.2/36=2.78$ $\Delta = -13.7$




● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$


Hall-A proton 12 GeV (2021) — σ_{LT}
no $\tilde{H}$: $\chi^2=92.0/36=2.55$ amp2612 (with $\tilde{H}$): $\chi^2=82.8/36=2.30$ $\Delta = -9.2$



● data --- no $\tilde{H}$ (old) — with $\tilde{H}$




Hall-A proton 12 GeV (2021) — $\sigma_{LT'}$
 no $\tilde{H}$: $\chi^2=50.0/36=1.39$ amp2612 (with $\tilde{H}$): $\chi^2=51.9/36=1.44$ $\Delta = +1.9$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS12 cross sections, preliminary — $\sigma_U = \sigma_T + \varepsilon \sigma_L$
no $\tilde{H}$: $\chi^2=352.7/146=2.42$ amp2612 (with $\tilde{H}$): $\chi^2=345.3/146=2.37$ $\Delta = -7.4$




CLAS12 cross sections, preliminary — σ_{LT}
no $\tilde{H}$: $\chi^2=2960.7/146=20.28$ amp2612 (with $\tilde{H}$): $\chi^2=4338.4/146=29.71$ $\Delta = +1377.7$







● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS12 cross sections, preliminary — $\sigma_{\pi\pi}$
no $\tilde{H}$: $\chi^2=522.8/146=3.58$ amp2612 (with $\tilde{H}$): $\chi^2=493.4/146=3.38$ $\Delta = -29.3$







COMPASS 2025, averaged over the grid — $\sigma_U = \sigma_T + \varepsilon \sigma_L$
 no $\tilde{H}$: $\chi^2=33.3/13=2.56$ amp2612 (with $\tilde{H}$): $\chi^2=39.5/13=3.04$ $\Delta = +6.2$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

COMPASS 2025, averaged over the grid — $\sigma_{\pi\pi}$
 no $\tilde{H}$: $\chi^2=31.8/13=2.44$ amp2612 (with $\tilde{H}$): $\chi^2=24.2/13=1.86$ $\Delta = -7.6$







● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS6 π^0 beam-spin asymmetry — $A_{LU}^{\sin\phi}$
no $\tilde{H}$: $\chi^2=82.0/56=1.46$ amp2612 (with $\tilde{H}$): $\chi^2=90.3/56=1.61$ $\Delta = +8.3$




CLAS6 η beam-spin asymmetry — $A_{LU}^{\sin\phi}$
 no $\tilde{H}$: $\chi^2=13.2/12=1.10$ amp2612 (with $\tilde{H}$): $\chi^2=12.5/12=1.04$ $\Delta = -0.7$



● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$



CLAS12 $\sigma_{LT'}/\sigma_0$ — $\sigma_{LT'}/\sigma_0$
no $\tilde{H}$: $\chi^2=45.8/30=1.53$ amp2612 (with $\tilde{H}$): $\chi^2=35.1/30=1.17$ $\Delta = -10.6$



● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

eg1-dvcs, polarised target — $A_{UL}^{\sin\phi}$



no $\tilde{H}$: $\chi^2=21.6/10=2.16$ amp2612 (with $\tilde{H}$): $\chi^2=6.2/10=0.62$ $\Delta = -15.4$



● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

eg1-dvcs, polarised target — $A_{UL}^{\sin 2\phi}$



no $\tilde{H}$: $\chi^2=9.5/10=0.95$ amp2612 (with $\tilde{H}$): $\chi^2=14.3/10=1.43$ $\Delta = +4.8$



● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

eg1-dvcs, polarised target — A_{LL}^{const}



no $\tilde{H}$: $\chi^2=20.3/10=2.03$ amp2612 (with $\tilde{H}$): $\chi^2=27.1/10=2.71$ $\Delta = +6.8$



● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

eg1-dvcs, polarised target — $A_{LL}^{\cos\phi}$

no $\tilde{H}$: $\chi^2=20.8/10=2.08$ amp2612 (with $\tilde{H}$): $\chi^2=12.1/10=1.21$ $\Delta = -8.7$



● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$