



CLAS6 π^0 BSA, phi distributions — $A_{LU}(\phi)$
no $\tilde{H}$: $\chi^2=620.5/663=0.94$ with $\tilde{H}$: $\chi^2=622.5/663=0.94$ $\Delta = +1.9$




CLAS6 π^0 structure functions — $\sigma_U = \sigma_T + \varepsilon\sigma_L$
no $\tilde{H}$: $\chi^2=168.6/96=1.76$ with $\tilde{H}$: $\chi^2=144.3/96=1.50$ $\Delta = -24.3$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS6 π^0 structure functions — σ_{LT}
no $\tilde{H}$: $\chi^2=191.2/96=1.99$ with $\tilde{H}$: $\chi^2=224.2/96=2.34$ $\Delta = +33.0$




CLAS6 π^0 structure functions — $\sigma_{\pi\pi}$
no $\tilde{H}$: $\chi^2=120.5/96=1.26$ with $\tilde{H}$: $\chi^2=111.6/96=1.16$ $\Delta = -9.0$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS6 η structure functions — $\sigma_U = \sigma_T + \varepsilon\sigma_L$
no $\tilde{H}$: $\chi^2=101.1/69=1.46$ with $\tilde{H}$: $\chi^2=86.2/69=1.25$ $\Delta = -14.9$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS6 η structure functions — σ_{LT}
no $\tilde{H}$: $\chi^2=46.2/69=0.67$ with $\tilde{H}$: $\chi^2=47.3/69=0.69$ $\Delta = +1.1$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$


CLAS6 η structure functions — $\sigma_{\pi\pi}$
no $\tilde{H}$: $\chi^2=69.9/69=1.01$ with $\tilde{H}$: $\chi^2=61.9/69=0.90$ $\Delta = -7.9$




Hall-A neutron, σ_T separated (2017) — σ_T
no $\tilde{H}$: $\chi^2=0.6/4=0.15$ with $\tilde{H}$: $\chi^2=0.6/4=0.16$ $\Delta = +0.0$






Hall-A neutron, σ_T separated (2017) — σ_{LT}
 no $\tilde{H}$: $\chi^2=6.3/4=1.58$ with $\tilde{H}$: $\chi^2=7.1/4=1.78$ $\Delta = +0.8$



Hall-A neutron, σ_T separated (2017) — σ_{TT}
 no $\tilde{H}$: $\chi^2=13.2/4=3.30$ with $\tilde{H}$: $\chi^2=7.3/4=1.82$ $\Delta = -5.9$






Hall-A proton, σ_T separated (2016) — σ_T
 no $\tilde{H}$: $\chi^2=34.1/7=4.87$ with $\tilde{H}$: $\chi^2=39.4/7=5.63$ $\Delta = +5.3$






● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton, σ_T separated (2016) — σ_{LT}
 no $\tilde{H}$: $\chi^2=33.9/7=4.85$ with $\tilde{H}$: $\chi^2=41.4/7=5.92$ $\Delta = +7.5$







● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton, σ_T separated (2016) — σ_{TT}
 no $\tilde{H}$: $\chi^2=27.8/7=3.98$ with $\tilde{H}$: $\chi^2=21.7/7=3.10$ $\Delta = -6.1$







● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton 6 GeV (2011) — $\sigma_U = \sigma_T + \varepsilon\sigma_L$
 no $\tilde{H}$: $\chi^2=43.3/28=1.55$ with $\tilde{H}$: $\chi^2=40.2/28=1.43$ $\Delta = -3.1$







● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton 6 GeV (2011) — σ_{LT}
 no $\tilde{H}$: $\chi^2=45.9/28=1.64$ with $\tilde{H}$: $\chi^2=41.6/28=1.49$ $\Delta = -4.3$







● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton 6 GeV (2011) — $\sigma_{\pi\pi}$
 no $\tilde{H}$: $\chi^2=39.7/28=1.42$ with $\tilde{H}$: $\chi^2=35.4/28=1.26$ $\Delta = -4.4$












● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton 6 GeV (2011) — $\sigma_{LT'}$
 no $\tilde{H}$: $\chi^2=16.0/28=0.57$ with $\tilde{H}$: $\chi^2=14.8/28=0.53$ $\Delta = -1.2$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton 12 GeV (2021) — $\sigma_U = \sigma_T + \varepsilon\sigma_L$
 no $\tilde{H}$: $\chi^2=113.9/36=3.16$ with $\tilde{H}$: $\chi^2=89.6/36=2.49$ $\Delta = -24.3$




● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton 12 GeV (2021) — σ_{LT}
no $\tilde{H}$: $\chi^2=92.0/36=2.55$ with $\tilde{H}$: $\chi^2=85.0/36=2.36$ $\Delta = -7.0$




● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton 12 GeV (2021) — $\sigma_{\pi\pi}$
no $\tilde{H}$: $\chi^2=102.8/36=2.86$ with $\tilde{H}$: $\chi^2=95.8/36=2.66$ $\Delta = -7.0$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

Hall-A proton 12 GeV (2021) — $\sigma_{LT'}$
 no $\tilde{H}$: $\chi^2=50.0/36=1.39$ with $\tilde{H}$: $\chi^2=49.5/36=1.37$ $\Delta = -0.5$




● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS12 cross sections, preliminary — $\sigma_U = \sigma_T + \varepsilon\sigma_L$
no $\tilde{H}$: $\chi^2=352.7/146=2.42$ with $\tilde{H}$: $\chi^2=430.6/146=2.95$ $\Delta = +77.9$




● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS12 cross sections, preliminary — σ_{LT}
no $\tilde{H}$: $\chi^2=2960.7/146=20.28$ with $\tilde{H}$: $\chi^2=6174.3/146=42.29$ $\Delta = +3213.6$







● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS12 cross sections, preliminary — $\sigma_{\pi\pi}$
no $\tilde{H}$: $\chi^2=522.8/146=3.58$ with $\tilde{H}$: $\chi^2=423.2/146=2.90$ $\Delta = -99.6$







COMPASS 2025, averaged over the grid — $\sigma_U = \sigma_T + \varepsilon \sigma_L$
 no $\tilde{H}$: $\chi^2=33.3/13=2.56$ with $\tilde{H}$: $\chi^2=45.3/13=3.48$ $\Delta = +12.0$




● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

COMPASS 2025, averaged over the grid — $\sigma_{\pi\pi}$
 no $\tilde{H}$: $\chi^2=31.8/13=2.44$ with $\tilde{H}$: $\chi^2=23.8/13=1.83$ $\Delta = -7.9$







● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS6 π^0 beam-spin asymmetry — $A_{LU}^{\sin\phi}$
no $\tilde{H}$: $\chi^2=82.0/56=1.46$ with $\tilde{H}$: $\chi^2=76.6/56=1.37$ $\Delta = -5.3$




CLAS6 η beam-spin asymmetry — $A_{LU}^{\sin\phi}$
 no $\tilde{H}$: $\chi^2=13.2/12=1.10$ with $\tilde{H}$: $\chi^2=16.2/12=1.35$ $\Delta = +3.0$





● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

CLAS12 $\sigma_{LT'}/\sigma_0$ — $\sigma_{LT'}/\sigma_0$
no $\tilde{H}$: $\chi^2=45.8/30=1.53$ with $\tilde{H}$: $\chi^2=45.9/30=1.53$ $\Delta = +0.1$





● data --- no $\tilde{H}$ (old) — with $\tilde{H}$

eg1-dvcs, polarised target — $A_{UL}^{\sin\phi}$
 no $\tilde{H}$: $\chi^2=21.6/10=2.16$ with $\tilde{H}$: $\chi^2=7.7/10=0.77$ $\Delta = -14.0$





● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

eg1-dvcs, polarised target — $A_{UL}^{\sin 2\phi}$
no $\tilde{H}$: $\chi^2=9.5/10=0.95$ with $\tilde{H}$: $\chi^2=15.6/10=1.56$ $\Delta = +6.2$





● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

eg1-dvcs, polarised target — A_{LL}^{const}
no $\tilde{H}$: $\chi^2=20.3/10=2.03$ with $\tilde{H}$: $\chi^2=28.4/10=2.84$ $\Delta = +8.1$



● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$

eg1-dvcs, polarised target — $A_{LL}^{\cos\phi}$
 no $\tilde{H}$: $\chi^2=20.8/10=2.08$ with $\tilde{H}$: $\chi^2=17.3/10=1.73$ $\Delta = -3.4$



● data - - - no $\tilde{H}$ (old) — with $\tilde{H}$