Pumping Unit Sizing

Complete the online questionnaire to size a pumping unit. A manager will respond within one business day. A PDF version is also available.

HOW TO COMPLETE THIS FORM

Fill in the form by hand or in a PDF reader. Tick the relevant boxes (□ → ■). Where parameters are unknown, leave the line blank or write «to be determined». Return the completed form to sales@anhelspb.com — our engineering team replies within one business day with a sizing proposal.

STEP 01

Contacts and facility

Who you are and where the unit will operate

Contact details

Company ______________________________

Full name ______________________________

Position ______________ City ______________

Email ______________ Contact phone ______________

How did you hear about us?

How did you hear about us?

- ◯ Yandex / Google ads
- ◯ Yandex / Google search
- ◯ Social networks
- ◯ Recommendation from a colleague
- ◯ Already familiar, worked with us before
- ◯ Other

Please specify ______________________________

General information

Facility name and location ______________________________

____

____

STEP 02

System

System type and purpose

System

Select all that apply

- ☐ water supply
- ☐ firefighting
- ☐ indoor fire-water riser (VPV)
- ☐ automatic fire-suppression system (APT)
- ☐ heating
- ☐ closed loop
- ☐ open loop
- ☐ air conditioning
- ☐ combined system (firefighting + water supply)
- ☐ other

Please specify ______________________________

STEP 03

Flow and head

Hydraulic parameters

Flow rate

Required flow rate ______________ m³/h

Jockey-pump flow rate ______________ m³/h

Flow rate, water supply ______________ m³/h

Combined system

Flow rate, firefighting ______________ m³/h

Combined system

Head

Guaranteed supply pressure ______________ m H_2O

☐ Pond / open water
Water intake from a pond or tank

☐ Underground tank

☐ Semi-buried tank

☐ Above-ground tank

Hmin ______________ m H_2O

Hmax ______________ m H_2O

Profit LLC · ANHEL® brand · Saint Petersburg, Russia · anhelspb.com · sales@anhelspb.com · +7 (812) 416-45-00

Required pumping-unit head ______________________ m H_2O

* = Required system head − Guaranteed supply pressure

Required jockey-pump head ______________________ m H_2O

Required head, water supply ______________________ m H_2O

Combined system

Required head, firefighting ______________________ m H_2O

Combined system

Maximum system pressure ______________________ bar

STEP 04

Equipment

Fluid, pumps, control, options

Fluid and pumps

Pumped fluid ______________________

if not clean water, specify concentration

Fluid temperature ______________________ °C

Number of duty pumps ______________________

providing the required flow

Number of standby pumps ______________________

Control

- ☐ VFD with PLC
- ☐ VFD without PLC
- ☐ DOL / relay with PLC + soft starter
- ☐ VFD per pump with PLC
- ☐ DOL / relay with PLC

Motorized-valve control and switching
- ○ Yes
- ○ No

Number of valves ______________________

Valve brand and type ______________________

Options

- ☐ single power input per pump (no ATS)

- ☐ two power inputs with ATS
- ☐ outdoor control cabinet (UKHL1, UKHL2)
- ☐ limit switches for VPV fire-water pump set
- ☐ different inlet / outlet manifold diameters

Specify diameters ____________________

Communication

- ☐ Profibus
- ☐ Modbus
- ☐ Ethernet
- ☐ GSM
- ☐ Other

Please specify ____________________

Modular skid in an enclosure

Type / material / orientation

- ☐ container (Type)
- ☐ tank (Type)
- ☐ fiberglass (Material)
- ☐ steel (Material)
- ☐ vertical (Orientation)
- ☐ horizontal (Orientation)

Additional information

Additional information ____________________

____

____

Attach any project drawings, water analyses or specifications as separate files when you reply.