

Pumping Unit Sizing

Complete the online questionnaire to size a pumping unit. A manager will respond within one business day. A PDF version is also available.

HOW TO COMPLETE THIS FORM

Fill in the form by hand or in a PDF reader. Tick the relevant boxes (☐ → ☒). Where parameters are unknown, leave the line blank or write «to be determined». Return the completed form to info@anhelspb.com — our engineering team replies within one business day with a sizing proposal.

* — required field.

STEP 01

Contacts and facility

Who you are and where the unit will operate

Contact details

Company *

Full name *

Position *

City *

Email *

Contact phone *

How did you hear about us?

How did you hear about us?

- ☐ Yandex / Google ads
- ☐ Yandex / Google search
- ☐ Social networks
- ☐ Recommendation from a colleague
- ☐ Already familiar, worked with us before
- ☐ Other

Please specify

General information

Facility name and location

STEP 02

System

System type and purpose

System

Select all that apply

- ☐ water supply
- ☐ firefighting
- ☐ indoor fire-water riser (VPV)
- ☐ automatic fire-suppression system (APT)
- ☐ heating
- ☐ closed loop
- ☐ air conditioning
- ☐ combined system (firefighting + water supply)
- ☐ other
- ☐ open loop

Please specify

STEP 03

Flow and head

Hydraulic parameters

Flow rate

Required flow rate

 m³/h

Jockey-pump flow rate

 m³/h

Flow rate, water supply

 m³/h

Flow rate, firefighting

 m³/h

Combined system

Combined system

Head

Guaranteed supply pressure _____ m H₂O

☐ **Pond / open water**
 Water intake from a pond or tank

☐ Underground tank

☐ Semi-buried tank

☐ Above-ground tank

Hmin _____ m H₂O

Hmax _____ m H₂O

Required pumping-unit head _____ m H₂O

* = Required system head – Guaranteed supply pressure

Required jockey-pump head _____ m H₂O

Required head, water supply _____ m H₂O

Combined system

Required head, firefighting _____ m H₂O

Combined system

Maximum system pressure _____ bar

STEP 04

Equipment

Fluid, pumps, control, options

Fluid and pumps

Pumped fluid _____ Fluid temperature _____ °C

if not clean water, specify concentration

Number of duty pumps _____ Number of standby pumps _____

providing the required flow

Control

- ☐ VFD with PLC
- ☐ VFD without PLC
- ☐ DOL / relay with PLC + soft starter

- ☐ VFD per pump with PLC
- ☐ DOL / relay with PLC

Motorized-valve control and switching

- ☐ Yes
- ☐ No

Number of valves _____ Valve brand and type _____

Options

- ☐ single power input per pump (no ATS)
- ☐ two power inputs with ATS
- ☐ outdoor control cabinet (UKHL1, UKHL2)
- ☐ limit switches for VPV fire-water pump set
- ☐ different inlet / outlet manifold diameters

Specify diameters

Communication

- | | |
|-----------------------------------|---------------------------------|
| ☐ Profibus | ☐ Modbus |
| ☐ Ethernet | ☐ GSM |
| ☐ Other | |

Please specify

Modular skid in an enclosure

Type / material / orientation

- | | |
|---|---|
| ☐ container
Type | ☐ tank
Type |
| ☐ fiberglass
Material | ☐ steel
Material |
| ☐ vertical
Orientation | ☐ horizontal
Orientation |

Additional information

Additional information

Attach any project drawings, water analyses or specifications as separate files when you reply.