

**Odsek visoka škola za informacione i komunikacione tehnologije**  
Beograd, Zdravka Čelara 16

**Dokumentacija za projekat**  
**BURGER EMPIRE**  
**Predmet: Web programiranje 1**



**Profesor:**  
dr Nenad Kojić

**Student:**  
Vladimir Ješić 22/22

Link: <https://vladimirjesic.github.io/bewp.github.io/folders/index.html>

## Sadržaj

### Contents

Sadržaj.....	2
Uvod.....	4
Korišćeni programski jezici .....	4
Opis funkcionalnosti .....	4
Template .....	5
Organizacija .....	5
Organizaciona šema .....	5
Sitemap .....	6
Slike stranica i opisi funkcionalnosti .....	7
index.html .....	7
menu.html .....	9
about.html .....	10
gallery.html .....	11
author.html .....	12
Kodovi.....	13
HTML kodovi .....	13
index.html kod .....	13
menu.html kod .....	15
about.html kod .....	18
gallery.html kod .....	19
author.html kod .....	20
CSS kodovi .....	21
style.css kod .....	21
responsive.css kod.....	24
JavaScript kod.....	25
main.js kod.....	25
index.js kod.....	25
about.js kod.....	26
gallery.js kod.....	27



## Uvod

### Korišćeni programski jezici

Prilikom izrade ovog projekta korišćeni su sledeći alati: HTML, CSS, JavaScript, XML, jQuery, Bootstrap. Korišćen je Visual Studio Code kao radno okruženje

### Opis funkcionalnosti

#### index.html

- Dinamički ispis navigacione liste u header-u
- Dugme u prvoj sekciji sajta koje odmah nudi korisniku da ode na stranicu menu.html odakle može da vidi izbor proizvoda koje može da naruči
- Slajder koji je uradjen pomoću Bootstrap-a koji prikazuje tri najpopularnija proizvoda i kratak opis njihovog sadržaja, kao i dugme koje isto vodi ka stranici menu.html
- Kontakt forma, čija je validacija odradjena JavaScript-om i javlja korisniku grešku prilikom pogrešnog popunjavanja forme
- Linkovane ikonice koje vode ka društvenim mrežama
- Dinamički ispisan footer koji sadrži linkove ka dokumentaciji sajta i sitemap-u

#### menu.html

- Dinamički ispis navigacione liste u header-u
- Kartice uradjene pomoću Bootstrap-a koje prikazuju sliku proizvoda, njen opis i cenu (klikom na cenu obaveštava se korisnik da je onlajn porudžbina trenutno nedostupna)
- Dinamički ispisan footer koji sadrži linkove ka dokumentaciji sajta i sitemap-u

#### about.html

- Dinamički ispis navigacione liste u header-u
- Tekst koji poseduje dugme “Show | Hide” koje omogućava korisniku da sklanja ili prikazuje tekst – napravljeno preko jQuery-ja

- Dinamički ispisan footer koji sadrži linkove ka dokumentaciji sajta i sitemap-u

### gallery.html

- Dinamički ispis navigacione liste u header-u
- Dinamički ispis galerije
- Dinamički ispisan footer koji sadrži linkove ka dokumentaciji sajta i sitemap-u

### author.html


- Dinamički ispis navigacione liste u header-u
- Dinamički ispisan footer koji sadrži linkove ka dokumentaciji sajta i sitemap-u

## Template

Prilikom izrade projekta nije korišćen template

## Organizacija

### Organizaciona šema



Svaka stranica je povezana sa svakom

## Sitemap

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">

  <url>
    <loc>https://vladimirjesic.github.io/bewp.github.io/folders/index.html</loc>
    <lastmod>2023-12-08</lastmod>
    <changefreq>daily</changefreq>
    <priority>1</priority>
  </url>

  <url>
    <loc>https://vladimirjesic.github.io/bewp.github.io/folders/menu.html</loc>
    <lastmod>2023-12-08</lastmod>
    <changefreq>weekly</changefreq>
    <priority>0.7</priority>
  </url>

  <url>
    <loc>https://vladimirjesic.github.io/bewp.github.io/folders/about.html</loc>
    <lastmod>2023-12-08</lastmod>
    <changefreq>monthly</changefreq>
    <priority>0.6</priority>
  </url>


  <url>
    <loc>https://vladimirjesic.github.io/bewp.github.io/folders/gallery.html</loc>
    <lastmod>2023-12-08</lastmod>
    <changefreq>yearly</changefreq>
    <priority>0.5</priority>
  </url>

  <url>
    <loc>https://vladimirjesic.github.io/bewp.github.io/folders/author.html</loc>
    <lastmod>2023-12-08</lastmod>
    <changefreq>yearly</changefreq>
    <priority>0.5</priority>
  </url>

</urlset>
```

## Slike stranica i opisi funkcionalnosti

index.html



## OUR RESTAURANT



It all began in 2015 when we opened our hamburger restaurant in Belgrade. We wanted to serve good, affordable food of the highest quality.

The best burgers require the best ingredients. But just as important is having the right staff with a passion for quality. We are always looking for people who want to help us deliver great taste to our customers. As an employee, you receive extensive training and continuing education.

Every day, more than 200 guests visit BURGER EMPIRE restaurant. And they do so because our restaurants are known for serving high-quality, great-tasting, and affordable food. We are number one quality burger restaurant in Serbia.

## CONTACT

### Get Connected

We welcome you to contact us for more information about any of our products or services.

### I Contact form

Name

Your name ...

Last name

Your last name ...

Email

Your email ...

Your question

Text ...

Submit question

### II Social networks



Burger Empire



burger\_empire

### III

Give us a call or write us an email



+381 62 556 346




vladimirjesic@gmail.com



U početnoj stranici (index.html) se nalaze opšte informacije o restoranu. Nalazi se dinamički ispisan navigacioni meni putem koga se pristupa drugim stranicama (native JavaScript). Slajder je napravljen Bootstrap-om i sadrži slike proizvoda i njihove kratke opise kao i dugme koje vodi ka meniju restorana. Kontakt sekcija sadrži kontakt formu sa validacijom (native JavaScript – regularni izrazi) kao i linkovane ikonice koje vode ka društvenim mrežama. Na kraju stranice se nalazi dinamički ispisan footer sa linkovima ka dokumentaciji i sitemap-u.

## menu.html

 **BURGER  
EMPIRE**

HOME

MENU

ABOUT US


GALLERY

AUTHOR

MENU


*"A hamburger is perfection wrapped up in a bun."*  
Anthony Bourdain

BEEF BURGERS




Regular Burger  
110gr fresh beef, BBQ and Horseradish sauce, Lettuce, Tomato, Pickles, Purple onion

600 din



Bacon Burger  
150g of fresh beef, Fried bacon, Lettuce, Tomato, Pickles, Red onion, Mustard sauce


800 din



Cheeseburger  
150 g of fresh beef, Cheddar cheese, Mustard sauce, Tomato, Lettuce, Pickles, Caramelized onions


850 din

CHICKEN BURGERS




Regular Chicken Burger  
110g chicken, BBQ and Horseradish sauce, Lettuce, Tomato, Pickles, Purple onion

800 din



Chicken Cheeseburger  
150g of fresh chicken, Cheddar cheese, Mustard sauce, Tomato, Lettuce, Pickles, Caramelized onions


900 din



Double Chicken Cheeseburger  
300g of fresh chicken, Cheddar cheese, Mustard sauce, Tomato, Lettuce, Pickles, Caramelized onions


600 din

ADD-ONS




Fries  
Fried potato 180g

300 din



Onion Rings  
Fried onion 200g

400 din




Sauces  
10 different kinds of sauces

600 din

© All rights reserved Vladimir Jesic 2023. | Documentation | Sitemap

Na stranici Menu (menu.html) je korišćeno Bootstrap-ovo gotovo rešenje za kartice na kojima se nalaze slika, opis i cena proizvoda. Klikom na cenu obaveštava se korisnik o tome da onlajn porudžbina nije moguća. Sadrži i prethodno opisani dinamički ispisan navigacioni meni i footer.

## about.html

**BURGER  
EMPIRE**

HOME


MENU

ABOUT US

GALLERY

AUTHOR

ABOUT US



### Welcome to Burger Empire!

A place where you will enjoy the best burgers in town! Our burgers are made from 100% black Angus meat, which is the highest quality type of beef and therefore the best meat there is. The menu includes various combinations of the highest quality fresh ingredients and accessories, which satisfy the tastes of even the biggest gourmets. In our space, which we designed with a lot of love, in addition to delicious food, you can also enjoy a pleasant atmosphere and excellent service. We will make sure that you feel at home and that the taste of our specialties will remain in your memory for a long time!

Our menu caters to diverse palates, offering a range of options from signature creations to customizable masterpieces. Immerse yourself in the cozy ambiance, where friends and families come together to enjoy delicious burgers and create lasting memories. At our burger restaurant, we are not just serving meals; we are crafting an unforgettable journey for your taste buds.


[Show | Hide](#)

### About the production process

We are proud of our own meat processing, thanks to which we are sure that the burgers that leave our kitchen are prepared from the highest quality raw materials. High-end machines, recipes that have been achieved through decades of experience in production, and leading suppliers in Serbia, provide products that bring with them original tastes of true quality. By implementing the HACCP system and implementing standard operating procedures in all stages of production and preparation, food safety has been raised to a high level.

Our chefs, skilled artisans in their craft, carefully season and shape the patties, ensuring a harmonious blend of flavors in every bite. We prioritize freshness, and our burgers are made to order, guaranteeing that each customer receives a product of the highest quality. Our commitment to transparency extends to our open kitchen concept, allowing diners to witness the preparation process firsthand.

[Show | Hide](#)




### Oil quality control

We paid special attention to the quality of the oil used for frying side dishes in Burger Bars, using a unique device on the world market for filtering oil for frying VITO® and instruments for testing the quality of the oil, which is regularly changed accordingly. By using the VITO® device, the taste and quality of the food is improved, i.e., we serve our guests healthier deep-fried food that does not contain carbon, which is a product of the long-term use of frying oil. It has been proven that the use of VITO® devices has a positive effect on critical parameters such as Total Polar Matters - TPM.

Additionally, we regularly maintain and clean our cooking equipment to guarantee optimal performance and prevent any unwanted oil residue. By prioritizing oil control in our culinary process, we aim to offer a guilt-free indulgence for our customers, allowing them to savor the rich tastes of our burgers without unnecessary excess. At our restaurant, we believe that every aspect of the dining experience, including oil control, contributes to the overall satisfaction and well-being of our patrons.


[Show | Hide](#)



© All rights reserved Vladimir Jesic 2023. | [Documentation](#) | [Sitemap](#)


Na stranici About us se nalazi tekst o restoranu i načinu rada. Dugme “Show | Hide” služi da bi korisnik mogao da sakrije ili prikaže određeni deo teksta (jQuery). Sadrži i prethodno opisani dinamički ispisan navigacioni meni i footer.

## gallery.html



Stranica Gallery sadrži dinamičku ispisanu galeriju sa slikama (native JavaScript). Sadrži i prethodno opisani dinamički ispisan navigacioni meni i footer.

## author.html



Stranica Author sadrži sliku i opis autora koji je pravio projekat. Sadrži i prethodno opisani dinamički ispisan navigacioni meni i footer.

# Kodovi

## HTML kodovi

### index.html kod

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta http-equiv="X-UA-Compatible" content="IE=edge">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <meta name="description" content="It all began in 2015 when we opened our hamburger restaurant in Belgrade. We wanted to serve good, affordable food of the highest quality. Every c
8   <meta name="keywords" content="burger, chicken burger, restaurant, menu">
9   <meta name="author" content="Vladimir Ješić">
10  <title>Burger empire - Home</title>
11  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-9ndCyUaIbzAi2FUXX10CjmcCapSmo7SnpJef0486qhlNu22cdeRh0021uK6f
12  <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
13  <link rel="stylesheet" type="text/css" href="assets/css/responsive.css"/>
14  <link rel="icon" type="image" href="assets/images/icon.ico">
15  <script src="https://kit.fontawesome.com/c5809f1bc7.js" crossorigin="anonymous"></script>
16 </head>
17 <body>
18   <div id="hero-section" class="container-fluid p-0 m-0">
19     <div id="overlay">
20       <header class="noback">
21         <nav class="navbar navbar-expand-lg">
22           <div class="container-fluid d-flex justify-content-between">
23             <div class="col-8 col-sm-6 col-md-4 col-lg-2">
24               <a class="navbar-brand" href="index.html"></a>
25             </div>
26             <div class="col-3 col-sm-4 col-md-6 col-lg-8 d-flex justify-content-end">
27               <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNavDropdown" aria-controls="navbarNavDropdown" aria-expanded="false" ar
28               <span class="navbar-toggler-icon"></span>
29             </button>
30             <div class="collapse navbar-collapse flex-grow-0 w-100" id="navbarNavDropdown">
31               <ul class="navbar-nav d-flex justify-content-evenly w-100" id="menu">
32                 <li><a href="#">Home</a></li>
33               </ul>
34             </div>
35           </div>
36         </nav>
37       </header>
38       <div id="heading">
39         <h1 class="h1-lg">HANDCRAFTED <br><span class="bold">BURGERS</span><br> SINCE 2015</h1>
40         <a href="menu.html" class="btn btnnc role="button">HUNGRY? ORDER NOW!</a>
41       </div>
42     </div>
43   </div>
```

```
44 <div id="main" class="container-fluid bg-light">
45   <div class="row pt-5">
46     <div class="col-12">
47       <h2 class="text-center">BEST OFFERS</h2>
48     </div>
49   </div>
50   <div class="container d-flex justify-content-center p-5">
51     <div id="carouselExampleCaptions" class="carousel slide">
52       <div class="carousel-indicators">
53         <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-slide-to="0" class="active" aria-current="true" aria-label="Slide 1"></button>
54         <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-slide-to="1" aria-label="Slide 2"></button>
55         <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-slide-to="2" aria-label="Slide 3"></button>
56       </div>
57       <div class="carousel-inner">
58         <div class="carousel-item active">
59           
60           <div class="carousel-caption d-none d-md-block">
61             <h5>Chicken Burger</h5>
62             <p id="pasus">110g chicken, BBQ and Horseradish sauce, Lettuce, Tomato, Pickles, Purple onion</p>
63           </div>
64         </div>
65         <div class="carousel-item">
66           
67           <div class="carousel-caption d-none d-md-block">
68             <h5>Bacon Beef Burger</h5>
69             <p>150g of fresh beef, Fried bacon, Lettuce, Tomato, Pickles, Red onion, Mustard sauce</p>
70           </div>
71         </div>
72         <div class="carousel-item">
73           
74           <div class="carousel-caption d-none d-md-block">
75             <h5>Double Chicken Burger</h5>
76             <p>220g chicken, BBQ and Horseradish sauce, Lettuce, Tomato, Pickles, Purple onion</p>
77           </div>
78         </div>
79       </div>
80       <button class="carousel-control-prev" type="button" data-bs-target="#carouselExampleCaptions" data-bs-slide="prev">
81         <span class="carousel-control-prev-icon" aria-hidden="true"></span>
82         <span class="visually-hidden">Previous</span>
83       </button>
84       <button class="carousel-control-next" type="button" data-bs-target="#carouselExampleCaptions" data-bs-slide="next">
85         <span class="carousel-control-next-icon" aria-hidden="true"></span>
86         <span class="visually-hidden">Next</span>
87       </button>
88     </div>
89   </div>
```



```

90 <div class="container-fluid d-flex justify-content-center p-5">
91   <a href="#menu.html" class="btn btnnc" role="button">See the rest of the menu</a>
92 </div>
93 </div>
94
95 <div id="main-2" class="container-fluid bg-black">
96   <div class="row pt-5">
97     <div class="col-12">
98       <h2 class="text-center">OUR RESTAURANT</h2>
99     </div>
100   </div>
101   <div class="row d-flex align-items-center justify-content-evenly pt-5">
102     <div class="col-sm-12 col-md-5">
103       
104     </div>
105     <div class="col-sm-12 col-md-5">
106       <div class="row d-flex justify-content-between">
107         <div class="col-12 pb-5">
108           <p>It all began in 2015 when we opened our hamburger restaurant in Belgrade. We wanted to serve good, affordable food of the highest quality.</p>
109         </div>
110         <div class="col-12 pb-5">
111           <p>The best burgers require the best ingredients. But just as important is having the right staff with a passion for quality. We are always looking for people who want
112         </div>
113         <div class="col-12 pb-5">
114           <p>Every day, more than 200 guests visit BURGER EMPIRE restaurant. And they do so because our restaurants are known for serving high-quality, great-tasting, and afforda
115         </div>
116       </div>
117     </div>
118   </div>
119 </div>
120
121 <div id="contact" class="container-fluid">
122   <div class="row pt-5">
123     <div class="col-12">
124       <h2 class="text-center">CONTACT</h2>
125     </div>
126   </div>
127   <div class="row text-center">
128     <div class="col-12 p-5">
129       <p>Get Connected <br> We welcome you to contact us for more information about any of our products or services.</p>
130     </div>
131   </div>
132   <div class="row text-center d-flex justify-content-evenly">
133     <div class="col-12 col-lg-3 brdr-n">

```

```

134     <p>I</p>
135     <p>Contact form</p>
136     <form action="#" method="post" id="contact-form" class="pb-5">
137       <label for="fname">Name</label>
138       <br/>
139       <input type="text" placeholder="Your name..." id="fname" name="fname"/>
140       <p id="errorMessage">Enter a valid name! - Must begin with uppercase letter and between 3 and 10 characters</p>
141       <br/>
142       <label for="lname">Last name</label>
143       <br/>
144       <input type="text" placeholder="Your last name..." id="lname" name="lname"/>
145       <p id="errorMessage">Enter a valid last name! - Must begin with uppercase letter and between 3 and 10 characters</p>
146       <br/>
147       <label for="email">Email</label>
148       <br/>
149       <input type="email" placeholder="Your email..." id="email" name="email"/>
150       <p id="errorMessage">Enter a valid email</p>
151       <br/>
152       <label for="question">Your question</label>
153       <br/>
154       <textarea name="question" id="question" cols="50" rows="10" placeholder="Text..."></textarea>
155       <p id="errorQuestion">Enter a valid question! - Must begin with uppercase letter and have at least 4 characters</p>
156       <br/>
157       <input type="button" class="btn btnnc" value="Submit question" id="btn"/>
158     </form>
159   </div>
160   <div class="col-12 col-lg-3 pb-5">
161     <p>II</p>
162     <p>Social networks</p>
163     <a href="https://www.facebook.com/vladimir_jesic/" target="_blank"><i class="fa-brands fa-facebook pad"></i></a>
164     <br>
165     <p>Burger Empire</p>
166     <br>
167     <a href="https://www.instagram.com/vladimir_jesic/" target="_blank"><i class="fa-brands fa-instagram pad"></i></a>
168     <br>
169     <p>burger_empire</p>
170   </div>
171   <div class="col-12 col-lg-3 brdr-1 pb-5">
172     <p>III</p>
173     <p>Give us a call or write us an email</p>
174     <i class="fa-solid fa-phone pad"></i>
175     <p>+381 62 556 346</p>
176     <i class="fa-solid fa-envelope pad"></i>
177     <p>vladimirjesic@gmail.com</p>
178   </div>

```

```

178   </div>
179 </div>
180 </div>
181
182 <footer class="bg-black text-white text-center" id="ft">
183 </footer>
184
185 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js" integrity="sha384-geWF76RCwLtnZ8qWowPQNul3RmHVC9FhGdJKrxd1JJigb/j/685Iy3Te4Bkz" crossorigin="anonymous"></script>
186 <script type="text/javascript" src="assets/js/main.js"></script>
187 <script type="text/javascript" src="assets/js/index.js"></script>
188 </body>
189 </html>

```

## menu.html kod

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta http-equiv="X-UA-Compatible" content="IE=edge">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <meta name="description" content="It all began in 2015 when we opened our hamburger restaurant in Belgrade. We wanted to serve good, affordable food of the highest quality. Every d
8   <meta name="keywords" content="burger, chicken burger, restaurant, menu">
9   <meta name="author" content="Vladimir Ješić">
10  <title>Burger empire - Menu</title>
11  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-9ndCyUa1bzA12FUVXJ10CjmCapSmO7SnpJef488qhlNu22cdRHO8Z1uK69
12  <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
13  <link rel="stylesheet" type="text/css" href="assets/css/responsive.css"/>
14  <link rel="icon" type="image" href="assets/images/icon.ico">
15  <script src="https://kit.fontawesome.com/C5809f1bc7.js" crossorigin="anonymous"></script>
16 </head>
17 <body>
18   <header>
19     <nav class="navbar navbar-expand-lg">
20       <div class="container-fluid d-flex justify-content-between">
21         <div class="col-8 col-sm-6 col-md-4 col-lg-2">
22           <a class="navbar-brand" href="index.html"></a>
23         </div>
24         <div class="col-3 col-sm-4 col-md-6 col-lg-8 d-flex justify-content-end">
25           <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNavDropdown" aria-controls="navbarNavDropdown" aria-expanded="false" aria-la
26             <span class="navbar-toggler-icon"></span>
27           </button>
28           <div class="collapse navbar-collapse flex-grow-0 w-100" id="navbarNavDropdown">
29             <ul class="navbar-nav d-flex justify-content-evenly w-100" id="menu">
30               </ul>
31             </div>
32           </div>
33         </div>
34       </nav>
35     </header>
36
37     <div id="menu" class="container-fluid pb-5">
38       <div class="row">
39         <div class="col-12 text-center p-5">
40           <h1>MENU</h1>
41         </div>
42       </div>
43       <div class="row">
44         <div class="col-12 text-center p-5">
45           <h3><span class="italic">"A hamburger is perfection wrapped up in a bun."</span><br>Anthony Bourdain</h3>
46         </div>
47       </div>
```

```
48   <div class="row">
49     <div class="col-12 text-center p-5">
50       <h2>BEEF BURGERS</h2>
51     </div>
52   </div>
53   <div class="row d-flex justify-content-evenly text-center">
54     <div class="col-12 col-lg-3 d-flex justify-content-center">
55       <div class="card mb-5" style="width: 18rem;">
56         
57         <div class="card-body">
58           <h5 class="card-title">Regular Burger</h5>
59           <p class="card-text">110gr fresh beef, BBQ and Horseradish sauce, Lettuce, Tomato, Pickles, Purple onion</p>
60           <!-- Button trigger modal -->
61           <button type="button" class="btn btnnc" data-bs-toggle="modal" data-bs-target="#exampleModal">600 din</button>
62
63           <!-- Modal -->
64           <div class="modal fade" id="exampleModal" tabindex="-1" aria-labelledby="exampleModallabel" aria-hidden="true">
65             <div class="modal-dialog">
66               <div class="modal-content">
67                 <div class="modal-header">
68                   <h1 class="modal-title fs-5" id="exampleModallabel">Information</h1>
69                   <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
70                 </div>
71                 <div class="modal-body">
72                   Sorry, online shop is not in function right now.
73                 </div>
74                 <div class="modal-footer">
75                   <button type="button" class="btn btnnc" data-bs-dismiss="modal">Close</button>
76                 </div>
77               </div>
78             </div>
79           </div>
80         </div>
81       </div>
82     </div>
83
84     <div class="col-12 col-lg-3 d-flex justify-content-center">
85       <div class="card mb-5" style="width: 18rem;">
86         
87         <div class="card-body">
88           <h5 class="card-title">Bacon Burger</h5>
89           <p class="card-text">150g of fresh beef, Fried bacon, Lettuce, Tomato, Pickles, Red onion, Mustard sauce</p>
90           <!-- Button trigger modal -->
91           <button type="button" class="btn btnnc" data-bs-toggle="modal" data-bs-target="#exampleModal">800 din</button>
92
```

```

93     <!-- Modal -->
94     <div class="modal fade" id="exampleModal" tabindex="-1" aria-labelledby="exampleModallabel" aria-hidden="true">
95         <div class="modal-dialog">
96             <div class="modal-content">
97                 <div class="modal-header">
98                     <h1 class="modal-title fs-5" id="exampleModallabel">Information</h1>
99                     <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
100                 </div>
101                 <div class="modal-body">
102                     Sorry, online shop is not in function right now.
103                 </div>
104                 <div class="modal-footer">
105                     <button type="button" class="btn btnnc" data-bs-dismiss="modal">Close</button>
106                 </div>
107             </div>
108         </div>
109     </div>
110 </div>
111 </div>
112 </div>
113
114 <div class="col-12 col-lg-3 d-flex justify-content-center">
115     <div class="card mb-5" style="width: 18rem;">
116         
117         <div class="card-body">
118             <h5 class="card-title">Cheeseburger</h5>
119             <p class="card-text">150 g of fresh beef, Cheddar cheese, Musard sauce, Tomato, Lettuce, Pickles, Caramelized onions</p>
120             <!-- Button trigger modal -->
121             <button type="button" class="btn btnnc" data-bs-toggle="modal" data-bs-target="#exampleModal">850 din</button>
122
123             <!-- Modal -->
124             <div class="modal fade" id="exampleModal" tabindex="-1" aria-labelledby="exampleModallabel" aria-hidden="true">
125                 <div class="modal-dialog">
126                     <div class="modal-content">
127                         <div class="modal-header">
128                             <h1 class="modal-title fs-5" id="exampleModallabel">Information</h1>
129                             <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
130                         </div>
131                         <div class="modal-body">
132                             Sorry, online shop is not in function right now.
133                         </div>
134                         <div class="modal-footer">
135                             <button type="button" class="btn btnnc" data-bs-dismiss="modal">Close</button>
136                         </div>
137                     </div>
138                 </div>
139             </div>
140         </div>
141     </div>
142 </div>
143 </div>
144
145 <div class="row pt-5">
146     <div class="col-12 text-center p-5">
147         <h2>CHICKEN BURGERS</h2>
148     </div>
149 </div>
150 <div class="row d-flex justify-content-evenly text-center">
151     <div class="col-12 col-lg-3 d-flex justify-content-center">
152         <div class="card mb-5" style="width: 18rem;">
153             
154             <div class="card-body">
155                 <h5 class="card-title">Regular Chicken Burger</h5>
156                 <p class="card-text">110g chicken, BBQ and Horseradish sauce, Lettuce, Tomato, Pickles, Purple onion</p>
157                 <!-- Button trigger modal -->
158                 <button type="button" class="btn btnnc" data-bs-toggle="modal" data-bs-target="#exampleModal">800 din</button>
159
160                 <!-- Modal -->
161                 <div class="modal fade" id="exampleModal" tabindex="-1" aria-labelledby="exampleModallabel" aria-hidden="true">
162                     <div class="modal-dialog">
163                         <div class="modal-content">
164                             <div class="modal-header">
165                                 <h1 class="modal-title fs-5" id="exampleModallabel">Information</h1>
166                                 <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
167                             </div>
168                             <div class="modal-body">
169                                 Sorry, online shop is not in function right now.
170                             </div>
171                             <div class="modal-footer">
172                                 <button type="button" class="btn btnnc" data-bs-dismiss="modal">Close</button>
173                             </div>
174                         </div>
175                     </div>
176                 </div>
177             </div>
178         </div>
179     </div>
180
181 <div class="col-12 col-lg-3 d-flex justify-content-center">
182     <div class="card mb-5" style="width: 18rem;">
183         
184         <div class="card-body">
185             <h5 class="card-title">Chicken Cheeseburger</h5>
186             <p class="card-text">150g of fresh chicken, Cheddar cheese, Musard sauce, Tomato, Lettuce, Pickles, Caramelized onions</p>
187             <!-- Button trigger modal -->
188             <button type="button" class="btn btnnc" data-bs-toggle="modal" data-bs-target="#exampleModal">900 din</button>
189
190             <!-- Modal -->
191             <div class="modal fade" id="exampleModal" tabindex="-1" aria-labelledby="exampleModallabel" aria-hidden="true">
192                 <div class="modal-dialog">
193                     <div class="modal-content">
194                         <div class="modal-header">
195                             <h1 class="modal-title fs-5" id="exampleModallabel">Information</h1>
196                             <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
197                         </div>
198                         <div class="modal-body">
199                             Sorry, online shop is not in function right now.
200                         </div>
201                         <div class="modal-footer">
202                             <button type="button" class="btn btnnc" data-bs-dismiss="modal">Close</button>
203                         </div>
204                     </div>
205                 </div>
206             </div>
207         </div>
208     </div>
209 </div>
210
211 <div class="col-12 col-lg-3 d-flex justify-content-center">
212     <div class="card mb-5" style="width: 18rem;">
213         
214         <div class="card-body">
215             <h5 class="card-title">Double Chicken Cheeseburger</h5>

```



```

216       <p class="card-text">300g of fresh chicken, Cheddar cheese, Musard sauce, Tomato, Lettuce, Pickles, Caramelized onions</p>
217       <!-- Button trigger modal -->
218       <button type="button" class="btn btnnc" data-bs-toggle="modal" data-bs-target="#exampleModal">600 din</button>
219
220       <!-- Modal -->
221       <div class="modal fade" id="exampleModal" tabindex="-1" aria-labelledby="exampleModalLabel" aria-hidden="true">
222         <div class="modal-dialog">
223           <div class="modal-content">
224             <div class="modal-header">
225               <h1 class="modal-title fs-5" id="exampleModalLabel">Information</h1>
226               <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
227             </div>
228             <div class="modal-body">
229               Sorry, online shop is not in function right now.
230             </div>
231             <div class="modal-footer">
232               <button type="button" class="btn btnnc" data-bs-dismiss="modal">Close</button>
233             </div>
234           </div>
235         </div>
236       </div>
237     </div>
238   </div>
239 </div>
240 </div>
241
242 <div class="row pt-5">
243   <div class="col-12 text-center p-5">
244     <h2>ADD-ONS</h2>
245   </div>
246 </div>
247 <div class="row d-flex justify-content-evenly text-center">
248   <div class="col-12 col-lg-3 d-flex justify-content-center">
249     <div class="card mb-5" style="width: 18rem;">
250       
251       <div class="card-body">
252         <h5 class="card-title">Fries</h5>
253         <p class="card-text">Fried potato 180g</p>
254         <!-- Button trigger modal -->
255         <button type="button" class="btn btnnc" data-bs-toggle="modal" data-bs-target="#exampleModal">300 din</button>
256
257         <!-- Modal -->
258         <div class="modal fade" id="exampleModal" tabindex="-1" aria-labelledby="exampleModalLabel" aria-hidden="true">
259           <div class="modal-dialog">
260             <div class="modal-content">

```

```

261               <div class="modal-header">
262                 <h1 class="modal-title fs-5" id="exampleModalLabel">Information</h1>
263                 <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
264               </div>
265               <div class="modal-body">
266                 Sorry, online shop is not in function right now.
267               </div>
268               <div class="modal-footer">
269                 <button type="button" class="btn btnnc" data-bs-dismiss="modal">Close</button>
270               </div>
271             </div>
272           </div>
273         </div>
274       </div>
275     </div>
276   </div>
277 </div>
278 <div class="col-12 col-lg-3 d-flex justify-content-center">
279   <div class="card mb-5" style="width: 18rem;">
280     
281     <div class="card-body">
282       <h5 class="card-title">Onion Rings</h5>
283       <p class="card-text">Fried onion 200g</p>
284       <!-- Button trigger modal -->
285       <button type="button" class="btn btnnc" data-bs-toggle="modal" data-bs-target="#exampleModal">400 din</button>
286
287       <!-- Modal -->
288       <div class="modal fade" id="exampleModal" tabindex="-1" aria-labelledby="exampleModalLabel" aria-hidden="true">
289         <div class="modal-dialog">
290           <div class="modal-content">
291             <div class="modal-header">
292               <h1 class="modal-title fs-5" id="exampleModalLabel">Information</h1>
293               <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
294             </div>
295             <div class="modal-body">
296               Sorry, online shop is not in function right now.
297             </div>
298             <div class="modal-footer">
299               <button type="button" class="btn btnnc" data-bs-dismiss="modal">Close</button>
300             </div>
301           </div>
302         </div>
303       </div>
304     </div>
305   </div>

```

```

306 </div>
307 </div>
308 <div class="col-12 col-lg-3 d-flex justify-content-center">
309   <div class="card mb-5" style="width: 18rem;">
310     
311     <div class="card-body">
312       <h5 class="card-title">Sauces</h5>
313       <p class="card-text">10 different kinds of sauces</p>
314       <!-- Button trigger modal -->
315       <button type="button" class="btn btnnc" data-bs-toggle="modal" data-bs-target="#exampleModal">600 din</button>
316
317       <!-- Modal -->
318       <div class="modal fade" id="exampleModal" tabindex="-1" aria-labelledby="exampleModalLabel" aria-hidden="true">
319         <div class="modal-dialog">
320           <div class="modal-content">
321             <div class="modal-header">
322               <h1 class="modal-title fs-5" id="exampleModalLabel">Information</h1>
323               <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
324             </div>
325             <div class="modal-body">
326               Sorry, online shop is not in function right now.
327             </div>
328             <div class="modal-footer">
329               <button type="button" class="btn btnnc" data-bs-dismiss="modal">Close</button>
330             </div>
331           </div>
332         </div>
333       </div>
334     </div>
335   </div>
336 </div>
337 </div>
338 <div class="bg-black text-white text-center" id="ft">
339   <div class="text-white">
340     <div class="text-white">
341       <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js" integrity="sha384-geWF76RCwLtnZ8qwR6t4Zv7IhAq17RCW04vg0a2sj7Pn/snyVdrxUeO0sbJF6V4s8kz" crossorigin="anonymous"></script>
342       <script type="text/javascript" src="assets/js/main.js"></script>
343     </div>
344   </div>
345 </div>

```

## about.html kod

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta http-equiv="X-UA-Compatible" content="IE=edge">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <meta name="description" content="It all began in 2015 when we opened our hamburger restaurant in Belgrade. We wanted to serve good, affordable food of the highest quality. Every d
8   <meta name="keywords" content="burger, chicken burger, restaurant, menu">
9   <meta name="author" content="Vladimir Ješić">
10  <title>Burger empire - About us</title>
11  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-9ndCyUa1bzA12FUVXJ18CjmcCapS07SnpJef0486qhlLnuZ2cdeR0021uK6
12  <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
13  <link rel="stylesheet" type="text/css" href="assets/css/responsive.css"/>
14  <link rel="icon" type="image" href="assets/images/icon.ico">
15  <script src="https://kit.fontawesome.com/c5809f1bc7.js" crossorigin="anonymous"></script>
16 </head>
17 <body>
18   <header>
19     <nav class="navbar navbar-expand-lg">
20       <div class="container-fluid d-flex justify-content-between">
21         <div class="col-8 col-sm-6 col-md-4 col-lg-2">
22           <a class="navbar-brand" href="index.html"></a>
23         </div>
24         <div class="col-3 col-sm-4 col-md-6 col-lg-8 d-flex justify-content-end">
25           <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNavDropdown" aria-controls="navbarNavDropdown" aria-expanded="false" aria-la
26           <span class="navbar-toggler-icon"></span>
27           </button>
28           <div class="collapse navbar-collapse flex-grow-0 w-100" id="navbarNavDropdown">
29             <ul class="navbar-nav d-flex justify-content-evenly w-100" id="menu">
30               </ul>
31             </div>
32           </div>
33         </div>
34       </nav>
35     </header>
36
37     <div id="about" class="container-fluid pb-5">
38       <div class="row text-center p-5" id="za">
39         <h1>ABOUT US</h1>
40       </div>
41       <div class="row d-flex justify-content-center p-5">
42         <div class="col-12 col-md-5">
43           
44         </div>
45         <div class="col-12 col-md-5 text-center">
46           <h3>Welcome to Burger Empire!</h3>
47
48           <p>A place where you will enjoy the best burgers in town! Our burgers are made from 100% black Angus meat, which is the highest quality type of beef and therefore the l
49           <input type="button" class="btn btnnc" id="btn-tg-1" value="Show | Hide"/>
50         </div>
51       </div>
52       <div class="row d-flex justify-content-center p-5">
53         <div class="col-12 col-md-5 text-center">
54           <h3>About the production process</h3>
55           <p>We are proud of our own meat processing, thanks to which we are sure that the burgers that leave our kitchen are prepared from the highest quality raw materials. Hig
56           <p id="tg-2">Our chefs, skilled artisans in their craft, carefully season and shape the patties, ensuring a harmonious blend of flavors in every bite. We prioritize fre
57           <input type="button" class="btn btnnc" id="btn-tg-2" value="Show | Hide"/>
58         </div>
59         <div class="col-12 col-md-5">
60           
61         </div>
62       </div>
63
64       <div class="row d-flex justify-content-center p-5">
65         <div class="col-12 col-md-5">
66           
67         </div>
68         <div class="col-12 col-md-5 text-center">
69           <h3>Oil quality control</h3>
70           <p>We paid special attention to the quality of the oil used for frying side dishes in Burger Bars, using a unique device on the world market for filtering oil for fryin
71           <p id="tg-3">Additionally, we regularly maintain and clean our cooking equipment to guarantee optimal performance and prevent any unwanted oil residue. By prioritizing
72           <input type="button" class="btn btnnc" id="btn-tg-3" value="Show | Hide"/>
73         </div>
74       </div>
75     </div>
76     <footer class="bg-black text-white text-center" id="ft">
77   </footer>
78   <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js" integrity="sha384-geWF76RCwLtnZ8qwMoPQNgU3Rm4VBC9FHgdlKrxdlJ1gb/j/6851y3Te48kz" cross
79   <script type="text/javascript" src="assets/js/main.js"></script>
80   <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>
81   <script type="text/javascript" src="assets/js/about.js"></script>
82 </body>
83 </html>
```

## gallery.html kod

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta http-equiv="X-UA-Compatible" content="IE=edge">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <meta name="description" content="It all began in 2015 when we opened our hamburger restaurant in Belgrade. We wanted to serve good, affordable food of the highest quality. Every d
8   <meta name="keywords" content="burger, chicken burger, restaurant, menu">
9   <meta name="author" content="Vladimir Ješić">
10  <title>Burger empire - Gallery</title>
11  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-9ndCyUaIbzAi2FUVXJi8CjMCapS075npJef0486qhlNuZ2cdeRh002iuk6f
12  <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
13  <link rel="stylesheet" type="text/css" href="assets/css/responsive.css"/>
14  <link rel="icon" type="image" href="assets/images/icon.ico">
15  <script src="https://kit.fontawesome.com/c5809f1bc7.js" crossorigin="anonymous"></script>
16 </head>
17 <body>
18   <header>
19     <nav class="navbar navbar-expand-lg">
20       <div class="container-fluid d-flex justify-content-between">
21         <div class="col-8 col-sm-6 col-md-4 col-lg-2">
22           <a class="navbar-brand" href="index.html"></a>
23         </div>
24         <div class="col-3 col-sm-4 col-md-6 col-lg-8 d-flex justify-content-end">
25           <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNavDropdown" aria-controls="navbarNavDropdown" aria-expanded="false" aria-l
26             <span class="navbar-toggler-icon"></span>
27           </button>
28           <div class="collapse navbar-collapse flex-grow-0 w-100" id="navbarNavDropdown">
29             <ul class="navbar-nav d-flex justify-content-evenly w-100" id="menu">
30               </ul>
31             </div>
32           </div>
33         </div>
34       </nav>
35     </header>
36
37     <div id="gallery" class="container-fluid pb-5">
38       <div class="row">
39         <div class="col-12 text-center p-5">
40           <h1>GALLERY</h1>
41         </div>
42       </div>
43
44       <div class="row d-flex justify-content-evenly pb-5" id="gl1">
45     </div>
46
47     <div class="row d-flex justify-content-evenly pb-5" id="gl2">
48   </div>
49
50   <div class="row d-flex justify-content-evenly pb-5" id="gl3">
51 </div>
52 </div>
53
54 <footer class="bg-black text-white text-center" id="ft">
55 </footer>
56 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js" integrity="sha384-geWF76RCwLtnZ8qwWowPQNguL3RmwHVBC9FhGdlKrxtdlJJ1gb/j/68SiY3Te4Bkz" crc
57 <script type="text/javascript" src="assets/js/main.js"></script>
58 <script type="text/javascript" src="assets/js/gallery.js"></script>
59 </body>
60 </html>
```

## author.html kod

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta http-equiv="X-UA-Compatible" content="IE=edge">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <meta name="description" content="It all began in 2015 when we opened our hamburger restaurant in Belgrade. We wanted to serve good, affordable food of the highest quality. Every c
8   <meta name="keywords" content="burger, chicken burger, restaurant, menu">
9   <meta name="author" content="Vladimir Ješić">
10  <title>Burger empire - Author</title>
11  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-9ndCyUaIbzAi2FUVXJi0CjMcCapSm075npJef0486ghLnu22cdeR002iuk6f
12  <link rel="stylesheet" type="text/css" href="assets/css/style.css"/>
13  <link rel="stylesheet" type="text/css" href="assets/css/responsive.css"/>
14  <link rel="icon" type="image" href="assets/images/icon.ico">
15  <script src="https://kit.fontawesome.com/c5809f1bc7.js" crossorigin="anonymous"></script>
16 </head>
17 <body>
18   <header>
19     <nav class="navbar navbar-expand-lg">
20       <div class="container-fluid d-flex justify-content-between">
21         <div class="col-8 col-sm-6 col-md-4 col-lg-2">
22           <a class="navbar-brand" href="index.html"></a>
23         </div>
24         <div class="col-3 col-sm-4 col-md-6 col-lg-8 d-flex justify-content-end">
25           <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNavDropdown" aria-controls="navbarNavDropdown" aria-expanded="false" aria-l
26           <span class="navbar-toggler-icon"></span>
27           </button>
28           <div class="collapse navbar-collapse flex-grow-0 w-100" id="navbarNavDropdown">
29             <ul class="navbar-nav d-flex justify-content-evenly w-100" id="menu">
30               </ul>
31             </div>
32           </div>
33         </div>
34       </nav>
35     </header>
36
37     <div id="author" class="container-fluid pb-5">
38       <div class="row">
39         <div class="col-12 text-center pt-5">
40           <h1>AUTHOR</h1>
41         </div>
42       </div>
43       <div class="row d-flex align-items-center justify-content-evenly">
44         <div class="col-12 d-flex justify-content-center p-5">
45           
46         </div>
47
48         <div class="col-12 text-center w-50">
49           <p>I am 22 years old and I am a student of ICT in Belgrade majoring in Internet technology. I graduated from the Gymnasium in Obrenovac and studied at the Faculty of
50         </div>
51       </div>
52     </div>
53
54     <footer class="bg-black text-white text-center" id="ft">
55     </footer>
56
57     <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js" integrity="sha384-geWF76RCwLtnZ8qW0xPQNgul3Rm4V8C9FhGdIKrxdiJJigb/j/685Iy3Te48kz" cross
58     <script type="text/javascript" src="assets/js/main.js"></script>
59 </body>
60 </html>
```

# CSS kodovi

## style.css kod

```
assets > css > style.css >
1  *{
2      margin: 0px;
3      padding: 0px;
4      font-family: ls;
5  }
6
7  @font-face {
8      font-family: ls;
9      src: url(../fonts/LeagueSpartan-Regular.ttf);
10 }
11
12
13 p{
14     font-family: ls;
15     font-size: 16px;
16 }
17
18 h1, h2{
19     font-family: ls;
20     font-size: 32px;
21 }
22
23 h3{
24     font-family: ls;
25     font-size: 24px;
26 }
27
28 img{
29     width: 100%;
30 }
31
32 a:visited{
33     font-family: ls;
34     font-size: 16px;
35     color: #F9B508;
36 }
37
38 a:link{
39     color: #F9B508;
40 }
41
42 a:active{
43     color: #F9B508;
44 }
45
```

```
46 .linkh:hover{
47     color: white;
48 }
49
50 .linkha:active{
51     color: white;
52 }
53
54 #hero-section{
55     background-image: url(../images/cover.jpg);
56     background-repeat: no-repeat;
57     background-size: cover;
58     background-position: center;
59     height: 1000px;
60     width: 100%;
61     color: #F9B508;
62 }
63
64 #overlay{
65     background-color: rgba(8, 8, 8, 0.7);
66     height: 1000px;
67     width: 100%;
68 }
69
70 #heading{
71     width: 50%;
72     display: flex;
73     justify-content: center;
74     align-items: center;
75     flex-direction: column;
76     text-align: center;
77     margin: 0px auto;
78     padding-top: 200px;
79     line-height: 100px;
80 }
81
82
83 .bold{
84     font-weight: bold;
85 }
86
```

```

87 .btn{
88   background-color: #F9B508;
89   color: black;
90 }
91
92 .btn:hover{
93   background-color: #F9B508;
94   color: black;
95 }
96
97 .btn:active{
98   background-color: #F9B508;
99   color: black;
100 }
101
102 .btn:visited{
103   background-color: #F9B508;
104   color: black;
105 }
106
107 .btn{
108   background-color: #F9B508;
109   color: black;
110 }
111
112 .btn:hover{
113   background-color: #F9B508;
114   color: black;
115 }
116
117 .btn:active{
118   background-color: #F9B508;
119   color: black;
120 }
121
122 .btn:visited{
123   background-color: #F9B508;
124   color: black;
125 }
126

```

```

127 #main{
128   padding: 70px 40px;
129 }
130
131 #main-2{
132   padding: 70px 40px;
133   color: #F9B508;
134 }
135
136 .img{
137   height: 800px;
138 }
139
140 .brdr-r {
141   border-right: 1px solid #F9B508;
142 }
143
144 .brdr-l {
145   border-left: 1px solid #F9B508;
146 }
147
148 #contact{
149   padding: 70px 40px;
150 }
151
152 .fa-solid {
153   font-size: 30px;
154 }
155
156 .fa-brands {
157   font-size: 30px;
158 }
159
160
161 form {
162   color: black;
163   padding-top: 60px;
164   text-align: center;
165 }
166

```

```

166 form input[type=text] {
167   width: 70%;
168   background-color: #f9b500;
169   color: black;
170   padding-top: 10px;
171   padding-bottom: 10px;
172   margin-bottom: 20px;
173 }
174 form input[type=email] {
175   width: 70%;
176   background-color: #f9b500;
177   color: black;
178   padding-top: 10px;
179   padding-bottom: 10px;
180   margin-bottom: 20px;
181 }
182 form textarea {
183   width: 70%;
184   background-color: #f9b500;
185   color: black;
186   margin-bottom: 20px;
187 }
188
189 .pad{
190   padding-top: 60px;
191 }
192
193 .padf{
194   padding-top: 80px;
195 }
196
197
198
199
200 header{
201   background-color: black;
202 }
203

```

```

204 .noback{
205   background-color: transparent;
206 }
207
208 .italic{
209   font-style: italic;
210 }
211
212 #errorName{
213   display: none;
214 }
215
216 #errorName{
217   display: none;
218 }
219
220 #errorEmail{
221   display: none;
222 }
223
224 #errorQuestion{
225   display: none;
226 }

```

## responsive.css kod

assets > css > responsive.css > {} @media screen and (max-width: 992px)

```
1  @media screen and (max-width: 992px) {
2      #hero-section{
3          height: 900px;
4      }
5      .brdr-r{
6          border: none;
7      }
8      .brdr-l{
9          border: none;
10     }
11 }
12
13 @media screen and (max-width: 768px) {
14     #hero-section{
15         height: 700px;
16     }
17 }
18
19 @media screen and (max-width: 576px) {
20     #hero-section{
21         height: 500px;
22     }
23
24     #heading{
25         padding-top: 50px;
26     }
27
28     h1{
29         font-size: 20px;
30     }
31     h2{
32         font-size: 20px;
33     }
34     p{
35         font-size: 13px;
36     }
37 }
38 }
```



## JavaScript kod

### main.js kod

```
assets > js > JS main.js > ...
1  var paths = ["index.html", "menu.html", "about.html", "gallery.html", "author.html"];
2  var nav = ["HOME", "MENU", "ABOUT US", "GALLERY", "AUTHOR"];
3  var menu = document.getElementById("menu");
4  var links = "";
5  for(var i=0; i<paths.length; i++) {
6    links+<li class='nav-item'><a class='nav-link linkh' href=" + paths[i] + "> + nav[i] + "</a></li>";
7  }
8  menu.innerHTML=links;
9
10
11
12
13  var footer = document.getElementById("ft");
14  footer.innerHTML+<p class='mb-0 p-1'>&copy; All rights reserved Vladimir Jesic 2023. | <a href='index.html' target='_blank'>Documentation</a> | <a href='sitemap.xml' target='_blank'>SI
```

### index.js kod

```
1  //name check
2
3  var regExName=/^[A-Z][a-z]{2,10}$/;
4
5  var inputName=document.getElementById("fname");
6
7  function checkName(){
8
9    if(!regExName.test(inputName.value))
10   {
11     document.getElementById("errorName").style.display="block";
12     inputName.style.border="3px solid red";
13   }
14   else{
15     document.getElementById("errorName").style.display="none";
16     inputName.style.border="3px solid green";
17   }
18 }
19
20 inputName.addEventListener("blur",checkName);
21
22
23
24 //last name check
25
26 var regExLName=/^[A-Z][a-z]{2,10}$/;
27
28 var inputLName=document.getElementById("lname");
29
30 function checkLName(){
31
32   if(!regExLName.test(inputLName.value))
33   {
34     document.getElementById("errorLName").style.display="block";
35     inputLName.style.border="3px solid red";
36   }
37   else{
38     document.getElementById("errorLName").style.display="none";
39     inputLName.style.border="3px solid green";
40   }
41 }
42
43 inputLName.addEventListener("blur",checkLName);
44
45
46
47
```

```

48 //email check
49
50 var regExEmail=/^[a-z-\.\0-9]+\@[a-z-]+\.[a-z-]{2,4}$/;
51
52 var inputEmail=document.getElementById("email");
53
54 function checkEmail(){
55
56     if(!regExEmail.test(inputEmail.value))
57     {
58         document.getElementById("errorEmail").style.display="block";
59         inputEmail.style.border="3px solid red";
60     }
61     else{
62         document.getElementById("errorEmail").style.display="none";
63         inputEmail.style.border="3px solid green";
64     }
65 }
66
67 inputEmail.addEventListener("blur",checkEmail);
68
69
70
71
72 //question check
73
74 var regExQuestion=/^[A-Z][a-z]{3,}/;
75
76 var inputQuestion=document.getElementById("question");
77
78 function checkQuestion(){
79
80     if(!regExQuestion.test(inputQuestion.value))
81     {
82         document.getElementById("errorQuestion").style.display="block";
83         inputQuestion.style.border="3px solid red";
84     }
85     else{
86         document.getElementById("errorQuestion").style.display="none";
87         inputQuestion.style.border="3px solid green";
88     }
89 }
90
91 inputQuestion.addEventListener("blur",checkQuestion);

```

## about.js kod

```

assets > js > JS about.js > ...
1  $("#btn-tg-1").click(function(){
2      $("#tg-1").toggle("slow");
3  })
4
5  $("#btn-tg-2").click(function(){
6      $("#tg-2").toggle("slow");
7  })
8
9      $("#btn-tg-3").click(function(){
10         $("#tg-3").toggle("slow");
11     })
12

```

## gallery.js kod

```
assets > js > JS gallery.js > ...
1  var alts = ["Burger on plate", "Three burgers", "Burger with fries", "Table", "Meal", "People in restaurant", "Three beers", "Guinness beer", "Beer"];
2  var galleryPaths = [];
3  for(var i=0; i<9; i++) {
4    galleryPaths[i] = "gallery" + (i+1) + ".jpg";
5  }
6
7  var g11 = document.getElementById("g11");
8  var g12 = document.getElementById("g12");
9  var g13 = document.getElementById("g13");
10
11  var links1 = "";
12  var links2 = "";
13  var links3 = "";
14  for(var i=0; i<3; i++) {
15    links1 += "<div class='col-12 col-lg-3 mb-5'> <img src='assets/images/" + galleryPaths[i] + "' class='img-thumbnail' alt='" + alts[i] + "'></div>";
16  }
17
18  for(var i=3; i<6; i++) {
19    links2 += "<div class='col-12 col-lg-3 mb-5'> <img src='assets/images/" + galleryPaths[i] + "' class='img-thumbnail' alt='" + alts[i] + "'></div>";
20  }
21
22  for(var i=6; i<9; i++) {
23    links3 += "<div class='col-12 col-lg-3 mb-5'> <img src='assets/images/" + galleryPaths[i] + "' class='img-thumbnail' alt='" + alts[i] + "'></div>";
24  }
25
26  g11.innerHTML=links1;
27  g12.innerHTML=links2;
28  g13.innerHTML=links3;
```