

Задание 2. Работа с SQL-запросами

- SELECT с условием (WHERE).

The screenshot shows a SQL query editor with a dark theme. The 'Query' tab is active, displaying the following SQL code:

```
1 SELECT id, name, price, size_cm
2 FROM pizzas
3 WHERE price > 700 AND is_available = TRUE;
```

Below the query editor, the 'Data Output' tab is active, showing the results of the query. The results are displayed in a table with 5 columns: id, name, price, size_cm, and is_available. The table contains 3 rows of data.

	id [PK] integer	name character varying (100)	price numeric (10,2)	size_cm integer	is_available
1	3	Четыре сыра	720.00	30	TRUE
2	4	Мясная	790.00	35	TRUE
3	6	Острая Diablo	750.00	30	TRUE

Данный запрос выводит список доступных пицц, стоимость которых больше 700 рублей.

- INSERT.

The screenshot shows a SQL query editor with a dark theme. The 'Query' tab is active, displaying the following SQL code:

```
1 INSERT INTO users (name, phone, email, address)
2 VALUES ('Мария Иванова', '+79990001122', 'maria@example.com', 'ул. Пушкина, 15');
```


Below the query editor, the 'Data Output' tab is active, showing the results of the query. The results are displayed in a table with 1 column: id. The table contains 1 row of data.

id
1

Query returned successfully in 43 msec.

Данный запрос добавляет нового клиента в таблицу пользователей.


- UPDATE.



The screenshot shows a database query interface with a dark theme. At the top, there are two tabs: 'Query' and 'Query History'. The 'Query' tab is active, displaying a three-line SQL statement: `1 UPDATE orders`, `2 SET status = 'В доставке'`, and `3 WHERE id = 1;`. Below the query editor, there are three more tabs: 'Data Output', 'Messages', and 'Notifications'. The 'Messages' tab is active, showing the text 'UPDATE 1' and 'Query returned successfully in 31 msec.'

Данный запрос изменяет статус заказа с указанным идентификатором.

- DELETE.



The screenshot shows a database query interface with a dark theme. At the top, there are two tabs: 'Query' and 'Query History'. The 'Query' tab is active, displaying a two-line SQL statement: `1 DELETE FROM users` and `2 WHERE email = 'maria@example.com';`. Below the query editor, there are three more tabs: 'Data Output', 'Messages', and 'Notifications'. The 'Messages' tab is active, showing the text 'DELETE 1' and 'Query returned successfully in 31 msec.'

Данный запрос удаляет пользователя по адресу электронной почты.

- SELECT с использованием JOIN.

Query

Query History

1

2

3

4

5

6

7

SELECT

pizzas.id,

pizzas.name AS pizza_name,

categories.name AS category_name,

pizzas.price

FROM pizzas

JOIN categories ON pizzas.category_id = categories.id;

Data Output

Messages

Notifications

≡+

📄

▼

📋

▼

🗑️

🗄️

⬇️

📈

SQL

Showing rows: 1 to 6

✎

 Page No: 1 of 1

⏪

⏴

⏵

⏩

	Id integer 🔒	pizza_name character varying (100) 🔒	category_name character varying (100) 🔒	price numeric (10,2) 🔒
1	1	Маргарита	Классические	550.00
2	2	Пепперони	Мясные	690.00
3	3	Четыре сыра	Сырные	720.00
4	4	Мясная	Мясные	790.00
5	5	Гавайская	Особые	680.00
6	6	Острая Diablo	Острые	750.00

Данный запрос выводит список пицц вместе с названиями их категорий.