DOKUMENTACIJA

https://vladimirovuros.github.io

Web Programiranje 1

Uroš Vladimirov 45/21

Contents

| 1. | Uvo | d | 3 |
|----|---------|--|----|
| | 1.1 | Korišćeni programski jezici | 3 |
| | 1.2 | Opis fukcionalnosti | 3 |
| | 1.3 | Template | 4 |
| | | | 5 |
| | 2.0 Org | ganizacija | 6 |
| | 2.1 Ora | agnizaciona šema | 6 |
| | 2.2 Ma | pa sajta | 6 |
| | 2.3 Org | ganizacija sajta I funkcionalnosti na tim delovima | 7 |
| 3. | 0 Kodov | vi | 12 |
| | 3.1 HTI | ML Kodovi | 12 |
| | 3.2 CSS | 5 | 23 |
| | 3.3 JS. | | 64 |

1. Uvod

1.1 Korišćeni programski jezici

Za kreiranje interaktivnog sajta korišćeni su:

- HTML
- CSS
- Bootstrap
- JavaScript
- jQuery

1.2 Opis fukcionalnosti

Index.html

- Po učitavanju stranice se prikazuje loader stranice koji nestaje kada se sama stranica učita
- Dinamičko ispisivanje navigacije
- Taster za prikazivanje padajućeg menija na klik, na manjim rezolucijama
- Promena svojstva navigacija na scroll, posle odredjenog skrolovanja navigacija postaje zalepljena za gornju ivicu dekorisano sa animacijom pri ulazu
- Vraćanje svojstva navigacije na početno stanje kada se vratimo na vrh stranice
- Praćenje položaja stranice i u odnosu na nju odredjeni link u navigaciji postaje podvučen
- Dinamički ispis informacija na cover
- Animiran ulaz elemenata na coveru uz pomoć JS-a
- Dinamički ispis features elemenata na stranici koji imaju animirani ulaz uradjen pomoću AOS biblioteke
- Dinamički ispis procenata kvaliteta sa dinamičkom veličinom krugova u pozadini u odnosu na broj procenata
- Dinamiči ispis brojki u O nama sekciji koji se puni tek kada je korisnik skrolovao dovoljno da može da ga vidi
- Dinamički ispis usluga koje se nude
- Filtriranje usluga u zavisnosti na kliknuti taster
- Dinamički ispisana galerija
- Promena glavne slike u galeriji koja radi na tajmer
- Klikom na neku manju sliku galerije ona postaje glavna slika
- Klikom na glavu sliku otvara se prozor sa dodatnim informacijama o slici
- Provera forme putem regularnih izraza
- Obaveštenje za uspešno popuenjenu formu
- Dinamički ispisan footer


Author.html

 Klikom na tekst Pročitaj više prikazuje se još teksta o autoru koji možemo da sakrijemo posle toga

1.3 Template

Za izradu sajta korišćeno je gotovo rešenje : https://www.free-css.com/assets/files/free-css-templates/preview/page285/seo-dream/.







ABOUT US

Top Marketing Agency & Consult Your Website With Us

750+ 340+ 128+ Projects Finished Happy Clients Awards

SEO Dream is free digital marketing CSS template provided by TemplateMo website. You are allowed to use this template for your business websites. Massa sed leo blandit, eget dapibus metus tempus. Fusce eget auctor urna, vel interdum magna. Vestibulum velit odio, tempor et purus id.

Discover Company


OUR SERVICE

Discover What We Do & Offer To Our Clients

Similar Websites


For a perspective offering the student of the st





2.0 Organizacija

2.1 Oragnizaciona šema




2.2 Mapa sajta

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset
      xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"
<url>
  <loc>https://vladimirovuros.github.io/</loc>
  <lastmod>2022-12-11T22:35:20+00:00</lastmod>
  <changefreq>daily</changefreq>
  <priority>1.00</priority>
</url>
<url>
  <loc>https://vladimirovuros.github.io/author.html</loc>
  <lastmod>2022-12-11T22:35:20+00:00</lastmod>
  <changefreq>monthly</changefreq>
  <priority>0.70</priority>
</url>
</urlset>
```


2.3 Organizacija sajta I funkcionalnosti na tim delovima



• Dinamički ispisan meni pri učitavanju stranice



- Navigacija originalno nije fiksna za gornji deo stranice
- Pri skrolu ona postaje fiksna sa animacijom
- Na manjim rezolucijama klikom na burger u navigaciji iskače na meni koji možemo da sklonimo ili ostavimo po volji





• Navigacija prati položaj stranice i na osnovu nje pomera aktivan tag za odredjeni link




• Dinamičko ispisivanje osobina agencije sa ulaskom na scroll uradjen preko AOS biblioteke



- Dinamičke ispisane vrednosti za statistiku
- Polja se prikazuju kada dovoljno skrolujemo dole
- Polja su tolike sirine u zavisnosti od procenta polja



 Brojevi koji označavaju informacije o iskustvu agencije se pune takodje kada skrolujemo dovoljno da možemo da vidimo te brojeve na stranici



- Dinamički ispis usluga koja agencija pruža
- Postoje tasteri koji omogućavaju filtriranje usluga na klik

Pogledajte Naše Poslednje

Projekate I Prezentacije

















- Galerija projekata i prezentacija u kojoj ima jedna glavna slika koja je jedna od šest manjih slika
- Galerija je ispisana dinamički
- Na odredjeno vreme glavna se slika se smenjuje za sledeću u nizu i tako u krug
- Klikom na neku manju sliku se postavlja ta slika za glavnu i od nje se dalje nastavlja niz
- Klikom na glavnu sliku izlazi prozorčić koji pokazuje više informacija o aktivnom projektu



Popunite Formu Ispod Da Bi Ste Stupili U Kontakt Sa Nama



- Obrada kontakt forme i njenih grešaka
- Polja za puno ime, email i broj telefona sa regulisana regularnim izrazima
- Kada se klikne na neki checkbox automatski se dodaje tekst ispod koji dodaje te opcije u tekst i isto tako ako skine check
- Dinamički ispis informacija u kontatku
- Kada se ispravno popuni forma izlazi poruka da smo je uspešno popunili

| PRO Marketing | Stranice | Informacije |
|--|----------|------------------------|
| Pro Marketing je marketinška agencija koja se bavi bilo | Početna | Dokumentacija |
| promovisanjem potpuno novog brenda na tržištu, | O nama | Braće Grim 12 |
| brendiranje za postizanje boljih rezultata ili bilo čime što | Usluge | promarketing@gmail.com |
| ima veze sa marketingom. | Kontakt | +381 69-1234-999 |
| | Autor | |

Copyright © 2022 PRO Marketing Sva prava zadržava

Dinamički ispis informacija u futeru

Author.html



Uros Vladimirov 45/21

Pročitaj manje

Zdravo. Zovem se Uroš Vladimirov. Imam 20 godina i dolazim iz Beograda, mesto Kaluđerica. Trenutno sam student Visoke ICT škole na smeru Internet tehnologije. Nakon završene osnovne škole, upisao sam Osmu beogradsku gimnaziju koju sam i završio. Volim da putujem i obilazim druge zemlje, konkretno Južnu Ameriku. U slobodno vreme gledam filmove i povremeno čitam knjige.

• Klikom na taster prikaži više se prikazuje dodatni tekst o autoru i menja tekst u istom tasteru

3.0 Kodovi

3.1 HTML Kodovi

Index.html

```
<!DOCTYPE html>
<html lang="en">
 <head>
   <meta charset="UTF-8" />
    <meta
     name="viewport"
      content="width=device-width, initial-scale=1, shrink-to-fit=no"
   <meta
      name="description"
      content="Pro Marketing marketinška agencija i mi činimo vaš brend jačim."
   <meta
      name="keywords"
      content="Marketing, agencija, branding, SEO, Internet, Brand"
    <meta name="author" content="Uroš Vladimirov" />
    <link rel="preconnect" href="https://fonts.gstatic.com" />
    link
      href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@300;400;600;7
00;800&display=swap"
     rel="stylesheet"
    <title>PRO Marketing - O autoru</title>
    <!-- Bootstrap core CSS -->
    <link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet" />
    <link href="https://unpkg.com/aos@2.3.1/dist/aos.css" rel="stylesheet" />
    <!-- Additional CSS Files -->
    <link rel="stylesheet" href="assets/css/fontawesome.css" />
    <link rel="stylesheet" href="assets/css/templatemo-seo-dream.css" />
    <!-- <link rel="stylesheet" href="assets/css/animated.css" /> -->
    <link rel="stylesheet" href="assets/css/owl.css" />
  </head>
  <body>
    <!-- ***** Preloader Start ***** -->
   <div id="js-preloader" class="js-preloader">
```

```
<div class="preloader-inner">
    <span class="dot"></span>
   <div class="dots">
      <span></span>
     <span></span>
      <span></span>
   </div>
  </div>
</div>
<!-- **** Preloader End ***** -->
<!-- ***** Header Area Start ***** -->
<header class="header-area header-sticky">
  <div class="container">
    <div class="row">
     <div class="col-12">
        <nav class="main-nav"></nav>
      </div>
   </div>
  </div>
</header>
<!-- ***** Header Area End ***** -->
<div class="main-banner" id="top">
 <div class="container">
   <div class="row">
      <div class="col-lg-12" id="cover"></div>
   </div>
 </div>
</div>
<div id="features" class="features section">
  <div class="container">
    <div class="row">
      <div class="col-lg-12">
        <div class="features-content">
          <div class="row" id="featuresWrap"></div>
        </div>
      </div>
      <div class="col-lg-12">
        <div class="skills-content">
          <div class="row" id="featurePercent"></div>
       </div>
      </div>
    </div>
```

```
</div>
</div>
<div id="about" class="about-us section">
 <div class="container">
   <div class="row">
     <div class="col-lg-6">
          class="left-image wow fadeInLeft"
         data-wow-duration="1s"
         data-wow-delay="0.5s"
          <img src="assets/images/about-left-image.png" alt="" />
      </div>
      <div
        class="col-lg-6 align-self-center wow fadeInRight"
        data-wow-duration="1s"
       data-wow-delay="0.5s"
        <div class="section-heading">
          <h6>0 nama</h6>
           Pro Marketing <em>marketinška</em> agencija& mi činimo
            <span>vaš</span> brend jačim
          </h2>
        </div>
        <div class="row" id="aboutStats"></div>
          Pro Marketing je marketinška agencija koja se bavi bilo
         promovisanjem potpuno novog brenda na tržištu, brendiranje za
         postizanje boljih rezultata ili bilo čime što ima veze sa
         marketingom. Mi smo tim mladih, perspeketivnih tručnjaka u ovoj
          oblasti ali smo pre svega kreativni a to je ono što nas izdvaja.
        <div class="main-green-button">
          <a href="#contact">Kontakt</a>
        </div>
     </div>
   </div>
 </div>
</div>
<div id="services" class="our-services section">
 <div class="container">
```

```
<div class="row">
     <div class="col-lg-6 offset-lg-3">
       <div class="section-heading">
         <h6>NAŠE USLUGE</h6>
           Otkrijte čime se <em>bavimo</em> & <span>Usluge</span> koje
           nudimo.
         </h2>
       </div>
       <a href="#" class="mx-2" id="filterA">Sve</a>
         <a href="#" class="mx-2" id="filterP">Marketing</a>
         <a href="#" class="mx-2" id="filterM">Produkcija</a>
     </div>
   </div>
 </div>
 <div class="container-fluid">
   <div class="row" id="servicesWrap"></div>
 </div>
</div>
<div id="portfolio" class="our-portfolio section pb-4">
 <div class="container">
   <div class="row">
     <div class="col-lg-5">
       <div
         class="section-heading wow fadeInLeft"
         data-wow-duration="1s"
         data-wow-delay="0.3s"
         <h6>Naš Portofolio</h6>
           Pogledajte naše poslednje <em>projekate</em> i
           <span>prezentacije</span>
         </h2>
       </div>
     </div>
   </div>
 </div>
 <div class="container">
   <div class="row">
     <div class="row mb-3 px-0 mx-auto">
       <div class="col-sm-6 offset-sm-3">
         <a href="#">
```

```
<img
             src="/assets/images/portfolio-01.jpg"
            alt="main image"
            id="main-image"
             class="img-fluid"
         /></a>
       </div>
     </div>
     <div class="row px-2 mx-auto" id="galerija"></div>
   </div>
 </div>
</div>
<!-- Contact -->
<div id="contact" class="contact-us section">
 <div class="container">
   <div class="row">
     <div class="col-lg-12">
       <form id="contactForm" action="#" method="post">
         <div class="row">
           <div class="col-lg-6 offset-lg-3">
            <div class="section-heading">
              <h6>Kontaktirajte nas</h6>
                Popunite <span>formu/span> ispod da bi ste stupili u
                <em>kontakt</em> sa nama
              </h2>
            </div>
           </div>
           <div class="col-lg-9">
            <div class="row">
              </div>
             <div class="row">
              <div class="col-lg-6">
                <fieldset>
                  <input</pre>
                    type="text"
                    name="name"
                    id="name"
                    placeholder="Unesite svoje puno ime"
                  </fieldset>
              </div>
```

```
<div class="col-lg-6">
 <fieldset>
   <input</pre>
    type="text"
    name="email"
    id="email"
    placeholder="Email"
   </fieldset>
</div>
<div class="col-lg-6">
 <fieldset>
   <input
    type="text"
    name="number"
    id="number"
    placeholder="Broj telefona"
   </fieldset>
</div>
<div class="col-lg-6">
 <fieldset>
   <select name="subject" id="subject">
    <option value="0">Izabrite Grad</option>
    <option value="1">Beograd</option>
    <option value="2">Novi Sad</option>
    <option value="3">Kragujevac</option>
   </select>
   </fieldset>
</div>
<div class="col-lg-6 justify-content-start">
 <fieldset>
   Izaberite tip usluge
   <input</pre>
      type="checkbox"
      name="option"
      id="option1"
      value="+ Produkcija "
```

```
Produkcija<br />
    <input</pre>
      type="checkbox"
      name="option"
      id="option2"
      value="+ Društvene mreže"
    Društvene mreže<br />
    <input</pre>
      type="checkbox"
      name="option"
      id="option3"
      value="+ Oglašavanje i Marketing"
    Oglašavanje i Marketing<br />
   </fieldset>
</div>
<div class="col-lg-6">
 <fieldset>
   Izaberite tip lica
   <input type="radio" name="test" id="test1" /> Firma
    <input type="radio" name="test" id="test2" /> Fizičko
    <input type="radio" name="test" id="test3" /> Pravno
    lice
   </fieldset>
</div>
<div class="col-lg-12 mt-3">
 <fieldset>
   <textarea
    name="message"
    class="form-control"
    id="message"
    placeholder="Unesite poruku*"
   ></textarea>
   </fieldset>
</div>
<div class="col-lg-12">
 <fieldset>
```

```
<button
                    type="button"
                    id="form-submit"
                    class="main-button"
                    Pošaljite poruku
                  </button>
                 </fieldset>
               </div>
             </div>
           </div>
           <div class="col-lg-3">
             <div class="contact-info" id="infoContact"></div>
           </div>
         </div>
       </form>
     </div>
   </div>
 </div>
</div>
<!-- footer -->
<footer>
 <div class="container">
   <div class="row mt-4" id="footerWrap"></div>
   <div class="row">
     <div class="col-lg-12">
         Copyright @ <span id="footerYear">2021</span> PRO Marketing Sva
         prava zadržava
       </div>
   </div>
 </div>
</footer>
<!-- portfolio modal -->
<!-- Modal -->
<div class="modal fade" id="portfolioModal">
 <div class="modal-dialog modal-dialog-centered">
   <div class="modal-content">
     <div class="modal-body">
       <img src="" id="modalImage" alt="Portofolio" />
       <h4 class="text-center mt-3 fw-bold" id="modalTitle"></h4>
```

```
</div>
         <div class="modal-footer">
           <button type="button" class="btn btn-secondary" id="closeModal">
             Zatvori
           </button>
         </div>
       </div>
     </div>
   </div>
   <!-- Scripts -->
   <script src="vendor/jquery/jquery.min.js"></script>
   <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
   <script src="assets/js/owl-carousel.js"></script>
   <script src="assets/js/animation.js"></script>
   <script src="assets/js/imagesloaded.js"></script>
   <script src="https://unpkg.com/aos@2.3.1/dist/aos.js"></script>
   <!-- <script src="assets/js/custom.js"></script> -->
   <script src="/assets/js/main.js"></script>
 </body>
</html>
```

Author.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
   <meta
      name="viewport"
      content="width=device-width, initial-scale=1, shrink-to-fit=no"
   <meta
      name="description"
      content="Pro Marketing marketinška agencija i mi činimo vaš brend jačim."
    <meta
      name="keywords"
      content="Marketing, agencija, branding, SEO, Internet, Brand"
    <meta name="author" content="Uroš Vladimirov" />
    <link rel="preconnect" href="https://fonts.gstatic.com" />
    link
```

```
href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@300;400;600;7
00;800&display=swap"
      rel="stylesheet"
    <title>PRO Marketing - O autoru</title>
    <!-- Bootstrap core CSS -->
    <link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet" />
    <link href="https://unpkg.com/aos@2.3.1/dist/aos.css" rel="stylesheet" />
    <!-- Additional CSS Files -->
    <link rel="stylesheet" href="assets/css/fontawesome.css" />
    <link rel="stylesheet" href="assets/css/templatemo-seo-dream.css" />
    <!-- <link rel="stylesheet" href="assets/css/animated.css" /> -->
    <link rel="stylesheet" href="assets/css/owl.css" />
  </head>
  <body>
    <!-- ***** Preloader Start ***** -->
    <div id="js-preloader" class="js-preloader">
      <div class="preloader-inner">
        <span class="dot"></span>
        <div class="dots">
          <span></span>
          <span></span>
          <span></span>
        </div>
      </div>
    </div>
    <!-- ***** Preloader End ***** -->
    <!-- **** Header Area Start **** -->
    <header class="header-area header-sticky">
      <div class="container">
        <div class="row">
          <div class="col-12">
            <nav class="main-nav"></nav>
          </div>
        </div>
      </div>
    </header>
    <div id="author">
```

```
<div class="container">
    <div class="row align-items-center border">
      <div class="col-sm-6 d-flex justify-content-center">
        <img src="/assets/images/mojaSlika.jpg" class="w-50" alt="author" />
     </div>
      <div class="col-sm-6">
        <h2 class="fw-bold mb-3">Uros Vladimirov 45/21</h2>
        <a href="#" id="readAuthor">Pročitaj više</a>
       Zdravo. Zovem se Uroš Vladimirov. Imam 20 godina i dolazim iz
         Beograda, mesto Kaluđerica. Trenutno sam student Visoke ICT škole
         na smeru Internet tehnologije. Nakon završene osnovne škole,
         upisao sam Osmu beogradsku gimnaziju koju sam i završio. Volim da
         putujem i obilazim druge zemlje, konkretno Južnu Ameriku. U
         slobodno vreme gledam filmove i povremeno čitam knjige.
     </div>
   </div>
 </div>
</div>
<footer>
 <div class="container">
    <div class="row mt-4" id="footerWrap"></div>
   <div class="row">
     <div class="col-lg-12">
         Copyright © <span id="footerYear">2021</span> PRO Marketing Sva
         prava zadržava
       </div>
    </div>
 </div>
</footer>
<!-- portfolio modal -->
<!-- Modal -->
<div class="modal fade" id="portfolioModal">
 <div class="modal-dialog modal-dialog-centered">
   <div class="modal-content">
      <div class="modal-body">
        <img src="" id="modalImage" alt="Portofolio" />
        <h4 class="text-center mt-3 fw-bold" id="modalTitle">
         Ovo je naslov
```

```
</h4>
           Lorem ipsum dolor sit amet consectetur adipisicing elit. Facere
            soluta consequatur repudiandae cumque possimus voluptas.
           </div>
         <div class="modal-footer">
           <button type="button" class="btn btn-secondary" id="closeModal">
            Close
           </button>
         </div>
       </div>
     </div>
   </div>
   <!-- Scripts -->
   <script src="vendor/jquery/jquery.min.js"></script>
   <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
   <script src="assets/js/owl-carousel.js"></script>
   <script src="assets/js/animation.js"></script>
   <script src="assets/js/imagesloaded.js"></script>
   <script src="https://unpkg.com/aos@2.3.1/dist/aos.js"></script>
   <!-- <script src="assets/js/custom.js"></script> -->
   <script src="/assets/js/main.js"></script>
 </body>
</html>
```

3.2 CSS

```
06. features
07. testimonials
08. contact
09. footer
10. preloader
11. search
12. portfolio
font & reset css
@import
url("https://fonts.googleapis.com/css2?family=Open+Sans:wght@300;400;600;700;800&
display=swap");
html,
body,
div,
span,
applet,
object,
iframe,
h1,
h2,
h3,
h4,
h5,
h6,
blockquote,
div pre,
a,
abbr,
acronym,
address,
big,
cite,
code,
```

```
del,
dfn,
em,
font,
img,
ins,
kbd,
q,
s,
samp,
small,
strike,
strong,
sub,
sup,
tt,
var,
b,
u,
i,
center,
dl,
dt,
dd,
ol,
ul,
li,
figure,
header,
nav,
section,
article,
aside,
footer,
figcaption {
  margin: 0;
  padding: 0;
  border: 0;
  outline: 0;
/* clear fix */
.grid:after {
  content: "";
 display: block;
```

```
clear: both;
/* ---- .grid-item ---- */
#top {
  background-image: url("/assets/images/banner-dec-right.png");
.grid-sizer,
.grid-item {
  width: 50%;
.p-image {
  transition: all 0.2s;
.p-image:hover {
  transform: scale(1.06);
.grid-item {
  float: left;
.grid-item img {
  display: block;
  max-width: 100%;
.clearfix:after {
  content: ".";
  display: block;
  clear: both;
  visibility: hidden;
  line-height: 0;
  height: 0;
.clearfix {
  display: inline-block;
html[xmlns] .clearfix {
  display: block;
```

```
html .clearfix {
  height: 1%;
ul,
li {
 padding: 0;
  margin: 0;
  list-style: none;
header,
nav,
section,
article,
aside,
footer,
hgroup {
  display: block;
  box-sizing: border-box;
html,
body {
  font-family: "Open Sans", sans-serif;
  font-weight: 400;
  background-color: #fff;
  -ms-text-size-adjust: 100%;
  -webkit-font-smoothing: antialiased;
  -moz-osx-font-smoothing: grayscale;
a {
  text-decoration: none !important;
h1,
h2,
h3,
h4,
h5,
```

```
margin-top: 0px;
 margin-bottom: 0px;
ul {
 margin-bottom: 0px;
p {
 font-size: 15px;
 line-height: 30px;
 color: #2a2a2a;
img {
 width: 100%;
 overflow: hidden;
global styles
html,
body {
 background: #fff;
 font-family: "Open Sans", sans-serif;
::selection {
 background: #03a4ed;
 color: #fff;
::-moz-selection {
 background: #03a4ed;
 color: #fff;
@media (max-width: 991px) {
 html,
 body {
  overflow-x: hidden;
```

```
.mobile-top-fix {
   margin-top: 30px;
   margin-bottom: 0px;
 .mobile-bottom-fix {
   margin-bottom: 30px;
 .mobile-bottom-fix-big {
   margin-bottom: 60px;
.page-section {
 margin-top: 120px;
.section-heading {
 margin-bottom: 60px;
.section-heading h6 {
 font-size: 15px;
 font-weight: 700;
 color: #33ccc5;
 text-transform: uppercase;
 margin-bottom: 15px;
.section-heading h2 {
 font-size: 30px;
 text-transform: capitalize;
 color: #2a2a2a;
 font-weight: 800;
 position: relative;
 z-index: 2;
 line-height: 45px;
.section-heading h2 em {
 font-style: normal;
 color: #33ccc5;
.section-heading h2 span {
 color: #088ec3;
```

```
.progress-bg {
 width: 100%;
 height: 100%;
 transform: scale(0.8);
 background-color: #fd6a54;
 position: absolute;
  z-index: -1;
 border-radius: 50%;
.main-blue-button a {
 display: inline-block;
 background-color: #4771cb;
  font-size: 15px;
  font-weight: 400;
  color: #fff;
 text-transform: capitalize;
 padding: 12px 25px;
 border-radius: 23px;
 letter-spacing: 0.25px;
 border-bottom: 2px solid #fff !important;
 transition: all 0.3s;
.main-blue-button a:hover {
 background-color: #fff !important;
 color: #4771cb !important;
 border-bottom: 2px solid #4771cb !important;
.main-green-button a {
 display: inline-block;
 background-color: #33ccc5;
  font-size: 15px;
  font-weight: 400;
 color: #fff;
 text-transform: capitalize;
 padding: 12px 25px;
 border-radius: 23px;
 letter-spacing: 0.25px;
 border-bottom: 2px solid #4771cb !important;
 transition: all 0.3s;
.main-green-button a:hover {
```

```
background-color: #4771cb !important;
 color: #fff !important;
 border-bottom: 2px solid #33ccc5 !important;
header
.background-header {
 background-color: #33ccc5 !important;
 height: 80px !important;
 position: fixed !important;
 top: 0px;
 left: 0px;
 right: 0px;
 box-shadow: 0px 0px 10px rgba(0, 0, 0, 0.15) !important;
.background-header .logo,
.background-header .main-nav .nav li a {
 color: #fff;
.background-header .main-nav .nav li:hover a {
 color: #33ccc5;
.background-header .nav li a.active {
 position: relative;
 color: #fff;
.background-header .nav li a.active:after {
 position: absolute;
 width: 20px;
 height: 2px;
 background-color: #4771cb;
 content: "";
 left: 50%;
 bottom: 0px;
 transform: translateX(-10px);
```

```
.header-area {
 background-color: #33ccc5;
 position: absolute;
 top: 0px;
 left: 0px;
 right: 0px;
 z-index: 100;
 height: 100px;
 -webkit-transition: all 0.5s ease 0s;
 -moz-transition: all 0.5s ease 0s;
 -o-transition: all 0.5s ease 0s;
 transition: all 0.5s ease 0s;
.header-area .main-nav {
 min-height: 80px;
 background: transparent;
.header-area .main-nav .logo {
 float: left;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
.header-area .main-nav .logo h4 {
 font-size: 30px;
 font-weight: 800;
 text-transform: capitalize;
 color: #fff;
 line-height: 100px;
 float: left;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
.header-area .main-nav .logo h4 img {
 max-width: 30px;
 margin-top: -20px;
 margin-left: 5px;
```

```
.background-header .main-nav .logo h4 {
 line-height: 80px;
.background-header .main-nav .nav {
 margin-top: 20px !important;
.header-area .main-nav .nav {
 float: right;
 margin-top: 30px;
 margin-right: 0px;
 background-color: transparent;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
 position: relative;
 z-index: 999;
.header-area .main-nav .nav li {
 padding-left: 20px;
 padding-right: 20px;
.header-area .main-nav .nav li:last-child {
 padding-right: 0px;
 padding-left: 40px;
.header-area .main-nav .nav li:last-child a,
.background-header .main-nav .nav li:last-child a {
 padding: 0px 20px;
 font-weight: 400;
.header-area .main-nav .nav li:last-child a:hover,
.background-header .main-nav .nav li:last-child a:hover {
 color: #4771cb !important;
.header-area .main-nav .nav li a {
 display: block;
```

```
font-weight: 500;
 font-size: 15px;
 color: #fff;
 text-transform: capitalize;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
 height: 40px;
 line-height: 40px;
 border: transparent;
 letter-spacing: 1px;
.header-area .main-nav .nav li:hover a,
.header-area .main-nav .nav li a.active {
 color: #fff !important;
.background-header .main-nav .nav li:hover a,
.background-header .main-nav .nav li a.active {
 color: #fff !important;
 opacity: 1;
.header-area .main-nav .nav li.submenu {
 position: relative;
 padding-right: 30px;
.header-area .main-nav .nav li.submenu:after {
 font-family: FontAwesome;
 content: "\f107";
 font-size: 12px;
 color: #2a2a2a;
 position: absolute;
 right: 18px;
 top: 12px;
.background-header .main-nav .nav li.submenu:after {
 color: #2a2a2a;
.header-area .main-nav .nav li.submenu ul {
```

```
position: absolute;
 width: 200px;
 box-shadow: 0 2px 28px 0 rgba(0, 0, 0, 0.06);
 overflow: hidden;
 top: 50px;
 opacity: 0;
 transform: translateY(+2em);
 visibility: hidden;
 z-index: -1;
 transition: all 0.3s ease-in-out 0s, visibility 0s linear 0.3s,
   z-index 0s linear 0.01s;
.header-area .main-nav .nav li.submenu ul li {
 margin-left: 0px;
 padding-left: 0px;
 padding-right: 0px;
.header-area .main-nav .nav li.submenu ul li a {
 opacity: 1;
 display: block;
 background: #f7f7f7;
 color: #2a2a2a !important;
 padding-left: 20px;
 height: 40px;
 line-height: 40px;
 -webkit-transition: all 0.3s ease 0s;
 -moz-transition: all 0.3s ease 0s;
 -o-transition: all 0.3s ease 0s;
 transition: all 0.3s ease 0s;
 position: relative;
 font-size: 13px;
 font-weight: 400;
 border-bottom: 1px solid #eee;
.header-area .main-nav .nav li.submenu ul li a:hover {
 background: #fff;
 color: #33ccc5 !important;
 padding-left: 25px;
.header-area .main-nav .nav li.submenu ul li a:hover:before {
 width: 3px;
```

```
.header-area .main-nav .nav li.submenu:hover ul {
 visibility: visible;
 opacity: 1;
 z-index: 1;
 transform: translateY(0%);
 transition-delay: 0s, 0s, 0.3s;
.header-area .main-nav .menu-trigger {
 cursor: pointer;
 display: block;
 position: absolute;
 top: 33px;
 width: 32px;
 height: 40px;
 text-indent: -9999em;
 z-index: 99;
 right: 40px;
 display: none;
.background-header .main-nav .menu-trigger {
 top: 23px;
.header-area .main-nav .menu-trigger span,
.header-area .main-nav .menu-trigger span:before,
.header-area .main-nav .menu-trigger span:after {
 -moz-transition: all 0.4s;
 -o-transition: all 0.4s;
 -webkit-transition: all 0.4s;
 transition: all 0.4s;
 background-color: #fff;
 display: block;
 position: absolute;
 width: 30px;
 height: 2px;
 left: 0;
.background-header .main-nav .menu-trigger span,
.background-header .main-nav .menu-trigger span:before,
.background-header .main-nav .menu-trigger span:after {
```

```
background-color: #fff;
.header-area .main-nav .menu-trigger span:before,
.header-area .main-nav .menu-trigger span:after {
 -moz-transition: all 0.4s;
 -o-transition: all 0.4s;
 -webkit-transition: all 0.4s;
 transition: all 0.4s;
 background-color: #fff;
 display: block;
 position: absolute;
 width: 30px;
 height: 2px;
 left: 0;
 width: 75%;
background-header .main-nav .menu-trigger span:before,
.background-header .main-nav .menu-trigger span:after {
 background-color: #fff;
.header-area .main-nav .menu-trigger span:before,
.header-area .main-nav .menu-trigger span:after {
 content: "";
.header-area .main-nav .menu-trigger span {
 top: 16px;
.header-area .main-nav .menu-trigger span:before {
 -moz-transform-origin: 33% 100%;
 -ms-transform-origin: 33% 100%;
 -webkit-transform-origin: 33% 100%;
 transform-origin: 33% 100%;
 top: -10px;
 z-index: 10;
.header-area .main-nav .menu-trigger span:after {
 -moz-transform-origin: 33% 0;
 -ms-transform-origin: 33% 0;
 -webkit-transform-origin: 33% 0;
```

```
transform-origin: 33% 0;
 top: 10px;
.header-area .main-nav .menu-trigger.active span,
.header-area .main-nav .menu-trigger.active span:before,
.header-area .main-nav .menu-trigger.active span:after {
 background-color: transparent;
 width: 100%;
.header-area .main-nav .menu-trigger.active span:before {
 -moz-transform: translateY(6px) translateX(1px) rotate(45deg);
 -ms-transform: translateY(6px) translateX(1px) rotate(45deg);
 -webkit-transform: translateY(6px) translateX(1px) rotate(45deg);
 transform: translateY(6px) translateX(1px) rotate(45deg);
 background-color: #fff;
.background-header .main-nav .menu-trigger.active span:before {
 background-color: #fff;
.header-area .main-nav .menu-trigger.active span:after {
 -moz-transform: translateY(-6px) translateX(1px) rotate(-45deg);
 -ms-transform: translateY(-6px) translateX(1px) rotate(-45deg);
 -webkit-transform: translateY(-6px) translateX(1px) rotate(-45deg);
 transform: translateY(-6px) translateX(1px) rotate(-45deg);
 background-color: #fff;
.background-header .main-nav .menu-trigger.active span:after {
 background-color: #fff;
.header-area.header-sticky {
 min-height: 80px;
.header-area .nav {
 margin-top: 30px;
.header-area.header-sticky .nav li a.active {
 color: #33ccc5;
```

```
@media (max-width: 1200px) {
  .header-area .main-nav .nav li {
    padding-left: 12px;
    padding-right: 12px;
  .header-area .main-nav:before {
    display: none;
@media (max-width: 992px) {
  .header-area .main-nav .nav li:last-child,
  .background-header .main-nav .nav li:last-child {
    display: none;
  .header-area .main-nav .nav li:nth-child(6),
  .background-header .main-nav .nav li:nth-child(6) {
    padding-right: 0px;
@media (max-width: 767px) {
  .background-header .main-nav .nav {
    margin-top: 80px !important;
  .header-area .main-nav .logo {
    color: #1e1e1e;
  .header-area.header-sticky .nav li a:hover,
  .header-area.header-sticky .nav li a.active {
    color: #33ccc5 !important;
    opacity: 1;
  .header-area.header-sticky .nav li.search-icon a {
    width: 100%;
  .header-area {
    background-color: #33ccc5;
    padding: 0px 15px;
    height: 100px;
    box-shadow: none;
    text-align: center;
```

```
.header-area .container {
 padding: 0px;
.header-area .logo {
 margin-left: 30px;
.header-area .menu-trigger {
 display: block !important;
.header-area .main-nav {
 overflow: hidden;
.header-area .main-nav .nav {
 float: none;
 width: 100%;
 display: none;
 -webkit-transition: all 0s ease 0s;
 -moz-transition: all 0s ease 0s;
 -o-transition: all 0s ease 0s;
 transition: all 0s ease 0s;
 margin-left: 0px;
.background-header .nav {
 margin-top: 80px;
.header-area .main-nav .nav li:first-child {
 border-top: 1px solid #eee;
.header-area.header-sticky .nav {
 margin-top: 100px;
.header-area .main-nav .nav li {
 width: 100%;
 background: #fff;
 border-bottom: 1px solid #e7e7e7;
 padding-left: 0px !important;
 padding-right: 0px !important;
.header-area .main-nav .nav li a {
 height: 50px !important;
 line-height: 50px !important;
 padding: 0px !important;
 border: none !important;
 background: #f7f7f7 !important;
 color: #191a20 !important;
```

```
.header-area .main-nav .nav li a:hover {
   background: #eee !important;
    color: #33ccc5 !important;
  .header-area .main-nav .nav li.submenu ul {
   position: relative;
   visibility: inherit;
   opacity: 1;
   z-index: 1;
   transform: translateY(0%);
   transition-delay: 0s, 0s, 0.3s;
   top: 0px;
   width: 100%;
   box-shadow: none;
   height: 0px;
  .header-area .main-nav .nav li.submenu ul li a {
   font-size: 12px;
   font-weight: 400;
  .header-area .main-nav .nav li.submenu ul li a:hover:before {
   width: 0px;
  .header-area .main-nav .nav li.submenu ul.active {
   height: auto !important;
  .header-area .main-nav .nav li.submenu:after {
   color: #3b566e;
   right: 25px;
   font-size: 14px;
   top: 15px;
  .header-area .main-nav .nav li.submenu:hover ul,
  .header-area .main-nav .nav li.submenu:focus ul {
   height: 0px;
@media (min-width: 767px) {
  .header-area .main-nav .nav {
   display: flex !important;
```

```
preloader
.js-preloader {
  position: fixed;
  top: 0;
 left: 0;
  right: 0;
  bottom: 0;
  background-color: #fff;
  display: -webkit-box;
  display: flex;
  -webkit-box-align: center;
  align-items: center;
  -webkit-box-pack: center;
  justify-content: center;
  opacity: 1;
  visibility: visible;
  z-index: 9999;
  -webkit-transition: opacity 0.25s ease;
  transition: opacity 0.25s ease;
.js-preloader.loaded {
  opacity: 0;
  visibility: hidden;
  pointer-events: none;
@-webkit-keyframes dot {
 50% {
   -webkit-transform: translateX(96px);
    transform: translateX(96px);
@keyframes dot {
 50% {
    -webkit-transform: translateX(96px);
    transform: translateX(96px);
```

```
@-webkit-keyframes dots {
  50% {
   -webkit-transform: translateX(-31px);
    transform: translateX(-31px);
@keyframes dots {
  50% {
    -webkit-transform: translateX(-31px);
    transform: translateX(-31px);
.preloader-inner {
  position: relative;
  width: 142px;
 height: 40px;
  background: #fff;
.preloader-inner .dot {
  position: absolute;
  width: 16px;
  height: 16px;
  top: 12px;
  left: 15px;
  background: #33ccc5;
  border-radius: 50%;
  -webkit-transform: translateX(0);
  transform: translateX(0);
  -webkit-animation: dot 2.8s infinite;
  animation: dot 2.8s infinite;
 preloader-inner .dots {
  -webkit-transform: translateX(0);
  transform: translateX(0);
  margin-top: 12px;
  margin-left: 31px;
  -webkit-animation: dots 2.8s infinite;
  animation: dots 2.8s infinite;
```

```
preloader-inner .dots span {
  display: block;
 float: left;
 width: 16px;
 height: 16px;
 margin-left: 16px;
 background: #33ccc5;
 border-radius: 50%;
Banner Style
.main-banner {
 background-repeat: no-repeat;
 background-position: center center;
 background-size: cover;
 padding: 226px 0px 120px 0px;
  position: relative;
  overflow: hidden;
.main-banner:after {
 content: "";
  background-image: url(../images/banner-dec-left.png);
 background-repeat: no-repeat;
 position: absolute;
 left: 0;
  top: 100px;
 width: 212px;
 height: 653px;
  z-index: -1;
.main-banner:before {
 content: "";
 background-image: url(../images/banner-dec-right.png);
  background-repeat: no-repeat;
  position: absolute;
  right: 0;
 top: 100px;
 width: 1159px;
```

```
height: 797px;
 z-index: -1;
.main-banner .left-content {
 margin-right: 45px;
.main-banner .left-content h6 {
 text-transform: capitalize;
 font-size: 15px;
 font-weight: 400;
 color: #2a2a2a;
 margin-bottom: 8px;
.main-banner .left-content h4 {
 z-index: 2;
 position: relative;
 font-weight: 700;
 font-size: 20px;
 color: #2a2a2a;
.main-banner .left-content h2 {
 border-top: 1px solid #eee;
 margin-top: 30px;
 padding-top: 20px;
 margin-bottom: 45px;
 font-size: 60px;
 font-weight: 800;
 color: #2a2a2a;
 line-height: 72px;
 background: #fa9d4d;
 background: -webkit-linear-gradient(to right, #fa9d4d 0%, #ff4f6b 100%);
 background: -moz-linear-gradient(to right, #fa9d4d 0%, #ff4f6b 100%);
 background: linear-gradient(to right, #fa9d4d 0%, #ff4f6b 100%);
 -webkit-background-clip: text;
 -webkit-text-fill-color: transparent;
.main-banner .right-image {
 text-align: right;
 position: relative;
 z-index: 2;
```

```
.main-banner .right-image img {
 max-width: 593px;
Features Style
#features {
 padding-top: 130px;
.features .features-content {
  z-index: 2;
 position: relative;
 background-color: #fff;
 border-radius: 50px;
 box-shadow: 0px 0px 15px rgba(0, 0, 0, 0.1);
.features-item {
 text-align: center;
 padding: 30px;
  border-radius: 50px;
 background: rgb(255, 255, 255);
 background: linear-gradient(
   105deg,
   rgba(255, 255, 255, 1) 0%,
   rgba(255, 255, 255, 1) 100%
  );
 transition: background-color 0.5s;
  -webkit-transition: background-color 0.5s;
  -o-transition: background-color 0.5s;
  -moz-transition: background-color 0.5s;
.features-item:hover {
 background: rgb(51, 204, 197);
 background: linear-gradient(
   105deg,
   rgba(51, 204, 197, 1) 0%,
```

```
rgba(8, 141, 195, 1) 100%
 );
.features-item:hover h4 {
 color: #fff;
.features-item:hover p {
 color: #fff;
.features-item:hover .line-dec {
 background-color: rgba(255, 255, 255, 0.3);
.first-feature:hover .icon {
 background-image: url(../images/features-icon-white-01.png);
.second-feature:hover .icon {
 background-image: url(../images/features-icon-white-02.png);
.features-item .number h6 {
 background-repeat: no-repeat;
 width: 110px;
 height: 69px;
 color: #fff;
 margin-left: auto;
 margin-right: auto;
 font-size: 30px;
 font-weight: 700;
 text-align: center;
 line-height: 69px;
 margin-top: -65px;
 margin-bottom: 30px;
.features-item .first-number h6 {
 background-image: url(../images/features-number-01.png);
.features-item .second-number h6 {
 background-image: url(../images/features-number-02.png);
```

```
.features-item .third-number h6 {
 background-image: url(../images/features-number-03.png);
.features-item .fourth-number h6 {
 background-image: url(../images/features-number-04.png);
.first-feature .icon {
 background-image: url(../images/features-icon-black-01.png);
.second-feature .icon {
 background-image: url(../images/features-icon-black-02.png);
.features-item .icon {
 width: 63px;
 height: 63px;
 margin: 0 auto;
 transition: all 0.5s;
.features-item h4 {
 margin-left: 15px;
 margin-right: 15px;
 margin-top: 30px;
 font-size: 20px;
 line-height: 30px;
 font-weight: 700;
 color: #2a2a2a;
 position: relative;
 transition: all 0.5s;
.features-item .line-dec {
 width: 100px;
 height: 2px;
 background-color: rgba(51, 204, 197, 0.3);
 margin: 30px auto;
 transition: all 0.5s;
```

```
.features-item p {
 position: relative;
 margin-top: 0px;
 transition: all 0.5s;
.skills-content {
 position: relative;
 z-index: 1;
 margin-top: -50px;
 background-color: #f5f5f5;
 border-bottom-right-radius: 50px;
 border-bottom-left-radius: 50px;
 padding: 110px 0px 50px 0px;
.skill-item {
 text-align: center;
.progress {
 width: 150px;
 height: 150px;
 line-height: 150px;
 background: none;
 margin: 0 auto;
 box-shadow: none;
 position: relative;
.progress:after {
 content: "";
 width: 100%;
 height: 100%;
 border-radius: 50%;
 border: 5px solid #ddd;
 position: absolute;
 top: 0;
 left: 0;
.progress > span {
 width: 50%;
 height: 100%;
 overflow: hidden;
 position: absolute;
 top: 0;
```

```
z-index: 1;
.progress .progress-left {
 left: 0;
progress .progress-bar {
 width: 100%;
 height: 100%;
 background: none;
 border-width: 5px;
 border-style: solid;
 position: absolute;
 top: 0;
 border-color: #fd6a54;
progress .progress-left .progress-bar {
 left: 100%;
 border-top-right-radius: 75px;
 border-bottom-right-radius: 75px;
 border-left: 0;
 -webkit-transform-origin: center left;
 transform-origin: center left;
.progress .progress-right {
 right: 0;
.progress .progress-right .progress-bar {
 left: -100%;
 border-top-left-radius: 75px;
 border-bottom-left-radius: 75px;
 border-right: 0;
 -webkit-transform-origin: center right;
 transform-origin: center right;
.progress .progress-value {
 text-align: center;
 color: #2a2a2a;
 display: flex;
 width: 100%;
 border-radius: 50%;
 font-size: 32px;
 text-align: center;
 line-height: 20px;
 align-items: center;
 justify-content: center;
```

```
height: 100%;
  font-weight: 700;
.progress .progress-value div {
  margin-top: 10px;
.progress .progress-value span {
 font-size: 12px;
  text-transform: uppercase;
/* This for loop creates the necessary css animation names
Due to the split circle of progress-left and progress right, we must use the
animations on each side.
.progress[data-percentage="10"] .progress-right .progress-bar {
  animation: loading-1 1.5s linear forwards;
 progress[data-percentage="10"] .progress-left .progress-bar {
  animation: 0;
.progress[data-percentage="20"] .progress-right .progress-bar {
  animation: loading-2 1.5s linear forwards;
progress[data-percentage="20"] .progress-left .progress-bar {
  animation: 0;
.progress[data-percentage="30"] .progress-right .progress-bar {
  animation: loading-3 1.5s linear forwards;
 progress[data-percentage="30"] .progress-left .progress-bar {
  animation: 0;
 progress[data-percentage="40"] .progress-right .progress-bar {
  animation: loading-4 1.5s linear forwards;
.progress[data-percentage="40"] .progress-left .progress-bar {
  animation: 0;
.progress[data-percentage="50"] .progress-right .progress-bar {
 animation: loading-5 1.5s linear forwards;
```

```
.progress[data-percentage="50"] .progress-left .progress-bar {
  animation: 0;
 progress[data-percentage="60"] .progress-right .progress-bar {
  animation: loading-5 1.5s linear forwards;
progress[data-percentage="60"] .progress-left .progress-bar {
  animation: loading-1 1.5s linear forwards 1.5s;
progress[data-percentage="70"] .progress-right .progress-bar {
  animation: loading-5 1.5s linear forwards;
 progress[data-percentage="70"] .progress-left .progress-bar {
  animation: loading-2 1.5s linear forwards 1.5s;
progress[data-percentage="80"] .progress-right .progress-bar {
  animation: loading-5 1.5s linear forwards;
.progress[data-percentage="80"] .progress-left .progress-bar {
  animation: loading-3 1.5s linear forwards 1.5s;
.progress[data-percentage="90"] .progress-right .progress-bar {
 animation: loading-5 1.5s linear forwards;
.progress[data-percentage="90"] .progress-left .progress-bar {
 animation: loading-4 1.5s linear forwards 1.5s;
progress[data-percentage="100"] .progress-right .progress-bar {
  animation: loading-5 1.5s linear forwards;
.progress[data-percentage="100"] .progress-left .progress-bar {
  animation: loading-5 1.5s linear forwards 1.5s;
@keyframes loading-1 {
 0% {
    -webkit-transform: rotate(0deg);
    transform: rotate(0deg);
```

```
100% {
    -webkit-transform: rotate(36);
    transform: rotate(36deg);
@keyframes loading-2 {
  0% {
    -webkit-transform: rotate(0deg);
    transform: rotate(0deg);
 100% {
   -webkit-transform: rotate(72);
   transform: rotate(72deg);
@keyframes loading-3 {
 0% {
   -webkit-transform: rotate(0deg);
   transform: rotate(0deg);
 100% {
    -webkit-transform: rotate(108);
    transform: rotate(108deg);
@keyframes loading-4 {
 0% {
    -webkit-transform: rotate(0deg);
    transform: rotate(0deg);
 100% {
   -webkit-transform: rotate(144);
   transform: rotate(144deg);
@keyframes loading-5 {
 0% {
    -webkit-transform: rotate(0deg);
   transform: rotate(0deg);
 100% {
   -webkit-transform: rotate(180);
   transform: rotate(180deg);
```

```
.progress {
 margin-bottom: 1em;
About Us Style
#about {
 padding-top: 130px;
.about-us .section-heading {
 margin-bottom: 40px;
.about-us .left-image {
 margin-right: 45px;
.about-us .about-item h4 {
 font-size: 38px;
 font-weight: 800;
 color: #088ec3;
.about-us .about-item h6 {
 font-size: 16px;
 margin-top: 5px;
 font-weight: 400;
 color: #2a2a2a;
 text-transform: capitalize;
.about-us p {
 margin: 40px 0px;
Services Style
```

```
.our-services {
 padding-top: 120px;
.our-services .section-heading {
 text-align: center;
 margin-left: 75px;
 margin-right: 75px;
.our-services .container-fluid {
 padding: 0px 80px;
.service-item {
 padding: 60px 30px;
 border: 2px solid #f7f7f7;
 border-radius: 5px;
 transition: all 0.3s;
 margin-bottom: 30px;
.service-item:hover {
 background-color: #fff;
 border: 2px solid transparent;
 box-shadow: 0px 0px 10px rgba(0, 0, 0, 0.1);
.service-item .icon {
 margin-top: 10px;
 width: 80px;
 height: 80px;
 display: inline-block;
 text-align: center;
 line-height: 80px;
 background-color: #f7f7f7;
 border-radius: 50%;
.service-item .icon img {
 width: 38px;
 height: 38px;
```

```
.service-item h4 {
  font-size: 22px;
 font-weight: 700;
 color: #2a2a2a;
 margin-bottom: 15px;
Portfolio
.our-portfolio {
 padding-top: 100px;
 overflow: hidden;
}
.our-portfolio .container-fluid {
 padding-right: 0px;
 padding-left: 0px;
.portfolio-item {
 margin-bottom: 30px;
 border-radius: 50px;
.portfolio-item:hover .thumb .hover-content {
 opacity: 1;
 visibility: visible;
.portfolio-item .thumb {
 position: relative;
 border-radius: 50px;
.portfolio-item .thumb img {
 border-radius: 50px;
 overflow: hidden;
.portfolio-item .thumb .hover-content {
 border-radius: 50px;
```

```
overflow: hidden;
 position: absolute;
 left: 0;
 top: 0;
 background: rgb(51, 204, 197);
 background: linear-gradient(
   105deg,
   rgba(51, 204, 197, 1) 0%,
   rgba(8, 141, 195, 1) 100%
 );
 width: 100%;
 height: 100%;
 opacity: 0;
 visibility: hidden;
 transition: all 0.5s;
.portfolio-item .thumb .hover-content .inner-content {
 position: absolute;
 left: 50%;
 top: 50%;
 transform: translate(-50%, -50%);
 text-align: center;
portfolio-item .thumb .hover-content .inner-content h4 {
 font-size: 20px;
 font-weight: 700;
 color: #fff;
 margin-bottom: 10px;
.portfolio-item .thumb .hover-content .inner-content span {
 font-size: 15px;
 color: #fff;
.our-portfolio .owl-nav {
 display: inline-block !important;
 position: absolute;
 top: -117px;
 right: 15%;
 max-width: 1320px;
```

```
.our-portfolio .owl-nav .owl-next {
 margin-left: 10px;
.our-portfolio .owl-nav span {
 width: 46px;
 height: 46px;
 display: inline-block;
 text-align: center;
 line-height: 35px;
 font-size: 30px;
 border: 2px solid #eee;
 border-radius: 50%;
 color: #ddd;
 transition: all 0.5s;
.our-portfolio .owl-nav span:hover {
 color: #33ccc5;
 border-color: #33ccc5;
contact
.contact-us {
 margin-top: 90px;
 padding: 120px 0px;
 background-image: url(../images/contact-bg.jpg);
 background-repeat: no-repeat;
 background-position: center center;
 background-size: cover;
.contact-us .section-heading {
 text-align: center;
 margin-left: 20px;
 margin-right: 20px;
.contact-us .contact-info {
 padding: 40px 30px;
 border: 2px solid #eee;
```

```
.contact-us .contact-info ul li {
  text-align: center;
 display: block;
 margin-bottom: 30px;
.contact-us .contact-info ul li a {
 font-size: 15px;
 color: #afafaf;
  transition: all 0.5s;
.contact-us .contact-info ul li:hover a {
  color: #2a2a2a;
.contact-us .contact-info ul li:last-child {
 margin-bottom: 0px;
.contact-us .contact-info ul li .icon {
  margin-bottom: 10px;
.contact-us .contact-info ul li .icon img {
 max-width: 32px;
form#contactForm {
  position: relative;
 background-color: #fff;
 padding: 60px 80px;
 border-radius: 50px;
 text-align: center;
form#contactForm input[type="text"],
form#contactForm select {
 width: 100%;
 height: 46px;
 border-radius: 5px;
 background-color: transparent;
 border: 2px solid #efefef;
```

```
outline: none;
  font-size: 15px;
  font-weight: 300;
  color: #2a2a2a;
  padding: 0px 20px;
  margin-top: 20px;
form#contactForm input::placeholder,
form#contactForm select::placeholder {
  color: #aaa;
#author {
 padding: 150px 0px;
form#contactForm textarea {
 width: 100%;
 min-width: 100%;
 max-width: 100%;
 max-height: 180px;
 min-height: 140px;
 height: 140px;
 border-radius: 5px;
  background-color: transparent;
  border: 2px solid #efefef;
  outline: none;
  font-size: 15px;
  font-weight: 300;
  color: #2a2a2a;
 padding: 15px 20px;
 margin-bottom: 20px;
form#contactForm textarea::placeholder {
  color: #aaa;
form#contactForm button {
  display: inline-block;
  background-color: #33ccc5;
  font-size: 15px;
 font-weight: 400;
 color: #fff;
 margin-top: 20px;
  text-transform: capitalize;
```

```
padding: 12px 25px;
  border-radius: 23px;
  letter-spacing: 0.25px;
  border-bottom: 2px solid #4771cb !important;
  transition: all 0.3s;
 outline: none;
 border: none;
form#contactForm button:hover {
  background-color: #4771cb !important;
 color: #fff !important;
 border-bottom: 2px solid #33ccc5 !important;
Footer Style
footer p {
 text-align: center;
 margin: 30px 0px;
footer p a {
 color: #33ccc5;
 transition: all 0.5s;
footer p a:hover {
 color: #4771cb;
@media (max-width: 1200px) {
  .header-area .main-nav .logo h4 {
   font-size: 24px;
```

```
.header-area .main-nav .logo h4 img {
    max-width: 25px;
   margin-left: 0px;
  .header-area .main-nav .nav li:last-child {
    padding-left: 20px;
@media (max-width: 992px) {
  .header-area .main-nav .logo h4 {
    font-size: 20px;
  .main-banner .left-content {
   margin-right: 0px;
  .main-banner {
    text-align: center;
  .main-banner:before {
    display: none;
  .main-banner .right-image {
   margin: 30px auto 0px auto;
   text-align: center;
  .features-item {
    margin-bottom: 45px;
  .last-features-item,
  .last-skill-item {
    margin-bottom: 0px !important;
  .skill-item {
   margin-bottom: 30px;
  .service-item {
    text-align: center;
  .service-item .icon {
   margin-top: 0px;
   margin-bottom: 30px;
  .about-us .left-image {
  margin-right: 30px;
```

```
margin-left: 30px;
    margin-bottom: 45px;
  .our-portfolio .owl-nav {
    display: none !important;
  .contact-info {
   margin-top: 60px;
  form#contactForm {
    padding: 45px;
@media (max-width: 767px) {
  .header-area .main-nav .logo h4 {
    font-size: 30px;
  .header-area .main-nav .logo h4 img {
   max-width: 30px;
   margin-left: 5px;
  .main-banner .info-stat {
    margin-bottom: 15px;
  .service-item {
   text-align: center;
   padding: 30px;
  .service-item .icon {
   float: none;
   margin-right: 0px;
   margin-bottom: 15px;
  .service-item .right-content {
   display: inline-block;
  .our-portfolio .section-heading,
  .about-us .section-heading,
  .about-us .about-item,
  .about-us p,
  .about-us .main-green-button {
    text-align: center;
  .our-services .section-heading {
```

```
margin-left: 15px;
margin-right: 15px;
}
.about-us .about-item {
  margin-top: 15px;
}
form#contactForm {
  padding: 30px;
}
```

3.3 JS

```
let path = window.location.pathname;
if (path == "/" || path == "/index.html") {
 indexPage();
} else {
  author();
// ANIMIRA COVER PAGE NA POCETKU
function animate() {
  document.addEventListener("DOMContentLoaded", () => {
    let titles = document.querySelectorAll(".title");
    const animacija1 = [
      { transform: "translateY(-200px)", opacity: "0" },
      { transform: "translateY(0px) ", opacity: "1" },
    ];
    const animacija2 = [
     { transform: "translateX(-200px)", opacity: "0" },
      { transform: "translateX(0px) ", opacity: "1" },
    ];
    const duzina = {
      duration: 500,
      iterations: 1,
    };
    titles[1].animate(animacija1, duzina);
    titles[0].animate(animacija2, duzina);
  });
// DINAMICKI ISPIS ELEMENATA NA COVERU
function cover() {
  let coverInfo = [
   ["Pro Marketing marketinška agencija"],
```

```
["Kontaktirajte nas"],
    ["banner-right-image.png"],
  ];
  let coverInner = ``;
  for (let i in coverInfo[0]) {
    coverInner += `<div class="row">
                    <div class="col-lg-6 title align-self-center">
                    <div class="left-content header-text">
                        <div class="row">
                        <div class="col-lg-12">
                            <h2 class="">${coverInfo[0][i]}</h2>
                        </div>
                        <div class="col-lg-12">
                            <div class="main-green-button scroll-to-section">
                            <a class="" href="#contact">${coverInfo[1][i]}</a>
                            </div>
                        </div>
                        </div>
                    </div>
                    </div>
                    <div class="col-lg-6 title">
                    <div
                        class="right-image"
                        <img src="assets/images/${coverInfo[2][i]}" alt="cover</pre>
image" />
                    </div>
                    </div>
                </div>`;
 let cover = document.querySelector("#cover");
  cover.innerHTML = coverInner;
// DINAMICKI ISPIS FEATURES ELEMENATA
function features() {
  let featuresWrap = document.querySelector("#featuresWrap");
 let featuresInfo = [
    ["first-number", "second-number", "third-number", "fourth-number"],
    ["01", "02", "03", "04"],
    ["Onliine strategija", "Društvene mreže", "Oglašavanje", "Razvoj"],
```

```
Kompletna strategija online nastupa, i uvezivanje sa ostalim kanalima
komunikacije.`,
      `Pružamo usluge upravljanja profilima, stvaranje sadržaja, kreiranje
kampanja i analitika. `,
      `Kreiranje oglasa, Društvene mreže, Google reklame, Određivanje ciljne
grupe i strategije.`,
      `Idejno rešenje, Web sajt, Email marketing, Marketiško stablo od ideje do
realizacije.`,
    1,
    ["first-feature", "second-feature", "first-feature", "second-feature"],
    ["fade-up", "fade-down", "fade-up", "fade-down"],
  1;
 let featuresInner = ``;
  for (let i in featuresInfo[0]) {
    featuresInner += `<div class="col-lg-3">
                            <div data-aos="${featuresInfo[5][i]}"</pre>
                            class="features-item ${featuresInfo[4][i]} wow
fadeInUp"
                            <div class="${featuresInfo[0][i]} number">
                                <h6>${featuresInfo[1][i]}</h6>
                            </div>
                            <div class="icon"></div>
                            <h4>${featuresInfo[2][i]}</h4>
                            <div class="line-dec"></div>
                                ${featuresInfo[3][i]}
                            </div>
                        </div>`;
  featuresWrap.innerHTML = featuresInner;
  let percent = [
   ["80", "60", "90", "70"],
    ["HTML/CSS/JS", "WordPress", "Marketing", "Photoshop"],
  ];
  let pInner = ``;
  for (let i in percent[0]) {
    pInner += `<div class="col-lg-3 percent">
                <div class="skill-item">
                  <div class="progress">
```

```
<div class="progress-bg"></div>
                    <div class="progress-value">
                      <div>
                        ${percent[0][i]}%<br />
                        <span>${percent[1][i]}</span>
                      </div>
                    </div>
                  </div>
                </div>
              </div>`;
  featurePercent.innerHTML = pInner;
  let percentItems = document.querySelectorAll(".percent .progress-bg");
  for (let i = 0; i < percentItems.length; i++) {</pre>
    let item = percentItems[i];
    item.style.transform = `scale(0.${percent[0][i]})`;
    const animacija = [
      { transform: "scale(0)", opacity: "0" },
      { transform: `scale(0.${percent[0][i]})`, opacity: "1" },
    ];
    const duzina = {
      duration: 500,
      iterations: 1,
    };
    window.addEventListener("scroll", () => {
      let height = window.scrollY;
      if (height > 400 && height < 600) {
        item.animate(animacija, duzina);
    });
// DINAMICKO ISPISIVANJE USLUGA KAO I FILTIRIRANJE
function services() {
  let servicesWrap = document.getElementById("servicesWrap");
  let serviceInfo = [
      "service-icon-01.png",
      "service-icon-02.png",
      "service-icon-03.png",
      "service-icon-03.png".
```

```
"service-icon-02.png",
      "service-icon-01.png",
    ],
      "Oglašavanje i Marketing",
      "Komunikacije",
      "Produkcija",
      "Web marketing",
      "Dizajn",
      "Društvene mreže",
   ],
      `Prilikom građenja i upravljanja prodajnim kampanjama i brendovima naših
klijenata koristimo kombinaciju ATL i BTL usluga - offline i digital marketing`,
      `Da li znate da komunikacija može da bude presudna za uspeh vašeg
poslovanja? Mi nudimo potpuno upravljanje njima. PR usluge, odnosi sa medijima,
intervjui.`,
      `Mi smo ponosni na našu produkciju. U našem portfoliju se nalazi mnoštvo
kreativnih i pohvaljenih video reklama i kampanja. Naš studio je opremljen
najsavremenijom opremom.
      `Digitalni marketing je sastavni deo života svakoga od nas u Pro Marketing-
u, zato stručno pomažemo brendovima da pronađu svoje mesto na Internetu (SEO,
Dymic ads...)
      `Posvećeni smo kreiranju korporativnog, savremenog dizajna, a cilj nam je
da klijentima ponudimo najbolja vizuelna rešenja, obraćajući posebnu pažnju na
celokupnu estetiku i detalje.
      `Mi ćemo vam pomoći da direktno komunicirate sa svojim korisnicima na
društvenim mrežama kako bi njihova pažnja bila uvek usmerena na vaš brend.`,
    ["p", "m", "m", "p", "m", "p"],
  1;
 filter("a");
 let filterP = document.getElementById("filterP");
 let filterM = document.getElementById("filterM");
  let filterA = document.getElementById("filterA");
  function filter(param) {
    if (param != "a") {
     let newInfo = [[], [], []];
      let br = 0;
```

```
for (let j in serviceInfo[3]) {
        if (serviceInfo[3][j] == param) {
          for (let i in serviceInfo) {
            newInfo[i].push(serviceInfo[i][j]);
      let serviceInner = ``;
      for (let i in newInfo[0]) {
        serviceInner += `<div class="col-lg-4">
                          <div
                          class="service-item"
                          <div class="row">
                              <div class="col-lg-4">
                              <div class="icon">
                                   <img src="assets/images/${newInfo[0][i]}"</pre>
alt="service image" />
                              </div>
                              </div>
                              <div class="col-lg-8">
                              <div class="right-content">
                                   <h4>${newInfo[1][i]}</h4>
                                       ${newInfo[2][i]}
                                  </div>
                              </div>
                          </div>
                          </div>
                      </div>`;
      servicesWrap.innerHTML = serviceInner;
    } else {
      let serviceInner = ``;
      for (let i in serviceInfo[0]) {
        serviceInner += `<div class="col-lg-4">
                            <div
                            class="service-item"
                            <div class="row">
                                <div class="col-lg-4">
                                <div class="icon">
```

```
<img src="assets/images/${serviceInfo[0][i]}"</pre>
alt="service image" />
                                </div>
                                </div>
                                <div class="col-lg-8">
                                <div class="right-content">
                                    <h4>${serviceInfo[1][i]}</h4>
                                        ${serviceInfo[2][i]}
                                    </div>
                                </div>
                            </div>
                            </div>
                        </div>`;
      servicesWrap.innerHTML = serviceInner;
  filterA.addEventListener("click", (e) => {
    e.preventDefault();
   filter("a");
  });
  filterM.addEventListener("click", (e) => {
    e.preventDefault();
   filter("m");
  });
 filterP.addEventListener("click", (e) => {
    e.preventDefault();
    filter("p");
  });
 / DINAMICKI ISPIS NAVIGACIJE SA NODE-OVIMA, PRACENJE
 / LOKACIJE NA STRANICI ZA AKTIVAN LINK, SPUSTANJE NAVIGACIJE NA SCROLL
function navigacija() {
  document.addEventListener("DOMContentLoaded", () => {
    let preloader = document.querySelector("#js-preloader");
    preloader.style.display = "none";
  });
 let nav = document.querySelector("nav");
 let logo = document.createElement("a");
  logo.setAttribute("href", "index.html");
  logo.setAttribute("class", "logo");
```

```
let logoTitle = document.createElement("h4");
  let logoIcon = document.createElement("img");
 let logoSrc = "logo-icon.png";
  logoIcon.setAttribute("src", `assets/images/${logoSrc}`);
  logoIcon.setAttribute("alt", "logo");
  logoTitle.innerHTML = "PRO Marketing";
  logoTitle.appendChild(logoIcon);
  logo.appendChild(logoTitle);
  let navBar = document.createElement("ul");
  navBar.setAttribute("class", "nav");
  let navItems = [
    ["Početna", "Osobine", "O nama", "Usluge", "Portfolio", "Kontakt", "Autor"],
      "index.html#top",
      "index.html#features",
      "index.html#about",
      "index.html#services",
      "index.html#portfolio",
      "index.html#contact",
      "author.html",
   ],
  1;
  for (let i = 0; i < navItems[0].length; i++) {</pre>
    let navItem = document.createElement("li");
    let navLink = document.createElement("a");
    navItem.setAttribute("class", "scroll-to-section");
    navLink.setAttribute("href", navItems[1][i]);
    navLink.textContent = navItems[0][i];
    if (i == navItems[0].length - 1) {
      navLink.innerHTML = `<div class="main-blue-button">
href="${navItems[1][i]}">${navItems[0][i]}</a>
                              </div>`;
    navItem.appendChild(navLink);
    navBar.appendChild(navItem);
 let trigger = document.createElement("a");
  trigger.setAttribute("class", "menu-trigger ");
  trigger.innerHTML = "<span>Menu</span>";
 nav.innerHTML = "";
 nav.appendChild(logo);
 nav.appendChild(navBar);
```

```
nav.appendChild(trigger);
let navTrigger = document.querySelector(".menu-trigger");
let hidden = true;
navTrigger.addEventListener("click", () => {
  if (hidden == true) {
    navBar.style.display = "block";
    hidden = false;
  } else {
    hidden = true;
    navBar.style.display = "none";
});
let checkNav = true;
window.addEventListener("scroll", () => {
  let height = window.scrollY;
  let header = document.querySelector("header");
  // console.log(height);
  if (height > 300) {
    header.classList.add("position-fixed");
    const animacija1 = [
      { transform: "translateY(-100px)", opacity: "0" },
      { transform: "translateY(0px) ", opacity: "1" },
    ];
    const duzina = {
      duration: 500,
      iterations: 1,
    if (checkNav) {
      header.animate(animacija1, duzina);
      checkNav = false;
  } else if (height < 300) {</pre>
    header.classList.remove("position-fixed");
    checkNav = true;
  let activeLinks = document.querySelectorAll("header .scroll-to-section");
  // console.log(activeLinks[0].classList.add("border-bottom"));
  if (height < 700) {
    // console.log(first);
    for (let i = 0; i < activeLinks.length - 1; i++) {</pre>
      if (i == 0) {
        console.log(i);
        activeLinks[i].classList.add("border-bottom");
```

```
} else {
      activeLinks[i].classList.remove("border-bottom");
if (height > 700 && height < 1500) {
  for (let i = 0; i < activeLinks.length - 1; i++) {</pre>
   if (i == 1) {
      activeLinks[i].classList.add("border-bottom");
    } else {
      activeLinks[i].classList.remove("border-bottom");
if (height > 1500 && height < 2300) {
  for (let i = 0; i < activeLinks.length - 1; i++) {</pre>
   if (i == 2) {
      activeLinks[i].classList.add("border-bottom");
    } else {
      activeLinks[i].classList.remove("border-bottom");
if (height > 2300 && height < 3300) {
  for (let i = 0; i < activeLinks.length - 1; i++) {</pre>
    if (i == 3) {
      activeLinks[i].classList.add("border-bottom");
    } else {
      activeLinks[i].classList.remove("border-bottom");
if (height > 3300 && height < 4100) {
  for (let i = 0; i < activeLinks.length - 1; i++) {</pre>
    if (i == 4) {
      activeLinks[i].classList.add("border-bottom");
    } else {
      activeLinks[i].classList.remove("border-bottom");
if (height > 4100 && height < 4300) {
  for (let i = 0; i < activeLinks.length - 1; i++) {</pre>
   if (i == 5) {
      activeLinks[i].classList.add("border-bottom");
```

```
} else {
          activeLinks[i].classList.remove("border-bottom");
  });
// ANIMIRANO PUNJENJE INFORMACIJA NA SCROLL
function about() {
 let aboutStats = document.getElementById("aboutStats");
 let statsInfo = [
   ["750", "340", "128"],
   ["Dana poslovanja", "Srećnih klijenata", "Projekata zavrseno"],
 ];
 let statsInner = ``;
 for (let i in statsInfo[0]) {
    statsInner += `<div class="col-lg-4 col-sm-4">
                        <div class="about-item">
                        <h4 class="stats-value">${statsInfo[0][i]}+</h4>
                        <h6>${statsInfo[1][i]}</h6>
                        </div>
                    </div>`;
  aboutStats.innerHTML = statsInner;
  var hit = false;
 window.addEventListener("scroll", () => {
    let height = window.scrollY;
   if (height < 2000 && height > 1200 && hit == false) {
      hit = true;
     let stats = document.querySelectorAll(".stats-value");
     let statsVal = [];
      stats.forEach((element) => {
        statsVal.push(element.innerHTML.split("+")[0]);
      });
      for (let i in statsVal) {
       var tren = 0;
        setInterval(() => {
          if (tren <= statsVal[i]) {</pre>
            stats[i].innerHTML = tren++ + "+";
        }, 2000 / statsVal);
```

```
});
// DINAMICKO ISPISVANJE FOOTER INFORMACIJA
function footer() {
  let footerInfo = [
      ["PRO Marketing"],
      "Pro Marketing je marketinška agencija koja se bavi bilo promovisanjem
potpuno novog brenda na tržištu, brendiranje za postizanje boljih rezultata ili
bilo čime što ima veze sa marketingom.",
    ],
      ["Stranice"],
      ["Početna", "O nama", "Usluge", "Kontakt", "Autor"],
        "index.html#top",
        "index.html#about",
       "index.html#services",
       "index.html#contact",
       "author.html",
     ],
    ],
      ["Informacije"],
        "Dokumentacija",
        "Braće Grim 12",
        "promarketing@gmail.com",
       "+381 69-1234-999",
      ],
      ["dokumentacija.pdf", "index.html", "index.html", "index.html"],
   ],
  1;
 let footerInner = ``;
  for (let i in footerInfo) {
   footerInner += `<div class="col-sm-4">
    <h4 class="fw-bold mb-3">${footerInfo[i][0]}</h4>`;
   if (i == 0) {
      footerInner += `${footerInfo[i][1]}`;
    } else {
      for (let j in footerInfo[i][1]) {
```

```
footerInner += `<a</pre>
href="${footerInfo[i][2][j]}">${footerInfo[i][1][j]}</a>`;
    footerInner += `</div>`;
  footerWrap.innerHTML = footerInner;
  let year = new Date();
  document.querySelector("#footerYear").innerHTML = year.getFullYear();
 // DINAMICKO STAMPANJE GALERIJE, PROMENA GLAVNE SLIKE NA KLIK MALE,
 // IZBACIVANJE DETALJA NA KLIK GLAVNE
function gallery() {
  var galleryInfo = [
    "portfolio-01.jpg",
    "portfolio-02.jpg",
    "portfolio-03.jpg",
    "portfolio-04.jpg",
    "portfolio-05.jpg",
    "portfolio-06.jpg",
  1;
  var projectInfo = [
      `Snimanje reklame za projekat u studiju.`,
      `Najprecizniji plan i ideja projekta koju predstavljamo klijentu sa namerom
da vidimo da li je zadovljan sa istim.`,
      `Analiziranje podataka koji su pušteni u promet da bi se videlo da li
zadovoljavaju kriterijume.`,
      `Nekad je dobra skica pocetak velikog projekta.`,
      `Proces dogovara oko svih važnih detalja vezanim za projekat u prisustvu
celog tima.`,
      `Dijagrami koji predstavljaju informacije o napredku projekta i njihovu
detaljnu analizu.`,
   ],
 1;
 let galleryInner = ``;
  for (let i in galleryInfo) {
    galleryInner += `<div class="col-2 px-1">
                        <a href="#">
                        <img
                            src="/assets/images/${galleryInfo[i]}"
                           alt="gallery image"
```

```
id="portfolio${i}"
                            class="img-fluid p-image"
                        /></a>
                    </div>`;
  galerija.innerHTML = galleryInner;
  for (let i in galleryInfo) {
    let pimage = document.getElementById(`portfolio${i}`);
    pimage.addEventListener("click", (e) => {
      e.preventDefault();
      let main = document.getElementById("main-image");
      main.src = pimage.src;
    });
  var current = 0;
  setInterval(() => {
    let main = document.getElementById("main-image");
   main.src = "/assets/images/" + galleryInfo[current];
   current++;
    if (current > 5) current = 0;
 }, 5000);
 let main = document.getElementById("main-image");
 main.parentElement.addEventListener("click", (e) => {
    e.preventDefault();
    let modalImg = document.querySelector("#modalImage");
    let imgSrc = main.src;
   let imgNum = imgSrc.substring(imgSrc.length - 5, imgSrc.length - 4);
    console.log(imgSrc);
   modalImage.src = `/assets/images/${galleryInfo[imgNum - 1]}`;
   modalTitle.innerHTML = projectInfo[0][imgNum - 1];
   $("#portfolioModal").modal("show");
  });
  closeModal.addEventListener("click", () => {
   $("#portfolioModal").modal("hide");
  });
// DINAMICKI ISPIS INFORMACIJA, PROVERA FORME SA REGULARNIM IZRAZIMA
function contact() {
 let contactInfo = [
   ["contact-icon-01.png", "contact-icon-02.png", "contact-icon-03.png"],
    ["email icon", "phone", "location"],
```

```
["promarketing@gmail.com", "+381 69-1234-999", "Braće Grim 12"],
  ["index.html", "index.html", "index.html"],
];
contactInfo.innerHTML = "";
let contactUl = document.createElement("ul");
for (let i in contactInfo[0]) {
 let li = document.createElement("li");
  let icon = document.createElement("div");
  icon.setAttribute("class", "icon");
  let img = document.createElement("img");
  img.setAttribute("src", `assets/images/${contactInfo[0][i]}`);
  img.setAttribute("alt", contactInfo[1][i]);
  // let link = document.createElement("a");
  // link.setAttribute("href", contactInfo[3][i]);
  let linkText = document.createTextNode(contactInfo[2][i]);
  // link.appendChild(linkText);
  icon.appendChild(img);
  li.appendChild(icon);
  li.appendChild(linkText);
  contactUl.appendChild(li);
infoContact.appendChild(contactUl);
let form = document.forms[0];
let mainButton = document.querySelector("#form-submit");
let checkBox = form.option;
checkBox.forEach((elem) => {
  elem.addEventListener("change", () => {
    elem.parentElement.nextElementSibling.innerHTML = elem.value;
    elem.parentElement.nextElementSibling.innerHTML = "";
    checkBox.forEach((e) => {
      if (e.checked) {
        e.parentElement.nextElementSibling.innerHTML += e.value + " ";
    });
  });
});
mainButton.addEventListener("click", () => {
  let nameVal = /^([A-Z]([a-z]){2,18}\s)+([A-Z]([a-z]){2,18})$/;
  let emailVal = /^([\w\.\-]+)?\w+@[\w-]+(\.\w+){1,}$/;
  let numberVal = /^06([0-9]){7,8}$/;
  let brGresaka = 0;
  if (!nameVal.test(form.name.value)) {
    form.name.nextElementSibling.innerHTML =
      "Loše upisano ime, primer: Uros Vladimirov";
```

```
brGresaka++;
 form.name.classList.add("border-danger");
} else {
 form.name.nextElementSibling.innerHTML = "";
 form.name.classList.remove("border-danger");
if (!emailVal.test(form.email.value)) {
 form.email.nextElementSibling.innerHTML =
    "Loše upisan email, primer: uros@gmail.com";
 brGresaka++;
 form.email.classList.add("border-danger");
} else {
 form.email.nextElementSibling.innerHTML = "";
 form.email.classList.remove("border-danger");
if (!numberVal.test(form.number.value)) {
 form.number.nextElementSibling.innerHTML =
    "Loše upisan broj telefona, primer 0691113333";
 brGresaka++;
 form.number.classList.add("border-danger");
} else {
 form.number.nextElementSibling.innerHTML = "";
 form.number.classList.remove("border-danger");
if (form.subject.value == 0) {
 form.subject.nextElementSibling.innerHTML = "Niste izabrali grad";
 brGresaka++;
 form.subject.classList.add("border-danger");
} else {
 form.subject.nextElementSibling.innerHTML = "";
 form.subject.classList.remove("border-danger");
if (form.test.value == "") {
 form.test[0].parentElement.nextElementSibling.innerHTML =
    "Niste izabrali tip lica";
 brGresaka++;
} else {
 form.test[0].parentElement.nextElementSibling.innerHTML = "";
if (form.message.value.length < 10) {</pre>
 form.message.nextElementSibling.innerHTML = "NIste uneli poruku";
 brGresaka++;
 form.message.classList.add("border-danger");
} else {
 form.message.nextElementSibling.innerHTML = "";
```

```
form.message.classList.remove("border-danger");
    if (!brGresaka) {
      form.reset();
      formSuccess.innerHTML = "Uspešno ste poslali poruku!";
      optionsInfo.innerHTML = "";
      setTimeout(() => {
        formSuccess.innerHTML = "";
      }, 3000);
  });
function indexPage() {
  cover();
  navigacija();
  animate();
  features();
  services();
  about();
  footer();
  gallery();
  contact();
  AOS.init();
function author() {
  navigacija();
  $(document).ready(function () {
    $("#readAuthor").next().hide();
    $("#readAuthor").click(function () {
      $(this).next().slideToggle();
      if ($(this).html() == "Pročitaj više") {
        $(this).html("Pročitaj manje");
      } else {
        $(this).html("Pročitaj više");
    });
  });
  footer();
```