

# ABOUT PAGE




# SEARCH TRUPS SCREEN




cides, expand on click colors should ideally correspond with the path on the map, but no can do with just CSI

# LOGIN SCREEN




# SIGNUB PAGE



The tasks were divided in the following order:

| Assignment 3: Car Sharir | ng application  |                  |
|--------------------------|---|------------------|
| Requirement number       | Description   | Contributor Name |
| 1                        | There will be a sign-up and sign-in feature for drivers and passengers  | Miruna           |
| 2                        | Passengers should be able to enter the start and end destinations (for example, Eindhoven to Delft) in the main interface.  | Vlad             |
| 3                        | Once the start and the destination places are entered, the system needs to show the path on Google Maps.  | Vlad             |
|                          | Once the passenger clicks on the search button, the website will look for all trips going from Eindhoven to Delft (for all trips going from any location within 10 KM radius from Eindhoven to any location within a 10-mile radius from Delft). Since this is an HTML/CSS assignment, you will hard code these, but in the future, we will learn how to retrieve the data and display it on the page |                  |
| 4                        | dynamically.  | Miruna           |

#### The Site Map:



#### index.html:

```
!DOCTYPE html>
  <link rel="stylesheet" href="./styles/global.css">
rel="stylesheet">
  <script type="module" src="./scripts/index.js">
src="https://maps.googleapis.com/maps/api/js?key=AIzaSyDw9FiPll7d-XTq4Msl-FfbcRwIgS
ndu9c&callback=initMap&libraries=places"
     <header id="headerId">
```

```
<h1 id="bigName">CarYe</h1>
    <div class="double-column-screen">
Location" id="startInput">
id="endInput">
route</button>
for rides</button>
    <div id="rides-menu">
```

```
<div class="circle-list-title">
 <div class="circle-list-title">
```

### login.html:

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
      <link rel="stylesheet" href="./styles/login.css">
href="https://fonts.googleapis.com/css2?family=Sofia+Sans&display=swap"
      <header id="headerId">
              <a href="./about.html">About</a>
              <div id="signup-block-wrapper" class="centered-container">
account yet?</h1><br>
Up</a>
```

```
class="form" style="margin-top: 3vh;">
placeholder="Username"><br>
placeholder="Password"><br>
href="./notfound.html" style="margin-top: -5%;">Forgot your password?</a><br>
                   <div id="forget-wrapper" style="text-align: center;">
                  </div>
```

#### account.html:

```
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
rel="stylesheet">
          <h1 id="bigName">CarYe</h1>
    <div class="centered-container">
```

#### about.html:

```
<link rel="preconnect" href="https://fonts.googleapis.com">
href="https://fonts.googleapis.com/css2?family=Sofia+Sans&display=swap"
      <header id="headerId">
               <imq src="./resources/car-logo.png" alt="logo" id="logoHeader">
               <h1 id="bigName">CarYe</h1>
               <a href="./about.html">About</a>
width: 100vw; display: flex; flex-direction: row; overflow: auto;">
           <div id="info-wrapper" style="flex-basis: 50%; box-sizing: border-box;</pre>
padding: 4%;">
and is basically dummy text]
all over the world.
```

```
It essentially functions as a carpooling service, letting you
either join or be joined on trips that would've happened anyway.
roads and improving traffic, as well as
via the homepage.
going where you need to be, at the right time and appropriate accesibilty.
verified driver's profile),
Engineering students, for their
wrting text which serves to purpose
'sticky' property of the iamges on the right.
top: 0; height: 100%; flex-grow: 1;
                                      background-image:
```

#### notfound.html:

```
!DOCTYPE html>
<html lang="en">
    <link rel="stylesheet" href="./styles/global.css">
rel="stylesheet">
          font-family: 'Sofia Sans', sans-serif;
    <header id="headerId">
          <h1 id="bigName">CarYe</h1>
        </div>
            <a href="./about.html">About</a>
href="https://www.youtube.com/watch?v=dQw4w9WgXcQ" target=" blank">
```

```
</a></h2>
</div>
</body>
</html>
```

## signup.html:

```
!DOCTYPE html>
<html lang="en">
http://127.0.0.1:5500/account.html" />
       <link rel="stylesheet" href="./styles/forms.css">
href="https://fonts.googleapis.com/css2?family=Sofia+Sans&display=swap"
       <title>CarYe - Signup</title>
               background-color: #2E3440;
               <h1 id="bigName">CarYe</h1>
```

```
<a href="./notfound.html">Contact</a>
1s;">
         <div id="signup-screen">
account</h1>
                   <div id="signup-form-wrapper" >
                       <form id="signup-form" action="#password-screen"</pre>
class="form">
<label for="uname">Username: </label><br>
placeholder="Username"><br>
placeholder="First Name"><br>
grid-row-start: 2; grid-row-end: 3;">
placeholder="Last Name"><br>
grid-row-start: 3; grid-row-end: 4;">
placeholder="Street Name No. XX, City, Province"><br>
```

```
grid-row-start: 4; grid-row-end: 5;">
placeholder="Country"><br>
grid-row-start: 4; grid-row-end: 5;">
placeholder="Zip"><br>
                               <div style="grid-column-start:1; grid-column-end:3;</pre>
grid-row-start: 5; grid-row-end: 6;">
                                   <label for="zip">Spoken Language(s):</label><br>
placeholder="Language 1, Language 2"><br>
4; grid-row-start: 1; grid-row-end: 2;">
placeholder="email@domain.ex"><br>
grid-row-start: 2; grid-row-end: 3;">
justify-content: space-around; align-content: space-around;font-size: 1.36vw;">
id="sexm" style="height: 2vh; width: fit-content; display: inline-block;">
                                           <label for="sexm"</pre>
style="display:inline-block;">Male</label>
```

```
<label for="sexf">Female</label>
id="sexo" style="height: 2vh; width: fit-content; display: inline-block;">
4; grid-row-start: 3; grid-row-end: 4;">
id="birthday"> <br>
4; grid-row-start: 4; grid-row-end: 6;">
                                   <label for="bio">Bio:</label><br>
100%; font-family: 'Sofia Sans', sans-serif;" rows="5" placeholder="Short
description about yourself"></textarea>
style="height: 14vh;"><br> -->
grid-column-end:6; grid-row-start: 6; grid-row-end: 7;">
style="margin-top: 0;"> Continue </button>
                           </form>
                   </div>
                  <div id="driver-half">
passenger?</h1>
                       <div id="driver-form-wrapper">
action="#password-screen">
justify-content: space-around; font-size: 1.9vw;">
```

```
<div>
id="passenger">
id="driver">
                                      <label for="driver">Driver</label> <br>
selected]
<br>
id="flicence"><br>
licence"> <br> -->
<br>
id="blicence"><br>
driver license"> -->
details</label> -->
Continue </button>
                          </form>
```

```
<div id="password-screen" style="position:absolute; left:100vw;</pre>
width:100%; height:100%; background-color: #2E3440; display:inline-block">
width:100vw;">
                   <div id="pass-wrapper" class="horizontal-centered-container"</pre>
style="margin-top:2%;text-align: center; width: 30vw;">
action="./account.html">
placeholder="Enter password"><br>
                                <label for="confirm-pwd">Confirm your
password:</label><br>
                                <input type="password" name="confirm-pwd"</pre>
id="confirm-pwd" placeholder="Repeat password"><br>
style="width: fit-content;"> Create account! </button>
                           </form>
                   </div>
 /html>
```

#### forms.css:

```
/* TODO: import nord somehow */
/* @import "node_modules/nord/src/nord.css"; */
.form {
   position: absolute;
   width: 100%;
   /* height: 100%; */
```

```
font-size: 1.5vw;
.form label {
.form input, .form textarea {
.form input:hover, .form textarea:hover {
.form input:focus, .form textarea:focus {
.form button {
```

```
font-family: 'Sofia Sans', sans-serif;

padding: 3%;
margin-top: 7%;

width: 30%;
height: 10%;

border-radius: 30px;
border-width: 0px;
background-color: #A3BE8C;

transition: ease-in-out 0.2s;
}

.form button:hover {
   background-color: #B48EAD;
}
```

# global.css:

```
.text-link {
   position: relative;
   font-size: 1.lvw;
   color: #d8dee9d4;
   transition: linear 0.2s;
}

.text-link:hover {
   color: #B48EAD;
   text-decoration: underline;
}

.centered-outer-container {
   position: relative;
   top: 50vh;
   left: 50vw;
   transform: translate(-50%, -50%);
}

.centered-container {
   position: absolute;
```

```
top: 50%;
.vertical-centered-container {
.horizontal-centered-container {
.button {
.screen {
h1 {
h2 {
```

```
/* MENU CSS */
#headerId{
   color: #2E3440;
   min-width: 100%;
   position: fixed;
   display: flex;
   justify-content: space-between;
   height: 8vh;
   background-color: #A3BE8C;
   z-index: 300;
   font-family: 'Sofia Sans', sans-serif;
   top: 0;
}

#headerId h1 {
   font-size: 2vw;
}

#headerId h2 {
   color: #2E3440;
}
```

# login.css:

```
#login-signup-wrapper {
    position: fixed;
    bottom: 0px;
    width: 100vw;
    height: 92vh;
}

#login-background {
    position: absolute;
    right: 0px;
    width: 50%;
    height: 100%;
}

#signup-background {
    position: absolute;
    left: 0px;
```

```
width: 50%;
#signup-block-wrapper {
#signup-block-wrapper h1 {
#signup-block-wrapper h2 {
#signup-button {
#signup-button:hover {
#login-block-wrapper {
#login-wrapper {
```

```
position: relative;
padding-top: 3vh;
width: 100%;
height: 55%;
}

#login-title {
   text-align: center;
   font-size: 4vw;
   color: #E5E9F0;
}

#login-form-wrapper {
   width: 70%;
   height: 90%;
}

#loginform input {
   padding: 2%;
   margin-top: 2%;
   margin-bottom: 4%;
   width: 60%;
   height: 50%;
}
```

# signup.css:

```
#screen1 {
    position:absolute;
    left:0;
    width:100%;
    height:100%;
    display:inline-block
}
#signup-wrapper {
    position: absolute;
    bottom: 0;
    height: 92vh;
    width: 100vw;
    display: flex;
    flex-direction: row;
```

```
align-items: flex-start;
#signup-half {
#signup-form-wrapper {
  flex-basis: 80%;
#signup-form {
#signup-form input, #signup-form textarea {
```

```
padding: 3%;
#driver-half {
#driver-form-wrapper {
#password-form input {
```

## style.css:

```
body{
   margin:0;
   background-color: #2e344094;
}
#pickerCard{
   height: 100vh;
   width: 40%;
   position: relative;
   background-color: #2E3440;
   border: #4B5043;
```

```
display: flex;
ul{
li{
a {
a:hover {
#cardDiv{
#logoHeader{
#iconAndText{
```

```
#formTitle{
input:-webkit-autofill,
#googleMaps{
```

```
min-height: 500px;
#rides-menu {
.expandable-circle-list {
```

```
.expandable-circle-list li div {
.circle-list-title {
.circle-list-content {
.circle-list-content h1 {
  color: #ECEFF4;
.circle-list-content p {
  color: #ECEFF4;
```

```
text-align: left;
.circle-list-content a:hover {
```

## index.js:

```
let map;
let service;
let position = { lat: 50, lng: 5 };
let infowindow;
let cumva;
function initMap() {
  let directionsService = new google.maps.DirectionsService();
  let directionsRenderer = new google.maps.DirectionsRenderer();
```

```
const europe = new google.maps.LatLng(position.lat, position.lng);
directionsRenderer.setMap(map);
 createRoute(param, param2, directionsService, directionsRenderer);
const findRides = function () {
 var menu = document.getElementById("rides-menu");
 var pos1 = "Rijswijk";
 var pos6 = "Valkenswaard";
 directionsRenderer2.setMap(map);
 directionsRenderer3.setMap(map);
```

```
directionsService.route(requestDirections, function (result, status) {
 console.log(result);
   directionsRenderer.setDirections(result);
```

```
if (status === google.maps.places.PlacesServiceStatus.OK && results)
window.initMap = initMap;
```