```ruby
    Gemfile
source 'https://rubygems.org'

git_source(:github) do |repo_name|
  repo_name = "#{repo_name}/#{repo_name}" unless repo_name.include?("/")
  "https://github.com/#{repo_name}.git"
end


# Bundle edge Rails instead: gem 'rails', github: 'rails/rails'
gem 'rails', '~> 5.1.4'
# Use sqlite3 as the database for Active Record
gem 'sqlite3'
# Use Puma as the app server
gem 'puma', '~> 3.7'
# Use SCSS for stylesheets
gem 'sass-rails', '~> 5.0'
# Use Uglifier as compressor for JavaScript assets
gem 'uglifier', '>= 1.3.0'
# Transpile app-like JavaScript. Read more: https://github.com/rails/webpacker
gem 'webpacker'
# See https://github.com/rails/execjs#readme for more supported runtimes
# gem 'therubyracer', platforms: :ruby

# Use CoffeeScript for .coffee assets and views
gem 'coffee-rails', '~> 4.2'
# Turbolinks makes navigating your web application faster. Read more:
↪   https://github.com/turbolinks/turbolinks
gem 'turbolinks', '~> 5'
# Build JSON APIs with ease. Read more: https://github.com/rails/jbuilder
gem 'jbuilder', '~> 2.5'
# Use Redis adapter to run Action Cable in production
# gem 'redis', '~> 3.0'
# Use ActiveModel has_secure_password
gem 'bcrypt', '~> 3.1.7'
gem 'devise'
gem 'mysql2', '~> 0.4.10'

gem "bootstrap_form",
    git: "https://github.com/bootstrap-ruby/rails-bootstrap-forms.git",
    branch: "master"

gem 'pundit'

# Use Capistrano for deployment
# gem 'capistrano-rails', group: :development

group :development, :test do
  # Call 'byebug' anywhere in the code to stop execution and get a debugger console
  gem 'byebug', platforms: [:mri, :mingw, :x64_mingw]
  gem 'pry'
  gem 'spring-commands-rspec'
end

group :test do
  gem "factory_bot_rails", "~> 4.0"
  # Adds support for Capybara system testing and selenium driver
  gem 'capybara', '~> 2.13'
  gem 'selenium-webdriver'
  gem 'rspec-rails', '~> 3.7'
  gem 'shoulda', require: false
  gem 'simplecov', require: false
end
```

```ruby
group :development do
  # Access an IRB console on exception pages or by using <%= console %> anywhere in the code.
  gem 'web-console', '>= 3.3.0'
  gem 'listen', '>= 3.0.5', '< 3.2'
  # Spring speeds up development by keeping your application running in the background. Read more:
  ↪  https://github.com/rails/spring
  gem 'spring'
  gem 'spring-watcher-listen', '~> 2.0.0'
  gem 'letter_opener'
end

gem 'sql_assess', github: 'vladstoick/fyp_sql_assess', require: true

# Windows does not include zoneinfo files, so bundle the tzinfo-data gem
gem 'tzinfo-data', platforms: [:mingw, :mswin, :x64_mingw, :jruby]
```

Gemfile.lock

```
GIT
  remote: https://github.com/bootstrap-ruby/rails-bootstrap-forms.git
  revision: 077b91d0bf6513e4f6b40d38cdb6a5c71d58dd7b
  branch: master
  specs:
    bootstrap_form (4.0.0.dev)
      rails (>= 5.0)

GIT
  remote: https://github.com/vladstoick/fyp_sql_assess.git
  revision: 11a0e7e2d01e671c3f2fc034a225c41de88fa7dd
  specs:
    sql_assess (0.1.0)
      activesupport
      mysql2
      rgl
      sql-parser-vlad (~> 0.0.15)

GEM
  remote: https://rubygems.org/
  specs:
    actioncable (5.1.6)
      actionpack (= 5.1.6)
      nio4r (~> 2.0)
      websocket-driver (~> 0.6.1)
    actionmailer (5.1.6)
      actionpack (= 5.1.6)
      actionview (= 5.1.6)
      activejob (= 5.1.6)
      mail (~> 2.5, >= 2.5.4)
      rails-dom-testing (~> 2.0)
    actionpack (5.1.6)
      actionview (= 5.1.6)
      activesupport (= 5.1.6)
      rack (~> 2.0)
      rack-test (>= 0.6.3)
      rails-dom-testing (~> 2.0)
      rails-html-sanitizer (~> 1.0, >= 1.0.2)
    actionview (5.1.6)
      activesupport (= 5.1.6)
      builder (~> 3.1)
      erubi (~> 1.4)
      rails-dom-testing (~> 2.0)
      rails-html-sanitizer (~> 1.0, >= 1.0.3)
    activejob (5.1.6)
```

```
    activesupport (= 5.1.6)
    globalid (>= 0.3.6)
activemodel (5.1.6)
    activesupport (= 5.1.6)
activerecord (5.1.6)
    activemodel (= 5.1.6)
    activesupport (= 5.1.6)
    arel (~> 8.0)
activesupport (5.1.6)
    concurrent-ruby (~> 1.0, >= 1.0.2)
    i18n (>= 0.7, < 2)
    minitest (~> 5.1)
    tzinfo (~> 1.1)
addressable (2.5.2)
    public_suffix (>= 2.0.2, < 4.0)
arel (8.0.0)
bcrypt (3.1.11)
bindex (0.5.0)
builder (3.2.3)
byebug (10.0.2)
capybara (2.18.0)
    addressable
    mini_mime (>= 0.1.3)
    nokogiri (>= 1.3.3)
    rack (>= 1.0.0)
    rack-test (>= 0.5.4)
    xpath (>= 2.0, < 4.0)
childprocess (0.9.0)
    ffi (~> 1.0, >= 1.0.11)
coderay (1.1.2)
coffee-rails (4.2.2)
    coffee-script (>= 2.2.0)
    railties (>= 4.0.0)
coffee-script (2.4.1)
    coffee-script-source
    execjs
coffee-script-source (1.12.2)
concurrent-ruby (1.0.5)
crass (1.0.4)
devise (4.4.3)
    bcrypt (~> 3.0)
    orm_adapter (~> 0.1)
    railties (>= 4.1.0, < 6.0)
    responders
    warden (~> 1.2.3)
diff-lcs (1.3)
docile (1.3.0)
erubi (1.7.1)
execjs (2.7.0)
factory_bot (4.8.2)
    activesupport (>= 3.0.0)
factory_bot_rails (4.8.2)
    factory_bot (~> 4.8.2)
    railties (>= 3.0.0)
ffi (1.9.23)
globalid (0.4.1)
    activesupport (>= 4.2.0)
i18n (1.0.0)
    concurrent-ruby (~> 1.0)
jbuilder (2.7.0)
    activesupport (>= 4.2.0)
    multi_json (>= 1.2)
json (2.1.0)
```

```
launchy (2.4.3)
  addressable (~> 2.3)
lazy_priority_queue (0.1.1)
letter_opener (1.6.0)
  launchy (~> 2.2)
listen (3.1.5)
  rb-fsevent (~> 0.9, >= 0.9.4)
  rb-inotify (~> 0.9, >= 0.9.7)
  ruby_dep (~> 1.2)
loofah (2.2.2)
  crass (~> 1.0.2)
  nokogiri (>= 1.5.9)
mail (2.7.0)
  mini_mime (>= 0.1.1)
method_source (0.9.0)
mini_mime (1.0.0)
mini_portile2 (2.3.0)
minitest (5.11.3)
multi_json (1.13.1)
mysql2 (0.4.10)
nio4r (2.3.0)
nokogiri (1.8.2)
  mini_portile2 (~> 2.3.0)
orm_adapter (0.5.0)
pry (0.11.3)
  coderay (~> 1.1.0)
  method_source (~> 0.9.0)
public_suffix (3.0.2)
puma (3.11.3)
pundit (1.1.0)
  activesupport (>= 3.0.0)
racc (1.4.12)
rack (2.0.4)
rack-proxy (0.6.4)
  rack
rack-test (1.0.0)
  rack (>= 1.0, < 3)
rails (5.1.6)
  actioncable (= 5.1.6)
  actionmailer (= 5.1.6)
  actionpack (= 5.1.6)
  actionview (= 5.1.6)
  activejob (= 5.1.6)
  activemodel (= 5.1.6)
  activerecord (= 5.1.6)
  activesupport (= 5.1.6)
  bundler (>= 1.3.0)
  railties (= 5.1.6)
  sprockets-rails (>= 2.0.0)
rails-dom-testing (2.0.3)
  activesupport (>= 4.2.0)
  nokogiri (>= 1.6)
rails-html-sanitizer (1.0.4)
  loofah (~> 2.2, >= 2.2.2)
railties (5.1.6)
  actionpack (= 5.1.6)
  activesupport (= 5.1.6)
  method_source
  rake (>= 0.8.7)
  thor (>= 0.18.1, < 2.0)
rake (12.3.1)
rb-fsevent (0.10.3)
rb-inotify (0.9.10)
```

```
    ffi (>= 0.5.0, < 2)
responders (2.4.0)
    actionpack (>= 4.2.0, < 5.3)
    railties (>= 4.2.0, < 5.3)
rgl (0.5.3)
    lazy_priority_queue (~> 0.1.0)
    stream (~> 0.5.0)
rspec-core (3.7.1)
    rspec-support (~> 3.7.0)
rspec-expectations (3.7.0)
    diff-lcs (>= 1.2.0, < 2.0)
    rspec-support (~> 3.7.0)
rspec-mocks (3.7.0)
    diff-lcs (>= 1.2.0, < 2.0)
    rspec-support (~> 3.7.0)
rspec-rails (3.7.2)
    actionpack (>= 3.0)
    activesupport (>= 3.0)
    railties (>= 3.0)
    rspec-core (~> 3.7.0)
    rspec-expectations (~> 3.7.0)
    rspec-mocks (~> 3.7.0)
    rspec-support (~> 3.7.0)
rspec-support (3.7.1)
ruby_dep (1.5.0)
rubyzip (1.2.1)
sass (3.5.6)
    sass-listen (~> 4.0.0)
sass-listen (4.0.0)
    rb-fsevent (~> 0.9, >= 0.9.4)
    rb-inotify (~> 0.9, >= 0.9.7)
sass-rails (5.0.7)
    railties (>= 4.0.0, < 6)
    sass (~> 3.1)
    sprockets (>= 2.8, < 4.0)
    sprockets-rails (>= 2.0, < 4.0)
    tilt (>= 1.1, < 3)
selenium-webdriver (3.11.0)
    childprocess (~> 0.5)
    rubyzip (~> 1.2)
shoulda (3.5.0)
    shoulda-context (~> 1.0, >= 1.0.1)
    shoulda-matchers (>= 1.4.1, < 3.0)
shoulda-context (1.2.2)
shoulda-matchers (2.8.0)
    activesupport (>= 3.0.0)
simplecov (0.16.1)
    docile (~> 1.1)
    json (>= 1.8, < 3)
    simplecov-html (~> 0.10.0)
simplecov-html (0.10.2)
spring (2.0.2)
    activesupport (>= 4.2)
spring-commands-rspec (1.0.4)
    spring (>= 0.9.1)
spring-watcher-listen (2.0.1)
    listen (>= 2.7, < 4.0)
    spring (>= 1.2, < 3.0)
sprockets (3.7.1)
    concurrent-ruby (~> 1.0)
    rack (> 1, < 3)
sprockets-rails (3.2.1)
    actionpack (>= 4.0)
```

```
      activesupport (>= 4.0)
      sprockets (>= 3.0.0)
    sql-parser-vlad (0.0.15)
      racc (= 1.4.12)
    sqlite3 (1.3.13)
    stream (0.5)
    thor (0.20.0)
    thread_safe (0.3.6)
    tilt (2.0.8)
    turbolinks (5.1.1)
      turbolinks-source (~> 5.1)
    turbolinks-source (5.1.0)
    tzinfo (1.2.5)
      thread_safe (~> 0.1)
    uglifier (4.1.8)
      execjs (>= 0.3.0, < 3)
    warden (1.2.7)
      rack (>= 1.0)
    web-console (3.6.0)
      actionview (>= 5.0)
      activemodel (>= 5.0)
      bindex (>= 0.4.0)
      railties (>= 5.0)
    webpacker (3.4.3)
      activesupport (>= 4.2)
      rack-proxy (>= 0.6.1)
      railties (>= 4.2)
    websocket-driver (0.6.5)
      websocket-extensions (>= 0.1.0)
    websocket-extensions (0.1.3)
    xpath (3.0.0)
      nokogiri (~> 1.8)

PLATFORMS
  ruby

DEPENDENCIES
  bcrypt (~> 3.1.7)
  bootstrap_form!
  byebug
  capybara (~> 2.13)
  coffee-rails (~> 4.2)
  devise
  factory_bot_rails (~> 4.0)
  jbuilder (~> 2.5)
  letter_opener
  listen (>= 3.0.5, < 3.2)
  mysql2 (~> 0.4.10)
  pry
  puma (~> 3.7)
  pundit
  rails (~> 5.1.4)
  rspec-rails (~> 3.7)
  sass-rails (~> 5.0)
  selenium-webdriver
  shoulda
  simplecov
  spring
  spring-commands-rspec
  spring-watcher-listen (~> 2.0.0)
  sql_assess!
  sqlite3
  turbolinks (~> 5)
```

```
  tzinfo-data
  uglifier (>= 1.3.0)
  web-console (>= 3.3.0)
  webpacker
```

BUNDLED WITH
   1.16.1

   LICENSE.txt

The MIT License (MIT)

Copyright (c) 2017 Vlad Stoica

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

   README.md

README

This is the web application. Please refer to the appendix for details about
various files.

This web application requires Ruby 2.3.5

   Rakefile

Add your own tasks in files placed in lib/tasks ending in .rake,
for example lib/tasks/capistrano.rake, and they will automatically be available to Rake.

require_relative 'config/application'

Rails.application.load_tasks

   app/assets/config/manifest.js

//= link_tree ../images
//= link_directory ../javascripts .js
//= link_directory ../stylesheets .css

   app/channels/application_cable/channel.rb

frozen_string_literal: true

module ApplicationCable
  class Channel < ActionCable::Channel::Base
  end
end

   app/channels/application_cable/connection.rb

```ruby
# frozen_string_literal: true

module ApplicationCable
  class Connection < ActionCable::Connection::Base
  end
end
```

app/controllers/application_controller.rb

```ruby
# frozen_string_literal: true

class ApplicationController < ActionController::Base
  include Pundit
  protect_from_forgery with: :exception

  before_action :authenticate_user!

  rescue_from ActiveRecord::RecordNotFound, with: :handle_record_not_found
  rescue_from Pundit::NotAuthorizedError, with: :handle_not_authorized

  def handle_record_not_found
    render plain: 'Not found', status: :not_found
  end

  def handle_not_authorized
    render plain: 'Not Authorized', status: :unauthorized
  end
end
```

app/controllers/challenges_controller.rb

```ruby
# frozen_string_literal: true

class ChallengesController < ApplicationController
  before_action :load_challenge, except: %i[new create index]

  def index
    authorize Challenge
    @challenges = Challenge.all
  end

  def show
    authorize @challenge
  end

  def edit
    authorize @challenge
  end

  def update
    authorize @challenge
    if @challenge.update(challenge_params)
      flash[:success] = 'Successfully Updated'
      redirect_to challenge_path(
        id: @challenge
      )
    else
      render :edit
    end
  end

  def new
    authorize Challenge
    @challenge = Challenge.new
  end
```

```ruby
  def create
    authorize Challenge
    @challenge = Challenge.new(challenge_params.merge(user: current_user))

    if @challenge.save
      flash[:success] = 'Successfully created'
      redirect_to challenge_path(
        id: @challenge
      )
    else
      render :new
    end
  end

  def destroy
    authorize @challenge
    @challenge.destroy!
    flash[:success] = 'Sucesfully destroyed'
    redirect_to challenges_path
  end

  private

  def load_challenge
    @challenge = Challenge.find_by!(id: params.require(:id))
  end

  def challenge_params
    params.require(:challenge).permit(
      :title,
      :content,
      :sql_schema,
      :sql_seed,
      :sql_correct_query
    )
  end
end
```

app/controllers/root_controller.rb

```ruby
# frozen_string_literal: true

class RootController < ApplicationController
  def index; end
end
```

app/controllers/submissions_controller.rb

```ruby
# frozen_string_literal: true

require 'csv'

class SubmissionsController < ApplicationController
  before_action :load_challenge

  def index
    respond_to do |format|
      format.html do
        @submissions = @challenge.submissions
        authorize @submissions
      end

      format.csv do
        submissions = @challenge.best_submissions.includes(:user)
```

```ruby
      authorize submissions

      final_csv = CSV.generate do |csv|
        csv << %w[email grade]

        submissions.each do |submission|
          csv << [submission.user.email, submission.max_grade]
        end
      end

      send_data(
        final_csv,
        filename: "grades_for_#{@challenge.title}.csv",
        type: :csv
      )
    end
  end
end

def show
  @submission = Submission.find_by!(
    challenge_id: @challenge.id,
    id: params.require(:id)
  )
  authorize @submission
end

def report
  @submission = Submission.find_by!(
    challenge_id: @challenge.id,
    id: params.require(:id)
  )
  authorize @submission
end

def new
  @submission = Submission.new(
    challenge_id: @challenge.id
  )

  authorize @submission
end

def create
  @submission = Submission.new(
    sql_query: params.require(:submission).require(:sql_query),
    challenge_id: @challenge.id,
    user_id: current_user.id
  )

  authorize @submission

  if @submission.save
    flash[:success] = 'Successfully submitted!'
    redirect_to challenge_submission_path(
      challenge_id: @challenge.id,
      id: @submission.id
    )
  else
    render :new
  end
end
```

```ruby
  private

  def load_challenge
    @challenge = Challenge.find(params.require(:challenge_id))
  end
end
```

app/helpers/application_helper.rb

```ruby
# frozen_string_literal: true

module ApplicationHelper
end
```

app/javascript/packs/application.js

```javascript
/* eslint no-console:0 */
// This file is automatically compiled by Webpack, along with any other files
// present in this directory. You're encouraged to place your actual application logic in
// a relevant structure within app/javascript and only use these pack files to reference
// that code so it'll be compiled.
//
// To reference this file, add <%= javascript_pack_tag 'application' %> to the appropriate
// layout file, like app/views/layouts/application.html.erb
import "./../styles/main.scss";
import 'bootstrap';
import './highlight';
import './codeEditor';
```

app/javascript/packs/codeEditor.js

```javascript
import CodeMirror from 'codemirror';
import 'codemirror/mode/sql/sql.js';
import $ from 'jquery';

$(document).ready(function () {
  $('.code-sql').each(function () {
    var myCodeMirror = CodeMirror.fromTextArea(this, {
      mode: 'text/x-mysql',
      lineNumbers: true,
      viewportMargin: Infinity
    });
  });
});
```

app/javascript/packs/highlight.js

```javascript
import highlight from 'highlight.js';

highlight.initHighlightingOnLoad();
```

app/javascript/styles/code-editor.scss

```scss
.CodeMirror {
  height: auto;
  border: 1px solid #eee;
}
```

app/javascript/styles/main.scss

```scss
@import "~bootstrap/scss/bootstrap.scss";
@import "highlight.js/styles/default.css";
@import "codemirror/lib/codemirror.css";

#bodyContainer {
  margin-top: 10px;
```

```scss
}

@import "submissions/where";
@import "code-editor";
```

app/javascript/styles/submissions/where.scss

```scss
// Repeat function obtained from
// https: //stackoverflow.com/questions/38712106/repeat-dots-in-less-sass-for-content-property
@function repeat($character, $n) {
  $c: "";
  @for $i from 1 through $n {
    $c: $c + $character;
  }
  @return $c;
}

@for $i from 0 through 10 {
  .where-clause-depth-#{£i}::before {
    content: repeat('··', $i + 1);
    margin-right: 4px;
    color: grey;
  }
}
```

app/jobs/application_job.rb

```ruby
# frozen_string_literal: true

class ApplicationJob < ActiveJob::Base
end
```

app/mailers/application_mailer.rb

```ruby
# frozen_string_literal: true

class ApplicationMailer < ActionMailer::Base
  default from: 'from@example.com'
  layout 'mailer'
end
```

app/models/application_record.rb

```ruby
# frozen_string_literal: true

class ApplicationRecord < ActiveRecord::Base
  self.abstract_class = true
end
```

app/models/challenge.rb

```ruby
# frozen_string_literal: true

class Challenge < ApplicationRecord
  validates_presence_of :sql_schema, :sql_correct_query, :sql_seed, :title, :content
  validate :compile_sql

  has_many :submissions, class_name: 'Submission', dependent: :destroy
  belongs_to :user, class_name: 'User'

  def best_submissions
    submissions.select('max(grade) as max_grade, user_id').group(:user_id)
  end

  private

  def compile_sql
```

```
      return unless sql_schema.present? && sql_correct_query.present? && sql_seed.present?
      result = SharedAssesor.assesor.compile(
        create_schema_sql_query: sql_schema,
        instructor_sql_query: sql_correct_query,
        seed_sql_query: sql_seed
      )
      self.metadata = result
    rescue SqlAssess::DatabaseSchemaError => exception
      errors.add(:sql_schema, exception.message)
    rescue SqlAssess::DatabaseSeedError => exception
      errors.add(:sql_seed, exception.message)
    rescue SqlAssess::DatabaseQueryExecutionFailed => exception
      errors.add(:sql_correct_query, exception.message)
    rescue SqlAssess::CanonicalizationError
      errors.add(:sql_correct_query, 'Cannot canonicalize query')
    end
end
```

  app/models/submission.rb

```
# frozen_string_literal: true

class Submission < ApplicationRecord
  validates_presence_of :sql_query

  belongs_to :challenge, class_name: 'Challenge'
  belongs_to :user, class_name: 'User'

  validate :compile_sql

  scope :best_for_user, -> { group(:user_id) }

  private

  def compile_sql
    return if sql_query.nil?

    result = SharedAssesor.assesor.assess(
      create_schema_sql_query: challenge.sql_schema,
      instructor_sql_query: challenge.sql_correct_query,
      seed_sql_query: challenge.sql_seed,
      student_sql_query: sql_query
    )

    self.metadata = result.attributes
    self.success = result.success
    self.grade = result.grade
    self.attribute_grades = result.attributes_grade
    self.message = result.message
  rescue SqlAssess::DatabaseQueryExecutionFailed => exception
    errors.add(:sql_query, exception.message)
  rescue SqlAssess::CanonicalizationError
    errors.add(:sql_query, 'Cannot canonicalize query')
  end
end
```

  app/models/user.rb

```
# frozen_string_literal: true

class User < ApplicationRecord
  # Include default devise modules. Others available are:
  # :confirmable, :lockable, :timeoutable and :omniauthable
  devise :database_authenticatable, :registerable, :rememberable, :trackable, :validatable
```

```ruby
    validates_inclusion_of :role, in: %w[admin student]

    has_many :submissions, class_name: 'Submission', dependent: :destroy
    has_many :challenges, class_name: 'Challenge', dependent: :destroy

    def admin?
      role == 'admin'
    end
  end
```

app/policies/application_policy.rb

```ruby
# frozen_string_literal: true

class ApplicationPolicy
  attr_reader :user, :record

  def initialize(user, record)
    @user = user
    @record = record
  end

  def index?
    false
  end

  def show?
    scope.where(id: record.id).exists?
  end

  def create?
    false
  end

  def new?
    create?
  end

  def update?
    false
  end

  def edit?
    update?
  end

  def destroy?
    false
  end

  def scope
    Pundit.policy_scope!(user, record.class)
  end

  class Scope
    attr_reader :user, :scope

    def initialize(user, scope)
      @user = user
      @scope = scope
    end

    def resolve
      scope
```

```ruby
      end
    end
end
```

app/policies/challenge_policy.rb

```ruby
# frozen_string_literal: true

class ChallengePolicy < ApplicationPolicy
  def index?
    true
  end

  def show?
    super && user.admin?
  end

  def create?
    user.admin?
  end

  def update?
    user.admin?
  end

  def destroy?
    user.admin?
  end
end
```

app/policies/submission_policy.rb

```ruby
# frozen_string_literal: true

class SubmissionPolicy < ApplicationPolicy
  def index?
    user.admin?
  end

  def create?
    true
  end

  def report?
    user.admin?
  end

  def show?
    super && (user.admin? || record.user == user)
  end
end
```

app/views/challenges/_form_fields.html.erb

```erb
<div class="form-group">
  <%= f.text_field :title, class: "form-control" %>
</div>

<div class="form-group">
  <%= f.text_area :content, class: "form-control" %>
</div>

<div class="form-group">
  <%= f.text_area :sql_schema, class: "form-control code-sql" %>
</div>
```

```erb
<div class="form-group">
  <%= f.text_area :sql_seed, class: "form-control code-sql" %>
</div>

<div class="form-group">
  <%= f.text_area :sql_correct_query, class: "form-control code-sql" %>
</div>
```

app/views/challenges/edit.html.erb

```erb
<nav aria-label="breadcrumb">
  <ol class="breadcrumb">
    <li class="breadcrumb-item"><%= link_to "Challenges", challenges_path%></li>
    <li class="breadcrumb-item" aria-current="page"><%= link_to @challenge.title, challenge_path(@challenge)
    %></li>
    <li class="breadcrumb-item active" aria-current="page">Edit</li>
  </ol>
</nav>

<%= bootstrap_form_for @challenge do |f| %>
  <%= render partial: "form_fields", locals: { f: f } %>
  <%= f.submit "Update", class: "btn btn-primary" %>
<% end %>
```

app/views/challenges/index.html.erb

```erb
<nav aria-label="breadcrumb">
  <ol class="breadcrumb">
    <li class="breadcrumb-item active" aria-current="page">Challenges</li>
  </ol>
</nav>

<table class="table">
  <thead>
    <tr>
      <th>Title</th>
      <th></th>
    </tr>
  </thead>
  <tbody>
    <% @challenges.each do |challenge| %>
      <tr>
        <td><%= challenge.title %></td>
        <td>
          <% if policy(challenge).show? %>
            <%= link_to "Show challenge", challenge_path(id: challenge.id) %>
          <% else %>
          <%= link_to(
            "New submission",
            new_challenge_submission_path(challenge_id: challenge.id)
          ) %>
          <% end %>
        </td>
      </tr>
    <% end %>
  </tbody>
</table>

<% if policy(Challenge).create? %>
  <%= link_to "Create new challenge", new_challenge_path, class: "btn btn-primary" %>
<% end %>
```

app/views/challenges/new.html.erb

```erb
<nav aria-label="breadcrumb">
  <ol class="breadcrumb">
    <li class="breadcrumb-item"><%= link_to "Challenges", challenges_path%></li>
    <li class="breadcrumb-item active" aria-current="page">New Challenge</li>
  </ol>
</nav>

<%= bootstrap_form_for @challenge do |f| %>
  <%= render partial: "form_fields", locals: { f: f } %>
  <%= f.submit "Create", class: "btn btn-primary" %>
<% end %>
```

app/views/challenges/show.html.erb

```erb
<nav aria-label="breadcrumb">
  <ol class="breadcrumb">
    <li class="breadcrumb-item"><%= link_to "Challenges", challenges_path%></li>
    <li class="breadcrumb-item active" aria-current="page"><%= @challenge.title %></li>
  </ol>
</nav>

<h3>Content</h3>
<%= @challenge.content %>

<h3>Schema</h3>
<pre><code class="sql"><%= @challenge.sql_schema %></code></pre>

<h3>Seed</h3>
<pre><code class="sql"><%= @challenge.sql_seed %></code></pre>

<h3>Correct Query</h3>
<pre><code class="sql"><%= @challenge.sql_correct_query %></code></pre>

<hr>

<% @challenge.metadata.each do |table| %>
<h3><%= table["name"] %></h3>
  <table class="table table-bordered">
    <thead>
      <tr>
        <th>#</th>
        <% table["columns"].each do |column| %>

          <th><%= column.fetch("name") %> <%= column.fetch("type") %></th>
        <% end %>
      </tr>
    </thead>
    <tbody>
      <% table["data"].each_with_index do |row, i| %>
        <tr>
          <th scope="row"><%= i %></td>
          <% table["columns"].each do |column| %>
            <td><%= row.fetch(column.fetch("name")) %></td>
          <% end %>
        </tr>
      <% end %>
    </tbody>
  </table>
<% end %>


<div class="btn-toolbar">
<%= link_to "Edit", edit_challenge_path(id: @challenge), class: "btn btn-primary mr-2" %>
<%= button_to "Destroy", challenge_path(id: @challenge), class: "btn btn-danger inline", method: :delete %>
<%= link_to(
```

```erb
  "View Submissions",
  challenge_submissions_path(challenge_id: @challenge.id),
  class: "btn"
) %>
<hr>
</div>
```

app/views/devise/confirmations/new.html.erb

```erb
<h2>Resend confirmation instructions</h2>

<%= form_for(resource, as: resource_name, url: confirmation_path(resource_name), html: { method: :post }) do
↪  |f| %>
  <%= devise_error_messages! %>

  <div class="field">
    <%= f.label :email %><br />
    <%= f.email_field :email, autofocus: true, value: (resource.pending_reconfirmation? ?
    ↪  resource.unconfirmed_email : resource.email) %>
  </div>

  <div class="actions">
    <%= f.submit "Resend confirmation instructions" %>
  </div>
<% end %>

<%= render "devise/shared/links" %>
```

app/views/devise/mailer/confirmation_instructions.html.erb

```erb
<p>Welcome <%= @email %>!</p>

<p>You can confirm your account email through the link below:</p>

<p><%= link_to 'Confirm my account', confirmation_url(@resource, confirmation_token: @token) %></p>
```

app/views/devise/mailer/email_changed.html.erb

```erb
<p>Hello <%= @email %>!</p>

<% if @resource.try(:unconfirmed_email?) %>
  <p>We're contacting you to notify you that your email is being changed to <%= @resource.unconfirmed_email
  ↪  %>.</p>
<% else %>
  <p>We're contacting you to notify you that your email has been changed to <%= @resource.email %>.</p>
<% end %>
```

app/views/devise/mailer/password_change.html.erb

```erb
<p>Hello <%= @resource.email %>!</p>

<p>We're contacting you to notify you that your password has been changed.</p>
```

app/views/devise/mailer/reset_password_instructions.html.erb

```erb
<p>Hello <%= @resource.email %>!</p>

<p>Someone has requested a link to change your password. You can do this through the link below.</p>

<p><%= link_to 'Change my password', edit_password_url(@resource, reset_password_token: @token) %></p>

<p>If you didn't request this, please ignore this email.</p>
<p>Your password won't change until you access the link above and create a new one.</p>
```

app/views/devise/mailer/unlock_instructions.html.erb

```erb
<p>Hello <%= @resource.email %>!</p>

<p>Your account has been locked due to an excessive number of unsuccessful sign in attempts.</p>

<p>Click the link below to unlock your account:</p>

<p><%= link_to 'Unlock my account', unlock_url(@resource, unlock_token: @token) %></p>
```

app/views/devise/passwords/edit.html.erb

```erb
<h2>Change your password</h2>

<%= form_for(resource, as: resource_name, url: password_path(resource_name), html: { method: :put }) do |f| %>
  <%= devise_error_messages! %>
  <%= f.hidden_field :reset_password_token %>

  <div class="field">
    <%= f.label :password, "New password" %><br />
    <% if @minimum_password_length %>
      <em>(<%= @minimum_password_length %> characters minimum)</em><br />
    <% end %>
    <%= f.password_field :password, autofocus: true, autocomplete: "off" %>
  </div>

  <div class="field">
    <%= f.label :password_confirmation, "Confirm new password" %><br />
    <%= f.password_field :password_confirmation, autocomplete: "off" %>
  </div>

  <div class="actions">
    <%= f.submit "Change my password" %>
  </div>
<% end %>

<%= render "devise/shared/links" %>
```

app/views/devise/passwords/new.html.erb

```erb
<h2>Forgot your password?</h2>

<%= form_for(resource, as: resource_name, url: password_path(resource_name), html: { method: :post }) do |f|
  %>
  <%= devise_error_messages! %>

  <div class="field">
    <%= f.label :email %><br />
    <%= f.email_field :email, autofocus: true %>
  </div>

  <div class="actions">
    <%= f.submit "Send me reset password instructions" %>
  </div>
<% end %>

<%= render "devise/shared/links" %>
```

app/views/devise/registrations/edit.html.erb

```erb
<h2>Edit your profile</h2>

<div class="row justify-content-lg-center">
  <div class="col-lg-6">
    <%= form_for(resource, as: resource_name, url: registration_path(resource_name), html: { method: :put })
  do |f| %>
      <%= devise_error_messages! %>
```

```erb
      <div class="form-group">
        <%= f.label :email %>
        <%= f.email_field :email, autofocus: true, class: "form-control" %>
      </div>

      <% if devise_mapping.confirmable? && resource.pending_reconfirmation? %>
        <div>Currently waiting confirmation for: <%= resource.unconfirmed_email %></div>
      <% end %>

      <div class="form-group">
        <%= f.label :password %> <i>(leave blank if you don't want to change it)</i>
        <%= f.password_field :password, class: "form-control" %>
        <% if @minimum_password_length %>
          <em><%= @minimum_password_length %> characters minimum</em>
        <% end %>
      </div>

      <div class="form-group">
        <%= f.label :password_confirmation %>
        <%= f.password_field :password_confirmation, class: "form-control" %>
      </div>

      <div class="form-group">
        <%= f.label :current_password %> <i>(we need your current password to confirm your changes)</i>
        <%= f.password_field :current_password, class: "form-control" %>
      </div>

      <div class="actions">
        <%= f.submit "Update", class: "btn btn-primary form-control" %>
      </div>
    <% end %>
    <br/>
    <h3 class>Cancel my account</h3>
    <p>Unhappy? <%= button_to "Cancel my account", registration_path(resource_name), method: :delete, class:
↪  "btn btn-danger form-control" %></p>
  </div>
</div>
```

app/views/devise/registrations/new.html.erb

```erb
<div class="row justify-content-lg-center">
  <div class="col-lg-6">
    <h2 class="text-center">Sign up</h2>

    <%= form_for(resource, as: resource_name, url: registration_path(resource_name)) do |f| %>
      <%= devise_error_messages! %>

      <div class="form-group">
        <%= f.label :email %><br />
        <%= f.email_field :email, autofocus: true, class: "form-control" %>
      </div>

      <div class="form-group">
        <%= f.label :password %>
        <% if @minimum_password_length %>
        <em>(<%= @minimum_password_length %> characters minimum)</em>
        <% end %><br />
        <%= f.password_field :password, autocomplete: "off", class: "form-control" %>
      </div>

      <div class="form-group">
        <%= f.label :password_confirmation %><br />
        <%= f.password_field :password_confirmation, autocomplete: "off", class: "form-control" %>
```

```erb
      </div>

      <div class="actions">
        <%= f.submit "Sign up", class: "btn btn-primary form-control" %>
      </div>
    <% end %>

    or

    <%= render "devise/shared/links" %>
  </div>
</div>
```

app/views/devise/sessions/new.html.erb

```erb
<div class="row justify-content-lg-center">
  <div class="col-lg-6">
    <h2>Log in</h2>

    <%= form_for(resource, as: resource_name, url: session_path(resource_name)) do |f| %>
      <div class="form-group">
        <%= f.label :email %><br />
        <%= f.email_field :email, autofocus: true, class: "form-control" %>
      </div>

      <div class="form-group">
        <%= f.label :password %><br />
        <%= f.password_field :password, autocomplete: "off", class: "form-control" %>
      </div>

      <% if devise_mapping.rememberable? -%>
        <div class="form-group">
          <%= f.check_box :remember_me %>
          <%= f.label :remember_me %>
        </div>
      <% end -%>

      <%= f.submit "Log in", class: "btn btn-primary form-control" %>
    <% end %>

    <%= render "devise/shared/links" %>
  </div>
</div>
```

app/views/devise/shared/_links.html.erb

```erb
<%- if controller_name != 'sessions' %>
  <%= link_to "Log in", new_session_path(resource_name) %><br />
<% end -%>

<%- if devise_mapping.registerable? && controller_name != 'registrations' %>
  <%= link_to "Sign up", new_registration_path(resource_name) %><br />
<% end -%>

<%- if devise_mapping.recoverable? && controller_name != 'passwords' && controller_name != 'registrations' %>
  <%= link_to "Forgot your password?", new_password_path(resource_name) %><br />
<% end -%>

<%- if devise_mapping.confirmable? && controller_name != 'confirmations' %>
  <%= link_to "Didn't receive confirmation instructions?", new_confirmation_path(resource_name) %><br />
<% end -%>

<%- if devise_mapping.lockable? && resource_class.unlock_strategy_enabled?(:email) && controller_name !=
↪  'unlocks' %>
  <%= link_to "Didn't receive unlock instructions?", new_unlock_path(resource_name) %><br />
```

```erb
<% end -%>

<%- if devise_mapping.omniauthable? %>
  <%- resource_class.omniauth_providers.each do |provider| %>
    <%= link_to "Sign in with #{OmniAuth::Utils.camelize(provider)}", omniauth_authorize_path(resource_name,
→  provider) %><br />
  <% end -%>
<% end -%>
```

app/views/devise/unlocks/new.html.erb

```erb
<h2>Resend unlock instructions</h2>

<%= form_for(resource, as: resource_name, url: unlock_path(resource_name), html: { method: :post }) do |f| %>
  <%= devise_error_messages! %>

  <div class="field">
    <%= f.label :email %><br />
    <%= f.email_field :email, autofocus: true %>
  </div>

  <div class="actions">
    <%= f.submit "Resend unlock instructions" %>
  </div>
<% end %>

<%= render "devise/shared/links" %>
```

app/views/layouts/application.html.erb

```erb
<!DOCTYPE html>
<html>
  <head>
    <title>SQL grading</title>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <%= csrf_meta_tags %>
    <%= stylesheet_pack_tag 'application' %>
  </head>

  <body>
    <%= render partial: "partials/navigation/header" %>

    <% if flash[:alert].present? %>
      <div class="alert alert-warning" role="alert">
        <div class="container">
          <%= flash[:alert] %>
        </div>
      </div>
    <% end %>

    <% if flash[:notice].present? %>
      <div class="alert alert-secondary" role="alert">
        <div class="container">
          <%= flash[:notice] %>
        </div>
      </div>
    <% end %>

    <% if flash[:success].present? %>
      <div class="alert alert-success" role="alert">
        <div class="container">
          <%= flash[:success] %>
        </div>
```

```erb
        </div>
      <% end %>

      <div class="container" id="bodyContainer">
        <%= yield %>
      </div>
    </body>
  </html>

    <%= javascript_pack_tag 'application' %>
</html>
```

app/views/layouts/mailer.html.erb

```erb
<!DOCTYPE html>
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <style>
      /* Email styles need to be inline */
    </style>
  </head>

  <body>
    <%= yield %>
  </body>
</html>
```

app/views/layouts/mailer.text.erb

```erb
<%= yield %>
```

app/views/partials/navigation/_header.html.erb

```erb
<nav class="navbar navbar-expand-lg navbar-light bg-light">
  <div class="container">
    <a class="navbar-brand" href="#">SQL Project</a>
    <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent"
↪   aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>

    <div class="collapse navbar-collapse" id="navbarSupportedContent">
      <ul class="navbar-nav mr-auto">
        <%= render(
          partial: "partials/navigation/header_nav_link",
          locals: { name: "Home", path: root_path }
        ) %>
        <%= render(
          partial: "partials/navigation/header_nav_link",
          locals: { name: "Challenges", path: challenges_path }
        ) %>
      </ul>
      <div class="ul navbar-nav">
        <% if user_signed_in? %>
          <li class="nav-item dropdown">
            <a class="nav-link dropdown-toggle" href="#" id="userDropdown" role="button"
↪   data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
              <%= current_user.email %>
            </a>
            <div class="dropdown-menu" aria-labelledby="userDropdown">
              <p class="dropdown-header">Role: <%= current_user.role.capitalize %></p>
              <div class="dropdown-divider"></div>
              <%= link_to(
                "Sign out",
                users_sign_out_path,
```

```erb
              class: "dropdown-item",
            ) %>
            <%= link_to(
              "Edit profile",
              edit_user_registration_path,
              class: "dropdown-item",
            ) %>
          </div>
        </li>
      <% else %>
        <li class="nav-item">
          <%= link_to(
            "Sign in",
            new_user_session_path,
            class: "nav-link",
          ) %>
        </li>
      <% end %>
    </div>
  </div>
</div>
</nav>
```

app/views/partials/navigation/_header_nav_link.html.erb

```erb
<% active_class = current_page?(path) ? "active" : "" %>
<li class="nav-item <%= active_class %>">
  <%= link_to name, path, class: "nav-link" %>
</li>
```

app/views/root/index.html.erb

```erb
<div class="text-center">
  <h1 class="display-2">Welcome to SQL Assess</h1>

</div>
```

app/views/submissions/_columns.html.erb

```erb
<% columns.each do |column| %>
  <pre><code class="sql"><%= column %></code></pre>
<% end %>
```

app/views/submissions/_distinct_filter.html.erb

```erb
<pre><code class="sql"><%= distinct_filter %></code></pre>
```

app/views/submissions/_group.html.erb

```erb
<% group.each do |group_column| %>
  <pre><code class="sql"><%= group_column %></code></pre>
<% end %>

<% if group.empty? %>
  No group clause
<% end %>
```

app/views/submissions/_limit.html.erb

```erb
<pre><code>Limit: <%= limit["limit"] %></code></pre>
<pre><code>Offset: <%= limit["offset"] %></code></pre>
```

app/views/submissions/_order_by.html.erb

```erb
<% order_by.each do |rule| %>
  <pre><code class="sql"><%= rule["column"] %></code></pre>
<% end %>

<% if order_by.empty? %>
  No order by rule
<% end %>
```

```erb
      app/views/submissions/_tables.html.erb

<% tables.each do |table| %>
  <pre><code class="sql"><%= table["sql"] %></code></pre>
<% end %>

      app/views/submissions/_where.html.erb

<% class_name = "where-clause-depth-#{depth}" %>
<% if query == {} %>
  No where conditions
<% elsif query["type"] =="AND" %>
  <% query["clauses"].each_with_index do |clause, i| %>
    <% if i != 0 %>
      <div class="<%= class_name %> py-2"><span class="font-weight-bold">AND</span></div>
      </div>
    <% end %>
    <%= render partial: "where", locals: {
      query: clause,
      depth: depth + 1
    }%>
  <% end %>
<% elsif query["type"] == "OR"%>
  <% query["clauses"].each_with_index do |clause, i| %>
    <% if i != 0 %>
      <div class="<%= class_name %> py-2"><span class="font-weight-bold">OR</span></div>
    <% end %>
    <%= render partial: "where", locals: {
      query: clause,
      depth: depth + 1
    }%>
  <% end %>
<% else %>
  <div class="<%= class_name %>">
    <pre class="d-inline"><code class="d-inline"><%= query["sql"] %></code></pre>
  </div>
<% end %>

      app/views/submissions/index.html.erb

<nav aria-label="breadcrumb">
  <ol class="breadcrumb">
    <li class="breadcrumb-item"><%= link_to "Challenges", challenges_path%></li>
    <li class="breadcrumb-item" aria-current="page">
      <%= link_to @challenge.title, challenge_path(@challenge) %>
    </li>
    <li class="breadcrumb-item active" aria-current="page">Submissions</li>
  </ol>
</nav>

<table class="table">
  <thead>
    <tr>
      <th>Email</th>
      <th>Grade</th>
      <th>View submission</th>
    </tr>
  </thead>
  <tbody>
    <% @submissions.each do |submission| %>
      <tr>
        <td><%= submission.user.email %></td>
        <td><%= submission.grade %></td>
        <td>
          <%= link_to(
```

```erb
        "View submission",
        [:report, @challenge, submission]
      ) %>
    </td>
  </tr>
<% end %>
  </tbody>
</table>

<%= link_to(
  "Download CSV",
  challenge_submissions_path(@challenge, format: :csv),
  class: "btn btn-primary"
)%>
```

app/views/submissions/new.html.erb

```erb
<h1><%= @challenge.title %></h1>

<hr>
<h3>Content:</h3>
<p><%= @challenge.content %></p>
<hr>
<h3>Schema:</h3>
<pre><code class="sql"><%= @challenge.sql_schema %></code></pre>
<hr>
<% @challenge.metadata.each do |table| %>
<h3><%= table["name"] %></h3>
<table class="table table-bordered">
  <thead>
    <tr>
      <th>#</th>
      <% table["columns"].each do |column| %>

        <th><%= column.fetch("name") %> <%= column.fetch("type") %></th>
      <% end %>
    </tr>
  </thead>
</table>
<% end %>

<%= bootstrap_form_for [@challenge, @submission] do |f| %>
  <%= f.text_field :sql_query, class: "code-sql" %>
  <%= f.submit "Submit", class: "btn btn-primary"%>
<% end %>
```

app/views/submissions/report.html.erb

```erb
<nav aria-label="breadcrumb">
  <ol class="breadcrumb">
    <li class="breadcrumb-item"><%= link_to "Challenges", challenges_path%></li>
    <li class="breadcrumb-item" aria-current="page">
      <%= link_to @challenge.title, challenge_submissions_path(challenge: @challenge) %>
    </li>
    <li class="breadcrumb-item active" aria-current="page">Submission result</li>
  </ol>
</nav>

<h1>Summary</h1>
<table class="table">
  <tbody>
    <tr>
      <th>Success</th>
      <td><%= @submission.success %></td>
    </tr>
```

```erb
    <tr>
      <th>Grade</th>
      <td><%= @submission.grade %> / 100.00</td>
    </tr>
    <tr>
      <th>Query</th>
      <td><pre><code class="mysql" style="white-space: pre-wrap;"><%= @submission.sql_query
↪ %></code></pre></td>
    </tr>
  </tbody>
</table>

<h1>Comparison of elements</h1>
<table class="table">
  <thead>
    <tr>
      <th>Attribute</th>
      <th>Submission</th>
      <th>Correct</th>
      <th>Match</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <td>Columns</td>
      <td>
        <%= render partial: "columns", locals: {
          columns: @submission.metadata["student"]["columns"],
        } %>
      </td>
      <td>
        <%= render partial: "columns", locals: {
          columns: @submission.metadata["instructor"]["columns"],
        } %>
      </td>
      <td><%= @submission.attribute_grades["columns"].to_d * 100.0 %>%</td>
    </tr>
    <tr>
      <td>Tables</td>
      <td>
        <%= render partial: "tables", locals: {
          tables: @submission.metadata["student"]["tables"],
        } %>
      </td>
      <td>
        <%= render partial: "tables", locals: {
          tables: @submission.metadata["instructor"]["tables"],
        } %>
      </td>
      <td><%= @submission.attribute_grades["tables"].to_d * 100.0 %>%</td>
    </tr>
    <tr>
      <td>Where</td>
      <td>
      <%= render partial: "where", locals: {
          query: @submission.metadata["student"]["where"],
          depth: 0
        } %>
      </td>
      <td>
        <%= render partial: "where", locals: {
          query: @submission.metadata["instructor"]["where"],
          depth: 0
```

```erb
      } %>
    </td>
    <td><%= @submission.attribute_grades["where"].to_d * 100.0 %>%</td>
  </tr>
  <tr>
    <td>Order by</td>
    <td>
      <%= render partial: "order_by", locals: {
        order_by: @submission.metadata["student"]["order_by"],
      } %>
    </td>
    <td>
      <%= render partial: "order_by", locals: {
        order_by: @submission.metadata["instructor"]["order_by"],
      } %>
    </td>
    <td><%= @submission.attribute_grades["order_by"].to_d * 100.0 %>%</td>
  </tr>
  <tr>
    <td>Distinct filter</td>
    <td>
      <%= render partial: "distinct_filter", locals: {
        distinct_filter: @submission.metadata["student"]["distinct_filter"],
      } %>
    </td>
    <td>
      <%= render partial: "distinct_filter", locals: {
        distinct_filter: @submission.metadata["instructor"]["distinct_filter"],
      } %>
    </td>
    <td><%= @submission.attribute_grades["distinct_filter"].to_d * 100.0 %>%</td>
  </tr>
  <tr>
    <td>Limit</td>
    <td>
      <%= render partial: "limit", locals: {
        limit: @submission.metadata["student"]["limit"],
      } %>
    </td>
    <td>
      <%= render partial: "limit", locals: {
        limit: @submission.metadata["instructor"]["limit"],
      } %>
    </td>
    <td><%= @submission.attribute_grades["limit"].to_d * 100.0 %>%</td>
  </tr>
  <tr>
    <td>Group</td>
    <td>
      <%= render partial: "group", locals: {
        group: @submission.metadata["student"]["group"],
      } %>
    </td>
    <td>
      <%= render partial: "group", locals: {
        group: @submission.metadata["instructor"]["group"],
      } %>
    </td>
    <td><%= @submission.attribute_grades["group"].to_d * 100.0 %>%</td>
  </tr>
  </tbody>
</table>
```

app/views/submissions/show.html.erb

```html
<nav aria-label="breadcrumb">
  <ol class="breadcrumb">
    <li class="breadcrumb-item"><%= link_to "Challenges", challenges_path%></li>
    <li class="breadcrumb-item" aria-current="page">
      <%= link_to @challenge.title, new_challenge_submission_path(challenge: @challenge) %>
    </li>
    <li class="breadcrumb-item active" aria-current="page">Submission accepted</li>
  </ol>
</nav>

<p>
  <%= @submission.message %>
</p>
```

    bin/bundle

```ruby
#!/usr/bin/env ruby
ENV['BUNDLE_GEMFILE'] ||= File.expand_path('../../Gemfile', __FILE__)
load Gem.bin_path('bundler', 'bundle')
```

    bin/rails

```ruby
#!/usr/bin/env ruby
begin
  load File.expand_path('../spring', __FILE__)
rescue LoadError => e
  raise unless e.message.include?('spring')
end
APP_PATH = File.expand_path('../config/application', __dir__)
require_relative '../config/boot'
require 'rails/commands'
```

    bin/rake

```ruby
#!/usr/bin/env ruby
begin
  load File.expand_path('../spring', __FILE__)
rescue LoadError => e
  raise unless e.message.include?('spring')
end
require_relative '../config/boot'
require 'rake'
Rake.application.run
```

    bin/rspec

```ruby
#!/usr/bin/env ruby
begin
  load File.expand_path('../spring', __FILE__)
rescue LoadError => e
  raise unless e.message.include?('spring')
end
require 'bundler/setup'
load Gem.bin_path('rspec-core', 'rspec')
```

    bin/setup

```ruby
#!/usr/bin/env ruby
require 'pathname'
require 'fileutils'
include FileUtils

# path to your application root.
APP_ROOT = Pathname.new File.expand_path('../../', __FILE__)

def system!(*args)
  system(*args) || abort("\n== Command #{args} failed ==")
```

```ruby
end

chdir APP_ROOT do
  # This script is a starting point to setup your application.
  # Add necessary setup steps to this file.

  puts '== Installing dependencies =='
  system! 'gem install bundler --conservative'
  system('bundle check') || system!('bundle install')

  # Install JavaScript dependencies if using Yarn
  # system('bin/yarn')


  # puts "\n== Copying sample files =="
  # unless File.exist?('config/database.yml')
  #   cp 'config/database.yml.sample', 'config/database.yml'
  # end

  puts "\n== Preparing database =="
  system! 'bin/rails db:setup'

  puts "\n== Removing old logs and tempfiles =="
  system! 'bin/rails log:clear tmp:clear'

  puts "\n== Restarting application server =="
  system! 'bin/rails restart'
end
```

bin/spring

```ruby
#!/usr/bin/env ruby

# This file loads spring without using Bundler, in order to be fast.
# It gets overwritten when you run the `spring binstub` command.

unless defined?(Spring)
  require 'rubygems'
  require 'bundler'

  lockfile = Bundler::LockfileParser.new(Bundler.default_lockfile.read)
  spring = lockfile.specs.detect { |spec| spec.name == "spring" }
  if spring
    Gem.use_paths Gem.dir, Bundler.bundle_path.to_s, *Gem.path
    gem 'spring', spring.version
    require 'spring/binstub'
  end
end
```

bin/update

```ruby
#!/usr/bin/env ruby
require 'pathname'
require 'fileutils'
include FileUtils

# path to your application root.
APP_ROOT = Pathname.new File.expand_path('../../', __FILE__)

def system!(*args)
  system(*args) || abort("\n== Command #{args} failed ==")
end

chdir APP_ROOT do
  # This script is a way to update your development environment automatically.
```

```ruby
  # Add necessary update steps to this file.

  puts '== Installing dependencies =='
  system! 'gem install bundler --conservative'
  system('bundle check') || system!('bundle install')

  puts "\n== Updating database =="
  system! 'bin/rails db:migrate'

  puts "\n== Removing old logs and tempfiles =="
  system! 'bin/rails log:clear tmp:clear'

  puts "\n== Restarting application server =="
  system! 'bin/rails restart'
end
```

bin/webpack

```ruby
#!/usr/bin/env ruby

ENV["RAILS_ENV"] ||= ENV["RACK_ENV"] || "development"
ENV["NODE_ENV"] ||= ENV["RAILS_ENV"]

require "pathname"
ENV["BUNDLE_GEMFILE"] ||= File.expand_path("../../Gemfile",
  Pathname.new(__FILE__).realpath)

require "rubygems"
require "bundler/setup"

require "webpacker"
require "webpacker/webpack_runner"
Webpacker::WebpackRunner.run(ARGV)
```

bin/webpack-dev-server

```ruby
#!/usr/bin/env ruby

ENV["RAILS_ENV"] ||= ENV["RACK_ENV"] || "development"
ENV["NODE_ENV"] ||= ENV["RAILS_ENV"]

require "pathname"
ENV["BUNDLE_GEMFILE"] ||= File.expand_path("../../Gemfile",
  Pathname.new(__FILE__).realpath)

require "rubygems"
require "bundler/setup"

require "webpacker"
require "webpacker/dev_server_runner"
Webpacker::DevServerRunner.run(ARGV)
```

bin/yarn

```ruby
#!/usr/bin/env ruby
VENDOR_PATH = File.expand_path('..', __dir__)
Dir.chdir(VENDOR_PATH) do
  begin
    exec "yarnpkg #{ARGV.join(" ")}"
  rescue Errno::ENOENT
    $stderr.puts "Yarn executable was not detected in the system."
    $stderr.puts "Download Yarn at https://yarnpkg.com/en/docs/install"
    exit 1
  end
end
```

config.ru

```ruby
# frozen_string_literal: true

# This file is used by Rack-based servers to start the application.

require_relative 'config/environment'

run Rails.application
```

config/application.rb

```ruby
# frozen_string_literal: true

require_relative 'boot'

require 'rails/all'

# Require the gems listed in Gemfile, including any gems
# you've limited to :test, :development, or :production.
Bundler.require(*Rails.groups)

module Fyp
  class Application < Rails::Application
    # Initialize configuration defaults for originally generated Rails version.
    config.load_defaults 5.1

    # Settings in config/environments/* take precedence over those specified here.
    # Application configuration should go into files in config/initializers
    # -- all .rb files in that directory are automatically loaded.
  end
end
```

config/boot.rb

```ruby
# frozen_string_literal: true

ENV['BUNDLE_GEMFILE'] ||= File.expand_path('../Gemfile', __dir__)

require 'bundler/setup' # Set up gems listed in the Gemfile.
```

config/cable.yml

```yaml
development:
  adapter: async

test:
  adapter: async

production:
  adapter: redis
  url: redis://localhost:6379/1
  channel_prefix: fyp_production
```

config/database.yml

```yaml
# SQLite version 3.x
#   gem install sqlite3
#
#   Ensure the SQLite 3 gem is defined in your Gemfile
#   gem 'sqlite3'
#
default: &default
  adapter: mysql2
  pool: <%= ENV.fetch("RAILS_MAX_THREADS") { 5 } %>
  timeout: 5000
```

```yaml
development:
  <<: *default
  host: 127.0.0.1
  username: root
  password: ""
  database: "sql_assess_dev"

# Warning: The database defined as "test" will be erased and
# re-generated from your development database when you run "rake".
# Do not set this db to the same as development or production.
test:
  <<: *default
  host: 127.0.0.1
  username: root
  password: ""
  database: "sql_assess_test"
```

config/environment.rb

```ruby
# frozen_string_literal: true

# Load the Rails application.
require_relative 'application'

# Initialize the Rails application.
Rails.application.initialize!
```

config/environments/development.rb

```ruby
# frozen_string_literal: true

Rails.application.configure do
  # Settings specified here will take precedence over those in config/application.rb.

  # In the development environment your application's code is reloaded on
  # every request. This slows down response time but is perfect for development
  # since you don't have to restart the web server when you make code changes.
  config.cache_classes = false

  # Do not eager load code on boot.
  config.eager_load = false

  # Show full error reports.
  config.consider_all_requests_local = true

  # Enable/disable caching. By default caching is disabled.
  if Rails.root.join('tmp/caching-dev.txt').exist?
    config.action_controller.perform_caching = true

    config.cache_store = :memory_store
    config.public_file_server.headers = {
      'Cache-Control' => "public, max-age=#{2.days.seconds.to_i}",
    }
  else
    config.action_controller.perform_caching = false

    config.cache_store = :null_store
  end

  # Don't care if the mailer can't send.
  config.action_mailer.raise_delivery_errors = false

  config.action_mailer.perform_caching = false

  config.action_mailer.default_url_options = { host: 'localhost', port: 3000 }
```

```ruby
  config.action_mailer.delivery_method = :letter_opener

  # Print deprecation notices to the Rails logger.
  config.active_support.deprecation = :log

  # Raise an error on page load if there are pending migrations.
  config.active_record.migration_error = :page_load

  # Debug mode disables concatenation and preprocessing of assets.
  # This option may cause significant delays in view rendering with a large
  # number of complex assets.
  config.assets.debug = true

  # Suppress logger output for asset requests.
  config.assets.quiet = true

  # Raises error for missing translations
  # config.action_view.raise_on_missing_translations = true

  # Use an evented file watcher to asynchronously detect changes in source code,
  # routes, locales, etc. This feature depends on the listen gem.
  config.file_watcher = ActiveSupport::EventedFileUpdateChecker
end
```

config/environments/production.rb

```ruby
# frozen_string_literal: true

Rails.application.configure do
  # Settings specified here will take precedence over those in config/application.rb.

  # Code is not reloaded between requests.
  config.cache_classes = true

  # Eager load code on boot. This eager loads most of Rails and
  # your application in memory, allowing both threaded web servers
  # and those relying on copy on write to perform better.
  # Rake tasks automatically ignore this option for performance.
  config.eager_load = true

  # Full error reports are disabled and caching is turned on.
  config.consider_all_requests_local       = false
  config.action_controller.perform_caching = true

  # Attempt to read encrypted secrets from `config/secrets.yml.enc`.
  # Requires an encryption key in `ENV["RAILS_MASTER_KEY"]` or
  # `config/secrets.yml.key`.
  config.read_encrypted_secrets = true

  # Disable serving static files from the `/public` folder by default since
  # Apache or NGINX already handles this.
  config.public_file_server.enabled = ENV['RAILS_SERVE_STATIC_FILES'].present?

  # Compress JavaScripts and CSS.
  config.assets.js_compressor = :uglifier
  # config.assets.css_compressor = :sass

  # Do not fallback to assets pipeline if a precompiled asset is missed.
  config.assets.compile = false

  # `config.assets.precompile` and `config.assets.version` have moved to config/initializers/assets.rb

  # Enable serving of images, stylesheets, and JavaScripts from an asset server.
  # config.action_controller.asset_host = 'http://assets.example.com'
```

```ruby
  # Specifies the header that your server uses for sending files.
  # config.action_dispatch.x_sendfile_header = 'X-Sendfile' # for Apache
  # config.action_dispatch.x_sendfile_header = 'X-Accel-Redirect' # for NGINX

  # Mount Action Cable outside main process or domain
  # config.action_cable.mount_path = nil
  # config.action_cable.url = 'wss://example.com/cable'
  # config.action_cable.allowed_request_origins = [ 'http://example.com', /http:\/\/example.*/ ]

  # Force all access to the app over SSL, use Strict-Transport-Security, and use secure cookies.
  # config.force_ssl = true

  # Use the lowest log level to ensure availability of diagnostic information
  # when problems arise.
  config.log_level = :debug

  # Prepend all log lines with the following tags.
  config.log_tags = [:request_id]

  # Use a different cache store in production.
  # config.cache_store = :mem_cache_store

  # Use a real queuing backend for Active Job (and separate queues per environment)
  # config.active_job.queue_adapter     = :resque
  # config.active_job.queue_name_prefix = "fyp_#{Rails.env}"
  config.action_mailer.perform_caching = false

  # Ignore bad email addresses and do not raise email delivery errors.
  # Set this to true and configure the email server for immediate delivery to raise delivery errors.
  # config.action_mailer.raise_delivery_errors = false

  # Enable locale fallbacks for I18n (makes lookups for any locale fall back to
  # the I18n.default_locale when a translation cannot be found).
  config.i18n.fallbacks = true

  # Send deprecation notices to registered listeners.
  config.active_support.deprecation = :notify

  # Use default logging formatter so that PID and timestamp are not suppressed.
  config.log_formatter = ::Logger::Formatter.new

  # Use a different logger for distributed setups.
  # require 'syslog/logger'
  # config.logger = ActiveSupport::TaggedLogging.new(Syslog::Logger.new 'app-name')

  if ENV['RAILS_LOG_TO_STDOUT'].present?
    logger           = ActiveSupport::Logger.new(STDOUT)
    logger.formatter = config.log_formatter
    config.logger    = ActiveSupport::TaggedLogging.new(logger)
  end

  # Do not dump schema after migrations.
  config.active_record.dump_schema_after_migration = false
end
```

   config/environments/test.rb

```ruby
# frozen_string_literal: true

Rails.application.configure do
  # Settings specified here will take precedence over those in config/application.rb.

  # The test environment is used exclusively to run your application's
```

```
  # test suite. You never need to work with it otherwise. Remember that
  # your test database is "scratch space" for the test suite and is wiped
  # and recreated between test runs. Don't rely on the data there!
  config.cache_classes = true

  # Do not eager load code on boot. This avoids loading your whole application
  # just for the purpose of running a single test. If you are using a tool that
  # preloads Rails for running tests, you may have to set it to true.
  config.eager_load = false

  # Configure public file server for tests with Cache-Control for performance.
  config.public_file_server.enabled = true
  config.public_file_server.headers = {
    'Cache-Control' => "public, max-age=#{1.hour.seconds.to_i}",
  }

  # Show full error reports and disable caching.
  config.consider_all_requests_local       = true
  config.action_controller.perform_caching = false

  # Raise exceptions instead of rendering exception templates.
  config.action_dispatch.show_exceptions = false

  # Disable request forgery protection in test environment.
  config.action_controller.allow_forgery_protection = false
  config.action_mailer.perform_caching = false

  # Tell Action Mailer not to deliver emails to the real world.
  # The :test delivery method accumulates sent emails in the
  # ActionMailer::Base.deliveries array.
  config.action_mailer.delivery_method = :test

  # Print deprecation notices to the stderr.
  config.active_support.deprecation = :stderr

  # Raises error for missing translations
  # config.action_view.raise_on_missing_translations = true
end
```

config/initializers/application_controller_renderer.rb

```
# frozen_string_literal: true
# Be sure to restart your server when you modify this file.

# ActiveSupport::Reloader.to_prepare do
#   ApplicationController.renderer.defaults.merge!(
#     http_host: 'example.org',
#     https: false
#   )
# end
```

config/initializers/assesor.rb

```
# frozen_string_literal: true

class SharedAssesor
  class_attribute :database_host
  class_attribute :database_port
  class_attribute :database_username
  class_attribute :database_password

  def self.assesor
    SqlAssess::Assesor.new(
      database_host: database_host,
      database_port: database_port,
```

```ruby
      database_username: database_username,
      database_password: database_password
    )
  end
end

SharedAssesor.database_host = '127.0.0.1'
SharedAssesor.database_port = '3306'
SharedAssesor.database_username = 'root'
SharedAssesor.database_password = ''
```

config/initializers/assets.rb

```ruby
# frozen_string_literal: true

# Be sure to restart your server when you modify this file.

# Version of your assets, change this if you want to expire all your assets.
Rails.application.config.assets.version = '1.0'

# Add additional assets to the asset load path.
# Rails.application.config.assets.paths << Emoji.images_path
# Add Yarn node_modules folder to the asset load path.
Rails.application.config.assets.paths << Rails.root.join('node_modules')

# Precompile additional assets.
# application.js, application.css, and all non-JS/CSS in the app/assets
# folder are already added.
# Rails.application.config.assets.precompile += %w( admin.js admin.css )
```

config/initializers/backtrace_silencers.rb

```ruby
# frozen_string_literal: true
# Be sure to restart your server when you modify this file.

# You can add backtrace silencers for libraries that you're using but don't wish to see in your backtraces.
# Rails.backtrace_cleaner.add_silencer { |line| line =~ /my_noisy_library/ }

# You can also remove all the silencers if you're trying to debug a problem that might stem from framework
↪  code.
# Rails.backtrace_cleaner.remove_silencers!
```

config/initializers/cookies_serializer.rb

```ruby
# frozen_string_literal: true

# Be sure to restart your server when you modify this file.

# Specify a serializer for the signed and encrypted cookie jars.
# Valid options are :json, :marshal, and :hybrid.
Rails.application.config.action_dispatch.cookies_serializer = :json
```

config/initializers/devise.rb

```ruby
# frozen_string_literal: true

# Use this hook to configure devise mailer, warden hooks and so forth.
# Many of these configuration options can be set straight in your model.
Devise.setup do |config|
  # The secret key used by Devise. Devise uses this key to generate
  # random tokens. Changing this key will render invalid all existing
  # confirmation, reset password and unlock tokens in the database.
  # Devise will use the `secret_key_base` as its `secret_key`
  # by default. You can change it below and use your own secret key.
  # config.secret_key =
↪    '4a2bd81b8193665c9b2596cefd6140b2698b96390a60232309b542fd736c82d0595adaa2207d8a6ac6ad50baa3f70d46f7f4d3b0e22
```

```ruby
# ==> Mailer Configuration
# Configure the e-mail address which will be shown in Devise::Mailer,
# note that it will be overwritten if you use your own mailer class
# with default "from" parameter.
config.mailer_sender = 'please-change-me-at-config-initializers-devise@example.com'

# Configure the class responsible to send e-mails.
# config.mailer = 'Devise::Mailer'

# Configure the parent class responsible to send e-mails.
# config.parent_mailer = 'ActionMailer::Base'

# ==> ORM configuration
# Load and configure the ORM. Supports :active_record (default) and
# :mongoid (bson_ext recommended) by default. Other ORMs may be
# available as additional gems.
require 'devise/orm/active_record'

# ==> Configuration for any authentication mechanism
# Configure which keys are used when authenticating a user. The default is
# just :email. You can configure it to use [:username, :subdomain], so for
# authenticating a user, both parameters are required. Remember that those
# parameters are used only when authenticating and not when retrieving from
# session. If you need permissions, you should implement that in a before filter.
# You can also supply a hash where the value is a boolean determining whether
# or not authentication should be aborted when the value is not present.
# config.authentication_keys = [:email]

# Configure parameters from the request object used for authentication. Each entry
# given should be a request method and it will automatically be passed to the
# find_for_authentication method and considered in your model lookup. For instance,
# if you set :request_keys to [:subdomain], :subdomain will be used on authentication.
# The same considerations mentioned for authentication_keys also apply to request_keys.
# config.request_keys = []

# Configure which authentication keys should be case-insensitive.
# These keys will be downcased upon creating or modifying a user and when used
# to authenticate or find a user. Default is :email.
config.case_insensitive_keys = [:email]

# Configure which authentication keys should have whitespace stripped.
# These keys will have whitespace before and after removed upon creating or
# modifying a user and when used to authenticate or find a user. Default is :email.
config.strip_whitespace_keys = [:email]

# Tell if authentication through request.params is enabled. True by default.
# It can be set to an array that will enable params authentication only for the
# given strategies, for example, `config.params_authenticatable = [:database]` will
# enable it only for database (email + password) authentication.
# config.params_authenticatable = true

# Tell if authentication through HTTP Auth is enabled. False by default.
# It can be set to an array that will enable http authentication only for the
# given strategies, for example, `config.http_authenticatable = [:database]` will
# enable it only for database authentication. The supported strategies are:
# :database      = Support basic authentication with authentication key + password
# config.http_authenticatable = false

# If 401 status code should be returned for AJAX requests. True by default.
# config.http_authenticatable_on_xhr = true

# The realm used in Http Basic Authentication. 'Application' by default.
```

```ruby
  # config.http_authentication_realm = 'Application'

  # It will change confirmation, password recovery and other workflows
  # to behave the same regardless if the e-mail provided was right or wrong.
  # Does not affect registerable.
  # config.paranoid = true

  # By default Devise will store the user in session. You can skip storage for
  # particular strategies by setting this option.
  # Notice that if you are skipping storage for all authentication paths, you
  # may want to disable generating routes to Devise's sessions controller by
  # passing skip: :sessions to `devise_for` in your config/routes.rb
  config.skip_session_storage = [:http_auth]

  # By default, Devise cleans up the CSRF token on authentication to
  # avoid CSRF token fixation attacks. This means that, when using AJAX
  # requests for sign in and sign up, you need to get a new CSRF token
  # from the server. You can disable this option at your own risk.
  # config.clean_up_csrf_token_on_authentication = true

  # When false, Devise will not attempt to reload routes on eager load.
  # This can reduce the time taken to boot the app but if your application
  # requires the Devise mappings to be loaded during boot time the application
  # won't boot properly.
  # config.reload_routes = true

  # ==> Configuration for :database_authenticatable
  # For bcrypt, this is the cost for hashing the password and defaults to 11. If
  # using other algorithms, it sets how many times you want the password to be hashed.
  #
  # Limiting the stretches to just one in testing will increase the performance of
  # your test suite dramatically. However, it is STRONGLY RECOMMENDED to not use
  # a value less than 10 in other environments. Note that, for bcrypt (the default
  # algorithm), the cost increases exponentially with the number of stretches (e.g.
  # a value of 20 is already extremely slow: approx. 60 seconds for 1 calculation).
  Rails.env.test? ? config.stretches = 1 : config.stretches = 11

  # Set up a pepper to generate the hashed password.
  # config.pepper =
  →   '7f45998a496d8602b3e7d575f38388cb89205da9b7d7dbf4b6379e5191edb20f3f36d6d5b2e1b3deb502e51ba02972fe3de8add9882

  # Send a notification to the original email when the user's email is changed.
  # config.send_email_changed_notification = false

  # Send a notification email when the user's password is changed.
  # config.send_password_change_notification = false

  # ==> Configuration for :confirmable
  # A period that the user is allowed to access the website even without
  # confirming their account. For instance, if set to 2.days, the user will be
  # able to access the website for two days without confirming their account,
  # access will be blocked just in the third day. Default is 0.days, meaning
  # the user cannot access the website without confirming their account.
  # config.allow_unconfirmed_access_for = 2.days

  # A period that the user is allowed to confirm their account before their
  # token becomes invalid. For example, if set to 3.days, the user can confirm
  # their account within 3 days after the mail was sent, but on the fourth day
  # their account can't be confirmed with the token any more.
  # Default is nil, meaning there is no restriction on how long a user can take
  # before confirming their account.
  # config.confirm_within = 3.days
```

```ruby
# If true, requires any email changes to be confirmed (exactly the same way as
# initial account confirmation) to be applied. Requires additional unconfirmed_email
# db field (see migrations). Until confirmed, new email is stored in
# unconfirmed_email column, and copied to email column on successful confirmation.
config.reconfirmable = true

# Defines which key will be used when confirming an account
# config.confirmation_keys = [:email]

# ==> Configuration for :rememberable
# The time the user will be remembered without asking for credentials again.
# config.remember_for = 2.weeks

# Invalidates all the remember me tokens when the user signs out.
config.expire_all_remember_me_on_sign_out = true

# If true, extends the user's remember period when remembered via cookie.
# config.extend_remember_period = false

# Options to be passed to the created cookie. For instance, you can set
# secure: true in order to force SSL only cookies.
# config.rememberable_options = {}

# ==> Configuration for :validatable
# Range for password length.
config.password_length = 6..128

# Email regex used to validate email formats. It simply asserts that
# one (and only one) @ exists in the given string. This is mainly
# to give user feedback and not to assert the e-mail validity.
config.email_regexp = /\A[^@\s]+@[^@\s]+\z/

# ==> Configuration for :timeoutable
# The time you want to timeout the user session without activity. After this
# time the user will be asked for credentials again. Default is 30 minutes.
# config.timeout_in = 30.minutes

# ==> Configuration for :lockable
# Defines which strategy will be used to lock an account.
# :failed_attempts = Locks an account after a number of failed attempts to sign in.
# :none            = No lock strategy. You should handle locking by yourself.
# config.lock_strategy = :failed_attempts

# Defines which key will be used when locking and unlocking an account
# config.unlock_keys = [:email]

# Defines which strategy will be used to unlock an account.
# :email = Sends an unlock link to the user email
# :time  = Re-enables login after a certain amount of time (see :unlock_in below)
# :both  = Enables both strategies
# :none  = No unlock strategy. You should handle unlocking by yourself.
# config.unlock_strategy = :both

# Number of authentication tries before locking an account if lock_strategy
# is failed attempts.
# config.maximum_attempts = 20

# Time interval to unlock the account if :time is enabled as unlock_strategy.
# config.unlock_in = 1.hour

# Warn on the last attempt before the account is locked.
# config.last_attempt_warning = true
```

```ruby
  # ==> Configuration for :recoverable
  #
  # Defines which key will be used when recovering the password for an account
  # config.reset_password_keys = [:email]

  # Time interval you can reset your password with a reset password key.
  # Don't put a too small interval or your users won't have the time to
  # change their passwords.
  config.reset_password_within = 6.hours

  # When set to false, does not sign a user in automatically after their password is
  # reset. Defaults to true, so a user is signed in automatically after a reset.
  # config.sign_in_after_reset_password = true

  # ==> Configuration for :encryptable
  # Allow you to use another hashing or encryption algorithm besides bcrypt (default).
  # You can use :sha1, :sha512 or algorithms from others authentication tools as
  # :clearance_sha1, :authlogic_sha512 (then you should set stretches above to 20
  # for default behavior) and :restful_authentication_sha1 (then you should set
  # stretches to 10, and copy REST_AUTH_SITE_KEY to pepper).
  #
  # Require the `devise-encryptable` gem when using anything other than bcrypt
  # config.encryptor = :sha512

  # ==> Scopes configuration
  # Turn scoped views on. Before rendering "sessions/new", it will first check for
  # "users/sessions/new". It's turned off by default because it's slower if you
  # are using only default views.
  # config.scoped_views = false

  # Configure the default scope given to Warden. By default it's the first
  # devise role declared in your routes (usually :user).
  # config.default_scope = :user

  # Set this configuration to false if you want /users/sign_out to sign out
  # only the current scope. By default, Devise signs out all scopes.
  # config.sign_out_all_scopes = true

  # ==> Navigation configuration
  # Lists the formats that should be treated as navigational. Formats like
  # :html, should redirect to the sign in page when the user does not have
  # access, but formats like :xml or :json, should return 401.
  #
  # If you have any extra navigational formats, like :iphone or :mobile, you
  # should add them to the navigational formats lists.
  #
  # The "*/*" below is required to match Internet Explorer requests.
  # config.navigational_formats = ['*/*', :html]

  # The default HTTP method used to sign out a resource. Default is :delete.
  config.sign_out_via = :delete

  # ==> OmniAuth
  # Add a new OmniAuth provider. Check the wiki for more information on setting
  # up on your models and hooks.
  # config.omniauth :github, 'APP_ID', 'APP_SECRET', scope: 'user,public_repo'

  # ==> Warden configuration
  # If you want to use other strategies, that are not supported by Devise, or
  # change the failure app, you can configure them inside the config.warden block.
  #
  # config.warden do |manager|
  #   manager.intercept_401 = false
```

```ruby
  #    manager.default_strategies(scope: :user).unshift :some_external_strategy
  # end


  # ==> Mountable engine configurations
  # When using Devise inside an engine, let's call it `MyEngine`, and this engine
  # is mountable, there are some extra configurations to be taken into account.
  # The following options are available, assuming the engine is mounted as:
  #
  #     mount MyEngine, at: '/my_engine'
  #
  # The router that invoked `devise_for`, in the example above, would be:
  # config.router_name = :my_engine
  #
  # When using OmniAuth, Devise cannot automatically set OmniAuth path,
  # so you need to do it manually. For the users scope, it would be:
  # config.omniauth_path_prefix = '/my_engine/users/auth'
end
```

config/initializers/filter_parameter_logging.rb

```ruby
# frozen_string_literal: true

# Be sure to restart your server when you modify this file.

# Configure sensitive parameters which will be filtered from the log file.
Rails.application.config.filter_parameters += [:password]
```

config/initializers/inflections.rb

```ruby
# frozen_string_literal: true
# Be sure to restart your server when you modify this file.

# Add new inflection rules using the following format. Inflections
# are locale specific, and you may define rules for as many different
# locales as you wish. All of these examples are active by default:
# ActiveSupport::Inflector.inflections(:en) do |inflect|
#   inflect.plural /^(ox)£/i, '\1en'
#   inflect.singular /^(ox)en/i, '\1'
#   inflect.irregular 'person', 'people'
#   inflect.uncountable %w( fish sheep )
# end

# These inflection rules are supported but not enabled by default:
# ActiveSupport::Inflector.inflections(:en) do |inflect|
#   inflect.acronym 'RESTful'
# end
```

config/initializers/mime_types.rb

```ruby
# frozen_string_literal: true
# Be sure to restart your server when you modify this file.

# Add new mime types for use in respond_to blocks:
# Mime::Type.register "text/richtext", :rtf
```

config/initializers/wrap_parameters.rb

```ruby
# frozen_string_literal: true

# Be sure to restart your server when you modify this file.

# This file contains settings for ActionController::ParamsWrapper which
# is enabled by default.

# Enable parameter wrapping for JSON. You can disable this by setting :format to an empty array.
ActiveSupport.on_load(:action_controller) do
```

```ruby
  wrap_parameters format: [:json]
end

# To enable root element in JSON for ActiveRecord objects.
# ActiveSupport.on_load(:active_record) do
#   self.include_root_in_json = true
# end
```

config/locales/devise.en.yml

```yaml
# Additional translations at https://github.com/plataformatec/devise/wiki/I18n

en:
  devise:
    confirmations:
      confirmed: "Your email address has been successfully confirmed."
      send_instructions: "You will receive an email with instructions for how to confirm your email address in
        ↪ a few minutes."
      send_paranoid_instructions: "If your email address exists in our database, you will receive an email
        ↪ with instructions for how to confirm your email address in a few minutes."
    failure:
      already_authenticated: "You are already signed in."
      inactive: "Your account is not activated yet."
      invalid: "Invalid %{authentication_keys} or password."
      locked: "Your account is locked."
      last_attempt: "You have one more attempt before your account is locked."
      not_found_in_database: "Invalid %{authentication_keys} or password."
      timeout: "Your session expired. Please sign in again to continue."
      unauthenticated: "You need to sign in or sign up before continuing."
      unconfirmed: "You have to confirm your email address before continuing."
    mailer:
      confirmation_instructions:
        subject: "Confirmation instructions"
      reset_password_instructions:
        subject: "Reset password instructions"
      unlock_instructions:
        subject: "Unlock instructions"
      email_changed:
        subject: "Email Changed"
      password_change:
        subject: "Password Changed"
    omniauth_callbacks:
      failure: "Could not authenticate you from %{kind} because \"%{reason}\"."
      success: "Successfully authenticated from %{kind} account."
    passwords:
      no_token: "You can't access this page without coming from a password reset email. If you do come from a
        ↪ password reset email, please make sure you used the full URL provided."
      send_instructions: "You will receive an email with instructions on how to reset your password in a few
        ↪ minutes."
      send_paranoid_instructions: "If your email address exists in our database, you will receive a password
        ↪ recovery link at your email address in a few minutes."
      updated: "Your password has been changed successfully. You are now signed in."
      updated_not_active: "Your password has been changed successfully."
    registrations:
      destroyed: "Bye! Your account has been successfully cancelled. We hope to see you again soon."
      signed_up: "Welcome! You have signed up successfully."
      signed_up_but_inactive: "You have signed up successfully. However, we could not sign you in because your
        ↪ account is not yet activated."
      signed_up_but_locked: "You have signed up successfully. However, we could not sign you in because your
        ↪ account is locked."
      signed_up_but_unconfirmed: "A message with a confirmation link has been sent to your email address.
        ↪ Please follow the link to activate your account."
      update_needs_confirmation: "You updated your account successfully, but we need to verify your new email
        ↪ address. Please check your email and follow the confirm link to confirm your new email address."
```

```yaml
          updated: "Your account has been updated successfully."
      sessions:
        signed_in: "Signed in successfully."
        signed_out: "Signed out successfully."
        already_signed_out: "Signed out successfully."
      unlocks:
        send_instructions: "You will receive an email with instructions for how to unlock your account in a few
          ↪    minutes."
        send_paranoid_instructions: "If your account exists, you will receive an email with instructions for how
          ↪    to unlock it in a few minutes."
        unlocked: "Your account has been unlocked successfully. Please sign in to continue."
    errors:
      messages:
        already_confirmed: "was already confirmed, please try signing in"
        confirmation_period_expired: "needs to be confirmed within %{period}, please request a new one"
        expired: "has expired, please request a new one"
        not_found: "not found"
        not_locked: "was not locked"
        not_saved:
          one: "1 error prohibited this %{resource} from being saved:"
          other: "%{count} errors prohibited this %{resource} from being saved:"
```

config/locales/en.yml

```yaml
en:
  header:
    title: SQL Grading
```

config/puma.rb

```ruby
# frozen_string_literal: true

# Puma can serve each request in a thread from an internal thread pool.
# The `threads` method setting takes two numbers: a minimum and maximum.
# Any libraries that use thread pools should be configured to match
# the maximum value specified for Puma. Default is set to 5 threads for minimum
# and maximum; this matches the default thread size of Active Record.
#
threads_count = ENV.fetch('RAILS_MAX_THREADS') { 5 }
threads threads_count, threads_count

# Specifies the `port` that Puma will listen on to receive requests; default is 3000.
#
port        ENV.fetch('PORT') { 3000 }

# Specifies the `environment` that Puma will run in.
#
environment ENV.fetch('RAILS_ENV') { 'development' }

# Specifies the number of `workers` to boot in clustered mode.
# Workers are forked webserver processes. If using threads and workers together
# the concurrency of the application would be max `threads` * `workers`.
# Workers do not work on JRuby or Windows (both of which do not support
# processes).
#
# workers ENV.fetch("WEB_CONCURRENCY") { 2 }

# Use the `preload_app!` method when specifying a `workers` number.
# This directive tells Puma to first boot the application and load code
# before forking the application. This takes advantage of Copy On Write
# process behavior so workers use less memory. If you use this option
# you need to make sure to reconnect any threads in the `on_worker_boot`
# block.
#
# preload_app!
```

```ruby
# If you are preloading your application and using Active Record, it's
# recommended that you close any connections to the database before workers
# are forked to prevent connection leakage.
#
# before_fork do
#   ActiveRecord::Base.connection_pool.disconnect! if defined?(ActiveRecord)
# end

# The code in the `on_worker_boot` will be called if you are using
# clustered mode by specifying a number of `workers`. After each worker
# process is booted, this block will be run. If you are using the `preload_app!`
# option, you will want to use this block to reconnect to any threads
# or connections that may have been created at application boot, as Ruby
# cannot share connections between processes.
#
# on_worker_boot do
#   ActiveRecord::Base.establish_connection if defined?(ActiveRecord)
# end
#

# Allow puma to be restarted by `rails restart` command.
plugin :tmp_restart
```

config/routes.rb

```ruby
# frozen_string_literal: true

Rails.application.routes.draw do
  get '/', to: 'root#index', as: :root

  devise_for :users

  # Create link for sign_out
  devise_scope :user do
    get '/users/sign_out' => 'devise/sessions#destroy'
  end

  resources :challenges do
    resources :submissions do
      member do
        get 'report'
      end
    end
  end
end
```

config/secrets.yml

```yaml
# Be sure to restart your server when you modify this file.

# Your secret key is used for verifying the integrity of signed cookies.
# If you change this key, all old signed cookies will become invalid!

# Make sure the secret is at least 30 characters and all random,
# no regular words or you'll be exposed to dictionary attacks.
# You can use `rails secret` to generate a secure secret key.

# Make sure the secrets in this file are kept private
# if you're sharing your code publicly.

# Shared secrets are available across all environments.

# shared:
#   api_key: a1B2c3D4e5F6
```

```yaml
# Environmental secrets are only available for that specific environment.

development:
  secret_key_base:
    → 4b9faf5ec5e407c70bb30612d85f0cf87183598042b0aa9878f3c237ee52d59da240bce837c4a647009a54a9a9b72ba1df5eea93248a

test:
  secret_key_base:
    → f3e15528b06acdbd18d57e05f61430017d4d5dfc7a663332075ac975586c1832ca7daf6a45f2eb96ae887dc45b8c3a73568eba9b9b6(

# Do not keep production secrets in the unencrypted secrets file.
# Instead, either read values from the environment.
# Or, use `bin/rails secrets:setup` to configure encrypted secrets
# and move the `production:` environment over there.

production:
  secret_key_base: <%= ENV["SECRET_KEY_BASE"] %>
```

config/spring.rb

```ruby
# frozen_string_literal: true

%w[
  .ruby-version
  .rbenv-vars
  tmp/restart.txt
  tmp/caching-dev.txt
].each { |path| Spring.watch(path) }
```

config/webpack/development.js

```js
const environment = require('./environment')

module.exports = environment.toWebpackConfig()
```

config/webpack/environment.js

```js
const { environment } = require('@rails/webpacker')
const webpack = require('webpack')

environment.plugins.set('Provide', new webpack.ProvidePlugin(
    {
        $: 'jquery',
        jQuery: 'jquery',
        'window.jQuery': 'jquery',
        Popper: ['popper.js', 'default'],
    })
);

module.exports = environment
```

config/webpack/production.js

```js
const environment = require('./environment')

module.exports = environment.toWebpackConfig()
```

config/webpack/test.js

```js
const environment = require('./environment')

module.exports = environment.toWebpackConfig()
```

config/webpacker.yml

```yaml
# Note: You must restart bin/webpack-dev-server for changes to take effect

default: &default
  source_path: app/javascript
  source_entry_path: packs
  public_output_path: packs
  cache_path: tmp/cache/webpacker

  # Additional paths webpack should lookup modules
  # ['app/assets', 'engine/foo/app/assets']
  resolved_paths: []

  # Reload manifest.json on all requests so we reload latest compiled packs
  cache_manifest: false

  extensions:
    - .coffee
    - .erb
    - .js
    - .jsx
    - .ts
    - .vue
    - .sass
    - .scss
    - .css
    - .png
    - .svg
    - .gif
    - .jpeg
    - .jpg

development:
  <<: *default
  compile: true

  # Reference: https://webpack.js.org/configuration/dev-server/
  dev_server:
    https: false
    host: localhost
    port: 3035
    public: localhost:3035
    hmr: false
    # Inline should be set to true if using HMR
    inline: true
    overlay: true
    disable_host_check: true
    use_local_ip: false

test:
  <<: *default
  compile: true

  # Compile test packs to a separate directory
  public_output_path: packs-test

production:
  <<: *default

  # Production depends on precompilation of packs prior to booting for performance.
  compile: false

  # Cache manifest.json for performance
  cache_manifest: true
```

```
        db/migrate/20171114144500_devise_create_users.rb

# frozen_string_literal: true

class DeviseCreateUsers < ActiveRecord::Migration[5.1]
  def change
    create_table :users do |t|
      ## Database authenticatable
      t.string :email,              null: false, default: ''
      t.string :encrypted_password, null: false, default: ''

      ## Recoverable
      t.string   :reset_password_token
      t.datetime :reset_password_sent_at

      ## Rememberable
      t.datetime :remember_created_at

      ## Trackable
      t.integer  :sign_in_count, default: 0, null: false
      t.datetime :current_sign_in_at
      t.datetime :last_sign_in_at
      t.string   :current_sign_in_ip
      t.string   :last_sign_in_ip

      ## Confirmable
      # t.string   :confirmation_token
      # t.datetime :confirmed_at
      # t.datetime :confirmation_sent_at
      # t.string   :unconfirmed_email # Only if using reconfirmable

      ## Lockable
      # t.integer  :failed_attempts, default: 0, null: false # Only if lock strategy is :failed_attempts
      # t.string   :unlock_token # Only if unlock strategy is :email or :both
      # t.datetime :locked_at

      t.timestamps null: false
    end

    add_index :users, :email,                unique: true
    add_index :users, :reset_password_token, unique: true
    # add_index :users, :confirmation_token,   unique: true
    # add_index :users, :unlock_token,         unique: true
  end
end

        db/migrate/20171127124230_add_challenge.rb

# frozen_string_literal: true

class AddChallenge < ActiveRecord::Migration[5.1]
  def change
    create_table :challenges do |t|
      t.string :title
      t.references :user
      t.timestamps
    end
  end
end

        db/migrate/20180116142200_add_fields_to_challenge.rb

# frozen_string_literal: true

class AddFieldsToChallenge < ActiveRecord::Migration[5.1]
```

```ruby
  def change
    add_column :challenges, :content, :text
    add_column :challenges, :sql_schema, :text
    add_column :challenges, :sql_seed, :text
  end
end
```

db/migrate/20180118201356_add_sql_query_result_column.rb

```ruby
# frozen_string_literal: true

class AddSqlQueryResultColumn < ActiveRecord::Migration[5.1]
  def change
    add_column :challenges, :sql_correct_query, :text
  end
end
```

db/migrate/20180118203143_create_submission.rb

```ruby
# frozen_string_literal: true

class CreateSubmission < ActiveRecord::Migration[5.1]
  def change
    create_table :submissions do |t|
      t.timestamps
      t.text :sql_query
      t.boolean :success
    end
  end
end
```

db/migrate/20180118203655_add_challenge_column_to_submission.rb

```ruby
# frozen_string_literal: true

class AddChallengeColumnToSubmission < ActiveRecord::Migration[5.1]
  def change
    add_reference :submissions, :challenge
  end
end
```

db/migrate/20180121214059_add_metadata_to_submission.rb

```ruby
# frozen_string_literal: true

class AddMetadataToSubmission < ActiveRecord::Migration[5.1]
  def change
    add_column :submissions, :metadata, :json
  end
end
```

db/migrate/20180123122725_add_metadata_to_challenge.rb

```ruby
# frozen_string_literal: true

class AddMetadataToChallenge < ActiveRecord::Migration[5.1]
  def change
    add_column :challenges, :metadata, :json
  end
end
```

db/migrate/20180206161537_add_grade_to_submission.rb

```ruby
# frozen_string_literal: true

class AddGradeToSubmission < ActiveRecord::Migration[5.1]
  def change
    add_column :submissions, :grade, :double
  end
end
```

db/migrate/20180206164854_add_role_attribute_to_user.rb

```ruby
# frozen_string_literal: true

class AddRoleAttributeToUser < ActiveRecord::Migration[5.1]
  def change
    add_column :users, :role, :string, default: 'student', null: false
  end
end
```

db/migrate/20180227110928_add_user_id_to_submission.rb

```ruby
# frozen_string_literal: true

class AddUserIdToSubmission < ActiveRecord::Migration[5.1]
  def change
    add_reference :submissions, :user
  end
end
```

db/migrate/20180301115554_add_attribute_grading.rb

```ruby
# frozen_string_literal: true

class AddAttributeGrading < ActiveRecord::Migration[5.1]
  def change
    add_column :submissions, :attribute_grades, :json, null: false
  end
end
```

db/migrate/20180315104459_add_message.rb

```ruby
# frozen_string_literal: true

class AddMessage < ActiveRecord::Migration[5.1]
  def change
    add_column :submissions, :message, :string
  end
end
```

db/migrate/20180315180736_add_foreign_key.rb

```ruby
# frozen_string_literal: true

class AddForeignKey < ActiveRecord::Migration[5.1]
  def change
    change_column :challenges, :user_id, :bigint
    add_foreign_key :challenges, :users

    change_column :submissions, :challenge_id, :bigint
    add_foreign_key :submissions, :challenges

    change_column :submissions, :user_id, :bigint
    add_foreign_key :submissions, :users
  end
end
```

db/schema.rb

```ruby
# This file is auto-generated from the current state of the database. Instead
# of editing this file, please use the migrations feature of Active Record to
# incrementally modify your database, and then regenerate this schema definition.
#
# Note that this schema.rb definition is the authoritative source for your
# database schema. If you need to create the application database on another
# system, you should be using db:schema:load, not running all the migrations
# from scratch. The latter is a flawed and unsustainable approach (the more migrations
```

```ruby
# you'll amass, the slower it'll run and the greater likelihood for issues).
#
# It's strongly recommended that you check this file into your version control system.

ActiveRecord::Schema.define(version: 20180315180736) do

  create_table "challenges", force: :cascade, options: "ENGINE=InnoDB DEFAULT CHARSET=utf8" do |t|
    t.string "title"
    t.bigint "user_id"
    t.datetime "created_at", null: false
    t.datetime "updated_at", null: false
    t.text "content"
    t.text "sql_schema"
    t.text "sql_seed"
    t.text "sql_correct_query"
    t.json "metadata"
    t.index ["user_id"], name: "index_challenges_on_user_id"
  end

  create_table "submissions", force: :cascade, options: "ENGINE=InnoDB DEFAULT CHARSET=utf8" do |t|
    t.datetime "created_at", null: false
    t.datetime "updated_at", null: false
    t.text "sql_query"
    t.boolean "success"
    t.bigint "challenge_id"
    t.json "metadata"
    t.float "grade", limit: 53
    t.bigint "user_id"
    t.json "attribute_grades", null: false
    t.string "message"
    t.index ["challenge_id"], name: "index_submissions_on_challenge_id"
    t.index ["user_id"], name: "index_submissions_on_user_id"
  end

  create_table "users", force: :cascade, options: "ENGINE=InnoDB DEFAULT CHARSET=utf8" do |t|
    t.string "email", default: "", null: false
    t.string "encrypted_password", default: "", null: false
    t.string "reset_password_token"
    t.datetime "reset_password_sent_at"
    t.datetime "remember_created_at"
    t.integer "sign_in_count", default: 0, null: false
    t.datetime "current_sign_in_at"
    t.datetime "last_sign_in_at"
    t.string "current_sign_in_ip"
    t.string "last_sign_in_ip"
    t.datetime "created_at", null: false
    t.datetime "updated_at", null: false
    t.string "role", default: "student", null: false
    t.index ["email"], name: "index_users_on_email", unique: true
    t.index ["reset_password_token"], name: "index_users_on_reset_password_token", unique: true
  end

  add_foreign_key "challenges", "users"
  add_foreign_key "submissions", "challenges"
  add_foreign_key "submissions", "users"
end

  db/seeds.rb

# frozen_string_literal: true

# This file should contain all the record creation needed to seed the database with its default values.
# The data can then be loaded with the rails db:seed command (or created alongside the database with
↪   db:setup).
```

```ruby
#
# Examples:
#
#   movies = Movie.create([{ name: 'Star Wars' }, { name: 'Lord of the Rings' }])
#   Character.create(name: 'Luke', movie: movies.first)

admin = User.create!(
  email: 'admin@example.com',
  password: 'test123',
  role: 'admin'
)

student = User.create!(
  email: 'student@example.com',
  password: 'test123'
)

challenge1 = Challenge.create!(
  content: 'Challenge 1',
  sql_schema: (
<<~SQL
  CREATE TABLE table1(id integer, name varchar(255));
SQL
  ),
  sql_correct_query: (
<<~SQL
  SELECT table1.id from table1 ORDER BY table1.id ASC
SQL
  ),
  sql_seed: (
<<~SQL
  INSERT INTO table1 (id, name) VALUES (1, "Vlad"), (2, "Michael"), (3, "Jordan");
SQL
  ),
  title: 'Seed Challenge #1 - Simple query',
  user: admin
)

Submission.create!(
  user: student,
  challenge: challenge1,
  sql_query: 'SELECT * from table1'
)

Submission.create!(
  user: student,
  challenge: challenge1,
  sql_query: 'SELECT id from table1'
)

Submission.create!(
  user: student,
  challenge: challenge1,
  sql_query: 'SELECT id from table1 ORDER BY table1.id DESC'
)

Submission.create!(
  user: student,
  challenge: challenge1,
  sql_query: 'SELECT table1.id from table1 ORDER BY table1.id DESC'
)

Submission.create!(
```

```ruby
    user: student,
    challenge: challenge1,
    sql_query: 'SELECT DISTINCT table1.id from table1 ORDER BY table1.id DESC'
)

Submission.create!(
    user: student,
    challenge: challenge1,
    sql_query: 'SELECT table1.name from table1'
)

challenge2 = Challenge.create!(
    content: 'Challenge 2',
    sql_schema: (
<<~SQL
    CREATE TABLE table1(id integer, name varchar(255));
    CREATE TABLE table2(id integer, price integer, t1_id integer);
SQL
    ),
    sql_correct_query: (
<<~SQL
    SELECT table1.id from table1 LEFT JOIN table2 on table2.t1_id = table1.id
SQL
    ),
    sql_seed: (
<<~SQL
    INSERT INTO table1 (id, name) VALUES (1, "Vlad"), (2, "Michael"), (3, "Jordan");
    INSERT INTO table2 (id, price, t1_id) VALUES (6, 10, 1), (7, 11, 2), (8, 111, 3), (9, 111, 3);
SQL
    ),
    title: 'Seed Challenge #2 - Join Table',
    user: admin
)

Submission.create!(
    user: student,
    challenge: challenge2,
    sql_query: 'SELECT table1.name from table1'
)

Submission.create!(
    user: student,
    challenge: challenge2,
    sql_query: 'SELECT table1.name from table1 LEFT JOIN table2 on table2.t1_id = table1.id'
)

Submission.create!(
    user: student,
    challenge: challenge2,
    sql_query: 'SELECT table2.t1_id from table1 LEFT JOIN table2 on table2.t1_id = table1.id'
)

challenge3 = Challenge.create!(
    content: 'Challenge 3',
    sql_schema: (
<<~SQL
    CREATE TABLE table1(id integer, name varchar(255));
    CREATE TABLE table2(id integer, price integer, t1_id integer);
SQL
    ),
    sql_correct_query: (
<<-SQL.squish
    SELECT SUM(table2.price)
```

```
    FROM
      table1
      LEFT JOIN table2 on table2.t1_id = table1.id
    WHERE
      table1.id = 4 OR table2.price < 1
SQL
  ),
  sql_seed: (
<<~SQL
  INSERT INTO table1 (id, name) VALUES (1, "Vlad"), (2, "Michael"), (3, "Jordan");
  INSERT INTO table2 (id, price, t1_id) VALUES (6, 10, 1), (7, 11, 2), (8, 111, 3), (9, 111, 3);
SQL
  ),
  title: 'Seed Challenge #3 - Complicated query',
  user: admin
)

Submission.create!(
  user: student,
  challenge: challenge3,
  sql_query:
<<~SQL.squish
  SELECT SUM(table2.price), table1.id
  FROM
    table1
    LEFT JOIN table2 on table2.t1_id = table1.id
  WHERE
    table1.id = 4 OR table2.price < 1
  GROUP BY 2
  ORDER BY table1.id DESC
SQL

)
```

  package-lock.json

```json
{
  "name": "fyp",
  "lockfileVersion": 1
}
```

  package.json

```json
{
  "name": "fyp",
  "private": true,
  "dependencies": {
    "@rails/webpacker": "^3.0.2",
    "babel-preset-react": "^6.24.1",
    "bootstrap": "4.0.0-beta.2",
    "codemirror": "^5.34.0",
    "highlight.js": "^9.12.0",
    "jquery": "^3.2.1",
    "popper.js": "^1.12.9",
    "prop-types": "^15.6.0"
  },
  "devDependencies": {
    "webpack-dev-server": "^2.9.4"
  }
}
```

  public/404.html

```html
<!DOCTYPE html>
<html>
```

```html
<head>
  <title>The page you were looking for doesn't exist (404)</title>
  <meta name="viewport" content="width=device-width,initial-scale=1">
  <style>
  .rails-default-error-page {
    background-color: #EFEFEF;
    color: #2E2F30;
    text-align: center;
    font-family: arial, sans-serif;
    margin: 0;
  }

  .rails-default-error-page div.dialog {
    width: 95%;
    max-width: 33em;
    margin: 4em auto 0;
  }

  .rails-default-error-page div.dialog > div {
    border: 1px solid #CCC;
    border-right-color: #999;
    border-left-color: #999;
    border-bottom-color: #BBB;
    border-top: #B00100 solid 4px;
    border-top-left-radius: 9px;
    border-top-right-radius: 9px;
    background-color: white;
    padding: 7px 12% 0;
    box-shadow: 0 3px 8px rgba(50, 50, 50, 0.17);
  }

  .rails-default-error-page h1 {
    font-size: 100%;
    color: #730E15;
    line-height: 1.5em;
  }

  .rails-default-error-page div.dialog > p {
    margin: 0 0 1em;
    padding: 1em;
    background-color: #F7F7F7;
    border: 1px solid #CCC;
    border-right-color: #999;
    border-left-color: #999;
    border-bottom-color: #999;
    border-bottom-left-radius: 4px;
    border-bottom-right-radius: 4px;
    border-top-color: #DADADA;
    color: #666;
    box-shadow: 0 3px 8px rgba(50, 50, 50, 0.17);
  }
  </style>
</head>

<body class="rails-default-error-page">
  <!-- This file lives in public/404.html -->
  <div class="dialog">
    <div>
      <h1>The page you were looking for doesn't exist.</h1>
      <p>You may have mistyped the address or the page may have moved.</p>
    </div>
    <p>If you are the application owner check the logs for more information.</p>
  </div>
```

```
  </body>
</html>
```

   public/422.html

```html
<!DOCTYPE html>
<html>
<head>
  <title>The change you wanted was rejected (422)</title>
  <meta name="viewport" content="width=device-width,initial-scale=1">
  <style>
  .rails-default-error-page {
    background-color: #EFEFEF;
    color: #2E2F30;
    text-align: center;
    font-family: arial, sans-serif;
    margin: 0;
  }

  .rails-default-error-page div.dialog {
    width: 95%;
    max-width: 33em;
    margin: 4em auto 0;
  }

  .rails-default-error-page div.dialog > div {
    border: 1px solid #CCC;
    border-right-color: #999;
    border-left-color: #999;
    border-bottom-color: #BBB;
    border-top: #B00100 solid 4px;
    border-top-left-radius: 9px;
    border-top-right-radius: 9px;
    background-color: white;
    padding: 7px 12% 0;
    box-shadow: 0 3px 8px rgba(50, 50, 50, 0.17);
  }

  .rails-default-error-page h1 {
    font-size: 100%;
    color: #730E15;
    line-height: 1.5em;
  }

  .rails-default-error-page div.dialog > p {
    margin: 0 0 1em;
    padding: 1em;
    background-color: #F7F7F7;
    border: 1px solid #CCC;
    border-right-color: #999;
    border-left-color: #999;
    border-bottom-color: #999;
    border-bottom-left-radius: 4px;
    border-bottom-right-radius: 4px;
    border-top-color: #DADADA;
    color: #666;
    box-shadow: 0 3px 8px rgba(50, 50, 50, 0.17);
  }
  </style>
</head>

<body class="rails-default-error-page">
  <!-- This file lives in public/422.html -->
  <div class="dialog">
```

```
      <div>
        <h1>The change you wanted was rejected.</h1>
        <p>Maybe you tried to change something you didn't have access to.</p>
      </div>
      <p>If you are the application owner check the logs for more information.</p>
    </div>
  </body>
</html>
```

public/500.html

```html
<!DOCTYPE html>
<html>
<head>
  <title>We're sorry, but something went wrong (500)</title>
  <meta name="viewport" content="width=device-width,initial-scale=1">
  <style>
  .rails-default-error-page {
    background-color: #EFEFEF;
    color: #2E2F30;
    text-align: center;
    font-family: arial, sans-serif;
    margin: 0;
  }

  .rails-default-error-page div.dialog {
    width: 95%;
    max-width: 33em;
    margin: 4em auto 0;
  }

  .rails-default-error-page div.dialog > div {
    border: 1px solid #CCC;
    border-right-color: #999;
    border-left-color: #999;
    border-bottom-color: #BBB;
    border-top: #B00100 solid 4px;
    border-top-left-radius: 9px;
    border-top-right-radius: 9px;
    background-color: white;
    padding: 7px 12% 0;
    box-shadow: 0 3px 8px rgba(50, 50, 50, 0.17);
  }

  .rails-default-error-page h1 {
    font-size: 100%;
    color: #730E15;
    line-height: 1.5em;
  }

  .rails-default-error-page div.dialog > p {
    margin: 0 0 1em;
    padding: 1em;
    background-color: #F7F7F7;
    border: 1px solid #CCC;
    border-right-color: #999;
    border-left-color: #999;
    border-bottom-color: #999;
    border-bottom-left-radius: 4px;
    border-bottom-right-radius: 4px;
    border-top-color: #DADADA;
    color: #666;
    box-shadow: 0 3px 8px rgba(50, 50, 50, 0.17);
  }
```

```html
    </style>
  </head>

  <body class="rails-default-error-page">
    <!-- This file lives in public/500.html -->
    <div class="dialog">
      <div>
        <h1>We're sorry, but something went wrong.</h1>
      </div>
      <p>If you are the application owner check the logs for more information.</p>
    </div>
  </body>
</html>
```

    public/apple-touch-icon-precomposed.png

    public/apple-touch-icon.png

    public/favicon.ico

    public/robots.txt

```
# See http://www.robotstxt.org/robotstxt.html for documentation on how to use the robots.txt file
```

    spec/factories/challenge.rb

```ruby
FactoryBot.define do
  factory :challenge, class: 'Challenge' do
    user
    sequence(:title) { |n| "Challenge #{n}" }
    sequence(:content) { |n| "Content for challenge #{n}" }
    sql_schema "CREATE TABLE t1(id integer)"
    sql_seed "INSERT INTO t1(id) VALUES (1)"
    sql_correct_query "SELECT * FROM t1"
  end
end
```

    spec/factories/submission.rb

```ruby
FactoryBot.define do
  factory :submission, class: 'Submission' do
    user
    challenge
    sql_query "SELECT * FROM t1"
    grade 55
  end
end
```

    spec/factories/user.rb

```ruby
FactoryBot.define do
  factory :user, class: 'User' do
    sequence(:email) { |n| "person#{n}@example.com" }
    password "password"
  end
end
```

    spec/features/authentication_spec.rb

```ruby
require "rails_helper"


RSpec.feature "Requirement R2: Authentication", :type => :feature do
  let!(:user) { create(:user, email: "test@gmail.com", password: "test123") }
```

```ruby
context "signin" do
  context "with right details" do
    it "signs in" do
      visit "/users/sign_in"

      fill_in "Email",        with: "test@gmail.com"
      fill_in "Password",       with: "test123"

      click_button "Log in"

      expect(page).to have_text("Signed in successfully.")
      expect(page).to have_text("test@gmail.com")
    end
  end

  context "with wrong details" do
    it "shos an error" do
      visit "/users/sign_in"

      fill_in "Email",        with: "test@gmail.com"
      fill_in "Password",       with: "wrongpswd"

      click_button "Log in"

      expect(page).to have_selector('.alert.alert-warning > .container', exact_text: "Invalid Email or
      ↪  password.")
    end
  end
end

context "sign out" do
  before do
    login_as(user, :scope => :user)
  end

  it "logs out" do
    visit "/"
    expect(page).to have_text("test@gmail.com")
    click_link "Sign out", visible: false
    expect(page).to_not have_text("test@gmail.com")
    expect(page.current_path).to eq("/users/sign_in")
  end
end

context "edit account" do
  before do
    login_as(user, :scope => :user)
  end

  it 'should update the user' do
    visit('/users/edit')

    expect(page).to have_text("test@gmail.com")

    fill_in('user[email]', :with => 'test@example.com')
    fill_in('user[current_password]', :with => 'test123')

    click_button('Update')

    expect(page).to_not have_text("test@gmail.com")
    expect(page).to have_text("test@example.com")
```

```ruby
        expect(page).to have_selector('.alert.alert-secondary > .container', exact_text: "Your account has been
        ↪   updated successfully.")
      end
    end
end

    spec/features/authorization_spec.rb

require "rails_helper"

RSpec.feature "Requirement R3: Permissions", :type => :feature do
  let!(:user) { create(:user, email: "test@gmail.com", password: "test123") }

  context "as an admin" do
    before do
      login_as(create(:user, role: "admin"), :scope => :user)
    end

    scenario "I can create challenges" do
      visit "/challenges/new"
      expect(page.status_code).to eq(200)
      expect(page.body).to include("New Challenge")
    end
  end

  context "as a student" do
    before do
      login_as(create(:user, role: "student"), :scope => :user)
    end

    scenario "I can't create challenges" do
      visit "/challenges/new"
      expect(page.status_code).to eq(401)
      expect(page.body).to eq("Not Authorized")
    end
  end
end

    spec/features/create_a_challenge_spec.rb

require "rails_helper"

RSpec.feature "Requirement 4 and 5: Challenge creation", :type => :feature do
  before do
    login_as(create(:user, role: "admin"), :scope => :user)
  end

  context "Requirements 4: with no errors" do
    it "creates the challenge" do
      visit "/challenges/new"

      fill_in "Title",          with: "Challenge 1"
      fill_in "Content",        with: "Challenge 1 content"
      fill_in "Sql schema",     with: "CREATE TABLE t1(id integer);"
      fill_in "Sql seed",       with: "INSERT INTO t1(id) VALUES (1), (2);"
      fill_in "Sql correct query",   with: "SELECT * FROM t1"

      click_button "Create"

      expect(page.current_path).to eq("/challenges/#{Challenge.last.id}")
      expect(page).to have_text("Successfully created")

      expect(page).to have_text("CREATE TABLE t1(id integer);")
      expect(page).to have_text("INSERT INTO t1(id) VALUES (1), (2);")
      expect(page).to have_text("SELECT * FROM t1")
```

```ruby
      end
    end

    context "Requirement 5: with errors" do
      it "creates the challenge" do
        visit "/challenges/new"

        fill_in "Title",          with: "Challenge 1"
        fill_in "Content",        with: "Challenge 1 content"
        fill_in "Sql schema",     with: "CREATE TABLE t1(id integer);"
        fill_in "Sql seed",       with: "INSERT INTO t1(id) VALUES (1), (2);"
        fill_in "Sql correct query",  with: "SELECT * FROM t2"

        click_button "Create"

        expect(page.current_path).to eq("/challenges")
        expect(page).to have_text(".t2' doesn't exist")
      end
    end
end
```

spec/features/destroy_a_challenge_spec.rb

```ruby
require "rails_helper"

RSpec.feature "Requirement 7: Challenge destroy", :type => :feature do
  let!(:challenge) { create(:challenge) }

  before do
    login_as(create(:user, role: "admin"), :scope => :user)
  end

  scenario "it updates the challenge" do
    visit "/challenges/#{challenge.id}"

    click_button "Destroy"

    expect(page).to have_selector('.alert.alert-success > .container', exact_text: "Sucesfully destroyed")
    expect(page).to_not have_text(challenge.title)
  end
end
```

spec/features/edit_a_challenge_spec.rb

```ruby
require "rails_helper"

RSpec.feature "Requirement 6: Challenge edit", :type => :feature do
  let!(:challenge) { create(:challenge) }
  before do
    login_as(create(:user, role: "admin"), :scope => :user)
  end

  scenario "it updates the challenge" do
    visit "/challenges/#{challenge.id}"

    click_link "Edit"

    fill_in "Title",          with: "Updated title"

    click_button "Update"

    expect(page).to have_selector('.alert.alert-success > .container', exact_text: "Successfully Updated")
    expect(page).to have_text("Updated title")
  end
end
```

```
      spec/features/hint_spec.rb

require "rails_helper"

RSpec.feature "Requirement 10: hints", :type => :feature do
  let!(:challenge) { create(:challenge) }
  before do
    login_as(create(:user, role: "student"), :scope => :user)
  end

  context "with no compilation errors" do
    context "but wrong query" do
      scenario "it shows hints" do
        visit "challenges/#{challenge.id}/submissions/new"

        fill_in "Sql query",        with: "SELECT 20 from t1;"

        click_button "Submit"

        expect(page.current_path).to eq("/challenges/#{challenge.id}/submissions/#{Submission.last.id}")
        expect(page).to have_text("Successfully submitted!")
        expect(page).to have_text("Check what columns you are selecting.")
      end
    end
  end
end

    spec/features/submission_spec.rb

require "rails_helper"

RSpec.feature "Requirement 8: Submitting solutions", :type => :feature do
  let!(:challenge) { create(:challenge) }
  before do
    login_as(create(:user, role: "student"), :scope => :user)
  end

  context "with compilation errors" do
    scenario "it displays the errors" do
      visit "challenges/#{challenge.id}/submissions/new"

      fill_in "Sql query",       with: "SELECT * from abc;"

      click_button "Submit"

      expect(page.current_path).to eq("/challenges/#{challenge.id}/submissions")
      expect(page).to have_text(".abc' doesn't exist")
    end
  end

  context "with no compilation errors" do
    scenario "it creates the submission" do
      visit "challenges/#{challenge.id}/submissions/new"

      fill_in "Sql query",        with: "SELECT * from t1"

      click_button "Submit"

      expect(page.current_path).to eq("/challenges/#{challenge.id}/submissions/#{Submission.last.id}")
      expect(page).to have_text("Successfully submitted!")
      expect(page).to have_text("Your solution is correct")
    end
  end
end
```

```
      spec/features/submissions_results_spec.rb
require "rails_helper"

RSpec.feature "Requirement 12: Submissions results", :type => :feature do
  let(:challenge) { create(:challenge) }
  let(:user1) { create(:user) }
  let(:user2) { create(:user) }
  let(:user3) { create(:user) }

  before do
    create(:submission, user: user1, challenge: challenge).tap do |sub|
      sub.update_attribute(:grade, 55)
    end

    create(:submission, user: user1, challenge: challenge).tap do |sub|
      sub.update_attribute(:grade, 60)
    end

    create(:submission, user: user1, challenge: challenge).tap do |sub|
      sub.update_attribute(:grade, 48)
    end

    create(:submission, user: user2, challenge: challenge).tap do |sub|
      sub.update_attribute(:grade, 48)
    end

    create(:submission, user: user2, challenge: challenge).tap do |sub|
      sub.update_attribute(:grade, 44)
    end

    login_as(create(:user, role: "admin"), :scope => :user)
  end

  context "tabular view" do
    it 'should show the results' do
      visit("/challenges/#{challenge.id}")
      click_link('View Submissions')

      expect(page).to have_selector(
        'html  > body > .container > .table > tbody > tr:nth-child(1)',
        exact_text: "#{user1.email} 55.0 View submission"
      )

      expect(page).to have_selector(
        'html  > body > .container > .table > tbody > tr:nth-child(2)',
        exact_text: "#{user1.email} 60.0 View submission"
      )

      expect(page).to have_selector(
        'html  > body > .container > .table > tbody > tr:nth-child(3)',
        exact_text: "#{user1.email} 48.0 View submission"
      )

      expect(page).to have_selector(
        'html  > body > .container > .table > tbody > tr:nth-child(4)',
        exact_text: "#{user2.email} 48.0 View submission"
      )

      expect(page).to have_selector(
        'html  > body > .container > .table > tbody > tr:nth-child(5)',
        exact_text: "#{user2.email} 44.0 View submission"
      )
    end
  end
```

```ruby
    end

    context "downloading csv" do
      it "downloads the correct csv" do
        visit("/challenges/#{challenge.id}")
        click_link('View Submissions')
        click_link('Download CSV')
        expect(page.response_headers["Content-Disposition"])
          .to eq("attachment; filename=\"grades_for_#{challenge.title}.csv\"")

        expect(CSV.parse(page.source)).to eq([
          ["email", "grade"],
          [user1.email, "60.0"],
          [user2.email, "48.0"]
        ])
      end
    end
end
```

spec/features/view_schema_spec.rb

```ruby
require "rails_helper"

RSpec.feature "Requirement 9: Schema view", :type => :feature do
  let!(:challenge) { create(:challenge) }
  before do
    login_as(create(:user, role: "student"), :scope => :user)
  end

  scenario "show the sql schema" do
    visit "/challenges/#{challenge.id}/submissions/new"

    expect(page).to have_text(challenge.sql_schema)
  end

  scenario "show the schema as table" do
    visit "/challenges/#{challenge.id}/submissions/new"

    expect(page).to have_selector('html  > body > .container > h3', exact_text: "t1")
    expect(page).to have_selector('html  > body > .container > .table.table-bordered > thead > tr > th',
      ↪  exact_text: "id int(11)")
  end
end
```

spec/models/challenge_spec.rb

```ruby
require "rails_helper"

describe Challenge do
  subject { build(:challenge) }
  it { should have_many(:submissions) }
  it { should belong_to(:user) }
  it { should validate_presence_of(:content) }
  it { should validate_presence_of(:title) }
  it { should validate_presence_of(:sql_schema) }
  it { should validate_presence_of(:sql_correct_query) }
  it { should validate_presence_of(:sql_seed) }

  context "#best_submissions" do
    subject { create(:challenge) }
    let(:user1) { create(:user) }
    let(:user2) { create(:user) }
    let(:user3) { create(:user) }

    before do
```

```ruby
      create(:submission, user: user1, challenge: subject).tap do |sub|
        sub.update_attribute(:grade, 55)
      end

      create(:submission, user: user1, challenge: subject).tap do |sub|
        sub.update_attribute(:grade, 60)
      end

      create(:submission, user: user1, challenge: subject).tap do |sub|
        sub.update_attribute(:grade, 48)
      end

      create(:submission, user: user2, challenge: subject).tap do |sub|
        sub.update_attribute(:grade, 48)
      end

      create(:submission, user: user2, challenge: subject).tap do |sub|
        sub.update_attribute(:grade, 44)
      end
    end

    it "returns the correct results" do
      result = subject.best_submissions.map do |sub|
        [sub.user_id, sub.max_grade]
      end.to_h

      expect(result).to eq({
        user1.id => 60,
        user2.id => 48,
      })
    end
  end

  context "#compile_sql" do
    context "with no errors" do
      it "saves metadata" do
        expect(subject).to be_valid
        expect(subject.metadata).to eq([
          {
            "name" => "t1",
            "columns" => [{ "name" => "id", "type" => "int(11)" }],
            "data"=>[{ "id" => 1 }],
          }
        ])
      end
    end

    context "with errors in the schema sql" do
      before do
        subject.sql_schema = "CREATE TABLE t1(id sda)"
      end

      it "adds an appropiate error" do
        expect(subject).to_not be_valid
        expect(subject.errors.count).to eq(1)
        expect(subject.errors[:sql_schema].count).to eq(1)
        expect(subject.errors[:sql_schema]).to eq([
          "You have an error in your SQL syntax; check the manual that corresponds to your MySQL server
          ↪  version for the right syntax to use near 'sda)' at line 1"
        ])
      end
    end
  end
```

```ruby
      context "with errors in the seed sql" do
        before do
          subject.sql_seed = "INSERT INTO t1(id sda) VALUES(1)"
        end

        it "adds an appropiate error" do
          expect(subject).to_not be_valid
          expect(subject.errors.count).to eq(1)
          expect(subject.errors[:sql_seed].count).to eq(1)
          expect(subject.errors[:sql_seed]).to eq([
            "You have an error in your SQL syntax; check the manual that corresponds to your MySQL server
            ↪  version for the right syntax to use near 'sda) VALUES(1)' at line 1"
          ])
        end
      end

      context "with errors in the instructor sql" do
        before do
          subject.sql_correct_query = "SELECT a from t1"
        end

        it "adds an appropiate error" do
          expect(subject).to_not be_valid
          expect(subject.errors.count).to eq(1)
          expect(subject.errors[:sql_correct_query].count).to eq(1)
          expect(subject.errors[:sql_correct_query]).to eq([
            "Unknown column 'a' in 'field list'"
          ])
        end
      end

      context "with parsing errors in the query sql" do
        before do
          subject.sql_correct_query = "SELECT ROUND(id, 2) from t1"
        end

        it "adds an appropiate error" do
          expect(subject).to_not be_valid
          expect(subject.errors.count).to eq(1)
          expect(subject.errors[:sql_correct_query].count).to eq(1)
          expect(subject.errors[:sql_correct_query]).to eq([
            "Cannot canonicalize query"
          ])
        end
      end
    end
  end
end
```

spec/models/submission_spec.rb

```ruby
require "rails_helper"

describe Challenge do
  subject { build(:submission) }
  it { should belong_to(:challenge) }
  it { should belong_to(:user) }
  it { should validate_presence_of(:sql_query) }

  context "#compile_sql" do
    context "with no errors" do
      it "saves metadata" do
        expect(subject).to be_valid
        expect(subject.success).to eq(true)
        expect(subject.grade).to eq(100)
```

```ruby
        expect(subject.message).to be_a(String)
        expect(subject.metadata).to match({
          "instructor" => an_instance_of(Hash),
          "student" => an_instance_of(Hash)
        })
        expect(subject.attribute_grades).to be_a(Hash)
      end
    end

    context "with errors in the query sql" do
      before do
        subject.sql_query = "SELECT a from t1"
      end

      it "adds an appropiate error" do
        expect(subject).to_not be_valid
        expect(subject.errors.count).to eq(1)
        expect(subject.errors[:sql_query].count).to eq(1)
        expect(subject.errors[:sql_query]).to eq([
          "Unknown column 'a' in 'field list'"
        ])
      end
    end

    context "with parsing errors in the query sql" do
      before do
        subject.sql_query = "SELECT ROUND(id, 2) from t1"
      end

      it "adds an appropiate error" do
        expect(subject).to_not be_valid
        expect(subject.errors.count).to eq(1)
        expect(subject.errors[:sql_query].count).to eq(1)
        expect(subject.errors[:sql_query]).to eq([
          "Cannot canonicalize query"
        ])
      end
    end
  end
end

  spec/models/user_spec.rb
require "rails_helper"

describe User do
  subject { build(:user) }

  it { should validate_inclusion_of(:role).in_array(%w[admin student]) }

  context "#admin?" do
    before do
      subject.role = role
    end

    context 'as an admin' do
      let(:role) { 'admin' }

      it "returns true" do
        expect(subject.admin?).to eq(true)
      end
    end

    context 'as an student' do
```

```ruby
      let(:role) { 'student' }

      it "returns true" do
        expect(subject.admin?).to eq(false)
      end
    end
  end
end
```

spec/rails_helper.rb

```ruby
# This file is copied to spec/ when you run 'rails generate rspec:install'
require 'spec_helper'
ENV['RAILS_ENV'] ||= 'test'
require File.expand_path('../../config/environment', __FILE__)
# Prevent database truncation if the environment is production
abort("The Rails environment is running in production mode!") if Rails.env.production?
require 'rspec/rails'
require 'shoulda/matchers'
# require 'support/factory_bot'
# Add additional requires below this line. Rails is not loaded until this point!

# Requires supporting ruby files with custom matchers and macros, etc, in
# spec/support/ and its subdirectories. Files matching `spec/**/*_spec.rb` are
# run as spec files by default. This means that files in spec/support that end
# in _spec.rb will both be required and run as specs, causing the specs to be
# run twice. It is recommended that you do not name files matching this glob to
# end with _spec.rb. You can configure this pattern with the --pattern
# option on the command line or in ~/.rspec, .rspec or `.rspec-local`.
#
# The following line is provided for convenience purposes. It has the downside
# of increasing the boot-up time by auto-requiring all files in the support
# directory. Alternatively, in the individual `*_spec.rb` files, manually
# require only the support files necessary.
#
# Dir[Rails.root.join('spec/support/**/*.rb')].each { |f| require f }

# Checks for pending migrations and applies them before tests are run.
# If you are not using ActiveRecord, you can remove this line.
ActiveRecord::Migration.maintain_test_schema!

RSpec.configure do |config|
  # Remove this line if you're not using ActiveRecord or ActiveRecord fixtures
  config.fixture_path = "#{::Rails.root}/spec/fixtures"

  # If you're not using ActiveRecord, or you'd prefer not to run each of your
  # examples within a transaction, remove the following line or assign false
  # instead of true.
  config.use_transactional_fixtures = true

  # RSpec Rails can automatically mix in different behaviours to your tests
  # based on their file location, for example enabling you to call `get` and
  # `post` in specs under `spec/controllers`.
  #
  # You can disable this behaviour by removing the line below, and instead
  # explicitly tag your specs with their type, e.g.:
  #
  #     RSpec.describe UsersController, :type => :controller do
  #       # ...
  #     end
  #
  # The different available types are documented in the features, such as in
  # https://relishapp.com/rspec/rspec-rails/docs
  config.infer_spec_type_from_file_location!
```

```ruby
  # Filter lines from Rails gems in backtraces.
  config.filter_rails_from_backtrace!
  # arbitrary gems may also be filtered via:
  # config.filter_gems_from_backtrace("gem name")

  config.include Warden::Test::Helpers
  config.include FactoryBot::Syntax::Methods
  config.include Devise::Test::ControllerHelpers, :type => :controller
end
```

spec/requests/challenges_spec.rb

```ruby
require 'rails_helper'

RSpec.describe 'challenges controller', type: :request do
  let!(:challenge) { create(:challenge, title: "Challenge for spec") }

  context "#index" do
    context 'when logged out' do
      it "redirects to login page" do
        get '/challenges'
        expect(response).to redirect_to "/users/sign_in"
      end
    end

    context "when logged in" do
      context "as an admin" do
        before do
          login_as(create(:user, role: "admin"), :scope => :user)
        end

        it "returns 200" do
          get '/challenges'
          expect(response.status).to eq(200)
          expect(response.body).to include(challenge.title)
        end
      end
    end
  end

  context '#show' do
    context 'when logged out' do
      it "redirects to login page" do
        get '/challenges/ab'
        expect(response).to redirect_to "/users/sign_in"
      end
    end

    context "when logged in" do
      before do
        login_as(create(:user, role: "admin"), :scope => :user)
      end

      context "requesting a challenge that doesn't exit" do
        it 'returns a 404' do
          get '/challenges/ab'

          expect(response.status).to eq(404)
        end
      end

      context "as an admin" do
        it "returns 200" do
```

```ruby
          get "/challenges/#{challenge.id}"
          expect(response.status).to eq(200)
        end
      end

      context "as a student" do
        before do
          login_as(create(:user, role: "student"), :scope => :user)
        end

        it "returns 401" do
          get "/challenges/#{challenge.id}"
          expect(response.status).to eq(401)
        end
      end
    end
  end
end

context '#edit' do
  context 'when logged out' do
    it "redirects to login page" do
      get '/challenges/ab/edit'
      expect(response).to redirect_to "/users/sign_in"
    end
  end

  context "when logged in" do
    before do
      login_as(create(:user, role: "admin"), :scope => :user)
    end

    context "requesting a challenge that doesn't exit" do
      it 'returns a 404' do
        get '/challenges/ab/edit'

        expect(response.status).to eq(404)
      end
    end

    context "as an admin" do
      it "returns 200" do
        get "/challenges/#{challenge.id}/edit"
        expect(response.status).to eq(200)
      end
    end

    context "as a student" do
      before do
        login_as(create(:user, role: "student"), :scope => :user)
      end

      it "returns 401" do
        get "/challenges/#{challenge.id}/edit"
        expect(response.status).to eq(401)
      end
    end
  end
end

context '#new' do
  context 'when logged out' do
    it "redirects to login page" do
      get '/challenges/new'
```

```ruby
        expect(response).to redirect_to "/users/sign_in"
      end
    end

    context "when logged in" do
      before do
        login_as(create(:user, role: "admin"), :scope => :user)
      end

      context "as an admin" do
        it "returns 200" do
          get "/challenges/new"
          expect(response.status).to eq(200)
        end
      end

      context "as a student" do
        before do
          login_as(create(:user, role: "student"), :scope => :user)
        end

        it "returns 401" do
          get "/challenges/new"
          expect(response.status).to eq(401)
        end
      end
    end
  end

  context '#update' do
    context 'when logged out' do
      it "redirects to login page" do
        put '/challenges/ab'
        expect(response).to redirect_to "/users/sign_in"
      end
    end

    context "when logged in" do
      before do
        login_as(create(:user, role: "admin"), :scope => :user)
      end

      context "requesting a challenge that doesn't exit" do
        it 'returns a 404' do
          put '/challenges/ab'

          expect(response.status).to eq(404)
        end
      end

      context "as an admin" do
        it "returns 302" do
          put "/challenges/#{challenge.id}", params: { challenge: { title: "Challenge 2"} }
          expect(response.status).to eq(302)
          expect(challenge.reload.title).to eq("Challenge 2")
        end

        context "with errors" do
          it "shows them" do
            put "/challenges/#{challenge.id}", params: { challenge: { sql_schema: "Challenge 2"} }
            expect(response.status).to eq(200)
            expect(response.body).to include("You have an error in your SQL syntax;")
          end
```

```ruby
        end
      end

      context "as a student" do
        before do
          login_as(create(:user, role: "student"), :scope => :user)
        end

        it "returns 401" do
          put "/challenges/#{challenge.id}"
          expect(response.status).to eq(401)
        end
      end
    end
  end
end

context '#destroy' do
  context 'when logged out' do
    it "redirects to login page" do
      delete '/challenges/ab'
      expect(response).to redirect_to "/users/sign_in"
    end
  end

  context "when logged in" do
    before do
      login_as(create(:user, role: "admin"), :scope => :user)
    end

    context "requesting a challenge that doesn't exit" do
      it 'returns a 404' do
        delete '/challenges/ab'

        expect(response.status).to eq(404)
      end
    end

    context "as an admin" do
      it "returns 302" do
        delete "/challenges/#{challenge.id}"
        expect(Challenge.find_by_id(challenge.id)).to be_nil
        expect(response.status).to eq(302)
      end
    end

    context "as a student" do
      before do
        login_as(create(:user, role: "student"), :scope => :user)
      end

      it "returns 401" do
        delete "/challenges/#{challenge.id}"
        expect(response.status).to eq(401)
      end
    end
  end
end

context '#update' do
  context 'when logged out' do
    it "redirects to login page" do
      post '/challenges'
      expect(response).to redirect_to "/users/sign_in"
```

```ruby
        end
      end

      context "when logged in" do
        before do
          login_as(create(:user, role: "admin"), :scope => :user)
        end

        context "as an admin" do
          it "returns 200" do
            challenge = build(:challenge)
            post "/challenges", params: { challenge: JSON.parse(challenge.to_json) }
            expect(response.status).to eq(302)
            expect(response.body).to redirect_to "/challenges/#{Challenge.last.id}"
          end

          context "with errors" do
            it "displays them" do
              challenge = build(:challenge)
              challenge.title = ""
              post "/challenges", params: { challenge: JSON.parse(challenge.to_json) }
              expect(response.status).to eq(200)
              expect(response.body).to include("be blank")
            end
          end
        end

        context "as a student" do
          before do
            login_as(create(:user, role: "student"), :scope => :user)
          end

          it "returns 401" do
            post "/challenges"
            expect(response.status).to eq(401)
          end
        end
      end
    end
  end
end
```

    spec/requests/root_spec.rb

```ruby
require 'rails_helper'

RSpec.describe 'root controller', type: :request do
  context '#show' do
    context "when not logged in" do
      it "redirects to login page" do
        get '/'
        expect(response).to redirect_to "/users/sign_in"
      end
    end

    context "when logged in" do
      before do
        login_as(create(:user, role: "admin"), :scope => :user)
      end

      it "renders the root page" do
        get '/'
        expect(response.body).to include("Welcome to SQL Assess")
      end
    end
```

```
      end
end

    spec/requests/submissions_spec.rb

require 'rails_helper'

RSpec.describe 'challenges controller', type: :request do
  let!(:challenge) { create(:challenge, title: "Challenge for spec") }

  context "#index" do
    context 'when logged out' do
      it "redirects to login page" do
        get "/challenges/#{challenge.id}/submissions"
        expect(response).to redirect_to "/users/sign_in"
      end
    end

    context "when logged in" do
      context "as an admin" do
        before do
          login_as(create(:user, role: "admin"), :scope => :user)
        end

        context "for a challenge that doesn't exist" do
          it "returns 404" do
            get '/challenges/asadad/submissions'
            expect(response.status).to eq(404)
          end
        end

        context "for a challenge that exists" do
          it "returns 200" do
            get "/challenges/#{challenge.id}/submissions"
            expect(response.status).to eq(200)
            expect(response.body).to include(challenge.title)
          end
        end
      end

      context "as a student" do
        before do
          login_as(create(:user, role: "student"), :scope => :user)
        end

        it "returns 401" do
          get "/challenges/#{challenge.id}/submissions"
          expect(response.status).to eq(401)
        end
      end
    end
  end

  context '#show' do
    let!(:submission) { create(:submission, challenge: challenge, user: create(:user)) }

    context 'when logged out' do
      it "redirects to login page" do
        get "/challenges/#{challenge.id}/submissions/#{submission.id}"
        expect(response).to redirect_to "/users/sign_in"
      end
    end

    context "when logged in" do
```

```ruby
    before do
      login_as(create(:user, role: "admin"), :scope => :user)
    end

    context "requesting a submissions that doesn't exit" do
      it 'returns a 404' do
        get "/challenges/#{challenge.id}/submissions/sda"

        expect(response.status).to eq(404)
      end
    end

    context "as an admin" do
      it "returns 200" do
        get "/challenges/#{challenge.id}/submissions/#{submission.id}"
        expect(response.status).to eq(200)
      end
    end

    context "as a student" do
      let(:user) { create(:user, role: "student") }
      let(:submission2) { create(:submission, challenge: challenge, user: user)}
      before do
        login_as(user, :scope => :user)
      end

      context "someone's elses submission" do
        it "returns 401" do
          get "/challenges/#{challenge.id}/submissions/#{submission.id}"
          expect(response.status).to eq(401)
        end
      end

      context "students's submission" do
        it "returns 200" do
          get "/challenges/#{challenge.id}/submissions/#{submission2.id}"
          expect(response.status).to eq(200)
        end
      end
    end
  end
end

context '#report' do
  let!(:submission) { create(:submission, challenge: challenge, user: create(:user)) }

  context 'when logged out' do
    it "redirects to login page" do
      get "/challenges/#{challenge.id}/submissions/#{submission.id}/report"
      expect(response).to redirect_to "/users/sign_in"
    end
  end

  context "when logged in" do
    before do
      login_as(create(:user, role: "admin"), :scope => :user)
    end

    context "requesting a submissions that doesn't exit" do
      it 'returns a 404' do
        get "/challenges/#{challenge.id}/submissions/sda/report"

        expect(response.status).to eq(404)
```

```ruby
      end
    end

    context "as an admin" do
      it "returns 200" do
        get "/challenges/#{challenge.id}/submissions/#{submission.id}/report"
        expect(response.status).to eq(200)
      end
    end

    context "as a student" do
      let(:user) { create(:user, role: "student") }
      let(:submission2) { create(:submission, challenge: challenge, user: user)}
      before do
        login_as(user, :scope => :user)
      end

      context "someone's elses submission" do
        it "returns 401" do
          get "/challenges/#{challenge.id}/submissions/#{submission.id}/report"
          expect(response.status).to eq(401)
        end
      end

      context "students's submission" do
        it "returns 401" do
          get "/challenges/#{challenge.id}/submissions/#{submission2.id}/report"
          expect(response.status).to eq(401)
        end
      end
    end
  end
end

context '#new' do
  context 'when logged out' do
    it "redirects to login page" do
      get "/challenges/#{challenge.id}/submissions/new"
      expect(response).to redirect_to "/users/sign_in"
    end
  end

  context "when logged in" do
    before do
      login_as(create(:user, role: "admin"), :scope => :user)
    end

    context "for a challenge that does not exist" do
      it "returns 404" do
        get "/challenges/#{challenge.id-1111}/submissions/new"
        expect(response.status).to eq(404)
      end
    end

    context "as an admin" do
      it "returns 200" do
        get "/challenges/#{challenge.id}/submissions/new"
        expect(response.status).to eq(200)
      end
    end

    context "as a student" do
      before do
```

```ruby
          login_as(create(:user, role: "student"), :scope => :user)
        end

        it "returns 200" do
          get "/challenges/#{challenge.id}/submissions/new"
          expect(response.status).to eq(200)
        end
      end
    end
  end
end

  context "#create" do
    context 'when logged out' do
      it "redirects to login page" do
        post "/challenges/#{challenge.id}/submissions"
        expect(response).to redirect_to "/users/sign_in"
      end
    end

    context "when logged in" do
      before do
        login_as(create(:user, role: "admin"), :scope => :user)
      end

      context "for a challenge that doesn't exist" do
        it "returns 404" do
          post '/challenges/asadad/submissions'
          expect(response.status).to eq(404)
        end
      end

      context "for a challenge that exists" do
        context "without errors" do
          it "returns 302" do
            body = { submission: { sql_query: challenge.sql_correct_query } }
            expect do
              post "/challenges/#{challenge.id}/submissions", params: body
            end.to change { Submission.count }.by(1)
            expect(response.status).to eq(302)
          end
        end

        context "with errors" do
          it "returns 200" do
            body = { submission: { sql_query: "SMS" } }
            expect do
              post "/challenges/#{challenge.id}/submissions", params: body
            end.to change { Submission.count }.by(0)
            expect(response.status).to eq(200)
            expect(response.body).to include("You have an error in your SQL syntax;")
          end
        end
      end
    end
  end
end

    spec/spec_helper.rb

require 'simplecov'
SimpleCov.start 'rails' do
  add_filter %r{^.*application_.*}
end
```

```ruby
# This file was generated by the `rails generate rspec:install` command. Conventionally, all
# specs live under a `spec` directory, which RSpec adds to the `$LOAD_PATH`.
# The generated `.rspec` file contains `--require spec_helper` which will cause
# this file to always be loaded, without a need to explicitly require it in any
# files.
#
# Given that it is always loaded, you are encouraged to keep this file as
# light-weight as possible. Requiring heavyweight dependencies from this file
# will add to the boot time of your test suite on EVERY test run, even for an
# individual file that may not need all of that loaded. Instead, consider making
# a separate helper file that requires the additional dependencies and performs
# the additional setup, and require it from the spec files that actually need
# it.
#
# See http://rubydoc.info/gems/rspec-core/RSpec/Core/Configuration
RSpec.configure do |config|
  # rspec-expectations config goes here. You can use an alternate
  # assertion/expectation library such as wrong or the stdlib/minitest
  # assertions if you prefer.
  config.expect_with :rspec do |expectations|
    # This option will default to `true` in RSpec 4. It makes the `description`
    # and `failure_message` of custom matchers include text for helper methods
    # defined using `chain`, e.g.:
    #     be_bigger_than(2).and_smaller_than(4).description
    #     # => "be bigger than 2 and smaller than 4"
    # ...rather than:
    #     # => "be bigger than 2"
    expectations.include_chain_clauses_in_custom_matcher_descriptions = true
  end

  # rspec-mocks config goes here. You can use an alternate test double
  # library (such as bogus or mocha) by changing the `mock_with` option here.
  config.mock_with :rspec do |mocks|
    # Prevents you from mocking or stubbing a method that does not exist on
    # a real object. This is generally recommended, and will default to
    # `true` in RSpec 4.
    mocks.verify_partial_doubles = true
  end

  # This option will default to `:apply_to_host_groups` in RSpec 4 (and will
  # have no way to turn it off -- the option exists only for backwards
  # compatibility in RSpec 3). It causes shared context metadata to be
  # inherited by the metadata hash of host groups and examples, rather than
  # triggering implicit auto-inclusion in groups with matching metadata.
  config.shared_context_metadata_behavior = :apply_to_host_groups

# The settings below are suggested to provide a good initial experience
# with RSpec, but feel free to customize to your heart's content.
=begin
  # This allows you to limit a spec run to individual examples or groups
  # you care about by tagging them with `:focus` metadata. When nothing
  # is tagged with `:focus`, all examples get run. RSpec also provides
  # aliases for `it`, `describe`, and `context` that include `:focus`
  # metadata: `fit`, `fdescribe` and `fcontext`, respectively.
  config.filter_run_when_matching :focus

  # Allows RSpec to persist some state between runs in order to support
  # the `--only-failures` and `--next-failure` CLI options. We recommend
  # you configure your source control system to ignore this file.
  config.example_status_persistence_file_path = "spec/examples.txt"

  # Limits the available syntax to the non-monkey patched syntax that is
  # recommended. For more details, see:
```

```ruby
#   - http://rspec.info/blog/2012/06/rspecs-new-expectation-syntax/
#   - http://www.teaisaweso.me/blog/2013/05/27/rspecs-new-message-expectation-syntax/
#   - http://rspec.info/blog/2014/05/notable-changes-in-rspec-3/#zero-monkey-patching-mode
config.disable_monkey_patching!

# Many RSpec users commonly either run the entire suite or an individual
# file, and it's useful to allow more verbose output when running an
# individual spec file.
if config.files_to_run.one?
  # Use the documentation formatter for detailed output,
  # unless a formatter has already been configured
  # (e.g. via a command-line flag).
  config.default_formatter = "doc"
end

# Print the 10 slowest examples and example groups at the
# end of the spec run, to help surface which specs are running
# particularly slow.
config.profile_examples = 10

# Run specs in random order to surface order dependencies. If you find an
# order dependency and want to debug it, you can fix the order by providing
# the seed, which is printed after each run.
#     --seed 1234
config.order = :random

# Seed global randomization in this process using the `--seed` CLI option.
# Setting this allows you to use `--seed` to deterministically reproduce
# test failures related to randomization by passing the same `--seed` value
# as the one that triggered the failure.
Kernel.srand config.seed
=end
end
```

   yarn.lock

```
# THIS IS AN AUTOGENERATED FILE. DO NOT EDIT THIS FILE DIRECTLY.
# yarn lockfile v1


"@rails/webpacker@^3.0.2":
  version "3.0.2"
  resolved
  → "https://registry.yarnpkg.com/@rails/webpacker/-/webpacker-3.0.2.tgz#574b021c1f3d700b40a934576c9bdac5c9f9c74
  dependencies:
    babel-core "^6.26.0"
    babel-loader "^7.1.2"
    babel-plugin-syntax-dynamic-import "^6.18.0"
    babel-plugin-transform-class-properties "^6.24.1"
    babel-plugin-transform-object-rest-spread "^6.26.0"
    babel-polyfill "^6.26.0"
    babel-preset-env "^1.6.0"
    coffee-loader "^0.8.0"
    compression-webpack-plugin "^1.0.0"
    css-loader "^0.28.5"
    extract-text-webpack-plugin "^3.0.0"
    file-loader "^0.11.2"
    glob "^7.1.2"
    js-yaml "^3.9.1"
    node-sass "^4.5.3"
    path-complete-extname "^0.1.0"
    postcss-cssnext "^3.0.2"
    postcss-loader "^2.0.6"
    postcss-smart-import "^0.7.5"
```

```
    rails-erb-loader "^5.2.1"
    resolve-url-loader "^2.1.0"
    sass-loader "^6.0.6"
    style-loader "^0.18.2"
    webpack "^3.5.5"
    webpack-manifest-plugin "^1.3.1"

abbrev@1:
  version "1.1.1"
  resolved "https://registry.yarnpkg.com/abbrev/-/abbrev-1.1.1.tgz#f8f2c887ad10bf67f634f005b6987fed3179aac8"

accepts@~1.3.4:
  version "1.3.4"
  resolved "https://registry.yarnpkg.com/accepts/-/accepts-1.3.4.tgz#86246758c7dd6d21a6474ff084a4740ec05eb21f"
  dependencies:
    mime-types "~2.1.16"
    negotiator "0.6.1"

acorn-dynamic-import@^2.0.0:
  version "2.0.2"
  resolved
  → "https://registry.yarnpkg.com/acorn-dynamic-import/-/acorn-dynamic-import-2.0.2.tgz#c752bd210bef679501b6c6cb
  dependencies:
    acorn "^4.0.3"

acorn@^4.0.3:
  version "4.0.13"
  resolved "https://registry.yarnpkg.com/acorn/-/acorn-4.0.13.tgz#105495ae5361d697bd195c825192e1ad7f253787"

acorn@^5.0.0:
  version "5.2.1"
  resolved "https://registry.yarnpkg.com/acorn/-/acorn-5.2.1.tgz#317ac7821826c22c702d66189ab8359675f135d7"

adjust-sourcemap-loader@^1.1.0:
  version "1.1.0"
  resolved
  → "https://registry.yarnpkg.com/adjust-sourcemap-loader/-/adjust-sourcemap-loader-1.1.0.tgz#412d92404eb61e4113
  dependencies:
    assert "^1.3.0"
    camelcase "^1.2.1"
    loader-utils "^1.0.2"
    lodash.assign "^4.0.1"
    lodash.defaults "^3.1.2"
    object-path "^0.9.2"
    regex-parser "^2.2.1"

ajv-keywords@^2.0.0:
  version "2.1.1"
  resolved
  → "https://registry.yarnpkg.com/ajv-keywords/-/ajv-keywords-2.1.1.tgz#617997fc5f60576894c435f940d819e135b80762

ajv@^4.9.1:
  version "4.11.8"
  resolved "https://registry.yarnpkg.com/ajv/-/ajv-4.11.8.tgz#82ffb02b29e662ae53bdc20af15947706739c536"
  dependencies:
    co "^4.6.0"
    json-stable-stringify "^1.0.1"

ajv@^5.0.0, ajv@^5.1.0, ajv@^5.1.5:
  version "5.3.0"
  resolved "https://registry.yarnpkg.com/ajv/-/ajv-5.3.0.tgz#4414ff74a50879c208ee5fdc826e32c303549eda"
  dependencies:
```

```
    co "^4.6.0"
    fast-deep-equal "^1.0.0"
    fast-json-stable-stringify "^2.0.0"
    json-schema-traverse "^0.3.0"

align-text@^0.1.1, align-text@^0.1.3:
  version "0.1.4"
  resolved
  ↪  "https://registry.yarnpkg.com/align-text/-/align-text-0.1.4.tgz#0cd90a561093f35d0a99256c22b7069433fad117"
  dependencies:
    kind-of "^3.0.2"
    longest "^1.0.1"
    repeat-string "^1.5.2"

alphanum-sort@^1.0.1, alphanum-sort@^1.0.2:
  version "1.0.2"
  resolved
  ↪  "https://registry.yarnpkg.com/alphanum-sort/-/alphanum-sort-1.0.2.tgz#97a1119649b211ad33691d9f9f486a8ec9fbe0
    
amdefine@>=0.0.4:
  version "1.0.1"
  resolved
  ↪  "https://registry.yarnpkg.com/amdefine/-/amdefine-1.0.1.tgz#4a5282ac164729e93619bcfd3ad151f817ce91f5"

ansi-html@0.0.7:
  version "0.0.7"
  resolved
  ↪  "https://registry.yarnpkg.com/ansi-html/-/ansi-html-0.0.7.tgz#813584021962a9e9e6fd039f940d12f56ca7859e"

ansi-regex@^2.0.0:
  version "2.1.1"
  resolved
  ↪  "https://registry.yarnpkg.com/ansi-regex/-/ansi-regex-2.1.1.tgz#c3b33ab5ee360d86e0e628f0468ae7ef27d654df"

ansi-regex@^3.0.0:
  version "3.0.0"
  resolved
  ↪  "https://registry.yarnpkg.com/ansi-regex/-/ansi-regex-3.0.0.tgz#ed0317c322064f79466c02966bddb605ab37d998"

ansi-styles@^2.2.1:
  version "2.2.1"
  resolved
  ↪  "https://registry.yarnpkg.com/ansi-styles/-/ansi-styles-2.2.1.tgz#b432dd3358b634cf75e1e4664368240533c1ddbe"

ansi-styles@^3.1.0:
  version "3.2.0"
  resolved
  ↪  "https://registry.yarnpkg.com/ansi-styles/-/ansi-styles-3.2.0.tgz#c159b8d5be0f9e5a6f346dab94f16ce022161b88"
  dependencies:
    color-convert "^1.9.0"

any-promise@^0.1.0:
  version "0.1.0"
  resolved
  ↪  "https://registry.yarnpkg.com/any-promise/-/any-promise-0.1.0.tgz#830b680aa7e56f33451d4b049f3bd8044498ee27"

anymatch@^1.3.0:
  version "1.3.2"
  resolved
  ↪  "https://registry.yarnpkg.com/anymatch/-/anymatch-1.3.2.tgz#553dcb8f91e3c889845dfdba34c77721b90b9d7a"
  dependencies:
    micromatch "^2.1.5"
```

```
    normalize-path "^2.0.0"

aproba@^1.0.3:
  version "1.2.0"
  resolved "https://registry.yarnpkg.com/aproba/-/aproba-1.2.0.tgz#6802e6264efd18c790a1b0d517f0f2627bf2c94a"

are-we-there-yet@~1.1.2:
  version "1.1.4"
  resolved
  → "https://registry.yarnpkg.com/are-we-there-yet/-/are-we-there-yet-1.1.4.tgz#bb5dca382bb94f05e15194373d16fd3b
  dependencies:
    delegates "^1.0.0"
    readable-stream "^2.0.6"

argparse@^1.0.7:
  version "1.0.9"
  resolved
  → "https://registry.yarnpkg.com/argparse/-/argparse-1.0.9.tgz#73d83bc263f86e97f8cc4f6bae1b0e90a7d22c86"
  dependencies:
    sprintf-js "~1.0.2"

arr-diff@^2.0.0:
  version "2.0.0"
  resolved
  → "https://registry.yarnpkg.com/arr-diff/-/arr-diff-2.0.0.tgz#8f3b827f955a8bd669697e4a4256ac3ceae356cf"
  dependencies:
    arr-flatten "^1.0.1"

arr-flatten@^1.0.1:
  version "1.1.0"
  resolved
  → "https://registry.yarnpkg.com/arr-flatten/-/arr-flatten-1.1.0.tgz#36048bbff4e7b47e136644316c99669ea5ae91f1"

array-find-index@^1.0.1:
  version "1.0.2"
  resolved
  → "https://registry.yarnpkg.com/array-find-index/-/array-find-index-1.0.2.tgz#df010aa1287e164bbda6f9723b0a96a1

array-flatten@1.1.1:
  version "1.1.1"
  resolved
  → "https://registry.yarnpkg.com/array-flatten/-/array-flatten-1.1.1.tgz#9a5f699051b1e7073328f2a008968b64ea2955

array-flatten@^2.1.0:
  version "2.1.1"
  resolved
  → "https://registry.yarnpkg.com/array-flatten/-/array-flatten-2.1.1.tgz#426bb9da84090c1838d812c8150af20a8331e2

array-includes@^3.0.3:
  version "3.0.3"
  resolved
  → "https://registry.yarnpkg.com/array-includes/-/array-includes-3.0.3.tgz#184b48f62d92d7452bb31b323165c7f8bd02
  dependencies:
    define-properties "^1.1.2"
    es-abstract "^1.7.0"

array-union@^1.0.1:
  version "1.0.2"
  resolved
  → "https://registry.yarnpkg.com/array-union/-/array-union-1.0.2.tgz#9a34410e4f4e3da23dea375be5be70f24778ec39"
  dependencies:
    array-uniq "^1.0.1"
```

```
array-uniq@^1.0.1:
  version "1.0.3"
  resolved
  ↪   "https://registry.yarnpkg.com/array-uniq/-/array-uniq-1.0.3.tgz#af6ac877a25cc7f74e058894753858dfdb24fdb6"

array-unique@^0.2.1:
  version "0.2.1"
  resolved
  ↪   "https://registry.yarnpkg.com/array-unique/-/array-unique-0.2.1.tgz#a1d97ccafcbc2625cc70fadceb36a50c58b01a53

asap@~2.0.3:
  version "2.0.6"
  resolved "https://registry.yarnpkg.com/asap/-/asap-2.0.6.tgz#e50347611d7e690943208bbdafebcbc2fb866d46"

asn1.js@^4.0.0:
  version "4.9.2"
  resolved "https://registry.yarnpkg.com/asn1.js/-/asn1.js-4.9.2.tgz#8117ef4f7ed87cd8f89044b5bff97ac243a16c9a"
  dependencies:
    bn.js "^4.0.0"
    inherits "^2.0.1"
    minimalistic-assert "^1.0.0"

asn1@~0.2.3:
  version "0.2.3"
  resolved "https://registry.yarnpkg.com/asn1/-/asn1-0.2.3.tgz#dac8787713c9966849fc8180777ebe9c1ddf3b86"

assert-plus@1.0.0, assert-plus@^1.0.0:
  version "1.0.0"
  resolved
  ↪   "https://registry.yarnpkg.com/assert-plus/-/assert-plus-1.0.0.tgz#f12e0f3c5d77b0b1cdd9146942e4e96c1e4dd525"

assert-plus@^0.2.0:
  version "0.2.0"
  resolved
  ↪   "https://registry.yarnpkg.com/assert-plus/-/assert-plus-0.2.0.tgz#d74e1b87e7affc0db8aadb7021f3fe48101ab234"

assert@^1.1.1, assert@^1.3.0:
  version "1.4.1"
  resolved "https://registry.yarnpkg.com/assert/-/assert-1.4.1.tgz#99912d591836b5a6f5b345c0f07eefc08fc65d91"
  dependencies:
    util "0.10.3"

async-each@^1.0.0:
  version "1.0.1"
  resolved
  ↪   "https://registry.yarnpkg.com/async-each/-/async-each-1.0.1.tgz#19d386a1d9edc6e7c1c85d388aedbcc56d33602d"

async-foreach@^0.1.3:
  version "0.1.3"
  resolved
  ↪   "https://registry.yarnpkg.com/async-foreach/-/async-foreach-0.1.3.tgz#36121f845c0578172de419a97dbeb1d16ec345

async@2.4.1:
  version "2.4.1"
  resolved "https://registry.yarnpkg.com/async/-/async-2.4.1.tgz#62a56b279c98a11d0987096a01cc3eeb8eb7bbd7"
  dependencies:
    lodash "^4.14.0"

async@^1.5.2:
  version "1.5.2"
  resolved "https://registry.yarnpkg.com/async/-/async-1.5.2.tgz#ec6a61ae56480c0c3cb241c95618e20892f9672a"
```

```
async@^2.1.2, async@^2.1.5, async@^2.4.1:
  version "2.6.0"
  resolved "https://registry.yarnpkg.com/async/-/async-2.6.0.tgz#61a29abb6fcc026fea77e56d1c6ec53a795951f4"
  dependencies:
    lodash "^4.14.0"

asynckit@^0.4.0:
  version "0.4.0"
  resolved
  ↪    "https://registry.yarnpkg.com/asynckit/-/asynckit-0.4.0.tgz#c79ed97f7f34cb8f2ba1bc9790bcc366474b4b79"

atob@~1.1.0:
  version "1.1.3"
  resolved "https://registry.yarnpkg.com/atob/-/atob-1.1.3.tgz#95f13629b12c3a51a5d215abdce2aa9f32f80773"

autoprefixer@^6.3.1:
  version "6.7.7"
  resolved
  ↪    "https://registry.yarnpkg.com/autoprefixer/-/autoprefixer-6.7.7.tgz#1dbd1c835658e35ce3f9984099db00585c782014
  dependencies:
    browserslist "^1.7.6"
    caniuse-db "^1.0.30000634"
    normalize-range "^0.1.2"
    num2fraction "^1.2.2"
    postcss "^5.2.16"
    postcss-value-parser "^3.2.3"

autoprefixer@^7.1.1:
  version "7.1.6"
  resolved
  ↪    "https://registry.yarnpkg.com/autoprefixer/-/autoprefixer-7.1.6.tgz#fb933039f74af74a83e71225ce78d9fd58ba84d7
  dependencies:
    browserslist "^2.5.1"
    caniuse-lite "^1.0.30000748"
    normalize-range "^0.1.2"
    num2fraction "^1.2.2"
    postcss "^6.0.13"
    postcss-value-parser "^3.2.3"

aws-sign2@~0.6.0:
  version "0.6.0"
  resolved
  ↪    "https://registry.yarnpkg.com/aws-sign2/-/aws-sign2-0.6.0.tgz#14342dd38dbcc94d0e5b87d763cd63612c0e794f"

aws-sign2@~0.7.0:
  version "0.7.0"
  resolved
  ↪    "https://registry.yarnpkg.com/aws-sign2/-/aws-sign2-0.7.0.tgz#b46e890934a9591f2d2f6f86d7e6a9f1b3fe76a8"

aws4@^1.2.1, aws4@^1.6.0:
  version "1.6.0"
  resolved "https://registry.yarnpkg.com/aws4/-/aws4-1.6.0.tgz#83ef5ca860b2b32e4a0deedee8c771b9db57471e"

babel-code-frame@^6.11.0, babel-code-frame@^6.26.0:
  version "6.26.0"
  resolved
  ↪    "https://registry.yarnpkg.com/babel-code-frame/-/babel-code-frame-6.26.0.tgz#63fd43f7dc1e3bb7ce35947db8fe369
  dependencies:
    chalk "^1.1.3"
    esutils "^2.0.2"
    js-tokens "^3.0.2"
```

```
babel-core@^6.26.0:
  version "6.26.0"
  resolved
  → "https://registry.yarnpkg.com/babel-core/-/babel-core-6.26.0.tgz#af32f78b31a6fcef119c87b0fd8d9753f03a0bb8"
  dependencies:
    babel-code-frame "^6.26.0"
    babel-generator "^6.26.0"
    babel-helpers "^6.24.1"
    babel-messages "^6.23.0"
    babel-register "^6.26.0"
    babel-runtime "^6.26.0"
    babel-template "^6.26.0"
    babel-traverse "^6.26.0"
    babel-types "^6.26.0"
    babylon "^6.18.0"
    convert-source-map "^1.5.0"
    debug "^2.6.8"
    json5 "^0.5.1"
    lodash "^4.17.4"
    minimatch "^3.0.4"
    path-is-absolute "^1.0.1"
    private "^0.1.7"
    slash "^1.0.0"
    source-map "^0.5.6"

babel-generator@^6.26.0:
  version "6.26.0"
  resolved
  → "https://registry.yarnpkg.com/babel-generator/-/babel-generator-6.26.0.tgz#ac1ae20070b79f6e3ca1d3269613053377
  dependencies:
    babel-messages "^6.23.0"
    babel-runtime "^6.26.0"
    babel-types "^6.26.0"
    detect-indent "^4.0.0"
    jsesc "^1.3.0"
    lodash "^4.17.4"
    source-map "^0.5.6"
    trim-right "^1.0.1"

babel-helper-builder-binary-assignment-operator-visitor@^6.24.1:
  version "6.24.1"
  resolved
  → "https://registry.yarnpkg.com/babel-helper-builder-binary-assignment-operator-visitor/-/babel-helper-builder
  dependencies:
    babel-helper-explode-assignable-expression "^6.24.1"
    babel-runtime "^6.22.0"
    babel-types "^6.24.1"

babel-helper-builder-react-jsx@^6.24.1:
  version "6.26.0"
  resolved
  → "https://registry.yarnpkg.com/babel-helper-builder-react-jsx/-/babel-helper-builder-react-jsx-6.26.0.tgz#39f
  dependencies:
    babel-runtime "^6.26.0"
    babel-types "^6.26.0"
    esutils "^2.0.2"

babel-helper-call-delegate@^6.24.1:
  version "6.24.1"
  resolved
  → "https://registry.yarnpkg.com/babel-helper-call-delegate/-/babel-helper-call-delegate-6.24.1.tgz#ece6aacddc7
  dependencies:
```

```
    babel-helper-hoist-variables "^6.24.1"
    babel-runtime "^6.22.0"
    babel-traverse "^6.24.1"
    babel-types "^6.24.1"

babel-helper-define-map@^6.24.1:
  version "6.26.0"
  resolved
  ↪  "https://registry.yarnpkg.com/babel-helper-define-map/-/babel-helper-define-map-6.26.0.tgz#a5f56dab41a25f97e
  dependencies:
    babel-helper-function-name "^6.24.1"
    babel-runtime "^6.26.0"
    babel-types "^6.26.0"
    lodash "^4.17.4"

babel-helper-explode-assignable-expression@^6.24.1:
  version "6.24.1"
  resolved
  ↪  "https://registry.yarnpkg.com/babel-helper-explode-assignable-expression/-/babel-helper-explode-assignable-e
  dependencies:
    babel-runtime "^6.22.0"
    babel-traverse "^6.24.1"
    babel-types "^6.24.1"

babel-helper-function-name@^6.24.1:
  version "6.24.1"
  resolved
  ↪  "https://registry.yarnpkg.com/babel-helper-function-name/-/babel-helper-function-name-6.24.1.tgz#d3475b8c03e
  dependencies:
    babel-helper-get-function-arity "^6.24.1"
    babel-runtime "^6.22.0"
    babel-template "^6.24.1"
    babel-traverse "^6.24.1"
    babel-types "^6.24.1"

babel-helper-get-function-arity@^6.24.1:
  version "6.24.1"
  resolved
  ↪  "https://registry.yarnpkg.com/babel-helper-get-function-arity/-/babel-helper-get-function-arity-6.24.1.tgz#8
  dependencies:
    babel-runtime "^6.22.0"
    babel-types "^6.24.1"

babel-helper-hoist-variables@^6.24.1:
  version "6.24.1"
  resolved
  ↪  "https://registry.yarnpkg.com/babel-helper-hoist-variables/-/babel-helper-hoist-variables-6.24.1.tgz#1ecb276
  dependencies:
    babel-runtime "^6.22.0"
    babel-types "^6.24.1"

babel-helper-optimise-call-expression@^6.24.1:
  version "6.24.1"
  resolved
  ↪  "https://registry.yarnpkg.com/babel-helper-optimise-call-expression/-/babel-helper-optimise-call-expression-
  dependencies:
    babel-runtime "^6.22.0"
    babel-types "^6.24.1"

babel-helper-regex@^6.24.1:
  version "6.26.0"
  resolved
  ↪  "https://registry.yarnpkg.com/babel-helper-regex/-/babel-helper-regex-6.26.0.tgz#325c59f902f82f24b74faceed03
```

```
  dependencies:
    babel-runtime "^6.26.0"
    babel-types "^6.26.0"
    lodash "^4.17.4"

babel-helper-remap-async-to-generator@^6.24.1:
  version "6.24.1"
  resolved
  ↪   "https://registry.yarnpkg.com/babel-helper-remap-async-to-generator/-/babel-helper-remap-async-to-generator-
  dependencies:
    babel-helper-function-name "^6.24.1"
    babel-runtime "^6.22.0"
    babel-template "^6.24.1"
    babel-traverse "^6.24.1"
    babel-types "^6.24.1"

babel-helper-replace-supers@^6.24.1:
  version "6.24.1"
  resolved
  ↪   "https://registry.yarnpkg.com/babel-helper-replace-supers/-/babel-helper-replace-supers-6.24.1.tgz#bf6dbfe43
  dependencies:
    babel-helper-optimise-call-expression "^6.24.1"
    babel-messages "^6.23.0"
    babel-runtime "^6.22.0"
    babel-template "^6.24.1"
    babel-traverse "^6.24.1"
    babel-types "^6.24.1"

babel-helpers@^6.24.1:
  version "6.24.1"
  resolved
  ↪   "https://registry.yarnpkg.com/babel-helpers/-/babel-helpers-6.24.1.tgz#3471de9caec388e5c850e597e58a26ddf3760
  dependencies:
    babel-runtime "^6.22.0"
    babel-template "^6.24.1"

babel-loader@^7.1.2:
  version "7.1.2"
  resolved
  ↪   "https://registry.yarnpkg.com/babel-loader/-/babel-loader-7.1.2.tgz#f6cbe122710f1aa2af4d881c6d5b54358ca24126
  dependencies:
    find-cache-dir "^1.0.0"
    loader-utils "^1.0.2"
    mkdirp "^0.5.1"

babel-messages@^6.23.0:
  version "6.23.0"
  resolved
  ↪   "https://registry.yarnpkg.com/babel-messages/-/babel-messages-6.23.0.tgz#f3cdf4703858035b2a2951c6ec5edf6c62f
  dependencies:
    babel-runtime "^6.22.0"

babel-plugin-check-es2015-constants@^6.22.0:
  version "6.22.0"
  resolved
  ↪   "https://registry.yarnpkg.com/babel-plugin-check-es2015-constants/-/babel-plugin-check-es2015-constants-6.22
  dependencies:
    babel-runtime "^6.22.0"

babel-plugin-syntax-async-functions@^6.8.0:
  version "6.13.0"
  resolved
  ↪   "https://registry.yarnpkg.com/babel-plugin-syntax-async-functions/-/babel-plugin-syntax-async-functions-6.13
```

```
babel-plugin-syntax-class-properties@^6.8.0:
  version "6.13.0"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-syntax-class-properties/-/babel-plugin-syntax-class-properties-6.

babel-plugin-syntax-dynamic-import@^6.18.0:
  version "6.18.0"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-syntax-dynamic-import/-/babel-plugin-syntax-dynamic-import-6.18.0

babel-plugin-syntax-exponentiation-operator@^6.8.0:
  version "6.13.0"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-syntax-exponentiation-operator/-/babel-plugin-syntax-exponentiati

babel-plugin-syntax-flow@^6.18.0:
  version "6.18.0"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-syntax-flow/-/babel-plugin-syntax-flow-6.18.0.tgz#4c3ab20a2af26aa

babel-plugin-syntax-jsx@^6.3.13, babel-plugin-syntax-jsx@^6.8.0:
  version "6.18.0"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-syntax-jsx/-/babel-plugin-syntax-jsx-6.18.0.tgz#0af32a9a6e13ca7a3

babel-plugin-syntax-object-rest-spread@^6.8.0:
  version "6.13.0"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-syntax-object-rest-spread/-/babel-plugin-syntax-object-rest-sprea

babel-plugin-syntax-trailing-function-commas@^6.22.0:
  version "6.22.0"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-syntax-trailing-function-commas/-/babel-plugin-syntax-trailing-fu

babel-plugin-transform-async-to-generator@^6.22.0:
  version "6.24.1"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-transform-async-to-generator/-/babel-plugin-transform-async-to-ge
  dependencies:
    babel-helper-remap-async-to-generator "^6.24.1"
    babel-plugin-syntax-async-functions "^6.8.0"
    babel-runtime "^6.22.0"

babel-plugin-transform-class-properties@^6.24.1:
  version "6.24.1"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-transform-class-properties/-/babel-plugin-transform-class-propert
  dependencies:
    babel-helper-function-name "^6.24.1"
    babel-plugin-syntax-class-properties "^6.8.0"
    babel-runtime "^6.22.0"
    babel-template "^6.24.1"

babel-plugin-transform-es2015-arrow-functions@^6.22.0:
  version "6.22.0"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-transform-es2015-arrow-functions/-/babel-plugin-transform-es2015-
  dependencies:
    babel-runtime "^6.22.0"
```

```
babel-plugin-transform-es2015-block-scoped-functions@^6.22.0:
  version "6.22.0"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-transform-es2015-block-scoped-functions/-/babel-plugin-transform-
  dependencies:
    babel-runtime "^6.22.0"

babel-plugin-transform-es2015-block-scoping@^6.23.0:
  version "6.26.0"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-transform-es2015-block-scoping/-/babel-plugin-transform-es2015-bl
  dependencies:
    babel-runtime "^6.26.0"
    babel-template "^6.26.0"
    babel-traverse "^6.26.0"
    babel-types "^6.26.0"
    lodash "^4.17.4"

babel-plugin-transform-es2015-classes@^6.23.0:
  version "6.24.1"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-transform-es2015-classes/-/babel-plugin-transform-es2015-classes-
  dependencies:
    babel-helper-define-map "^6.24.1"
    babel-helper-function-name "^6.24.1"
    babel-helper-optimise-call-expression "^6.24.1"
    babel-helper-replace-supers "^6.24.1"
    babel-messages "^6.23.0"
    babel-runtime "^6.22.0"
    babel-template "^6.24.1"
    babel-traverse "^6.24.1"
    babel-types "^6.24.1"

babel-plugin-transform-es2015-computed-properties@^6.22.0:
  version "6.24.1"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-transform-es2015-computed-properties/-/babel-plugin-transform-es2
  dependencies:
    babel-runtime "^6.22.0"
    babel-template "^6.24.1"

babel-plugin-transform-es2015-destructuring@^6.23.0:
  version "6.23.0"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-transform-es2015-destructuring/-/babel-plugin-transform-es2015-de
  dependencies:
    babel-runtime "^6.22.0"

babel-plugin-transform-es2015-duplicate-keys@^6.22.0:
  version "6.24.1"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-transform-es2015-duplicate-keys/-/babel-plugin-transform-es2015-d
  dependencies:
    babel-runtime "^6.22.0"
    babel-types "^6.24.1"

babel-plugin-transform-es2015-for-of@^6.23.0:
  version "6.23.0"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-transform-es2015-for-of/-/babel-plugin-transform-es2015-for-of-6.
  dependencies:
    babel-runtime "^6.22.0"
```

```
babel-plugin-transform-es2015-function-name@^6.22.0:
  version "6.24.1"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-transform-es2015-function-name/-/babel-plugin-transform-es2015-fu
  dependencies:
    babel-helper-function-name "^6.24.1"
    babel-runtime "^6.22.0"
    babel-types "^6.24.1"

babel-plugin-transform-es2015-literals@^6.22.0:
  version "6.22.0"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-transform-es2015-literals/-/babel-plugin-transform-es2015-literal
  dependencies:
    babel-runtime "^6.22.0"

babel-plugin-transform-es2015-modules-amd@^6.22.0, babel-plugin-transform-es2015-modules-amd@^6.24.1:
  version "6.24.1"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-transform-es2015-modules-amd/-/babel-plugin-transform-es2015-modu
  dependencies:
    babel-plugin-transform-es2015-modules-commonjs "^6.24.1"
    babel-runtime "^6.22.0"
    babel-template "^6.24.1"

babel-plugin-transform-es2015-modules-commonjs@^6.23.0,
  → babel-plugin-transform-es2015-modules-commonjs@^6.24.1:
  version "6.26.0"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-transform-es2015-modules-commonjs/-/babel-plugin-transform-es2015
  dependencies:
    babel-plugin-transform-strict-mode "^6.24.1"
    babel-runtime "^6.26.0"
    babel-template "^6.26.0"
    babel-types "^6.26.0"

babel-plugin-transform-es2015-modules-systemjs@^6.23.0:
  version "6.24.1"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-transform-es2015-modules-systemjs/-/babel-plugin-transform-es2015
  dependencies:
    babel-helper-hoist-variables "^6.24.1"
    babel-runtime "^6.22.0"
    babel-template "^6.24.1"

babel-plugin-transform-es2015-modules-umd@^6.23.0:
  version "6.24.1"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-transform-es2015-modules-umd/-/babel-plugin-transform-es2015-modu
  dependencies:
    babel-plugin-transform-es2015-modules-amd "^6.24.1"
    babel-runtime "^6.22.0"
    babel-template "^6.24.1"

babel-plugin-transform-es2015-object-super@^6.22.0:
  version "6.24.1"
  resolved
  → "https://registry.yarnpkg.com/babel-plugin-transform-es2015-object-super/-/babel-plugin-transform-es2015-obj
  dependencies:
    babel-helper-replace-supers "^6.24.1"
    babel-runtime "^6.22.0"
```

```
babel-plugin-transform-es2015-parameters@^6.23.0:
  version "6.24.1"
  resolved
  ↪  "https://registry.yarnpkg.com/babel-plugin-transform-es2015-parameters/-/babel-plugin-transform-es2015-param
  dependencies:
    babel-helper-call-delegate "^6.24.1"
    babel-helper-get-function-arity "^6.24.1"
    babel-runtime "^6.22.0"
    babel-template "^6.24.1"
    babel-traverse "^6.24.1"
    babel-types "^6.24.1"

babel-plugin-transform-es2015-shorthand-properties@^6.22.0:
  version "6.24.1"
  resolved
  ↪  "https://registry.yarnpkg.com/babel-plugin-transform-es2015-shorthand-properties/-/babel-plugin-transform-es
  dependencies:
    babel-runtime "^6.22.0"
    babel-types "^6.24.1"

babel-plugin-transform-es2015-spread@^6.22.0:
  version "6.22.0"
  resolved
  ↪  "https://registry.yarnpkg.com/babel-plugin-transform-es2015-spread/-/babel-plugin-transform-es2015-spread-6.
  dependencies:
    babel-runtime "^6.22.0"

babel-plugin-transform-es2015-sticky-regex@^6.22.0:
  version "6.24.1"
  resolved
  ↪  "https://registry.yarnpkg.com/babel-plugin-transform-es2015-sticky-regex/-/babel-plugin-transform-es2015-sti
  dependencies:
    babel-helper-regex "^6.24.1"
    babel-runtime "^6.22.0"
    babel-types "^6.24.1"

babel-plugin-transform-es2015-template-literals@^6.22.0:
  version "6.22.0"
  resolved
  ↪  "https://registry.yarnpkg.com/babel-plugin-transform-es2015-template-literals/-/babel-plugin-transform-es201
  dependencies:
    babel-runtime "^6.22.0"

babel-plugin-transform-es2015-typeof-symbol@^6.23.0:
  version "6.23.0"
  resolved
  ↪  "https://registry.yarnpkg.com/babel-plugin-transform-es2015-typeof-symbol/-/babel-plugin-transform-es2015-ty
  dependencies:
    babel-runtime "^6.22.0"

babel-plugin-transform-es2015-unicode-regex@^6.22.0:
  version "6.24.1"
  resolved
  ↪  "https://registry.yarnpkg.com/babel-plugin-transform-es2015-unicode-regex/-/babel-plugin-transform-es2015-un
  dependencies:
    babel-helper-regex "^6.24.1"
    babel-runtime "^6.22.0"
    regexpu-core "^2.0.0"

babel-plugin-transform-exponentiation-operator@^6.22.0:
  version "6.24.1"
```

```
    resolved
    ↪  "https://registry.yarnpkg.com/babel-plugin-transform-exponentiation-operator/-/babel-plugin-transform-expone
    dependencies:
      babel-helper-builder-binary-assignment-operator-visitor "^6.24.1"
      babel-plugin-syntax-exponentiation-operator "^6.8.0"
      babel-runtime "^6.22.0"

babel-plugin-transform-flow-strip-types@^6.22.0:
  version "6.22.0"
  resolved
  ↪  "https://registry.yarnpkg.com/babel-plugin-transform-flow-strip-types/-/babel-plugin-transform-flow-strip-ty
  dependencies:
    babel-plugin-syntax-flow "^6.18.0"
    babel-runtime "^6.22.0"

babel-plugin-transform-object-rest-spread@^6.26.0:
  version "6.26.0"
  resolved
  ↪  "https://registry.yarnpkg.com/babel-plugin-transform-object-rest-spread/-/babel-plugin-transform-object-rest
  dependencies:
    babel-plugin-syntax-object-rest-spread "^6.8.0"
    babel-runtime "^6.26.0"

babel-plugin-transform-react-display-name@^6.23.0:
  version "6.25.0"
  resolved
  ↪  "https://registry.yarnpkg.com/babel-plugin-transform-react-display-name/-/babel-plugin-transform-react-displ
  dependencies:
    babel-runtime "^6.22.0"

babel-plugin-transform-react-jsx-self@^6.22.0:
  version "6.22.0"
  resolved
  ↪  "https://registry.yarnpkg.com/babel-plugin-transform-react-jsx-self/-/babel-plugin-transform-react-jsx-self-
  dependencies:
    babel-plugin-syntax-jsx "^6.8.0"
    babel-runtime "^6.22.0"

babel-plugin-transform-react-jsx-source@^6.22.0:
  version "6.22.0"
  resolved
  ↪  "https://registry.yarnpkg.com/babel-plugin-transform-react-jsx-source/-/babel-plugin-transform-react-jsx-sou
  dependencies:
    babel-plugin-syntax-jsx "^6.8.0"
    babel-runtime "^6.22.0"

babel-plugin-transform-react-jsx@^6.24.1:
  version "6.24.1"
  resolved
  ↪  "https://registry.yarnpkg.com/babel-plugin-transform-react-jsx/-/babel-plugin-transform-react-jsx-6.24.1.tgz
  dependencies:
    babel-helper-builder-react-jsx "^6.24.1"
    babel-plugin-syntax-jsx "^6.8.0"
    babel-runtime "^6.22.0"

babel-plugin-transform-regenerator@^6.22.0:
  version "6.26.0"
  resolved
  ↪  "https://registry.yarnpkg.com/babel-plugin-transform-regenerator/-/babel-plugin-transform-regenerator-6.26.0
  dependencies:
    regenerator-transform "^0.10.0"
```

```
babel-plugin-transform-strict-mode@^6.24.1:
  version "6.24.1"
  resolved
  →  "https://registry.yarnpkg.com/babel-plugin-transform-strict-mode/-/babel-plugin-transform-strict-mode-6.24.1
  dependencies:
    babel-runtime "^6.22.0"
    babel-types "^6.24.1"

babel-polyfill@^6.26.0:
  version "6.26.0"
  resolved
  →  "https://registry.yarnpkg.com/babel-polyfill/-/babel-polyfill-6.26.0.tgz#379937abc67d7895970adc621f284cd966c
  dependencies:
    babel-runtime "^6.26.0"
    core-js "^2.5.0"
    regenerator-runtime "^0.10.5"

babel-preset-env@^1.6.0:
  version "1.6.1"
  resolved
  →  "https://registry.yarnpkg.com/babel-preset-env/-/babel-preset-env-1.6.1.tgz#a18b564cc9b9afdf4aae57ae3c1b0d99
  dependencies:
    babel-plugin-check-es2015-constants "^6.22.0"
    babel-plugin-syntax-trailing-function-commas "^6.22.0"
    babel-plugin-transform-async-to-generator "^6.22.0"
    babel-plugin-transform-es2015-arrow-functions "^6.22.0"
    babel-plugin-transform-es2015-block-scoped-functions "^6.22.0"
    babel-plugin-transform-es2015-block-scoping "^6.23.0"
    babel-plugin-transform-es2015-classes "^6.23.0"
    babel-plugin-transform-es2015-computed-properties "^6.22.0"
    babel-plugin-transform-es2015-destructuring "^6.23.0"
    babel-plugin-transform-es2015-duplicate-keys "^6.22.0"
    babel-plugin-transform-es2015-for-of "^6.23.0"
    babel-plugin-transform-es2015-function-name "^6.22.0"
    babel-plugin-transform-es2015-literals "^6.22.0"
    babel-plugin-transform-es2015-modules-amd "^6.22.0"
    babel-plugin-transform-es2015-modules-commonjs "^6.23.0"
    babel-plugin-transform-es2015-modules-systemjs "^6.23.0"
    babel-plugin-transform-es2015-modules-umd "^6.23.0"
    babel-plugin-transform-es2015-object-super "^6.22.0"
    babel-plugin-transform-es2015-parameters "^6.23.0"
    babel-plugin-transform-es2015-shorthand-properties "^6.22.0"
    babel-plugin-transform-es2015-spread "^6.22.0"
    babel-plugin-transform-es2015-sticky-regex "^6.22.0"
    babel-plugin-transform-es2015-template-literals "^6.22.0"
    babel-plugin-transform-es2015-typeof-symbol "^6.23.0"
    babel-plugin-transform-es2015-unicode-regex "^6.22.0"
    babel-plugin-transform-exponentiation-operator "^6.22.0"
    babel-plugin-transform-regenerator "^6.22.0"
    browserslist "^2.1.2"
    invariant "^2.2.2"
    semver "^5.3.0"

babel-preset-flow@^6.23.0:
  version "6.23.0"
  resolved
  →  "https://registry.yarnpkg.com/babel-preset-flow/-/babel-preset-flow-6.23.0.tgz#e71218887085ae9a24b5be4169aff
  dependencies:
    babel-plugin-transform-flow-strip-types "^6.22.0"

babel-preset-react@^6.24.1:
  version "6.24.1"
```

```
    resolved
    → "https://registry.yarnpkg.com/babel-preset-react/-/babel-preset-react-6.24.1.tgz#ba69dfaea45fc3ec639b6a4ecea
    dependencies:
      babel-plugin-syntax-jsx "^6.3.13"
      babel-plugin-transform-react-display-name "^6.23.0"
      babel-plugin-transform-react-jsx "^6.24.1"
      babel-plugin-transform-react-jsx-self "^6.22.0"
      babel-plugin-transform-react-jsx-source "^6.22.0"
      babel-preset-flow "^6.23.0"

babel-register@^6.26.0:
  version "6.26.0"
  resolved
  → "https://registry.yarnpkg.com/babel-register/-/babel-register-6.26.0.tgz#6ed021173e2fcb486d7acb45c6009a856f6
  dependencies:
    babel-core "^6.26.0"
    babel-runtime "^6.26.0"
    core-js "^2.5.0"
    home-or-tmp "^2.0.0"
    lodash "^4.17.4"
    mkdirp "^0.5.1"
    source-map-support "^0.4.15"

babel-runtime@^6.18.0, babel-runtime@^6.22.0, babel-runtime@^6.23.0, babel-runtime@^6.26.0:
  version "6.26.0"
  resolved
  → "https://registry.yarnpkg.com/babel-runtime/-/babel-runtime-6.26.0.tgz#965c7058668e82b55d7bfe04ff2337bc8b564
  dependencies:
    core-js "^2.4.0"
    regenerator-runtime "^0.11.0"

babel-template@^6.24.1, babel-template@^6.26.0:
  version "6.26.0"
  resolved
  → "https://registry.yarnpkg.com/babel-template/-/babel-template-6.26.0.tgz#de03e2d16396b069f46dd9fff8521fb1a0e
  dependencies:
    babel-runtime "^6.26.0"
    babel-traverse "^6.26.0"
    babel-types "^6.26.0"
    babylon "^6.18.0"
    lodash "^4.17.4"

babel-traverse@^6.24.1, babel-traverse@^6.26.0:
  version "6.26.0"
  resolved
  → "https://registry.yarnpkg.com/babel-traverse/-/babel-traverse-6.26.0.tgz#46a9cbd7edcc62c8e5c064e2d2d8d0f4035
  dependencies:
    babel-code-frame "^6.26.0"
    babel-messages "^6.23.0"
    babel-runtime "^6.26.0"
    babel-types "^6.26.0"
    babylon "^6.18.0"
    debug "^2.6.8"
    globals "^9.18.0"
    invariant "^2.2.2"
    lodash "^4.17.4"

babel-types@^6.19.0, babel-types@^6.24.1, babel-types@^6.26.0:
  version "6.26.0"
  resolved
  → "https://registry.yarnpkg.com/babel-types/-/babel-types-6.26.0.tgz#a3b073f94ab49eb6fa55cd65227a334380632497"
  dependencies:
    babel-runtime "^6.26.0"
```

```
    esutils "^2.0.2"
    lodash "^4.17.4"
    to-fast-properties "^1.0.3"

babylon@^6.18.0:
  version "6.18.0"
  resolved
  →  "https://registry.yarnpkg.com/babylon/-/babylon-6.18.0.tgz#af2f3b88fa6f5c1e4c634d1a0f8eac4f55b395e3"

balanced-match@0.1.0:
  version "0.1.0"
  resolved
  →  "https://registry.yarnpkg.com/balanced-match/-/balanced-match-0.1.0.tgz#b504bd05869b39259dd0c5efc35d843176dc

balanced-match@^0.4.2:
  version "0.4.2"
  resolved
  →  "https://registry.yarnpkg.com/balanced-match/-/balanced-match-0.4.2.tgz#cb3f3e3c732dc0f01ee70b403f302e61d770

balanced-match@^1.0.0:
  version "1.0.0"
  resolved
  →  "https://registry.yarnpkg.com/balanced-match/-/balanced-match-1.0.0.tgz#89b4d199ab2bee49de164ea02b89ce462d71

base64-js@^1.0.2:
  version "1.2.1"
  resolved
  →  "https://registry.yarnpkg.com/base64-js/-/base64-js-1.2.1.tgz#a91947da1f4a516ea38e5b4ec0ec3773675e0886"

batch@0.6.1:
  version "0.6.1"
  resolved "https://registry.yarnpkg.com/batch/-/batch-0.6.1.tgz#dc34314f4e679318093fc760272525f94bf25c16"

bcrypt-pbkdf@^1.0.0:
  version "1.0.1"
  resolved
  →  "https://registry.yarnpkg.com/bcrypt-pbkdf/-/bcrypt-pbkdf-1.0.1.tgz#63bc5dcb61331b92bc05fd528953c33462a06f8c
  dependencies:
    tweetnacl "^0.14.3"

big.js@^3.1.3:
  version "3.2.0"
  resolved "https://registry.yarnpkg.com/big.js/-/big.js-3.2.0.tgz#a5fc298b81b9e0dca2e458824784b65c52ba588e"

binary-extensions@^1.0.0:
  version "1.10.0"
  resolved
  →  "https://registry.yarnpkg.com/binary-extensions/-/binary-extensions-1.10.0.tgz#9aeb9a6c5e88638aad171e167f590

block-stream@*:
  version "0.0.9"
  resolved
  →  "https://registry.yarnpkg.com/block-stream/-/block-stream-0.0.9.tgz#13ebfe778a03205cfe03751481ebb4b3300c126a
  dependencies:
    inherits "~2.0.0"

bn.js@^4.0.0, bn.js@^4.1.0, bn.js@^4.1.1, bn.js@^4.4.0:
  version "4.11.8"
  resolved "https://registry.yarnpkg.com/bn.js/-/bn.js-4.11.8.tgz#2cde09eb5ee341f484746bb0309b3253b1b1442f"

body-parser@1.18.2:
  version "1.18.2"
```

```
    resolved
    → "https://registry.yarnpkg.com/body-parser/-/body-parser-1.18.2.tgz#87678a19d84b47d859b83199bd59bce222b10454"
    dependencies:
      bytes "3.0.0"
      content-type "~1.0.4"
      debug "2.6.9"
      depd "~1.1.1"
      http-errors "~1.6.2"
      iconv-lite "0.4.19"
      on-finished "~2.3.0"
      qs "6.5.1"
      raw-body "2.3.2"
      type-is "~1.6.15"

bonjour@^3.5.0:
  version "3.5.0"
  resolved "https://registry.yarnpkg.com/bonjour/-/bonjour-3.5.0.tgz#8e890a183d8ee9a2393b3844c691a42bcf7bc9f5"
  dependencies:
    array-flatten "^2.1.0"
    deep-equal "^1.0.1"
    dns-equal "^1.0.0"
    dns-txt "^2.0.2"
    multicast-dns "^6.0.1"
    multicast-dns-service-types "^1.1.0"

boom@2.x.x:
  version "2.10.1"
  resolved "https://registry.yarnpkg.com/boom/-/boom-2.10.1.tgz#39c8918ceff5799f83f9492a848f625add0c766f"
  dependencies:
    hoek "2.x.x"

boom@4.x.x:
  version "4.3.1"
  resolved "https://registry.yarnpkg.com/boom/-/boom-4.3.1.tgz#4f8a3005cb4a7e3889f749030fd25b96e01d2e31"
  dependencies:
    hoek "4.x.x"

boom@5.x.x:
  version "5.2.0"
  resolved "https://registry.yarnpkg.com/boom/-/boom-5.2.0.tgz#5dd9da6ee3a5f302077436290cb717d3f4a54e02"
  dependencies:
    hoek "4.x.x"

bootstrap@4.0.0-beta.2:
  version "4.0.0-beta.2"
  resolved
  → "https://registry.yarnpkg.com/bootstrap/-/bootstrap-4.0.0-beta.2.tgz#4d67d2aa2219f062cd90bc1247e6747b9e8fd05"

brace-expansion@^1.1.7:
  version "1.1.8"
  resolved
  → "https://registry.yarnpkg.com/brace-expansion/-/brace-expansion-1.1.8.tgz#c07b211c7c952ec1f8efd51a77ef0d1d39"
  dependencies:
    balanced-match "^1.0.0"
    concat-map "0.0.1"

braces@^1.8.2:
  version "1.8.5"
  resolved "https://registry.yarnpkg.com/braces/-/braces-1.8.5.tgz#ba77962e12dff969d6b76711e914b737857bf6a7"
  dependencies:
    expand-range "^1.8.1"
    preserve "^0.2.0"
```

```
    repeat-element "^1.1.2"

brorand@^1.0.1:
  version "1.1.0"
  resolved "https://registry.yarnpkg.com/brorand/-/brorand-1.1.0.tgz#12c25efe40a45e3c323eb8675a0a0ce57b22371f"

browserify-aes@^1.0.0, browserify-aes@^1.0.4:
  version "1.1.1"
  resolved
  → "https://registry.yarnpkg.com/browserify-aes/-/browserify-aes-1.1.1.tgz#38b7ab55edb806ff2dcda1a7f1620773a477
  dependencies:
    buffer-xor "^1.0.3"
    cipher-base "^1.0.0"
    create-hash "^1.1.0"
    evp_bytestokey "^1.0.3"
    inherits "^2.0.1"
    safe-buffer "^5.0.1"

browserify-cipher@^1.0.0:
  version "1.0.0"
  resolved
  → "https://registry.yarnpkg.com/browserify-cipher/-/browserify-cipher-1.0.0.tgz#9988244874bf5ed4e28da95666dcd6
  dependencies:
    browserify-aes "^1.0.4"
    browserify-des "^1.0.0"
    evp_bytestokey "^1.0.0"

browserify-des@^1.0.0:
  version "1.0.0"
  resolved
  → "https://registry.yarnpkg.com/browserify-des/-/browserify-des-1.0.0.tgz#daa277717470922ed2fe18594118a1754397
  dependencies:
    cipher-base "^1.0.1"
    des.js "^1.0.0"
    inherits "^2.0.1"

browserify-rsa@^4.0.0:
  version "4.0.1"
  resolved
  → "https://registry.yarnpkg.com/browserify-rsa/-/browserify-rsa-4.0.1.tgz#21e0abfaf6f2029cf2fafb133567a701d413
  dependencies:
    bn.js "^4.1.0"
    randombytes "^2.0.1"

browserify-sign@^4.0.0:
  version "4.0.4"
  resolved
  → "https://registry.yarnpkg.com/browserify-sign/-/browserify-sign-4.0.4.tgz#aa4eb68e5d7b658baa6bf6a57e630cbd7a
  dependencies:
    bn.js "^4.1.1"
    browserify-rsa "^4.0.0"
    create-hash "^1.1.0"
    create-hmac "^1.1.2"
    elliptic "^6.0.0"
    inherits "^2.0.1"
    parse-asn1 "^5.0.0"

browserify-zlib@^0.1.4:
  version "0.1.4"
  resolved
  → "https://registry.yarnpkg.com/browserify-zlib/-/browserify-zlib-0.1.4.tgz#bb35f8a519f600e0fa6b8485241c979d01
  dependencies:
```

```
    pako "~0.2.0"

browserslist@^1.3.6, browserslist@^1.5.2, browserslist@^1.7.6:
  version "1.7.7"
  resolved
  → "https://registry.yarnpkg.com/browserslist/-/browserslist-1.7.7.tgz#0bd76704258be829b2398bb50e4b62d1a166b0b9
  dependencies:
    caniuse-db "^1.0.30000639"
    electron-to-chromium "^1.2.7"

browserslist@^2.0.0, browserslist@^2.1.2, browserslist@^2.5.1:
  version "2.9.0"
  resolved
  → "https://registry.yarnpkg.com/browserslist/-/browserslist-2.9.0.tgz#706aca15c53be15610f466e348cbfa0c00a6a379
  dependencies:
    caniuse-lite "^1.0.30000760"
    electron-to-chromium "^1.3.27"

buffer-indexof@^1.0.0:
  version "1.1.1"
  resolved
  → "https://registry.yarnpkg.com/buffer-indexof/-/buffer-indexof-1.1.1.tgz#52fabcc6a606d1a00302802648ef68f639da

buffer-xor@^1.0.3:
  version "1.0.3"
  resolved
  → "https://registry.yarnpkg.com/buffer-xor/-/buffer-xor-1.0.3.tgz#26e61ed1422fb70dd42e6e36729ed51d855fe8d9"

buffer@^4.3.0:
  version "4.9.1"
  resolved "https://registry.yarnpkg.com/buffer/-/buffer-4.9.1.tgz#6d1bb601b07a4efced97094132093027c95bc298"
  dependencies:
    base64-js "^1.0.2"
    ieee754 "^1.1.4"
    isarray "^1.0.0"

builtin-modules@^1.0.0:
  version "1.1.1"
  resolved
  → "https://registry.yarnpkg.com/builtin-modules/-/builtin-modules-1.1.1.tgz#270f076c5a72c02f5b65a47df94c5fe3a2

builtin-status-codes@^3.0.0:
  version "3.0.0"
  resolved
  → "https://registry.yarnpkg.com/builtin-status-codes/-/builtin-status-codes-3.0.0.tgz#85982878e21b98e1c66425e0

bytes@3.0.0:
  version "3.0.0"
  resolved "https://registry.yarnpkg.com/bytes/-/bytes-3.0.0.tgz#d32815404d689699f85a4ea4fa8755dd13a96048"

camelcase-keys@^2.0.0:
  version "2.1.0"
  resolved
  → "https://registry.yarnpkg.com/camelcase-keys/-/camelcase-keys-2.1.0.tgz#308beeaffdf28119051efa1d932213c91b8f
  dependencies:
    camelcase "^2.0.0"
    map-obj "^1.0.0"

camelcase@^1.0.2, camelcase@^1.2.1:
  version "1.2.1"
  resolved
  → "https://registry.yarnpkg.com/camelcase/-/camelcase-1.2.1.tgz#9bb5304d2e0b56698b2c758b08a3eaa9daa58a39"
```

```
camelcase@^2.0.0:
  version "2.1.1"
  resolved
  ↪    "https://registry.yarnpkg.com/camelcase/-/camelcase-2.1.1.tgz#7c1d16d679a1bbe59ca02cacecfb011e201f5a1f"

camelcase@^3.0.0:
  version "3.0.0"
  resolved
  ↪    "https://registry.yarnpkg.com/camelcase/-/camelcase-3.0.0.tgz#32fc4b9fcdaf845fcdf7e73bb97cac2261f0ab0a"

camelcase@^4.0.0, camelcase@^4.1.0:
  version "4.1.0"
  resolved
  ↪    "https://registry.yarnpkg.com/camelcase/-/camelcase-4.1.0.tgz#d545635be1e33c542649c69173e5de6acfae34dd"

caniuse-api@^1.5.2:
  version "1.6.1"
  resolved
  ↪    "https://registry.yarnpkg.com/caniuse-api/-/caniuse-api-1.6.1.tgz#b534e7c734c4f81ec5fbe8aca2ad24354b962c6c"
  dependencies:
    browserslist "^1.3.6"
    caniuse-db "^1.0.30000529"
    lodash.memoize "^4.1.2"
    lodash.uniq "^4.5.0"

caniuse-api@^2.0.0:
  version "2.0.0"
  resolved
  ↪    "https://registry.yarnpkg.com/caniuse-api/-/caniuse-api-2.0.0.tgz#b1ddb5a5966b16f48dc4998444d4bbc6c7d9d834"
  dependencies:
    browserslist "^2.0.0"
    caniuse-lite "^1.0.0"
    lodash.memoize "^4.1.2"
    lodash.uniq "^4.5.0"

caniuse-db@^1.0.30000529, caniuse-db@^1.0.30000634, caniuse-db@^1.0.30000639:
  version "1.0.30000760"
  resolved
  ↪    "https://registry.yarnpkg.com/caniuse-db/-/caniuse-db-1.0.30000760.tgz#3ea29473eb78a6ccb09f2eb73ac9e1debfec5
caniuse-lite@^1.0.0, caniuse-lite@^1.0.30000748, caniuse-lite@^1.0.30000760:
  version "1.0.30000760"
  resolved
  ↪    "https://registry.yarnpkg.com/caniuse-lite/-/caniuse-lite-1.0.30000760.tgz#ec720395742f1c7ec8947fd6dd2604e77

caseless@^0.12.0:
  version "0.12.0"
  resolved
  ↪    "https://registry.yarnpkg.com/caseless/-/caseless-0.12.0.tgz#1b681c21ff84033c826543090689420d187151dc"

center-align@^0.1.1:
  version "0.1.3"
  resolved
  ↪    "https://registry.yarnpkg.com/center-align/-/center-align-0.1.3.tgz#aa0d32629b6ee972200411cbd4461c907bc2b7ad
  dependencies:
    align-text "^0.1.3"
    lazy-cache "^1.0.3"

chalk@^1.1.1, chalk@^1.1.3:
  version "1.1.3"
  resolved "https://registry.yarnpkg.com/chalk/-/chalk-1.1.3.tgz#a8115c55e4a702fe4d150abd3872822a7e09fc98"
```

```
  dependencies:
    ansi-styles "^2.2.1"
    escape-string-regexp "^1.0.2"
    has-ansi "^2.0.0"
    strip-ansi "^3.0.0"
    supports-color "^2.0.0"

chalk@^2.0.1, chalk@^2.3.0:
  version "2.3.0"
  resolved "https://registry.yarnpkg.com/chalk/-/chalk-2.3.0.tgz#b5ea48efc9c1793dccc9b4767c93914d3f2d52ba"
  dependencies:
    ansi-styles "^3.1.0"
    escape-string-regexp "^1.0.5"
    supports-color "^4.0.0"

chokidar@^1.6.0, chokidar@^1.7.0:
  version "1.7.0"
  resolved
  →   "https://registry.yarnpkg.com/chokidar/-/chokidar-1.7.0.tgz#798e689778151c8076b4b360e5edd28cda2bb468"
  dependencies:
    anymatch "^1.3.0"
    async-each "^1.0.0"
    glob-parent "^2.0.0"
    inherits "^2.0.1"
    is-binary-path "^1.0.0"
    is-glob "^2.0.0"
    path-is-absolute "^1.0.0"
    readdirp "^2.0.0"
  optionalDependencies:
    fsevents "^1.0.0"

cipher-base@^1.0.0, cipher-base@^1.0.1, cipher-base@^1.0.3:
  version "1.0.4"
  resolved
  →   "https://registry.yarnpkg.com/cipher-base/-/cipher-base-1.0.4.tgz#8760e4ecc272f4c363532f926d874aae2c1397de"
  dependencies:
    inherits "^2.0.1"
    safe-buffer "^5.0.1"

clap@^1.0.9:
  version "1.2.3"
  resolved "https://registry.yarnpkg.com/clap/-/clap-1.2.3.tgz#4f36745b32008492557f46412d66d50cb99bce51"
  dependencies:
    chalk "^1.1.3"

cliui@^2.1.0:
  version "2.1.0"
  resolved "https://registry.yarnpkg.com/cliui/-/cliui-2.1.0.tgz#4b475760ff80264c762c3a1719032e91c7fea0d1"
  dependencies:
    center-align "^0.1.1"
    right-align "^0.1.1"
    wordwrap "0.0.2"

cliui@^3.2.0:
  version "3.2.0"
  resolved "https://registry.yarnpkg.com/cliui/-/cliui-3.2.0.tgz#120601537a916d29940f934da3b48d585a39213d"
  dependencies:
    string-width "^1.0.1"
    strip-ansi "^3.0.1"
    wrap-ansi "^2.0.0"

clone-deep@^0.3.0:
```

```
  version "0.3.0"
  resolved
    → "https://registry.yarnpkg.com/clone-deep/-/clone-deep-0.3.0.tgz#348c61ae9cdbe0edfe053d91ff4cc521d790ede8"
  dependencies:
    for-own "^1.0.0"
    is-plain-object "^2.0.1"
    kind-of "^3.2.2"
    shallow-clone "^0.1.2"

clone@^1.0.2:
  version "1.0.3"
  resolved "https://registry.yarnpkg.com/clone/-/clone-1.0.3.tgz#298d7e2231660f40c003c2ed3140decf3f53085f"

co@^4.6.0:
  version "4.6.0"
  resolved "https://registry.yarnpkg.com/co/-/co-4.6.0.tgz#6ea6bdf3d853ae54ccb8e47bfa0bf3f9031fb184"

coa@^1.0.1:
  version "1.0.4"
  resolved "https://registry.yarnpkg.com/coa/-/coa-1.0.4.tgz#a9ef153660d6a86a8bdec0289a5c684d217432fd"
  dependencies:
    q "^1.1.2"

code-point-at@^1.0.0:
  version "1.1.0"
  resolved
    → "https://registry.yarnpkg.com/code-point-at/-/code-point-at-1.1.0.tgz#0d070b4d043a5bea33a2f1a40e2edb3d9a4ccf
codemirror@^5.34.0:
  version "5.34.0"
  resolved
    → "https://registry.yarnpkg.com/codemirror/-/codemirror-5.34.0.tgz#e345dcc09a6149db65cc70dff9d389c1c4b0cd06"

coffee-loader@^0.8.0:
  version "0.8.0"
  resolved
    → "https://registry.yarnpkg.com/coffee-loader/-/coffee-loader-0.8.0.tgz#ec48e7327da8e3a99047a99d9bdcfcac12df36
  dependencies:
    loader-utils "^1.0.2"

color-convert@^1.3.0, color-convert@^1.8.2, color-convert@^1.9.0:
  version "1.9.1"
  resolved
    → "https://registry.yarnpkg.com/color-convert/-/color-convert-1.9.1.tgz#c1261107aeb2f294ebffec9ed9ecad529a6097
  dependencies:
    color-name "^1.1.1"

color-name@^1.0.0, color-name@^1.1.1:
  version "1.1.3"
  resolved
    → "https://registry.yarnpkg.com/color-name/-/color-name-1.1.3.tgz#a7d0558bd89c42f795dd42328f740831ca53bc25"

color-string@^0.3.0:
  version "0.3.0"
  resolved
    → "https://registry.yarnpkg.com/color-string/-/color-string-0.3.0.tgz#27d46fb67025c5c2fa25993bfbf579e47841b991
  dependencies:
    color-name "^1.0.0"

color-string@^1.4.0:
  version "1.5.2"
```

```
    resolved
    → "https://registry.yarnpkg.com/color-string/-/color-string-1.5.2.tgz#26e45814bc3c9a7cbd6751648a41434514a773a9
  dependencies:
    color-name "^1.0.0"
    simple-swizzle "^0.2.2"

color@^0.11.0:
  version "0.11.4"
  resolved "https://registry.yarnpkg.com/color/-/color-0.11.4.tgz#6d7b5c74fb65e841cd48792ad1ed5e07b904d764"
  dependencies:
    clone "^1.0.2"
    color-convert "^1.3.0"
    color-string "^0.3.0"

color@^1.0.3:
  version "1.0.3"
  resolved "https://registry.yarnpkg.com/color/-/color-1.0.3.tgz#e48e832d85f14ef694fb468811c2d5cfe729b55d"
  dependencies:
    color-convert "^1.8.2"
    color-string "^1.4.0"

colormin@^1.0.5:
  version "1.1.2"
  resolved
    → "https://registry.yarnpkg.com/colormin/-/colormin-1.1.2.tgz#ea2f7420a72b96881a38aae59ec124a6f7298133"
  dependencies:
    color "^0.11.0"
    css-color-names "0.0.4"
    has "^1.0.1"

colors@~1.1.2:
  version "1.1.2"
  resolved "https://registry.yarnpkg.com/colors/-/colors-1.1.2.tgz#168a4701756b6a7f51a12ce0c97bfa28c084ed63"

combined-stream@^1.0.5, combined-stream@~1.0.5:
  version "1.0.5"
  resolved
    → "https://registry.yarnpkg.com/combined-stream/-/combined-stream-1.0.5.tgz#938370a57b4a51dea2c77c15d5c5fdf895
  dependencies:
    delayed-stream "~1.0.0"

commondir@^1.0.1:
  version "1.0.1"
  resolved
    → "https://registry.yarnpkg.com/commondir/-/commondir-1.0.1.tgz#ddd800da0c66127393cca5950ea968a3aaf1253b"

complex.js@2.0.4:
  version "2.0.4"
  resolved
    → "https://registry.yarnpkg.com/complex.js/-/complex.js-2.0.4.tgz#d8e7cfb9652d1e853e723386421c1a0ca7a48373"

compressible@~2.0.11:
  version "2.0.12"
  resolved
    → "https://registry.yarnpkg.com/compressible/-/compressible-2.0.12.tgz#c59a5c99db76767e9876500e271ef63b3493bd6
  dependencies:
    mime-db ">= 1.30.0 < 2"

compression-webpack-plugin@^1.0.0:
  version "1.0.1"
  resolved
    → "https://registry.yarnpkg.com/compression-webpack-plugin/-/compression-webpack-plugin-1.0.1.tgz#7f0a2af9f642
```

```
  dependencies:
    async "2.4.1"
    webpack-sources "^1.0.1"

compression@^1.5.2:
  version "1.7.1"
  resolved
  ↪   "https://registry.yarnpkg.com/compression/-/compression-1.7.1.tgz#eff2603efc2e22cf86f35d2eb93589f9875373db"
  dependencies:
    accepts "~1.3.4"
    bytes "3.0.0"
    compressible "~2.0.11"
    debug "2.6.9"
    on-headers "~1.0.1"
    safe-buffer "5.1.1"
    vary "~1.1.2"

concat-map@0.0.1:
  version "0.0.1"
  resolved
  ↪   "https://registry.yarnpkg.com/concat-map/-/concat-map-0.0.1.tgz#d8a96bd77fd68df7793a73036a3ba0d5405d477b"

connect-history-api-fallback@^1.3.0:
  version "1.5.0"
  resolved
  ↪   "https://registry.yarnpkg.com/connect-history-api-fallback/-/connect-history-api-fallback-1.5.0.tgz#b0687393
console-browserify@^1.1.0:
  version "1.1.0"
  resolved
  ↪   "https://registry.yarnpkg.com/console-browserify/-/console-browserify-1.1.0.tgz#f0241c45730a9fc6323b206dbf38
  dependencies:
    date-now "^0.1.4"

console-control-strings@^1.0.0, console-control-strings@~1.1.0:
  version "1.1.0"
  resolved
  ↪   "https://registry.yarnpkg.com/console-control-strings/-/console-control-strings-1.1.0.tgz#3d7cf4464db6446ea6
constants-browserify@^1.0.0:
  version "1.0.0"
  resolved
  ↪   "https://registry.yarnpkg.com/constants-browserify/-/constants-browserify-1.0.0.tgz#c20b96d8c617748aaf1c1602
content-disposition@0.5.2:
  version "0.5.2"
  resolved
  ↪   "https://registry.yarnpkg.com/content-disposition/-/content-disposition-0.5.2.tgz#0cf68bb9ddf5f2be7961c3a851
content-type@~1.0.4:
  version "1.0.4"
  resolved
  ↪   "https://registry.yarnpkg.com/content-type/-/content-type-1.0.4.tgz#e138cc75e040c727b1966fe5e5f8c9aee256fe3b
convert-source-map@^0.3.3:
  version "0.3.5"
  resolved
  ↪   "https://registry.yarnpkg.com/convert-source-map/-/convert-source-map-0.3.5.tgz#f1d802950af7dd2631a1febe0596
convert-source-map@^1.1.1, convert-source-map@^1.5.0:
  version "1.5.0"
```

```
  resolved
  ↪  "https://registry.yarnpkg.com/convert-source-map/-/convert-source-map-1.5.0.tgz#9acd70851c6d5dfdd93d9282e5ed

cookie-signature@1.0.6:
  version "1.0.6"
  resolved
  ↪  "https://registry.yarnpkg.com/cookie-signature/-/cookie-signature-1.0.6.tgz#e303a882b342cc3ee8ca513a7999973

cookie@0.3.1:
  version "0.3.1"
  resolved "https://registry.yarnpkg.com/cookie/-/cookie-0.3.1.tgz#e7e0a1f9ef43b4c8ba925c5c5a96e806d16873bb"

core-js@^1.0.0:
  version "1.2.7"
  resolved "https://registry.yarnpkg.com/core-js/-/core-js-1.2.7.tgz#652294c14651db28fa93bd2d5ff2983a4f08c636"

core-js@^2.4.0, core-js@^2.5.0:
  version "2.5.1"
  resolved "https://registry.yarnpkg.com/core-js/-/core-js-2.5.1.tgz#ae6874dc66937789b80754ff5428df66819ca50b"

core-util-is@1.0.2, core-util-is@~1.0.0:
  version "1.0.2"
  resolved
  ↪  "https://registry.yarnpkg.com/core-util-is/-/core-util-is-1.0.2.tgz#b5fd54220aa2bc5ab57aab7140c940754503c1a7

cosmiconfig@^2.1.0, cosmiconfig@^2.1.1:
  version "2.2.2"
  resolved
  ↪  "https://registry.yarnpkg.com/cosmiconfig/-/cosmiconfig-2.2.2.tgz#6173cebd56fac042c1f4390edf7af6c07c7cb892"
  dependencies:
    is-directory "^0.3.1"
    js-yaml "^3.4.3"
    minimist "^1.2.0"
    object-assign "^4.1.0"
    os-homedir "^1.0.1"
    parse-json "^2.2.0"
    require-from-string "^1.1.0"

create-ecdh@^4.0.0:
  version "4.0.0"
  resolved
  ↪  "https://registry.yarnpkg.com/create-ecdh/-/create-ecdh-4.0.0.tgz#888c723596cdf7612f6498233eebd7a35301737d"
  dependencies:
    bn.js "^4.1.0"
    elliptic "^6.0.0"

create-hash@^1.1.0, create-hash@^1.1.2:
  version "1.1.3"
  resolved
  ↪  "https://registry.yarnpkg.com/create-hash/-/create-hash-1.1.3.tgz#606042ac8b9262750f483caddab0f5819172d8fd"
  dependencies:
    cipher-base "^1.0.1"
    inherits "^2.0.1"
    ripemd160 "^2.0.0"
    sha.js "^2.4.0"

create-hmac@^1.1.0, create-hmac@^1.1.2, create-hmac@^1.1.4:
  version "1.1.6"
  resolved
  ↪  "https://registry.yarnpkg.com/create-hmac/-/create-hmac-1.1.6.tgz#acb9e221a4e17bdb076e90657c42b93e3726cf06"
  dependencies:
    cipher-base "^1.0.3"
```

```
    create-hash "^1.1.0"
    inherits "^2.0.1"
    ripemd160 "^2.0.0"
    safe-buffer "^5.0.1"
    sha.js "^2.4.8"

cross-spawn@^3.0.0:
  version "3.0.1"
  resolved
  → "https://registry.yarnpkg.com/cross-spawn/-/cross-spawn-3.0.1.tgz#1256037ecb9f0c5f79e3d6ef135e30770184b982"
  dependencies:
    lru-cache "^4.0.1"
    which "^1.2.9"

cross-spawn@^5.0.1:
  version "5.1.0"
  resolved
  → "https://registry.yarnpkg.com/cross-spawn/-/cross-spawn-5.1.0.tgz#e8bd0efee58fcff6f8f94510a0a554bbfa235449"
  dependencies:
    lru-cache "^4.0.1"
    shebang-command "^1.2.0"
    which "^1.2.9"

cryptiles@2.x.x:
  version "2.0.5"
  resolved
  → "https://registry.yarnpkg.com/cryptiles/-/cryptiles-2.0.5.tgz#3bdfecdc608147c1c67202fa291e7dca59eaa3b8"
  dependencies:
    boom "2.x.x"

cryptiles@3.x.x:
  version "3.1.2"
  resolved
  → "https://registry.yarnpkg.com/cryptiles/-/cryptiles-3.1.2.tgz#a89fbb220f5ce25ec56e8c4aa8a4fd7b5b0d29fe"
  dependencies:
    boom "5.x.x"

crypto-browserify@^3.11.0:
  version "3.12.0"
  resolved
  → "https://registry.yarnpkg.com/crypto-browserify/-/crypto-browserify-3.12.0.tgz#396cf9f3137f03e4b8e532c58f698
  dependencies:
    browserify-cipher "^1.0.0"
    browserify-sign "^4.0.0"
    create-ecdh "^4.0.0"
    create-hash "^1.1.0"
    create-hmac "^1.1.0"
    diffie-hellman "^5.0.0"
    inherits "^2.0.1"
    pbkdf2 "^3.0.3"
    public-encrypt "^4.0.0"
    randombytes "^2.0.0"
    randomfill "^1.0.3"

css-color-function@~1.3.3:
  version "1.3.3"
  resolved
  → "https://registry.yarnpkg.com/css-color-function/-/css-color-function-1.3.3.tgz#8ed24c2c0205073339fafa004bc8
  dependencies:
    balanced-match "0.1.0"
    color "^0.11.0"
    debug "^3.1.0"
    rgb "~0.1.0"
```

```
css-color-names@0.0.4:
  version "0.0.4"
  resolved
  → "https://registry.yarnpkg.com/css-color-names/-/css-color-names-0.0.4.tgz#808adc2e79cf84738069b646cb20ec27be

css-loader@^0.28.5:
  version "0.28.7"
  resolved
  → "https://registry.yarnpkg.com/css-loader/-/css-loader-0.28.7.tgz#5f2ee989dd32edd907717f953317656160999c1b"
  dependencies:
    babel-code-frame "^6.11.0"
    css-selector-tokenizer "^0.7.0"
    cssnano ">=2.6.1 <4"
    icss-utils "^2.1.0"
    loader-utils "^1.0.2"
    lodash.camelcase "^4.3.0"
    object-assign "^4.0.1"
    postcss "^5.0.6"
    postcss-modules-extract-imports "^1.0.0"
    postcss-modules-local-by-default "^1.0.1"
    postcss-modules-scope "^1.0.0"
    postcss-modules-values "^1.1.0"
    postcss-value-parser "^3.3.0"
    source-list-map "^2.0.0"

css-selector-tokenizer@^0.7.0:
  version "0.7.0"
  resolved
  → "https://registry.yarnpkg.com/css-selector-tokenizer/-/css-selector-tokenizer-0.7.0.tgz#e6988474ae8c953477bf
  dependencies:
    cssesc "^0.1.0"
    fastparse "^1.1.1"
    regexpu-core "^1.0.0"

css-unit-converter@^1.1.1:
  version "1.1.1"
  resolved
  → "https://registry.yarnpkg.com/css-unit-converter/-/css-unit-converter-1.1.1.tgz#d9b9281adcfd8ced935bdbaba837

css@^2.0.0:
  version "2.2.1"
  resolved "https://registry.yarnpkg.com/css/-/css-2.2.1.tgz#73a4c81de85db664d4ee674f7d47085e3b2d55dc"
  dependencies:
    inherits "^2.0.1"
    source-map "^0.1.38"
    source-map-resolve "^0.3.0"
    urix "^0.1.0"

cssesc@^0.1.0:
  version "0.1.0"
  resolved "https://registry.yarnpkg.com/cssesc/-/cssesc-0.1.0.tgz#c814903e45623371a0477b40109aaafbeeaddbb4"

"cssnano@>=2.6.1 <4":
  version "3.10.0"
  resolved
  → "https://registry.yarnpkg.com/cssnano/-/cssnano-3.10.0.tgz#4f38f6cea2b9b17fa01490f23f1dc68ea65c1c38"
  dependencies:
    autoprefixer "^6.3.1"
    decamelize "^1.1.2"
    defined "^1.0.0"
    has "^1.0.1"
    object-assign "^4.0.1"
```

```
    postcss "^5.0.14"
    postcss-calc "^5.2.0"
    postcss-colormin "^2.1.8"
    postcss-convert-values "^2.3.4"
    postcss-discard-comments "^2.0.4"
    postcss-discard-duplicates "^2.0.1"
    postcss-discard-empty "^2.0.1"
    postcss-discard-overridden "^0.1.1"
    postcss-discard-unused "^2.2.1"
    postcss-filter-plugins "^2.0.0"
    postcss-merge-idents "^2.1.5"
    postcss-merge-longhand "^2.0.1"
    postcss-merge-rules "^2.0.3"
    postcss-minify-font-values "^1.0.2"
    postcss-minify-gradients "^1.0.1"
    postcss-minify-params "^1.0.4"
    postcss-minify-selectors "^2.0.4"
    postcss-normalize-charset "^1.1.0"
    postcss-normalize-url "^3.0.7"
    postcss-ordered-values "^2.1.0"
    postcss-reduce-idents "^2.2.2"
    postcss-reduce-initial "^1.0.0"
    postcss-reduce-transforms "^1.0.3"
    postcss-svgo "^2.1.1"
    postcss-unique-selectors "^2.0.2"
    postcss-value-parser "^3.2.3"
    postcss-zindex "^2.0.1"

csso@^2.3.1:
  version "2.3.2"
  resolved "https://registry.yarnpkg.com/csso/-/csso-2.3.2.tgz#ddd52c587033f49e94b71fc55569f252e8ff5f85"
  dependencies:
    clap "^1.0.9"
    source-map "^0.5.3"

currently-unhandled@^0.4.1:
  version "0.4.1"
  resolved
    → "https://registry.yarnpkg.com/currently-unhandled/-/currently-unhandled-0.4.1.tgz#988df33feab191ef799a61369c
  dependencies:
    array-find-index "^1.0.1"

d@1:
  version "1.0.0"
  resolved "https://registry.yarnpkg.com/d/-/d-1.0.0.tgz#754bb5bfe55451da69a58b94d45f4c5b0462d58f"
  dependencies:
    es5-ext "^0.10.9"

dashdash@^1.12.0:
  version "1.14.1"
  resolved
    → "https://registry.yarnpkg.com/dashdash/-/dashdash-1.14.1.tgz#853cfa0f7cbe2fed5de20326b8dd581035f6e2f0"
  dependencies:
    assert-plus "^1.0.0"

date-now@^0.1.4:
  version "0.1.4"
  resolved
    → "https://registry.yarnpkg.com/date-now/-/date-now-0.1.4.tgz#eaf439fd4d4848ad74e5cc7dbef200672b9e345b"

debug@2.6.9, debug@^2.2.0, debug@^2.6.6, debug@^2.6.8:
  version "2.6.9"
  resolved "https://registry.yarnpkg.com/debug/-/debug-2.6.9.tgz#5d128515df134ff327e90a4c93f4e077a536341f"
```

```
  dependencies:
    ms "2.0.0"

debug@^3.1.0:
  version "3.1.0"
  resolved "https://registry.yarnpkg.com/debug/-/debug-3.1.0.tgz#5bb5a0672628b64149566ba16819e61518c67261"
  dependencies:
    ms "2.0.0"

decamelize@^1.0.0, decamelize@^1.1.1, decamelize@^1.1.2:
  version "1.2.0"
  resolved
  → "https://registry.yarnpkg.com/decamelize/-/decamelize-1.2.0.tgz#f6534d15148269b20352e7bee26f501f9a191290"

decimal.js@7.2.3:
  version "7.2.3"
  resolved
  → "https://registry.yarnpkg.com/decimal.js/-/decimal.js-7.2.3.tgz#6434c3b8a8c375780062fc633d0d2bbdb264cc78"

deep-equal@^1.0.1:
  version "1.0.1"
  resolved
  → "https://registry.yarnpkg.com/deep-equal/-/deep-equal-1.0.1.tgz#f5d260292b660e084eff4cdbc9f08ad3247448b5"

deep-extend@~0.4.0:
  version "0.4.2"
  resolved
  → "https://registry.yarnpkg.com/deep-extend/-/deep-extend-0.4.2.tgz#48b699c27e334bf89f10892be432f6e4c7d34a7f"

define-properties@^1.1.2:
  version "1.1.2"
  resolved
  → "https://registry.yarnpkg.com/define-properties/-/define-properties-1.1.2.tgz#83a73f2fea569898fb737193c8f873
  dependencies:
    foreach "^2.0.5"
    object-keys "^1.0.8"

defined@^1.0.0:
  version "1.0.0"
  resolved "https://registry.yarnpkg.com/defined/-/defined-1.0.0.tgz#c98d9bcef75674188e110969151199e39b1fa693"

del@^3.0.0:
  version "3.0.0"
  resolved "https://registry.yarnpkg.com/del/-/del-3.0.0.tgz#53ecf699ffcbcb39637691ab13baf160819766e5"
  dependencies:
    globby "^6.1.0"
    is-path-cwd "^1.0.0"
    is-path-in-cwd "^1.0.0"
    p-map "^1.1.1"
    pify "^3.0.0"
    rimraf "^2.2.8"

delayed-stream@~1.0.0:
  version "1.0.0"
  resolved
  → "https://registry.yarnpkg.com/delayed-stream/-/delayed-stream-1.0.0.tgz#df3ae199acadfb7d440aaae0b29e2272b24e
```

delegates@^1.0.0:
```
  version "1.0.0"
  resolved
  → "https://registry.yarnpkg.com/delegates/-/delegates-1.0.0.tgz#84c6e159b81904fdca59a0ef44cd870d31250f9a"
```

```
depd@1.1.1, depd@~1.1.1:
  version "1.1.1"
  resolved "https://registry.yarnpkg.com/depd/-/depd-1.1.1.tgz#5783b4e1c459f06fa5ca27f991f3d06e7a310359"

des.js@^1.0.0:
  version "1.0.0"
  resolved "https://registry.yarnpkg.com/des.js/-/des.js-1.0.0.tgz#c074d2e2aa6a8a9a07dbd61f9a15c2cd83ec8ecc"
  dependencies:
    inherits "^2.0.1"
    minimalistic-assert "^1.0.0"

destroy@~1.0.4:
  version "1.0.4"
  resolved "https://registry.yarnpkg.com/destroy/-/destroy-1.0.4.tgz#978857442c44749e4206613e37946205826abd80"

detect-indent@^4.0.0:
  version "4.0.0"
  resolved
  → "https://registry.yarnpkg.com/detect-indent/-/detect-indent-4.0.0.tgz#f76d064352cdf43a1cb6ce619c4ee3a9475de2"
  dependencies:
    repeating "^2.0.0"

detect-libc@^1.0.2:
  version "1.0.2"
  resolved
  → "https://registry.yarnpkg.com/detect-libc/-/detect-libc-1.0.2.tgz#71ad5d204bf17a6a6ca8f450c61454066ef461e1"

detect-node@^2.0.3:
  version "2.0.3"
  resolved
  → "https://registry.yarnpkg.com/detect-node/-/detect-node-2.0.3.tgz#a2033c09cc8e158d37748fbde7507832bd6ce127"

diffie-hellman@^5.0.0:
  version "5.0.2"
  resolved
  → "https://registry.yarnpkg.com/diffie-hellman/-/diffie-hellman-5.0.2.tgz#b5835739270cfe26acf632099fded2a07f20"
  dependencies:
    bn.js "^4.1.0"
    miller-rabin "^4.0.0"
    randombytes "^2.0.0"

dns-equal@^1.0.0:
  version "1.0.0"
  resolved
  → "https://registry.yarnpkg.com/dns-equal/-/dns-equal-1.0.0.tgz#b39e7f1da6eb0a75ba9c17324b34753c47e0654d"

dns-packet@^1.0.1:
  version "1.2.2"
  resolved
  → "https://registry.yarnpkg.com/dns-packet/-/dns-packet-1.2.2.tgz#a8a26bec7646438963fc86e06f8f8b16d6c8bf7a"
  dependencies:
    ip "^1.1.0"
    safe-buffer "^5.0.1"

dns-txt@^2.0.2:
  version "2.0.2"
  resolved "https://registry.yarnpkg.com/dns-txt/-/dns-txt-2.0.2.tgz#b91d806f5d27188e4ab3e7d107d881a1cc4642b6"
  dependencies:
    buffer-indexof "^1.0.0"

domain-browser@^1.1.1:
  version "1.1.7"
```

```
  resolved
  ↪  "https://registry.yarnpkg.com/domain-browser/-/domain-browser-1.1.7.tgz#867aa4b093faa05f1de08c06f4d7b21fdf86

ecc-jsbn@~0.1.1:
  version "0.1.1"
  resolved
  ↪  "https://registry.yarnpkg.com/ecc-jsbn/-/ecc-jsbn-0.1.1.tgz#0fc73a9ed5f0d53c38193398523ef7e543777505"
  dependencies:
    jsbn "~0.1.0"

ee-first@1.1.1:
  version "1.1.1"
  resolved
  ↪  "https://registry.yarnpkg.com/ee-first/-/ee-first-1.1.1.tgz#590c61156b0ae2f4f0255732a158b266bc56b21d"

electron-to-chromium@^1.2.7, electron-to-chromium@^1.3.27:
  version "1.3.27"
  resolved
  ↪  "https://registry.yarnpkg.com/electron-to-chromium/-/electron-to-chromium-1.3.27.tgz#78ecb8a399066187bb374ee

elliptic@^6.0.0:
  version "6.4.0"
  resolved
  ↪  "https://registry.yarnpkg.com/elliptic/-/elliptic-6.4.0.tgz#cac9af8762c85836187003c8dfe193e5e2eae5df"
  dependencies:
    bn.js "^4.4.0"
    brorand "^1.0.1"
    hash.js "^1.0.0"
    hmac-drbg "^1.0.0"
    inherits "^2.0.1"
    minimalistic-assert "^1.0.0"
    minimalistic-crypto-utils "^1.0.0"

emojis-list@^2.0.0:
  version "2.1.0"
  resolved
  ↪  "https://registry.yarnpkg.com/emojis-list/-/emojis-list-2.1.0.tgz#4daa4d9db00f9819880c79fa457ae5b09a1fd389"

encodeurl@~1.0.1:
  version "1.0.1"
  resolved
  ↪  "https://registry.yarnpkg.com/encodeurl/-/encodeurl-1.0.1.tgz#79e3d58655346909fe6f0f45a5de68103b294d20"

encoding@^0.1.11:
  version "0.1.12"
  resolved
  ↪  "https://registry.yarnpkg.com/encoding/-/encoding-0.1.12.tgz#538b66f3ee62cd1ab51ec323829d1f9480c74beb"
  dependencies:
    iconv-lite "~0.4.13"

enhanced-resolve@^3.4.0:
  version "3.4.1"
  resolved
  ↪  "https://registry.yarnpkg.com/enhanced-resolve/-/enhanced-resolve-3.4.1.tgz#0421e339fd71419b3da13d129b397904
  dependencies:
    graceful-fs "^4.1.2"
    memory-fs "^0.4.0"
    object-assign "^4.0.1"
    tapable "^0.2.7"

errno@^0.1.3:
  version "0.1.4"
```

```
    resolved "https://registry.yarnpkg.com/errno/-/errno-0.1.4.tgz#b896e23a9e5e8ba33871fc996abd3635fc9a1c7d"
    dependencies:
      prr "~0.0.0"

error-ex@^1.2.0:
  version "1.3.1"
  resolved
  →   "https://registry.yarnpkg.com/error-ex/-/error-ex-1.3.1.tgz#f855a86ce61adc4e8621c3cda21e7a7612c3a8dc"
  dependencies:
    is-arrayish "^0.2.1"

es-abstract@^1.7.0:
  version "1.9.0"
  resolved
  →   "https://registry.yarnpkg.com/es-abstract/-/es-abstract-1.9.0.tgz#690829a07cae36b222e7fd9b75c0d0573eb25227"
  dependencies:
    es-to-primitive "^1.1.1"
    function-bind "^1.1.1"
    has "^1.0.1"
    is-callable "^1.1.3"
    is-regex "^1.0.4"

es-to-primitive@^1.1.1:
  version "1.1.1"
  resolved
  →   "https://registry.yarnpkg.com/es-to-primitive/-/es-to-primitive-1.1.1.tgz#45355248a88979034b6792e19bb81f2b79
  dependencies:
    is-callable "^1.1.1"
    is-date-object "^1.0.1"
    is-symbol "^1.0.1"

es5-ext@^0.10.14, es5-ext@^0.10.35, es5-ext@^0.10.9, es5-ext@~0.10.14:
  version "0.10.35"
  resolved
  →   "https://registry.yarnpkg.com/es5-ext/-/es5-ext-0.10.35.tgz#18ee858ce6a3c45c7d79e91c15fcca9ec568494f"
  dependencies:
    es6-iterator "~2.0.1"
    es6-symbol "~3.1.1"

es6-iterator@^2.0.1, es6-iterator@~2.0.1:
  version "2.0.3"
  resolved
  →   "https://registry.yarnpkg.com/es6-iterator/-/es6-iterator-2.0.3.tgz#a7de889141a05a94b0854403b2d0a0fbfa98f3b7
  dependencies:
    d "1"
    es5-ext "^0.10.35"
    es6-symbol "^3.1.1"

es6-map@^0.1.3:
  version "0.1.5"
  resolved "https://registry.yarnpkg.com/es6-map/-/es6-map-0.1.5.tgz#9136e0503dcc06a301690f0bb14ff4e364e949f0"
  dependencies:
    d "1"
    es5-ext "~0.10.14"
    es6-iterator "~2.0.1"
    es6-set "~0.1.5"
    es6-symbol "~3.1.1"
    event-emitter "~0.3.5"

es6-set@~0.1.5:
  version "0.1.5"
  resolved "https://registry.yarnpkg.com/es6-set/-/es6-set-0.1.5.tgz#d2b3ec5d4d800ced818db538d28974db0a73ccb1"
```

```
  dependencies:
    d "1"
    es5-ext "~0.10.14"
    es6-iterator "~2.0.1"
    es6-symbol "3.1.1"
    event-emitter "~0.3.5"

es6-symbol@3.1.1, es6-symbol@^3.1.1, es6-symbol@~3.1.1:
  version "3.1.1"
  resolved
  →    "https://registry.yarnpkg.com/es6-symbol/-/es6-symbol-3.1.1.tgz#bf00ef4fdab6ba1b46ecb7b629b4c7ed5715cc77"
  dependencies:
    d "1"
    es5-ext "~0.10.14"

es6-weak-map@^2.0.1:
  version "2.0.2"
  resolved
  →    "https://registry.yarnpkg.com/es6-weak-map/-/es6-weak-map-2.0.2.tgz#5e3ab32251ffd1538a1f8e5ffa1357772f92d96f
  dependencies:
    d "1"
    es5-ext "^0.10.14"
    es6-iterator "^2.0.1"
    es6-symbol "^3.1.1"

escape-html@~1.0.3:
  version "1.0.3"
  resolved
  →    "https://registry.yarnpkg.com/escape-html/-/escape-html-1.0.3.tgz#0258eae4d3d0c0974de1c169188ef0051d1d1988"

escape-string-regexp@^1.0.2, escape-string-regexp@^1.0.5:
  version "1.0.5"
  resolved
  →    "https://registry.yarnpkg.com/escape-string-regexp/-/escape-string-regexp-1.0.5.tgz#1b61c0562190a8dff6ae3bb2
 
escope@^3.6.0:
  version "3.6.0"
  resolved "https://registry.yarnpkg.com/escope/-/escope-3.6.0.tgz#e01975e812781a163a6dadfdd80398dc64c889c3"
  dependencies:
    es6-map "^0.1.3"
    es6-weak-map "^2.0.1"
    esrecurse "^4.1.0"
    estraverse "^4.1.1"

esprima@^2.6.0:
  version "2.7.3"
  resolved "https://registry.yarnpkg.com/esprima/-/esprima-2.7.3.tgz#96e3b70d5779f6ad49cd032673d1c312767ba581"

esprima@^4.0.0:
  version "4.0.0"
  resolved "https://registry.yarnpkg.com/esprima/-/esprima-4.0.0.tgz#4499eddcd1110e0b218bacf2fa7f7f59f55ca804"

esrecurse@^4.1.0:
  version "4.2.0"
  resolved
  →    "https://registry.yarnpkg.com/esrecurse/-/esrecurse-4.2.0.tgz#fa9568d98d3823f9a41d91e902dcab9ea6e5b163"
  dependencies:
    estraverse "^4.1.0"
    object-assign "^4.0.1"

estraverse@^4.1.0, estraverse@^4.1.1:
  version "4.2.0"
```

```
  resolved
  → "https://registry.yarnpkg.com/estraverse/-/estraverse-4.2.0.tgz#0dee3fed31fcd469618ce7342099fc1afa0bdb13"

esutils@^2.0.2:
  version "2.0.2"
  resolved "https://registry.yarnpkg.com/esutils/-/esutils-2.0.2.tgz#0abf4f1caa5bcb1f7a9d8acc6dea4faaa04bac9b"

etag@~1.8.1:
  version "1.8.1"
  resolved "https://registry.yarnpkg.com/etag/-/etag-1.8.1.tgz#41ae2eeb65efa62268aebfea83ac7d79299b0887"

event-emitter@~0.3.5:
  version "0.3.5"
  resolved
  → "https://registry.yarnpkg.com/event-emitter/-/event-emitter-0.3.5.tgz#df8c69eef1647923c7157b9ce83840610b02cc
  dependencies:
    d "1"
    es5-ext "~0.10.14"

eventemitter3@1.x.x:
  version "1.2.0"
  resolved
  → "https://registry.yarnpkg.com/eventemitter3/-/eventemitter3-1.2.0.tgz#1c86991d816ad1e504750e73874224ecf3bec5

events@^1.0.0:
  version "1.1.1"
  resolved "https://registry.yarnpkg.com/events/-/events-1.1.1.tgz#9ebdb7635ad099c70dcc4c2a1f5004288e8bd924"

eventsource@0.1.6:
  version "0.1.6"
  resolved
  → "https://registry.yarnpkg.com/eventsource/-/eventsource-0.1.6.tgz#0acede849ed7dd1ccc32c811bb11b944d4f29232"
  dependencies:
    original ">=0.0.5"

evp_bytestokey@^1.0.0, evp_bytestokey@^1.0.3:
  version "1.0.3"
  resolved
  → "https://registry.yarnpkg.com/evp_bytestokey/-/evp_bytestokey-1.0.3.tgz#7fcbdb198dc71959432efe13842684e0525a
  dependencies:
    md5.js "^1.3.4"
    safe-buffer "^5.1.1"

execa@^0.7.0:
  version "0.7.0"
  resolved "https://registry.yarnpkg.com/execa/-/execa-0.7.0.tgz#944becd34cc41ee32a63a9faf27ad5a65fc59777"
  dependencies:
    cross-spawn "^5.0.1"
    get-stream "^3.0.0"
    is-stream "^1.1.0"
    npm-run-path "^2.0.0"
    p-finally "^1.0.0"
    signal-exit "^3.0.0"
    strip-eof "^1.0.0"

expand-brackets@^0.1.4:
  version "0.1.5"
  resolved
  → "https://registry.yarnpkg.com/expand-brackets/-/expand-brackets-0.1.5.tgz#df07284e342a807cd733ac5af72411e581
  dependencies:
    is-posix-bracket "^0.1.0"
```

```
expand-range@^1.8.1:
  version "1.8.2"
  resolved
  ↪   "https://registry.yarnpkg.com/expand-range/-/expand-range-1.8.2.tgz#a299effd335fe2721ebae8e257ec79644fc85337
  dependencies:
    fill-range "^2.1.0"

express@^4.13.3:
  version "4.16.2"
  resolved
  ↪   "https://registry.yarnpkg.com/express/-/express-4.16.2.tgz#e35c6dfe2d64b7dca0a5cd4f21781be3299e076c"
  dependencies:
    accepts "~1.3.4"
    array-flatten "1.1.1"
    body-parser "1.18.2"
    content-disposition "0.5.2"
    content-type "~1.0.4"
    cookie "0.3.1"
    cookie-signature "1.0.6"
    debug "2.6.9"
    depd "~1.1.1"
    encodeurl "~1.0.1"
    escape-html "~1.0.3"
    etag "~1.8.1"
    finalhandler "1.1.0"
    fresh "0.5.2"
    merge-descriptors "1.0.1"
    methods "~1.1.2"
    on-finished "~2.3.0"
    parseurl "~1.3.2"
    path-to-regexp "0.1.7"
    proxy-addr "~2.0.2"
    qs "6.5.1"
    range-parser "~1.2.0"
    safe-buffer "5.1.1"
    send "0.16.1"
    serve-static "1.13.1"
    setprototypeof "1.1.0"
    statuses "~1.3.1"
    type-is "~1.6.15"
    utils-merge "1.0.1"
    vary "~1.1.2"

extend@~3.0.0, extend@~3.0.1:
  version "3.0.1"
  resolved "https://registry.yarnpkg.com/extend/-/extend-3.0.1.tgz#a755ea7bc1adfcc5a31ce7e762dbaadc5e636444"

extglob@^0.3.1:
  version "0.3.2"
  resolved "https://registry.yarnpkg.com/extglob/-/extglob-0.3.2.tgz#2e18ff3d2f49ab2765cec9023f011daa8d8349a1"
  dependencies:
    is-extglob "^1.0.0"

extract-text-webpack-plugin@^3.0.0:
  version "3.0.2"
  resolved
  ↪   "https://registry.yarnpkg.com/extract-text-webpack-plugin/-/extract-text-webpack-plugin-3.0.2.tgz#5f043eaa02
  dependencies:
    async "^2.4.1"
    loader-utils "^1.1.0"
    schema-utils "^0.3.0"
    webpack-sources "^1.0.1"
```

```
extsprintf@1.3.0, extsprintf@^1.2.0:
  version "1.3.0"
  resolved
  ↪   "https://registry.yarnpkg.com/extsprintf/-/extsprintf-1.3.0.tgz#96918440e3041a7a414f8c52e3c574eb3c3e1e05"

fast-deep-equal@^1.0.0:
  version "1.0.0"
  resolved
  ↪   "https://registry.yarnpkg.com/fast-deep-equal/-/fast-deep-equal-1.0.0.tgz#96256a3bc975595eb36d82e9929d060d89

fast-json-stable-stringify@^2.0.0:
  version "2.0.0"
  resolved
  ↪   "https://registry.yarnpkg.com/fast-json-stable-stringify/-/fast-json-stable-stringify-2.0.0.tgz#d5142c0caee6

fastparse@^1.1.1:
  version "1.1.1"
  resolved
  ↪   "https://registry.yarnpkg.com/fastparse/-/fastparse-1.1.1.tgz#d1e2643b38a94d7583b479060e6c4affc94071f8"

faye-websocket@^0.10.0:
  version "0.10.0"
  resolved
  ↪   "https://registry.yarnpkg.com/faye-websocket/-/faye-websocket-0.10.0.tgz#4e492f8d04dfb6f89003507f6edbf2d501e
  dependencies:
    websocket-driver ">=0.5.1"

faye-websocket@~0.11.0:
  version "0.11.1"
  resolved
  ↪   "https://registry.yarnpkg.com/faye-websocket/-/faye-websocket-0.11.1.tgz#f0efe18c4f56e4f40afc7e06c719fd5ee61
  dependencies:
    websocket-driver ">=0.5.1"

fbjs@^0.8.16:
  version "0.8.16"
  resolved "https://registry.yarnpkg.com/fbjs/-/fbjs-0.8.16.tgz#5e67432f550dc41b572bf55847b8aca64e5337db"
  dependencies:
    core-js "^1.0.0"
    isomorphic-fetch "^2.1.1"
    loose-envify "^1.0.0"
    object-assign "^4.1.0"
    promise "^7.1.1"
    setimmediate "^1.0.5"
    ua-parser-js "^0.7.9"

file-loader@^0.11.2:
  version "0.11.2"
  resolved
  ↪   "https://registry.yarnpkg.com/file-loader/-/file-loader-0.11.2.tgz#4ff1df28af38719a6098093b88c82c71d1794a34"
  dependencies:
    loader-utils "^1.0.2"

filename-regex@^2.0.0:
  version "2.0.1"
  resolved
  ↪   "https://registry.yarnpkg.com/filename-regex/-/filename-regex-2.0.1.tgz#c1c4b9bee3e09725ddb106b75c1e301fe2f1

fill-range@^2.1.0:
  version "2.2.3"
  resolved
  ↪   "https://registry.yarnpkg.com/fill-range/-/fill-range-2.2.3.tgz#50b77dfd7e469bc7492470963699fe7a8485a723"
```

```
  dependencies:
    is-number "^2.1.0"
    isobject "^2.0.0"
    randomatic "^1.1.3"
    repeat-element "^1.1.2"
    repeat-string "^1.5.2"

finalhandler@1.1.0:
  version "1.1.0"
  resolved
  →   "https://registry.yarnpkg.com/finalhandler/-/finalhandler-1.1.0.tgz#ce0b6855b45853e791b2fcc680046d88253dd7f5
  dependencies:
    debug "2.6.9"
    encodeurl "~1.0.1"
    escape-html "~1.0.3"
    on-finished "~2.3.0"
    parseurl "~1.3.2"
    statuses "~1.3.1"
    unpipe "~1.0.0"

find-cache-dir@^1.0.0:
  version "1.0.0"
  resolved
  →   "https://registry.yarnpkg.com/find-cache-dir/-/find-cache-dir-1.0.0.tgz#9288e3e9e3cc3748717d39eade17cf71fc30
  dependencies:
    commondir "^1.0.1"
    make-dir "^1.0.0"
    pkg-dir "^2.0.0"

find-up@^1.0.0:
  version "1.1.2"
  resolved "https://registry.yarnpkg.com/find-up/-/find-up-1.1.2.tgz#6b2e9822b1a2ce0a60ab64d610eccad53cb24d0f"
  dependencies:
    path-exists "^2.0.0"
    pinkie-promise "^2.0.0"

find-up@^2.0.0, find-up@^2.1.0:
  version "2.1.0"
  resolved "https://registry.yarnpkg.com/find-up/-/find-up-2.1.0.tgz#45d1b7e506c717ddd482775a2b77920a3c0c57a7"
  dependencies:
    locate-path "^2.0.0"

flatten@^1.0.2:
  version "1.0.2"
  resolved "https://registry.yarnpkg.com/flatten/-/flatten-1.0.2.tgz#dae46a9d78fbe25292258cc1e780a41d95c03782"

for-in@^0.1.3:
  version "0.1.8"
  resolved "https://registry.yarnpkg.com/for-in/-/for-in-0.1.8.tgz#d8773908e31256109952b1fdb9b3fa867d2775e1"

for-in@^1.0.1:
  version "1.0.2"
  resolved "https://registry.yarnpkg.com/for-in/-/for-in-1.0.2.tgz#81068d295a8142ec0ac726c6e2200c30fb6d5e80"

for-own@^0.1.4:
  version "0.1.5"
  resolved "https://registry.yarnpkg.com/for-own/-/for-own-0.1.5.tgz#5265c681a4f294dabbf17c9509b6763aa84510ce"
  dependencies:
    for-in "^1.0.1"

for-own@^1.0.0:
  version "1.0.0"
```

```
      resolved "https://registry.yarnpkg.com/for-own/-/for-own-1.0.0.tgz#c63332f415cedc4b04dbfe70cf836494c53cb44b"
      dependencies:
        for-in "^1.0.1"

foreach@^2.0.5:
    version "2.0.5"
    resolved "https://registry.yarnpkg.com/foreach/-/foreach-2.0.5.tgz#0bee005018aeb260d0a3af3ae658dd0136ec1b99"

forever-agent@~0.6.1:
    version "0.6.1"
    resolved
    ↪   "https://registry.yarnpkg.com/forever-agent/-/forever-agent-0.6.1.tgz#fbc71f0c41adeb37f96c577ad1ed42d8fdacca

form-data@~2.1.1:
    version "2.1.4"
    resolved
    ↪   "https://registry.yarnpkg.com/form-data/-/form-data-2.1.4.tgz#33c183acf193276ecaa98143a69e94bfee1750d1"
    dependencies:
        asynckit "^0.4.0"
        combined-stream "^1.0.5"
        mime-types "^2.1.12"

form-data@~2.3.1:
    version "2.3.1"
    resolved
    ↪   "https://registry.yarnpkg.com/form-data/-/form-data-2.3.1.tgz#6fb94fbd71885306d73d15cc497fe4cc4ecd44bf"
    dependencies:
        asynckit "^0.4.0"
        combined-stream "^1.0.5"
        mime-types "^2.1.12"

forwarded@~0.1.2:
    version "0.1.2"
    resolved
    ↪   "https://registry.yarnpkg.com/forwarded/-/forwarded-0.1.2.tgz#98c23dab1175657b8c0573e8ceccd91b0ff18c84"

fraction.js@4.0.2:
    version "4.0.2"
    resolved
    ↪   "https://registry.yarnpkg.com/fraction.js/-/fraction.js-4.0.2.tgz#0eae896626f334b1bde763371347a83b5575d7f0"

fresh@0.5.2:
    version "0.5.2"
    resolved "https://registry.yarnpkg.com/fresh/-/fresh-0.5.2.tgz#3d8cadd90d976569fa835ab1f8e4b23a105605a7"

fs-extra@^0.30.0:
    version "0.30.0"
    resolved
    ↪   "https://registry.yarnpkg.com/fs-extra/-/fs-extra-0.30.0.tgz#f233ffcc08d4da7d432daa449776989db1df93f0"
    dependencies:
        graceful-fs "^4.1.2"
        jsonfile "^2.1.0"
        klaw "^1.0.0"
        path-is-absolute "^1.0.0"
        rimraf "^2.2.8"

fs.realpath@^1.0.0:
    version "1.0.0"
    resolved
    ↪   "https://registry.yarnpkg.com/fs.realpath/-/fs.realpath-1.0.0.tgz#1504ad2523158caa40db4a2787cb01411994ea4f"

fsevents@^1.0.0:
```

```
    version "1.1.3"
    resolved
    ↪   "https://registry.yarnpkg.com/fsevents/-/fsevents-1.1.3.tgz#11f82318f5fe7bb2cd22965a108e9306208216d8"
    dependencies:
      nan "^2.3.0"
      node-pre-gyp "^0.6.39"

fstream-ignore@^1.0.5:
    version "1.0.5"
    resolved
    ↪   "https://registry.yarnpkg.com/fstream-ignore/-/fstream-ignore-1.0.5.tgz#9c31dae34767018fe1d249b24dada67d092c
    dependencies:
      fstream "^1.0.0"
      inherits "2"
      minimatch "^3.0.0"

fstream@^1.0.0, fstream@^1.0.10, fstream@^1.0.2:
    version "1.0.11"
    resolved
    ↪   "https://registry.yarnpkg.com/fstream/-/fstream-1.0.11.tgz#5c1fb1f117477114f0632a0eb4b71b3cb0fd3171"
    dependencies:
      graceful-fs "^4.1.2"
      inherits "~2.0.0"
      mkdirp ">=0.5 0"
      rimraf "2"

function-bind@^1.0.2, function-bind@^1.1.1:
    version "1.1.1"
    resolved
    ↪   "https://registry.yarnpkg.com/function-bind/-/function-bind-1.1.1.tgz#a56899d3ea3c9bab874bb9773b7c5ede92f489

gauge@~2.7.3:
    version "2.7.4"
    resolved "https://registry.yarnpkg.com/gauge/-/gauge-2.7.4.tgz#2c03405c7538c39d7eb37b317022e325fb018bf7"
    dependencies:
      aproba "^1.0.3"
      console-control-strings "^1.0.0"
      has-unicode "^2.0.0"
      object-assign "^4.1.0"
      signal-exit "^3.0.0"
      string-width "^1.0.1"
      strip-ansi "^3.0.1"
      wide-align "^1.1.0"

gaze@^1.0.0:
    version "1.1.2"
    resolved "https://registry.yarnpkg.com/gaze/-/gaze-1.1.2.tgz#847224677adb8870d679257ed3388fdb61e40105"
    dependencies:
      globule "^1.0.0"

get-caller-file@^1.0.1:
    version "1.0.2"
    resolved
    ↪   "https://registry.yarnpkg.com/get-caller-file/-/get-caller-file-1.0.2.tgz#f702e63127e7e231c160a80c1554acb70d
get-stdin@^4.0.1:
    version "4.0.1"
    resolved
    ↪   "https://registry.yarnpkg.com/get-stdin/-/get-stdin-4.0.1.tgz#b968c6b0a04384324902e8bf1a5df32579a450fe"

get-stream@^3.0.0:
    version "3.0.0"
```

```
    resolved
    → "https://registry.yarnpkg.com/get-stream/-/get-stream-3.0.0.tgz#8e943d1358dc37555054ecbe2edb05aa174ede14"

getpass@^0.1.1:
  version "0.1.7"
  resolved "https://registry.yarnpkg.com/getpass/-/getpass-0.1.7.tgz#5eff8e3e684d569ae4cb2b1282604e8ba62149fa"
  dependencies:
    assert-plus "^1.0.0"

glob-base@^0.3.0:
  version "0.3.0"
  resolved
    → "https://registry.yarnpkg.com/glob-base/-/glob-base-0.3.0.tgz#dbb164f6221b1c0b1ccf82aea328b497df0ea3c4"
  dependencies:
    glob-parent "^2.0.0"
    is-glob "^2.0.0"

glob-parent@^2.0.0:
  version "2.0.0"
  resolved
    → "https://registry.yarnpkg.com/glob-parent/-/glob-parent-2.0.0.tgz#81383d72db054fcccf5336daa902f182f6edbb28"
  dependencies:
    is-glob "^2.0.0"

glob@^7.0.0, glob@^7.0.3, glob@^7.0.5, glob@^7.1.2, glob@~7.1.1:
  version "7.1.2"
  resolved "https://registry.yarnpkg.com/glob/-/glob-7.1.2.tgz#c19c9df9a028702d678612384a6552404c636d15"
  dependencies:
    fs.realpath "^1.0.0"
    inflight "^1.0.4"
    inherits "2"
    minimatch "^3.0.4"
    once "^1.3.0"
    path-is-absolute "^1.0.0"

globals@^9.18.0:
  version "9.18.0"
  resolved
    → "https://registry.yarnpkg.com/globals/-/globals-9.18.0.tgz#aa3896b3e69b487f17e31ed2143d69a8e30c2d8a"

globby@^6.1.0:
  version "6.1.0"
  resolved "https://registry.yarnpkg.com/globby/-/globby-6.1.0.tgz#f5a6d70e8395e21c858fb0489d64df02424d506c"
  dependencies:
    array-union "^1.0.1"
    glob "^7.0.3"
    object-assign "^4.0.1"
    pify "^2.0.0"
    pinkie-promise "^2.0.0"

globule@^1.0.0:
  version "1.2.0"
  resolved "https://registry.yarnpkg.com/globule/-/globule-1.2.0.tgz#1dc49c6822dd9e8a2fa00ba2a295006e8664bd09"
  dependencies:
    glob "~7.1.1"
    lodash "~4.17.4"
    minimatch "~3.0.2"

gonzales-pe@^4.0.3:
  version "4.2.3"
  resolved
    → "https://registry.yarnpkg.com/gonzales-pe/-/gonzales-pe-4.2.3.tgz#41091703625433285e0aee3aa47829fc1fbeb6f2"
```

```
  dependencies:
    minimist "1.1.x"

graceful-fs@^4.1.2, graceful-fs@^4.1.6, graceful-fs@^4.1.9:
  version "4.1.11"
  resolved
  → "https://registry.yarnpkg.com/graceful-fs/-/graceful-fs-4.1.11.tgz#0e8bdfe4d1ddb8854d64e04ea7c00e2a026e5658"

handle-thing@^1.2.5:
  version "1.2.5"
  resolved
  → "https://registry.yarnpkg.com/handle-thing/-/handle-thing-1.2.5.tgz#fd7aad726bf1a5fd16dfc29b2f7a6601d27139c4"

har-schema@^1.0.5:
  version "1.0.5"
  resolved
  → "https://registry.yarnpkg.com/har-schema/-/har-schema-1.0.5.tgz#d263135f43307c02c602afc8fe95970c0151369e"

har-schema@^2.0.0:
  version "2.0.0"
  resolved
  → "https://registry.yarnpkg.com/har-schema/-/har-schema-2.0.0.tgz#a94c2224ebcac04782a0d9035521f24735b7ec92"

har-validator@~4.2.1:
  version "4.2.1"
  resolved
  → "https://registry.yarnpkg.com/har-validator/-/har-validator-4.2.1.tgz#33481d0f1bbff600dd203d75812a6a5fba002e"
  dependencies:
    ajv "^4.9.1"
    har-schema "^1.0.5"

har-validator@~5.0.3:
  version "5.0.3"
  resolved
  → "https://registry.yarnpkg.com/har-validator/-/har-validator-5.0.3.tgz#ba402c266194f15956ef15e0fcf242993f6a7"
  dependencies:
    ajv "^5.1.0"
    har-schema "^2.0.0"

has-ansi@^2.0.0:
  version "2.0.0"
  resolved
  → "https://registry.yarnpkg.com/has-ansi/-/has-ansi-2.0.0.tgz#34f5049ce1ecdf2b0649af3ef24e45ed35416d91"
  dependencies:
    ansi-regex "^2.0.0"

has-flag@^1.0.0:
  version "1.0.0"
  resolved
  → "https://registry.yarnpkg.com/has-flag/-/has-flag-1.0.0.tgz#9d9e793165ce017a00f00418c43f942a7b1d11fa"

has-flag@^2.0.0:
  version "2.0.0"
  resolved
  → "https://registry.yarnpkg.com/has-flag/-/has-flag-2.0.0.tgz#e8207af1cc7b30d446cc70b734b5e8be18f88d51"

has-unicode@^2.0.0:
  version "2.0.1"
  resolved
  → "https://registry.yarnpkg.com/has-unicode/-/has-unicode-2.0.1.tgz#e0e6fe6a28cf51138855e086d1691e771de2a8b9"

has@^1.0.1:
```

```
    version "1.0.1"
    resolved "https://registry.yarnpkg.com/has/-/has-1.0.1.tgz#8461733f538b0837c9361e39a9ab9e9704dc2f28"
    dependencies:
      function-bind "^1.0.2"

hash-base@^2.0.0:
  version "2.0.2"
  resolved
  →   "https://registry.yarnpkg.com/hash-base/-/hash-base-2.0.2.tgz#66ea1d856db4e8a5470cadf6fce23ae5244ef2e1"
  dependencies:
    inherits "^2.0.1"

hash-base@^3.0.0:
  version "3.0.4"
  resolved
  →   "https://registry.yarnpkg.com/hash-base/-/hash-base-3.0.4.tgz#5fc8686847ecd73499403319a6b0a3f3f6ae4918"
  dependencies:
    inherits "^2.0.1"
    safe-buffer "^5.0.1"

hash.js@^1.0.0, hash.js@^1.0.3:
  version "1.1.3"
  resolved "https://registry.yarnpkg.com/hash.js/-/hash.js-1.1.3.tgz#340dedbe6290187151c1ea1d777a3448935df846"
  dependencies:
    inherits "^2.0.3"
    minimalistic-assert "^1.0.0"

hawk@3.1.3, hawk@~3.1.3:
  version "3.1.3"
  resolved "https://registry.yarnpkg.com/hawk/-/hawk-3.1.3.tgz#078444bd7c1640b0fe540d2c9b73d59678e8e1c4"
  dependencies:
    boom "2.x.x"
    cryptiles "2.x.x"
    hoek "2.x.x"
    sntp "1.x.x"

hawk@~6.0.2:
  version "6.0.2"
  resolved "https://registry.yarnpkg.com/hawk/-/hawk-6.0.2.tgz#af4d914eb065f9b5ce4d9d11c1cb2126eecc3038"
  dependencies:
    boom "4.x.x"
    cryptiles "3.x.x"
    hoek "4.x.x"
    sntp "2.x.x"

highlight.js@^9.12.0:
  version "9.12.0"
  resolved
  →   "https://registry.yarnpkg.com/highlight.js/-/highlight.js-9.12.0.tgz#e6d9dbe57cbefe60751f02af336195870c90c01

hmac-drbg@^1.0.0:
  version "1.0.1"
  resolved
  →   "https://registry.yarnpkg.com/hmac-drbg/-/hmac-drbg-1.0.1.tgz#d2745701025a6c775a6c545793ed502fc0c649a1"
  dependencies:
    hash.js "^1.0.3"
    minimalistic-assert "^1.0.0"
    minimalistic-crypto-utils "^1.0.1"

hoek@2.x.x:
  version "2.16.3"
  resolved "https://registry.yarnpkg.com/hoek/-/hoek-2.16.3.tgz#20bb7403d3cea398e91dc4710a8ff1b8274a25ed"
```

```
hoek@4.x.x:
  version "4.2.0"
  resolved "https://registry.yarnpkg.com/hoek/-/hoek-4.2.0.tgz#72d9d0754f7fe25ca2d01ad8f8f9a9449a89526d"

home-or-tmp@^2.0.0:
  version "2.0.0"
  resolved
    → "https://registry.yarnpkg.com/home-or-tmp/-/home-or-tmp-2.0.0.tgz#e36c3f2d2cae7d746a857e38d18d5f32a7882db8"
  dependencies:
    os-homedir "^1.0.0"
    os-tmpdir "^1.0.1"

hosted-git-info@^2.1.4:
  version "2.5.0"
  resolved
    → "https://registry.yarnpkg.com/hosted-git-info/-/hosted-git-info-2.5.0.tgz#6d60e34b3abbc8313062c3b798ef8d901a
hpack.js@^2.1.6:
  version "2.1.6"
  resolved
    → "https://registry.yarnpkg.com/hpack.js/-/hpack.js-2.1.6.tgz#87774c0949e513f42e84575b3c45681fade2a0b2"
  dependencies:
    inherits "^2.0.1"
    obuf "^1.0.0"
    readable-stream "^2.0.1"
    wbuf "^1.1.0"

html-comment-regex@^1.1.0:
  version "1.1.1"
  resolved
    → "https://registry.yarnpkg.com/html-comment-regex/-/html-comment-regex-1.1.1.tgz#668b93776eaae55ebde8f3ad464b
html-entities@^1.2.0:
  version "1.2.1"
  resolved
    → "https://registry.yarnpkg.com/html-entities/-/html-entities-1.2.1.tgz#0df29351f0721163515dfb9e5543e5f6eed516
http-deceiver@^1.2.7:
  version "1.2.7"
  resolved
    → "https://registry.yarnpkg.com/http-deceiver/-/http-deceiver-1.2.7.tgz#fa7168944ab9a519d337cb0bec7284dc3e723d
http-errors@1.6.2, http-errors@~1.6.2:
  version "1.6.2"
  resolved
    → "https://registry.yarnpkg.com/http-errors/-/http-errors-1.6.2.tgz#0a002cc85707192a7e7946ceedc11155f60ec736"
  dependencies:
    depd "1.1.1"
    inherits "2.0.3"
    setprototypeof "1.0.3"
    statuses ">= 1.3.1 < 2"

http-parser-js@>=0.4.0:
  version "0.4.9"
  resolved
    → "https://registry.yarnpkg.com/http-parser-js/-/http-parser-js-0.4.9.tgz#ea1a04fb64adff0242e9974f297dd4c3cad2
http-proxy-middleware@~0.17.4:
  version "0.17.4"
  resolved
    → "https://registry.yarnpkg.com/http-proxy-middleware/-/http-proxy-middleware-0.17.4.tgz#642e8848851d66f09d4f1
```

```
  dependencies:
    http-proxy "^1.16.2"
    is-glob "^3.1.0"
    lodash "^4.17.2"
    micromatch "^2.3.11"

http-proxy@^1.16.2:
  version "1.16.2"
  resolved
  → "https://registry.yarnpkg.com/http-proxy/-/http-proxy-1.16.2.tgz#06dff292952bf64dbe8471fa9df73066d4f37742"
  dependencies:
    eventemitter3 "1.x.x"
    requires-port "1.x.x"

http-signature@~1.1.0:
  version "1.1.1"
  resolved
  → "https://registry.yarnpkg.com/http-signature/-/http-signature-1.1.1.tgz#df72e267066cd0ac67fb76adf8e134a8fbcf
  dependencies:
    assert-plus "^0.2.0"
    jsprim "^1.2.2"
    sshpk "^1.7.0"

http-signature@~1.2.0:
  version "1.2.0"
  resolved
  → "https://registry.yarnpkg.com/http-signature/-/http-signature-1.2.0.tgz#9aecd925114772f3d95b65a60abb8f7c18fb
  dependencies:
    assert-plus "^1.0.0"
    jsprim "^1.2.2"
    sshpk "^1.7.0"

https-browserify@0.0.1:
  version "0.0.1"
  resolved
  → "https://registry.yarnpkg.com/https-browserify/-/https-browserify-0.0.1.tgz#3f91365cabe60b77ed0ebba24b454e3e

iconv-lite@0.4.19, iconv-lite@~0.4.13:
  version "0.4.19"
  resolved
  → "https://registry.yarnpkg.com/iconv-lite/-/iconv-lite-0.4.19.tgz#f7468f60135f5e5dad3399c0a81be9a1603a082b"

icss-replace-symbols@^1.1.0:
  version "1.1.0"
  resolved
  → "https://registry.yarnpkg.com/icss-replace-symbols/-/icss-replace-symbols-1.1.0.tgz#06ea6f83679a7749e386cfe1

icss-utils@^2.1.0:
  version "2.1.0"
  resolved
  → "https://registry.yarnpkg.com/icss-utils/-/icss-utils-2.1.0.tgz#83f0a0ec378bf3246178b6c2ad9136f135b1c962"
  dependencies:
    postcss "^6.0.1"

ieee754@^1.1.4:
  version "1.1.8"
  resolved "https://registry.yarnpkg.com/ieee754/-/ieee754-1.1.8.tgz#be33d40ac10ef1926701f6f08a2d86fbfd1ad3e4"

import-local@^0.1.1:
  version "0.1.1"
  resolved
  → "https://registry.yarnpkg.com/import-local/-/import-local-0.1.1.tgz#b1179572aacdc11c6a91009fb430dbcab5f668a8
```

```
  dependencies:
    pkg-dir "^2.0.0"
    resolve-cwd "^2.0.0"

in-publish@^2.0.0:
  version "2.0.0"
  resolved
  → "https://registry.yarnpkg.com/in-publish/-/in-publish-2.0.0.tgz#e20ff5e3a2afc2690320b6dc552682a9c7fadf51"

indent-string@^2.1.0:
  version "2.1.0"
  resolved
  → "https://registry.yarnpkg.com/indent-string/-/indent-string-2.1.0.tgz#8e2d48348742121b4a8218b7a137e9a52049dc
  dependencies:
    repeating "^2.0.0"

indexes-of@^1.0.1:
  version "1.0.1"
  resolved
  → "https://registry.yarnpkg.com/indexes-of/-/indexes-of-1.0.1.tgz#f30f716c8e2bd346c7b67d3df3915566a7c05607"

indexof@0.0.1:
  version "0.0.1"
  resolved "https://registry.yarnpkg.com/indexof/-/indexof-0.0.1.tgz#82dc336d232b9062179d05ab3293a66059fd435d"

inflight@^1.0.4:
  version "1.0.6"
  resolved
  → "https://registry.yarnpkg.com/inflight/-/inflight-1.0.6.tgz#49bd6331d7d02d0c09bc910a1075ba8165b56df9"
  dependencies:
    once "^1.3.0"
    wrappy "1"

inherits@2, inherits@2.0.3, inherits@^2.0.1, inherits@^2.0.3, inherits@~2.0.0, inherits@~2.0.1,
  → inherits@~2.0.3:
  version "2.0.3"
  resolved
  → "https://registry.yarnpkg.com/inherits/-/inherits-2.0.3.tgz#633c2c83e3da42a502f52466022480f4208261de"

inherits@2.0.1:
  version "2.0.1"
  resolved
  → "https://registry.yarnpkg.com/inherits/-/inherits-2.0.1.tgz#b17d08d326b4423e568eff719f91b0b1cbdf69f1"

ini@~1.3.0:
  version "1.3.4"
  resolved "https://registry.yarnpkg.com/ini/-/ini-1.3.4.tgz#0537cb79daf59b59a1a517dff706c86ec039162e"

internal-ip@1.2.0:
  version "1.2.0"
  resolved
  → "https://registry.yarnpkg.com/internal-ip/-/internal-ip-1.2.0.tgz#ae9fbf93b984878785d50a8de1b356956058cf5c"
  dependencies:
    meow "^3.3.0"

interpret@^1.0.0:
  version "1.0.4"
  resolved
  → "https://registry.yarnpkg.com/interpret/-/interpret-1.0.4.tgz#820cdd588b868ffb191a809506d6c9c8f212b1b0"

invariant@^2.2.2:
  version "2.2.2"
```

```
    resolved
    ↪   "https://registry.yarnpkg.com/invariant/-/invariant-2.2.2.tgz#9e1f56ac0acdb6bf303306f338be3b204ae60360"
    dependencies:
      loose-envify "^1.0.0"

invert-kv@^1.0.0:
  version "1.0.0"
  resolved
    ↪   "https://registry.yarnpkg.com/invert-kv/-/invert-kv-1.0.0.tgz#104a8e4aaca6d3d8cd157a8ef8bfab2d7a3ffdb6"

ip@^1.1.0, ip@^1.1.5:
  version "1.1.5"
  resolved "https://registry.yarnpkg.com/ip/-/ip-1.1.5.tgz#bdded70114290828c0a039e72ef25f5aaec4354a"

ipaddr.js@1.5.2:
  version "1.5.2"
  resolved
    ↪   "https://registry.yarnpkg.com/ipaddr.js/-/ipaddr.js-1.5.2.tgz#d4b505bde9946987ccf0fc58d9010ff9607e3fa0"

is-absolute-url@^2.0.0:
  version "2.1.0"
  resolved
    ↪   "https://registry.yarnpkg.com/is-absolute-url/-/is-absolute-url-2.1.0.tgz#50530dfb84fcc9aa7dbe7852e83a37b93b

is-arrayish@^0.2.1:
  version "0.2.1"
  resolved
    ↪   "https://registry.yarnpkg.com/is-arrayish/-/is-arrayish-0.2.1.tgz#77c99840527aa8ecb1a8ba697b80645a7a926a9d"

is-arrayish@^0.3.1:
  version "0.3.1"
  resolved
    ↪   "https://registry.yarnpkg.com/is-arrayish/-/is-arrayish-0.3.1.tgz#c2dfc386abaa0c3e33c48db3fe87059e69065efd"

is-binary-path@^1.0.0:
  version "1.0.1"
  resolved
    ↪   "https://registry.yarnpkg.com/is-binary-path/-/is-binary-path-1.0.1.tgz#75f16642b480f187a711c814161fd3a4a765
    dependencies:
      binary-extensions "^1.0.0"

is-buffer@^1.0.2, is-buffer@^1.1.5:
  version "1.1.6"
  resolved
    ↪   "https://registry.yarnpkg.com/is-buffer/-/is-buffer-1.1.6.tgz#efaa2ea9daa0d7ab2ea13a97b2b8ad51fefbe8be"

is-builtin-module@^1.0.0:
  version "1.0.0"
  resolved
    ↪   "https://registry.yarnpkg.com/is-builtin-module/-/is-builtin-module-1.0.0.tgz#540572d34f7ac3119f8f76c30cbc1b
    dependencies:
      builtin-modules "^1.0.0"

is-callable@^1.1.1, is-callable@^1.1.3:
  version "1.1.3"
  resolved
    ↪   "https://registry.yarnpkg.com/is-callable/-/is-callable-1.1.3.tgz#86eb75392805ddc33af71c92a0eedf74ee7604b2"

is-date-object@^1.0.1:
  version "1.0.1"
  resolved
    ↪   "https://registry.yarnpkg.com/is-date-object/-/is-date-object-1.0.1.tgz#9aa20eb6aeebbff77fbd33e74ca01b33581c
```

```
is-directory@^0.3.1:
  version "0.3.1"
  resolved
  ↪  "https://registry.yarnpkg.com/is-directory/-/is-directory-0.3.1.tgz#61339b6f2475fc772fd9c9d83f5c8575dc154ae1

is-dotfile@^1.0.0:
  version "1.0.3"
  resolved
  ↪  "https://registry.yarnpkg.com/is-dotfile/-/is-dotfile-1.0.3.tgz#a6a2f32ffd2dfb04f5ca25ecd0f6b83cf798a1e1"

is-equal-shallow@^0.1.3:
  version "0.1.3"
  resolved
  ↪  "https://registry.yarnpkg.com/is-equal-shallow/-/is-equal-shallow-0.1.3.tgz#2238098fc221de0bcfa5d9eac4c45d63
  dependencies:
    is-primitive "^2.0.0"

is-extendable@^0.1.1:
  version "0.1.1"
  resolved
  ↪  "https://registry.yarnpkg.com/is-extendable/-/is-extendable-0.1.1.tgz#62b110e289a471418e3ec36a617d472e301dfc

is-extglob@^1.0.0:
  version "1.0.0"
  resolved
  ↪  "https://registry.yarnpkg.com/is-extglob/-/is-extglob-1.0.0.tgz#ac468177c4943405a092fc8f29760c6ffc6206c0"

is-extglob@^2.1.0:
  version "2.1.1"
  resolved
  ↪  "https://registry.yarnpkg.com/is-extglob/-/is-extglob-2.1.1.tgz#a88c02535791f02ed37c76a1b9ea9773c833f8c2"

is-finite@^1.0.0:
  version "1.0.2"
  resolved
  ↪  "https://registry.yarnpkg.com/is-finite/-/is-finite-1.0.2.tgz#cc6677695602be550ef11e8b4aa6305342b6d0aa"
  dependencies:
    number-is-nan "^1.0.0"

is-fullwidth-code-point@^1.0.0:
  version "1.0.0"
  resolved
  ↪  "https://registry.yarnpkg.com/is-fullwidth-code-point/-/is-fullwidth-code-point-1.0.0.tgz#ef9e31386f031a7f0d
  dependencies:
    number-is-nan "^1.0.0"

is-fullwidth-code-point@^2.0.0:
  version "2.0.0"
  resolved
  ↪  "https://registry.yarnpkg.com/is-fullwidth-code-point/-/is-fullwidth-code-point-2.0.0.tgz#a3b30a5c4f199183167
is-glob@^2.0.0, is-glob@^2.0.1:
  version "2.0.1"
  resolved "https://registry.yarnpkg.com/is-glob/-/is-glob-2.0.1.tgz#d096f926a3ded5600f3fdfd91198cb0888c2d863"
  dependencies:
    is-extglob "^1.0.0"

is-glob@^3.1.0:
  version "3.1.0"
  resolved "https://registry.yarnpkg.com/is-glob/-/is-glob-3.1.0.tgz#7ba5ae24217804ac70707b96922567486cc3e84a"
  dependencies:
```

```
    is-extglob "^2.1.0"

is-number@^2.1.0:
  version "2.1.0"
  resolved
  ↪  "https://registry.yarnpkg.com/is-number/-/is-number-2.1.0.tgz#01fcbbb393463a548f2f466cce16dece49db908f"
  dependencies:
    kind-of "^3.0.2"

is-number@^3.0.0:
  version "3.0.0"
  resolved
  ↪  "https://registry.yarnpkg.com/is-number/-/is-number-3.0.0.tgz#24fd6201a4782cf50561c810276afc7d12d71195"
  dependencies:
    kind-of "^3.0.2"

is-path-cwd@^1.0.0:
  version "1.0.0"
  resolved
  ↪  "https://registry.yarnpkg.com/is-path-cwd/-/is-path-cwd-1.0.0.tgz#d225ec23132e89edd38fda767472e62e65f1106d"

is-path-in-cwd@^1.0.0:
  version "1.0.0"
  resolved
  ↪  "https://registry.yarnpkg.com/is-path-in-cwd/-/is-path-in-cwd-1.0.0.tgz#6477582b8214d602346094567003be8a9eac
  dependencies:
    is-path-inside "^1.0.0"

is-path-inside@^1.0.0:
  version "1.0.0"
  resolved
  ↪  "https://registry.yarnpkg.com/is-path-inside/-/is-path-inside-1.0.0.tgz#fc06e5a1683fbda13de667aff717bbc10a48
  dependencies:
    path-is-inside "^1.0.1"

is-plain-obj@^1.0.0:
  version "1.1.0"
  resolved
  ↪  "https://registry.yarnpkg.com/is-plain-obj/-/is-plain-obj-1.1.0.tgz#71a50c8429dfca773c92a390a4a03b39fcd51d3e
  
is-plain-object@^2.0.1:
  version "2.0.4"
  resolved
  ↪  "https://registry.yarnpkg.com/is-plain-object/-/is-plain-object-2.0.4.tgz#2c163b3fafb1b606d9d17928f05c2a1c38
  dependencies:
    isobject "^3.0.1"

is-posix-bracket@^0.1.0:
  version "0.1.1"
  resolved
  ↪  "https://registry.yarnpkg.com/is-posix-bracket/-/is-posix-bracket-0.1.1.tgz#3334dc79774368e92f016e6fbc0a88f5
  
is-primitive@^2.0.0:
  version "2.0.0"
  resolved
  ↪  "https://registry.yarnpkg.com/is-primitive/-/is-primitive-2.0.0.tgz#207bab91638499c07b2adf240a41a87210034575
  
is-regex@^1.0.4:
  version "1.0.4"
  resolved
  ↪  "https://registry.yarnpkg.com/is-regex/-/is-regex-1.0.4.tgz#5517489b547091b0930e095654ced25ee97e9491"
  dependencies:
```

```
    has "^1.0.1"

is-stream@^1.0.1, is-stream@^1.1.0:
  version "1.1.0"
  resolved
  ↪ "https://registry.yarnpkg.com/is-stream/-/is-stream-1.1.0.tgz#12d4a3dd4e68e0b79ceb8dbc84173ae80d91ca44"

is-svg@^2.0.0:
  version "2.1.0"
  resolved "https://registry.yarnpkg.com/is-svg/-/is-svg-2.1.0.tgz#cf61090da0d9efbcab8722deba6f032208dbb0e9"
  dependencies:
    html-comment-regex "^1.1.0"

is-symbol@^1.0.1:
  version "1.0.1"
  resolved
  ↪ "https://registry.yarnpkg.com/is-symbol/-/is-symbol-1.0.1.tgz#3cc59f00025194b6ab2e38dbae6689256b660572"

is-typedarray@~1.0.0:
  version "1.0.0"
  resolved
  ↪ "https://registry.yarnpkg.com/is-typedarray/-/is-typedarray-1.0.0.tgz#e479c80858df0c1b11ddda6940f96011fcda4a

is-utf8@^0.2.0:
  version "0.2.1"
  resolved "https://registry.yarnpkg.com/is-utf8/-/is-utf8-0.2.1.tgz#4b0da1442104d1b336340e80797e865cf39f7d72"

is-wsl@^1.1.0:
  version "1.1.0"
  resolved "https://registry.yarnpkg.com/is-wsl/-/is-wsl-1.1.0.tgz#1f16e4aa22b04d1336b66188a66af3c600c3a66d"

isarray@1.0.0, isarray@^1.0.0, isarray@~1.0.0:
  version "1.0.0"
  resolved "https://registry.yarnpkg.com/isarray/-/isarray-1.0.0.tgz#bb935d48582cba168c06834957a54a3e07124f11"

isexe@^2.0.0:
  version "2.0.0"
  resolved "https://registry.yarnpkg.com/isexe/-/isexe-2.0.0.tgz#e8fbf374dc556ff8947a10dcb0572d633f2cfa10"

isnumeric@^0.2.0:
  version "0.2.0"
  resolved
  ↪ "https://registry.yarnpkg.com/isnumeric/-/isnumeric-0.2.0.tgz#a2347ba360de19e33d0ffd590fddf7755cbf2e64"

isobject@^2.0.0:
  version "2.1.0"
  resolved
  ↪ "https://registry.yarnpkg.com/isobject/-/isobject-2.1.0.tgz#f065561096a3f1da2ef46272f815c840d87e0c89"
  dependencies:
    isarray "1.0.0"

isobject@^3.0.1:
  version "3.0.1"
  resolved
  ↪ "https://registry.yarnpkg.com/isobject/-/isobject-3.0.1.tgz#4e431e92b11a9731636aa1f9c8d1ccbcfdab78df"

isomorphic-fetch@^2.1.1:
  version "2.2.1"
  resolved
  ↪ "https://registry.yarnpkg.com/isomorphic-fetch/-/isomorphic-fetch-2.2.1.tgz#611ae1acf14f5e81f729507472819fe9
  dependencies:
    node-fetch "^1.0.1"
```

```
    whatwg-fetch ">=0.10.0"

isstream@~0.1.2:
  version "0.1.2"
  resolved
    ↪ "https://registry.yarnpkg.com/isstream/-/isstream-0.1.2.tgz#47e63f7af55afa6f92e1500e690eb8b8529c099a"

javascript-natural-sort@0.7.1:
  version "0.7.1"
  resolved
    ↪ "https://registry.yarnpkg.com/javascript-natural-sort/-/javascript-natural-sort-0.7.1.tgz#f9e2303d4507f6d743

jquery@^3.2.1:
  version "3.2.1"
  resolved "https://registry.yarnpkg.com/jquery/-/jquery-3.2.1.tgz#5c4d9de652af6cd0a770154a631bba12b015c787"

js-base64@^2.1.8, js-base64@^2.1.9:
  version "2.3.2"
  resolved
    ↪ "https://registry.yarnpkg.com/js-base64/-/js-base64-2.3.2.tgz#a79a923666372b580f8e27f51845c6f7e8fbfbaf"

js-tokens@^3.0.0, js-tokens@^3.0.2:
  version "3.0.2"
  resolved
    ↪ "https://registry.yarnpkg.com/js-tokens/-/js-tokens-3.0.2.tgz#9866df395102130e38f7f996bceb65443209c25b"

js-yaml@^3.4.3, js-yaml@^3.9.1:
  version "3.10.0"
  resolved
    ↪ "https://registry.yarnpkg.com/js-yaml/-/js-yaml-3.10.0.tgz#2e78441646bd4682e963f22b6e92823c309c62dc"
  dependencies:
    argparse "^1.0.7"
    esprima "^4.0.0"

js-yaml@~3.7.0:
  version "3.7.0"
  resolved "https://registry.yarnpkg.com/js-yaml/-/js-yaml-3.7.0.tgz#5c967ddd837a9bfdca5f2de84253abe8a1c03b80"
  dependencies:
    argparse "^1.0.7"
    esprima "^2.6.0"

jsbn@~0.1.0:
  version "0.1.1"
  resolved "https://registry.yarnpkg.com/jsbn/-/jsbn-0.1.1.tgz#a5e654c2e5a2deb5f201d96cefbca80c0ef2f513"

jsesc@^1.3.0:
  version "1.3.0"
  resolved "https://registry.yarnpkg.com/jsesc/-/jsesc-1.3.0.tgz#46c3fec8c1892b12b0833db9bc7622176dbab34b"

jsesc@~0.5.0:
  version "0.5.0"
  resolved "https://registry.yarnpkg.com/jsesc/-/jsesc-0.5.0.tgz#e7dee66e35d6fc16f710fe91d5cf69f70f08911d"

json-loader@^0.5.4:
  version "0.5.7"
  resolved
    ↪ "https://registry.yarnpkg.com/json-loader/-/json-loader-0.5.7.tgz#dca14a70235ff82f0ac9a3abeb60d337a365185d"

json-schema-traverse@^0.3.0:
  version "0.3.1"
  resolved
    ↪ "https://registry.yarnpkg.com/json-schema-traverse/-/json-schema-traverse-0.3.1.tgz#349a6d44c53a51de89b40805
```

```
json-schema@0.2.3:
  version "0.2.3"
  resolved
  → "https://registry.yarnpkg.com/json-schema/-/json-schema-0.2.3.tgz#b480c892e59a2f05954ce727bd3f2a4e882f9e13"

json-stable-stringify@^1.0.1:
  version "1.0.1"
  resolved
  → "https://registry.yarnpkg.com/json-stable-stringify/-/json-stable-stringify-1.0.1.tgz#9a759d39c5f2ff503fd530
  dependencies:
    jsonify "~0.0.0"

json-stringify-safe@~5.0.1:
  version "5.0.1"
  resolved
  → "https://registry.yarnpkg.com/json-stringify-safe/-/json-stringify-safe-5.0.1.tgz#1296a2d58fd45f19a0f6ce01d6

json3@^3.3.2:
  version "3.3.2"
  resolved "https://registry.yarnpkg.com/json3/-/json3-3.3.2.tgz#3c0434743df93e2f5c42aee7b19bcb483575f4e1"

json5@^0.5.0, json5@^0.5.1:
  version "0.5.1"
  resolved "https://registry.yarnpkg.com/json5/-/json5-0.5.1.tgz#1eade7acc012034ad84e2396767ead9fa5495821"

jsonfile@^2.1.0:
  version "2.4.0"
  resolved
  → "https://registry.yarnpkg.com/jsonfile/-/jsonfile-2.4.0.tgz#3736a2b428b87bbda0cc83b53fa3d633a35c2ae8"
  optionalDependencies:
    graceful-fs "^4.1.6"

jsonify@~0.0.0:
  version "0.0.0"
  resolved "https://registry.yarnpkg.com/jsonify/-/jsonify-0.0.0.tgz#2c74b6ee41d93ca51b7b5aaee8f503631d252a73"

jsprim@^1.2.2:
  version "1.4.1"
  resolved "https://registry.yarnpkg.com/jsprim/-/jsprim-1.4.1.tgz#313e66bc1e5cc06e438bc1b7499c2e5c56acb6a2"
  dependencies:
    assert-plus "1.0.0"
    extsprintf "1.3.0"
    json-schema "0.2.3"
    verror "1.10.0"

killable@^1.0.0:
  version "1.0.0"
  resolved
  → "https://registry.yarnpkg.com/killable/-/killable-1.0.0.tgz#da8b84bd47de5395878f95d64d02f2449fe05e6b"

kind-of@^2.0.1:
  version "2.0.1"
  resolved "https://registry.yarnpkg.com/kind-of/-/kind-of-2.0.1.tgz#018ec7a4ce7e3a86cb9141be519d24c8faa981b5"
  dependencies:
    is-buffer "^1.0.2"

kind-of@^3.0.2, kind-of@^3.2.2:
  version "3.2.2"
  resolved "https://registry.yarnpkg.com/kind-of/-/kind-of-3.2.2.tgz#31ea21a734bab9bbb0f32466d893aea51e4a3c64"
  dependencies:
    is-buffer "^1.1.5"
```

```
kind-of@^4.0.0:
  version "4.0.0"
  resolved "https://registry.yarnpkg.com/kind-of/-/kind-of-4.0.0.tgz#20813df3d712928b207378691a45066fae72dd57"
  dependencies:
    is-buffer "^1.1.5"

klaw@^1.0.0:
  version "1.3.1"
  resolved "https://registry.yarnpkg.com/klaw/-/klaw-1.3.1.tgz#4088433b46b3b1ba259d78785d8e96f73ba02439"
  optionalDependencies:
    graceful-fs "^4.1.9"

lazy-cache@^0.2.3:
  version "0.2.7"
  resolved
  ↪  "https://registry.yarnpkg.com/lazy-cache/-/lazy-cache-0.2.7.tgz#7feddf2dcb6edb77d11ef1d117ab5ffdf0ab1b65"

lazy-cache@^1.0.3:
  version "1.0.4"
  resolved
  ↪  "https://registry.yarnpkg.com/lazy-cache/-/lazy-cache-1.0.4.tgz#a1d78fc3a50474cb80845d3b3b6e1da49a446e8e"

lcid@^1.0.0:
  version "1.0.0"
  resolved "https://registry.yarnpkg.com/lcid/-/lcid-1.0.0.tgz#308accafa0bc483a3867b4b6f2b9506251d1b835"
  dependencies:
    invert-kv "^1.0.0"

load-json-file@^1.0.0:
  version "1.1.0"
  resolved
  ↪  "https://registry.yarnpkg.com/load-json-file/-/load-json-file-1.1.0.tgz#956905708d58b4bab4c2261b04f59f31c993"
  dependencies:
    graceful-fs "^4.1.2"
    parse-json "^2.2.0"
    pify "^2.0.0"
    pinkie-promise "^2.0.0"
    strip-bom "^2.0.0"

load-json-file@^2.0.0:
  version "2.0.0"
  resolved
  ↪  "https://registry.yarnpkg.com/load-json-file/-/load-json-file-2.0.0.tgz#7947e42149af80d696cbf797bcaabcfe1fe2"
  dependencies:
    graceful-fs "^4.1.2"
    parse-json "^2.2.0"
    pify "^2.0.0"
    strip-bom "^3.0.0"

loader-runner@^2.3.0:
  version "2.3.0"
  resolved
  ↪  "https://registry.yarnpkg.com/loader-runner/-/loader-runner-2.3.0.tgz#f482aea82d543e07921700d5a46ef26fdac6b8"

loader-utils@^1.0.0, loader-utils@^1.0.1, loader-utils@^1.0.2, loader-utils@^1.1.0:
  version "1.1.0"
  resolved
  ↪  "https://registry.yarnpkg.com/loader-utils/-/loader-utils-1.1.0.tgz#c98aef488bcceda2ffb5e2de646d6a754429f5cd"
  dependencies:
    big.js "^3.1.3"
    emojis-list "^2.0.0"
```

```
    json5 "^0.5.0"

locate-path@^2.0.0:
  version "2.0.0"
  resolved
  → "https://registry.yarnpkg.com/locate-path/-/locate-path-2.0.0.tgz#2b568b265eec944c6d9c0de9c3dbbbca0354cd8e"
  dependencies:
    p-locate "^2.0.0"
    path-exists "^3.0.0"

lodash._baseassign@^3.0.0:
  version "3.2.0"
  resolved
  → "https://registry.yarnpkg.com/lodash._baseassign/-/lodash._baseassign-3.2.0.tgz#8c38a099500f215ad09e59f1722f
  dependencies:
    lodash._basecopy "^3.0.0"
    lodash.keys "^3.0.0"

lodash._basecopy@^3.0.0:
  version "3.0.1"
  resolved
  → "https://registry.yarnpkg.com/lodash._basecopy/-/lodash._basecopy-3.0.1.tgz#8da0e6a876cf344c0ad8a54882111dd3

lodash._bindcallback@^3.0.0:
  version "3.0.1"
  resolved
  → "https://registry.yarnpkg.com/lodash._bindcallback/-/lodash._bindcallback-3.0.1.tgz#e531c27644cf8b57a99e17ed

lodash._createassigner@^3.0.0:
  version "3.1.1"
  resolved
  → "https://registry.yarnpkg.com/lodash._createassigner/-/lodash._createassigner-3.1.1.tgz#838a5bae2fdaca63ac22
  dependencies:
    lodash._bindcallback "^3.0.0"
    lodash._isiterateecall "^3.0.0"
    lodash.restparam "^3.0.0"

lodash._getnative@^3.0.0:
  version "3.9.1"
  resolved
  → "https://registry.yarnpkg.com/lodash._getnative/-/lodash._getnative-3.9.1.tgz#570bc7dede46d61cdcde687d65d3ee

lodash._isiterateecall@^3.0.0:
  version "3.0.9"
  resolved
  → "https://registry.yarnpkg.com/lodash._isiterateecall/-/lodash._isiterateecall-3.0.9.tgz#5203ad7ba425fae84246

lodash._reinterpolate@^3.0.0:
  version "3.0.0"
  resolved
  → "https://registry.yarnpkg.com/lodash._reinterpolate/-/lodash._reinterpolate-3.0.0.tgz#0ccf2d89166af03b3663c7

lodash.assign@^3.0.0:
  version "3.2.0"
  resolved
  → "https://registry.yarnpkg.com/lodash.assign/-/lodash.assign-3.2.0.tgz#3ce9f0234b4b2223e296b8fa0ac1fee8ebca64
  dependencies:
    lodash._baseassign "^3.0.0"
    lodash._createassigner "^3.0.0"
    lodash.keys "^3.0.0"

lodash.assign@^4.0.1, lodash.assign@^4.2.0:
```

```
    version "4.2.0"
    resolved
    ↪    "https://registry.yarnpkg.com/lodash.assign/-/lodash.assign-4.2.0.tgz#0d99f3ccd7a6d261d19bdaeb9245005d285808

lodash.camelcase@^4.3.0:
    version "4.3.0"
    resolved
    ↪    "https://registry.yarnpkg.com/lodash.camelcase/-/lodash.camelcase-4.3.0.tgz#b28aa6288a2b9fc651035c7711f65ab6

lodash.clonedeep@^4.3.2:
    version "4.5.0"
    resolved
    ↪    "https://registry.yarnpkg.com/lodash.clonedeep/-/lodash.clonedeep-4.5.0.tgz#e23f3f9c4f8fbdde872529c1071857a0

lodash.defaults@^3.1.2:
    version "3.1.2"
    resolved
    ↪    "https://registry.yarnpkg.com/lodash.defaults/-/lodash.defaults-3.1.2.tgz#c7308b18dbf8bc9372d701a73493c61192
    dependencies:
        lodash.assign "^3.0.0"
        lodash.restparam "^3.0.0"

lodash.defaults@^4.0.0, lodash.defaults@^4.2.0:
    version "4.2.0"
    resolved
    ↪    "https://registry.yarnpkg.com/lodash.defaults/-/lodash.defaults-4.2.0.tgz#d09178716ffea4dde9e5fb7b37f6f08022

lodash.isarguments@^3.0.0:
    version "3.1.0"
    resolved
    ↪    "https://registry.yarnpkg.com/lodash.isarguments/-/lodash.isarguments-3.1.0.tgz#2f573d85c6a24289ff00663b491c

lodash.isarray@^3.0.0:
    version "3.0.4"
    resolved
    ↪    "https://registry.yarnpkg.com/lodash.isarray/-/lodash.isarray-3.0.4.tgz#79e4eb88c36a8122af86f844aa9bcd851b5f

lodash.keys@^3.0.0:
    version "3.1.2"
    resolved
    ↪    "https://registry.yarnpkg.com/lodash.keys/-/lodash.keys-3.1.2.tgz#4dbc0472b156be50a0b286855d1bd0b0c656098a"
    dependencies:
        lodash._getnative "^3.0.0"
        lodash.isarguments "^3.0.0"
        lodash.isarray "^3.0.0"

lodash.memoize@^4.1.2:
    version "4.1.2"
    resolved
    ↪    "https://registry.yarnpkg.com/lodash.memoize/-/lodash.memoize-4.1.2.tgz#bcc6c49a42a2840ed997f323eada5ecd182e

lodash.mergewith@^4.6.0:
    version "4.6.0"
    resolved
    ↪    "https://registry.yarnpkg.com/lodash.mergewith/-/lodash.mergewith-4.6.0.tgz#150cf0a16791f5903b8891eab1546092

lodash.restparam@^3.0.0:
    version "3.6.1"
    resolved
    ↪    "https://registry.yarnpkg.com/lodash.restparam/-/lodash.restparam-3.6.1.tgz#936a4e309ef330a7645ed4145986c85a

lodash.tail@^4.1.1:
```

```
    version "4.1.1"
    resolved
    ↪    "https://registry.yarnpkg.com/lodash.tail/-/lodash.tail-4.1.1.tgz#d2333a36d9e7717c8ad2f7cacafec7c32b444664"

lodash.template@^4.2.4:
    version "4.4.0"
    resolved
    ↪    "https://registry.yarnpkg.com/lodash.template/-/lodash.template-4.4.0.tgz#e73a0385c8355591746e020b99679c690e
    dependencies:
        lodash._reinterpolate "~3.0.0"
        lodash.templatesettings "^4.0.0"

lodash.templatesettings@^4.0.0:
    version "4.1.0"
    resolved
    ↪    "https://registry.yarnpkg.com/lodash.templatesettings/-/lodash.templatesettings-4.1.0.tgz#2b4d4e95ba440d915f
    dependencies:
        lodash._reinterpolate "~3.0.0"

lodash.uniq@^4.5.0:
    version "4.5.0"
    resolved
    ↪    "https://registry.yarnpkg.com/lodash.uniq/-/lodash.uniq-4.5.0.tgz#d0225373aeb652adc1bc82e4945339a842754773"

"lodash@>=3.5 <5", lodash@^4.0.0, lodash@^4.14.0, lodash@^4.17.2, lodash@^4.17.4, lodash@~4.17.4:
    version "4.17.4"
    resolved "https://registry.yarnpkg.com/lodash/-/lodash-4.17.4.tgz#78203a4d1c328ae1d86dca6460e369b57f4055ae"

loglevel@^1.4.1:
    version "1.5.1"
    resolved
    ↪    "https://registry.yarnpkg.com/loglevel/-/loglevel-1.5.1.tgz#189078c94ab9053ee215a0acdbf24244ea0f6502"

longest@^1.0.1:
    version "1.0.1"
    resolved "https://registry.yarnpkg.com/longest/-/longest-1.0.1.tgz#30a0b2da38f73770e8294a0d22e6625ed77d0097"

loose-envify@^1.0.0, loose-envify@^1.3.1:
    version "1.3.1"
    resolved
    ↪    "https://registry.yarnpkg.com/loose-envify/-/loose-envify-1.3.1.tgz#d1a8ad33fa9ce0e713d65fdd0ac8b748d478c848
    dependencies:
        js-tokens "^3.0.0"

loud-rejection@^1.0.0:
    version "1.6.0"
    resolved
    ↪    "https://registry.yarnpkg.com/loud-rejection/-/loud-rejection-1.6.0.tgz#5b46f80147edee578870f086d04821cf998e
    dependencies:
        currently-unhandled "^0.4.1"
        signal-exit "^3.0.0"

lru-cache@^4.0.1:
    version "4.1.1"
    resolved
    ↪    "https://registry.yarnpkg.com/lru-cache/-/lru-cache-4.1.1.tgz#622e32e82488b49279114a4f9ecf45e7cd6bba55"
    dependencies:
        pseudomap "^1.0.2"
        yallist "^2.1.2"

macaddress@^0.2.8:
    version "0.2.8"
```

```
    resolved
    ↪  "https://registry.yarnpkg.com/macaddress/-/macaddress-0.2.8.tgz#5904dc537c39ec6dbefeae902327135fa8511f12"

make-dir@^1.0.0:
  version "1.1.0"
  resolved
  ↪  "https://registry.yarnpkg.com/make-dir/-/make-dir-1.1.0.tgz#19b4369fe48c116f53c2af95ad102c0e39e85d51"
  dependencies:
    pify "^3.0.0"

map-obj@^1.0.0, map-obj@^1.0.1:
  version "1.0.1"
  resolved "https://registry.yarnpkg.com/map-obj/-/map-obj-1.0.1.tgz#d933ceb9205d82bdcf4886f6742bdc2b4dea146d"

math-expression-evaluator@^1.2.14:
  version "1.2.17"
  resolved
  ↪  "https://registry.yarnpkg.com/math-expression-evaluator/-/math-expression-evaluator-1.2.17.tgz#de819fdbcd84d

mathjs@^3.11.5:
  version "3.16.5"
  resolved "https://registry.yarnpkg.com/mathjs/-/mathjs-3.16.5.tgz#d75a5265435d2824b067b37a478771deebf6aacc"
  dependencies:
    complex.js "2.0.4"
    decimal.js "7.2.3"
    fraction.js "4.0.2"
    javascript-natural-sort "0.7.1"
    seed-random "2.2.0"
    tiny-emitter "2.0.0"
    typed-function "0.10.5"

md5.js@^1.3.4:
  version "1.3.4"
  resolved "https://registry.yarnpkg.com/md5.js/-/md5.js-1.3.4.tgz#e9bdbde94a20a5ac18b04340fc5764d5b09d901d"
  dependencies:
    hash-base "^3.0.0"
    inherits "^2.0.1"

media-typer@0.3.0:
  version "0.3.0"
  resolved
  ↪  "https://registry.yarnpkg.com/media-typer/-/media-typer-0.3.0.tgz#8710d7af0aa626f8fffa1ce00168545263255748"

mem@^1.1.0:
  version "1.1.0"
  resolved "https://registry.yarnpkg.com/mem/-/mem-1.1.0.tgz#5edd52b485ca1d900fe64895505399a0dfa45f76"
  dependencies:
    mimic-fn "^1.0.0"

memory-fs@^0.4.0, memory-fs@~0.4.1:
  version "0.4.1"
  resolved
  ↪  "https://registry.yarnpkg.com/memory-fs/-/memory-fs-0.4.1.tgz#3a9a20b8462523e447cfbc7e8bb80ed667bfc552"
  dependencies:
    errno "^0.1.3"
    readable-stream "^2.0.1"

meow@^3.3.0, meow@^3.7.0:
  version "3.7.0"
  resolved "https://registry.yarnpkg.com/meow/-/meow-3.7.0.tgz#72cb668b425228290abbfa856892587308a801fb"
  dependencies:
    camelcase-keys "^2.0.0"
```

```
    decamelize "^1.1.2"
    loud-rejection "^1.0.0"
    map-obj "^1.0.1"
    minimist "^1.1.3"
    normalize-package-data "^2.3.4"
    object-assign "^4.0.1"
    read-pkg-up "^1.0.1"
    redent "^1.0.0"
    trim-newlines "^1.0.0"

merge-descriptors@1.0.1:
  version "1.0.1"
  resolved
  → "https://registry.yarnpkg.com/merge-descriptors/-/merge-descriptors-1.0.1.tgz#b00aaa556dd8b44568150ec9d1b953

methods@~1.1.2:
  version "1.1.2"
  resolved "https://registry.yarnpkg.com/methods/-/methods-1.1.2.tgz#5529a4d67654134edcc5266656835b0f851afcee"

micromatch@^2.1.5, micromatch@^2.3.11:
  version "2.3.11"
  resolved
  → "https://registry.yarnpkg.com/micromatch/-/micromatch-2.3.11.tgz#86677c97d1720b363431d04d0d15293bd38c1565"
  dependencies:
    arr-diff "^2.0.0"
    array-unique "^0.2.1"
    braces "^1.8.2"
    expand-brackets "^0.1.4"
    extglob "^0.3.1"
    filename-regex "^2.0.0"
    is-extglob "^1.0.0"
    is-glob "^2.0.1"
    kind-of "^3.0.2"
    normalize-path "^2.0.1"
    object.omit "^2.0.0"
    parse-glob "^3.0.4"
    regex-cache "^0.4.2"

miller-rabin@^4.0.0:
  version "4.0.1"
  resolved
  → "https://registry.yarnpkg.com/miller-rabin/-/miller-rabin-4.0.1.tgz#f080351c865b0dc562a8462966daa53543c78a4d
  dependencies:
    bn.js "^4.0.0"
    brorand "^1.0.1"

"mime-db@>= 1.30.0 < 2":
  version "1.31.0"
  resolved
  → "https://registry.yarnpkg.com/mime-db/-/mime-db-1.31.0.tgz#a49cd8f3ebf3ed1a482b60561d9105ad40ca74cb"

mime-db@~1.30.0:
  version "1.30.0"
  resolved
  → "https://registry.yarnpkg.com/mime-db/-/mime-db-1.30.0.tgz#74c643da2dd9d6a45399963465b26d5ca7d71f01"

mime-types@^2.1.12, mime-types@~2.1.15, mime-types@~2.1.16, mime-types@~2.1.17, mime-types@~2.1.7:
  version "2.1.17"
  resolved
  → "https://registry.yarnpkg.com/mime-types/-/mime-types-2.1.17.tgz#09d7a393f03e995a79f8af857b70a9e0ab16557a"
  dependencies:
    mime-db "~1.30.0"
```

```
mime@1.4.1, mime@^1.3.4:
  version "1.4.1"
  resolved "https://registry.yarnpkg.com/mime/-/mime-1.4.1.tgz#121f9ebc49e3766f311a76e1fa1c8003c4b03aa6"

mimic-fn@^1.0.0:
  version "1.1.0"
  resolved
    → "https://registry.yarnpkg.com/mimic-fn/-/mimic-fn-1.1.0.tgz#e667783d92e89dbd342818b5230b9d62a672ad18"

minimalistic-assert@^1.0.0:
  version "1.0.0"
  resolved
    → "https://registry.yarnpkg.com/minimalistic-assert/-/minimalistic-assert-1.0.0.tgz#702be2dda6b37f4836bcb3f5db"

minimalistic-crypto-utils@^1.0.0, minimalistic-crypto-utils@^1.0.1:
  version "1.0.1"
  resolved
    → "https://registry.yarnpkg.com/minimalistic-crypto-utils/-/minimalistic-crypto-utils-1.0.1.tgz#f6c00c1c0b0822"

minimatch@^3.0.0, minimatch@^3.0.2, minimatch@^3.0.4, minimatch@~3.0.2:
  version "3.0.4"
  resolved
    → "https://registry.yarnpkg.com/minimatch/-/minimatch-3.0.4.tgz#5166e286457f03306064be5497e8dbb0c3d32083"
  dependencies:
    brace-expansion "^1.1.7"

minimist@0.0.8:
  version "0.0.8"
  resolved
    → "https://registry.yarnpkg.com/minimist/-/minimist-0.0.8.tgz#857fcabfc3397d2625b8228262e86aa7a011b05d"

minimist@1.1.x:
  version "1.1.3"
  resolved
    → "https://registry.yarnpkg.com/minimist/-/minimist-1.1.3.tgz#3bedfd91a92d39016fcfaa1c681e8faa1a1efda8"

minimist@^1.1.3, minimist@^1.2.0:
  version "1.2.0"
  resolved
    → "https://registry.yarnpkg.com/minimist/-/minimist-1.2.0.tgz#a35008b20f41383eec1fb914f4cd5df79a264284"

mixin-object@^2.0.1:
  version "2.0.1"
  resolved
    → "https://registry.yarnpkg.com/mixin-object/-/mixin-object-2.0.1.tgz#4fb949441dab182540f1fe035ba60e1947a5e57e"
  dependencies:
    for-in "^0.1.3"
    is-extendable "^0.1.1"

mkdirp@0.5.x, "mkdirp@>=0.5 0", mkdirp@^0.5.0, mkdirp@^0.5.1, mkdirp@~0.5.0, mkdirp@~0.5.1:
  version "0.5.1"
  resolved "https://registry.yarnpkg.com/mkdirp/-/mkdirp-0.5.1.tgz#30057438eac6cf7f8c4767f38648d6697d75c903"
  dependencies:
    minimist "0.0.8"

ms@2.0.0:
  version "2.0.0"
  resolved "https://registry.yarnpkg.com/ms/-/ms-2.0.0.tgz#5608aeadfc00be6c2901df5f9861788de0d597c8"

multicast-dns-service-types@^1.1.0:
  version "1.1.0"
```

```
    resolved
    ↪  "https://registry.yarnpkg.com/multicast-dns-service-types/-/multicast-dns-service-types-1.1.0.tgz#899f11d968

multicast-dns@^6.0.1:
  version "6.1.1"
  resolved
  ↪  "https://registry.yarnpkg.com/multicast-dns/-/multicast-dns-6.1.1.tgz#6e7de86a570872ab17058adea7160bbeca814d
  dependencies:
    dns-packet "^1.0.1"
    thunky "^0.1.0"

nan@^2.3.0, nan@^2.3.2:
  version "2.7.0"
  resolved "https://registry.yarnpkg.com/nan/-/nan-2.7.0.tgz#d95bf721ec877e08db276ed3fc6eb78f9083ad46"

negotiator@0.6.1:
  version "0.6.1"
  resolved
  ↪  "https://registry.yarnpkg.com/negotiator/-/negotiator-0.6.1.tgz#2b327184e8992101177b28563fb5e7102acd0ca9"

node-fetch@^1.0.1:
  version "1.7.3"
  resolved
  ↪  "https://registry.yarnpkg.com/node-fetch/-/node-fetch-1.7.3.tgz#980f6f72d85211a5347c6b2bc18c5b84c3eb47ef"
  dependencies:
    encoding "^0.1.11"
    is-stream "^1.0.1"

node-forge@0.6.33:
  version "0.6.33"
  resolved
  ↪  "https://registry.yarnpkg.com/node-forge/-/node-forge-0.6.33.tgz#463811879f573d45155ad6a9f43dc296e8e85ebc"

node-gyp@^3.3.1:
  version "3.6.2"
  resolved
  ↪  "https://registry.yarnpkg.com/node-gyp/-/node-gyp-3.6.2.tgz#9bfbe54562286284838e750eac05295853fa1c60"
  dependencies:
    fstream "^1.0.0"
    glob "^7.0.3"
    graceful-fs "^4.1.2"
    minimatch "^3.0.2"
    mkdirp "^0.5.0"
    nopt "2 || 3"
    npmlog "0 || 1 || 2 || 3 || 4"
    osenv "0"
    request "2"
    rimraf "2"
    semver "~5.3.0"
    tar "^2.0.0"
    which "1"

node-libs-browser@^2.0.0:
  version "2.0.0"
  resolved
  ↪  "https://registry.yarnpkg.com/node-libs-browser/-/node-libs-browser-2.0.0.tgz#a3a59ec97024985b46e958379646f9
  dependencies:
    assert "^1.1.1"
    browserify-zlib "^0.1.4"
    buffer "^4.3.0"
    console-browserify "^1.1.0"
    constants-browserify "^1.0.0"
```

```
      crypto-browserify "^3.11.0"
      domain-browser "^1.1.1"
      events "^1.0.0"
      https-browserify "0.0.1"
      os-browserify "^0.2.0"
      path-browserify "0.0.0"
      process "^0.11.0"
      punycode "^1.2.4"
      querystring-es3 "^0.2.0"
      readable-stream "^2.0.5"
      stream-browserify "^2.0.1"
      stream-http "^2.3.1"
      string_decoder "^0.10.25"
      timers-browserify "^2.0.2"
      tty-browserify "0.0.0"
      url "^0.11.0"
      util "^0.10.3"
      vm-browserify "0.0.4"

node-pre-gyp@^0.6.39:
  version "0.6.39"
  resolved
    → "https://registry.yarnpkg.com/node-pre-gyp/-/node-pre-gyp-0.6.39.tgz#c00e96860b23c0e1420ac7befc5044e1d78d864
  dependencies:
    detect-libc "^1.0.2"
    hawk "3.1.3"
    mkdirp "^0.5.1"
    nopt "^4.0.1"
    npmlog "^4.0.2"
    rc "^1.1.7"
    request "2.81.0"
    rimraf "^2.6.1"
    semver "^5.3.0"
    tar "^2.2.1"
    tar-pack "^3.4.0"

node-sass@^4.5.3:
  version "4.6.1"
  resolved
    → "https://registry.yarnpkg.com/node-sass/-/node-sass-4.6.1.tgz#9b331cf943ee5440f199e858941a90d13bc9bfc5"
  dependencies:
    async-foreach "^0.1.3"
    chalk "^1.1.1"
    cross-spawn "^3.0.0"
    gaze "^1.0.0"
    get-stdin "^4.0.1"
    glob "^7.0.3"
    in-publish "^2.0.0"
    lodash.assign "^4.2.0"
    lodash.clonedeep "^4.3.2"
    lodash.mergewith "^4.6.0"
    meow "^3.7.0"
    mkdirp "^0.5.1"
    nan "^2.3.2"
    node-gyp "^3.3.1"
    npmlog "^4.0.0"
    request "^2.79.0"
    sass-graph "^2.2.4"
    stdout-stream "^1.4.0"

"nopt@2 || 3":
  version "3.0.6"
  resolved "https://registry.yarnpkg.com/nopt/-/nopt-3.0.6.tgz#c6465dbf08abcd4db359317f79ac68a646b28ff9"
```

```
  dependencies:
    abbrev "1"

nopt@^4.0.1:
  version "4.0.1"
  resolved "https://registry.yarnpkg.com/nopt/-/nopt-4.0.1.tgz#d0d4685afd5415193c8c7505602d0d17cd64474d"
  dependencies:
    abbrev "1"
    osenv "^0.1.4"

normalize-package-data@^2.3.2, normalize-package-data@^2.3.4:
  version "2.4.0"
  resolved
  → "https://registry.yarnpkg.com/normalize-package-data/-/normalize-package-data-2.4.0.tgz#12f95a307d58352075a0
  dependencies:
    hosted-git-info "^2.1.4"
    is-builtin-module "^1.0.0"
    semver "2 || 3 || 4 || 5"
    validate-npm-package-license "^3.0.1"

normalize-path@^2.0.0, normalize-path@^2.0.1:
  version "2.1.1"
  resolved
  → "https://registry.yarnpkg.com/normalize-path/-/normalize-path-2.1.1.tgz#1ab28b556e198363a8c1a6f7e6fa20137fe6
  dependencies:
    remove-trailing-separator "^1.0.1"

normalize-range@^0.1.2:
  version "0.1.2"
  resolved
  → "https://registry.yarnpkg.com/normalize-range/-/normalize-range-0.1.2.tgz#2d10c06bdfd312ea9777695a4d2843945

normalize-url@^1.4.0:
  version "1.9.1"
  resolved
  → "https://registry.yarnpkg.com/normalize-url/-/normalize-url-1.9.1.tgz#2cc0d66b31ea23036458436e3620d85954c66
  dependencies:
    object-assign "^4.0.1"
    prepend-http "^1.0.0"
    query-string "^4.1.0"
    sort-keys "^1.0.0"

npm-run-path@^2.0.0:
  version "2.0.2"
  resolved
  → "https://registry.yarnpkg.com/npm-run-path/-/npm-run-path-2.0.2.tgz#35a9232dfa35d7067b4cb2ddf2357b1871536c5f
  dependencies:
    path-key "^2.0.0"

"npmlog@0 || 1 || 2 || 3 || 4", npmlog@^4.0.0, npmlog@^4.0.2:
  version "4.1.2"
  resolved "https://registry.yarnpkg.com/npmlog/-/npmlog-4.1.2.tgz#08a7f2a8bf734604779a9efa4ad5cc717abb954b"
  dependencies:
    are-we-there-yet "~1.1.2"
    console-control-strings "~1.1.0"
    gauge "~2.7.3"
    set-blocking "~2.0.0"

num2fraction@^1.2.2:
  version "1.2.2"
  resolved
  → "https://registry.yarnpkg.com/num2fraction/-/num2fraction-1.2.2.tgz#6f682b6a027a4e9ddfa4564cd2589d1d4e669ede
```

```
number-is-nan@^1.0.0:
  version "1.0.1"
  resolved
  ↪ "https://registry.yarnpkg.com/number-is-nan/-/number-is-nan-1.0.1.tgz#097b602b53422a522c1afb8790318336941a01

oauth-sign@~0.8.1, oauth-sign@~0.8.2:
  version "0.8.2"
  resolved
  ↪ "https://registry.yarnpkg.com/oauth-sign/-/oauth-sign-0.8.2.tgz#46a6ab7f0aead8deae9ec0565780b7d4efeb9d43"

object-assign@^4.0.1, object-assign@^4.1.0, object-assign@^4.1.1:
  version "4.1.1"
  resolved
  ↪ "https://registry.yarnpkg.com/object-assign/-/object-assign-4.1.1.tgz#2109adc7965887cfc05cbbd442cac8bfbb3608

object-keys@^1.0.8:
  version "1.0.11"
  resolved
  ↪ "https://registry.yarnpkg.com/object-keys/-/object-keys-1.0.11.tgz#c54601778ad560f1142ce0e01bcca8b56d13426d'

object-path@^0.9.2:
  version "0.9.2"
  resolved
  ↪ "https://registry.yarnpkg.com/object-path/-/object-path-0.9.2.tgz#0fd9a74fc5fad1ae3968b586bda5c632bd6c05a5"

object.omit@^2.0.0:
  version "2.0.1"
  resolved
  ↪ "https://registry.yarnpkg.com/object.omit/-/object.omit-2.0.1.tgz#1a9c744829f39dbb858c76ca3579ae2a54ebd1fa"
  dependencies:
    for-own "^0.1.4"
    is-extendable "^0.1.1"

obuf@^1.0.0, obuf@^1.1.1:
  version "1.1.1"
  resolved "https://registry.yarnpkg.com/obuf/-/obuf-1.1.1.tgz#104124b6c602c6796881a042541d36db43a5264e"

on-finished@~2.3.0:
  version "2.3.0"
  resolved
  ↪ "https://registry.yarnpkg.com/on-finished/-/on-finished-2.3.0.tgz#20f1336481b083cd75337992a16971aa2d906947"
  dependencies:
    ee-first "1.1.1"

on-headers@~1.0.1:
  version "1.0.1"
  resolved
  ↪ "https://registry.yarnpkg.com/on-headers/-/on-headers-1.0.1.tgz#928f5d0f470d49342651ea6794b0857c100693f7"

once@^1.3.0, once@^1.3.3:
  version "1.4.0"
  resolved "https://registry.yarnpkg.com/once/-/once-1.4.0.tgz#583b1aa775961d4b113ac17d9c50baef9dd76bd1"
  dependencies:
    wrappy "1"

onecolor@^3.0.4:
  version "3.0.4"
  resolved
  ↪ "https://registry.yarnpkg.com/onecolor/-/onecolor-3.0.4.tgz#75a46f80da6c7aaa5b4daae17a47198bd9652494"

opn@^5.1.0:
```

```
    version "5.1.0"
    resolved "https://registry.yarnpkg.com/opn/-/opn-5.1.0.tgz#72ce2306a17dbea58ff1041853352b4a8fc77519"
    dependencies:
      is-wsl "^1.1.0"

original@>=0.0.5:
  version "1.0.0"
  resolved
    → "https://registry.yarnpkg.com/original/-/original-1.0.0.tgz#9147f93fa1696d04be61e01bd50baeaca656bd3b"
  dependencies:
    url-parse "1.0.x"

os-browserify@^0.2.0:
  version "0.2.1"
  resolved
    → "https://registry.yarnpkg.com/os-browserify/-/os-browserify-0.2.1.tgz#63fc4ccee5d2d7763d26bbf8601078e6c2e004

os-homedir@^1.0.0, os-homedir@^1.0.1:
  version "1.0.2"
  resolved
    → "https://registry.yarnpkg.com/os-homedir/-/os-homedir-1.0.2.tgz#ffbc4988336e0e833de0c168c7ef152121aa7fb3"

os-locale@^1.4.0:
  version "1.4.0"
  resolved
    → "https://registry.yarnpkg.com/os-locale/-/os-locale-1.4.0.tgz#20f9f17ae29ed345e8bde583b13d2009803c14d9"
  dependencies:
    lcid "^1.0.0"

os-locale@^2.0.0:
  version "2.1.0"
  resolved
    → "https://registry.yarnpkg.com/os-locale/-/os-locale-2.1.0.tgz#42bc2900a6b5b8bd17376c8e882b65afccf24bf2"
  dependencies:
    execa "^0.7.0"
    lcid "^1.0.0"
    mem "^1.1.0"

os-tmpdir@^1.0.0, os-tmpdir@^1.0.1:
  version "1.0.2"
  resolved
    → "https://registry.yarnpkg.com/os-tmpdir/-/os-tmpdir-1.0.2.tgz#bbe67406c79aa85c5cfec766fe5734555dfa1274"

osenv@0, osenv@^0.1.4:
  version "0.1.4"
  resolved "https://registry.yarnpkg.com/osenv/-/osenv-0.1.4.tgz#42fe6d5953df06c8064be6f176c3d05aaaa34644"
  dependencies:
    os-homedir "^1.0.0"
    os-tmpdir "^1.0.0"

p-finally@^1.0.0:
  version "1.0.0"
  resolved
    → "https://registry.yarnpkg.com/p-finally/-/p-finally-1.0.0.tgz#3fbcfb15b899a44123b34b6dcc18b724336a2cae"

p-limit@^1.1.0:
  version "1.1.0"
  resolved "https://registry.yarnpkg.com/p-limit/-/p-limit-1.1.0.tgz#b07ff2d9a5d88bec806035895a2bab66a27988bc"

p-locate@^2.0.0:
  version "2.0.0"
```

```
    resolved
    ↪    "https://registry.yarnpkg.com/p-locate/-/p-locate-2.0.0.tgz#20a0103b222a70c8fd39cc2e580680f3dde5ec43"
    dependencies:
      p-limit "^1.1.0"

p-map@^1.1.1:
    version "1.2.0"
    resolved "https://registry.yarnpkg.com/p-map/-/p-map-1.2.0.tgz#e4e94f311eabbc8633a1e79908165fca26241b6b"

pako@~0.2.0:
    version "0.2.9"
    resolved "https://registry.yarnpkg.com/pako/-/pako-0.2.9.tgz#f3f7522f4ef782348da8161bad9ecfd51bf83a75"

parse-asn1@^5.0.0:
    version "5.1.0"
    resolved
    ↪    "https://registry.yarnpkg.com/parse-asn1/-/parse-asn1-5.1.0.tgz#37c4f9b7ed3ab65c74817b5f2480937fbf97c712"
    dependencies:
      asn1.js "^4.0.0"
      browserify-aes "^1.0.0"
      create-hash "^1.1.0"
      evp_bytestokey "^1.0.0"
      pbkdf2 "^3.0.3"

parse-glob@^3.0.4:
    version "3.0.4"
    resolved
    ↪    "https://registry.yarnpkg.com/parse-glob/-/parse-glob-3.0.4.tgz#b2c376cfb11f35513badd173ef0bb6e3a388391c"
    dependencies:
      glob-base "^0.3.0"
      is-dotfile "^1.0.0"
      is-extglob "^1.0.0"
      is-glob "^2.0.0"

parse-json@^2.2.0:
    version "2.2.0"
    resolved
    ↪    "https://registry.yarnpkg.com/parse-json/-/parse-json-2.2.0.tgz#f480f40434ef80741f8469099f8dea18f55a4dc9"
    dependencies:
      error-ex "^1.2.0"

parseurl@~1.3.2:
    version "1.3.2"
    resolved
    ↪    "https://registry.yarnpkg.com/parseurl/-/parseurl-1.3.2.tgz#fc289d4ed8993119460c156253262cdc8de65bf3"

path-browserify@0.0.0:
    version "0.0.0"
    resolved
    ↪    "https://registry.yarnpkg.com/path-browserify/-/path-browserify-0.0.0.tgz#a0b870729aae214005b7d5032ec2cbbb0f
path-complete-extname@^0.1.0:
    version "0.1.0"
    resolved
    ↪    "https://registry.yarnpkg.com/path-complete-extname/-/path-complete-extname-0.1.0.tgz#c454702669f31452f8193a
path-exists@^2.0.0:
    version "2.1.0"
    resolved
    ↪    "https://registry.yarnpkg.com/path-exists/-/path-exists-2.1.0.tgz#0feb6c64f0fc518d9a754dd5efb62c7022761f4b"
    dependencies:
      pinkie-promise "^2.0.0"
```

```
path-exists@^3.0.0:
  version "3.0.0"
  resolved
  → "https://registry.yarnpkg.com/path-exists/-/path-exists-3.0.0.tgz#ce0ebeaa5f78cb18925ea7d810d7b59b010fd515"

path-is-absolute@^1.0.0, path-is-absolute@^1.0.1:
  version "1.0.1"
  resolved
  → "https://registry.yarnpkg.com/path-is-absolute/-/path-is-absolute-1.0.1.tgz#174b9268735534ffbc7ace6bf53a5a9e

path-is-inside@^1.0.1:
  version "1.0.2"
  resolved
  → "https://registry.yarnpkg.com/path-is-inside/-/path-is-inside-1.0.2.tgz#365417dede44430d1c11af61027facf074bd

path-key@^2.0.0:
  version "2.0.1"
  resolved
  → "https://registry.yarnpkg.com/path-key/-/path-key-2.0.1.tgz#411cadb574c5a140d3a4b1910d40d80cc9f40b40"

path-parse@^1.0.5:
  version "1.0.5"
  resolved
  → "https://registry.yarnpkg.com/path-parse/-/path-parse-1.0.5.tgz#3c1adf871ea9cd6c9431b6ea2bd74a0ff055c4c1"

path-to-regexp@0.1.7:
  version "0.1.7"
  resolved
  → "https://registry.yarnpkg.com/path-to-regexp/-/path-to-regexp-0.1.7.tgz#df604178005f522f15eb4490e7247a1bfaa6

path-type@^1.0.0:
  version "1.1.0"
  resolved
  → "https://registry.yarnpkg.com/path-type/-/path-type-1.1.0.tgz#59c44f7ee491da704da415da5a4070ba4f8fe441"
  dependencies:
    graceful-fs "^4.1.2"
    pify "^2.0.0"
    pinkie-promise "^2.0.0"

path-type@^2.0.0:
  version "2.0.0"
  resolved
  → "https://registry.yarnpkg.com/path-type/-/path-type-2.0.0.tgz#f012ccb8415b7096fc2daa1054c3d72389594c73"
  dependencies:
    pify "^2.0.0"

pbkdf2@^3.0.3:
  version "3.0.14"
  resolved "https://registry.yarnpkg.com/pbkdf2/-/pbkdf2-3.0.14.tgz#a35e13c64799b06ce15320f459c230e68e73bade"
  dependencies:
    create-hash "^1.1.2"
    create-hmac "^1.1.4"
    ripemd160 "^2.0.1"
    safe-buffer "^5.0.1"
    sha.js "^2.4.8"

performance-now@^0.2.0:
  version "0.2.0"
  resolved
  → "https://registry.yarnpkg.com/performance-now/-/performance-now-0.2.0.tgz#33ef30c5c77d4ea21c5a53869d91b56d8f
```

```
performance-now@^2.1.0:
  version "2.1.0"
  resolved
  → "https://registry.yarnpkg.com/performance-now/-/performance-now-2.1.0.tgz#6309f4e0e5fa913ec1c69307ae364b4b37

pify@^2.0.0, pify@^2.3.0:
  version "2.3.0"
  resolved "https://registry.yarnpkg.com/pify/-/pify-2.3.0.tgz#ed141a6ac043a849ea588498e7dca8b15330e90c"

pify@^3.0.0:
  version "3.0.0"
  resolved "https://registry.yarnpkg.com/pify/-/pify-3.0.0.tgz#e5a4acd2c101fdf3d9a4d07f0dbc4db49dd28176"

pinkie-promise@^2.0.0:
  version "2.0.1"
  resolved
  → "https://registry.yarnpkg.com/pinkie-promise/-/pinkie-promise-2.0.1.tgz#2135d6dfa7a358c069ac9b17877628822845
  dependencies:
    pinkie "^2.0.0"

pinkie@^2.0.0:
  version "2.0.4"
  resolved "https://registry.yarnpkg.com/pinkie/-/pinkie-2.0.4.tgz#72556b80cfa0d48a974e80e77248e80ed4f7f870"

pixrem@^4.0.0:
  version "4.0.1"
  resolved "https://registry.yarnpkg.com/pixrem/-/pixrem-4.0.1.tgz#2da4a1de6ec4423c5fc3794e930b81d4490ec686"
  dependencies:
    browserslist "^2.0.0"
    postcss "^6.0.0"
    reduce-css-calc "^1.2.7"

pkg-dir@^2.0.0:
  version "2.0.0"
  resolved "https://registry.yarnpkg.com/pkg-dir/-/pkg-dir-2.0.0.tgz#f6d5d1109e19d63edf428e0bd57e12777615334b"
  dependencies:
    find-up "^2.1.0"

pleeease-filters@^4.0.0:
  version "4.0.0"
  resolved
  → "https://registry.yarnpkg.com/pleeease-filters/-/pleeease-filters-4.0.0.tgz#6632b2fb05648d2758d865384fbced79
  dependencies:
    onecolor "^3.0.4"
    postcss "^6.0.1"

popper.js@^1.12.9:
  version "1.12.9"
  resolved
  → "https://registry.yarnpkg.com/popper.js/-/popper.js-1.12.9.tgz#0dfbc2dff96c451bb332edcfcfaaf566d331d5b3"

portfinder@^1.0.9:
  version "1.0.13"
  resolved
  → "https://registry.yarnpkg.com/portfinder/-/portfinder-1.0.13.tgz#bb32ecd87c27104ae6ee44b5a3ccbf0ebb1aede9"
  dependencies:
    async "^1.5.2"
    debug "^2.2.0"
    mkdirp "0.5.x"

postcss-apply@^0.8.0:
  version "0.8.0"
```

```
    resolved
    ↪  "https://registry.yarnpkg.com/postcss-apply/-/postcss-apply-0.8.0.tgz#14e544bbb5cb6f1c1e048857965d79ae066b13
  dependencies:
    babel-runtime "^6.23.0"
    balanced-match "^0.4.2"
    postcss "^6.0.0"

postcss-attribute-case-insensitive@^2.0.0:
  version "2.0.0"
  resolved
    ↪  "https://registry.yarnpkg.com/postcss-attribute-case-insensitive/-/postcss-attribute-case-insensitive-2.0.0.
  dependencies:
    postcss "^6.0.0"
    postcss-selector-parser "^2.2.3"

postcss-calc@^5.2.0:
  version "5.3.1"
  resolved
    ↪  "https://registry.yarnpkg.com/postcss-calc/-/postcss-calc-5.3.1.tgz#77bae7ca928ad85716e2fda42f261bf7c1d65b5e
  dependencies:
    postcss "^5.0.2"
    postcss-message-helpers "^2.0.0"
    reduce-css-calc "^1.2.6"

postcss-calc@^6.0.0:
  version "6.0.1"
  resolved
    ↪  "https://registry.yarnpkg.com/postcss-calc/-/postcss-calc-6.0.1.tgz#3d24171bbf6e7629d422a436ebfe6dd9511f4330
  dependencies:
    css-unit-converter "^1.1.1"
    postcss "^6.0.0"
    postcss-selector-parser "^2.2.2"
    reduce-css-calc "^2.0.0"

postcss-color-function@^4.0.0:
  version "4.0.1"
  resolved
    ↪  "https://registry.yarnpkg.com/postcss-color-function/-/postcss-color-function-4.0.1.tgz#402b3f2cebc3f6947e61
  dependencies:
    css-color-function "~1.3.3"
    postcss "^6.0.1"
    postcss-message-helpers "^2.0.0"
    postcss-value-parser "^3.3.0"

postcss-color-gray@^4.0.0:
  version "4.0.0"
  resolved
    ↪  "https://registry.yarnpkg.com/postcss-color-gray/-/postcss-color-gray-4.0.0.tgz#681bf305097dd66bfef0e1e6282c
  dependencies:
    color "^1.0.3"
    postcss "^6.0.1"
    postcss-message-helpers "^2.0.0"
    reduce-function-call "^1.0.2"

postcss-color-hex-alpha@^3.0.0:
  version "3.0.0"
  resolved
    ↪  "https://registry.yarnpkg.com/postcss-color-hex-alpha/-/postcss-color-hex-alpha-3.0.0.tgz#1e53e6c8acb237955e
  dependencies:
    color "^1.0.3"
    postcss "^6.0.1"
    postcss-message-helpers "^2.0.0"
```

```
postcss-color-hsl@^2.0.0:
  version "2.0.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-color-hsl/-/postcss-color-hsl-2.0.0.tgz#12703666fa310430e3f30a454dac13
  dependencies:
    postcss "^6.0.1"
    postcss-value-parser "^3.3.0"
    units-css "^0.4.0"

postcss-color-hwb@^3.0.0:
  version "3.0.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-color-hwb/-/postcss-color-hwb-3.0.0.tgz#3402b19ef4d8497540c1fb5072be98
  dependencies:
    color "^1.0.3"
    postcss "^6.0.1"
    postcss-message-helpers "^2.0.0"
    reduce-function-call "^1.0.2"

postcss-color-rebeccapurple@^3.0.0:
  version "3.0.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-color-rebeccapurple/-/postcss-color-rebeccapurple-3.0.0.tgz#eebaf03d36
  dependencies:
    postcss "^6.0.1"
    postcss-value-parser "^3.3.0"

postcss-color-rgb@^2.0.0:
  version "2.0.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-color-rgb/-/postcss-color-rgb-2.0.0.tgz#14539c8a7131494b482e0dd1cc265f
  dependencies:
    postcss "^6.0.1"
    postcss-value-parser "^3.3.0"

postcss-color-rgba-fallback@^3.0.0:
  version "3.0.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-color-rgba-fallback/-/postcss-color-rgba-fallback-3.0.0.tgz#37d5c9353a
  dependencies:
    postcss "^6.0.6"
    postcss-value-parser "^3.3.0"
    rgb-hex "^2.1.0"

postcss-colormin@^2.1.8:
  version "2.2.2"
  resolved
  → "https://registry.yarnpkg.com/postcss-colormin/-/postcss-colormin-2.2.2.tgz#6631417d5f0e909a3d7ec26b24c8a8d1
  dependencies:
    colormin "^1.0.5"
    postcss "^5.0.13"
    postcss-value-parser "^3.2.3"

postcss-convert-values@^2.3.4:
  version "2.6.1"
  resolved
  → "https://registry.yarnpkg.com/postcss-convert-values/-/postcss-convert-values-2.6.1.tgz#bbd8593c5c1fd2e3d1c3
  dependencies:
    postcss "^5.0.11"
    postcss-value-parser "^3.1.2"

postcss-cssnext@^3.0.2:
```

```
    version "3.0.2"
    resolved
    → "https://registry.yarnpkg.com/postcss-cssnext/-/postcss-cssnext-3.0.2.tgz#63b77adb0b8a4c1d5ec32cd345539535a3
    dependencies:
      autoprefixer "^7.1.1"
      caniuse-api "^2.0.0"
      chalk "^2.0.1"
      pixrem "^4.0.0"
      pleeease-filters "^4.0.0"
      postcss "^6.0.5"
      postcss-apply "^0.8.0"
      postcss-attribute-case-insensitive "^2.0.0"
      postcss-calc "^6.0.0"
      postcss-color-function "^4.0.0"
      postcss-color-gray "^4.0.0"
      postcss-color-hex-alpha "^3.0.0"
      postcss-color-hsl "^2.0.0"
      postcss-color-hwb "^3.0.0"
      postcss-color-rebeccapurple "^3.0.0"
      postcss-color-rgb "^2.0.0"
      postcss-color-rgba-fallback "^3.0.0"
      postcss-custom-media "^6.0.0"
      postcss-custom-properties "^6.1.0"
      postcss-custom-selectors "^4.0.1"
      postcss-font-family-system-ui "^2.0.1"
      postcss-font-variant "^3.0.0"
      postcss-image-set-polyfill "^0.3.5"
      postcss-initial "^2.0.0"
      postcss-media-minmax "^3.0.0"
      postcss-nesting "^4.0.1"
      postcss-pseudo-class-any-link "^4.0.0"
      postcss-pseudoelements "^5.0.0"
      postcss-replace-overflow-wrap "^2.0.0"
      postcss-selector-matches "^3.0.1"
      postcss-selector-not "^3.0.1"

postcss-custom-media@^6.0.0:
  version "6.0.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-custom-media/-/postcss-custom-media-6.0.0.tgz#be532784110ecb295044fb53
  dependencies:
    postcss "^6.0.1"

postcss-custom-properties@^6.1.0:
  version "6.2.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-custom-properties/-/postcss-custom-properties-6.2.0.tgz#5d929a7f06e9b8
  dependencies:
    balanced-match "^1.0.0"
    postcss "^6.0.13"

postcss-custom-selectors@^4.0.1:
  version "4.0.1"
  resolved
  → "https://registry.yarnpkg.com/postcss-custom-selectors/-/postcss-custom-selectors-4.0.1.tgz#781382f94c52e727
  dependencies:
    postcss "^6.0.1"
    postcss-selector-matches "^3.0.0"

postcss-discard-comments@^2.0.4:
  version "2.0.4"
  resolved
  → "https://registry.yarnpkg.com/postcss-discard-comments/-/postcss-discard-comments-2.0.4.tgz#befe89fafd5b3dac
```

```
  dependencies:
    postcss "^5.0.14"

postcss-discard-duplicates@^2.0.1:
  version "2.1.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-discard-duplicates/-/postcss-discard-duplicates-2.1.0.tgz#b9abf27b88ac
  dependencies:
    postcss "^5.0.4"

postcss-discard-empty@^2.0.1:
  version "2.1.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-discard-empty/-/postcss-discard-empty-2.1.0.tgz#d2b4bd9d5ced5ebd8dcade
  dependencies:
    postcss "^5.0.14"

postcss-discard-overridden@^0.1.1:
  version "0.1.1"
  resolved
  → "https://registry.yarnpkg.com/postcss-discard-overridden/-/postcss-discard-overridden-0.1.1.tgz#8b1eaf554f68
  dependencies:
    postcss "^5.0.16"

postcss-discard-unused@^2.2.1:
  version "2.2.3"
  resolved
  → "https://registry.yarnpkg.com/postcss-discard-unused/-/postcss-discard-unused-2.2.3.tgz#bce30b2cc591ffc63432
  dependencies:
    postcss "^5.0.14"
    uniqs "^2.0.0"

postcss-filter-plugins@^2.0.0:
  version "2.0.2"
  resolved
  → "https://registry.yarnpkg.com/postcss-filter-plugins/-/postcss-filter-plugins-2.0.2.tgz#6d85862534d735ac420e
  dependencies:
    postcss "^5.0.4"
    uniqid "^4.0.0"

postcss-font-family-system-ui@^2.0.1:
  version "2.0.1"
  resolved
  → "https://registry.yarnpkg.com/postcss-font-family-system-ui/-/postcss-font-family-system-ui-2.0.1.tgz#318a07
  dependencies:
    lodash "^4.17.4"
    postcss "^6.0.1"
    postcss-value-parser "^3.3.0"

postcss-font-variant@^3.0.0:
  version "3.0.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-font-variant/-/postcss-font-variant-3.0.0.tgz#08ccc88f6050ba82ed8ef2cc
  dependencies:
    postcss "^6.0.1"

postcss-image-set-polyfill@^0.3.5:
  version "0.3.5"
  resolved
  → "https://registry.yarnpkg.com/postcss-image-set-polyfill/-/postcss-image-set-polyfill-0.3.5.tgz#0f193413700c
  dependencies:
    postcss "^6.0.1"
```

```
    postcss-media-query-parser "^0.2.3"

postcss-initial@^2.0.0:
  version "2.0.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-initial/-/postcss-initial-2.0.0.tgz#72715f7336e0bb79351d99ee65c4a253a8
  dependencies:
    lodash.template "^4.2.4"
    postcss "^6.0.1"

postcss-load-config@^1.2.0:
  version "1.2.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-load-config/-/postcss-load-config-1.2.0.tgz#539e9afc9ddc8620121ebf9d8
  dependencies:
    cosmiconfig "^2.1.0"
    object-assign "^4.1.0"
    postcss-load-options "^1.2.0"
    postcss-load-plugins "^2.3.0"

postcss-load-options@^1.2.0:
  version "1.2.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-load-options/-/postcss-load-options-1.2.0.tgz#b098b1559ddac2df04bc0bb3
  dependencies:
    cosmiconfig "^2.1.0"
    object-assign "^4.1.0"

postcss-load-plugins@^2.3.0:
  version "2.3.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-load-plugins/-/postcss-load-plugins-2.3.0.tgz#745768116599aca2f009fad4
  dependencies:
    cosmiconfig "^2.1.1"
    object-assign "^4.1.0"

postcss-loader@^2.0.6:
  version "2.0.8"
  resolved
  → "https://registry.yarnpkg.com/postcss-loader/-/postcss-loader-2.0.8.tgz#8c67ddb029407dfafe684a406cfc16bad2ce
  dependencies:
    loader-utils "^1.1.0"
    postcss "^6.0.0"
    postcss-load-config "^1.2.0"
    schema-utils "^0.3.0"

postcss-media-minmax@^3.0.0:
  version "3.0.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-media-minmax/-/postcss-media-minmax-3.0.0.tgz#675256037a43ef40bc4f0760
  dependencies:
    postcss "^6.0.1"

postcss-media-query-parser@^0.2.3:
  version "0.2.3"
  resolved
  → "https://registry.yarnpkg.com/postcss-media-query-parser/-/postcss-media-query-parser-0.2.3.tgz#27b39c6f4d94
  
postcss-merge-idents@^2.1.5:
  version "2.1.7"
  resolved
  → "https://registry.yarnpkg.com/postcss-merge-idents/-/postcss-merge-idents-2.1.7.tgz#4c5530313c08e1d5b3bbf3d2
```

```
  dependencies:
    has "^1.0.1"
    postcss "^5.0.10"
    postcss-value-parser "^3.1.1"

postcss-merge-longhand@^2.0.1:
  version "2.0.2"
  resolved
  → "https://registry.yarnpkg.com/postcss-merge-longhand/-/postcss-merge-longhand-2.0.2.tgz#23d90cd127b0a7799491
  dependencies:
    postcss "^5.0.4"

postcss-merge-rules@^2.0.3:
  version "2.1.2"
  resolved
  → "https://registry.yarnpkg.com/postcss-merge-rules/-/postcss-merge-rules-2.1.2.tgz#d1df5dfaa7b1acc3be553f0e9e
  dependencies:
    browserslist "^1.5.2"
    caniuse-api "^1.5.2"
    postcss "^5.0.4"
    postcss-selector-parser "^2.2.2"
    vendors "^1.0.0"

postcss-message-helpers@^2.0.0:
  version "2.0.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-message-helpers/-/postcss-message-helpers-2.0.0.tgz#a4f2f4fab6e4fe002f
postcss-minify-font-values@^1.0.2:
  version "1.0.5"
  resolved
  → "https://registry.yarnpkg.com/postcss-minify-font-values/-/postcss-minify-font-values-1.0.5.tgz#4b58edb56641
  dependencies:
    object-assign "^4.0.1"
    postcss "^5.0.4"
    postcss-value-parser "^3.0.2"

postcss-minify-gradients@^1.0.1:
  version "1.0.5"
  resolved
  → "https://registry.yarnpkg.com/postcss-minify-gradients/-/postcss-minify-gradients-1.0.5.tgz#5dbda11373703f83
  dependencies:
    postcss "^5.0.12"
    postcss-value-parser "^3.3.0"

postcss-minify-params@^1.0.4:
  version "1.2.2"
  resolved
  → "https://registry.yarnpkg.com/postcss-minify-params/-/postcss-minify-params-1.2.2.tgz#ad2ce071373b943b3d930a
  dependencies:
    alphanum-sort "^1.0.1"
    postcss "^5.0.2"
    postcss-value-parser "^3.0.2"
    uniqs "^2.0.0"

postcss-minify-selectors@^2.0.4:
  version "2.1.1"
  resolved
  → "https://registry.yarnpkg.com/postcss-minify-selectors/-/postcss-minify-selectors-2.1.1.tgz#b2c6a98c0072cf91
  dependencies:
    alphanum-sort "^1.0.2"
    has "^1.0.1"
```

```
    postcss "^5.0.14"
    postcss-selector-parser "^2.0.0"

postcss-modules-extract-imports@^1.0.0:
  version "1.1.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-modules-extract-imports/-/postcss-modules-extract-imports-1.1.0.tgz#b6
  dependencies:
    postcss "^6.0.1"

postcss-modules-local-by-default@^1.0.1:
  version "1.2.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-modules-local-by-default/-/postcss-modules-local-by-default-1.2.0.tgz#
  dependencies:
    css-selector-tokenizer "^0.7.0"
    postcss "^6.0.1"

postcss-modules-scope@^1.0.0:
  version "1.1.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-modules-scope/-/postcss-modules-scope-1.1.0.tgz#d6ea64994c79f97b62a72b
  dependencies:
    css-selector-tokenizer "^0.7.0"
    postcss "^6.0.1"

postcss-modules-values@^1.1.0:
  version "1.3.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-modules-values/-/postcss-modules-values-1.3.0.tgz#ecffa9d7e192518389f4
  dependencies:
    icss-replace-symbols "^1.1.0"
    postcss "^6.0.1"

postcss-nesting@^4.0.1:
  version "4.2.1"
  resolved
  → "https://registry.yarnpkg.com/postcss-nesting/-/postcss-nesting-4.2.1.tgz#0483bce338b3f0828ced90ff530b29b98b
  dependencies:
    postcss "^6.0.11"

postcss-normalize-charset@^1.1.0:
  version "1.1.1"
  resolved
  → "https://registry.yarnpkg.com/postcss-normalize-charset/-/postcss-normalize-charset-1.1.1.tgz#ef9ee71212d7fe
  dependencies:
    postcss "^5.0.5"

postcss-normalize-url@^3.0.7:
  version "3.0.8"
  resolved
  → "https://registry.yarnpkg.com/postcss-normalize-url/-/postcss-normalize-url-3.0.8.tgz#108f74b3f2fcdaf891a2ff
  dependencies:
    is-absolute-url "^2.0.0"
    normalize-url "^1.4.0"
    postcss "^5.0.14"
    postcss-value-parser "^3.2.3"

postcss-ordered-values@^2.1.0:
  version "2.2.3"
  resolved
  → "https://registry.yarnpkg.com/postcss-ordered-values/-/postcss-ordered-values-2.2.3.tgz#eec6c2a67b6c412a8db2
```

```
  dependencies:
    postcss "^5.0.4"
    postcss-value-parser "^3.0.1"

postcss-pseudo-class-any-link@^4.0.0:
  version "4.0.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-pseudo-class-any-link/-/postcss-pseudo-class-any-link-4.0.0.tgz#9152a0
  dependencies:
    postcss "^6.0.1"
    postcss-selector-parser "^2.2.3"

postcss-pseudoelements@^5.0.0:
  version "5.0.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-pseudoelements/-/postcss-pseudoelements-5.0.0.tgz#eef194e8d524645ca520
  dependencies:
    postcss "^6.0.0"

postcss-reduce-idents@^2.2.2:
  version "2.4.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-reduce-idents/-/postcss-reduce-idents-2.4.0.tgz#c2c6d20cc958284f6abfbe
  dependencies:
    postcss "^5.0.4"
    postcss-value-parser "^3.0.2"

postcss-reduce-initial@^1.0.0:
  version "1.0.1"
  resolved
  → "https://registry.yarnpkg.com/postcss-reduce-initial/-/postcss-reduce-initial-1.0.1.tgz#68f80695f045d08263a8
  dependencies:
    postcss "^5.0.4"

postcss-reduce-transforms@^1.0.3:
  version "1.0.4"
  resolved
  → "https://registry.yarnpkg.com/postcss-reduce-transforms/-/postcss-reduce-transforms-1.0.4.tgz#ff76f4d8212437
  dependencies:
    has "^1.0.1"
    postcss "^5.0.8"
    postcss-value-parser "^3.0.1"

postcss-replace-overflow-wrap@^2.0.0:
  version "2.0.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-replace-overflow-wrap/-/postcss-replace-overflow-wrap-2.0.0.tgz#794db6
  dependencies:
    postcss "^6.0.1"

postcss-sass@^0.1.0:
  version "0.1.0"
  resolved
  → "https://registry.yarnpkg.com/postcss-sass/-/postcss-sass-0.1.0.tgz#0d2a655b5d241ec8f419bb3da38de5ca11746ddb
  dependencies:
    gonzales-pe "^4.0.3"
    mathjs "^3.11.5"
    postcss "^5.2.6"

postcss-scss@^1.0.2:
  version "1.0.2"
```

```
    resolved
    → "https://registry.yarnpkg.com/postcss-scss/-/postcss-scss-1.0.2.tgz#ff45cf3354b879ee89a4eb68680f46ac9bb14f94
    dependencies:
      postcss "^6.0.3"

postcss-selector-matches@^3.0.0, postcss-selector-matches@^3.0.1:
    version "3.0.1"
    resolved
    → "https://registry.yarnpkg.com/postcss-selector-matches/-/postcss-selector-matches-3.0.1.tgz#e5634011e1395088
    dependencies:
      balanced-match "^0.4.2"
      postcss "^6.0.1"

postcss-selector-not@^3.0.1:
    version "3.0.1"
    resolved
    → "https://registry.yarnpkg.com/postcss-selector-not/-/postcss-selector-not-3.0.1.tgz#2e4db2f0965336c01e7cec7d
    dependencies:
      balanced-match "^0.4.2"
      postcss "^6.0.1"

postcss-selector-parser@^2.0.0, postcss-selector-parser@^2.2.2, postcss-selector-parser@^2.2.3:
    version "2.2.3"
    resolved
    → "https://registry.yarnpkg.com/postcss-selector-parser/-/postcss-selector-parser-2.2.3.tgz#f9437788606c3c9ace
    dependencies:
      flatten "^1.0.2"
      indexes-of "^1.0.1"
      uniq "^1.0.1"

postcss-smart-import@^0.7.5:
    version "0.7.5"
    resolved
    → "https://registry.yarnpkg.com/postcss-smart-import/-/postcss-smart-import-0.7.5.tgz#df9a9c6dd60d916e5e0670d1
    dependencies:
      babel-runtime "^6.23.0"
      lodash "^4.17.4"
      object-assign "^4.1.1"
      postcss "^6.0.6"
      postcss-sass "^0.1.0"
      postcss-scss "^1.0.2"
      postcss-value-parser "^3.3.0"
      promise-each "^2.2.0"
      read-cache "^1.0.0"
      resolve "^1.3.3"
      sugarss "^1.0.0"

postcss-svgo@^2.1.1:
    version "2.1.6"
    resolved
    → "https://registry.yarnpkg.com/postcss-svgo/-/postcss-svgo-2.1.6.tgz#b6df18aa613b666e133f08adb5219c2684ac108d
    dependencies:
      is-svg "^2.0.0"
      postcss "^5.0.14"
      postcss-value-parser "^3.2.3"
      svgo "^0.7.0"

postcss-unique-selectors@^2.0.2:
    version "2.0.2"
    resolved
    → "https://registry.yarnpkg.com/postcss-unique-selectors/-/postcss-unique-selectors-2.0.2.tgz#981d57d29ddcb33e
    dependencies:
      alphanum-sort "^1.0.1"
```

```
    postcss "^5.0.4"
    uniqs "^2.0.0"

postcss-value-parser@^3.0.1, postcss-value-parser@^3.0.2, postcss-value-parser@^3.1.1,
↪   postcss-value-parser@^3.1.2, postcss-value-parser@^3.2.3, postcss-value-parser@^3.3.0:
  version "3.3.0"
  resolved
↪   "https://registry.yarnpkg.com/postcss-value-parser/-/postcss-value-parser-3.3.0.tgz#87f38f9f18f774a4ab4c8a23
postcss-zindex@^2.0.1:
  version "2.2.0"
  resolved
↪   "https://registry.yarnpkg.com/postcss-zindex/-/postcss-zindex-2.2.0.tgz#d2109ddc055b91af67fc4cb3b025946639d2
  dependencies:
    has "^1.0.1"
    postcss "^5.0.4"
    uniqs "^2.0.0"

postcss@^5.0.10, postcss@^5.0.11, postcss@^5.0.12, postcss@^5.0.13, postcss@^5.0.14, postcss@^5.0.16,
↪   postcss@^5.0.2, postcss@^5.0.4, postcss@^5.0.5, postcss@^5.0.6, postcss@^5.0.8, postcss@^5.2.16,
↪   postcss@^5.2.6:
  version "5.2.18"
  resolved
↪   "https://registry.yarnpkg.com/postcss/-/postcss-5.2.18.tgz#badfa1497d46244f6390f58b319830d9107853c5"
  dependencies:
    chalk "^1.1.3"
    js-base64 "^2.1.9"
    source-map "^0.5.6"
    supports-color "^3.2.3"

postcss@^6.0.0, postcss@^6.0.1, postcss@^6.0.11, postcss@^6.0.13, postcss@^6.0.14, postcss@^6.0.3,
↪   postcss@^6.0.5, postcss@^6.0.6:
  version "6.0.14"
  resolved
↪   "https://registry.yarnpkg.com/postcss/-/postcss-6.0.14.tgz#5534c72114739e75d0afcf017db853099f562885"
  dependencies:
    chalk "^2.3.0"
    source-map "^0.6.1"
    supports-color "^4.4.0"

prepend-http@^1.0.0:
  version "1.0.4"
  resolved
↪   "https://registry.yarnpkg.com/prepend-http/-/prepend-http-1.0.4.tgz#d4f4562b0ce3696e41ac52d0e002e57a635dc6d
preserve@^0.2.0:
  version "0.2.0"
  resolved
↪   "https://registry.yarnpkg.com/preserve/-/preserve-0.2.0.tgz#815ed1f6ebc65926f865b310c0713bcb3315ce4b"

private@^0.1.6, private@^0.1.7:
  version "0.1.8"
  resolved "https://registry.yarnpkg.com/private/-/private-0.1.8.tgz#2381edb3689f7a53d653190060fcf822d2f368ff"

process-nextick-args@~1.0.6:
  version "1.0.7"
  resolved
↪   "https://registry.yarnpkg.com/process-nextick-args/-/process-nextick-args-1.0.7.tgz#150e20b756590ad3f91093f2
process@^0.11.0:
  version "0.11.10"
```

```
    resolved
    → "https://registry.yarnpkg.com/process/-/process-0.11.10.tgz#7332300e840161bda3e69a1d1d91a7d4bc16f182"

promise-each@^2.2.0:
  version "2.2.0"
  resolved
  → "https://registry.yarnpkg.com/promise-each/-/promise-each-2.2.0.tgz#3353174eff2694481037e04e01f77aa0fb6d1b60
  dependencies:
    any-promise "^0.1.0"

promise@^7.1.1:
  version "7.3.1"
  resolved "https://registry.yarnpkg.com/promise/-/promise-7.3.1.tgz#064b72602b18f90f29192b8b1bc418ffd1ebd3bf"
  dependencies:
    asap "~2.0.3"

prop-types@^15.6.0:
  version "15.6.0"
  resolved
  → "https://registry.yarnpkg.com/prop-types/-/prop-types-15.6.0.tgz#ceaf083022fc46b4a35f69e13ef75aed0d639856"
  dependencies:
    fbjs "^0.8.16"
    loose-envify "^1.3.1"
    object-assign "^4.1.1"

proxy-addr@~2.0.2:
  version "2.0.2"
  resolved
  → "https://registry.yarnpkg.com/proxy-addr/-/proxy-addr-2.0.2.tgz#6571504f47bb988ec8180253f85dd7e14952bdec"
  dependencies:
    forwarded "~0.1.2"
    ipaddr.js "1.5.2"

prr@~0.0.0:
  version "0.0.0"
  resolved "https://registry.yarnpkg.com/prr/-/prr-0.0.0.tgz#1a84b85908325501411853d0081ee3fa86e2926a"

pseudomap@^1.0.2:
  version "1.0.2"
  resolved
  → "https://registry.yarnpkg.com/pseudomap/-/pseudomap-1.0.2.tgz#f052a28da70e618917ef0a8ac34c1ae5a68286b3"

public-encrypt@^4.0.0:
  version "4.0.0"
  resolved
  → "https://registry.yarnpkg.com/public-encrypt/-/public-encrypt-4.0.0.tgz#39f699f3a46560dd5ebacbca693caf7c65c1
  dependencies:
    bn.js "^4.1.0"
    browserify-rsa "^4.0.0"
    create-hash "^1.1.0"
    parse-asn1 "^5.0.0"
    randombytes "^2.0.1"

punycode@1.3.2:
  version "1.3.2"
  resolved
  → "https://registry.yarnpkg.com/punycode/-/punycode-1.3.2.tgz#9653a036fb7c1ee42342f2325cceefea3926c48d"

punycode@^1.2.4, punycode@^1.4.1:
  version "1.4.1"
  resolved
  → "https://registry.yarnpkg.com/punycode/-/punycode-1.4.1.tgz#c0d5a63b2718800ad8e1eb0fa5269c84dd41845e"
```

```
q@^1.1.2:
  version "1.5.1"
  resolved "https://registry.yarnpkg.com/q/-/q-1.5.1.tgz#7e32f75b41381291d04611f1bf14109ac00651d7"

qs@6.5.1, qs@~6.5.1:
  version "6.5.1"
  resolved "https://registry.yarnpkg.com/qs/-/qs-6.5.1.tgz#349cdf6eef89ec45c12d7d5eb3fc0c870343a6d8"

qs@~6.4.0:
  version "6.4.0"
  resolved "https://registry.yarnpkg.com/qs/-/qs-6.4.0.tgz#13e26d28ad6b0ffaa91312cd3bf708ed351e7233"

query-string@^4.1.0:
  version "4.3.4"
  resolved
  ↪  "https://registry.yarnpkg.com/query-string/-/query-string-4.3.4.tgz#bbb693b9ca915c232515b228b1a02b609043dbeb
  dependencies:
    object-assign "^4.1.0"
    strict-uri-encode "^1.0.0"

querystring-es3@^0.2.0:
  version "0.2.1"
  resolved
  ↪  "https://registry.yarnpkg.com/querystring-es3/-/querystring-es3-0.2.1.tgz#9ec61f79049875707d69414596fd907a4d

querystring@0.2.0:
  version "0.2.0"
  resolved
  ↪  "https://registry.yarnpkg.com/querystring/-/querystring-0.2.0.tgz#b209849203bb25df820da756e747005878521620"

querystringify@0.0.x:
  version "0.0.4"
  resolved
  ↪  "https://registry.yarnpkg.com/querystringify/-/querystringify-0.0.4.tgz#0cf7f84f9463ff0ae51c4c4b142d95be3772

querystringify@~1.0.0:
  version "1.0.0"
  resolved
  ↪  "https://registry.yarnpkg.com/querystringify/-/querystringify-1.0.0.tgz#6286242112c5b712fa654e526652bf6a13ff

rails-erb-loader@^5.2.1:
  version "5.2.1"
  resolved
  ↪  "https://registry.yarnpkg.com/rails-erb-loader/-/rails-erb-loader-5.2.1.tgz#399b7781b88c129bc621a8256329ed2f
  dependencies:
    loader-utils "^1.1.0"
    lodash.defaults "^4.2.0"

randomatic@^1.1.3:
  version "1.1.7"
  resolved
  ↪  "https://registry.yarnpkg.com/randomatic/-/randomatic-1.1.7.tgz#c7abe9cc8b87c0baa876b19fde83fd464797e38c"
  dependencies:
    is-number "^3.0.0"
    kind-of "^4.0.0"

randombytes@^2.0.0, randombytes@^2.0.1, randombytes@^2.0.5:
  version "2.0.5"
  resolved
  ↪  "https://registry.yarnpkg.com/randombytes/-/randombytes-2.0.5.tgz#dc009a246b8d09a177b4b7a0ae77bc570f4b1b79"
  dependencies:
```

```
    safe-buffer "^5.1.0"

randomfill@^1.0.3:
  version "1.0.3"
  resolved
  → "https://registry.yarnpkg.com/randomfill/-/randomfill-1.0.3.tgz#b96b7df587f01dd91726c418f30553b1418e3d62"
  dependencies:
    randombytes "^2.0.5"
    safe-buffer "^5.1.0"

range-parser@^1.0.3, range-parser@~1.2.0:
  version "1.2.0"
  resolved
  → "https://registry.yarnpkg.com/range-parser/-/range-parser-1.2.0.tgz#f49be6b487894ddc40dcc94a322f611092e00d5e
raw-body@2.3.2:
  version "2.3.2"
  resolved
  → "https://registry.yarnpkg.com/raw-body/-/raw-body-2.3.2.tgz#bcd60c77d3eb93cde0050295c3f379389bc88f89"
  dependencies:
    bytes "3.0.0"
    http-errors "1.6.2"
    iconv-lite "0.4.19"
    unpipe "1.0.0"

rc@^1.1.7:
  version "1.2.2"
  resolved "https://registry.yarnpkg.com/rc/-/rc-1.2.2.tgz#d8ce9cb57e8d64d9c7badd9876c7c34cbe3c7077"
  dependencies:
    deep-extend "~0.4.0"
    ini "~1.3.0"
    minimist "^1.2.0"
    strip-json-comments "~2.0.1"

read-cache@^1.0.0:
  version "1.0.0"
  resolved
  → "https://registry.yarnpkg.com/read-cache/-/read-cache-1.0.0.tgz#e664ef31161166c9751cdbe8dbcf86b5fb58f774"
  dependencies:
    pify "^2.3.0"

read-pkg-up@^1.0.1:
  version "1.0.1"
  resolved
  → "https://registry.yarnpkg.com/read-pkg-up/-/read-pkg-up-1.0.1.tgz#9d63c13276c065918d57f002a57f40a1b643fb02"
  dependencies:
    find-up "^1.0.0"
    read-pkg "^1.0.0"

read-pkg-up@^2.0.0:
  version "2.0.0"
  resolved
  → "https://registry.yarnpkg.com/read-pkg-up/-/read-pkg-up-2.0.0.tgz#6b72a8048984e0c41e79510fd5e9fa99b3b549be"
  dependencies:
    find-up "^2.0.0"
    read-pkg "^2.0.0"

read-pkg@^1.0.0:
  version "1.1.0"
  resolved
  → "https://registry.yarnpkg.com/read-pkg/-/read-pkg-1.1.0.tgz#f5ffaa5ecd29cb31c0474bca7d756b6bb29e3f28"
  dependencies:
```

```
    load-json-file "^1.0.0"
    normalize-package-data "^2.3.2"
    path-type "^1.0.0"

read-pkg@^2.0.0:
  version "2.0.0"
  resolved
  ↪  "https://registry.yarnpkg.com/read-pkg/-/read-pkg-2.0.0.tgz#8ef1c0623c6a6db0dc6713c4bfac46332b2368f8"
  dependencies:
    load-json-file "^2.0.0"
    normalize-package-data "^2.3.2"
    path-type "^2.0.0"

readable-stream@^2.0.1, readable-stream@^2.0.2, readable-stream@^2.0.5, readable-stream@^2.0.6,
  ↪  readable-stream@^2.1.4, readable-stream@^2.2.6, readable-stream@^2.2.9:
  version "2.3.3"
  resolved
  ↪  "https://registry.yarnpkg.com/readable-stream/-/readable-stream-2.3.3.tgz#368f2512d79f9d46fdfc71349ae7878bbc
  dependencies:
    core-util-is "~1.0.0"
    inherits "~2.0.3"
    isarray "~1.0.0"
    process-nextick-args "~1.0.6"
    safe-buffer "~5.1.1"
    string_decoder "~1.0.3"
    util-deprecate "~1.0.1"

readdirp@^2.0.0:
  version "2.1.0"
  resolved
  ↪  "https://registry.yarnpkg.com/readdirp/-/readdirp-2.1.0.tgz#4ed0ad060df3073300c48440373f72d1cc642d78"
  dependencies:
    graceful-fs "^4.1.2"
    minimatch "^3.0.2"
    readable-stream "^2.0.2"
    set-immediate-shim "^1.0.1"

redent@^1.0.0:
  version "1.0.0"
  resolved "https://registry.yarnpkg.com/redent/-/redent-1.0.0.tgz#cf916ab1fd5f1f16dfb20822dd6ec7f730c2afde"
  dependencies:
    indent-string "^2.1.0"
    strip-indent "^1.0.1"

reduce-css-calc@^1.2.6, reduce-css-calc@^1.2.7:
  version "1.3.0"
  resolved
  ↪  "https://registry.yarnpkg.com/reduce-css-calc/-/reduce-css-calc-1.3.0.tgz#747c914e049614a4c9cfbba629871ad1d2
  dependencies:
    balanced-match "^0.4.2"
    math-expression-evaluator "^1.2.14"
    reduce-function-call "^1.0.1"

reduce-css-calc@^2.0.0:
  version "2.1.1"
  resolved
  ↪  "https://registry.yarnpkg.com/reduce-css-calc/-/reduce-css-calc-2.1.1.tgz#f4ecd7a00ec3e5683773f208067ad7da11
  dependencies:
    css-unit-converter "^1.1.1"
    postcss-value-parser "^3.3.0"

reduce-function-call@^1.0.1, reduce-function-call@^1.0.2:
```

```
    version "1.0.2"
    resolved
    → "https://registry.yarnpkg.com/reduce-function-call/-/reduce-function-call-1.0.2.tgz#5a200bf92e0e37751752fe45
    dependencies:
      balanced-match "^0.4.2"

regenerate@^1.2.1:
    version "1.3.3"
    resolved
    → "https://registry.yarnpkg.com/regenerate/-/regenerate-1.3.3.tgz#0c336d3980553d755c39b586ae3b20aa49c82b7f"

regenerator-runtime@^0.10.5:
    version "0.10.5"
    resolved
    → "https://registry.yarnpkg.com/regenerator-runtime/-/regenerator-runtime-0.10.5.tgz#336c3efc1220adcedda2c9fab
 
regenerator-runtime@^0.11.0:
    version "0.11.0"
    resolved
    → "https://registry.yarnpkg.com/regenerator-runtime/-/regenerator-runtime-0.11.0.tgz#7e54fe5b5ccd5d6624ea6255c

regenerator-transform@^0.10.0:
    version "0.10.1"
    resolved
    → "https://registry.yarnpkg.com/regenerator-transform/-/regenerator-transform-0.10.1.tgz#1e4996837231da8b7f3c1
    dependencies:
      babel-runtime "^6.18.0"
      babel-types "^6.19.0"
      private "^0.1.6"

regex-cache@^0.4.2:
    version "0.4.4"
    resolved
    → "https://registry.yarnpkg.com/regex-cache/-/regex-cache-0.4.4.tgz#75bdc58a2a1496cec48a12835bc54c8d562336dd"
    dependencies:
      is-equal-shallow "^0.1.3"

regex-parser@^2.2.1:
    version "2.2.8"
    resolved
    → "https://registry.yarnpkg.com/regex-parser/-/regex-parser-2.2.8.tgz#da4c0cda5a828559094168930f455f532b6ffbac
 
regexpu-core@^1.0.0:
    version "1.0.0"
    resolved
    → "https://registry.yarnpkg.com/regexpu-core/-/regexpu-core-1.0.0.tgz#86a763f58ee4d7c2f6b102e4764050de7ed90c6b
    dependencies:
      regenerate "^1.2.1"
      regjsgen "^0.2.0"
      regjsparser "^0.1.4"

regexpu-core@^2.0.0:
    version "2.0.0"
    resolved
    → "https://registry.yarnpkg.com/regexpu-core/-/regexpu-core-2.0.0.tgz#49d038837b8dcf8bfa5b9a42139938e6ea2ae240
    dependencies:
      regenerate "^1.2.1"
      regjsgen "^0.2.0"
      regjsparser "^0.1.4"

regjsgen@^0.2.0:
    version "0.2.0"
```

```
    resolved
    ↪   "https://registry.yarnpkg.com/regjsgen/-/regjsgen-0.2.0.tgz#6c016adeac554f75823fe37ac05b92d5a4edb1f7"

regjsparser@^0.1.4:
  version "0.1.5"
  resolved
    ↪   "https://registry.yarnpkg.com/regjsparser/-/regjsparser-0.1.5.tgz#7ee8f84dc6fa792d3fd0ae228d24bd949ead205c"
  dependencies:
    jsesc "~0.5.0"

remove-trailing-separator@^1.0.1:
  version "1.1.0"
  resolved
    ↪   "https://registry.yarnpkg.com/remove-trailing-separator/-/remove-trailing-separator-1.1.0.tgz#c24bce2a283ada
 
repeat-element@^1.1.2:
  version "1.1.2"
  resolved
    ↪   "https://registry.yarnpkg.com/repeat-element/-/repeat-element-1.1.2.tgz#ef089a178d1483baae4d93eb98b4f9e4e11c

repeat-string@^1.5.2:
  version "1.6.1"
  resolved
    ↪   "https://registry.yarnpkg.com/repeat-string/-/repeat-string-1.6.1.tgz#8dcae470e1c88abc2d600fff4a776286da75e6

repeating@^2.0.0:
  version "2.0.1"
  resolved
    ↪   "https://registry.yarnpkg.com/repeating/-/repeating-2.0.1.tgz#5214c53a926d3552707527fbab415dbc08d06dda"
  dependencies:
    is-finite "^1.0.0"

request@2, request@^2.79.0:
  version "2.83.0"
  resolved
    ↪   "https://registry.yarnpkg.com/request/-/request-2.83.0.tgz#ca0b65da02ed62935887808e6f510381034e3356"
  dependencies:
    aws-sign2 "~0.7.0"
    aws4 "^1.6.0"
    caseless "~0.12.0"
    combined-stream "~1.0.5"
    extend "~3.0.1"
    forever-agent "~0.6.1"
    form-data "~2.3.1"
    har-validator "~5.0.3"
    hawk "~6.0.2"
    http-signature "~1.2.0"
    is-typedarray "~1.0.0"
    isstream "~0.1.2"
    json-stringify-safe "~5.0.1"
    mime-types "~2.1.17"
    oauth-sign "~0.8.2"
    performance-now "^2.1.0"
    qs "~6.5.1"
    safe-buffer "^5.1.1"
    stringstream "~0.0.5"
    tough-cookie "~2.3.3"
    tunnel-agent "^0.6.0"
    uuid "^3.1.0"

request@2.81.0:
  version "2.81.0"
```

```
    resolved
    ↪  "https://registry.yarnpkg.com/request/-/request-2.81.0.tgz#c6928946a0e06c5f8d6f8a9333469ffda46298a0"
    dependencies:
      aws-sign2 "~0.6.0"
      aws4 "^1.2.1"
      caseless "~0.12.0"
      combined-stream "~1.0.5"
      extend "~3.0.0"
      forever-agent "~0.6.1"
      form-data "~2.1.1"
      har-validator "~4.2.1"
      hawk "~3.1.3"
      http-signature "~1.1.0"
      is-typedarray "~1.0.0"
      isstream "~0.1.2"
      json-stringify-safe "~5.0.1"
      mime-types "~2.1.7"
      oauth-sign "~0.8.1"
      performance-now "^0.2.0"
      qs "~6.4.0"
      safe-buffer "^5.0.1"
      stringstream "~0.0.4"
      tough-cookie "~2.3.0"
      tunnel-agent "^0.6.0"
      uuid "^3.0.0"

require-directory@^2.1.1:
  version "2.1.1"
  resolved
  ↪  "https://registry.yarnpkg.com/require-directory/-/require-directory-2.1.1.tgz#8c64ad5fd30dab1c976e2344ffe7f7

require-from-string@^1.1.0:
  version "1.2.1"
  resolved
  ↪  "https://registry.yarnpkg.com/require-from-string/-/require-from-string-1.2.1.tgz#529c9ccef27380adfec9a2f965

require-main-filename@^1.0.1:
  version "1.0.1"
  resolved
  ↪  "https://registry.yarnpkg.com/require-main-filename/-/require-main-filename-1.0.1.tgz#97f717b69d48784f5f526a

requires-port@1.0.x, requires-port@1.x.x, requires-port@~1.0.0:
  version "1.0.0"
  resolved
  ↪  "https://registry.yarnpkg.com/requires-port/-/requires-port-1.0.0.tgz#925d2601d39ac485e091cf0da5c6e694dc3dca

resolve-cwd@^2.0.0:
  version "2.0.0"
  resolved
  ↪  "https://registry.yarnpkg.com/resolve-cwd/-/resolve-cwd-2.0.0.tgz#00a9f7387556e27038eae232caa372a6a59b665a"
  dependencies:
    resolve-from "^3.0.0"

resolve-from@^3.0.0:
  version "3.0.0"
  resolved
  ↪  "https://registry.yarnpkg.com/resolve-from/-/resolve-from-3.0.0.tgz#b22c7af7d9d6881bc8b6e653335eebcb0a188748

resolve-url-loader@^2.1.0:
  version "2.2.0"
  resolved
  ↪  "https://registry.yarnpkg.com/resolve-url-loader/-/resolve-url-loader-2.2.0.tgz#9662feaa11debf7cf8e3feb91dae
```

```
  dependencies:
    adjust-sourcemap-loader "^1.1.0"
    camelcase "^4.0.0"
    convert-source-map "^1.1.1"
    loader-utils "^1.0.0"
    lodash.defaults "^4.0.0"
    rework "^1.0.1"
    rework-visit "^1.0.0"
    source-map "^0.5.6"
    urix "^0.1.0"

resolve-url@~0.2.1:
  version "0.2.1"
  resolved
  →   "https://registry.yarnpkg.com/resolve-url/-/resolve-url-0.2.1.tgz#2c637fe77c893afd2a663fe21aa9080068e2052a"

resolve@^1.3.3:
  version "1.5.0"
  resolved "https://registry.yarnpkg.com/resolve/-/resolve-1.5.0.tgz#1f09acce796c9a762579f31b2c1cc4c3cddf9f36"
  dependencies:
    path-parse "^1.0.5"

rework-visit@^1.0.0:
  version "1.0.0"
  resolved
  →   "https://registry.yarnpkg.com/rework-visit/-/rework-visit-1.0.0.tgz#9945b2803f219e2f7aca00adb8bc9f640f842c9a

rework@^1.0.1:
  version "1.0.1"
  resolved "https://registry.yarnpkg.com/rework/-/rework-1.0.1.tgz#30806a841342b54510aa4110850cd48534144aa7"
  dependencies:
    convert-source-map "^0.3.3"
    css "^2.0.0"

rgb-hex@^2.1.0:
  version "2.1.0"
  resolved "https://registry.yarnpkg.com/rgb-hex/-/rgb-hex-2.1.0.tgz#c773c5fe2268a25578d92539a82a7a5ce53beda6"

rgb@~0.1.0:
  version "0.1.0"
  resolved "https://registry.yarnpkg.com/rgb/-/rgb-0.1.0.tgz#be27b291e8feffeac1bd99729721bfa40fc037b5"

right-align@^0.1.1:
  version "0.1.3"
  resolved
  →   "https://registry.yarnpkg.com/right-align/-/right-align-0.1.3.tgz#61339b722fe6a3515689210d24e14c96148613ef"
  dependencies:
    align-text "^0.1.1"

rimraf@2, rimraf@^2.2.8, rimraf@^2.5.1, rimraf@^2.6.1:
  version "2.6.2"
  resolved "https://registry.yarnpkg.com/rimraf/-/rimraf-2.6.2.tgz#2ed8150d24a16ea8651e6d6ef0f47c4158ce7a36"
  dependencies:
    glob "^7.0.5"

ripemd160@^2.0.0, ripemd160@^2.0.1:
  version "2.0.1"
  resolved
  →   "https://registry.yarnpkg.com/ripemd160/-/ripemd160-2.0.1.tgz#0f4584295c53a3628af7e6d79aca21ce57d1c6e7"
  dependencies:
    hash-base "^2.0.0"
    inherits "^2.0.1"
```

```
safe-buffer@5.1.1, safe-buffer@^5.0.1, safe-buffer@^5.1.0, safe-buffer@^5.1.1, safe-buffer@~5.1.0,
→ safe-buffer@~5.1.1:
  version "5.1.1"
  resolved
  → "https://registry.yarnpkg.com/safe-buffer/-/safe-buffer-5.1.1.tgz#893312af69b2123def71f57889001671eeb2c853"

sass-graph@^2.2.4:
  version "2.2.4"
  resolved
  → "https://registry.yarnpkg.com/sass-graph/-/sass-graph-2.2.4.tgz#13fbd63cd1caf0908b9fd93476ad43a51d1e0b49"
  dependencies:
    glob "^7.0.0"
    lodash "^4.0.0"
    scss-tokenizer "^0.2.3"
    yargs "^7.0.0"

sass-loader@^6.0.6:
  version "6.0.6"
  resolved
  → "https://registry.yarnpkg.com/sass-loader/-/sass-loader-6.0.6.tgz#e9d5e6c1f155faa32a4b26d7a9b7107c225e40f9"
  dependencies:
    async "^2.1.5"
    clone-deep "^0.3.0"
    loader-utils "^1.0.1"
    lodash.tail "^4.1.1"
    pify "^3.0.0"

sax@~1.2.1:
  version "1.2.4"
  resolved "https://registry.yarnpkg.com/sax/-/sax-1.2.4.tgz#2816234e2378bddc4e5354fab5caa895df7100d9"

schema-utils@^0.3.0:
  version "0.3.0"
  resolved
  → "https://registry.yarnpkg.com/schema-utils/-/schema-utils-0.3.0.tgz#f5877222ce3e931edae039f17eb3716e7137f8cf
  dependencies:
    ajv "^5.0.0"

scss-tokenizer@^0.2.3:
  version "0.2.3"
  resolved
  → "https://registry.yarnpkg.com/scss-tokenizer/-/scss-tokenizer-0.2.3.tgz#8eb06db9a9723333824d3f5530641149847c
  dependencies:
    js-base64 "^2.1.8"
    source-map "^0.4.2"

seed-random@2.2.0:
  version "2.2.0"
  resolved
  → "https://registry.yarnpkg.com/seed-random/-/seed-random-2.2.0.tgz#2a9b19e250a817099231a5b99a4daf80b7fbed54"

select-hose@^2.0.0:
  version "2.0.0"
  resolved
  → "https://registry.yarnpkg.com/select-hose/-/select-hose-2.0.0.tgz#625d8658f865af43ec962bfc376a37359a4994ca"

selfsigned@^1.9.1:
  version "1.10.1"
  resolved
  → "https://registry.yarnpkg.com/selfsigned/-/selfsigned-1.10.1.tgz#bf8cb7b83256c4551e31347c6311778db99eec52"
  dependencies:
```

```
    node-forge "0.6.33"

"semver@2 || 3 || 4 || 5", semver@^5.3.0:
  version "5.4.1"
  resolved "https://registry.yarnpkg.com/semver/-/semver-5.4.1.tgz#e059c09d8571f0540823733433505d3a2f00b18e"

semver@~5.3.0:
  version "5.3.0"
  resolved "https://registry.yarnpkg.com/semver/-/semver-5.3.0.tgz#9b2ce5d3de02d17c6012ad326aa6b4d0cf54f94f"

send@0.16.1:
  version "0.16.1"
  resolved "https://registry.yarnpkg.com/send/-/send-0.16.1.tgz#a70e1ca21d1382c11d0d9f6231deb281080d7ab3"
  dependencies:
    debug "2.6.9"
    depd "~1.1.1"
    destroy "~1.0.4"
    encodeurl "~1.0.1"
    escape-html "~1.0.3"
    etag "~1.8.1"
    fresh "0.5.2"
    http-errors "~1.6.2"
    mime "1.4.1"
    ms "2.0.0"
    on-finished "~2.3.0"
    range-parser "~1.2.0"
    statuses "~1.3.1"

serve-index@^1.7.2:
  version "1.9.1"
  resolved
  →    "https://registry.yarnpkg.com/serve-index/-/serve-index-1.9.1.tgz#d3768d69b1e7d82e5ce050fff5b453bea12a9239"
  dependencies:
    accepts "~1.3.4"
    batch "0.6.1"
    debug "2.6.9"
    escape-html "~1.0.3"
    http-errors "~1.6.2"
    mime-types "~2.1.17"
    parseurl "~1.3.2"

serve-static@1.13.1:
  version "1.13.1"
  resolved
  →    "https://registry.yarnpkg.com/serve-static/-/serve-static-1.13.1.tgz#4c57d53404a761d8f2e7c1e8a18a47dbf278a71"
  dependencies:
    encodeurl "~1.0.1"
    escape-html "~1.0.3"
    parseurl "~1.3.2"
    send "0.16.1"

set-blocking@^2.0.0, set-blocking@~2.0.0:
  version "2.0.0"
  resolved
  →    "https://registry.yarnpkg.com/set-blocking/-/set-blocking-2.0.0.tgz#045f9782d011ae9a6803ddd382b24392b3d890f7"

set-immediate-shim@^1.0.1:
  version "1.0.1"
  resolved
  →    "https://registry.yarnpkg.com/set-immediate-shim/-/set-immediate-shim-1.0.1.tgz#4b2b1b27eb808a9f8dcc481a58e5"

setimmediate@^1.0.4, setimmediate@^1.0.5:
```

```
    version "1.0.5"
    resolved
    ↪ "https://registry.yarnpkg.com/setimmediate/-/setimmediate-1.0.5.tgz#290cbb232e306942d7d7ea9b83732ab7856f8285

setprototypeof@1.0.3:
    version "1.0.3"
    resolved
    ↪ "https://registry.yarnpkg.com/setprototypeof/-/setprototypeof-1.0.3.tgz#66567e37043eeb4f04d91bd658c0cbefb55b

setprototypeof@1.1.0:
    version "1.1.0"
    resolved
    ↪ "https://registry.yarnpkg.com/setprototypeof/-/setprototypeof-1.1.0.tgz#d0bd85536887b6fe7c0d818cb962d9d91c54

sha.js@^2.4.0, sha.js@^2.4.8:
    version "2.4.9"
    resolved "https://registry.yarnpkg.com/sha.js/-/sha.js-2.4.9.tgz#98f64880474b74f4a38b8da9d3c0f2d104633e7d"
    dependencies:
      inherits "^2.0.1"
      safe-buffer "^5.0.1"

shallow-clone@^0.1.2:
    version "0.1.2"
    resolved
    ↪ "https://registry.yarnpkg.com/shallow-clone/-/shallow-clone-0.1.2.tgz#5909e874ba77106d73ac414cfec1ffca87d970
    dependencies:
      is-extendable "^0.1.1"
      kind-of "^2.0.1"
      lazy-cache "^0.2.3"
      mixin-object "^2.0.1"

shebang-command@^1.2.0:
    version "1.2.0"
    resolved
    ↪ "https://registry.yarnpkg.com/shebang-command/-/shebang-command-1.2.0.tgz#44aac65b695b03398968c39f363fee5dea
    dependencies:
      shebang-regex "^1.0.0"

shebang-regex@^1.0.0:
    version "1.0.0"
    resolved
    ↪ "https://registry.yarnpkg.com/shebang-regex/-/shebang-regex-1.0.0.tgz#da42f49740c0b42db2ca9728571cb190c98efe

signal-exit@^3.0.0:
    version "3.0.2"
    resolved
    ↪ "https://registry.yarnpkg.com/signal-exit/-/signal-exit-3.0.2.tgz#b5fdc08f1287ea1178628e415e25132b73646c6d"

simple-swizzle@^0.2.2:
    version "0.2.2"
    resolved
    ↪ "https://registry.yarnpkg.com/simple-swizzle/-/simple-swizzle-0.2.2.tgz#a4da6b635ffcccca33f70d17cb92592de95e
    dependencies:
      is-arrayish "^0.3.1"

slash@^1.0.0:
    version "1.0.0"
    resolved "https://registry.yarnpkg.com/slash/-/slash-1.0.0.tgz#c41f2f6c39fc16d1cd17ad4b5d896114ae470d55"

sntp@1.x.x:
    version "1.0.9"
    resolved "https://registry.yarnpkg.com/sntp/-/sntp-1.0.9.tgz#6541184cc90aeea6c6e7b35e2659082443c66198"
```

```
    dependencies:
      hoek "2.x.x"

sntp@2.x.x:
  version "2.1.0"
  resolved "https://registry.yarnpkg.com/sntp/-/sntp-2.1.0.tgz#2c6cec14fedc2222739caf9b5c3d85d1cc5a2cc8"
  dependencies:
    hoek "4.x.x"

sockjs-client@1.1.4:
  version "1.1.4"
  resolved
  → "https://registry.yarnpkg.com/sockjs-client/-/sockjs-client-1.1.4.tgz#5babe386b775e4cf14e7520911452654016c8b
  dependencies:
    debug "^2.6.6"
    eventsource "0.1.6"
    faye-websocket "~0.11.0"
    inherits "^2.0.1"
    json3 "^3.3.2"
    url-parse "^1.1.8"

sockjs@0.3.18:
  version "0.3.18"
  resolved "https://registry.yarnpkg.com/sockjs/-/sockjs-0.3.18.tgz#d9b289316ca7df77595ef299e075f0f937eb4207"
  dependencies:
    faye-websocket "^0.10.0"
    uuid "^2.0.2"

sort-keys@^1.0.0:
  version "1.1.2"
  resolved
  → "https://registry.yarnpkg.com/sort-keys/-/sort-keys-1.1.2.tgz#441b6d4d346798f1b4e49e8920adfba0e543f9ad"
  dependencies:
    is-plain-obj "^1.0.0"

source-list-map@^2.0.0:
  version "2.0.0"
  resolved
  → "https://registry.yarnpkg.com/source-list-map/-/source-list-map-2.0.0.tgz#aaa47403f7b245a92fbc97ea08f250d608

source-map-resolve@^0.3.0:
  version "0.3.1"
  resolved
  → "https://registry.yarnpkg.com/source-map-resolve/-/source-map-resolve-0.3.1.tgz#610f6122a445b8dd51535a2a71b7
  dependencies:
    atob "~1.1.0"
    resolve-url "~0.2.1"
    source-map-url "~0.3.0"
    urix "~0.1.0"

source-map-support@^0.4.15:
  version "0.4.18"
  resolved
  → "https://registry.yarnpkg.com/source-map-support/-/source-map-support-0.4.18.tgz#0286a6de8be42641338594e97cc
  dependencies:
    source-map "^0.5.6"

source-map-url@~0.3.0:
  version "0.3.0"
  resolved
  → "https://registry.yarnpkg.com/source-map-url/-/source-map-url-0.3.0.tgz#7ecaf13b57bcd09da8a40c5d269db33799d4
```

```
source-map@^0.1.38:
  version "0.1.43"
  resolved
  ↪   "https://registry.yarnpkg.com/source-map/-/source-map-0.1.43.tgz#c24bc146ca517c1471f5dacbe2571b2b7f9e3346"
  dependencies:
    amdefine ">=0.0.4"

source-map@^0.4.2:
  version "0.4.4"
  resolved
  ↪   "https://registry.yarnpkg.com/source-map/-/source-map-0.4.4.tgz#eba4f5da9c0dc999de68032d8b4f76173652036b"
  dependencies:
    amdefine ">=0.0.4"

source-map@^0.5.3, source-map@^0.5.6, source-map@~0.5.1:
  version "0.5.7"
  resolved
  ↪   "https://registry.yarnpkg.com/source-map/-/source-map-0.5.7.tgz#8a039d2d1021d22d1ea14c80d8ea468ba2ef3fcc"

source-map@^0.6.1, source-map@~0.6.1:
  version "0.6.1"
  resolved
  ↪   "https://registry.yarnpkg.com/source-map/-/source-map-0.6.1.tgz#74722af32e9614e9c287a8d0bbde48b5e2f1a263"

spdx-correct@~1.0.0:
  version "1.0.2"
  resolved
  ↪   "https://registry.yarnpkg.com/spdx-correct/-/spdx-correct-1.0.2.tgz#4b3073d933ff51f3912f03ac5519498a4150db40
  dependencies:
    spdx-license-ids "^1.0.2"

spdx-expression-parse@~1.0.0:
  version "1.0.4"
  resolved
  ↪   "https://registry.yarnpkg.com/spdx-expression-parse/-/spdx-expression-parse-1.0.4.tgz#9bdf2f20e1f40ed447fbe2
  
spdx-license-ids@^1.0.2:
  version "1.2.2"
  resolved
  ↪   "https://registry.yarnpkg.com/spdx-license-ids/-/spdx-license-ids-1.2.2.tgz#c9df7a3424594ade6bd11900d596696d

spdy-transport@^2.0.18:
  version "2.0.20"
  resolved
  ↪   "https://registry.yarnpkg.com/spdy-transport/-/spdy-transport-2.0.20.tgz#735e72054c486b2354fe89e702256004a39
  dependencies:
    debug "^2.6.8"
    detect-node "^2.0.3"
    hpack.js "^2.1.6"
    obuf "^1.1.1"
    readable-stream "^2.2.9"
    safe-buffer "^5.0.1"
    wbuf "^1.7.2"

spdy@^3.4.1:
  version "3.4.7"
  resolved "https://registry.yarnpkg.com/spdy/-/spdy-3.4.7.tgz#42ff41ece5cc0f99a3a6c28aabb73f5c3b03acbc"
  dependencies:
    debug "^2.6.8"
    handle-thing "^1.2.5"
    http-deceiver "^1.2.7"
    safe-buffer "^5.0.1"
```

```
    select-hose "^2.0.0"
    spdy-transport "^2.0.18"

sprintf-js@~1.0.2:
  version "1.0.3"
  resolved
  → "https://registry.yarnpkg.com/sprintf-js/-/sprintf-js-1.0.3.tgz#04e6926f662895354f3dd015203633b857297e2c"

sshpk@^1.7.0:
  version "1.13.1"
  resolved "https://registry.yarnpkg.com/sshpk/-/sshpk-1.13.1.tgz#512df6da6287144316dc4c18fe1cf1d940739be3"
  dependencies:
    asn1 "~0.2.3"
    assert-plus "^1.0.0"
    dashdash "^1.12.0"
    getpass "^0.1.1"
  optionalDependencies:
    bcrypt-pbkdf "^1.0.0"
    ecc-jsbn "~0.1.1"
    jsbn "~0.1.0"
    tweetnacl "~0.14.0"

"statuses@>= 1.3.1 < 2":
  version "1.4.0"
  resolved
  → "https://registry.yarnpkg.com/statuses/-/statuses-1.4.0.tgz#bb73d446da2796106efcc1b601a253d6c46bd087"

statuses@~1.3.1:
  version "1.3.1"
  resolved
  → "https://registry.yarnpkg.com/statuses/-/statuses-1.3.1.tgz#faf51b9eb74aaef3b3acf4ad5f61abf24cb7b93e"

stdout-stream@^1.4.0:
  version "1.4.0"
  resolved
  → "https://registry.yarnpkg.com/stdout-stream/-/stdout-stream-1.4.0.tgz#a2c7c8587e54d9427ea9edb3ac3f2cd522df37
  dependencies:
    readable-stream "^2.0.1"

stream-browserify@^2.0.1:
  version "2.0.1"
  resolved
  → "https://registry.yarnpkg.com/stream-browserify/-/stream-browserify-2.0.1.tgz#66266ee5f9bdb9940a4e4514cafb43
  dependencies:
    inherits "~2.0.1"
    readable-stream "^2.0.2"

stream-http@^2.3.1:
  version "2.7.2"
  resolved
  → "https://registry.yarnpkg.com/stream-http/-/stream-http-2.7.2.tgz#40a050ec8dc3b53b33d9909415c02c0bf1abfbad"
  dependencies:
    builtin-status-codes "^3.0.0"
    inherits "^2.0.1"
    readable-stream "^2.2.6"
    to-arraybuffer "^1.0.0"
    xtend "^4.0.0"

strict-uri-encode@^1.0.0:
  version "1.1.0"
  resolved
  → "https://registry.yarnpkg.com/strict-uri-encode/-/strict-uri-encode-1.1.0.tgz#279b225df1d582b1f54e65addd4352
```

```
string-width@^1.0.1, string-width@^1.0.2:
  version "1.0.2"
  resolved
  → "https://registry.yarnpkg.com/string-width/-/string-width-1.0.2.tgz#118bdf5b8cdc51a2a7e70d211e07e2b0b9b107d3
  dependencies:
    code-point-at "^1.0.0"
    is-fullwidth-code-point "^1.0.0"
    strip-ansi "^3.0.0"

string-width@^2.0.0:
  version "2.1.1"
  resolved
  → "https://registry.yarnpkg.com/string-width/-/string-width-2.1.1.tgz#ab93f27a8dc13d28cac815c462143a6d9012ae9e
  dependencies:
    is-fullwidth-code-point "^2.0.0"
    strip-ansi "^4.0.0"

string_decoder@^0.10.25:
  version "0.10.31"
  resolved
  → "https://registry.yarnpkg.com/string_decoder/-/string_decoder-0.10.31.tgz#62e203bc41766c6c28c9fc84301dab1c53

string_decoder@~1.0.3:
  version "1.0.3"
  resolved
  → "https://registry.yarnpkg.com/string_decoder/-/string_decoder-1.0.3.tgz#0fc67d7c141825de94282dd536bec6b9bce8
  dependencies:
    safe-buffer "~5.1.0"

stringstream@~0.0.4, stringstream@~0.0.5:
  version "0.0.5"
  resolved
  → "https://registry.yarnpkg.com/stringstream/-/stringstream-0.0.5.tgz#4e484cd4de5a0bbbee18e46307710a8a81621878

strip-ansi@^3.0.0, strip-ansi@^3.0.1:
  version "3.0.1"
  resolved
  → "https://registry.yarnpkg.com/strip-ansi/-/strip-ansi-3.0.1.tgz#6a385fb8853d952d5ff05d0e8aaf94278dc63dcf"
  dependencies:
    ansi-regex "^2.0.0"

strip-ansi@^4.0.0:
  version "4.0.0"
  resolved
  → "https://registry.yarnpkg.com/strip-ansi/-/strip-ansi-4.0.0.tgz#a8479022eb1ac368a871389b635262c505ee368f"
  dependencies:
    ansi-regex "^3.0.0"

strip-bom@^2.0.0:
  version "2.0.0"
  resolved
  → "https://registry.yarnpkg.com/strip-bom/-/strip-bom-2.0.0.tgz#6219a85616520491f35788bdbf1447a99c7e6b0e"
  dependencies:
    is-utf8 "^0.2.0"

strip-bom@^3.0.0:
  version "3.0.0"
  resolved
  → "https://registry.yarnpkg.com/strip-bom/-/strip-bom-3.0.0.tgz#2334c18e9c759f7bdd56fdef7e9ae3d588e68ed3"

strip-eof@^1.0.0:
```

```
    version "1.0.0"
    resolved
    → "https://registry.yarnpkg.com/strip-eof/-/strip-eof-1.0.0.tgz#bb43ff5598a6eb05d89b59fcd129c983313606bf"

strip-indent@^1.0.1:
    version "1.0.1"
    resolved
    → "https://registry.yarnpkg.com/strip-indent/-/strip-indent-1.0.1.tgz#0c7962a6adefa7bbd4ac366460a638552ae1a0a2
    dependencies:
      get-stdin "^4.0.1"

strip-json-comments@~2.0.1:
    version "2.0.1"
    resolved
    → "https://registry.yarnpkg.com/strip-json-comments/-/strip-json-comments-2.0.1.tgz#3c531942e908c2697c0ec34485
    
style-loader@^0.18.2:
    version "0.18.2"
    resolved
    → "https://registry.yarnpkg.com/style-loader/-/style-loader-0.18.2.tgz#cc31459afbcd6d80b7220ee54b291a9fd66ff5e
    dependencies:
      loader-utils "^1.0.2"
      schema-utils "^0.3.0"

sugarss@^1.0.0:
    version "1.0.1"
    resolved "https://registry.yarnpkg.com/sugarss/-/sugarss-1.0.1.tgz#be826d9003e0f247735f92365dc3fd7f1bae9e44"
    dependencies:
      postcss "^6.0.14"

supports-color@^2.0.0:
    version "2.0.0"
    resolved
    → "https://registry.yarnpkg.com/supports-color/-/supports-color-2.0.0.tgz#535d045ce6b6363fa40117084629995e9df3

supports-color@^3.2.3:
    version "3.2.3"
    resolved
    → "https://registry.yarnpkg.com/supports-color/-/supports-color-3.2.3.tgz#65ac0504b3954171d8a64946b2ae3cbb8a5f
    dependencies:
      has-flag "^1.0.0"

supports-color@^4.0.0, supports-color@^4.2.1, supports-color@^4.4.0:
    version "4.5.0"
    resolved
    → "https://registry.yarnpkg.com/supports-color/-/supports-color-4.5.0.tgz#be7a0de484dec5c5cddf8b3d591250044912f
    dependencies:
      has-flag "^2.0.0"

svgo@^0.7.0:
    version "0.7.2"
    resolved "https://registry.yarnpkg.com/svgo/-/svgo-0.7.2.tgz#9f5772413952135c6fefbf40afe6a4faa88b4bb5"
    dependencies:
      coa "~1.0.1"
      colors "~1.1.2"
      csso "~2.3.1"
      js-yaml "~3.7.0"
      mkdirp "~0.5.1"
      sax "~1.2.1"
      whet.extend "~0.9.9"

tapable@^0.2.7:
```

```
    version "0.2.8"
    resolved "https://registry.yarnpkg.com/tapable/-/tapable-0.2.8.tgz#99372a5c999bf2df160afc0d74bed4f47948cd22"

tar-pack@^3.4.0:
    version "3.4.1"
    resolved
    ↪   "https://registry.yarnpkg.com/tar-pack/-/tar-pack-3.4.1.tgz#e1dbc03a9b9d3ba07e896ad027317eb679a10a1f"
    dependencies:
      debug "^2.2.0"
      fstream "^1.0.10"
      fstream-ignore "^1.0.5"
      once "^1.3.3"
      readable-stream "^2.1.4"
      rimraf "^2.5.1"
      tar "^2.2.1"
      uid-number "^0.0.6"

tar@^2.0.0, tar@^2.2.1:
    version "2.2.1"
    resolved "https://registry.yarnpkg.com/tar/-/tar-2.2.1.tgz#8e4d2a256c0e2185c6b18ad694aec968b83cb1d1"
    dependencies:
      block-stream "*"
      fstream "^1.0.2"
      inherits "2"

thunky@^0.1.0:
    version "0.1.0"
    resolved "https://registry.yarnpkg.com/thunky/-/thunky-0.1.0.tgz#bf30146824e2b6e67b0f2d7a4ac8beb26908684e"

time-stamp@^2.0.0:
    version "2.0.0"
    resolved
    ↪   "https://registry.yarnpkg.com/time-stamp/-/time-stamp-2.0.0.tgz#95c6a44530e15ba8d6f4a3ecb8c3a3fac46da357"

timers-browserify@^2.0.2:
    version "2.0.4"
    resolved
    ↪   "https://registry.yarnpkg.com/timers-browserify/-/timers-browserify-2.0.4.tgz#96ca53f4b794a5e7c0e1bd7cc88a37
    dependencies:
      setimmediate "^1.0.4"

tiny-emitter@2.0.0:
    version "2.0.0"
    resolved
    ↪   "https://registry.yarnpkg.com/tiny-emitter/-/tiny-emitter-2.0.0.tgz#bad327adb1804b42a231afa741532bd884cd09ad
    
to-arraybuffer@^1.0.0:
    version "1.0.1"
    resolved
    ↪   "https://registry.yarnpkg.com/to-arraybuffer/-/to-arraybuffer-1.0.1.tgz#7d229b1fcc637e466ca081180836a7aabff8

to-fast-properties@^1.0.3:
    version "1.0.3"
    resolved
    ↪   "https://registry.yarnpkg.com/to-fast-properties/-/to-fast-properties-1.0.3.tgz#b83571fa4d8c25b82e231b06e3a3

tough-cookie@^2.3.0, tough-cookie@^2.3.3:
    version "2.3.3"
    resolved
    ↪   "https://registry.yarnpkg.com/tough-cookie/-/tough-cookie-2.3.3.tgz#0b618a5565b6dea90bf3425d04d55edc475a7561
    dependencies:
      punycode "^1.4.1"
```

```
trim-newlines@^1.0.0:
  version "1.0.0"
  resolved
  → "https://registry.yarnpkg.com/trim-newlines/-/trim-newlines-1.0.0.tgz#5887966bb582a4503a41eb524f7d35011815a6

trim-right@^1.0.1:
  version "1.0.1"
  resolved
  → "https://registry.yarnpkg.com/trim-right/-/trim-right-1.0.1.tgz#cb2e1203067e0c8de1f614094b9fe45704ea6003"

tty-browserify@0.0.0:
  version "0.0.0"
  resolved
  → "https://registry.yarnpkg.com/tty-browserify/-/tty-browserify-0.0.0.tgz#a157ba402da24e9bf957f9aa69d524eed429

tunnel-agent@^0.6.0:
  version "0.6.0"
  resolved
  → "https://registry.yarnpkg.com/tunnel-agent/-/tunnel-agent-0.6.0.tgz#27a5dea06b36b04a0a9966774b290868f0fc40fd
  dependencies:
    safe-buffer "^5.0.1"

tweetnacl@^0.14.3, tweetnacl@~0.14.0:
  version "0.14.5"
  resolved
  → "https://registry.yarnpkg.com/tweetnacl/-/tweetnacl-0.14.5.tgz#5ae68177f192d4456269d108afa93ff8743f4f64"

type-is@~1.6.15:
  version "1.6.15"
  resolved
  → "https://registry.yarnpkg.com/type-is/-/type-is-1.6.15.tgz#cab10fb4909e441c82842eafe1ad646c81804410"
  dependencies:
    media-typer "0.3.0"
    mime-types "~2.1.15"

typed-function@0.10.5:
  version "0.10.5"
  resolved
  → "https://registry.yarnpkg.com/typed-function/-/typed-function-0.10.5.tgz#2e0f18abd065219fab694a446a65c6d1981

ua-parser-js@^0.7.9:
  version "0.7.17"
  resolved
  → "https://registry.yarnpkg.com/ua-parser-js/-/ua-parser-js-0.7.17.tgz#e9ec5f9498b9ec910e7ae3ac626a805c4d09eca

uglify-js@^2.8.29:
  version "2.8.29"
  resolved
  → "https://registry.yarnpkg.com/uglify-js/-/uglify-js-2.8.29.tgz#29c5733148057bb4e1f75df35b7a9cb72e6a59dd"
  dependencies:
    source-map "~0.5.1"
    yargs "~3.10.0"
  optionalDependencies:
    uglify-to-browserify "~1.0.0"

uglify-to-browserify@~1.0.0:
  version "1.0.2"
  resolved
  → "https://registry.yarnpkg.com/uglify-to-browserify/-/uglify-to-browserify-1.0.2.tgz#6e0924d6bda6b5afe349e39a

uglifyjs-webpack-plugin@^0.4.6:
```

```
    version "0.4.6"
    resolved
    ↪   "https://registry.yarnpkg.com/uglifyjs-webpack-plugin/-/uglifyjs-webpack-plugin-0.4.6.tgz#b951f4abb6bd617e66
    dependencies:
      source-map "^0.5.6"
      uglify-js "^2.8.29"
      webpack-sources "^1.0.1"

uid-number@^0.0.6:
    version "0.0.6"
    resolved
    ↪   "https://registry.yarnpkg.com/uid-number/-/uid-number-0.0.6.tgz#0ea10e8035e8eb5b8e4449f06da1c730663baa81"

uniq@^1.0.1:
    version "1.0.1"
    resolved "https://registry.yarnpkg.com/uniq/-/uniq-1.0.1.tgz#b31c5ae8254844a3a8281541ce2b04b865a734ff"

uniqid@^4.0.0:
    version "4.1.1"
    resolved "https://registry.yarnpkg.com/uniqid/-/uniqid-4.1.1.tgz#89220ddf6b751ae52b5f72484863528596bb84c1"
    dependencies:
      macaddress "^0.2.8"

uniqs@^2.0.0:
    version "2.0.0"
    resolved "https://registry.yarnpkg.com/uniqs/-/uniqs-2.0.0.tgz#ffede4b36b25290696e6e165d4a59edb998e6b02"

units-css@^0.4.0:
    version "0.4.0"
    resolved
    ↪   "https://registry.yarnpkg.com/units-css/-/units-css-0.4.0.tgz#d6228653a51983d7c16ff28f8b9dc3b1ffed3a07"
    dependencies:
      isnumeric "^0.2.0"
      viewport-dimensions "^0.2.0"

unpipe@1.0.0, unpipe@~1.0.0:
    version "1.0.0"
    resolved "https://registry.yarnpkg.com/unpipe/-/unpipe-1.0.0.tgz#b2bf4ee8514aae6165b4817829d21b2ef49904ec"

urix@^0.1.0, urix@~0.1.0:
    version "0.1.0"
    resolved "https://registry.yarnpkg.com/urix/-/urix-0.1.0.tgz#da937f7a62e21fec1fd18d49b35c2935067a6c72"

url-parse@1.0.x:
    version "1.0.5"
    resolved
    ↪   "https://registry.yarnpkg.com/url-parse/-/url-parse-1.0.5.tgz#0854860422afdcfefeb6c965c662d4800169927b"
    dependencies:
      querystringify "0.0.x"
      requires-port "1.0.x"

url-parse@^1.1.8:
    version "1.2.0"
    resolved
    ↪   "https://registry.yarnpkg.com/url-parse/-/url-parse-1.2.0.tgz#3a19e8aaa6d023ddd27dcc44cb4fc8f7fec23986"
    dependencies:
      querystringify "~1.0.0"
      requires-port "~1.0.0"

url@^0.11.0:
    version "0.11.0"
    resolved "https://registry.yarnpkg.com/url/-/url-0.11.0.tgz#3838e97cfc60521eb73c525a8e55bfdd9e2e28f1"
```

```
  dependencies:
    punycode "1.3.2"
    querystring "0.2.0"

util-deprecate@~1.0.1:
  version "1.0.2"
  resolved
  → "https://registry.yarnpkg.com/util-deprecate/-/util-deprecate-1.0.2.tgz#450d4dc9fa70de732762fbd2d4a28981419a

util@0.10.3, util@^0.10.3:
  version "0.10.3"
  resolved "https://registry.yarnpkg.com/util/-/util-0.10.3.tgz#7afb1afe50805246489e3db7fe0ed379336ac0f9"
  dependencies:
    inherits "2.0.1"

utils-merge@1.0.1:
  version "1.0.1"
  resolved
  → "https://registry.yarnpkg.com/utils-merge/-/utils-merge-1.0.1.tgz#9f95710f50a267947b2ccc124741c1028427e713"

uuid@^2.0.2:
  version "2.0.3"
  resolved "https://registry.yarnpkg.com/uuid/-/uuid-2.0.3.tgz#67e2e863797215530dff318e5bf9dcebfd47b21a"

uuid@^3.0.0, uuid@^3.1.0:
  version "3.1.0"
  resolved "https://registry.yarnpkg.com/uuid/-/uuid-3.1.0.tgz#3dd3d3e790abc24d7b0d3a034ffababe28ebbc04"

validate-npm-package-license@^3.0.1:
  version "3.0.1"
  resolved
  → "https://registry.yarnpkg.com/validate-npm-package-license/-/validate-npm-package-license-3.0.1.tgz#2804babe
  dependencies:
    spdx-correct "~1.0.0"
    spdx-expression-parse "~1.0.0"

vary@~1.1.2:
  version "1.1.2"
  resolved "https://registry.yarnpkg.com/vary/-/vary-1.1.2.tgz#2299f02c6ded30d4a5961b0b9f74524a18f634fc"

vendors@^1.0.0:
  version "1.0.1"
  resolved "https://registry.yarnpkg.com/vendors/-/vendors-1.0.1.tgz#37ad73c8ee417fb3d580e785312307d274847f22"

verror@1.10.0:
  version "1.10.0"
  resolved "https://registry.yarnpkg.com/verror/-/verror-1.10.0.tgz#3a105ca17053af55d6e270c1f8288682e18da400"
  dependencies:
    assert-plus "^1.0.0"
    core-util-is "1.0.2"
    extsprintf "^1.2.0"

viewport-dimensions@^0.2.0:
  version "0.2.0"
  resolved
  → "https://registry.yarnpkg.com/viewport-dimensions/-/viewport-dimensions-0.2.0.tgz#de740747db5387fd1725f5175e
  
vm-browserify@0.0.4:
  version "0.0.4"
  resolved
  → "https://registry.yarnpkg.com/vm-browserify/-/vm-browserify-0.0.4.tgz#5d7ea45bbef9e4a6ff65f95438e0a87c357d5a
  dependencies:
```

```
      indexof "0.0.1"

watchpack@^1.4.0:
  version "1.4.0"
  resolved
  → "https://registry.yarnpkg.com/watchpack/-/watchpack-1.4.0.tgz#4a1472bcbb952bd0a9bb4036801f954dfb39faac"
  dependencies:
    async "^2.1.2"
    chokidar "^1.7.0"
    graceful-fs "^4.1.2"

wbuf@^1.1.0, wbuf@^1.7.2:
  version "1.7.2"
  resolved "https://registry.yarnpkg.com/wbuf/-/wbuf-1.7.2.tgz#d697b99f1f59512df2751be42769c1580b5801fe"
  dependencies:
    minimalistic-assert "^1.0.0"

webpack-dev-middleware@^1.11.0:
  version "1.12.0"
  resolved
  → "https://registry.yarnpkg.com/webpack-dev-middleware/-/webpack-dev-middleware-1.12.0.tgz#d34efefb2edda7e1d3b
  dependencies:
    memory-fs "~0.4.1"
    mime "^1.3.4"
    path-is-absolute "^1.0.0"
    range-parser "^1.0.3"
    time-stamp "^2.0.0"

webpack-dev-server@^2.9.4:
  version "2.9.4"
  resolved
  → "https://registry.yarnpkg.com/webpack-dev-server/-/webpack-dev-server-2.9.4.tgz#7883e61759c6a4b33e9b19ec4037
  dependencies:
    ansi-html "0.0.7"
    array-includes "^3.0.3"
    bonjour "^3.5.0"
    chokidar "^1.6.0"
    compression "^1.5.2"
    connect-history-api-fallback "^1.3.0"
    debug "^3.1.0"
    del "^3.0.0"
    express "^4.13.3"
    html-entities "^1.2.0"
    http-proxy-middleware "~0.17.4"
    import-local "^0.1.1"
    internal-ip "1.2.0"
    ip "^1.1.5"
    killable "^1.0.0"
    loglevel "^1.4.1"
    opn "^5.1.0"
    portfinder "^1.0.9"
    selfsigned "^1.9.1"
    serve-index "^1.7.2"
    sockjs "0.3.18"
    sockjs-client "1.1.4"
    spdy "^3.4.1"
    strip-ansi "^3.0.1"
    supports-color "^4.2.1"
    webpack-dev-middleware "^1.11.0"
    yargs "^6.6.0"

webpack-manifest-plugin@^1.3.1:
  version "1.3.2"
```

```
    resolved
    ↪  "https://registry.yarnpkg.com/webpack-manifest-plugin/-/webpack-manifest-plugin-1.3.2.tgz#5ea8ee5756359ddc1d
    dependencies:
      fs-extra "^0.30.0"
      lodash ">=3.5 <5"

webpack-sources@^1.0.1:
  version "1.0.2"
  resolved
    ↪  "https://registry.yarnpkg.com/webpack-sources/-/webpack-sources-1.0.2.tgz#d0148ec083b3b5ccef1035a6b3ec16442S
  dependencies:
    source-list-map "^2.0.0"
    source-map "~0.6.1"

webpack@^3.5.5:
  version "3.8.1"
  resolved "https://registry.yarnpkg.com/webpack/-/webpack-3.8.1.tgz#b16968a81100abe61608b0153c9159ef8bb2bd83"
  dependencies:
    acorn "^5.0.0"
    acorn-dynamic-import "^2.0.0"
    ajv "^5.1.5"
    ajv-keywords "^2.0.0"
    async "^2.1.2"
    enhanced-resolve "^3.4.0"
    escope "^3.6.0"
    interpret "^1.0.0"
    json-loader "^0.5.4"
    json5 "^0.5.1"
    loader-runner "^2.3.0"
    loader-utils "^1.1.0"
    memory-fs "~0.4.1"
    mkdirp "~0.5.0"
    node-libs-browser "^2.0.0"
    source-map "^0.5.3"
    supports-color "^4.2.1"
    tapable "^0.2.7"
    uglifyjs-webpack-plugin "^0.4.6"
    watchpack "^1.4.0"
    webpack-sources "^1.0.1"
    yargs "^8.0.2"

websocket-driver@>=0.5.1:
  version "0.7.0"
  resolved
    ↪  "https://registry.yarnpkg.com/websocket-driver/-/websocket-driver-0.7.0.tgz#0caf9d2d755d93aee049d4bdd0d3fe2c
  dependencies:
    http-parser-js ">=0.4.0"
    websocket-extensions ">=0.1.1"

websocket-extensions@>=0.1.1:
  version "0.1.3"
  resolved
    ↪  "https://registry.yarnpkg.com/websocket-extensions/-/websocket-extensions-0.1.3.tgz#5d2ff22977003ec687a4b870
```

```
whet.extend@~0.9.9:
  version "0.9.9"
  resolved
    ↪  "https://registry.yarnpkg.com/whet.extend/-/whet.extend-0.9.9.tgz#f877d5bf648c97e5aa542fadc16d6a259b9c11a1"
```

```
which-module@^1.0.0:
  version "1.0.0"
  resolved
  → "https://registry.yarnpkg.com/which-module/-/which-module-1.0.0.tgz#bba63ca861948994ff307736089e3b96026c2a4f

which-module@^2.0.0:
  version "2.0.0"
  resolved
  → "https://registry.yarnpkg.com/which-module/-/which-module-2.0.0.tgz#d9ef07dce77b9902b8a3a8fa4b31c3e3f7e6e87a

which@1, which@^1.2.9:
  version "1.3.0"
  resolved "https://registry.yarnpkg.com/which/-/which-1.3.0.tgz#ff04bdfc010ee547d780bec38e1ac1c2777d253a"
  dependencies:
    isexe "^2.0.0"

wide-align@^1.1.0:
  version "1.1.2"
  resolved
  → "https://registry.yarnpkg.com/wide-align/-/wide-align-1.1.2.tgz#571e0f1b0604636ebc0dfc21b0339bbe31341710"
  dependencies:
    string-width "^1.0.2"

window-size@0.1.0:
  version "0.1.0"
  resolved
  → "https://registry.yarnpkg.com/window-size/-/window-size-0.1.0.tgz#5438cd2ea93b202efa3a19fe8887aee7c94f9c9d"

wordwrap@0.0.2:
  version "0.0.2"
  resolved
  → "https://registry.yarnpkg.com/wordwrap/-/wordwrap-0.0.2.tgz#b79669bb42ecb409f83d583cad52ca17eaa1643f"

wrap-ansi@^2.0.0:
  version "2.1.0"
  resolved
  → "https://registry.yarnpkg.com/wrap-ansi/-/wrap-ansi-2.1.0.tgz#d8fc3d284dd05794fe84973caecdd1cf824fdd85"
  dependencies:
    string-width "^1.0.1"
    strip-ansi "^3.0.1"

wrappy@1:
  version "1.0.2"
  resolved "https://registry.yarnpkg.com/wrappy/-/wrappy-1.0.2.tgz#b5243d8f3ec1aa35f1364605bc0d1036e30ab69f"

xtend@^4.0.0:
  version "4.0.1"
  resolved "https://registry.yarnpkg.com/xtend/-/xtend-4.0.1.tgz#a5c6d532be656e23db820efb943a1f04998d63af"

y18n@^3.2.1:
  version "3.2.1"
  resolved "https://registry.yarnpkg.com/y18n/-/y18n-3.2.1.tgz#6d15fba884c08679c0d77e88e7759e811e07fa41"

yallist@^2.1.2:
  version "2.1.2"
  resolved "https://registry.yarnpkg.com/yallist/-/yallist-2.1.2.tgz#1c11f9218f076089a47dd512f93c6699a6a81d52"

yargs-parser@^4.2.0:
  version "4.2.1"
  resolved
  → "https://registry.yarnpkg.com/yargs-parser/-/yargs-parser-4.2.1.tgz#29cceac0dc4f03c6c87b4a9f217dd18c9f74871c
```

```
    dependencies:
      camelcase "^3.0.0"

yargs-parser@^5.0.0:
  version "5.0.0"
  resolved
  →   "https://registry.yarnpkg.com/yargs-parser/-/yargs-parser-5.0.0.tgz#275ecf0d7ffe05c77e64e7c86e4cd94bf0e1228a
  dependencies:
    camelcase "^3.0.0"

yargs-parser@^7.0.0:
  version "7.0.0"
  resolved
  →   "https://registry.yarnpkg.com/yargs-parser/-/yargs-parser-7.0.0.tgz#8d0ac42f16ea55debd332caf4c4038b3e3f5dfd9
  dependencies:
    camelcase "^4.1.0"

yargs@^6.6.0:
  version "6.6.0"
  resolved "https://registry.yarnpkg.com/yargs/-/yargs-6.6.0.tgz#782ec21ef403345f830a808ca3d513af56065208"
  dependencies:
    camelcase "^3.0.0"
    cliui "^3.2.0"
    decamelize "^1.1.1"
    get-caller-file "^1.0.1"
    os-locale "^1.4.0"
    read-pkg-up "^1.0.1"
    require-directory "^2.1.1"
    require-main-filename "^1.0.1"
    set-blocking "^2.0.0"
    string-width "^1.0.2"
    which-module "^1.0.0"
    y18n "^3.2.1"
    yargs-parser "^4.2.0"

yargs@^7.0.0:
  version "7.1.0"
  resolved "https://registry.yarnpkg.com/yargs/-/yargs-7.1.0.tgz#6ba318eb16961727f5d284f8ea003e8d6154d0c8"
  dependencies:
    camelcase "^3.0.0"
    cliui "^3.2.0"
    decamelize "^1.1.1"
    get-caller-file "^1.0.1"
    os-locale "^1.4.0"
    read-pkg-up "^1.0.1"
    require-directory "^2.1.1"
    require-main-filename "^1.0.1"
    set-blocking "^2.0.0"
    string-width "^1.0.2"
    which-module "^1.0.0"
    y18n "^3.2.1"
    yargs-parser "^5.0.0"

yargs@^8.0.2:
  version "8.0.2"
  resolved "https://registry.yarnpkg.com/yargs/-/yargs-8.0.2.tgz#6299a9055b1cefc969ff7e79c1d918dceb22c360"
  dependencies:
    camelcase "^4.1.0"
    cliui "^3.2.0"
    decamelize "^1.1.1"
    get-caller-file "^1.0.1"
    os-locale "^2.0.0"
    read-pkg-up "^2.0.0"
```

```
    require-directory "^2.1.1"
    require-main-filename "^1.0.1"
    set-blocking "^2.0.0"
    string-width "^2.0.0"
    which-module "^2.0.0"
    y18n "^3.2.1"
    yargs-parser "^7.0.0"

yargs@~3.10.0:
  version "3.10.0"
  resolved "https://registry.yarnpkg.com/yargs/-/yargs-3.10.0.tgz#f7ee7bd857dd7c1d2d38c0e74efbd681d1431fd1"
  dependencies:
    camelcase "^1.0.2"
    cliui "^2.1.0"
    decamelize "^1.0.0"
    window-size "0.1.0"
```