



RAN FOREST
15x90-6"x35"-RETTIFICATO-RECTIFIED



15×90-6"×35"-RETTIFICATO-RECTIFIED


strong etxt




Estetica decisa e accattivante, ma allo stesso tempo calda e rilassante.

Estetica decisa e accattivante, ma allo stesso tempo calda e rilassante.












12












100% relax

15×90 - 6"×35" - RETTIFICATO - RECTIFIED











15×90-6"×35"-RETTIFICATO-RECTIFIED

Leggere e sognare di volare fra gli alberi!



Leggere e sognare di volare fra gli alberi!







Un'immagine elegante e impeccabile; una soluzione ideale e ricercata per boutique e locali pubblici.

Un'immagine elegante e impeccabile; una soluzione ideale e ricercata per boutique e locali pubblici.







gres fine porcellanato RETTIFICATO RECTIFIED porcelain stoneware spessore - thickness 10 mm ATTENZIONE: prodotto stonalizzato, si consiglia di miscelare il materiale durante la posa, prelevando le piastrelle da diverse scatole. I toni sono puramente indicativi e soggetti a continue variazioni.

ATTENTION PLEASE: as the characteristic of this product is to be made by many shades as its own peculiarity, we suggest you to mix the material while laying it, by taking the tiles from different boxes, the tonalities are purely indicative and they are exposed to continual variations.



digital technology ink-jet

prodotto con forte variazione cromatica very hiat shade and texture variation within each carton



Rain Forest Dew 15x90 - 6"x35"



* vendita

tassativa

a scatole

complete

da 11 pz.

Rain Forest Dew 45x90 - 18"x35"



Mosaico su rete 2,5x2,5 - 0,1"x0,1"Dew 30x30 - 12"x12" 11 x 🗃



Tessera su rete 2,5x15 - 0,1"x6"Dew 30x30 - 12"x12" 11 x 🗃





MRA Mosaico su rete







RA15SI Rain Forest Silver 15x90 - 6"x35"



' vendita

tassativa

a scatole

complete

da 11 pz.

Rain Forest Silver 45x90 - 18"x35"



2,5x2,5 - 0,1"x0,1"Silver 30x30 - 12"x12" 11 x 🗃



Tessera su rete 2,5x15 - 0,1"x6"Silver 30x30 - 12"x12" 11 x 🗃



Rain Forest Dark 15x90 - 6"x35"



tassativa

a scatole

complete

da 11 pz.

RA45DA Rain Forest Dark 45x90 - 18"x35"



Mosaico su rete 2,5x2,5 - 0,1"x0,1"Dark 30x30 - 12"x12" 11 x 🗃



Tessera su rete 2,5x15 - 0,1"x6"Dark 30x30 - 12"x12" 11 x 🗃

Cream



RA15CR Rain Forest Cream 15x90 - 6"x35"



tassativa

Rain Forest Cream 45x90 - 18"x35"



MRA Mosaico su rete 2,5x2,5 - 0,1"x0,1"Cream 30x30 - 12"x12" 11 x 🗃



Tessera su rete 2,5x15 - 0,1"x6"Cream 30x30 - 12"x12" 11 x 🗃

pezzi speciali special pieces

disponibile in tutti i colori available on all the colours raspoložive u svim bojama предлагаются во всех цветах







suggerimenti di posa laying suggestions



116



digital technology ink-jet

variation within each carton

prodotto con forte variazione cromatica very higt shade and texture

as its own peculiarity, we suggest you to mix the material while laying it, by taking the tiles from different boxes, the tonalities are purely indicative and they are exposed to continual variations.

ATTENZIONE: prodotto stonalizzato, si consiglia di miscelare il materiale durante la posa,

prelevando le piastrelle da diverse scatole, i toni sono puramente indicativi e soggetti

ATTENTION PLEASE: as the characteristic of this product is to be made by many shades

caratteristiche tecniche – technical characteristics

a continue variazioni.

Rain Forest 15×90-6"×35"-45×90-18"×35" gres fine porcellanato RETTIFICATO - RECTIFIED porcelain stoneware

NORMA DI RIFERIMENTO/ SPECIFICATION REFERENCE EN 14411 appendice G Bla

TVORIVI/ CDI RII E	KINEWO, O LONG MON KELEKENOL EN 14411 appoinance of	ы	
	ASSORBIMENTO ACQUA IN % % WATER ABSORPTION	ISO 10545-3 ASTM C-373	≤ 0,5%
	FORZA DI ROTTURA IN N BREAKAGE RESISTENCE IN N	ISO 10545-4	> 1300
	RESISTENZA ALLA FLESSIONE IN N/mm² N/mm² FLEXURAL STRENGHT TEST	ASTM C-648	> 35 N/mm ²
	RESISTENZA ALL'ABRASIONE ABRASION RESISTANCE	ISO 10545-7	CLASSE 4*
	RESISTENZA AGLI SBALZI TERMICI THERMAL SHOCKS RESISTANT	ISO 10545-9	RESISTE RÉSISTANT
	RESISTENZA AL CAVILLO GLAZE CRAZING RESISTANCE	ISO 10545-11	RESISTE RÉSISTANT
攀	RESISTENZA AL GELO FROST RESISTANCE	ISO 10545-12 ASTM C-1026	RESISTE RÉSISTANT
	RESISTENZA ALLO SCIVOLAMENTO	DIN 51130	RESISTE
	SLIP RESISTANCE (COEFFICIENT OF FRICTION)	ASTM C-1028	RÉSISTANT
	RESISTENZA AGLI AGENTI CHIMICI CHEMICAL AGENTS RESISTANCE	ISO 10545-13 ASTM C-650	GLA
	RESISTENZA AI PRODOTTI CHIMICI DI USO DOMESTICO E AGLI ADDITIVI PER PISCINA RESISTANCE TO DOMESTIC CHEMICAL PRODUCTS AND ADDITIVES FOR SWIMMING POOLS	ISO 10545-13	GA
	RESISTENZA ALLE MACCHIE RESISTANCE TO STAINING	ISO 10545-14	4 - 5

^a Prova eseguita su articolo Smoke.	Test carried out on Smoke item.
--	---------------------------------



bordi rettificati - rectified edaes

pesi e misure - weight and sizes

RAWN FOREST

15×90-6"×35"-45×90-18"×35"

FORMATI SIZES							
	spessore	pcs/box	mq/box	kg/box	box/pal	mq/pal	kg/pal
15x90 - 6"x35"	10	6	0,81	19,2	72	58,32	1380
45x90 - 18"x35"	10	6	1,22	23,6	32	39,00	1410
mosaico 30x30 - 12"x12"	10	11	1,44	1,44	30	43,20	?
muretto 30x30 - 12"x12"	10	11	0,5	0,5	30	43,20	?
battiscopa 7,2x45 - 3"x18"		8					





gres fine porcellanato RETTIFICATO


RECTIFIED porcelain stoneware

spessore - thickness 10 mm

15×90-6"×35"-45×90-18"×35"

gres fine porcellanato RETTIFICATO
RECTIFIED porcelain stoneware
spessore - thickness 10 mm

merchandisina







Culla Rain Forest 45x90 - 18"x35"

Binder Rain Forest 45x90 - 18"x35"







RAIN FOREST