UNE-EN 14411:2003	Technical characteristics:		Reference standard	Value required	Mean value
Dimensional characteristics	Length and width		EN-ISO 10545-2	± 0,5 %	± 0,2%
	Thickness		EN-ISO 10545-2	-± 5 %	7 23%
	Warpages of edges		EN-ISO 10545-2	± 0.5%	10.2%
	Wedging		EN-ISO 10545-2	± 0,6 %	0,2%
	Flatness		EN-ISO 10545-2	± 0,5 %	± 0,2%
Physical characteristics	Water adsorption		EN-ISO 10545-3	± 0,5 %	± 0,2%
	Breaking strength	4	EN-ISO 10545-4	ø ≤ 0,5 %	≤ 0.2%
		Standard Thickness	EN-ISO 10545-4	≥ 700 N	2 300 N
	Bending strength	\$	W.	≥ 1.300 N	Standard overtakes
		Standard Thickness	EN-ISO 10545-4	≥ 35 N / mm²	Standard overtakes
	Resistance to deep abrasion		EN-ISO 10545-6	≥ 175 mm²	≥ 135 mm²
	Resistance to abrasion utility		EN-ISO 10545-7	As indicated by manufacturer	3-5
	Lineal thermal expansion		EN-ISO 10545-8	Method available	≤ 9 x 10 K-1
	Thermal shock resistance		EN-ISO 10545-9	Method available	Resist
	Mohs surface hardness		EN 101	. 1	6-9
	Frost resistance		EN-ISO 10545-12	Required	Resist
	Technical characteristics of non-slip tiles*		UNE:ENV 12633:2003	135	CLASE 1 - 3
			ASTM- C 1028	(all	> 0,6
			DIN 51130	**	R9 - R12
Chemical characteristics	Resistence to household cleaning products and swimming pool additives		EN-ISO 10545-13	GB min.	Resist(GA)
	Resistance to acids and bases in low concentration		EN-ISO 10545-13	As inducated by manufacturer	Resist(GLA)
	Rsistance to staining		EN-ISO 10545-14	Class 3 min.	Class 5

CARRARA-X

GLAZED POLISHED MATT

Guangdong Overland Ceramics Co.,Ltd.

Address of Sales Department:A03,Middle Area, China Ceramics Industry Headquarters, N0.68 West Jihua Road, Foshan, Guangdong, China Tel:+86 757-82714323 Fax:+86 757-82275385

Address of factory: Sanshui District Foshan City,Guangdong Province,southwest street estuary Shunda Development Zone State Highway 321

Tel:+86 757-87678922 87679111 Fax:+86 757-87677186 Http://www.overlandceramics.com E-mail:overland@overlandceramics.com

Colours shown are as close as the limitation of the printing process will allow Overland reserves the right to modify without any prior advice any model, characteristics of its product.







QIP550M-GLAZED POLISHED YIP550-MATT





Nature is an abundant mineral treasure, many elements beneficial to human health are extracted from natural materials. The sandstone deposited and formed in the deep ground contains different mineral elements, which created different wonderful fostures. The uniform shades create a visual effect of shade flow in circuitousness It also contains giltering crystal mineral crystal white, its beautiful decorative effect is different from the sandstone at the surface of the Earth! It also reveals an impression of profound wisdom. The materials contain mineral elements that can purify and eliminate imputities in the space, let people return to the clear and bright feeling.





















