

2018 CATALOGUE

# STONE SELECT ( MIXED STONE )



 CHAMPION



DARK GREY  
HD6F116  
Natural  
60x60 / 23.6x23.6"

MIXED STONE

**DARK GREY HD6F116**  
Natural  
60x60 / 23.6x23.6"



# MIXED STONE

## COLOR

## SIZE / FINISH


### LIGHT GREY



HD6F115

60x60 cm 23.6x23.6"

### DARK GREY



HD6F116

60x60 cm 23.6x23.6"

### BLACK



HD6F117

60x60 cm 23.6x23.6"


### NATURAL




60x120 cm  
23.6x47.2"



60x60 cm  
23.6x23.6"



45x90 cm  
17.7x35.4"



30x60 cm  
11.8x23.6"



Dimension (mm)

	Water Absorption (%)	Length	Width	Thickness	Straightness of Sides	Central Warpage	Edge Curvature	Warpage	Rectangularity
EN14411 (ISO 13006)	≤ 0.5	± 2.0	± 2.0	± 0.5	± 1.5	± 2.0	± 2.0	± 2.0	± 2.0
30x60 cm 11.8x23.6"	≤ 0.1	± 0.4	± 0.4	± 0.4	± 0.4	+0.6~0.3	+0.5~0.4	± 0.8	± 0.6
60x60 cm 23.6x23.6"	≤ 0.1	± 0.4	± 0.4	± 0.4	± 0.4	+0.6~0.3	+0.5~0.4	± 1.0	± 0.6
60x120 cm 23.6x47.2"	≤ 0.1	± 0.5	± 0.5	± 0.4	± 0.4	+0.6~0.4	+0.5~0.5	± 1.0	± 1.0
45x90 cm 17.7x35.4"	≤ 0.1	± 0.5	± 0.5	± 0.4	± 0.4	+0.6~0.3	+0.5~0.4	± 1.0	± 0.8

### PACKING LIST

	Pcs Per M <sup>2</sup>	Pcs Per Box	Weight Per Box	Boxes Per PLT	Boxes Per EU PLT
30x60 cm 11.8x23.6"	5.56	8	34	48	36
60x60 cm 23.6x23.6"	2.78	4	34	32	28
60x120 cm 23.6x47.2"	1.39	2	45	40	36
45x90 cm w 17.7x35.4"	2.47	3	35	40	35

	Breaking Strength Modulus of Rupture	Thermal Shock Resistance	Resistance to Chemical	Glazed Crack Resistance	Frost Resistance	Stain Resistance
EN14411 (ISO 13006)	S≥1300N / R≥35N/mm <sup>2</sup>	Test method available	Minimum GB	Resistant	Resistant	Minimum class 3
30x60 cm 11.8x23.6"	S≥2000N / R≥38N/mm <sup>2</sup>	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 5
60x60 cm 23.6x23.6"	S≥2200N / R≥38N/mm <sup>2</sup>	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 5
60x120 cm 23.6x47.2"	S≥2600N / R≥40N/mm <sup>2</sup>	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 5
45x90 cm 17.7x35.4"	S≥2600N / R≥40N/mm <sup>2</sup>	Resistant	Minimum GLA	Resistant	Resistant	Minimum class 5



**CHAMPION BUILDING MATERIALS CO., LTD.**

No. 200-7, Zhugaocuo, Dapu Li 13 Lin, Zhunan Town, Miaoli Hsien, Taiwan, R.O.C.

---

+886 - 37- 583810      [export@mail.champion.com.tw](mailto:export@mail.champion.com.tw)      [www.champion-tile.com](http://www.champion-tile.com)

