Kobly - Google Ads API Tool Design Document

Company: Kobly (koblay.io) - Brazil | Contact: contato@koblay.io | Document date: October 27, 2026 | API version: v26

1. Company and product overview

Kobly is a SaaS platform for online businesses (info-products, e-commerce and digital services) in Brazil and Latin America. It receives purchase events from checkout platforms (Hotmart, Kiwify, Cakto and others), runs automated WhatsApp and e-mail flows to recover abandoned carts and unpaid PIX/boleto charges, and offers a live chat and sales pipeline for the business team.

The **Ads** module lets each Kobly customer connect their own ad accounts (Meta Ads and Google Ads) and see, in one dashboard, how much they spent per campaign, ad group and ad next to the sales that Kobly tracked through UTM parameters. This gives the advertiser their real ROAS, profit and cost per sale, and lets them pause/enable campaigns or change a campaign budget without leaving Kobly.

2. Who uses the tool

- **Advertisers** (Kobly customers) who manage their own Google Ads accounts. Each customer authenticates with their own Google account through OAuth 2.0 and only sees the accounts that their login can access.
- **Agencies** using Kobly for their clients can connect accounts under their own Google Ads manager account (MCC). Kobly lists the client accounts below the MCC and sends the MCC as `login-customer-id`.
- Kobly staff do not access customer Google Ads data, except with the customer's consent for support.

3. Authentication and account linking

- Standard OAuth 2.0 web-server flow, scope `https://www.googleapis.com/auth/adwords`, `access_type=offline`, `prompt=consent`. The customer clicks "Connect with Google" inside Kobly; a Google popup opens; after consent Google redirects to `/oauth/google/callback` on the Kobly API.
- The OAuth `state` parameter is HMAC-signed and expires in 15 minutes, so a callback can only be linked to the Kobly workspace that started it.
- The refresh token is stored encrypted (AES-256-GCM). It is never shown in the interface or returned by our API. Access tokens are refreshed on demand and kept only in memory.
- After login, Kobly calls `CustomerService.ListAccessibleCustomers` and, for manager accounts, queries `customer_client` (level 1, enabled) so the user can tick which client accounts to connect. The customer can disconnect an account at any time, which deletes its stored token.

4. Google Ads API usage

Feature in Kobly	API service / resource	Type
List accounts the user can access (including MCC client accounts)	CustomerService.ListAccessibleCustomers; GoogleAdsService.Search on customer and customer_client	Read
Campaign list with status, channel type and daily budget	GoogleAdsService.Search on campaign + campaign_budget	Read
Ad group and ad lists	GoogleAdsService.Search on ad_group and ad_group_ad	Read
Performance metrics for a date range (today, yesterday, last 7/14/30 days, this/last month)	GoogleAdsService.Search with metrics.cost_micros, impressions, clicks, average_cpm, conversions, conversions_value and segments.date	Read
Daily spend chart for the dashboard	GoogleAdsService.Search on customer segmented by segments.date	Read
Pause / enable a campaign, ad group or ad (only when the user clicks the switch)	CampaignService, AdGroupService, AdGroupAdService MutateX (update status, updateMask=status)	Write
Change a campaign daily budget (only when the user saves a new value)	CampaignBudgetService.MutateCampaignBudgets (update amount_micros). Shared budgets are blocked to avoid side effects on other campaigns	Write

Example query used for the campaign report:

```
SELECT campaign.id, metrics.cost_micros, metrics.impressions, metrics.clicks,
metrics.average_cpm,
  metrics.conversions, metrics.conversions_value
FROM campaign WHERE campaign.status != 'REMOVED' AND segments.date DURING LAST_7_DAYS
```

Kobly does **not** create campaigns, ads, keywords or audiences, does not upload conversions and does not change bids. Every write operation is a direct, explicit action by the logged-in user, and the interface shows a confirmation of the change.

5. How the data is combined with Kobly sales

The customer adds a tracking template in Google Ads (Account settings - URL options):

```
{lpurl}?utm_source=google&utm_campaign={campaignid}&utm_medium={adgroupid}&utm_content={creative
}&utm_term={keyword}
```

When a buyer reaches the checkout, the UTM parameters are stored with the lead. Kobly matches the lead's campaign/ad group/ad IDs with the IDs returned by the API and shows, per row: spend, conversions reported by Google, sales tracked by Kobly, revenue, profit (after the taxes and fees the customer configures), ROAS, ROI, margin and CPA.

6. Rate limits, caching and reliability

- Reports are cached per account and date range for 1 minute; the interface refreshes automatically at most every 3 minutes while the page is open and visible.
- Pagination via nextPageToken is limited to a reasonable number of pages per request.
- RESOURCE_EXHAUSTED and HTTP 429 errors are shown to the user as "try again in a few minutes"; requests are never retried in a tight loop.
- Authentication errors (invalid_grant / 401) mark the account as "needs reconnection" in the interface.

- Expected volume at launch: under 2,000 operations per day across all customers, well within Basic access limits.

7. Data protection

- Data is only shown to the Kobly workspace that connected the Google Ads account (row-level isolation per workspace).
- Google user data is used only to provide the reporting and management features described above. It is not sold, not shared with third parties, not used for advertising and not used to train AI models, in line with the Google API Services User Data Policy (Limited Use).
- Public policies: Privacy Policy (/privacidade), Terms of Use (/termos) and Data deletion instructions (/exclusao-de-dados) on the Kobly website.
- Customers can disconnect at any time inside Kobly or revoke access at myaccount.google.com/permissions.

8. User interface (summary)

Screen	What the user sees and can do
Ads - Google Ads - Connect	"Connect with Google" button, step-by-step instructions, list of accessible accounts (incl. MCC clients) with checkboxes.
Dashboard	Revenue, Google Ads spend, profit, average ticket, margin, ROAS, leads, sales, conversion rate, cost per sale; daily spend x revenue chart; switch between "Kobly tracked" and "Google Ads reported" numbers.
Accounts	Each connected account with spend, revenue, profit, sales, CPA, ROAS and active campaigns; disconnect button.
Campaigns / Ad groups / Ads	Table with on/off switch, budget (editable for campaigns), spend, revenue, profit, ROAS, ROI, margin, CPA, sales, conversions, impressions, clicks, CTR, CPC, CPM. Filters by name, status and period; column picker.