

# Writing GitBooks Tutorial

Ville Langén

2025-07-10



# Contents

<b>Preface</b>	<b>5</b>
What You'll Learn . . . . .	5
Prerequisites . . . . .	5
<b>1 Introduction to GitBook Format</b>	<b>7</b>
1.1 What is GitBook Format? . . . . .	7
1.2 What is bookdown::gitbook? . . . . .	7
1.3 Real-World Examples . . . . .	8
<b>2 Installation and Setup</b>	<b>9</b>
2.1 Installing R . . . . .	9
2.2 Installing RStudio . . . . .	9
2.3 Installing Git . . . . .	10
2.4 Installing R Packages . . . . .	10
2.5 Create Your First Project . . . . .	11
2.6 Troubleshooting . . . . .	12
<b>3 Writing Tutorial Content</b>	<b>13</b>
3.1 Project Structure with .Rmd Files . . . . .	13
3.2 Headings Create Sections . . . . .	13
3.3 Code Chunks: The Heart of R Tutorials . . . . .	14
3.4 Creating Plots and Visualizations . . . . .	15
3.5 Inline R Code . . . . .	15
3.6 Mathematical Notation . . . . .	15
3.7 Cross-References and Links . . . . .	16
3.8 Optional Enhancements . . . . .	17
<b>4 Publishing Your GitBook</b>	<b>19</b>
4.1 Rendering Locally . . . . .	19
4.2 Publishing Online with GitHub + Netlify . . . . .	20
4.3 Updating Your Published Book . . . . .	22
4.4 Troubleshooting Common Issues . . . . .	23



# Preface

This is a tutorial about making tutorials in GitBook format using RStudio and bookdown.

Whether you're a data scientist, researcher, or educator, creating beautiful, interactive tutorials and documentation is essential for sharing your knowledge effectively. This guide will walk you through the entire process of creating professional-looking GitBook-style tutorials using R, RStudio, and the powerful bookdown package.

**The method we'll be covering is so powerful that it not only creates a web page but also generates an EPUB e-book and a PDF document automatically!** This very e-book is also released in EPUB and PDF formats:

**EPUB format** - Perfect for e-readers and mobile devices

**PDF format** - Print-ready professional document

All three formats are generated from the same source files with a single command!

## What You'll Learn

- How to set up your development environment
- Understanding the GitBook format and bookdown
- Writing effective tutorial content with R Markdown
- Publishing your tutorials online

## Prerequisites

Basic familiarity with R and R Markdown is helpful but not required. We'll guide you through everything step by step.



# Chapter 1

## Introduction to GitBook Format

### 1.1 What is GitBook Format?

GitBook is a modern documentation format that creates beautiful, interactive books and tutorials from Markdown files. Originally developed as a platform for writing and publishing books, the GitBook format has become popular for:

- Technical documentation
- API guides
- Educational tutorials
- Research papers
- Software manuals

The format features:

- **Clean, responsive design** that works on desktop and mobile
- **Interactive navigation** with a collapsible table of contents
- **Search functionality** built-in
- **Code syntax highlighting**
- **Mathematical equations** support
- **Cross-references** and internal linking

### 1.2 What is bookdown::gitbook?

`bookdown::gitbook` is an R package output format that creates GitBook-style HTML books from R Markdown files. It's part of the `bookdown` package ecosystem created by Yihui Xie.

Key features of `bookdown::gitbook`:

- **Multi-chapter books** from multiple .Rmd files
- **Automatic cross-referencing** of figures, tables, and sections
- **Citation management** with BibTeX
- **Code chunk execution** with live R output
- **Mathematical notation** with LaTeX syntax
- **Customizable themes** and styling

## 1.3 Real-World Examples

Here are some excellent examples of GitBook-style tutorials and documentation:

### 1.3.1 Data Science

- R for Data Science by Hadley Wickham
- Advanced R by Hadley Wickham
- Tidy Modeling with R by Max Kuhn and Julia Silge

### 1.3.2 Statistics and Research

- Statistical Inference via Data Science by Chester Ismay
- Geocomputation with R by Robin Lovelace

### 1.3.3 Web Development

- Engineering Production-Grade Shiny Apps
- Mastering Shiny by Hadley Wickham

These examples demonstrate the power and versatility of the GitBook format for creating comprehensive, professional documentation that's both beautiful and functional.



## Chapter 2

# Installation and Setup

Before we can start creating GitBook tutorials, we need to set up our development environment. This chapter will guide you through installing all the necessary tools.

### 2.1 Installing R

R is the foundation of our toolkit. It's a free, open-source programming language specifically designed for statistical computing and graphics.

#### 2.1.1 Download and Install R

1. Visit the official R website: <https://cran.r-project.org>
2. Click on “Download R for your operating system”
3. Choose a mirror close to your location
4. Download the latest version of R
5. Run the installer and follow the installation wizard

#### 2.1.2 Verify R Installation

Open your terminal or command prompt and type:

```
R --version
```

You should see output showing the R version number.

### 2.2 Installing RStudio

RStudio is an integrated development environment (IDE) that makes working with R much more pleasant and productive.

### 2.2.1 Download and Install RStudio

1. Visit: <https://posit.co/download/rstudio-desktop/>
2. Download RStudio Desktop (free version)
3. Run the installer appropriate for your operating system
4. Launch RStudio to verify it works

### 2.2.2 First Launch

When you first open RStudio, you'll see four panes: - **Console** (bottom left): Where R commands are executed - **Environment** (top right): Shows your variables and data - **Files/Plots/Help** (bottom right): File browser and output - **Editor** (top left): Where you'll write your .Rmd files

## 2.3 Installing Git

Git is essential for version control and publishing your tutorials online.

### 2.3.1 Download and Install Git

Visit <https://git-scm.com/> and download Git for your operating system.

#### 2.3.1.1 Windows

- Download Git for Windows
- Run the installer with default settings

#### 2.3.1.2 macOS

- Git comes pre-installed on most Mac systems
- Alternatively, install via Homebrew: `brew install git`

#### 2.3.1.3 Linux

- Ubuntu/Debian: `sudo apt-get install git`
- CentOS/RHEL: `sudo yum install git`

### 2.3.2 Configure Git

Set up your identity (replace with your information):

```
git config --global user.name "Your Name"
git config --global user.email "your.email@example.com"
```

## 2.4 Installing R Packages

Now we'll install the R packages needed for creating GitBooks.

### 2.4.1 Essential Packages

Open RStudio and run these commands in the Console:

```
# Install the main package
install.packages("bookdown")

# Install supporting packages
install.packages(c("rmarkdown", "knitr"))
```

### 2.4.2 Optional but Recommended Packages

These packages will enhance your GitBook creation experience:

```
# For better plots and data manipulation
install.packages(c("ggplot2", "dplyr", "tidyr"))

# For web publishing
install.packages("servr")

# For advanced formatting
install.packages(c("DT", "htmlwidgets"))
```

### 2.4.3 Verify Package Installation

Test that bookdown is working:

```
library(bookdown)
packageVersion("bookdown")
```

## 2.5 Create Your First Project

Let's verify everything is working by creating a test project:

1. In RStudio, go to **File > New Project > New Directory**
2. Choose **Book Project using bookdown**
3. Give it a name like "test-gitbook"
4. Click **Create Project**

RStudio will create a sample bookdown project with example files. You can render it by running:

```
bookdown::render_book("index.Rmd")
```

If everything is installed correctly, this will generate a GitBook in the `_book/` folder!

## 2.6 Troubleshooting

### 2.6.1 Common Issues

**Issue:** “Package ‘bookdown’ not found” - **Solution:** Make sure you’ve installed the package: `install.packages("bookdown")`

**Issue:** Git not recognized - **Solution:** Restart RStudio after installing Git, or add Git to your system PATH

**Issue:** LaTeX errors when rendering - **Solution:** Install TinyTeX: `tinytex::install_tinytex()`

### 2.6.2 Getting Help

- **R Documentation:** Use `?function_name` in R console
- **Bookdown Guide:** <https://bookdown.org/yihui/bookdown/>
- **RStudio Community:** <https://community.rstudio.com/>

Congratulations! You now have a complete development environment for creating GitBook tutorials.

## Chapter 3

# Writing Tutorial Content

Now that you have your environment set up, let's learn how to create compelling tutorial content using R Markdown. This chapter covers the essential techniques for writing effective GitBook tutorials.

### 3.1 Project Structure with .Rmd Files

Each .Rmd file in your project becomes a chapter in your GitBook. The structure is simple:

```
my-tutorial/  
|-- index.Rmd          # Main page (Chapter 0)  
|-- 01-chapter1.Rmd    # Chapter 1  
|-- 02-chapter2.Rmd    # Chapter 2  
|-- 03-chapter3.Rmd    # Chapter 3  
`-- ...
```

#### 3.1.1 File Naming Convention

- **index.Rmd**: Always the main/first page
- **01-intro.Rmd**: Use numbers for ordering
- **XY-descriptive-names.Rmd**: Use descriptive names after numbers

### 3.2 Headings Create Sections

Headings automatically create your table of contents and navigation structure:

```
# Chapter Title {#chapter-id}  
  
## Main Section
```

```
### Subsection
#### Sub-subsection
```

### 3.2.1 Important Notes:

- `# Chapter Title` creates a new chapter
- `{#chapter-id}` creates an ID for cross-referencing
- Only use `#` for chapter titles in chapter files
- Use `##`, `###`, `####` for sections within chapters

## 3.3 Code Chunks: The Heart of R Tutorials

Code chunks are what make R Markdown special. They execute R code and display the results:

### 3.3.1 Basic Code Chunk

```
```{r}
# This is R code
x <- c(1, 2, 3, 4, 5)
mean(x)
```

## [1] 3
```

### 3.3.2 Code Chunk Options

Control how your code appears and executes:

```
```{r your-chunk-name, echo=TRUE, eval=TRUE, fig.cap="Simple Line Plot"}
# echo=TRUE: Show the code
# eval=TRUE: Run the code
# fig.cap: Caption for figures
plot(1:10, 1:10)
```
```

Here's the actual chunk in action:

#### Common options:

- `echo=FALSE`: Hide code, show output
- `eval=FALSE`: Show code, don't run it
- `include=FALSE`: Run code, don't show anything
- `message=FALSE`: Hide messages
- `warning=FALSE`: Hide warnings




Figure 3.1: Simple Line Plot

## 3.4 Creating Plots and Visualizations

R excels at creating beautiful plots:

```
library(ggplot2)
data(mtcars)

ggplot(mtcars, aes(x = mpg, y = hp)) +
  geom_point(aes(color = factor(cyl))) +
  labs(title = "Horsepower vs MPG",
       x = "Miles per Gallon",
       y = "Horsepower",
       color = "Cylinders") +
  theme_minimal()
```

## 3.5 Inline R Code

You can embed R results directly in your text using inline code:

The mean of `mtcars$mpg` is `r round(mean(mtcars$mpg), 2)` miles per gallon.

The mean of `mtcars$mpg` is 20.09 miles per gallon.

## 3.6 Mathematical Notation

LaTeX syntax works beautifully in GitBooks:




Figure 3.2: Sample Scatter Plot

### 3.6.1 Inline Math

The formula is  $y = mx + b$  where  $m$  is the slope.

**Result:** The formula is  $y = mx + b$  where  $m$  is the slope.

### 3.6.2 Block Math

$$\bar{x} = \frac{1}{n} \sum_{i=1}^n x_i$$

**Result:**

$$\bar{x} = \frac{1}{n} \sum_{i=1}^n x_i$$

## 3.7 Cross-References and Links

### 3.7.1 Referencing Figures and Tables

See Figure `\@ref(fig:plot-example)` for the scatter plot.

**Result:** See Figure 3.2 for the scatter plot.



Table 3.1: First few rows of mtcars dataset

|                   | mpg  | cyl | disp | hp  |
|-------------------|------|-----|------|-----|
| Mazda RX4         | 21.0 | 6   | 160  | 110 |
| Mazda RX4 Wag     | 21.0 | 6   | 160  | 110 |
| Datsun 710        | 22.8 | 4   | 108  | 93  |
| Hornet 4 Drive    | 21.4 | 6   | 258  | 110 |
| Hornet Sportabout | 18.7 | 8   | 360  | 175 |
| Valiant           | 18.1 | 6   | 225  | 105 |

### 3.7.2 Referencing Sections

As we learned in Chapter \@ref(intro), GitBook format is powerful.

**Result:** As we learned in Chapter 1, GitBook format is powerful.

### 3.7.3 Creating Tables

```
knitr::kable(
  head(mtcars[, 1:4]),
  caption = "First few rows of mtcars dataset",
  booktabs = TRUE
)
```

Reference it with: Table \@ref(tab:cars-table)

## 3.8 Optional Enhancements

### 3.8.1 Footnotes

Add footnotes for additional information. First, reference the footnote, then define what the footnote reads. Footnotes will be placed at the bottom of the page automatically.

This is the text where the footnote is referenced<sup>[^note1]</sup>.  
<sup>[^note1]</sup>: This is the content of the footnote.

Result:

This is the text where the footnote is referenced<sup>1</sup>.

(Scroll to the bottom of the page to see the footnote.)

---

<sup>1</sup>And this is the content of the footnote.

### 3.8.2 Citations with BibTeX

First, create a `references.bib` file:

```
@book{wickham2016r,  
  title={R for data science: import, tidy, transform, visualize, and model data},  
  author={Wickham, Hadley and Grolemund, Garrett},  
  year={2016},  
  publisher={O'Reilly Media}  
}
```

Then cite it:

According to @wickham2016r, data science is a powerful approach.

### 3.8.3 Adding Images

```
![Caption for image](path/to/image.png)
```

Or with more control:

```
```{r, fig.cap="My Image", out.width="50%", eval=FALSE}  
knitr::include_graphics("path/to/image.png")  
```
```

### 3.8.4 Callouts and Special Blocks

Create attention-grabbing callouts:

```
> Note: This is an important note that readers should pay attention to.  
  
> Warning: Be careful with this command as it might delete files.  
  
> Tip: Here's a helpful tip to make your work easier.
```

**Results:**

**Note:** This is an important note that readers should pay attention to.

**Warning:** Be careful with this command as it might delete files.

**Tip:** Here's a helpful tip to make your work easier.

## Chapter 4

# Publishing Your GitBook

Once you've written your tutorial content, it's time to render and publish your GitBook. This chapter covers both local rendering for testing and online publishing for sharing with the world.

### 4.1 Rendering Locally

Local rendering lets you preview your GitBook before publishing. This is essential for testing and debugging.

#### 4.1.1 Basic Rendering Command

The fundamental command to render your GitBook:

```
bookdown::render_book("index.Rmd", "bookdown::gitbook")
```

This command: 1. Processes all your .Rmd files in order 2. Executes all R code chunks 3. Generates HTML files in the `_book/` directory 4. Creates navigation and cross-references

#### 4.1.2 Alternative Rendering Methods

##### 4.1.2.1 Using RStudio Build Tab

1. Open your project in RStudio
2. Go to the **Build** tab (usually in the top-right pane)
3. Click **Build Book**
4. Select `bookdown::gitbook`

##### 4.1.2.2 Using the Knit Button

- Open `index.Rmd`

- Click the **Knit** dropdown
- Select **Knit Book**

### 4.1.3 Previewing Your Book

After rendering, you can preview your book:

```
# Open the book in your browser
servr::http("_book")
```

Or simply open `_book/index.html` in your web browser — my preferred method, every time.

### 4.1.4 Multiple Output Formats

You can render to multiple formats simultaneously:

```
# Render GitBook, PDF, and EPUB
bookdown::render_book("index.Rmd", "all")
```

Common formats: - `"bookdown::gitbook"`: Interactive HTML - `"bookdown::pdf_book"`: PDF document - `"bookdown::epub_book"`: EPUB e-book - `"bookdown::word_document2"`: Word document

## 4.2 Publishing Online with GitHub + Netlify

The most reliable method: build locally, push to GitHub, deploy with Netlify.

### 4.2.1 Step 1: Build Your Book Locally

First, render your book on your local machine:

```
bookdown::render_book("index.Rmd", "bookdown::gitbook")
```

This creates the `_book/` folder with all your HTML files.

### 4.2.2 Step 2: Prepare for GitHub

#### 4.2.2.1 Update .gitignore

**Important:** Remove `_book/` from `.gitignore` so the built book gets pushed to GitHub:

```
# R and RStudio files
.Rproj.user
.Rhistory
.RData
.Ruserdata
*.Rproj
```

```
# Bookdown files (keep _book/ commented out!)
# _book/
_bookdown_files/
*.rds

# OS generated files
.DS_Store
.DS_Store?
.*
.Spotlight-V100
.Trashes
ehthumbs.db
Thumbs.db
Desktop.ini
$RECYCLE.BIN/
*.lnk

# Temporary files
*~
*.tmp
*.temp
```

### 4.2.3 Step 3: Push to GitHub

#### 1. Create a new repository on GitHub

- Go to [github.com](https://github.com)
- Click **New Repository**
- Give it a descriptive name (e.g., “my-r-tutorial”)
- Make it **Public**

#### 2. Set up GitHub authentication

First, install the `usethis` package if you haven’t already:

```
install.packages("usethis")
```

GitHub requires a Personal Access Token (PAT) for Git operations:

- Go to [github.com/settings/tokens](https://github.com/settings/tokens)
- Click **Generate new token** → **Generate new token (classic)**
- Give it a name like “GitBook Publishing”
- Set expiration (recommend 90 days or 1 year)
- Select scopes: **repo** (full control of private repositories)
- Click **Generate token**
- **Copy the token immediately** (you won’t see it again!)

#### 3. Configure Git with your credentials

Use R functions to set up your Git configuration:

```
# Set your Git username and email
usethis::use_git_config(user.name = "Your Name",
                        user.email = "your.email@example.com")

# Store your PAT token securely
gitcreds::gitcreds_set()
```

When you run `gitcreds::gitcreds_set()`, it will prompt you to paste your PAT token. This stores it securely for future Git operations.

#### 4. Initialize Git and push everything

```
git init
git add .
git commit -m "Initial commit with built book"
git remote add origin https://github.com/yourusername/your-repo.git
git branch -M main
git push -u origin main
```

When prompted for username: enter your GitHub username When prompted for password: **paste your PAT token** (not your GitHub password)

### 4.2.4 Step 4: Deploy with Netlify

1. **Sign up for Netlify**
  - Go to [netlify.com](https://netlify.com)
  - Sign up with your GitHub account
2. **Create a new site**
  - Click **New site from Git**
  - Choose **GitHub**
  - Select your repository
3. **Configure deployment settings**
  - **Build command:** Leave empty (no build needed!)
  - **Publish directory:** `_book`
  - Click **Deploy site**

Your GitBook is now live! Netlify will give you a URL like `https://wonderful-name-123456.netlify.ap`

## 4.3 Updating Your Published Book

To update your live GitBook:

1. **Make your changes** to the `.Rmd` files
2. **Rebuild locally:**

```
bookdown::render_book("index.Rmd", "bookdown::gitbook")
```

### 3. Push to GitHub:

```
git add .  
git commit -m "Update content"  
git push origin main
```

### 4. Netlify automatically updates your live site within seconds!

## 4.4 Troubleshooting Common Issues

### 4.4.1 Local Build Issues

**Problem:** Figures not displaying **Solution:** Clean and rebuild:

```
bookdown::clean_book()  
bookdown::render_book("index.Rmd", "bookdown::gitbook")
```

**Problem:** Old content still showing **Solution:** Delete `_book` folder and rebuild:

```
unlink("_book", recursive = TRUE)  
bookdown::render_book("index.Rmd", "bookdown::gitbook")
```

### 4.4.2 Netlify Deployment Issues

**Problem:** Site shows 404 error

**Solution:** Check that

- Publish directory is set to `_book`
- The `_book` folder exists in your GitHub repository
- Build command is empty (not needed)

**Problem:** Images not loading

**Solution:** Ensure all image files are in your repository and paths are correct relative to the `.Rmd` files.

---

Congratulations! Your GitBook tutorial is now live and accessible to the world. Remember to keep your content updated and respond to reader feedback to make your tutorial even better.