

VMS Issue Manager

Help Chatbot Knowledge Base

Page directory, purpose, and navigation reference — 209 pages across 12 modules

How to use this document

Each entry below gives the chatbot (and its maintainers) four things for every page in the system: **what the page is for, what a user can actually do on it, when someone would be sent here, and how to navigate to it** (its application path and the backend controller that serves it).

Path — the application route the page is served at. ":pageId" is a placeholder filled in by the system/menu configuration, not something a user types.

Controller — the backend controller handling the page. Useful for developers and for the chatbot when escalating a question to a technical owner.

Important — please review before publishing

The source list supplied only page names, URL paths, and controller names — no functional spec. Every **Purpose, Key actions** and **When users come here** description below has been inferred from naming conventions and standard ERP/task-management patterns. Most are reliable, but a handful of ambiguous names are flagged inline with a note to confirm with the module owner.

Please have someone familiar with each module skim their section and correct any description before this is wired into the live chatbot — especially anything marked "confirm with the module owner."

Table of Contents

Issue Manager – Transaction

Core day-to-day task and issue workflow pages: creating tasks, building recurring planners, submitting and approving daily reports, and related staff-administration screens.

ISM Common Task

Path: /ISM_CommonTask/:pageId**Controller:** ISM_CommonTaskController

Purpose: The main personal task dashboard. It lists every task currently assigned to the logged-in employee, regardless of which module created it.

Key actions:

- View all tasks assigned to you
- Open a task to see full details and history
- Update task status and add remarks/attachments
- Mark a task as completed

When users come here: *Employees land here to see and act on their day-to-day work items.*

ISM Task Creation

Path: /ISM_TaskCreation/:pageId**Controller:** ISM_TaskCreationController

Purpose: The standard form for logging a new task or issue and assigning it to a specific employee.

Key actions:

- Enter task title, description and category
- Choose the assignee, priority and due date
- Attach supporting files
- Submit to create the task

When users come here: *Use when a new issue or work request needs to be logged and handed to a specific person.*

ISM Task Creation New

Path: /ISM_TaskCreationNew/:pageId**Controller:** ISM_TaskCreationNewController

Purpose: A revised version of the task-creation screen with an updated layout/field set, used as the current standard in some workflows.

Key actions:

- Same as Task Creation — fill task details and assign
- Use any additional fields specific to the newer form

When users come here: *Use when your workflow has been moved to this newer task-creation screen instead of the original.*

ISM Task Creation Department Wise

Path: /ISM_TaskCreationDepartmentWise/:pageId**Controller:** ISM_TaskCreationDepartmentWiseController

Purpose: Creates a task and routes it to an entire department's queue instead of one named employee.

Key actions:

- Select the receiving department
- Enter task details

- Submit so the department can pick it up internally

When users come here: *Use when you know which department should handle something but not the specific person.*

ISM Complaints Task List

Path: /ISM_ComplaintsTaskList/:pageId**Controller:** ISM_ComplaintsTaskListController

Purpose: A working list of internally raised complaint-type tasks, for tracking them through to resolution.

Key actions:

- Filter/search complaint tasks
- Reassign or update status
- Close once resolved

When users come here: *Used by support or admin staff who handle internal complaints.*

ISM Client Complaints Task List

Path: /ISM_Client_ComplaintsTaskList/:pageId**Controller:**

ISM_Client_ComplaintsTaskListController

Purpose: Same as the complaints list, but specifically for complaints raised by external clients.

Key actions:

- View and filter client complaints
- Assign to the responsible team
- Track resolution and closure

When users come here: *Used by client-facing teams managing customer complaint tickets.*

ISM Weekly Deviation

Path: /ISM_Weekly_Deviation/:pageId**Controller:** ISM_Weekly_DeviationController

Purpose: Records weekly deviations — planned tasks that did not happen as scheduled — and the reason for the deviation.

Key actions:

- Select the planner/task that deviated
- Enter the reason
- Submit for review

When users come here: *Used weekly by supervisors documenting why planned work fell behind.*

ISM Planner Creation

Path: /ISM_PlannerCreation/:pageId**Controller:** ISM_PlannerCreationController

Purpose: Sets up a recurring task schedule ("planner") that auto-generates tasks for an employee or department on a fixed cadence.

Key actions:

- Define the recurring tasks and frequency
- Choose assignees and start date
- Save the planner

When users come here: *Used by managers setting up routine/recurring work (e.g. a monthly maintenance checklist).*

ISM Planner Approval

Path: /ISM_PlannerApproval/:pageId **Controller:** ISM_PlannerApprovalController

Purpose: Approval screen for planners that were created or edited and now need sign-off before going live.

Key actions:

- Review planner details
- Approve or reject
- Add approval remarks

When users come here: *Used by the approving authority before a new/changed planner becomes active.*

ISM Auto Planner Approval

Path: /ISM_AutoPlannerApproval/:pageId **Controller:** ISM_AutoPlannerApprovalController

Purpose: Approval screen specifically for planners that the system generated automatically rather than ones built manually.

Key actions:

- Review auto-generated planner entries
- Approve or reject individually or in bulk

When users come here: *Used when system-generated planners still require a human sign-off.*

ISM Daily Report Generation

Path: /ISM_DailyReportGeneration/:pageId **Controller:** ISM_DailyReportGenerationController

Purpose: Where employees submit their Daily Report (DR) — a summary of the tasks they completed that day.

Key actions:

- Select the tasks worked on
- Enter a work summary
- Submit the daily report

When users come here: *Used by every employee at the end of the working day.*

ISM Daily Report Approval

Path: /ISM_DailyReport_Approval/:pageId **Controller:** ISM_DailyReport_ApprovalController

Purpose: Lets a supervisor review and approve or reject each employee's submitted daily report.

Key actions:

- Open a submitted DR
- Approve, reject, or send back with remarks

When users come here: *Used daily by reporting managers to sign off on staff DRs.*

ISM Daily Report Multi Approval

Path: /ISM_DailyReportMulti_Approval/:pageId **Controller:** ISM_DailyReport_ApprovalController

Purpose: A bulk-approval view of the same daily-report approval workflow, letting a manager clear several reports at once.

Key actions:

- Select multiple pending DRs
- Approve or reject them together

When users come here: *Used when a manager has many direct reports' DRs to clear quickly, instead of one at a time.*

ISM Daily Report Approval MD

Path: /ISM_DailyReport_ApprovalMd/:pageId**Controller:** ISM_DailyReport_ApprovalMdController

Purpose: A senior/Managing-Director-level approval and oversight screen for daily reports, typically the final escalation tier.

Key actions:

- Review DRs escalated to this level
- Approve/reject
- View a cross-department summary

When users come here: *Used by top management for oversight or final sign-off.*

ISM Notification

Path: /ISM_Notification/:pageId**Controller:** ISM_NotificationController

Purpose: Shows the logged-in user's system notifications — task assignments, approvals due, deadlines, etc.

Key actions:

- View the notification list
- Mark as read
- Click through to the related task

When users come here: *Checked whenever a user wants to see recent alerts relevant to them.*

ISM Interaction

Path: /ISM_Interaction/:pageId**Controller:** ISM_InteractionController

Purpose: A log of communications/interactions (calls, notes, follow-ups) tied to a task or client.

Key actions:

- Add a new interaction note
- View interaction history for a task or client

When users come here: *Used to record a conversation or touchpoint connected to a task or complaint.*

ISM Import

Path: /ISMImport/:pageId**Controller:** ISMImportController

Purpose: Bulk-imports task/issue records into the system, typically from a spreadsheet.

Key actions:

- Upload the import file
- Map columns to system fields

- Validate and import

When users come here: *Used by admins migrating or bulk-loading task data rather than entering it one by one.*

ISM Extension

Path: /ISM_Extension/:pageId**Controller:** ISM_ExtensionController

Purpose: Lets an assignee request more time on a task by proposing a new due date.

Key actions:

- Select the task
- Propose a new deadline with a reason
- Submit for approval

When users come here: *Used when an assignee cannot finish a task by its current due date.*

ISM PD SDpnt Mapping

Path: /ISM_PDpntSDpntMapping/:pageId**Controller:** ISM_PDpntSDpntMappingController

Purpose: Admin configuration page mapping a primary department to its sub-departments/sub-points, used to control how tasks route between department levels.

Key actions:

- Create or edit a department-to-sub-department mapping

When users come here: *Used by system admins configuring department routing. (Confirm exact business meaning with the module owner.)*

ISM Notice Issue

Path: /ISM_NoticeIssue/:pageId**Controller:** ISM_NoticeIssueController

Purpose: Issues a formal notice/memo to an employee, typically related to performance, conduct, or compliance.

Key actions:

- Select the employee
- Choose the notice type/reason
- Issue the notice

When users come here: *Used by HR or management to formally document and notify an employee of an issue.*

HR Planner Management

Path: /HR_Planner_Management/:pageId**Controller:** hrplannermanagementcontroller

Purpose: HR's own version of the planner tool, for scheduling recurring HR activities and tasks.

Key actions:

- Create/edit HR planners
- Assign HR tasks to staff

When users come here: *Used by HR staff managing their department's recurring task schedule.*

Driver Indent Approval

Path: /DriverIndentApproval/:pageId**Controller:** DriverIndentApprovalController

Purpose: Approves requests ("indents") raised by staff for a vehicle and driver.

Key actions:

- Review the indent request
- Approve or reject
- Assign driver/vehicle

When users come here: *Used by the transport in-charge whenever staff request vehicle/driver support.*

Laptop App Approval

Path: /LaptopAppApproval/:pageId**Controller:** LaptopAppApprovalController

Purpose: IT approval screen for requests to install software on, or allocate, a company laptop.

Key actions:

- Review the request
- Approve or reject

When users come here: *Used by IT admins controlling what's installed on or allocated as company hardware.*

ISM Advance Planner Task Creation

Path: /ISM_AdvanceplannerTaskcreation/:pageId**Controller:** ISM_AdvanceplannerTaskcreationController

Purpose: Creates tasks under an "advance planner" — a longer-horizon or more detailed planning template than the standard planner.

Key actions:

- Define the advance planner's tasks and schedule
- Assign and save

When users come here: *Used for more complex, multi-step recurring task plans.*

VMS Live Meeting

Path: /VMS_Live_Meeting/:pageId**Controller:** VMS_Live_MeetingController

Purpose: Hosts or joins a live virtual meeting inside the platform.

Key actions:

- Start or join the meeting
- View participants
- Use in-meeting controls

When users come here: *Used to run a scheduled video meeting without leaving the system.*

Math Editor

Path: /MathEditor/:pageId**Controller:** MathEditorController

Purpose: A utility for composing and formatting mathematical expressions/equations for use elsewhere in the system (e.g. test content).

Key actions:

- Build a formula using the equation editor
- Insert it into the related form/content

When users come here: *Used wherever a form needs mathematical notation that plain text can't represent.*

VMS Staff Meeting Start

Path: /VMS_StaffMeeting_Start/:pageId**Controller:** StaffMeetingProfileController

Purpose: Sets up and starts an internal staff meeting session.

Key actions:

- Configure the meeting profile
- Start the session
- Invite staff

When users come here: *Used by the meeting host initiating a staff meeting.*

VMS Staff Meeting Join

Path: /VMS_StaffMeeting_Join/:pageId**Controller:** VMS_StaffMeeting_JoinScheduleController

Purpose: Lets staff see and join a scheduled meeting.

Key actions:

- View scheduled meetings
- Join at the scheduled time

When users come here: *Used by attendees joining a staff meeting.*

ISM Swap Issues

Path: /ISM_SwapIssues/:pageId**Controller:** ISM_SwapIssuesController

Purpose: Swaps ownership or scheduling of a task/issue between employees or dates.

Key actions:

- Select the issue
- Choose the new assignee/date
- Confirm the swap

When users come here: *Used when task ownership or timing needs to be exchanged between people.*

ISM Printer Statistics

Path: /ISM_PrinterStatistics/:pageId**Controller:** ISM_PrinterStatisticsController

Purpose: Captures printer usage data (e.g. meter/page counts) for IT asset tracking.

Key actions:

- Enter or view printer meter readings
- Track usage over time

When users come here: *Used by IT/admin staff monitoring printer usage and consumables.*

ISM Duplicate Task Close

Path: /ISM_DuplicateTaskClose/:pageId**Controller:** ISM_DuplicateTaskCloseController

Purpose: Closes a task that has been identified as a duplicate of an existing one.

Key actions:

- Mark the task as duplicate
- Link it to the original task
- Close it

When users come here: *Used when the same issue has been logged more than once.*

ISM Duplicate Task Approval

Path: /ISM_DuplicateTaskApproval/:pageId**Controller:** ISM_DuplicateTaskCloseController

Purpose: Approval step confirming that a task flagged for duplicate-closure really is a duplicate before it's closed.

Key actions:

- Review the duplicate-close request
- Approve or reject

When users come here: *Used by an approver validating a duplicate-task closure.*

ISM Daily Report Rejection

Path: /ISM_DailyReportRejection/:pageId**Controller:** ISM_DailyReportRejectionController

Purpose: Captures and tracks the reasons a daily report was rejected and sent back.

Key actions:

- Select the rejected DR
- View/enter rejection remarks

When users come here: *Used when a daily report has been sent back to the employee for correction.*

ISM Regenerate DR Approval

Path: /ISM_RegenerateDR_Approval/:pageId**Controller:** ISM_RegenerateDR_ApprovalController

Purpose: Approves a request to regenerate (resubmit) a previously rejected daily report.

Key actions:

- Review the regeneration request
- Approve or reject

When users come here: *Used when an employee needs to resubmit a corrected daily report.*

Employee VMS Deactivate

Path: /Employee_VMS_Deactivate/:pageId**Controller:** Employee_VMS_DeactivateController

Purpose: Deactivates an employee's account/access within the system, typically on exit.

Key actions:

- Select the employee
- Deactivate their account/access

When users come here: *Used by admin/HR when an employee leaves or their access must be revoked.*

Adv Planner Import

Path: /AdvPlannerImport/:pageId**Controller:** AdvPlannerImportController

Purpose: Bulk-imports advance planner data into the system.

Key actions:

- Upload the import file
- Map fields
- Import the records

When users come here: *Used by admins bulk-loading advance planner schedules.*

ISM Impl Planner Import

Path: /ISMImplPlannerImport/:pageId**Controller:** ISMImplPlannerImportController

Purpose: Bulk-imports planner data tied to implementation/rollout projects.

Key actions:

- Upload the file
- Validate
- Import implementation planner records

When users come here: *Used by admins setting up implementation-related task plans in bulk.*

ISM Impl Task Mapping

Path: /ISM_ImplTaskMapping/:pageId**Controller:** ISM_ImplTaskMappingController

Purpose: Maps implementation tasks to their related planner/project structure.

Key actions:

- Create or edit the mapping between implementation tasks and planners

When users come here: *Used by admins configuring how implementation tasks relate to planners.*

Management Client Reminder

Path: /ManagementClientReminder/:pageId**Controller:**

HR_Planner_ManagementClientRemindercontroller

Purpose: Schedules and sends reminders to management about client-related follow-ups.

Key actions:

- Create the reminder
- Set recipient and schedule
- Send

When users come here: *Used to make sure management follows up on client items on time.*

Deviation Task Extension

Path: /DeviationTaskExtention/:pageId**Controller:** ISM_Task_DeviationController

Purpose: Requests an extension specifically for a task that has already been flagged as a deviation from plan.

Key actions:

- Select the deviation task
- Propose an extended deadline

- Submit

When users come here: *Used when a deviation-flagged task needs more time to resolve.*

View Of Deployment

Path: /ViewOfDeployment/:pageId **Controller:** ViewOfDeploymentController

Purpose: An overview screen showing how tasks/scope are currently deployed across teams or projects.

Key actions:

- View deployment data
- Filter by team/project/scope

When users come here: *Used by managers checking current task allocation across the organisation.*

View Of Deployment Approval

Path: /ViewOfDeployment_Approval/:pageId **Controller:** ViewOfDeployment_ApprovalController

Purpose: Approves changes made to a deployment/scope view.

Key actions:

- Review the proposed deployment change
- Approve or reject

When users come here: *Used by approvers confirming updates to scope/deployment.*

Issue Manager – Reports

MIS and audit-style reports built on top of the Transaction data above — used for review, analysis, and export rather than data entry.

ISM Priority Switch Report

Path: /ISM_PrioritySwitchReport/:pageId **Controller:** ISM_PrioritySwitchReportController

Purpose: Reports on tasks whose priority level was changed after creation, and by whom.

Key actions:

- Filter by date/department/employee
- View/export the list of priority changes

When users come here: *Used to audit how often and why task priorities were switched.*

ISM Planner Deviation Report

Path: /ISM_PlannerDeviationReport/:pageId **Controller:** ISM_PlannerDeviationReportController

Purpose: Consolidated report of all recorded planner deviations across employees/departments.

Key actions:

- Filter by date range, department, employee
- View/export deviation details

When users come here: *Used by management reviewing how often planned work deviates from schedule.*

ISM Planner Dept Deviation Report

Path: /ISM_PlannerDeptDeviationReport/:pageId **Controller:**

ISM_PlannerDeptDeviationReportController

Purpose: The same deviation analysis as above, rolled up at the department level.

Key actions:

- Filter by department
- Compare deviation rates across departments

When users come here: *Used for department-level performance review of planned vs. actual work.*

ISM Interdepartment Issues Report

Path: /InterdepartmentIssues/:pageId **Controller:** ISM_InterdepartmentIssuesReportController

Purpose: Lists issues/tasks that span or were transferred between departments.

Key actions:

- Filter by department pair/date
- View handoff details

When users come here: *Used to track cross-department issues and where handoffs are causing delays.*

ISM Deviation Remarks Wise Report

Path: /ISM_DeviationRemarkswiseReport/:pageId **Controller:** ISM_PlannerDeviationReportController

Purpose: Groups planner deviations by the remark/reason given, to spot common causes.

Key actions:

- Filter/group by remark category
- View frequency of each deviation reason

When users come here: *Used to identify recurring root causes behind missed plans.*

ISM DR Not Sent Remarks Report

Path: /ISM_DRNotSentRemarksReport/:pageId **Controller:** ISM_DRNotSentRemarksReportController

Purpose: Lists employees who didn't submit their Daily Report, along with the reason given.

Key actions:

- Filter by date/department/employee
- Review reasons for non-submission

When users come here: *Used by managers following up on missing daily reports.*

ISM Consolidate Daily Report

Path: /ISM_ConsolidateDailyReport/:pageId **Controller:** ISM_ConsolidateDailyReportController

Purpose: A consolidated, organisation-wide view of submitted daily reports across employees/departments.

Key actions:

- Filter by date/department
- View/export the combined report

When users come here: *Used for a single-screen overview of daily activity instead of checking employees individually.*

ISM Yearly Planner Report

Path: /ISM_YearlyPlanner_Report/:pageId **Controller:** ISM_YearlyPlanner_ReportController

Purpose: Shows planner activity and completion across a full year.

Key actions:

- Filter by year/department/employee
- View completion trends

When users come here: *Used for annual review of recurring task plan performance.*

ISM Task Register Report

Path: /ISM_TaskRegisterReport/:pageId **Controller:** ISM_TaskRegisterReportController

Purpose: A complete register/log of all tasks created in the system, with status.

Key actions:

- Filter by date/status/department
- View/export the task register

When users come here: *Used as the master log when auditing what tasks exist and their current state.*

ISM Client Task Register Report

Path: /ISM_ClientTaskRegisterReport/:pageId **Controller:** ISM_TaskRegisterReportController

Purpose: Same task register, scoped specifically to client-related tasks.

Key actions:

- Filter by client/date/status
- View/export

When users come here: *Used by client-facing teams reviewing tasks tied to a specific client.*

ISM Employee Block Report

Path: /ISM_EmployeeBlockReport/:pageId **Controller:** ISM_EmployeeBlockReportController

Purpose: Lists employees whose system access has been blocked, and the reason.

Key actions:

- Filter by employee/date
- View block reason and status

When users come here: *Used by admin/HR reviewing access restrictions.*

ISM Employee Block New Report

Path: /ISM_EmployeeBlockNewReport/:pageId **Controller:** ISM_EmployeeBlockNewReportController

Purpose: An updated version of the employee block report with a revised layout/data set.

Key actions:

- Same as Employee Block Report, using the newer format

When users come here: *Use this version when it has replaced the original Employee Block Report in your workflow.*

Email SMS History Report

Path: /EmailSms_HistoryReport/:pageId **Controller:** EmailSms_HistoryReportController

Purpose: A log of all automated email and SMS notifications the system has sent.

Key actions:

- Filter by recipient/date/type
- View delivery status/content

When users come here: *Used to verify whether a notification was actually sent, e.g. when troubleshooting a missed alert.*

ISM Approval Report

Path: /ISM_ApprovalReport/:pageId **Controller:** ISM_ApprovalReportController

Purpose: A cross-workflow report of approvals — what was approved/rejected, by whom, and when.

Key actions:

- Filter by approver/date/workflow type
- View/export approval history

When users come here: *Used to audit approval turnaround and decisions across the system.*

ISM Planner Details Report

Path: /ISM_PlannerDetailsReport/:pageId**Controller:** ISM_PlannerDetailsReportController

Purpose: A detailed, line-item view of planner configuration and task data.

Key actions:

- Filter by planner/department/employee
- View full planner details

When users come here: *Used when you need the granular detail behind a planner, not just a summary.*

ISM Employee Daily Report Details

Path: /ISM_Employee_DailyReport_Details_Report/:pageId**Controller:** ISM_DailyReportController

Purpose: A detailed view of a specific employee's daily report history.

Key actions:

- Select an employee
- View their full DR history with task-level detail

When users come here: *Used for a deep dive into one employee's day-to-day work record.*

ISM Planner Report

Path: /ISM_PlannerReport/:pageId**Controller:** ISM_PlannerReport

Purpose: A general-purpose summary report of planner data.

Key actions:

- Filter by department/employee/date
- View/export the summary

When users come here: *Used for a quick overview of planner status without the full detail report.*

ISM Swap Issue Report

Path: /ISM_SwapIssueReport/:pageId**Controller:** ISM_SwapIssueReportController

Purpose: Reports on tasks/issues that were swapped between employees or dates.

Key actions:

- Filter by date/employee
- View swap history

When users come here: *Used to audit how often and why task swaps happen.*

ISM Attendance Report

Path: /ISM_AttendanceReport/:pageId**Controller:** ISM_AttendanceReport

Purpose: Shows employee attendance records over a chosen period.

Key actions:

- Filter by employee/department/date range
- View/export attendance

When users come here: *Used by HR/managers reviewing attendance.*

ISM Memo Notice Report

Path: /ISM_MemoNoticeReport/:pageId **Controller:** ISM_MemoNoticeReportController

Purpose: Lists formal notices/memos issued to employees (see ISM Notice Issue).

Key actions:

- Filter by employee/date/notice type
- View notice details

When users come here: *Used by HR reviewing the history of notices issued.*

ISM DeMO Ratings

Path: /ISM_DeMORatings/:pageId **Controller:** ISM_DeMORatingsController

Purpose: Reports on ratings recorded under the "DeMO" rating scheme.

Key actions:

- Filter by employee/period
- View rating scores

When users come here: *Used to review rating outcomes for the relevant employees/period. (Confirm the exact DeMO scheme with the module owner.)*

ISM Printer Statistics Report

Path: /ISM_PrinterStatisticsReport/:pageId **Controller:** ISM_PrinterStatisticsReportController

Purpose: The reporting view of printer usage data captured on the ISM Printer Statistics page.

Key actions:

- Filter by printer/department/date
- View/export usage trends

When users come here: *Used by IT/admin reviewing printer consumption over time.*

ISM Task Group Report

Path: /ISM_TaskGroup_Report/:pageId **Controller:** ISM_TaskGroup_ReportController

Purpose: Shows tasks rolled up by task group/type.

Key actions:

- Filter by task group/date
- View counts and status by group

When users come here: *Used to see which kinds of tasks are most common or pending.*

ISM Category Group Report

Path: /ISM_CategoryGroup_Report/:pageId **Controller:** ISM_CategoryGroup_ReportController

Purpose: Shows tasks rolled up by category group.

Key actions:

- Filter by category/date
- View counts and status by category

When users come here: *Used for a category-level breakdown of task volume.*

ISM Enhancement Group Report

Path: /ISM_EnhancementGroup_Report/:pageId **Controller:** ISM_EnhancementGroup_ReportController

Purpose: Reports specifically on enhancement-type tasks (improvement/feature requests rather than fixes).

Key actions:

- Filter by enhancement group/date
- View status of enhancement requests

When users come here: *Used to track progress on enhancement-type work separately from regular issues.*

ISM Tasks Notice Report

Path: /ISM_TasksNoticeReport/:pageId **Controller:** ISM_TasksNoticeReportController

Purpose: Links tasks to any notices issued in connection with them.

Key actions:

- Filter by employee/task/date
- View linked notice details

When users come here: *Used to see whether a task resulted in a formal notice being issued.*

ISM Tasks Notice Report New

Path: /ISM_TasksNoticeReportNew/:pageId **Controller:** ISM_TasksNoticeReportController

Purpose: An updated layout of the Tasks Notice Report.

Key actions:

- Same as Tasks Notice Report, with the newer format

When users come here: *Use this version when it has replaced the original in your workflow.*

ISM Feedback DR Report

Path: /ISM_Feedback_DR_Report/:pageId **Controller:** ISM_Feedback_DR_ReportController

Purpose: Reports on feedback given against employees' daily reports.

Key actions:

- Filter by employee/date
- View feedback comments and ratings

When users come here: *Used by managers reviewing the quality feedback trail on daily reports.*

ISM Complaint Task List Report

Path: /ISM_Complaint_TaksListReport/:pageId **Controller:** ISM_Complaint_Task_List_ReportController

Purpose: The reporting/export view of the complaints task list.

Key actions:

- Filter by status/date/department
- View/export complaint data

When users come here: *Used for analysis or export of complaint-handling performance.*

VMS Module Feedback Report

Path: /vmsmodulefeedbackreport/:pageId **Controller:** vmsmodulefeedbackreportController

Purpose: Collects/reports user feedback submitted about the VMS system's modules.

Key actions:

- Filter by module/date
- View feedback comments and ratings

When users come here: *Used by the product/IT team reviewing user feedback on the system itself.*

Module Wise Feedback Report

Path: /ModuleWiseFeedbackReport/:pageId **Controller:** ModuleWiseFeedbackReportController

Purpose: Breaks down system feedback by individual module.

Key actions:

- Filter by module
- Compare feedback across modules

When users come here: *Used to identify which modules are getting the most positive/negative feedback.*

Maker Checker Consolidated Report

Path: /MakerCheckerConsolidatedReport/:pageId **Controller:** MackerCheakerReportController

Purpose: Consolidated audit report of all maker-checker (dual-control) approvals across the system.

Key actions:

- Filter by maker/checker/date/module
- View approval outcomes

When users come here: *Used for compliance auditing of dual-control approval steps.*

Maker Checker Rejected Report

Path: /MakerCheckerRejectedReport/:pageId **Controller:** MakerCheckerRejectedReportController

Purpose: Lists maker-checker entries that were specifically rejected, with reasons.

Key actions:

- Filter by date/module
- Review rejection reasons

When users come here: *Used to analyse why dual-control submissions are being turned down.*

ISM Non Earned Report

Path: /ISM_NonEarnedReport/:pageId **Controller:** ISM_NonEarnedReportController

Purpose: Reports on items/days/tasks marked as "non-earned" (not counted toward pay/incentive/credit).

Key actions:

- Filter by employee/date
- View non-earned entries and reasons

When users come here: *Used by HR/payroll reviewing non-earned entries. (Confirm exact business rule with the module owner.)*

ISM User Employee Mapping Report

Path: /ISM_UserEmployeeMappingReport/:pageId **Controller:** ISM_UserEmployeeMappingController

Purpose: Shows how system login/user accounts map to employee records.

Key actions:

- Filter by employee/department
- Verify a user account is linked to the right employee

When users come here: *Used by admins auditing or troubleshooting account-to-employee mappings.*

ISM Employee Absent Present List

Path: /ISM_Employee_Absent_Present_List/:pageId **Controller:** ISM_Employee_Absent_Present_ListController

Purpose: A daily present/absent list of employees.

Key actions:

- Filter by date/department
- View who is present/absent

When users come here: *Used by managers/HR for a quick daily attendance check.*

ISM Task Creation Report

Path: /ISM_TaskCreationReport/:pageId **Controller:** ISM_TaskCreationReportController

Purpose: Reports on tasks created — who created them, when, and for whom.

Key actions:

- Filter by creator/date/department
- View/export task-creation activity

When users come here: *Used to audit task-creation volume and patterns.*

ISM Driver Indent Report

Path: /DriverIndentReport/:pageId **Controller:** ISMDriverIndentReportController

Purpose: Reports on vehicle/driver indent requests and their approval status.

Key actions:

- Filter by date/driver/requester
- View indent history

When users come here: *Used by the transport team reviewing vehicle usage requests.*

Con Call Task LOP Report

Path: /ConCallTaskLopReport/:pageId **Controller:** ConCallTaskLopReportController

Purpose: Links conference-call related tasks to Loss-of-Pay (LOP) records, e.g. for missed/required calls.

Key actions:

- Filter by employee/date
- View linked LOP entries

When users come here: *Used by HR/management when conference-call attendance affects pay.*

Daily Report Rejected Summary

Path: /DailyReport_RejectedSummary_Report/:pageId **Controller:** DailyReport_RejectedSummary_ReportController

Purpose: A summary roll-up of all daily reports that were rejected, across employees/departments.

Key actions:

- Filter by date/department
- View rejection counts and trends

When users come here: *Used by management to spot teams/employees with frequent DR rejections.*

Task Reject Report

Path: /TaskRejectReport/:pageId **Controller:** TaskRejectReportController

Purpose: Reports on tasks that were rejected (not accepted/completed) and why.

Key actions:

- Filter by employee/date/department
- View rejection reasons

When users come here: *Used to analyse the causes behind rejected tasks.*

ISM Employee Daily Report Concall LOP

Path: /ISM_Employee_DailyReport_Concall_LOP/:pageId **Controller:** ISM_Employee_DailyReport_Concall_LOPController

Purpose: A combined employee-level view tying together daily reports, conference-call records, and LOP data.

Key actions:

- Select an employee
- View the combined DR/concall/LOP picture

When users come here: *Used for a single consolidated view when investigating an employee's attendance/output record.*

Scope Tasks Mapping Report

Path: /ScopeTasksmappingReport/:pageId **Controller:** ViewOfDeploymentController

Purpose: Reports on how tasks map to defined project/deployment scope.

Key actions:

- Filter by scope/project
- View mapped tasks

When users come here: *Used to verify tasks are aligned with agreed scope.*

Canteen And Housekeeping Report

Path: /Canteenandhousekeepingreport/:pageId **Controller:** CanteenandhousekeepingreportController

Purpose: Reports on canteen and housekeeping service activity/tasks.

Key actions:

- Filter by date/location
- View service records

When users come here: *Used by facilities/admin staff reviewing canteen and housekeeping operations.*

Issue Manager – Checkbook / Payment

Finance pages covering cheque book management, bank balances, receipts, client invoicing, and client/project payment configuration.

VMS Master Cheque Book

Path: /VMS_Master_ChequeBook/:pageId **Controller:** VMS_Master_ChequeBookController

Purpose: Master setup screen for a bank's cheque book — defines the bank account, cheque number range, and related details.

Key actions:

- Add/edit a cheque book master record
- Set the bank account and cheque number range

When users come here: *Used by finance admins when registering a new cheque book before any cheques can be issued from it.*

Check Bank Balance

Path: /CheckBankBalance/:pageId **Controller:** CheckBankBalanceController

Purpose: Shows the current balance for each registered bank account.

Key actions:

- Select a bank account
- View current balance

When users come here: *Used by finance staff to check available funds before approving payments.*

Check Book Contra Entry

Path: /CheckBookContraEntry/:pageId **Controller:** CheckBookContraEntryController

Purpose: Records contra entries — fund transfers between the company's own bank/cash accounts.

Key actions:

- Select source and destination accounts
- Enter transfer amount
- Submit the contra entry

When users come here: *Used when moving funds between internal accounts rather than paying an external party.*

Check Book Entry

Path: /CheckBookEntry/:pageId **Controller:** CheckBookEntryController

Purpose: Records a new cheque payment entry against a bank account.

Key actions:

- Select bank/cheque book
- Enter payee, amount and budget head
- Save the entry

When users come here: *Used by finance staff whenever a payment is made by cheque.*

Check Book Entry Approval

Path: /CheckBookEntryApproval/:pageId **Controller:** CheckBookEntryApprovalController

Purpose: Approval workflow for cheque entries before they are processed/issued.

Key actions:

- Review pending cheque entries
- Approve or reject

When users come here: *Used by the approving authority before a cheque payment is finalised.*

Check Book Entry Approval New

Path: /CheckBookEntryApprovalNew/:pageId **Controller:** CheckBookEntryApprovalNewController

Purpose: An updated version of the cheque entry approval screen.

Key actions:

- Same as Check Book Entry Approval, with the newer layout

When users come here: *Use this version when it has replaced the original approval screen in your workflow.*

Check Book Entry Approval HDFC

Path: /CheckBookEntryApprovalHdfc/:pageId **Controller:** CheckBookEntryApprovalHdfcController

Purpose: A cheque entry approval screen specific to the HDFC bank account/process.

Key actions:

- Review pending HDFC cheque entries
- Approve or reject

When users come here: *Used when approving payments specifically out of the HDFC account.*

Check Book Print

Path: /CheckBookPrint/:pageId **Controller:** CheckBookPrintController

Purpose: Prints an approved cheque using the configured cheque layout.

Key actions:

- Select the approved cheque entry
- Print the cheque

When users come here: *Used once a cheque entry is approved and ready to be physically issued.*

Check Book Print ED

Path: /CheckBookPrintED/:pageId **Controller:** CheckBookPrintEDController

Purpose: An alternate cheque printing screen/format (ED variant), e.g. for a different signatory or layout.

Key actions:

- Select the cheque entry
- Print using the ED format

When users come here: *Used when the standard Check Book Print layout doesn't apply (confirm the ED distinction with finance).*

Check Book Entry Report

Path: /CheckBookEntryReport/:pageId **Controller:** CheckBookEntryReportController

Purpose: Reports on all cheque book entries recorded.

Key actions:

- Filter by date/bank/budget head
- View/export entries

When users come here: *Used by finance for review, reconciliation, or audit of cheque payments.*

Check Bank Balance Transaction

Path: /CheckBankBalanceTransaction/:pageId **Controller:** CheckBankBalanceTransactionController

Purpose: Shows the transaction-level detail behind a bank account's balance (credits/debits).

Key actions:

- Select account
- View the transaction list that makes up the balance

When users come here: *Used to drill into how a bank balance was arrived at.*

Check Book Cancel Report

Path: /CheckBookCancelReport/:pageId **Controller:** CheckBookSourceController

Purpose: Reports on cheques that were cancelled after being issued or entered.

Key actions:

- Filter by date/bank
- View cancelled cheque details and reasons

When users come here: *Used by finance to track and audit cancelled cheques.*

Check Book Log Report

Path: /CheckBookLogReport/:pageId **Controller:** CheckBookLogReportController

Purpose: An audit log of actions taken on cheque book entries (created, edited, approved, printed, etc.).

Key actions:

- Filter by entry/date/user
- View the action history

When users come here: *Used for audit trail purposes on cheque-related changes.*

VMS Cheque Printing Setting

Path: /VMS_ChequePrinting_Setting/:pageId **Controller:** VMS_ChequePrinting_SettingController

Purpose: Configuration screen for how cheques print — field positions, fonts, bank-specific layouts.

Key actions:

- Edit print layout settings per bank/cheque book

When users come here: *Used by admins setting up or adjusting the cheque printing template.*

VMS Check Book Payment Report

Path: /VMS_CheckBook_PaymentReport/:pageId**Controller:** VMS_CheckBook_PaymentReportController

Purpose: Reports on payments made through the cheque book module.

Key actions:

- Filter by date/payee/budget head
- View/export payment data

When users come here: *Used by finance for payment review and reconciliation.*

VMS Check Book Payment Report New

Path: /VMS_CheckBook_PaymentReportNew/:pageId**Controller:**

VMS_CheckBook_PaymentReportNewController

Purpose: An updated version of the cheque book payment report.

Key actions:

- Same as the payment report, with the newer format

When users come here: *Use this version when it has replaced the original payment report in your workflow.*

Check Book Entry EMI

Path: /CheckBookEntryEMI/:pageId**Controller:** CheckBookEntryEMIController

Purpose: A cheque entry screen specifically for EMI (instalment) payments.

Key actions:

- Select the loan/EMI account
- Enter the instalment payment details
- Save

When users come here: *Used when issuing a cheque for a recurring EMI payment.*

Check Book Budget Heads

Path: /CheckBook_BudgetHeads/:pageId**Controller:** CheckBook_BudgetHeadsController

Purpose: Master list of budget heads that cheque entries are charged against.

Key actions:

- Add/edit a budget head

When users come here: *Used by finance admins maintaining the budget-head master used during cheque entry.*

Check Book Budget Head Report

Path: /CheckBook_BudgetHeadReport/:pageId**Controller:** CheckBook_BudgetHeadReportController

Purpose: Reports on cheque payments broken down by budget head.

Key actions:

- Filter by budget head/date
- View spend per head

When users come here: *Used to track how much has been spent against each budget head via cheque payments.*

Cheque Clearance Date

Path: /ChcekClearenceDate/:pageId **Controller:** ChcekClearenceDateController

Purpose: Records the date a previously issued cheque actually cleared the bank.

Key actions:

- Select the cheque entry
- Enter/update the clearance date

When users come here: *Used by finance once bank statements confirm a cheque has cleared.*

VMS Receipt Voucher

Path: /VMS_Receipt_Voucher/:pageId **Controller:** VMS_Receipt_VoucherController

Purpose: Records money received (a receipt voucher) into the company's accounts.

Key actions:

- Enter payer, amount, account and source
- Save the receipt voucher

When users come here: *Used by finance whenever money comes in and needs to be recorded.*

VMS Receipt Source

Path: /VMS_Receipt_Source/:pageId **Controller:** VMS_Receipt_SourceController

Purpose: Master list of receipt sources/categories used when recording receipt vouchers.

Key actions:

- Add/edit a receipt source

When users come here: *Used by finance admins maintaining the source list referenced on receipt vouchers.*

Client Invoice

Path: /ClientInvoice/:pageId **Controller:** ClientInvoiceController

Purpose: Creates and manages invoices billed to clients.

Key actions:

- Select client/project
- Enter line items and amount
- Generate the invoice

When users come here: *Used by finance/accounts when billing a client for work delivered.*

Client Proforma Invoice

Path: /ClientProformaInvoice/:pageId **Controller:** ClientProformaInvoiceController

Purpose: Creates a proforma (preliminary, non-final) invoice for a client, ahead of the actual billing.

Key actions:

- Select client/project
- Enter estimated line items
- Generate the proforma invoice

When users come here: *Used to share an estimated bill with a client before the final invoice is raised.*

ISM Master Client Project Payment

Path: /ISM_Master_ClientProject_Payment/:pageId**Controller:**
ISM_Master_ClientProject_PaymentController

Purpose: Master setup of payment terms for a client's project (billing structure, amounts, schedule).

Key actions:

- Select client/project
- Define/edit payment terms

When users come here: *Used when setting up how a particular client project will be billed.*

ISM Client Project Payment Config

Path: /ISM_ClientProject_Payment_Config/:pageId**Controller:**
ISM_ClientProject_Payment_ConfigController

Purpose: Configures the detailed payment schedule/rules for a client project, building on the master payment setup.

Key actions:

- Select client/project
- Configure schedule/milestones/rules

When users come here: *Used to fine-tune billing configuration for a specific client project.*

ISM Client Project Payment Audit Report

Path: /ISM_ClientProject_PaymentAuditReport/:pageId**Controller:**
ISM_ClientProject_PaymentAuditReportController

Purpose: Audit report of client project payments against the configured terms.

Key actions:

- Filter by client/project/date
- View/export payment audit detail

When users come here: *Used by finance verifying client billing matches agreed terms.*

Fee Payment Management Report

Path: /Fee_Payment_ManagementReport/:pageId**Controller:**
Fee_Payment_ManagementReportReportController

Purpose: Reports on fee payments being tracked/managed in the system (e.g. recurring fees).

Key actions:

- Filter by payer/date
- View/export fee payment status

When users come here: *Used by finance reviewing the status of fee collections.*

Issue Manager – Budget

Budget planning and control pages — defining budget heads, capital vs. revenue split, approvals, and consolidated budget reporting.

Budget Heads

Path: /BudgetHeads/:pageId **Controller:** CheckBook_BudgetHeadssController

Purpose: Master list of overall budget heads used for company-wide budgeting and expense tracking.

Key actions:

- Add/edit a budget head
- Set its category/classification

When users come here: *Used by finance admins maintaining the master list of budget heads.*

Client Heads

Path: /ClientHeads/:pageId **Controller:** CheckBook_BudgetHeadsController

Purpose: Master list of budget/expense heads specific to client accounts.

Key actions:

- Add/edit a client head

When users come here: *Used by finance admins maintaining client-specific budget classifications.*

Capital Head

Path: /CapitalHead/:pageId **Controller:** CapitalHeadController

Purpose: Master list of capital expenditure heads (as opposed to recurring/revenue expenses).

Key actions:

- Add/edit a capital head

When users come here: *Used by finance admins maintaining the capital-expenditure classification list.*

Budget Head Report

Path: /BudgetHeadReport/:pageId **Controller:** BudgetHeadReportController

Purpose: Reports on budget allocation and usage per budget head.

Key actions:

- Filter by head/department/date
- View/export allocation vs. spend

When users come here: *Used by finance to monitor spend against each budget head.*

Budget Approval

Path: /BudgetApproval/:pageId **Controller:** BudgetApprovalController

Purpose: Approval workflow for proposed budget allocations.

Key actions:

- Review the proposed budget
- Approve or reject with remarks

When users come here: *Used by the approving authority before a budget allocation is finalised.*

Budget Revenue Capital Share

Path: /BudgetRevenueCapitalShare/:pageId **Controller:** BudgetRevenueCapitalShareController

Purpose: Defines how a budget is split between revenue (operating) and capital expenditure.

Key actions:

- Select the budget
- Set the revenue/capital split
- Save

When users come here: *Used during budget planning to allocate spend correctly between revenue and capital.*

Budget Configuration

Path: /BudgetConfiguration/:pageId **Controller:** BudgetConfigurationController

Purpose: General configuration screen for budget settings/rules used across the budget module.

Key actions:

- Edit budget configuration settings

When users come here: *Used by admins setting up how the budget module behaves before annual/periodic budgeting begins.*

Over All Budget Report

Path: /OverAllBudgetReport/:pageId **Controller:** OverAllBudgetReportController

Purpose: A consolidated, organisation-wide budget report combining all heads and departments.

Key actions:

- Filter by department/period
- View/export the consolidated budget position

When users come here: *Used by management for a single-screen view of overall budget health.*

Issue Manager – Version Control (IVRM)

Software release/version-control workflow: client hosting details, version releases, Business Requirement Document (BRD) handling, and the testing sign-off chain.

IVRM Client Hosting

Path: /IVRM_ClientHosting/:pageId **Controller:** IVRM_ClientHostingController

Purpose: Records hosting/environment details for a client's deployment (server, environment, access info).

Key actions:

- Add/edit a client's hosting details

When users come here: *Used by the implementation/IT team setting up or referencing where a client is hosted.*

IVRM Version Transaction

Path: /IVRM_VersionTransaction/:pageId **Controller:** IVRM_VersionTransactionController

Purpose: Records a new software version/release transaction.

Key actions:

- Create a version entry
- List the changes/tasks included
- Save

When users come here: *Used by the dev/release team logging a new version being released.*

IVRM Version Report

Path: /IVRM_VersionReport/:pageId **Controller:** IVRM_VersionReportController

Purpose: Reports on version releases recorded in the system.

Key actions:

- Filter by version/client/date
- View/export release history

When users come here: *Used to review the history of version releases.*

IVRM Version Task Approval

Path: /IVRM_VersionTaksApproval/:pageId **Controller:** IVRM_VersionTaksApprovalController

Purpose: Approves tasks proposed for inclusion in a software version/release.

Key actions:

- Review the task
- Approve or reject its inclusion in the version

When users come here: *Used by a release approver deciding what goes into a version.*

IVRM Version Task Request

Path: /IVRM_VersionTask_Request/:pageId **Controller:** IVRM_VersionTask_RequestController

Purpose: Lets a requester submit a task for inclusion in an upcoming version.

Key actions:

- Select/describe the task
- Submit the request for the target version

When users come here: *Used when a feature/fix needs to be requested for a specific release.*

IVRM Version Task Request Approval

Path: /IVRM_VersionTask_RequestApproval/:pageId**Controller:** IVRM_VersionTask_RequestApprovalController

Purpose: Approves version task requests before they're scheduled into a release.

Key actions:

- Review the request
- Approve or reject

When users come here: *Used by the approving authority for version task requests.*

IVRM BRD Upload

Path: /IVRMBRDUpload/:pageId**Controller:** IVRM_VersionTask_RequestBRDController

Purpose: Uploads the Business Requirement Document (BRD) for a version task.

Key actions:

- Select the task
- Upload the BRD file
- Submit

When users come here: *Used by analysts/requesters attaching formal requirements to a task before development.*

IVRM BRD List Verify

Path: /IVRM_BRDList_Verify/:pageId**Controller:** IVRM_VersionTask_RequestBRDListController

Purpose: Verifies the list of uploaded BRDs for completeness/accuracy before approval.

Key actions:

- Review the BRD list
- Mark as verified or flag issues

When users come here: *Used as a quality check step before BRDs go for formal approval.*

IVRM BRD List Approval

Path: /IVRM_BRDList_Approval/:pageId**Controller:** IVRM_VersionTask_RequestBRDApprovalController

Purpose: Approves the verified BRD list, confirming requirements are signed off.

Key actions:

- Review the verified BRD list
- Approve or reject

When users come here: *Used by the approving authority signing off on requirements before development starts.*

IVRM Task BRD Report

Path: /IVRM_Task_BRDReport/:pageId **Controller:** IVRM_Task_RequestBRDReportController

Purpose: Reports linking tasks to their associated BRDs and approval status.

Key actions:

- Filter by task/client/date
- View/export BRD-task linkage

When users come here: *Used to verify which tasks have a signed-off BRD behind them.*

IVRM Task BRD Deviation Report

Path: /IVRM_Task_BRDDeviationReport/:pageId **Controller:** IVRM_Task_BRDDeviationReportController

Purpose: Reports where delivered tasks deviated from their original BRD requirements.

Key actions:

- Filter by task/client/date
- View deviation details

When users come here: *Used by QA/management to catch scope drift between requirements and delivery.*

Master Testing Type

Path: /MasterTestingType/:pageId **Controller:** MasterTestingTypeController

Purpose: Master list of testing types (e.g. functional, regression, UAT) used to classify testing tasks.

Key actions:

- Add/edit a testing type

When users come here: *Used by QA admins maintaining the testing-type master.*

Testing Lead Approval

Path: /TestingLeadApproval/:pageId **Controller:** TestingLeadApprovalController

Purpose: Lets the testing lead review and approve a test plan or testing assignment.

Key actions:

- Review the proposed testing assignment
- Approve or reject

When users come here: *Used by the testing lead before testing work is assigned/begins.*

Assigned Testing Tasks

Path: /AssignedTestingTasks/:pageId **Controller:** AssignedTestingTasksController

Purpose: Lists testing tasks currently assigned to testers.

Key actions:

- View assigned tasks
- Update testing status
- Add notes/defects

When users come here: *Used by testers to see and work through their assigned test cases.*

Tested Tasks Approval

Path: /TestedTasksApproval/:pageId **Controller:** TestedTasksApprovalController

Purpose: Approves tasks once testing has been completed, confirming they're ready to release.

Key actions:

- Review the tested task and results
- Approve or reject

When users come here: *Used by the approving authority signing off on tested work before release.*

Testing Tasks Report

Path: /TestingTasksReport/:pageId **Controller:** TestingTasksReportController

Purpose: Reports on the status of testing tasks across testers/versions.

Key actions:

- Filter by tester/version/status
- View/export testing progress

When users come here: *Used by QA leads/management to monitor testing progress.*

Issue Manager – Health Checkup / Proposal

Periodic checkup tracking (likely IT hardware health checks, given the surrounding asset-management pages) and the proposal sign-off approval chain.

HW Health CheckUp

Path: /HW_HealthCheckUp/:pageId **Controller:** HW_HealthCheckUpController

Purpose: Records a periodic health/condition checkup — most likely an IT hardware checkup (laptop/desktop/printer condition) given the surrounding asset pages.

Key actions:

- Select the asset/employee
- Record checkup findings
- Submit

When users come here: *Used during scheduled hardware health-check cycles. (Confirm with the module owner whether "HW" refers to hardware or employee health/wellness.)*

HW Health CheckUp Approval

Path: /HW_HealthCheckUpApproval/:pageId **Controller:** HW_HealthCheckUpApprovalController

Purpose: Approves the results/findings of a submitted health checkup.

Key actions:

- Review the checkup submission
- Approve or reject
- Add remarks

When users come here: *Used by the approving authority signing off on checkup results.*

HW Health CheckUp Report

Path: /HW_HealthCheckUpReport/:pageId **Controller:** HW_HealthCheckUpController

Purpose: Reports on checkups carried out across employees/assets.

Key actions:

- Filter by employee/asset/date
- View/export checkup history

When users come here: *Used to review checkup compliance and history.*

Health Check Left Emp

Path: /HealthCheckLeftEmp/:pageId **Controller:** HealthCheckLeftEmpController

Purpose: Tracks checkup status specifically for employees who have left the organisation (e.g. confirming hardware was checked/recovered on exit).

Key actions:

- Filter by exited employee
- View/record checkup status

When users come here: *Used during employee off-boarding to confirm assets were checked before final clearance.*

Proposal Sign Off

Path: /ProposalSignOff/:pageId**Controller:** ProposalSignOffController

Purpose: Submits a project/client proposal for formal sign-off before work begins.

Key actions:

- Select/attach the proposal
- Submit for sign-off

When users come here: *Used when a proposal needs formal internal agreement before proceeding.*

Proposal Sign Off Approval

Path: /ProposalSignOffApproval/:pageId**Controller:** ProposalSignOffApprovalController

Purpose: Approves a submitted proposal sign-off request.

Key actions:

- Review the proposal
- Approve or reject with remarks

When users come here: *Used by the approving authority confirming the proposal can proceed.*

Issue Manager – Petty Cash

End-to-end petty cash workflow: master expense particulars, requisitions, indents, approvals, actual expenditure, and the related reports.

PC Master Particulars

Path: /PC_Master_Particulars/:pageId**Controller:** PC_Master_ParticularsController

Purpose: Master list of expense particulars/items that petty cash can be spent against.

Key actions:

- Add/edit a particular (expense item)

When users come here: *Used by finance admins maintaining the list of valid petty-cash expense categories.*

PC Requisition

Path: /PC_Requisition/:pageId**Controller:** PC_RequisitionController

Purpose: Lets an employee request petty cash funds for an upcoming need.

Key actions:

- Enter the amount and reason
- Submit the requisition

When users come here: *Used when an employee needs petty cash released to them.*

PC Indent

Path: /PC_Indent/:pageId**Controller:** PC_IndentController

Purpose: Raises a purchase/spend request (indent) to be funded from petty cash.

Key actions:

- Select particulars and quantity/amount
- Submit the indent

When users come here: *Used before a petty-cash purchase is made, to get the spend authorised.*

PC Indent Approval

Path: /PC_Indent_Approval/:pageId**Controller:** PC_Indent_ApprovalController

Purpose: Approves submitted petty cash indents.

Key actions:

- Review the indent
- Approve or reject

When users come here: *Used by the approving authority before the petty-cash spend is allowed.*

PC Expenditure

Path: /PC_Expenditure/:pageId**Controller:** PC_ExpenditureController

Purpose: Records the actual expenditure made from petty cash, with receipts/proof.

Key actions:

- Select the related indent (if any)
- Enter actual amount spent
- Attach receipt
- Save

When users come here: *Used after the purchase to record what was actually spent.*

PC Expenditure Indent Mapping

Path: /PC_Expenditure_Indent_Mapping/:pageId**Controller:**

PC_Expenditure_Indent_MappingController

Purpose: Links a recorded expenditure back to the indent that authorised it, for reconciliation.

Key actions:

- Match expenditure entries to their originating indent

When users come here: *Used by finance reconciling actual spend against approved indents.*

PC Requisition Report

Path: /PC_Requisition_Report/:pageId**Controller:** PC_Requisition_ReportController

Purpose: Reports on petty cash requisitions raised.

Key actions:

- Filter by employee/date
- View/export requisitions

When users come here: *Used by finance reviewing requisition volume and status.*

PC Indent Report

Path: /PC_Indent_Report/:pageId**Controller:** PC_Indent_ReportController

Purpose: Reports on petty cash indents raised.

Key actions:

- Filter by employee/date/status
- View/export indents

When users come here: *Used by finance reviewing indent activity.*

PC Indent Approval Report

Path: /PC_Indent_Approval_Report/:pageId**Controller:** PC_Indent_Approval_ReportController

Purpose: Reports specifically on the approval status/history of petty cash indents.

Key actions:

- Filter by approver/date
- View approval outcomes

When users come here: *Used to audit indent approval turnaround and decisions.*

PC Expenditure Report

Path: /PC_Expenditure_Report/:pageId**Controller:** PC_Expenditure_ReportController

Purpose: Reports on actual petty cash expenditure recorded.

Key actions:

- Filter by particular/employee/date
- View/export expenditure

When users come here: *Used by finance reviewing where petty cash has actually been spent.*

PC Expenditure Reports

Path: /PC_Expenditure_Reports/:pageId**Controller:** PC_Expenditure_ReportsController

Purpose: An alternate/extended expenditure report, likely covering a different breakdown or date range than PC Expenditure Report.

Key actions:

- Filter and view expenditure data

When users come here: *Used alongside, or in place of, PC Expenditure Report depending on the analysis needed.*

PC Expenditure Indent Report

Path: /PC_Expenditure_Indent_Report/:pageId**Controller:** PC_Expenditure_Indent_ReportController

Purpose: Reports expenditure side-by-side with the indent that authorised it.

Key actions:

- Filter by date/employee
- View matched expenditure-vs-indent data

When users come here: *Used to verify actual spend lines up with what was approved.*

PC Expenditure Balance Report

Path: /PC_Expenditure_Balance_Report/:pageId**Controller:**
PC_Expenditure_Balance_ReportController

Purpose: Shows remaining petty cash balance after expenditure, per employee/location.

Key actions:

- Filter by employee/location
- View remaining balance

When users come here: *Used by finance to track how much petty cash float remains available.*

Issue Manager – Rating

Employee/area rating system: setting up rating question types and options, recording ratings (including dress-code checks), and reporting on results.

Rating Master

Path: /Rating_Master/:pageId**Controller:** Rating_MasterController

Purpose: Master setup of rating types/categories used across the rating module.

Key actions:

- Add/edit a rating type/category

When users come here: *Used by admins configuring what can be rated before ratings are recorded.*

Rating Transaction

Path: /Rating_Transaction/:pageId**Controller:** Rating_TransactionController

Purpose: Records an actual rating event against an employee/area for a given rating type.

Key actions:

- Select the subject and rating type
- Enter the score/answers
- Submit

When users come here: *Used whenever a rating needs to be recorded, e.g. during an inspection or review.*

Type Question Option Mapping Report

Path: /TypeQuestionOptionMappingReport/:pageId**Controller:** TypeQuestionOptionMappingController

Purpose: Reports on how rating question types are mapped to their answer options.

Key actions:

- Filter by rating type
- View question-to-option mapping

When users come here: *Used by admins verifying the rating questionnaire is configured correctly.*

Type Question Department Mapping Report

Path: /TypeQuestionDepartmentMappingReport/:pageId**Controller:**

TypeQuestionOptionMappingController

Purpose: Reports on how rating question types are mapped to specific departments.

Key actions:

- Filter by department/question type
- View the mapping

When users come here: *Used by admins verifying which departments each rating questionnaire applies to.*

Rating Dress Code

Path: /Rating_DressCode/:pageId**Controller:** Rating_DressCodeController

Purpose: Records dress-code compliance ratings/checks for employees.

Key actions:

- Select employee
- Record dress-code compliance result
- Submit

When users come here: *Used during dress-code inspections/checks.*

Over All Rating

Path: /OverAllRating/:pageId**Controller:** Rating_MasterController

Purpose: A consolidated overall-rating view, likely combining scores across rating types for an employee/area.

Key actions:

- Select the employee/area
- View the combined overall rating

When users come here: *Used for a single-glance view of overall performance/rating.*

Type Question Rating

Path: /TypeQuestionRating/:pageId**Controller:** Rating_TransactionController

Purpose: Records ratings against the specific questions defined for a rating type.

Key actions:

- Select the rating type
- Answer/score each question
- Submit

When users come here: *Used when the rating exercise involves multiple structured questions rather than a single score.*

Employee Monthly Rating

Path: /EmployeeMonthlyRating/:pageId**Controller:** EmployeeRatingReportController

Purpose: Shows a monthly rating summary/trend for each employee.

Key actions:

- Select employee/month
- View monthly rating summary

When users come here: *Used by managers for monthly performance review based on accumulated ratings.*

Consolidated Rating Report

Path: /ConsolidatedRatingReport/:pageId**Controller:** ConsolidatedRatingReportController

Purpose: A consolidated report combining all rating types/categories across employees or areas.

Key actions:

- Filter by department/employee/period
- View/export the consolidated ratings

When users come here: *Used by management for a comprehensive rating overview across the organisation.*

Issue Manager – Tenants

Property/tenant management: agreements, notices, water & electrical billing, payments, NOC (No Objection Certificate) issuance, and tenant feedback for company-managed flats/rooms.

Tenant Agreement

Path: /TenantAgreement/:pageId **Controller:** TenantAgreementController

Purpose: Records a tenant's rental agreement — flat/room, tenant details, rent terms, and duration.

Key actions:

- Select the flat/room and tenant
- Enter agreement terms
- Save

When users come here: *Used when a new tenant moves in or an agreement is renewed.*

Tenant Agreement AB

Path: /TenantAgreementab/:pageId **Controller:** TenantAgreementabController

Purpose: An alternate or addendum version of the tenant agreement screen.

Key actions:

- Same as Tenant Agreement, for the AB variant/case

When users come here: *Use this version when directed for the specific agreement type it covers (confirm the AB distinction with the property team).*

Tenant Upload Notice

Path: /TenantUploadNotice/:pageId **Controller:** TenantUploadNoticeController

Purpose: Uploads a notice for tenants to see on their notice board (e.g. maintenance, rules, announcements).

Key actions:

- Compose/attach the notice
- Publish it to tenants

When users come here: *Used by property admin staff issuing a notice to all or specific tenants.*

Tenant Agreement Report

Path: /TenantAgreementReport/:pageId **Controller:** TenantAgreementReportController

Purpose: Reports on all tenant agreements on file.

Key actions:

- Filter by flat/tenant/status
- View/export agreement details

When users come here: *Used by property admin reviewing active/expired agreements.*

Tenant View Notices

Path: /TenantViewNotices/:pageId **Controller:** TenantViewNoticesController

Purpose: Tenant-facing page showing notices published to them.

Key actions:

- View the list of notices
- Open a notice for details

When users come here: *Used by tenants checking announcements from the property management.*

Tenant Payment Report

Path: /TenantPaymentReport/:pageId **Controller:** TenantPaymentReportController

Purpose: Reports on rent/payment activity from tenants.

Key actions:

- Filter by tenant/flat/date
- View/export payment history

When users come here: *Used by finance/property admin reviewing tenant payment activity.*

Tenant Water Bill

Path: /TenantWaterBill/:pageId **Controller:** TenantWaterBillController

Purpose: Records meter readings and generates a tenant's water bill.

Key actions:

- Enter meter reading
- Generate the bill

When users come here: *Used periodically (e.g. monthly) to bill tenants for water usage.*

Tenant Water Bill Report

Path: /TenantWaterBillReport/:pageId **Controller:** TenantWaterBillReportController

Purpose: Reports on water bills generated and their payment status.

Key actions:

- Filter by tenant/flat/date
- View/export water billing data

When users come here: *Used to review water billing and collection.*

Tenant Electrical And Water Bill

Path: /TenantElectricalAndWaterBill/:pageId **Controller:** TenantAgreementReportController

Purpose: Generates a combined electricity and water bill for a tenant.

Key actions:

- Enter readings for both utilities
- Generate the combined bill

When users come here: *Used where electricity and water are billed together rather than separately.*

Tenant Electrical And Water Bill New

Path: /TenantElectricalAndWaterBillNew/:pageId **Controller:** TenantElectricalAndWaterBillNewController

Purpose: An updated version of the combined electrical and water billing screen.

Key actions:

- Same as the combined bill screen, with the newer format

When users come here: *Use this version when it has replaced the original combined billing screen in your workflow.*

Tenant Task Creation

Path: /TenantTaskCreation/:pageId **Controller:** TenantTaskCreationController

Purpose: Creates a task related to a tenant — typically a maintenance request or follow-up item.

Key actions:

- Select the tenant/flat
- Describe the task
- Submit

When users come here: *Used when a tenant-related issue (e.g. a repair request) needs to be logged and assigned.*

Room Bank Details

Path: /RoomBankDeatils/:pageId **Controller:** RoomBankDeatilsController

Purpose: Records bank account details associated with a room/flat for rent payment processing.

Key actions:

- Select the room/flat
- Enter/update bank details

When users come here: *Used by property admin setting up payment details for a room.*

Room Wise Amenities Mapping

Path: /RoomWiseAmenitiesMapping/:pageId **Controller:** RoomWiseAmenitiesMappingController

Purpose: Maps which amenities (e.g. furniture, appliances, facilities) are available in each room/flat.

Key actions:

- Select the room
- Tick/assign available amenities
- Save

When users come here: *Used when setting up or updating a room's amenity list.*

Flat History Report

Path: /flathistoryreport/:pageId **Controller:** flathistoryreportController

Purpose: Shows the history of a flat — tenants over time, agreements, and changes.

Key actions:

- Select the flat
- View its tenancy history

When users come here: *Used when reviewing a flat's past occupancy/agreement history.*

Tenant Offline Payment Report

Path: /TenantOfflinePaymentReport/:pageId **Controller:** TenantOfflinePaymentReportController

Purpose: Reports on tenant payments made offline (cash/cheque) rather than through an online channel.

Key actions:

- Filter by tenant/date
- View/export offline payment records

When users come here: *Used by finance reconciling cash/cheque rent collections.*

Tenant Individual Offline Payment Report

Path: /TenantIndividualOfflinePaymentReport/:pageId **Controller:** TenantOfflinePaymentReportController

Purpose: The same offline payment report, scoped to a single tenant.

Key actions:

- Select a tenant
- View their offline payment history

When users come here: *Used when checking one specific tenant's offline payment record.*

Tenant Consolidated Report

Path: /TenantConsolidatedReport/:pageId **Controller:** TenantConsolidatedReportController

Purpose: A consolidated, all-in-one report of tenant data (agreements, payments, dues) across the property.

Key actions:

- Filter by property/flat/date
- View/export the consolidated data

When users come here: *Used for a single-screen overview of tenant status across the property.*

Tenant Paid and Pending List

Path: /TenantPaidandPendinglist/:pageId **Controller:** TenantPaidandPendinglistController

Purpose: Lists tenants split by whether their dues are paid or still pending.

Key actions:

- Filter by date/property
- View paid vs. pending tenants

When users come here: *Used by finance/property admin chasing pending rent or fees.*

Tenant Payment Or Flatwise Report

Path: /TenantPaymentOrFlatwiseReport/:pageId **Controller:** TenantPaymentOrFlatwiseReportController

Purpose: Reports tenant payments broken down flat-by-flat.

Key actions:

- Filter by flat/date
- View/export payment by flat

When users come here: *Used when analysis needs to be organised by flat rather than by tenant.*

Tenant View Notice Board Report

Path: /TenantViewNoticeBoardReport/:pageId**Controller:** TenantViewNoticesController

Purpose: Reports on notices that have been posted to the tenant notice board.

Key actions:

- Filter by date/notice type
- View/export notice board history

When users come here: *Used by property admin auditing what's been communicated to tenants.*

Tenant Master NOC Checklist

Path: /TenantMasterNocChecklist/:pageId**Controller:** TenantMasterNocChecklistController

Purpose: Master checklist of items that must be verified before issuing a tenant a No Objection Certificate (NOC).

Key actions:

- Add/edit checklist items

When users come here: *Used by property admins maintaining the standard NOC checklist.*

NOC Generation Report

Path: /NocGenerationReport/:pageId**Controller:** NocGenerationReportController

Purpose: Reports on NOCs that have been generated for tenants.

Key actions:

- Filter by tenant/date
- View/export NOC issuance history

When users come here: *Used to track which tenants have been issued an NOC and when.*

NOC Creation

Path: /NocCreation/:pageId**Controller:** NocCreationController

Purpose: Generates a No Objection Certificate (NOC) document for a tenant, typically on move-out or for a specific purpose.

Key actions:

- Select the tenant
- Confirm checklist items are met
- Generate the NOC

When users come here: *Used when a tenant requires a formal NOC, e.g. at the end of tenancy.*

Tenant Feedback

Path: /TenantFeedBack/:pageId**Controller:** TenantFeedBackController

Purpose: Collects feedback from tenants about their living experience/service quality.

Key actions:

- Tenant fills in feedback form
- Submit

When users come here: *Used to gather tenant satisfaction feedback, e.g. periodically or after a service visit.*

Tenant Feedback Report

Path: /TenantFeedbackReport/:pageId **Controller:** TenantFeedBackController

Purpose: Reports on feedback submitted by tenants.

Key actions:

- Filter by tenant/date/rating
- View/export feedback

When users come here: *Used by property management reviewing tenant satisfaction trends.*

Issue Manager – QR Code Activity

A QR-code based patrol/attendance system: staff scan a QR code at defined areas on a schedule, and these pages set up that structure and report on compliance.

HR Master Category

Path: /HRMasterCategory/:pageId**Controller:** HRMasterCategoryController

Purpose: Master list of staff categories used in the QR-code area-activity system (e.g. security, housekeeping).

Key actions:

- Add/edit a staff category

When users come here: *Used by admins setting up the category list before mapping staff to areas.*

HR Master Area

Path: /HRMasterArea/:pageId**Controller:** HRMasterAreaController

Purpose: Master list of physical areas/zones that have a QR code checkpoint.

Key actions:

- Add/edit an area and its QR checkpoint

When users come here: *Used by admins defining which locations require a scheduled QR-code scan.*

HR Master Area Staff Mapping

Path: /HRMasterAreaStaffMapping/:pageId**Controller:** HRMasterAreaStaffMappingController

Purpose: Maps which staff member is responsible for scanning at which area, and on what schedule.

Key actions:

- Select staff and area
- Define the scan schedule
- Save the mapping

When users come here: *Used by admins assigning patrol/check responsibilities to staff.*

Staff Area Activity Record

Path: /StaffAreaActivityRecord/:pageId**Controller:** StaffAreaActivityRecordController

Purpose: The log of actual QR-code scans performed by staff at each area.

Key actions:

- View scan records by staff/area/time

When users come here: *Used to see the raw activity trail of who scanned where and when.*

QR Code Deviation Report

Path: /QRcodeDeviationReport/:pageId**Controller:** QRcodeDeviationReportController

Purpose: Reports on scans that deviated from the expected schedule (e.g. late or out-of-sequence scans).

Key actions:

- Filter by staff/area/date

- View deviation details

When users come here: *Used by supervisors to spot compliance gaps in the patrol/check schedule.*

QR Code Not Punch Deviation Report

Path: /QRcodeNotPunchDeviationReport/:pageId **Controller:**

QRcodeNotPunchDeviationReportController

Purpose: Reports on scheduled scans that were missed entirely (no scan/"punch" recorded).

Key actions:

- Filter by staff/area/date
- View missed-scan details

When users come here: *Used by supervisors following up on staff who failed to check in at an area.*

QR Code Approval Report

Path: /QRCodeApprovalReport/:pageId **Controller:** QRCodeApprovalReportController

Purpose: Reports on approvals/exceptions granted for QR-code deviations (e.g. an excused missed scan).

Key actions:

- Filter by staff/date
- View approval decisions

When users come here: *Used to audit which deviations were excused and by whom.*

QR Code Cumulative Report

Path: /QRCodeCummulativeReport/:pageId **Controller:** QRCodeCummulativeReportController

Purpose: A cumulative, period-long summary of QR-code scanning compliance.

Key actions:

- Filter by staff/area/period
- View overall compliance percentage

When users come here: *Used for periodic (e.g. monthly) compliance review across staff/areas.*

Issue Manager – Drivers Chart

Setup and generation of the driver duty roster.

Master Driver Shifts

Path: /Master_Driver_Shifts/:pageId**Controller:** Master_Driver_ShiftsController

Purpose: Master setup of driver shift timings used to build the duty chart.

Key actions:

- Add/edit a shift (start/end time)

When users come here: *Used by transport admin defining the available shift slots before scheduling drivers.*

Driver Chart Generation

Path: /DriverChartGeneration/:pageId**Controller:** DriverChartGenerationController

Purpose: Generates the driver duty roster/chart for a given period using the defined shifts.

Key actions:

- Select the period
- Assign drivers to shifts
- Generate the chart

When users come here: *Used by transport admin preparing the driver schedule.*

Issue Manager – Others

Standalone utility pages that don't belong to one specific workflow above — AI assistant, training questions, client-feature mapping, reminders, checklists, and month-end reporting.

AI Conversation

Path: /Vapstech_AIConversation/:pageId **Controller:** Vapstech_AIConversationController

Purpose: An AI-assistant chat interface within the system — likely the same kind of conversational help tool this knowledge base is being built for.

Key actions:

- Type a question/request
- View the AI's response

When users come here: *Used whenever a user wants conversational help or quick answers inside the system.*

Viva Questions

Path: /VivaQuestions/:pageId **Controller:** VivaQuestionsController

Purpose: A bank of viva/oral-exam style questions, likely used for staff training or knowledge assessment.

Key actions:

- Add/edit viva questions
- View question bank

When users come here: *Used by training/HR staff preparing or conducting knowledge assessments.*

VMS Live Meeting Report

Path: /VMS_LiveMeeting_Report/:pageId **Controller:** VMS_LiveMeeting_ReportController

Purpose: Reports on live meetings held through the VMS Live Meeting feature (attendance, duration, etc.).

Key actions:

- Filter by date/host
- View/export meeting history

When users come here: *Used to review past meetings and who attended.*

Client Wise Module Feature

Path: /ClientWise_Module_Feature/:pageId **Controller:** ClientWise_Module_FeatureController

Purpose: Defines which system modules/features are enabled for a particular client.

Key actions:

- Select the client
- Toggle modules/features on or off
- Save

When users come here: *Used by admins configuring client-specific access to features.*

Remainder User Mappings

Path: /Remainder_UserMappings/:pageId **Controller:** Remainder_UserMappingsController

Purpose: Maps which users should receive which automated reminders.

Key actions:

- Select the reminder type
- Assign recipient users
- Save

When users come here: *Used by admins configuring who gets notified by automated reminders.*

Master Task Category Checklist

Path: /MasterTaskCategory_Checklist/:pageId**Controller:** MasterTaskCategory_Checklistcontroller

Purpose: Master checklist of items tied to a task category, used to standardise how that category of task should be completed.

Key actions:

- Add/edit checklist items for a task category

When users come here: *Used by admins setting up standard checklists for recurring task types.*

ISM Daily Report Checklist

Path: /ISM_DailyReport_CheckList/:pageId**Controller:** ISM_DailyReport_CheckListcontroller

Purpose: A checklist employees go through when submitting their Daily Report, to make sure nothing is missed.

Key actions:

- Tick off checklist items
- Proceed to submit the daily report

When users come here: *Used as part of (or just before) the daily report submission process.*

Portal Month End Report

Path: /PortalMonthEndReport/:pageId**Controller:** PortalMonthEndReportController

Purpose: A consolidated month-end report summarising activity across the portal.

Key actions:

- Select the month
- View/export the month-end summary

When users come here: *Used by management at month-end for a high-level activity summary.*

Leave Management

Leave application page and the detailed eligibility/approval rules for every leave type. Unlike the Issue Manager module, this section is policy-driven rather than navigation-driven — the rules below are the primary content the chatbot should use to answer "can I apply for X leave" style questions.

Online Leave Application

Path: /OnlineLeaveApplication/:pageId **Controller:** OnlineLeaveApplicationController

Purpose: The single screen where employees apply for any type of leave (Casual, Sick, Comp-off, Optional, Privilege, Emergency) and where the system checks that application against the eligibility and constraint rules for that leave type before allowing submission.

Key actions:

- Select the leave category (Casual, Sick, Comp-off, Optional, Privilege, Emergency)
- Choose the leave date(s) and, where required, add a reason/remarks
- Attach supporting documents where the leave type requires it (e.g. Sick Leave, Emergency Leave)
- Assign a Proxy and hand off open tasks, where the leave type makes this mandatory (e.g. Privilege Leave)
- Submit the application for approval

When users come here: *Used by every employee whenever they need to take a day off, and the system will only allow submission if the chosen leave type's eligibility and constraint rules (below) are satisfied.*

Leave Types — Eligibility & Rules Reference

Each entry below gives: how the leave is credited/accrued, the annual or per-instance entitlement, the rules governing when it can be applied, and any blocking conditions that prevent an employee from applying. Blocking conditions and other hard constraints are flagged in red, matching how they should be emphasised when the chatbot explains why an application was rejected.

Casual Leave (CL)

How it's credited: 1 CL is credited after an employee completes 20 working days in a month. Credit happens once the Attendance Report for that month is generated, and is counted from the employee's Date of Joining.

Application rules:

1. Casual Leave must be applied at least 3 days before the leave date.
2. Casual Leave cannot be applied on the same day or after the leave has already been taken.
3. A maximum of 2 Casual Leaves can be applied in a single month.

Employee cannot apply Casual Leave if any of the following apply:

Daily Report (DR) not sent for the relevant period

There is a Deviation on Task that hasn't been resolved

The Weekly Planner has not been created

Sick Leave (SL)

How it's credited: Sick Leave is credited to all employees once their leave year starts. Annual entitlement: 3 days.

Application rules:

1. Sick Leave must be applied the next working day after the leave is taken (i.e. applied after the fact, not in advance).
2. Up to 2 Sick Leave days can be applied for in a single instance.
3. An employee cannot apply for 3 Sick Leave days in one instance.
4. A supporting attachment is mandatory when applying for Sick Leave.

Comp Off (Compensatory Off)

How it's credited: Comp Off is automatically credited based on extra hours worked in a day: 3 extra hours = 0.5 day of Comp Off, and 5 extra hours = 1 full day of Comp Off.

Auto-adjustment: If an employee has taken any unauthorised leave and has a Comp Off balance available, that unauthorised leave is automatically adjusted against the available Comp Off balance.

Updated constraints

1. If an employee works after 6:15 PM and logs 3 or more extra hours, once they send their Daily Report it is routed to the Department Head for approval.
2. After Department Head approval, the request goes to the final-level approver (MD) — Comp Off is only credited once this final-level approval is also given.
3. **If the Department Head (1st level) rejects the Comp-off request, the Comp-off creation is cancelled outright and does NOT proceed to 2nd-level (MD) approval.**

Approval constraints

1. If an employee works on a public holiday or a Sunday, they receive 1.5 days of Comp Off.

Note: To receive the 1.5-day Comp Off for working on a public holiday, the employee must punch in AND send a Daily Report — both are mandatory.

2. If an employee has a Loss of Pay (LOP) due to reasons such as Daily Report not sent, Late In, or a missed/not-attended conference call, the LOP is automatically adjusted against the employee's available Comp Off balance (within the same week).
3. **If an employee has taken any unauthorised leave or an early-out, that LOP should NOT be auto-adjusted against Comp Off — instead, the employee must apply for it and go through the normal approval process.**

Optional Leave

How it's credited: Optional Leave is credited to all employees once their leave year starts. Annual entitlement: 2 days.

Application rules:

1. Only 2 Optional Leave days can be applied for in a year.
2. Only 1 Optional Leave can be applied at a time, and only against a day that has been designated an Optional Holiday.
3. Optional Leave can only be applied for on the days designated as Optional Holidays — not any arbitrary day.
4. Optional Leave cannot be applied for after the leave date has already passed.

Date restriction:

An employee cannot select any day as Optional Leave unless it is a designated Optional Holiday. If an invalid day is selected, the system will display the message: "Selected Date is not Optional Holiday."

Privilege Leave (PL)

How it's credited: Privilege Leave becomes eligible for credit once an employee completes 1 full year from their Date of Joining. Annual entitlement: 15 days, counted from the Date of Joining.

Application rules:

1. Privilege Leave must be applied at least 10 days before the leave date.
2. Privilege Leave cannot be applied for more than 5 days at a time within a year.
3. An employee can apply for a minimum of 3 and a maximum of 5 Privilege Leave days in a year.
4. Privilege Leave cannot be applied for after the leave has already been taken — in a genuine emergency, the employee must instead take Permission from Management.
5. If a proper Leave Category is not selected, the leave will not be approved even if an attachment is provided.
6. When applying for Privilege Leave, the employee must select a Proxy and use the Attachment option in order to assign their tasks to that Proxy.

Employee cannot apply Privilege Leave if they have any of the following:

DR (Daily Report) Blocked
Daily Report not sent
Deviation on Task
Weekly Planner not created
Negative rating ("Having Negative Rating")
Irregular Employee in Office (Attendance)

When applying for Privilege Leave, both adding a Proxy and the Attachment option should be made mandatory tasks — this ensures the employee can properly hand off their task/work to their Proxy while on leave.

Emergency Leave

Covers: Medical emergencies involving a family member, unforeseen family crises such as a serious accident, bereavement, or a funeral.

How it's credited: Emergency Leave is credited to all employees once their leave year starts. Annual entitlement: 2 days.

Application rules:

1. Emergency Leave can only be applied for AFTER the leave has already been taken (i.e. it is applied retrospectively, given the nature of emergencies).
2. Only 1 Emergency Leave can be applied for at a time.
3. An employee cannot apply for 2 Emergency Leave days in a single instance.
4. A Leave Category must be selected, and an attachment is mandatory when applying for Emergency Leave.