

Quantum Entanglement-Based Free-Space Secure Communication over Kilometer-Scale Optical Links

April 10, 2026

Contents

1	Introduction	3
2	Quantum Entanglement Fundamentals	3
2.1	Definition	3
2.2	Key Properties	3
3	Free-Space Optical Communication	3
3.1	Concept	3
3.2	Advantages	3
3.3	Challenges	4
4	Entanglement Distribution over Free Space	4
4.1	System Architecture	4
4.2	SPDC Source	4
4.3	Channel Model	4
5	Quantum Key Distribution (QKD)	4
5.1	Entanglement-Based QKD (E91 Protocol)	4
5.2	Protocol Steps	5
5.3	Security Principle	5
6	Long-Distance (>1 km) Implementation	5
6.1	Experimental Setup	5
6.2	Alignment and Tracking	5
6.3	Atmospheric Effects	6
7	Performance Metrics	6
7.1	Quantum Bit Error Rate (QBER)	6
7.2	Key Rate	6
8	Practical Achievements	6

9	Insights and Deep Understanding	6
9.1	Why Entanglement is Powerful	6
9.2	Why Free-Space is Important	6
9.3	Key Trade-offs	7
10	Challenges and Future Directions	7
11	Conclusion	7

1 Introduction

Quantum communication leverages the principles of quantum mechanics to achieve fundamentally secure information transfer. Among various approaches, **entanglement-based communication** stands out due to its intrinsic security guarantees rooted in quantum correlations.

Free-space optical links enable long-distance communication without the need for optical fibers, making them suitable for:

- Satellite communication
- Ground-to-ground links over difficult terrain
- Urban quantum networks

This document explores the theoretical and practical aspects of implementing entanglement-based secure communication over distances exceeding 1 km.

2 Quantum Entanglement Fundamentals

2.1 Definition

Two quantum systems are said to be entangled if their joint state cannot be factorized:

$$|\psi\rangle \neq |\psi_A\rangle \otimes |\psi_B\rangle \quad (1)$$

A commonly used entangled state (Bell state) is:

$$|\Phi^+\rangle = \frac{1}{\sqrt{2}} (|00\rangle + |11\rangle) \quad (2)$$

2.2 Key Properties

- Non-local correlations
- Violation of Bell inequalities
- Measurement outcomes are perfectly correlated

3 Free-Space Optical Communication

3.1 Concept

Free-space optical (FSO) communication uses light propagating through the atmosphere instead of optical fibers.

3.2 Advantages

- No fiber infrastructure required
- High bandwidth
- Flexibility in deployment

3.3 Challenges

- Atmospheric turbulence
- Beam divergence
- Alignment sensitivity
- Background noise

4 Entanglement Distribution over Free Space

4.1 System Architecture

Typical setup includes:

- Entangled photon source (SPDC)
- Transmitter telescope
- Free-space optical channel
- Receiver telescope and detectors

4.2 SPDC Source

Entangled photons are generated using **Spontaneous Parametric Down Conversion (SPDC)**:

$$\omega_p = \omega_s + \omega_i \quad (3)$$

where:

- ω_p = pump frequency
- ω_s, ω_i = signal and idler frequencies

4.3 Channel Model

Losses in free-space channel can be modeled as:

$$\eta = \eta_{geo} \cdot \eta_{atm} \cdot \eta_{opt} \quad (4)$$

where:

- η_{geo} = geometric loss
- η_{atm} = atmospheric attenuation
- η_{opt} = optical system efficiency

5 Quantum Key Distribution (QKD)

5.1 Entanglement-Based QKD (E91 Protocol)

The E91 protocol uses entangled photon pairs to generate secure keys.

5.2 Protocol Steps

1. Source generates entangled photon pairs
2. One photon sent to Alice, other to Bob
3. Both measure in randomly chosen bases
4. Public discussion to select matching bases
5. Key extraction from correlated results

5.3 Security Principle

Security arises from:

- No-cloning theorem
- Disturbance upon measurement
- Bell inequality violation

Bell inequality (CHSH form):

$$S \leq 2 \quad (\text{classical}), \quad S > 2 \quad (\text{quantum}) \quad (5)$$

6 Long-Distance (1 km) Implementation .

1 Experimental Setup

Key components:

- High-power pump laser
- Nonlinear crystal (e.g., BBO)
- Beam expansion optics
- Tracking and pointing system
- Single-photon detectors (SPADs)

6.2 Alignment and Tracking

Maintaining alignment is critical:

- Active beam tracking systems
- Adaptive optics

6.3 Atmospheric Effects

- Turbulence causes phase fluctuations
- Scattering reduces signal strength
- Weather impacts reliability

Fried parameter (turbulence scale):

$$r_0 \propto \lambda^{6/5} \quad (6)$$

7 Performance Metrics

7.1 Quantum Bit Error Rate (QBER)

$$QBER = \frac{N_{error}}{N_{total}} \quad (7)$$

7.2 Key Rate

$$R = S \cdot (1 - 2H(QBER)) \quad (8)$$

where $H(p)$ is binary entropy:

$$H(p) = -p \log_2 p - (1 - p) \log_2 (1 - p) \quad (9)$$

8 Practical Achievements

Experiments have demonstrated:

- Entanglement distribution over several kilometers
- Free-space QKD in urban environments
- Satellite-based quantum communication (1000+ km)

9 Insights and Deep Understanding

9.1 Why Entanglement is Powerful

Unlike classical communication:

- Security is guaranteed by physics, not computation
- Eavesdropping introduces detectable disturbances

9.2 Why Free-Space is Important

- Enables global quantum networks
- Necessary for satellite communication

9.3 Key Trade-offs

- Distance vs key rate
- Aperture size vs alignment complexity
- Wavelength vs atmospheric loss

10 Challenges and Future Directions

- Quantum repeaters for long distances
- Better detectors with lower noise
- Integration with classical networks
- Satellite constellations for global QKD

11 Conclusion

Entanglement-based free-space communication represents a crucial step toward building a global quantum internet. While challenges such as atmospheric turbulence and alignment remain, significant experimental progress demonstrates the feasibility of secure quantum communication over kilometer-scale distances and beyond.