

Gauge Freedom in Quantum State Space

Can Two Different Wavefunctions Represent the Same Physical State?

April 7, 2026

1 Introduction

A central question in the foundations of quantum mechanics is whether the wavefunction uniquely represents physical reality, or whether different wavefunctions can correspond to the same physical state.

This leads to a deeper concept:

What is the role of *gauge freedom* in quantum state space?

We will show that quantum states possess an intrinsic redundancy, and that the true physical state is not a single wavefunction, but an equivalence class of wavefunctions.

2 Wavefunctions and Physical States

A quantum state is typically represented by a wavefunction:

$$\psi(\mathbf{x}, t) \tag{1}$$

However, physical predictions depend on probabilities:

$$P(\mathbf{x}) = |\psi(\mathbf{x})|^2 \tag{2}$$

This immediately suggests that certain transformations of ψ do not change observable physics.

3 Global Phase Invariance

Consider multiplying the wavefunction by a constant phase:

$$\psi'(\mathbf{x}, t) = e^{i\theta}\psi(\mathbf{x}, t) \tag{3}$$

Then:

$$|\psi'|^2 = |e^{i\theta}\psi|^2 = |\psi|^2 \tag{4}$$

Thus, all physical predictions remain unchanged.

3.1 Key Result

Wavefunctions that differ by a global phase represent the same physical state.

4 Projective Hilbert Space

Quantum states live in a Hilbert space $\mathcal{H}$, but physical states correspond to *rays*:

$$\psi \sim \lambda\psi, \quad \lambda \in \mathbb{C}, \lambda \neq 0 \quad (5)$$

Thus, the true space of physical states is:

$$\mathcal{P}(\mathcal{H}) = \text{Hilbert space modulo complex scaling} \quad (6)$$

This is called **projective Hilbert space**.

5 Gauge Freedom in Quantum Mechanics

5.1 Definition

A gauge freedom is a transformation that changes the mathematical description but leaves all physical observables invariant.

In quantum mechanics:

$$\psi \rightarrow e^{i\theta}\psi \quad (7)$$

is a **global U(1) gauge symmetry**.

5.2 Local Gauge Transformations

More generally:

$$\psi(\mathbf{x}, t) \rightarrow e^{i\theta(\mathbf{x}, t)}\psi(\mathbf{x}, t) \quad (8)$$

This is a **local gauge transformation**.

However, the Schrödinger equation is not invariant under this transformation unless we introduce gauge fields.

6 Connection to Electromagnetism

Requiring invariance under local phase transformations leads to:

$$\nabla \rightarrow \nabla - i\frac{q}{\hbar}\mathbf{A}, \quad \frac{\partial}{\partial t} \rightarrow \frac{\partial}{\partial t} + i\frac{q}{\hbar}\phi \quad (9)$$

where:

- $\mathbf{A}$ is the vector potential
- ϕ is the scalar potential

This is precisely the structure of electromagnetism.

6.1 Deep Insight

Electromagnetism can be understood as arising from local gauge symmetry of the quantum wavefunction.

7 Relative Phase and Physical Observables

While global phase is unobservable, *relative phase* is crucial.

For a superposition:

$$\psi = \psi_1 + e^{i\phi}\psi_2 \quad (10)$$

Interference depends on ϕ :

$$|\psi|^2 = |\psi_1|^2 + |\psi_2|^2 + 2\text{Re}(\psi_1^*\psi_2e^{i\phi}) \quad (11)$$

Thus:

- Global phase: unphysical
- Relative phase: observable

8 Geometric Interpretation

The redundancy in phase implies that quantum state space has a geometric structure:

- Hilbert space: full vector space
- Physical states: points in projective space

This leads to:

- Berry phase
- Geometric phases

9 Implications for Physical Reality

9.1 Redundancy in Description

The wavefunction contains more information than is physically meaningful:

- Phase is partially redundant
- Only equivalence classes matter

9.2 Relational Nature of Quantum States

Physical meaning arises from relationships:

- Relative phase
- Correlations between systems

9.3 Gauge Principle as Fundamental

Modern physics suggests:

- Gauge symmetry is not just redundancy
- It constrains the form of physical laws

10 Analogy

Consider temperature measured in Celsius vs Fahrenheit:

- Different numerical descriptions
- Same physical reality

Similarly:

- Different wavefunctions (related by phase)
- Same physical state

11 Conclusion

- Yes, two different wavefunctions can represent the same physical state.
- This reflects a gauge freedom in quantum mechanics.
- The true physical state is a ray in Hilbert space, not a specific vector.

Quantum mechanics is not a theory of wavefunctions themselves, but of equivalence classes of wavefunctions.

This insight connects quantum theory to the broader framework of gauge theories, which underlies modern physics.