Sign up with valid data

The user shall be able to sign in with correctly filled input fields.

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;
2. The website is opened - teodor.bg ;
3. The user haven't loged-in in existing account.

Post-conditions

The user have a registered account.

The user is logged-in.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on the "Profile" icon		The user is redirected to login page
2	Click on "РЕГИСТРАЦИЯ" button		The user is redirected to registration page
3	Input correct data in the input fields		All input field are correctly field
4	Click all of the mandatory checkboxes available		All of the chekboxes are clicked on
5	Click the captcha checkbox		The captcha checkbox is succesfuly passed
6	Click on "РЕГИСТРАЦИЯ" button		The user is redirected to his profile and received confirmation email.

Sign up with empty input fields

The user shall not be able to sign in with empty input fields.

Severity	Priority	Behavior	Type
○ Normal	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unknown	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Use Brave browser;
2. The website is opened - teodor.bg ;
3. The user haven't loged-in in existing account.

Post-conditions

The user haven't been succesfully registered and is redirected to the same page.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on the "Profile" icon		The user is redirected to login page
2	Click on "РЕГИСТРАЦИЯ" button		The user is redirected to registration page
3	Leave all of the input fields empty		All fields are empty
4	Click on "РЕГИСТРАЦИЯ" button		The user isn't registered. "Това е задължително поле" alert for all mandatory textbox fields."Трябва да се съгласите с общите условия, за да продължите" alert for "Запознах се с общите условия и ги приемам" chekbox. "Трябва да имате 16 години, за да продължите" alert for "Имам навършени 16 години" chekbox and "Трябва да се съгласите с политиката за поверителност на данните, за да продължите" alert for "Съгласен съм с политиката за поверителност на данните" chekbox.

Sign up with empty password field

User shouldn't be able to sign up with empty password field

Severity	Priority	Behavior	Type
⌃ Major	○ Medium	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unknown	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Use Brave browser;
2. The website is opened - teodor.bg ;
3. The user haven't loged-in in existing account.

Post-conditions

The user can't create registration with empty password field: "Това е задължително поле." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on profile button		The user is redirected to login page
2	Click on "РЕГИСТРАЦИЯ" button		The user is redirected to registration page
3	Input correct data in the input fields, leave the password field empty		All input field are correctly field, password field is empty
4	Click all of the mandatory checkboxes available		All of the chekboxes are clicked on
5	Click the captcha checkbox		The captcha checkbox is succesfuly passed
6	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration. "Това е задължително поле." alert showing.

Sign up with empty email field

User shouldn't be able to sign up with empty email field.

Severity	Priority	Behavior	Type
━ Not set	○ Medium	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The website is opened - teodor.bg ;

3. The user haven't loged-in in existing account.

Post-conditions

The user cannot register and "Това е задължително поле." error is showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on profile button		The user is redirected to login page
2	Click on "РЕГИСТРАЦИЯ" button		The user is redirected to registration page
3	Input correct data in the input fields, leave the email field empty		All input field are correctly field, email field is empty
4	Click all of the mandatory checkboxes available		All of the chekboxes are clicked on
5	Click the captcha checkbox		The captcha checkbox is succesfuly passed
6	Click on "РЕГИСТРАЦИЯ" button		The user cannot register and "Това е задължително поле." error is showing.

Sign up with empty "confirm password" field

Severity	Priority	Behavior	Type
━ Not set	○ Medium	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;
2. The website is opened - teodor.bg ;
3. The user haven't loged-in in existing account.

Post-conditions

The user can't create registration with empty confirm password field: "Това е задължително поле." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on profile button		The user is redirected to login page
2	Click on "РЕГИСТРАЦИЯ" button		The user is redirected to registration page
3	Input correct data in the input fields, leave the confirm password field empty		All input field are correctly field, confirm password field is empty
4	Click all of the mandatory checkboxes available		All of the chekboxes are clicked on
5	Click the captcha checkbox		The captcha checkbox is succesfuly passed
6	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration. "Това е задължително поле." alert showing.

Sign up with empty "name" field

Severity	Priority	Behavior	Type
━ Not set	o Medium	Negative	Other

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;
2. The website is opened - teodor.bg ;
3. The user haven't loged-in in existing account.

Post-conditions

The user can't create registration with empty name field: "Това е задължително поле." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on profile button		The user is redirected to login page
2	Click on "РЕГИСТРАЦИЯ" button		The user is redirected to registration page
3	Input correct data in the input fields, leave the name field empty		All input field are correctly field, name field is empty
4	Click all of the mandatory checkboxes available		All of the chekboxes are clicked on
5	Click the captcha checkbox		The captcha checkbox is succesfuly passed
6	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration. "Това е задължително поле." alert showing.

Sign up with empty "family name" field

Severity	Priority	Behavior	Type
━ Not set	๐ Medium	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The website is opened - teodor.bg ;

3. The user haven't loged-in in existing account.

Post-conditions

The user can't create registration with empty family name field: "Това е задължително поле." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on profile button		The user is redirected to login page
2	Click on "РЕГИСТРАЦИЯ" button		The user is redirected to registration page
3	Input correct data in the input fields, leave the family name field empty		All input field are correctly field, family name field is empty
4	Click all of the mandatory checkboxes available		All of the chekboxes are clicked on
5	Click the captcha checkbox		The captcha checkbox is succesfuly passed
6	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration. "Това е задължително поле." alert showing.

Sign up without checked 1st mandatory checkbox

Severity	Priority	Behavior	Type
▬ Not set	○ Medium	Negative	Other

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;
2. The website is opened - teodor.bg ;
3. The user haven't loged-in in existing account.

Post-conditions

The user can't create registration. "Трябва да се съгласите с общите условия, за да продължите." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on profile button		The user is redirected to login page
2	Click on "РЕГИСТРАЦИЯ" button		The user is redirected to registration page
3	Input correct data in the input fields		All input field are correctly field
4	Click all of the mandatory checkboxes available, except the 1st one.		All of the chekboxes are clicked on, except the 1st one.
5	Click the captcha checkbox		The captcha checkbox is succesfuly passed
6	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration. "Трябва да се съгласите с общите условия, за да продължите." alert showing.

Sign up without checked 2nd mandatory checkbox

Severity	Priority	Behavior	Type
━ Not set	o Medium	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;
2. The website is opened - teodor.bg ;
3. The user haven't loged-in in existing account.

Post-conditions

The user can't create registration. "Трябва да имате 16 години, за да продължите." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on profile button		The user is redirected to login page
2	Click on "РЕГИСТРАЦИЯ" button		The user is redirected to registration page
3	Input correct data in the input fields		All input field are correctly field
4	Click all of the mandatory checkboxes available, except the 2nd one.		All of the chekboxes are clicked on, except the 2nd one.
5	Click the captcha checkbox		The captcha checkbox is succesfuly passed
6	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration. "Трябва да имате 16 години, за да продължите" alert showing.

Sign up without checked 3rd mandatory checkbox

Severity	Priority	Behavior	Type
━ Not set	o Medium	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The website is opened - teodor.bg ;

3. The user haven't loged-in in existing account.

Post-conditions

The user can't create registration. "Трябва да се съгласите с политиката за поверителност на данните, за да продължите." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on profile button		The user is redirected to login page
2	Click on "РЕГИСТРАЦИЯ" button		The user is redirected to registration page
3	Input correct data in the input fields		All input field are correctly field
4	Click all of the mandatory checkboxes available, except the 3rd one.		All of the chekboxes are clicked on, except the 3rd one
5	Click the captcha checkbox		The captcha checkbox is succesfuly passed
6	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration. "Трябва да се съгласите с политиката за поверителност на данните, за да продължите." alert showing.

Sign up without checked capthca checkbox

Severity	**Priority**	**Behavior**	**Type**
━ Not set	○ Medium	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unknown	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Use Brave browser;
2. The website is opened - teodor.bg ;
3. The user haven't loged-in in existing account.

Post-conditions

The user can't create registration. "Това е задължително поле." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on profile button		The user is redirected to login page
2	Click on "РЕГИСТРАЦИЯ" button		The user is redirected to registration page
3	Input correct data in the input fields		All input field are correctly field
4	Click all of the mandatory checkboxes available		All of the chekboxes are clicked on
5	Leave the captcha checkbox empty		The capcha checkbox remain empty
6	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration. "Това е задължително поле." alert showing.

Sign up with same email

The user shouldn't be able to sign up with existing user email.

Severity	Priority	Behavior	Type
━ Not set	○ Medium	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The website is opened - teodor.bg ;

3. The user have registered profile.

Post-conditions

The user can't create registration. "Вече съществува профил с този имейл. Ако сте сигурни, че това е Вашият имейл адрес, кликнете тук за да получите нова парола за достъп до профила си." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on profile button then click on "РЕГИСТРАЦИЯ" button		The user is redirected to registration page
2	Input correct data in the input fields, choose existing profile email		All input field are correctly field
3	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
4	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration. "Вече съществува профил с този имейл. Ако сте сигурни, че това е Вашият имейл адрес, кликнете тук за да получите нова парола за достъп до профила си." alert showing.

Sign up 1st validation of equivalence partitioning class in the "ЕГН" input field.

Severity	Priority	Behavior	Type
━ Not set	o Medium	Negative	Other

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status
Actual

Pre-conditions

1. Use Brave browser;
2. The user haven't loged-in in existing account.
3. URL is loaded - https://teodor.bg/customer/account/create/ ;
4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.
5. "Данни за фактура"checkbox is checked and type is "Лична".

Post-conditions

The user can't create registration with wrong data in "ЕГН" field: "ЕГН е грешно" alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "ЕГН" field empty.		All input field are correctly field,"ЕГН" field is empty.
2	Input 9 numbers in "ЕГН" field		"ЕГН" field is filled
3	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
4	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration with wrong data in "ЕГН" field: "ЕГН е грешно" alert showing.

Sign up 2nd validation of equivalence partitioning class in the "ЕГН" input field.

Severity	Priority	Behavior	Type
▬ Not set	▬ Not set	Positive	Other

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Лична".

Post-conditions

The user have a registered account.

The user is logged-in.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "ЕГН" field empty.		All input field are correctly field,"ЕГН" field is empty.
2	Input 10 numbers in "ЕГН" field		"ЕГН" field is filled
3	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
4	Click on "РЕГИСТРАЦИЯ" button		The user is redirected to his profile and received confirmation email.

Sign up 3rd validation of equivalence partitioning class in the "ЕГН" input field.

Severity	Priority	Behavior	Type
━ Not set	၀ Medium	Negative	Other

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Лична".

Post-conditions

The user can't create registration with wrong data in "ЕГН" field: "ЕГН е грешно" alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "ЕГН" field empty.		All input field are correctly field,"ЕГН" field is empty.
2	Input 11 numbers in "ЕГН" field		"ЕГН" field is filled
3	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
4	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration with wrong data in "ЕГН" field: "ЕГН е грешно" alert showing.

Sign up empty "ЕГН" input field

Severity	Priority	Behavior	Type
━ Not set	○ Medium	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Лична".

Post-conditions

The user can't create registration with empty "ЕГН" field: "Това е задължително поле." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "ЕГН" field empty.		All input field are correctly field,"ЕГН" field is empty.
2	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
3	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration. "Това е задължително поле." alert showing.

Sign up empty input fields

Severity	Priority	Behavior	Type
━ Not set	o Medium	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Лична".

Post-conditions

The user can't create registration with empty input fields : "Това е задължително поле." alerts showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Leave all of the input fields empty		All fields are empty
2	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
3	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration with empty input fields : "Това е задължително поле." alert showing.

Sign up with empty "Лични имена" field

Severity	Priority	Behavior	Type
▬ Not set	◖ Medium	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Лична".

Post-conditions

The user can't create registration with empty "Лични имена" field: "Това е задължително поле." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "Лични имена" field empty.		All input field are correctly field, "Лични имена" field is empty.
2	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
3	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration. "Това е задължително поле." alert showing.

Sign up with empty "Град" field

Severity	Priority	Behavior	Type
━ Not set	ο Medium	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Лична".

Post-conditions

The user can't create registration with empty "Град" field: "Това е задължително поле." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "Град" field empty.		All input field are correctly field, "Град" field is empty.
2	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
3	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration. "Това е задължително поле." alert showing.

Sign up with empty "Адрес" field

Severity	Priority	Behavior	Type
━ Not set	ο Medium	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Лична".

Post-conditions

The user can't create registration with empty "Адрес" field: "Това е задължително поле." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "Адрес" field empty.		All input field are correctly field, "Адрес" field is empty.
2	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
3	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration. "Това е задължително поле." alert showing.

Sign up 1st validation of equivalence partitioning class in the "ЕИК" input field

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Фирма".

Post-conditions

The user have a registered account.

The user is logged-in.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "ЕИК" field empty.		All input field are correctly field, "ЕИК" field is empty.
2	Input 9 numbers in "ЕИК" field		"ЕИК" field is filled
3	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
4	Click on "РЕГИСТРАЦИЯ" button		The user is redirected to his profile and received confirmation email.

Sign up 2nd validation of equivalence partitioning class in the "ЕИК" input field

Severity	Priority	Behavior	Type
▬ Not set	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Фирма".

Post-conditions

The user can't create registration with wrong "ЕИК" field: "Грешен ЕИК" alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "ЕИК" field empty.		All input field are correctly field, "ЕИК" field is empty.
2	Input 8 numbers in "ЕИК" field		"ЕИК" field is filled
3	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
4	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration with wrong "ЕИК" field: "Грешен ЕИК" alert showing.

Sign up 3rd validation of equivalence partitioning class in the "ЕИК" input field

Severity	Priority	Behavior	Type
▬ Not set	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Фирма".

Post-conditions

The user can't create registration with wrong "ЕИК" field: "Грешен ЕИК" alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "ЕИК" field empty.		All input field are correctly field, "ЕИК" field is empty.
2	Input 10 numbers in "ЕИК" field		"ЕИК" field is filled
3	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
4	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration with wrong "ЕИК" field: "Грешен ЕИК" alert showing.

Sign up 4th validation of equivalence partitioning class in the "ЕИК" input field

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Фирма".

Post-conditions

The user have a registered account.

The user is logged-in.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "ЕИК" field empty.		All input field are correctly field, "ЕИК" field is empty.
2	Input 13 numbers in "ЕИК" field		"ЕИК" field is filled
3	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
4	Click on "РЕГИСТРАЦИЯ" button		The user is redirected to his profile and received confirmation email.

Sign up 5th validation of equivalence partitioning class in the "ЕИК" input field

Severity	Priority	Behavior	Type
━ Not set	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. Access the system with nonregistered user.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Фирма".

Post-conditions

The user cannot register with wrong "ЕИК" field: "Грешен ЕИК" error is showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, input 12 numbers in "ЕИК" field.		All input field are correctly field.
2	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
3	Click on "РЕГИСТРАЦИЯ" button		The user cannot register with wrong "ЕИК" field: "Грешен ЕИК" error is showing.

Sign up 6th validation of equivalence partitioning class in the "ЕИК" input field

Severity	Priority	Behavior	Type
━ Not set	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Фирма".

Post-conditions

The user can't create registration with wrong "ЕИК" field: "Грешен ЕИК" alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "ЕИК" field empty.		All input field are correctly field, "ЕИК" field is empty.
2	Input 14 numbers in "ЕИК" field		"ЕИК" field is filled
3	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
4	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration with wrong "ЕИК" field: "Грешен ЕИК" alert showing.

Sign up 1st validation of equivalence partitioning class in the "ДДС номер" input field, when "Регистрация по ДДС" checkbox is checked

Severity	Priority	Behavior	Type
━ Not set	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Фирма".

Post-conditions

The user can't create registration with wrong "ДДС номер" field: "Грешен ДДС номер" alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "ДДС номер" field empty.		All input field are correctly field, "ДДС номер" field is empty.
2	Click on "Регистрация по ДДС" checkbox		"Регистрация по ДДС" is checked
3	Input 8 numbers in "ДДС номер" field		"ДДС номер" field is filled
4	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
5	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration with wrong "ДДС номер" field: "Грешен ДДС номер" alert showing.

Sign up 2nd validation of equivalence partitioning class in the "ДДС номер" input field, when "Регистрация по ДДС" checkbox is checked

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;
2. The user haven't loged-in in existing account.
3. URL is loaded - https://teodor.bg/customer/account/create/ ;
4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.
5. "Данни за фактура"checkbox is checked and type is "Фирма".

Post-conditions

The user have a registered account.

The user is logged-in.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "ДДС номер" field empty.		All input field are correctly field, "ДДС номер" field is empty.
2	Click on "Регистрация по ДДС" checkbox		"Регистрация по ДДС" is checked
3	Input 9 numbers in "ДДС номер" field		"ДДС номер" field is filled
4	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
5	Click on "РЕГИСТРАЦИЯ" button		The user is redirected to his profile and received confirmation email.

Sign up 3rd validation of equivalence partitioning class in the "ДДС номер" input field, when "Регистрация по ДДС" checkbox is checked

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Фирма".

Post-conditions

The user have a registered account.

The user is logged-in.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "ДДС номер" field empty.		All input field are correctly field, "ДДС номер" field is empty.
2	Click on "Регистрация по ДДС" checkbox		"Регистрация по ДДС" is checked
3	Input 10 numbers in "ДДС номер" field		"ДДС номер" field is filled
4	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
5	Click on "РЕГИСТРАЦИЯ" button		The user is redirected to his profile and received confirmation email.

Sign up 4th validation of equivalence partitioning class in the "ДДС номер" input field, when "Регистрация по ДДС" checkbox is checked

Severity	Priority	Behavior	Type
━ Not set	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unknown	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Фирма".

Post-conditions

The user can't create registration with wrong "ДДС номер" field: "Грешен ДДС номер" alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "ДДС номер" field empty.		All input field are correctly field, "ДДС номер" field is empty.
2	Click on "Регистрация по ДДС" checkbox		"Регистрация по ДДС" is checked
3	Input 11 numbers in "ДДС номер" field		"ДДС номер" field is filled
4	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
5	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration with wrong "ДДС номер" field: "Грешен ДДС номер" alert showing.

Sign up with empty input fields

Severity	Priority	Behavior	Type
━ Not set	○ Medium	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Фирма".

Post-conditions

The user can't create registration with empty input fields : "Това е задължително поле." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Leave all of the input fields empty		All fields are empty
2	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
3	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration with empty input fields : "Това е задължително поле." alert showing.

Sign up with empty "Име на фирма" field

Severity	Priority	Behavior	Type
━ Not set	o Medium	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Фирма".

Post-conditions

The user can't create registration with empty "Име на фирма" field: "Това е задължително поле." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "Име на фирма" field empty.		All input field are correctly field, "Име на фирма" field is empty.
2	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
3	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration. "Това е задължително поле." alert showing

Sign up with empty "ЕИК" field

Severity	Priority	Behavior	Type
━ Not set	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Фирма".

Post-conditions

The user can't create registration with empty "ЕИК" field: "Това е задължително поле." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "ЕИК" field empty.		All input field are correctly field, "ЕИК" field is empty.
2	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
3	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration. "Това е задължително поле." alert showing

Sign up with empty "ДДС номер" field

Severity	Priority	Behavior	Type
━ Not set	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Фирма".

Post-conditions

The user can't create registration with empty "ДДС номер" field: "Това е задължително поле." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "ДДС номер" field empty.		All input field are correctly field, "ДДС номер" field is empty.
2	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
3	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration. "Това е задължително поле." alert showing

Sign up with empty "Град" field

Severity	Priority	Behavior	Type
━ Not set	o Medium	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Фирма".

Post-conditions

The user can't create registration with empty "Град" field: "Това е задължително поле." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "Град" field empty.		All input field are correctly field, "Град" field is empty.
2	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
3	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration. "Това е задължително поле." alert showing

Sign up with empty "Адрес" field

Severity	Priority	Behavior	Type
━ Not set	o Medium	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Фирма".

Post-conditions

The user can't create registration with empty "Адрес" field: "Това е задължително поле." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "Адрес" field empty.		All input field are correctly field, "Адрес" field is empty.
2	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
3	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration. "Това е задължително поле." alert showing

Sign up with empty "МОЛ" field

Severity	Priority	Behavior	Type
━ Not set	o Medium	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged-in in existing account.

3. URL is loaded - https://teodor.bg/customer/account/create/ ;

4. All data in "ЛИЧНИ ДАННИ" and "ДАННИ ЗА ВХОД" are correctly filled.

5. "Данни за фактура"checkbox is checked and type is "Фирма".

Post-conditions

The user can't create registration with empty "МОЛ" field: "Това е задължително поле." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct data in all mandatory fields, leave "МОЛ" field empty.		All input field are correctly field, "МОЛ" field is empty.
2	Click all of the mandatory checkboxes available and pass the captcha chekbox		All of the chekboxes are clicked on and the captcha is passed.
3	Click on "РЕГИСТРАЦИЯ" button		The user can't create registration. "Това е задължително поле." alert showing

Login

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user has registration and granted permissions

3. The user haven't loged in.

4. URL is loaded - https://teodor.bg/customer/account/login/ ;

Post-conditions

The user is logged-in.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct email and password	email: victor.lyubenov98@gmail.com password: qwerty	All input field are correctly field
2	Click "ВХОД" button		The user is logged in and redirected to his profile

Login with empty input fields

Severity	Priority	Behavior	Type
▬ Not set	○ Medium	Negative	Other

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user haven't loged in.

3. URL is loaded - https://teodor.bg/customer/account/login/ ;

Post-conditions

The user can't login with empty input fields : "Това е задължително поле." alerts showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click "ВХОД" button		The user can't login with empty input fields : "Това е задължително поле." alerts showing.

Login with empty email field

Severity	Priority	Behavior	Type
━ Not set	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user has registration and granted permissions

3. The user haven't loged in.

4. URL is loaded - https://teodor.bg/customer/account/login/ ;

Post-conditions

The user can't login with empty email field : "Това е задължително поле." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct password in the password field	qwerty	Password field is correctly filled
2	Click "ВХОД" button		The user can't login with empty email field : "Това е задължително поле." alert showing.

Login with empty password field

Severity	**Priority**	**Behavior**	**Type**
▬ Not set	↑ High	Negative	Functional

Layer	**Is Flaky**	**Milestone**	**Automation**
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The user has registration and granted permissions

3. The user haven't loged in.

4. URL is loaded - https://teodor.bg/customer/account/login/ ;

Post-conditions

The user can't login with empty password field : "Това е задължително поле." alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct email in the email field	victor.lyubenov98@gmail.com	Email field is correctly filled
2	Click "ВХОД" button		The user can't login with empty password field : "Това е задължително поле." alert showing.

Login wrong credentials

Severity	**Priority**	**Behavior**	**Type**
▬ Not set	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unknown	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Use Brave browser;

2. The user has registration and granted permissions

3. The user haven't loged in.

4. URL is loaded - https://teodor.bg/customer/account/login/ ;

Post-conditions

The user can't login with wrong credentials. Alert showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Input correct email and wrong password in the input fields	email: victor.lyubenov98@gmail.com password: qwertyy	All input field are correctly field
2	Click "ВХОД" button		The user can't login with wrong credentials. Alert showing.

Login with Facebook

Severity	**Priority**	**Behavior**	**Type**
━ Not set	○ Medium	Positive	Integration
Layer	**Is Flaky**	**Milestone**	**Automation**
Unknown	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Use Brave browser;

2. The user is logged in Facebook account in same broser.

3. The user has registration and granted permissions

4. The user haven't loged in.

5. URL is loaded - https://teodor.bg/customer/account/login/ ;

Post-conditions

The user is logged-in.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "Вход с Facebook" button		The user is logged-in.

Login with Google

Severity	Priority	Behavior	Type
▬ Not set	○ Medium	Positive	Integration

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Chrome browser;

2. The user is logged in Goodle account in same broser.

3. The user has registration and granted permissions

4. The user haven't loged in.

5. URL is loaded - https://teodor.bg/customer/account/login/ ;

Post-conditions

The user is logged-in.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "Вход с Google" button		The user is logged-in.

Logout

Severity	Priority	Behavior	Type
━ Not set	━ Not set	Positive	Other

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Website is opened - teodor.bg
2. User is logged in existing profile

Post-conditions

User is sign out and redirected to teodor.bg

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on profile button		User is redirected to profile page
2	Click "Изход"		User should wait 5 sec to sign out and is redirected to main page.

Open Cart

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser
2. Website is open - teodor.bg
3. The user is logged in.

Post-conditions

User is redirected to -https://teodor.bg/checkout/cart/

Steps to reproduce

Step	Action	Input data	Expected result
1	Click "cart" icon		User is redirected to - https://teodor.bg/checkout/car

Add product

Add product to shopping cart

Severity	Priority	Behavior	Type
▬ Not set	◐ Medium	Not set	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Go to https://teodor.bg/novi

Steps to reproduce

Step	Action	Input data	Expected result
1	Scroll down and click on "Добави" button on random product		User is redirected to product page
2	Choose size and click "Добави в поръчка"		
3	Click on your cart to see if the product is there		The product is in the cart

Delete item

Severity	Priority	Behavior	Type
▬ Not set	▬ Not set	Not set	Other

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Free delivery functionality

This test case cheks if Free Delivery messages and function works corectly.

Severity	Priority	Behavior	Type
˅ Minor	o Medium	Not set	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser
2. Navigate to https://teodor.bg/namaleni
3. Add a products for minimum 100лв. to your cart.

Post-conditions

"Вие получавате "**безплатна доставка!"** message is showing and "МЕЖДИННА СУМА" = "ОБЩО".

Steps to reproduce

Step	Action	Input data	Expected result
1	Click at cart button		User is redirected to the cart page
2	Check if you get free delivery in "**Обобщение**"		"Вие получавате "**безплатна доставка!"** message is showing and "МЕЖДИННА СУМА" = "ОБЩО".
3	Click on BGN currency opton		Drop-down menu with currency options is showing
4	Click on EUR option		The currency is switched to EUR
5	Check if you get free delivery in "**Обобщение**"		"Вие получавате "**безплатна доставка!"** message is showing and "МЕЖДИННА СУМА" = "ОБЩО".

Promotional item old price when currency change

This test case checks if the old price of the promotional product changes correctly when currency is changed to EUR

Severity	Priority	Behavior	Type
⌄ Minor	o Medium	Not set	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser
2. Navigate to https://teodor.bg/namaleni
3. Add a promotional product to the cart

Post-conditions

The old price with the following promotional percent changed correctly

Steps to reproduce

Step	Action	Input data	Expected result
1	Click at cart button		User is redirected to the cart page
2	Write the old price with the following promotional percent	eg. 89.99 лв (70%)	The old price in "лв" and the following promotional percent is written on the paper or etc.
3	Click on BGN currency opton		Drop-down menu with currency options is showing
4	Click on EUR option		The currency is switched to EUR
5	Check if the old price with the following promotional percent changed correctly in EUR	eg. 45 € (70%)	The old price with the following promotional percent changed correctly

Item price when currency change

This test case checks if the price of the product changes correctly when currency is changed to EUR

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Navigate to https://teodor.bg/
2. Choose any option from "ОБЛЕКЛО" header menu except **"Купи 3 Вземи 20%"**
3. Add non-promotional item to your cart

Post-conditions

The price changed correctly

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on cart button		User is redirected to the cart page
2	Write the price so you can compare it with EUR price		The price in BGN is written somewhere
3	Click on BGN currency opton		Drop-down menu with currency options is showing
4	Click on EUR option		The currency is switched to EUR
5	Compare if the BGN price changed correctly with the EUR price		The price changed correctly

Promotional item price when currency change

This test case checks if the price of the promotional product changes correctly when currency is changed to EUR

Severity	Priority	Behavior	Type
∧ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Navigate to https://teodor.bg/
2. Choose any option from "ОБЛЕКЛО" header menu
3. Add promotional item to your cart

Post-conditions

The price changed correctly

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on cart button		User is redirected to the cart page
2	Write the price so you can compare it with EUR price		The price in BGN is written somewhere
3	Click on BGN currency opton		Drop-down menu with currency options is showing
4	Click on EUR option		The currency is switched to EUR
5	Compare if the BGN price changed correctly with the EUR price		The price changed correctly

Quantity changing

This test case checks if quantity changing buttons works properly

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Not set	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Navigate to https://teodor.bg/
2. Choose any option from "ОБЛЕКЛО" header menu
3. Add item to your cart

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on cart button		User is redirected to the cart page
2	Click the plus button on quantity		The item qty is +1 and the final price is updated
3	Click the minus button on quantity		The item qty is -1 and the final price is updated

Discount received after added 3 different items from "Купи 3 Вземи 20%" in your cart

Severity	Priority	Behavior	Type
ᴧ Major	o Medium	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser

2. Navigate to https://teodor.bg/kupi-3-vzemi-20-otst-pka

3. Add 3 different items to your cart

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on cart button		User is redirected to the cart page
2	Check if you received 20% discount		The user received 20% discound

Open "Full Concept -30%" banner

Check the functionality of home page banner

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Go to https://teodor.bg/

Post-conditions

User is redirected to https://teodor.bg/cjalostna-vizija-30

Steps to reproduce

Step	Action	Input data	Expected result
1	Scroll down to the "-30% Full Concept" banner		
2	Click on "-30% Full Concept"		User is redirected to https://teodor.bg/cjalostna-vizija-30

Chat- Log into Messenger

This test case check if functionality of chat works properly. The user should be able to log into Messenger

Severity	Priority	Behavior	Type
∧ Major	↑ High	Positive	Integration

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser

2. Load the URL - https://teodor.bg/

3. The user is logged in his facebook account in the same broser

Post-conditions

The user is logged in messenger and able to chat with support.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on messenger button on the right bottom		The button is clicked and "Chat with TEODOR" menu is opened.
2	Click on "Log into Messenger" button		The user is logged into Messenger and able to chat.

Chat as Guest

This test case check if functionality of chat works properly.

Severity	Priority	Behavior	Type
∧ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Forget profile

This test case checks functionality to forget profile.

Severity	Priority	Behavior	Type
➖ Not set	↓ Low	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser;

2. The website is opened - teodor.bg

3. The user have registered profile.

4. The user is logged-in.

Post-conditions

The user profile is deleted, user is sign-out and redirected to teodor.bg

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on profile button		User is redirected to account page.
2	Click on "Управление на лични данни"		User is redirected to "Управление на лични данни"
3	Scroll down and click on "Искане да бъдете забравени"		User is redirected to confirmation to delete page
4	Click the checkbox and click "ПРОЧЕТОХ И СЕ СЪГЛАСЯВАМ"		User is redirected to main page and user account is forgotten.

Open H8S

The user should be able to open H8S section in store menu

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/h8s

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "H$S" button		The user is redirected to https://teodor.bg/h8s

Add "СИВИ МЕЛАНЖИРАНИ ШОРТИ С БРОДЕРИЯ" to cart

Severity	Priority	Behavior	Type
︿ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser

2. Navigate to https://teodor.bg/h8s

Post-conditions

"Добавихте ЧЕРНИ ШОРТИ С ЛОГО ПРИНТ във Вашата количка." alert is showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "СИВИ МЕЛАНЖИРАНИ ШОРТИ С БРОДЕРИЯ"		User is redirected to "СИВИ МЕЛАНЖИРАНИ ШОРТИ С БРОДЕРИЯ" page
2	Choose black color option		Black color choosed
3	Click on S size		S size selected
4	Click "ДОБАВИ В ПОРЪЧКА" button		"Добавихте ЧЕРНИ ШОРТИ С ЛОГО ПРИНТ във Вашата количка." alert is showing.

Add "МАРАТОНКИ В ТЪМНО СИНЬО И БОРДО ОТ ВЕЛУР" to cart

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser

2. Navigate to https://teodor.bg/h8s

Post-conditions

"Добавихте ЧЕРНИ ШОРТИ С ЛОГО ПРИНТ във Вашата количка." alert is showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "МАРАТОНКИ В ТЪМНО СИНЬО И БОРДО ОТ ВЕЛУР"		User is redirected to "МАРАТОНКИ В ТЪМНО СИНЬО И БОРДО ОТ ВЕЛУР" page
2	Choose red color option		Red color choosed
3	Click on 40 size		40 size selected
4	Click "ДОБАВИ В ПОРЪЧКА" button		"Добавихте МАРАТОНКИ В ТЪМНО СИНЬО И БОРДО ОТ ВЕЛУР във Вашата количка." alert is showing.

Add "ЧЕРНИ КОМБИНИРАНИ МАРАТОНКИ С КОНТРАСТИ" to cart

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser

2. Navigate to https://teodor.bg/h8s

Post-conditions

"Добавихте ЧЕРНИ КОМБИНИРАНИ МАРАТОНКИ С КОНТРАСТИ във Вашата количка." alert is showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "ЧЕРНИ КОМБИНИРАНИ МАРАТОНКИ С КОНТРАСТИ"		User is redirected to "ЧЕРНИ КОМБИНИРАНИ МАРАТОНКИ С КОНТРАСТИ" page
2	Choose black color option		Black color choosed
3	Click on 45 size		45 size selected
4	Click "ДОБАВИ В ПОРЪЧКА" button		"Добавихте ЧЕРНИ КОМБИНИРАНИ МАРАТОНКИ С КОНТРАСТИ във Вашата количка." alert is showing.

Add "ТЪМНО СИНИ ШОРТИ С КОНТРАСТНА БРОДЕРИЯ ЛОГО" to cart

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser

2. Navigate to https://teodor.bg/h8s

Post-conditions

"Добавихте ТЪМНО СИНИ ШОРТИ С КОНТРАСТНА БРОДЕРИЯ ЛОГО във Вашата количка." alert is showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "ТЪМНО СИНИ ШОРТИ С КОНТРАСТНА БРОДЕРИЯ ЛОГО"		User is redirected to "ТЪМНО СИНИ ШОРТИ С КОНТРАСТНА БРОДЕРИЯ ЛОГО" page
2	Choose dark blue color option		Dark blue color choosed
3	Click on 2XL size		2XL size selected
4	Click "ДОБАВИ В ПОРЪЧКА" button		"Добавихте ТЪМНО СИНИ ШОРТИ С КОНТРАСТНА БРОДЕРИЯ ЛОГО във Вашата количка." alert is showing.

Add "ЧЕРНИ ШОРТИ С ЛОГО ПРИНТ" to cart

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser

2. Navigate to https://teodor.bg/h8s

Post-conditions

"Добавихте ЧЕРНИ ШОРТИ С ЛОГО ПРИНТ във Вашата количка." alert is showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "ЧЕРНИ ШОРТИ С ЛОГО ПРИНТ"		User is redirected to "ЧЕРНИ ШОРТИ С ЛОГО ПРИНТ" page
2	Choose black color option		Black color choosed
3	Click on S size		S size selected
4	Click "ДОБАВИ В ПОРЪЧКА" button		"Добавихте ЧЕРНИ ШОРТИ С ЛОГО ПРИНТ във Вашата количка." alert is showing.

Add "ЧЕРНА ТЕНИСКА БАЗОВ МОДЕЛ С БРОДЕРИЯ" to cart

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser

2. Navigate to https://teodor.bg/h8s

Post-conditions

"Добавихте ЧЕРНА ТЕНИСКА БАЗОВ МОДЕЛ С БРОДЕРИЯ във Вашата количка." alert is showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "ЧЕРНА ТЕНИСКА БАЗОВ МОДЕЛ С БРОДЕРИЯ"		User is redirected to "ЧЕРНА ТЕНИСКА БАЗОВ МОДЕЛ С БРОДЕРИЯ" page
2	Choose black color option		Black color choosed
3	Click on 2XL size		2XL size selected
4	Click "ДОБАВИ В ПОРЪЧКА" button		"Добавихте ЧЕРНА ТЕНИСКА БАЗОВ МОДЕЛ С БРОДЕРИЯ във Вашата количка." alert is showing.

Add "СПОРТЕН ЕКИП В ЧЕРНО И СИВО" to cart

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unknown	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Use Brave browser

2. Navigate to https://teodor.bg/h8s

Post-conditions

"Добавихте СПОРТЕН ЕКИП В ЧЕРНО И СИВО във Вашата количка." alert is showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "СПОРТЕН ЕКИП В ЧЕРНО И СИВО"		User is redirected to "СПОРТЕН ЕКИП В ЧЕРНО И СИВО" page
2	Choose black color option		Black color choosed
3	Click on XL size		XL size selected
4	Click "ДОБАВИ В ПОРЪЧКА" button		"Добавихте СПОРТЕН ЕКИП В ЧЕРНО И СИВО във Вашата количка." alert is showing.

Add "БИЕ ТЕНИСКА С БРОДЕРИЯ ЛОГО В БОРДО" to cart

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser
2. Navigate to https://teodor.bg/h8s

Post-conditions

"Добавихте БИЕ ТЕНИСКА С БРОДЕРИЯ ЛОГО В БОРДО във Вашата количка." alert is showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "БИЕ ТЕНИСКА С БРОДЕРИЯ ЛОГО В БОРДО"		User is redirected to "БИЕ ТЕНИСКА С БРОДЕРИЯ ЛОГО В БОРДО" page
2	Choose "Бордо" color option		"Бордо" color choosed
3	Click on S size		S size selected
4	Click "ДОБАВИ В ПОРЪЧКА" button		"Добавихте БИЕ ТЕНИСКА С БРОДЕРИЯ ЛОГО В БОРДО във Вашата количка." alert is showing.

Add "СИНЯ БИЕ ТЕНИСКА С БРОДЕРИЯ И ЛОГО" to cart

Severity	Priority	Behavior	Type
∧ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unknown	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Use Brave browser
2. Navigate to https://teodor.bg/h8s

Post-conditions

"Добавихте СИНЯ БИЕ ТЕНИСКА С БРОДЕРИЯ И ЛОГО във Вашата количка." alert is showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "СИНЯ БИЕ ТЕНИСКА С БРОДЕРИЯ И ЛОГО"		User is redirected to "СИНЯ БИЕ ТЕНИСКА С БРОДЕРИЯ И ЛОГО" page
2	Choose dark blue color option		Dark blue color choosed
3	Click on 3XL size		3XL size selected
4	Click "ДОБАВИ В ПОРЪЧКА" button		"Добавихте СИНЯ БИЕ ТЕНИСКА С БРОДЕРИЯ И ЛОГО във Вашата количка." alert is showing.

Add "БЯЛА БИЕ ТЕНИСКА С БРОДЕРИЯ И ЛОГО" to cart

Severity	Priority	Behavior	Type
︿ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unknown	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Use Brave browser
2. Navigate to https://teodor.bg/h8s

Post-conditions

"Добавихте БЯЛА БИЕ ТЕНИСКА С БРОДЕРИЯ И ЛОГО във Вашата количка." alert is showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "БЯЛА БИЕ ТЕНИСКА С БРОДЕРИЯ И ЛОГО"		User is redirected to "БЯЛА БИЕ ТЕНИСКА С БРОДЕРИЯ И ЛОГО" page
2	Choose white color option		White color choosed
3	Click on 3XL size		3XL size selected
4	Click "ДОБАВИ В ПОРЪЧКА" button		"Добавихте БЯЛА БИЕ ТЕНИСКА С БРОДЕРИЯ И ЛОГО във Вашата количка." alert is showing.

Add "ЧЕРНА ТЕНИСКА С БРОДЕРИЯ И КОНТРАСТИ" to cart

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unknown	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Use Brave browser
2. Navigate to https://teodor.bg/h8s

Post-conditions

"Добавихте ЧЕРНА ТЕНИСКА С БРОДЕРИЯ И КОНТРАСТИ във Вашата количка." alert is showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "ЧЕРНА ТЕНИСКА С БРОДЕРИЯ И КОНТРАСТИ"		User is redirected to "ЧЕРНА ТЕНИСКА С БРОДЕРИЯ И КОНТРАСТИ" page
2	Choose black color option		Black color choosed
3	Click on M size		M size selected
4	Click "ДОБАВИ В ПОРЪЧКА" button		"Добавихте ЧЕРНА ТЕНИСКА С БРОДЕРИЯ И КОНТРАСТИ във Вашата количка." alert is showing.

Add "ЧЕРВЕНА ТЕНИСКА С ЯКА И БРОДЕРИЯ" to cart

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser

2. Navigate to https://teodor.bg/h8s

Post-conditions

"Добавихте ЧЕРВЕНА ТЕНИСКА С ЯКА И БРОДЕРИЯ във Вашата количка." alert is showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "ЧЕРВЕНА ТЕНИСКА С ЯКА И БРОДЕРИЯ"		User is redirected to "ЧЕРВЕНА ТЕНИСКА С ЯКА И БРОДЕРИЯ" page
2	Choose red color option		Red color choosed
3	Click on S size		S size selected
4	Click "ДОБАВИ В ПОРЪЧКА" button		"Добавихте ЧЕРВЕНА ТЕНИСКА С ЯКА И БРОДЕРИЯ във Вашата количка." alert is showing.

Add "ЧЕРНА ТЕНИСКА С КОНТРАСТИ И ЛОГО" to cart

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser

2. Navigate to https://teodor.bg/h8s

Post-conditions

"Добавихте ЧЕРНА ТЕНИСКА С КОНТРАСТИ И ЛОГО във Вашата количка." alert is showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "ЧЕРНА ТЕНИСКА С КОНТРАСТИ И ЛОГО"		User is redirected to "ЧЕРНА ТЕНИСКА С КОНТРАСТИ И ЛОГО" page
2	Choose black color option		Black color choosed
3	Click on S size		S size selected
4	Click "ДОБАВИ В ПОРЪЧКА" button		"Добавихте ЧЕРНА ТЕНИСКА С КОНТРАСТИ И ЛОГО във Вашата количка." alert is showing.

Add "БЯЛА ТЕНИСКА С БРОДЕРИЯ И КОПЧЕТА" to cart

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Use Brave browser

2. Navigate to https://teodor.bg/h8s

Post-conditions

"Добавихте БЯЛА ТЕНИСКА С БРОДЕРИЯ И КОПЧЕТА във Вашата количка." alert is showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "БЯЛА ТЕНИСКА С БРОДЕРИЯ И КОПЧЕТА"		User is redirected to "БЯЛА ТЕНИСКА С БРОДЕРИЯ И КОПЧЕТА" page
2	Choose white color option		White color choosed
3	Click on M size		M size selected
4	Click "ДОБАВИ В ПОРЪЧКА" button		"Добавихте БЯЛА ТЕНИСКА С БРОДЕРИЯ И КОПЧЕТА във Вашата количка." alert is showing.

Add "БЯЛА ТЕНИСКА С ЦИП И КОНТРАСТИ" to cart

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unknown	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Use Brave browser
2. Navigate to https://teodor.bg/h8s

Post-conditions

"Добавихте БЯЛА ТЕНИСКА С ЦИП И КОНТРАСТИ във Вашата количка." alert is showing.

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "БЯЛА ТЕНИСКА С ЦИП И КОНТРАСТИ"		User is redirected to "БЯЛА ТЕНИСКА С ЦИП И КОНТРАСТИ" page
2	Choose white color option		White color choosed
3	Click on S size		S size selected
4	Click "ДОБАВИ В ПОРЪЧКА" button		"Добавихте БЯЛА ТЕНИСКА С ЦИП И КОНТРАСТИ във Вашата количка." alert is showing.

Open "ПРОМОЦИИ"

The user should be able to open H$S section in store menu

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/h8s

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "H$S" button		The user is redirected to https://teodor.bg/h8s

Open "Намалени продуки" option

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/namaleni

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ПРОМОЦИИ" option		Drop-down menu open
2	Click on "Намалени продукти" option		User is redirected to https://teodor.bg/namaleni

Open "Купи 3 Вземи 20%" option

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/kupi-3-vzemi-20-otst-pka

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ПРОМОЦИИ" option		Drop-down menu open
2	Click on "Купи 3 Вземи 20%" option		User is redirected to https://teodor.bg/kupi-3-vzemi-20-otst-pka

Open "НОВИ"

The user should be able to open "НОВИ" section in store menu

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/novi

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "НОВИ" button		The user is redirected to https://teodor.bg/novi

Open "ОБЛЕКЛО"

The user should be able to open "ОБЛЕКЛО" section in store menu

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/obleklo

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "ОБЛЕКЛО" button		The user is redirected to https://teodor.bg/obleklo

Open "Костюми" option

Severity	**Priority**	**Behavior**	**Type**
➖ Not set	⬆ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unknown	No	-	Not automated
Status			
Actual			

Pre-conditions

Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/kostyumi

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ПРОМОЦИИ" option		Drop-down menu open
2	Click on "Костюми" option		User is redirected to https://teodor.bg/kostyumi

Open "Елеци" option

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/eletsi

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ПРОМОЦИИ" option		Drop-down menu open
2	Click on "Елеци" option		User is redirected to https://teodor.bg/eletsi

Open "Панталони" option

Severity	**Priority**	**Behavior**	**Type**
▬ Not set	↑ High	Positive	Functional

Layer	**Is Flaky**	**Milestone**	**Automation**
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/pantaloni

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ПРОМОЦИИ" option		Drop-down menu open
2	Click on "Панталони" option		User is redirected to https://teodor.bg/pantaloni

Open "Тениски" option

Severity	**Priority**	**Behavior**	**Type**
▬ Not set	↑ High	Positive	Functional

Layer	**Is Flaky**	**Milestone**	**Automation**
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/teniski

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ПРОМОЦИИ" option		Drop-down menu open
2	Click on "Тениски" option		User is redirected to https://teodor.bg/teniski

Open "Екипи и суитшърти" option

Severity	**Priority**	**Behavior**	**Type**
━ Not set	↑ High	Positive	Functional

Layer	**Is Flaky**	**Milestone**	**Automation**
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/sportni-ekipi

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ПРОМОЦИИ" option		Drop-down menu open
2	Click on "Екипи и суитшърти" option		User is redirected to https://teodor.bg/sportni-ekipi

Open "Жилетки" option

Severity	**Priority**	**Behavior**	**Type**
━ Not set	↑ High	Positive	Functional

Layer	**Is Flaky**	**Milestone**	**Automation**
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/zhiletki

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ПРОМОЦИИ" option		Drop-down menu open
2	Click on "Жилетки" option		User is redirected to https://teodor.bg/zhiletki

Open "Палта" option

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/palta

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ПРОМОЦИИ" option		Drop-down menu open
2	Click on "Палта" option		User is redirected to https://teodor.bg/palta

Open "H8S" option

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/h8s

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ПРОМОЦИИ" option		Drop-down menu open
2	Click on "H8S" option		User is redirected to https://teodor.bg/h8s

Open "Бански" option

Severity	**Priority**	**Behavior**	**Type**
▬ Not set	↑ High	Positive	Functional

Layer	**Is Flaky**	**Milestone**	**Automation**
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/banksi

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ПРОМОЦИИ" option		Drop-down menu open
2	Click on "Бански" option		User is redirected to https://teodor.bg/banksi

Open "Сака" option

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/saka

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ПРОМОЦИИ" option		Drop-down menu open
2	Click on "Сака" option		User is redirected to https://teodor.bg/saka

Open "Ризи" option

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/rizi

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ПРОМОЦИИ" option		Drop-down menu open
2	Click on "Ризи" option		User is redirected to https://teodor.bg/rizi

Open "Дънки" option

Severity	**Priority**	**Behavior**	**Type**
▬ Not set	↑ High	Positive	Functional

Layer	**Is Flaky**	**Milestone**	**Automation**
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/danki

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ПРОМОЦИИ" option		Drop-down menu open
2	Click on "Дънки" option		User is redirected to https://teodor.bg/danki

Open "Блузи" option

Severity	**Priority**	**Behavior**	**Type**
━ Not set	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unknown	No	-	Not automated
Status			
Actual			

Pre-conditions

Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/bluzi

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ПРОМОЦИИ" option		Drop-down menu open
2	Click on "Блузи" option		User is redirected to https://teodor.bg/bluzi

Open "Пуловери" option

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/puloveri

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ПРОМОЦИИ" option		Drop-down menu open
2	Click on "Пуловери" option		User is redirected to https://teodor.bg/puloveri

Open "Якета" option

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/yaketa

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ПРОМОЦИИ" option		Drop-down menu open
2	Click on "Якета" option		User is redirected to https://teodor.bg/yaketa

Open "Бермуди" option

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/bermudi

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ПРОМОЦИИ" option		Drop-down menu open
2	Click on "Бермуди" option		User is redirected to https://teodor.bg/bermudi

Open "Купи 3 Вземи 20% отстъпка" option

Severity	Priority	Behavior	Type
▬ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/kupi-3-vzemi-20-otst-pka

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ПРОМОЦИИ" option		Drop-down menu open
2	Click on "Купи 3 Вземи 20% отстъпка" option		User is redirected to https://teodor.bg/kupi-3-vzemi-20-otst-pka

Select "Нови модели" menu from pictures

Severity	Priority	Behavior	Type
▬ Not set	✿ Medium	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Go to https://teodor.bg

Post-conditions

The user is redirected to https://teodor.bg/novi

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ОБЛЕКЛО" option		Drop-down menu open
2	Click on "Нови продукти" picture option		The user is redirected to https://teodor.bg/novi

Select "Сака от 59.99лв." menu from pictures

Severity	Priority	Behavior	Type
▬ Not set	○ Medium	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Go to https://teodor.bg

Post-conditions

The user is redirected to https://teodor.bg/novi

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ПРОМОЦИИ" option		Drop-down menu open
2	Click on "Сака от 59.99лв." picture option		The user is redirected to https://teodor.bg/puloveri-2-za-1

Open "ОБУВКИ"

The user should be able to open "ОБУВКИ" section in store menu

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/obuvki

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "ОБУВКИ" button		The user is redirected to https://teodor.bg/obuvki

Open "Официални обувки" option

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/obuvki/ofitsialni-obuvki

Steps to reproduce

Step	Action	Input data	Expected result
1	Place your coursor at "ПРОМОЦИИ" option		Drop-down menu open
2	Click on "Официални обувки" option		User is redirected to https://teodor.bg/obuvki/ofitsialni-obuvki

Open "АКСЕСОАРИ"

The user should be able to open "АКСЕСОАРИ" section in store menu

Severity	Priority	Behavior	Type
▬ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/aksesoari

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "АКСЕСОАРИ" button		The user is redirected to https://teodor.bg/aksesoari

Open "ВАУЧЕРИ"

The user should be able to open '**ВАУЧЕРИ**" section in store menu

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/vaucher-za-podarak

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "**ВАУЧЕРИ**" button		The user is redirected to https://teodor.bg/vaucher-za-podarak

Open "МАГАЗИНИ"

The user should be able to open "МАГАЗИНИ" section in store menu

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/magazini

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "МАГАЗИНИ" button		The user is redirected to https://teodor.bg/magazini

Open "КАТАЛОГ"

The user should be able to open "КАТАЛОГ" section in store menu

Severity	Priority	Behavior	Type
▬ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/katalog

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "КАТАЛОГ" button		The user is redirected to https://teodor.bg/katalog

Open "ЗА КЛИЕНТИ"

The user should be able to open "ЗА КЛИЕНТИ" section in store menu

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/korporativni-klienti

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "ЗА КЛИЕНТИ" button		The user is redirected to https://teodor.bg/korporativni-klienti

Open "БЛОГ"

The user should be able to open "БЛОГ" section in store menu

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/novini/category/novini

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "БЛОГ" button		The user is redirected to https://teodor.bg/novini/category/novini

Open "ВИДЕО"

The user should be able to open "ВИДЕО" section in store menu

Severity	Priority	Behavior	Type
━ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/novini/category/video-novini

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "ВИДЕО" button		The user is redirected to https://teodor.bg/novini/category/video-novini

Open "КОНТАКТИ"

The user should be able to open "КОНТАКТИ" section in store menu

Severity	Priority	Behavior	Type
▬ Not set	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unknown	No	-	Not automated

Status

Actual

Pre-conditions

1. Go to https://teodor.bg/

Post-conditions

The user is redirected to https://teodor.bg/contact

Steps to reproduce

Step	Action	Input data	Expected result
1	Click on "КОНТАКТИ" button		The user is redirected to https://teodor.bg/contact