

Partial atlas | IgG_binder_37

46 aa | 97.83% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 9. Ungapped best parents: 9. Inclusive-database exact parents excluded from main set: 1.

Query PDRRVGQQNAFYIILNNEDITDEQRDRYISEIKENPDAAQKVFVES
|||||
Parent PDRRVGQQNAFYIILNNEDITDEQRDRYISQIKENPDAAQKVFVES

All equally best ungapped sites on this page

UP_0099f6f97215f42942167df3	100-145	B overlap 100%	Staphylococcus coagulans
UP_46734dfc29e4e4d9d002bbc2	100-145	B overlap 100%	Staphylococcus coagulans
UP_5592e6fc580de6e6e056959c	101-146	B overlap 100%	Staphylococcus coagulans
UP_5b07c594ce04313ac06e6ddc	101-146	B overlap 100%	Staphylococcus coagulans
UP_5bed59551f96264885541b03	101-146	B overlap 100%	Staphylococcus coagulans
UP_6cdb220cb279937e703838fa	100-145	B overlap 100%	Staphylococcus coagulans
UP_8187e4cfd57c6387b66f3c83	100-145	B overlap 100%	Staphylococcus schleiferi
UP_ef7cc1339567ce7265bcf636	100-145	B overlap 100%	Staphylococcus schleiferi
UP_f0e25d6049cde4e5d124a689	101-146	B overlap 100%	Staphylococcus coagulans

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_40

47 aa | 25.53% best ungapped identity | 35 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 30; tied parents: 2. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 0.

Query SKKHFTKFYTWTVFLKVNATNTLNNFTKIQAVLKMYFQNQLKMRQTL
 .|.|.....|.....|.|.....|.||..|.....|.....|
Parent TKKLDEANKTNEESKKVNPSVESKNDTKAVAPVLPKTGETNSTTSTL

All equally best ungapped sites on this page

UP_859c6a1114591cbdb1502d2e 320-366 B overlap 0% Staphylococcus cornubiensis

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_43

53 aa | 98.11% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 1. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 0.

Query NANINDAQQNAFYIEILHLPNLTTEEQNGFIQSLKDDPSVSKNILEEAKKLND
|||||
Parent NANINDAQQNAFYIEILHLPNLTTEEQNGFIQSLKDDPSVSKNVLEEAKKLND

All equally best ungapped sites on this page

UP_cdf2ae7c1f3e4f50ca4b2ed1	38-90	B overlap 100%	Staphylococcus intermedius
-----------------------------	-------	----------------	----------------------------

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_44

51 aa | 98.04% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 1. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 0.

Query DYSEAQQNAFYEILHLPNLTEEQQNGFIQSLKDDPSVSTDILAAAKKLNDAA
|||||
Parent DYSEAQQNAFYEILHLPNLTEEQQNGFIQSLKDDPSVSTDILAAAKKLNDT

All equally best ungapped sites on this page

UP_cdf2ae7c1f3e4f50ca4b2ed1 95-145 B overlap 98% Staphylococcus intermedius

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_69

47 aa | 23.40% best ungapped identity | 36 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 29; tied parents: 1. Ungapped best parents: 2. Inclusive-database exact parents excluded from main set: 0.

Query NKKHFIKYYIWKALRKSNVINTSNNYMKIKTVHKMFSLNQLKIANVL
 |.|. .|. .|.|. .|. . . .|. . .|. . .|. . .|. . .|
Parent NNRFVEKVSIEKAIVRHDERVKSANDAISKLNVPSTRLDNNKSIDWL

All equally best ungapped sites on this page

UP_bd9b9fdc5d782598991d6e39	191-237	B overlap 0%	Staphylococcus aureus
UP_c54bd43ad0732abf1f223866	385-431	B overlap 0%	Staphylococcus hyicus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_74

47 aa | 25.53% best ungapped identity | 35 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 29; tied parents: 3. Ungapped best parents: 4. Inclusive-database exact parents excluded from main set: 0.

Query NKKHFTKYIWMVLRSNAINTSNNYMKIKTVHKTYSLNQLKTANVL
 .|.
Parent AKKYVTDSYKSITEKYNNAKYYSKLYFKYKDAMDIAVLALLNDKGAN

All equally best ungapped sites on this page

UP_257299cbc8cc8691442474b5	278-324	B overlap 0%	Staphylococcus schleiferi
UP_52a2d43ef96d104332869c18	426-472	B overlap 0%	Staphylococcus pseudintermedius
UP_80f90854b02c31c6e4c98c71	305-351	B overlap 0%	Mammaliicoccus fleurettii; Staphylococcus schleiferi
UP_a4ac175bc0201714c0563479	439-485	B overlap 0%	Staphylococcus pseudintermedius

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_83

58 aa | 98.28% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 1. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 0.

Query TQTSVDVTAQRAFVKVHLEGITEEQRNHYIQTLRTPERAQEVFSESIKDNNNQERR
|||||
Parent TQTSVDVTAQRAFVKVHLEGITEEQRNHYIQTLRTPERAQEVFSESIKDNNNQERR

All equally best ungapped sites on this page

UP_36c80296e9b5af62b36d908d	41-98	B overlap 81%	Staphylococcus agnetis
-----------------------------	-------	---------------	------------------------

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_84

46 aa | 97.83% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 1. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 0.

Query QRAFYKVMHLEGITEEQRNHYIQLRTLTPERAQEVFSIESIKDNNNQ
|||||.|||||||
Parent QRAFYKVLHLEGITEEQRNHYIQLRTLTPERAQEVFSIESIKDNNNQ

All equally best ungapped sites on this page

UP_36c80296e9b5af62b36d908d	50-95	B overlap 93%	Staphylococcus agnetis
-----------------------------	-------	---------------	------------------------

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_85

48 aa | 97.92% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 1. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 0.

Query DAQRAFYKVMHLEGITEEQRNHYIQLTRTQPERAQEVFSIESIKDNNNQ
|||||||.|||||||
Parent DAQRAFYKVLHLEGITEEQRNHYIQLTRTQPERAQEVFSIESIKDNNNQ

All equally best ungapped sites on this page

UP_36c80296e9b5af62b36d908d	48-95	B overlap 94%	Staphylococcus agnetis
-----------------------------	-------	---------------	------------------------

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_98

57 aa | 98.25% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 2. Ungapped best parents: 2. Inclusive-database exact parents excluded from main set: 0.

Query ENTFDQDQQAAYEYMLNMENLNDNQRDGFIQSLKDDPSQSNALLDQARNLNESQAPQ
 |||
 Parent ENTFDQDQQAAYEYMLHNMENLNDNQRDGFIQSLKDDPSQSNALLDQARNLNESQAPQ

All equally best ungapped sites on this page

UP_5ca4479b89c501fceaaf2f8	101-157	B overlap 91%	Staphylococcus simulans
UP_5ca4479b89c501fceaaf2f8	223-279	B overlap 91%	Staphylococcus simulans
UP_5ca4479b89c501fceaaf2f8	284-340	B overlap 91%	Staphylococcus simulans
UP_9f5e4574764cbeaf20b6ee80	101-157	B overlap 91%	Staphylococcus dromedarii

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_99

57 aa | 98.25% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 1. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 0.

Query ENTFDQDQQAIFYMLNMENLNDNQDGFISQLKDDPSQSNALLAEARKLNESQAPQ
 |||
 Parent ENTFDQDQQAIFYMLNMENLNDNQDGFISQLKDDPSQSNALLAEARKLNESQAPQ

All equally best ungapped sites on this page

UP_9f5e4574764cbeaf20b6ee80	284-340	B overlap 91%	Staphylococcus dromedarii
-----------------------------	---------	---------------	---------------------------

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_100

55 aa | 98.18% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 4. Ungapped best parents: 4. Inclusive-database exact parents excluded from main set: 0.

Query ENTFDQDQQAIFYEMLNMENLNDNQRDGFIQSLKDDPSQSNALLAEARKLNESQA

||||| . |||||

Parent ENTFDQDQAAFYEMLMENLNDNQRDGFIQSLKDDPSQSNALLAEARKLNESQA

All equally best ungapped sites on this page

UP_434b9878ce663298c340c9b3	284-338	B overlap 95%	Staphylococcus dromedarii
UP_564a16280e7926282c792546	284-338	B overlap 95%	Staphylococcus simulans
UP_5ca4479b89c501fceaafe2f8	345-399	B overlap 95%	Staphylococcus simulans
UP_9f5e4574764cbeaf20b6ee80	284-338	B overlap 95%	Staphylococcus dromedarii
UP_9f5e4574764cbeaf20b6ee80	345-399	B overlap 95%	Staphylococcus dromedarii

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_101

51 aa | 98.04% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 3. Ungapped best parents: 3. Inclusive-database exact parents excluded from main set: 0.

Query DQQAIFYEMLNMENLNDNQRDGFIQSLKDDPSQSNALLDQARNLNESQAPQ

||||| . |||||

Parent DQQAIFYEMLHMENLNDNQRDGFISLKDPSQSNALLDQARNLNESQAPQ

All equally best ungapped sites on this page

UP_4d17a74603301a95a69ed56b	46-96	B overlap 92%	<i>Staphylococcus ureilyticus</i>
UP_5ca4479b89c501fceaafe2f8	107-157	B overlap 92%	<i>Staphylococcus simulans</i>
UP_5ca4479b89c501fceaafe2f8	229-279	B overlap 92%	<i>Staphylococcus simulans</i>
UP_5ca4479b89c501fceaafe2f8	290-340	B overlap 92%	<i>Staphylococcus simulans</i>
UP_9f5e4574764cbeaf20b6ee80	107-157	B overlap 92%	<i>Staphylococcus dromedarii</i>

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_102

53 aa | 98.11% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 1. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 0.

Query DQDQQAIFYEMLNMENLNDNQRDGFIQSLKDDPSQSNALLAEARKLNEsqAPQ
|||||
Parent DQDQQAIFYEMLHNMENLNDNQRDGFIQSLKDDPSQSNALLAEARKLNEsqAPQ

All equally best ungapped sites on this page

UP_9f5e4574764cbeaf20b6ee80 288-340 B overlap 92% Staphylococcus dromedarii

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_103

51 aa | 98.04% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 4. Ungapped best parents: 4. Inclusive-database exact parents excluded from main set: 0.

Query DQDQQAIFYEMLNMENLNDNQRDGFIQSLKDDPSQSNALLAEARKLNEQA
|||||
Parent DQDQQAIFYEMLHNMENLNDNQRDGFIQSLKDDPSQSNALLAEARKLNEQA

All equally best ungapped sites on this page

UP_434b9878ce663298c340c9b3	288-338	B overlap 96%	Staphylococcus dromedarii
UP_564a16280e7926282c792546	288-338	B overlap 96%	Staphylococcus simulans
UP_5ca4479b89c501fceaafe2f8	349-399	B overlap 96%	Staphylococcus simulans
UP_9f5e4574764cbeaf20b6ee80	288-338	B overlap 96%	Staphylococcus dromedarii
UP_9f5e4574764cbeaf20b6ee80	349-399	B overlap 96%	Staphylococcus dromedarii

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_104

53 aa | 98.11% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 2. Ungapped best parents: 2. Inclusive-database exact parents excluded from main set: 0.

Query DQDQQAIFYEMLNMENLNDNQRDGFIQSLKDDPSQSNALLDQARNLNESQAPQ
|||||
Parent DQDQQAIFYEMLHNMENLNDNQRDGFIQSLKDDPSQSNALLDQARNLNESQAPQ

All equally best ungapped sites on this page

UP_5ca4479b89c501fceaafe2f8	105-157	B overlap 92%	Staphylococcus simulans
UP_5ca4479b89c501fceaafe2f8	227-279	B overlap 92%	Staphylococcus simulans
UP_5ca4479b89c501fceaafe2f8	288-340	B overlap 92%	Staphylococcus simulans
UP_9f5e4574764cbeaf20b6ee80	105-157	B overlap 92%	Staphylococcus dromedarii

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_105

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 3. Ungapped best parents: 3. Inclusive-database exact parents excluded from main set: 0.

Query QQAIFYEMLNMENLNDNQRDGF IQSLKDDPSQSNALLDQARNLNESQAPQ

|||||||.|||||||

Parent QQAIFYEMLHMENLNDNQRDGFIIQSLKDDPSQSNALLDQARNLNESQAPQ

All equally best ungapped sites on this page

UP_4d17a74603301a95a69ed56b	47-96	B overlap 92%	Staphylococcus ureilyticus
UP_5ca4479b89c501fceaafe2f8	108-157	B overlap 92%	Staphylococcus simulans
UP_5ca4479b89c501fceaafe2f8	230-279	B overlap 92%	Staphylococcus simulans
UP_5ca4479b89c501fceaafe2f8	291-340	B overlap 92%	Staphylococcus simulans
UP_9f5e4574764cbeaf20b6ee80	108-157	B overlap 92%	Staphylococcus dromedarii

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

47 aa | 97.87% best ungapped identity | 1 substitutions | part 1/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 18. Ungapped best parents: 18. Inclusive-database exact parents excluded from main set: 0.

Query QKTFYQVLHMEGISEDQREQYLKQLHEDPSSAQNVFSESIKDAIHPR

|||||

Parent QKTFYQVLHMEGISEDQREQYLKQLHEDPSSAQNVFSESIKDAIHPE

All equally best ungapped sites on this page

UP_1e0f17452e15523af2e6606a	53-99	B overlap 4%	Staphylococcus pseudintermedius
UP_26bfc276286f61d6e11d5e8d	53-99	B overlap 4%	Staphylococcus pseudintermedius
UP_3b116b6cadba16363e559a35	53-99	B overlap 4%	Staphylococcus pseudintermedius
UP_4cf904289191dd440bc27449	53-99	B overlap 4%	Staphylococcus pseudintermedius
UP_4d15567f9d37b6c4f474e023	53-99	B overlap 4%	Staphylococcus pseudintermedius
UP_51a9ab017f8f11d44df2f2d3	53-99	B overlap 4%	Staphylococcus pseudintermedius
UP_52a2d43ef96d104332869c18	53-99	B overlap 4%	Staphylococcus pseudintermedius
UP_579e05aa38569939255a0c5a	53-99	B overlap 4%	Staphylococcus pseudintermedius
UP_6536dd57af9d85249835f913	53-99	B overlap 4%	Staphylococcus pseudintermedius
UP_6bf65355bb92bdf1418c207e	53-99	B overlap 4%	Staphylococcus pseudintermedius
UP_6f8906c2181e3276cb66e350	53-99	B overlap 4%	Staphylococcus pseudintermedius
UP_762f9b6128b420d30aa612e3	53-99	B overlap 4%	Staphylococcus pseudintermedius
UP_a4ac175bc0201714c0563479	53-99	B overlap 4%	Staphylococcus pseudintermedius
UP_b1b4d657f48c646f67030f13	53-99	B overlap 4%	Staphylococcus pseudintermedius
UP_b71d058face20db681a23499	53-99	B overlap 4%	Staphylococcus pseudintermedius
UP_bb03f6e8cf1a8a38d72a9e49	53-99	B overlap 4%	Staphylococcus pseudintermedius
UP_e7bdd83d3c772888addc716b	53-99	B overlap 4%	Staphylococcus pseudintermedius

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_106

47 aa | 97.87% best ungapped identity | 1 substitutions | part 2/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 18. Ungapped best parents: 18. Inclusive-database exact parents excluded from main set: 0.

Query QKTFYQVLHMEGISEDQREQYLKQLHEDPSSAQNVFSESIKDAIHPR
|||||
Parent QKTFYQVLHMEGISEDQREQYLKQLHEDPSSAQNVFSESIKDAIHPE

All equally best ungapped sites on this page

UP_ed22721f7bef32400d69fd4a 53-99 B overlap 4% Staphylococcus pseudintermedius

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_108

40 aa | 30.00% best ungapped identity | 28 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 26; tied parents: 23. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 0.

Query NKMRF^TAYTTMTYPKSNVMHTLV^ELKKIQIKAKKYLLSL
 ...|.|.|||.|||||.|..|
Parent KTQRLTYKFPNIELPKDQIIKDLQELKKLNKLS^DKELEKL

All equally best ungapped sites on this page

UP_c5796f02381895ac3195a064 531-570 B overlap 0% Staphylococcus agnetis

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_124

41 aa | 29.27% best ungapped identity | 29 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 26; tied parents: 6. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 0.

Query RNKMRFTAYYTTMTYPKSNVMHTLVELKKIIQIKAKKYLLSL

.....|.|.....| |.....|. | | ||. |. . . |

Parent KKTQRLTYKFPNIELPKDQIIKDLQELKKLNKLSDKELEKL

All equally best ungapped sites on this page

UP_c5796f02381895ac3195a064

530-570

B overlap 0%

Staphylococcus agnetis

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_131

54 aa | 98.15% best ungapped identity | 1 substitutions | part 1/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 19. Ungapped best parents: 19. Inclusive-database exact parents excluded from main set: 1.

```

Query   YSEAQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSSDILAEAKKLNDQSAAK
        |||
Parent  YSEAQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSSDILAEAKKLNDSQAPK

```

All equally best ungapped sites on this page

UP_05565ab83abf2cd895b1f46e	212-265	B overlap 93%	Staphylococcus pseudintermedius
UP_257a8b276c08039ec8366134	212-265	B overlap 93%	Staphylococcus pseudintermedius
UP_3369d4a85d9216997b0b17c3	212-265	B overlap 93%	Staphylococcus pseudintermedius
UP_4e0e8dbcd4d6b3acbc24046f	320-373	B overlap 93%	Staphylococcus pseudintermedius
UP_5457beb34d5cfa71346c8b43	153-206	B overlap 93%	Staphylococcus pseudintermedius
UP_5de144e3f53bf211920c9911	69-122	B overlap 93%	Staphylococcus pseudintermedius
UP_6314f0c7216730008530d3dc	326-379	B overlap 93%	Staphylococcus pseudintermedius
UP_85d3e2a386179356680dac60	212-265	B overlap 93%	Staphylococcus pseudintermedius
UP_932cf6462303b72457beded8	94-147	B overlap 93%	Staphylococcus pseudintermedius
UP_96e399cf17028d6d8c7b5a87	212-265	B overlap 93%	Staphylococcus pseudintermedius
UP_b5859ebe544942d5357527fe	267-320	B overlap 93%	Staphylococcus pseudintermedius
UP_c63e032072721dafc295cb2c	94-147	B overlap 93%	Staphylococcus pseudintermedius
UP_d1ea30338f9855ce94d79bbe	324-377	B overlap 93%	Staphylococcus pseudintermedius
UP_d314ec3fe96f94c838a54a1b	267-320	B overlap 93%	Staphylococcus pseudintermedius
UP_dcd3de0463ca610906454806	267-320	B overlap 93%	Staphylococcus pseudintermedius
UP_e1216d81e1a2327db07b77b4	265-318	B overlap 93%	Staphylococcus pseudintermedius
UP_e501dbdb82e65c5325fca372	326-379	B overlap 93%	Staphylococcus pseudintermedius

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_131

54 aa | 98.15% best ungapped identity | 1 substitutions | part 2/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 19. Ungapped best parents: 19. Inclusive-database exact parents excluded from main set: 1.

Query YSEAQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSSDILAEAKKLNDSQAAK

|||||

Parent YSEAQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSSDILAEAKKLNDSQAPK

All equally best ungapped sites on this page

UP_ee427037a9b029226fc64f0c 212-265 B overlap 93% Staphylococcus pseudintermedius

UP_fec83eb42bfaa496988286d3 206-259 B overlap 93% Staphylococcus pseudintermedius

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

55 aa | 98.18% best ungapped identity | 1 substitutions | part 1/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 19. Ungapped best parents: 19. Inclusive-database exact parents excluded from main set: 1.

Query DYSEAQQNAFYIEHLPLNLTTEEQRNGFIQSLKDDPSVSSDILAEAKKLNDSSQAAK
|||||
Parent DYSEAQQNAFYIEHLPLNLTTEEQRNGFIQSLKDDPSVSSDILAEAKKLNDSSQAPK

All equally best ungapped sites on this page

UP_05565ab83abf2cd895b1f46e	211-265	B overlap 93%	Staphylococcus pseudintermedius
UP_257a8b276c08039ec8366134	211-265	B overlap 93%	Staphylococcus pseudintermedius
UP_3369d4a85d9216997b0b17c3	211-265	B overlap 93%	Staphylococcus pseudintermedius
UP_4e0e8dbcd4d6b3acbc24046f	319-373	B overlap 93%	Staphylococcus pseudintermedius
UP_5457beb34d5cfa71346c8b43	152-206	B overlap 93%	Staphylococcus pseudintermedius
UP_5de144e3f53bf211920c9911	68-122	B overlap 93%	Staphylococcus pseudintermedius
UP_6314f0c7216730008530d3dc	325-379	B overlap 93%	Staphylococcus pseudintermedius
UP_85d3e2a386179356680dac60	211-265	B overlap 93%	Staphylococcus pseudintermedius
UP_932cf6462303b72457beded8	93-147	B overlap 93%	Staphylococcus pseudintermedius
UP_96e399cf17028d6d8c7b5a87	211-265	B overlap 93%	Staphylococcus pseudintermedius
UP_b5859ebe544942d5357527fe	266-320	B overlap 93%	Staphylococcus pseudintermedius
UP_c63e032072721dafc295cb2c	93-147	B overlap 93%	Staphylococcus pseudintermedius
UP_d1ea30338f9855ce94d79bbe	323-377	B overlap 93%	Staphylococcus pseudintermedius
UP_d314ec3fe96f94c838a54a1b	266-320	B overlap 93%	Staphylococcus pseudintermedius
UP_dcd3de0463ca610906454806	266-320	B overlap 93%	Staphylococcus pseudintermedius
UP_e1216d81e1a2327db07b77b4	264-318	B overlap 93%	Staphylococcus pseudintermedius
UP_e501dbdb82e65c5325fca372	325-379	B overlap 93%	Staphylococcus pseudintermedius

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_132

55 aa | 98.18% best ungapped identity | 1 substitutions | part 2/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 19. Ungapped best parents: 19. Inclusive-database exact parents excluded from main set: 1.

Query DYSEAQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSSDILAEAKKLNDSQAAK
|||||
Parent DYSEAQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSSDILAEAKKLNDSQAPK

All equally best ungapped sites on this page

UP_ee427037a9b029226fc64f0c	211-265	B overlap 93%	Staphylococcus pseudintermedius
UP_fec83eb42bfaa496988286d3	205-259	B overlap 93%	Staphylococcus pseudintermedius

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_145

46 aa | 93.48% best ungapped identity | 3 substitutions | part 1/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 25. Ungapped best parents: 25. Inclusive-database exact parents excluded from main set: 0.

Query FMKYLHLPLNLTTEEQRNGFIQSLKDDPSVSSDILAEAKKLNDSQAPK
|...|
Parent FYEILHLPLNLTTEEQRNGFIQSLKDDPSVSSDILAEAKKLNDSQAPK

All equally best ungapped sites on this page

UP_05565ab83abf2cd895b1f46e	220-265	B overlap 91%	Staphylococcus pseudintermedius
UP_0e64292fd8c2ef09827e489c	159-204	B overlap 91%	Staphylococcus pseudintermedius
UP_17f9eeaa39678e84e19747a4	220-265	B overlap 91%	Staphylococcus pseudintermedius
UP_257a8b276c08039ec8366134	220-265	B overlap 91%	Staphylococcus pseudintermedius
UP_3227634e5e1e2b4328113501	220-265	B overlap 91%	Staphylococcus pseudintermedius
UP_3369d4a85d9216997b0b17c3	220-265	B overlap 91%	Staphylococcus pseudintermedius
UP_47d4cc8c9e74ad928dc0249f	106-151	B overlap 91%	Staphylococcus pseudintermedius
UP_4e0e8dcdbd4d6b3acbc24046f	328-373	B overlap 91%	Staphylococcus pseudintermedius
UP_5457beb34d5cfa71346c8b43	161-206	B overlap 91%	Staphylococcus pseudintermedius
UP_5bd004de5fdea3a06c1ed559	220-265	B overlap 91%	Staphylococcus pseudintermedius
UP_5de144e3f53bf211920c9911	77-122	B overlap 91%	Staphylococcus pseudintermedius
UP_6314f0c7216730008530d3dc	334-379	B overlap 91%	Staphylococcus pseudintermedius
UP_85d3e2a386179356680dac60	220-265	B overlap 91%	Staphylococcus pseudintermedius
UP_932cf6462303b72457beded8	102-147	B overlap 91%	Staphylococcus pseudintermedius
UP_96e399cf17028d6d8c7b5a87	220-265	B overlap 91%	Staphylococcus pseudintermedius
UP_b208a22c87572095887091d0	218-263	B overlap 91%	Staphylococcus pseudintermedius
UP_b5859ebe544942d5357527fe	275-320	B overlap 91%	Staphylococcus pseudintermedius

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_145

46 aa | 93.48% best ungapped identity | 3 substitutions | part 2/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 25. Ungapped best parents: 25. Inclusive-database exact parents excluded from main set: 0.

Query FMKYLHLPLNLTTEEQRNGFIQSLKDDPSVSSDILAEAKKLNDSQAPK
|...|
Parent FYEILHLPLNLTTEEQRNGFIQSLKDDPSVSSDILAEAKKLNDSQAPK

All equally best ungapped sites on this page

UP_c63e032072721dafc295cb2c	102-147	B overlap 91%	Staphylococcus pseudintermedius
UP_d1ea30338f9855ce94d79bbe	332-377	B overlap 91%	Staphylococcus pseudintermedius
UP_d314ec3fe96f94c838a54a1b	275-320	B overlap 91%	Staphylococcus pseudintermedius
UP_dcd3de0463ca610906454806	275-320	B overlap 91%	Staphylococcus pseudintermedius
UP_e1216d81e1a2327db07b77b4	273-318	B overlap 91%	Staphylococcus pseudintermedius
UP_e501dbdb82e65c5325fca372	334-379	B overlap 91%	Staphylococcus pseudintermedius
UP_ee427037a9b029226fc64f0c	220-265	B overlap 91%	Staphylococcus pseudintermedius
UP_fec83eb42bfaa496988286d3	214-259	B overlap 91%	Staphylococcus pseudintermedius

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_147

40 aa | 30.00% best ungapped identity | 28 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 26; tied parents: 36. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 0.

Query NKMRF^TAYTTMTYPKSNVMP^TLVELKKIQIKAKKYLLSL
 ...|.|.|||.|||||.|..|
Parent KTQRLTYKFPNIELPKDQIIKDLQELKKLNKLS^DKELEKL

All equally best ungapped sites on this page

UP_c5796f02381895ac3195a064 531-570 B overlap 0% Staphylococcus agnetis

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_148

41 aa | 29.27% best ungapped identity | 29 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 26; tied parents: 6. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 0.

Query RNKMRFTAYTTMTYPKSNVMPTLVELKKIQIKAKKYLLSL
 |.|.|||.....|.||||.....|.|.|
Parent KKTQRLTYKFPNIELPKDQIIKDLQELKKLNKLSDKLEKL

All equally best ungapped sites on this page

UP_c5796f02381895ac3195a064 530-570 B overlap 0% Staphylococcus agnetis

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

53 aa | 98.11% best ungapped identity | 1 substitutions | part 1/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 33. Ungapped best parents: 33. Inclusive-database exact parents excluded from main set: 0.

Query NNYVTDQQAFYQVLHLKGITEEQRNQYIKTLREHPEHAQEVFSES LKDSKNP

|||||

Parent NNYVTDQQKAFYQVLHLKGITEEQRNQYIKTLREHPERAQEVFSESLKDSKNP

All equally best ungapped sites on this page

UP_080b54fa3b40257f81d40227	45-97	B overlap 94%	Staphylococcus aureus
UP_0844823474fe482f619d596c	45-97	B overlap 94%	Staphylococcus aureus
UP_09e93a100ab0592113819de2	45-97	B overlap 94%	Staphylococcus aureus
UP_1abd0d78b674a80bd316dc43	45-97	B overlap 94%	Staphylococcus aureus
UP_1cce06b3c353b5db65949ed7	45-97	B overlap 94%	Staphylococcus aureus
UP_287ac0aa87234d989b77626d	45-97	B overlap 94%	Staphylococcus aureus
UP_3326ba85d4fb68f0db74dad3	45-97	B overlap 94%	Staphylococcus aureus
UP_3e90765a890b23e10914f4cb	45-97	B overlap 94%	Staphylococcus aureus
UP_3f9417cbbf4df334bd68565d	45-97	B overlap 94%	Staphylococcus aureus
UP_40d63737a50ca72a469dfb0a	45-97	B overlap 94%	Staphylococcus aureus; Staphylococcus warneri
UP_4260a2938df5eb4d4af340bb	45-97	B overlap 94%	Staphylococcus argenteus
UP_647b77d4dd80634487cff0e3	45-97	B overlap 94%	Staphylococcus argenteus
UP_674da628829daa8068ae47a8	45-97	B overlap 94%	Staphylococcus aureus
UP_6946c085a2332718e620f864	45-97	B overlap 94%	Staphylococcus aureus
UP_6e589309e46ae0b64b4ed832	45-97	B overlap 94%	Staphylococcus aureus
UP_759e29dc7eea7a81097c5a1c	45-97	B overlap 94%	Staphylococcus argenteus
UP_77eb74d884e15b13edfd328c	45-97	B overlap 94%	Staphylococcus aureus; Staphylococcus schleiferi

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_170

53 aa | 98.11% best ungapped identity | 1 substitutions | part 2/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 33. Ungapped best parents: 33. Inclusive-database exact parents excluded from main set: 0.

Query NNYVTDQKAFYQVLHLKGITEEQRNQYIKTLREHPEHAQEVFSESLKDSKNP
|||||
Parent NNYVTDQKAFYQVLHLKGITEEQRNQYIKTLREHPERAQEVFSESLKDSKNP

All equally best ungapped sites on this page

UP_8bdb895ddacecf7f76282273	45-97	B overlap 94%	Staphylococcus aureus
UP_969662182f97cf9a6b1e4d38	45-97	B overlap 94%	Staphylococcus aureus
UP_a5a6b593992bf821624c7c64	45-97	B overlap 94%	Staphylococcus aureus
UP_a79947cba0eba2594b4e582b	45-97	B overlap 94%	Staphylococcus aureus
UP_bd9b9fdc5d782598991d6e39	45-97	B overlap 94%	Staphylococcus aureus
UP_beb0504f56238eb96fe95d4f	45-97	B overlap 94%	Staphylococcus aureus
UP_bf06f5837e0482af14fd6e61	45-97	B overlap 94%	Staphylococcus aureus
UP_c26231b9c3c86dc14805f6a4	45-97	B overlap 94%	Staphylococcus aureus
UP_c2725186bd2cc7a5a9bc7d20	45-97	B overlap 94%	Staphylococcus aureus
UP_ce0c61d648c5df0d488bba2e	45-97	B overlap 94%	Staphylococcus argenteus; Staphylococcus aureus
UP_d6915aab6d24397af8087a3b	45-97	B overlap 94%	Staphylococcus aureus; Staphylococcus epidermidis
UP_e1174f8dc5a56c37c40fa224	45-97	B overlap 94%	Staphylococcus aureus
UP_e266103de7716a90218fcb4a	45-97	B overlap 94%	Staphylococcus aureus; Staphylococcus epidermidis
UP_f4fb59eba6cb6b63e737ffea	45-97	B overlap 94%	Staphylococcus aureus
UP_f7660cd8b89bde52b15f1df3	45-97	B overlap 94%	Staphylococcus aureus
UP_f8688bb3e1f4e498e85a7696	45-97	B overlap 94%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 1/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNQEQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

|||||.|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	270-327	B overlap 91%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	270-327	B overlap 91%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	270-327	B overlap 91%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	270-327	B overlap 91%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	212-269	B overlap 91%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	212-269	B overlap 91%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	270-327	B overlap 91%	Staphylococcus aureus
UP_04faae54d75da101458d937d	270-327	B overlap 91%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	165-222	B overlap 91%	Staphylococcus aureus
UP_0558a58a6056e4177ee8a734	154-211	B overlap 91%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	212-269	B overlap 91%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	270-327	B overlap 91%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	282-339	B overlap 91%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	212-269	B overlap 91%	Staphylococcus aureus
UP_080bdc344b3e8de041e14a8b	212-269	B overlap 91%	Staphylococcus argenteus
UP_0b47ec347104dea3cf401212	270-327	B overlap 91%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_179

58 aa | 98.28% best ungapped identity | 1 substitutions | part 2/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNQEQNAFYEILHLPNLTEEQRNFGIQLKDDPSVSKEILAEAKKLNDAPK

|||||.|||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_0c80c9392f03dca56d811fa2	270-327	B overlap 91%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	270-327	B overlap 91%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	270-327	B overlap 91%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	270-327	B overlap 91%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	328-385	B overlap 91%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	282-339	B overlap 91%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	270-327	B overlap 91%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	270-327	B overlap 91%	Staphylococcus aureus
UP_15b865d3666d14f4c1598c14	93-150	B overlap 91%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	270-327	B overlap 91%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	270-327	B overlap 91%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	270-327	B overlap 91%	Staphylococcus aureus
UP_172ccc9efefc37e19236363	270-327	B overlap 91%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	270-327	B overlap 91%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	212-269	B overlap 91%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	270-327	B overlap 91%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	209-266	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 3/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNQEQNAFYELHLPNLTEEQRNQFIQSLKDDPSVSKEILAEAKKLNDAPK

|||||.|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_1be437babc2a84ae74283a17	212-269	B overlap 91%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	212-269	B overlap 91%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	270-327	B overlap 91%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	328-385	B overlap 91%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	270-327	B overlap 91%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	212-269	B overlap 91%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	282-339	B overlap 91%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	270-327	B overlap 91%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	270-327	B overlap 91%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	270-327	B overlap 91%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	270-327	B overlap 91%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	270-327	B overlap 91%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	270-327	B overlap 91%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	270-327	B overlap 91%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	212-269	B overlap 91%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	270-327	B overlap 91%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	502-559	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_179

58 aa | 98.28% best ungapped identity | 1 substitutions | part 4/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNQEQNAFYEILHLPNLTEEQRNFGIQLKDDPSVSKEILAEAKKLNDAPK

|||||.|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_2bb7f359bca88a778a9c4c37	328-385	B overlap 91%	Staphylococcus aureus
UP_2bd9d8f9a1f5bb1a2e03e456	212-269	B overlap 91%	Staphylococcus aureus
UP_2def648691a179d8337edb84	166-223	B overlap 91%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	212-269	B overlap 91%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	270-327	B overlap 91%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	212-269	B overlap 91%	Staphylococcus aureus
UP_324c49ab20a20eee8d7b5738	212-269	B overlap 91%	Staphylococcus argenteus
UP_332e727aed2e33d630729c9d	270-327	B overlap 91%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	212-269	B overlap 91%	Staphylococcus aureus
UP_369376855189ded07861b56b	212-269	B overlap 91%	Staphylococcus aureus
UP_37e60ca6c449c9241b51223d	270-327	B overlap 91%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	270-327	B overlap 91%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	328-385	B overlap 91%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	270-327	B overlap 91%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	328-385	B overlap 91%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	212-269	B overlap 91%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 5/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNQEQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

|||||.|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_3c8c17cdc14c1efbda4317f7	270-327	B overlap 91%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	270-327	B overlap 91%	Staphylococcus aureus
UP_3d571252244f795c04507670	270-327	B overlap 91%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	212-269	B overlap 91%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	224-281	B overlap 91%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	66-123	B overlap 91%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	212-269	B overlap 91%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	270-327	B overlap 91%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	270-327	B overlap 91%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	270-327	B overlap 91%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	270-327	B overlap 91%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	270-327	B overlap 91%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	328-385	B overlap 91%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	270-327	B overlap 91%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	212-269	B overlap 91%	Staphylococcus aureus
UP_4667ae039c0ce4ff6d65fa16	93-150	B overlap 91%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_179

58 aa | 98.28% best ungapped identity | 1 substitutions | part 6/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNQEQNAFYEILHLPNLTEEQRNFGIQLKDDPSVSKEILAEAKKLNDAPK

|||||.|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_4804812c0737255bc0231c5e	282-339	B overlap 91%	Staphylococcus aureus
UP_483345435ebd382942892e04	151-208	B overlap 91%	Staphylococcus argenteus
UP_493fc1e6cf2d8753094287af	212-269	B overlap 91%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	154-211	B overlap 91%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	270-327	B overlap 91%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	444-501	B overlap 91%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	212-269	B overlap 91%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	212-269	B overlap 91%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	212-269	B overlap 91%	Staphylococcus aureus
UP_4f7ac95290874e78b8d9f0ed	93-150	B overlap 91%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	270-327	B overlap 91%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	270-327	B overlap 91%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	212-269	B overlap 91%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	270-327	B overlap 91%	Staphylococcus aureus
UP_5afea06ab560a525e381f6c8	212-269	B overlap 91%	Staphylococcus argenteus
UP_5bbec0493fad67c07e5cf02b	270-327	B overlap 91%	Staphylococcus aureus
UP_5c006ddddd8fa9ce5cac1b28	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 7/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNQEQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

|||||.|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_5c12c291e4303f0c3d8c9a01	282-339	B overlap 91%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	212-269	B overlap 91%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	212-269	B overlap 91%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	270-327	B overlap 91%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	270-327	B overlap 91%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	328-385	B overlap 91%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	270-327	B overlap 91%	Staphylococcus aureus
UP_6193b3607b8eab64acbf79f	151-208	B overlap 91%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	340-397	B overlap 91%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	212-269	B overlap 91%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	270-327	B overlap 91%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	270-327	B overlap 91%	Staphylococcus aureus
UP_63bbd7d1ac5832ffe8cbd7f	209-266	B overlap 91%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	212-269	B overlap 91%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	270-327	B overlap 91%	Staphylococcus aureus
UP_654970f68b48978377243697	270-327	B overlap 91%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 8/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNQEQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

|||||.|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_66f5e2adf96bd54c184bd76	212-269	B overlap 91%	Staphylococcus aureus
UP_67b157c032f302cca570b203	340-397	B overlap 91%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	270-327	B overlap 91%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	270-327	B overlap 91%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	270-327	B overlap 91%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	270-327	B overlap 91%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	270-327	B overlap 91%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	270-327	B overlap 91%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	340-397	B overlap 91%	Staphylococcus aureus
UP_6d760fbc9f250b9d80b6377	212-269	B overlap 91%	Staphylococcus argenteus
UP_6d765dcd23be695e8386b589	270-327	B overlap 91%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	270-327	B overlap 91%	Staphylococcus aureus
UP_6dc6cc8e9acff01b2bc3cf5c	212-269	B overlap 91%	Staphylococcus argenteus
UP_6dde12d1b214335f1b98b297	270-327	B overlap 91%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	270-327	B overlap 91%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	270-327	B overlap 91%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	282-339	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 9/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNQEQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

|||||.|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_72dd9fa28dab2363ac98467e	270-327	B overlap 91%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	270-327	B overlap 91%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	328-385	B overlap 91%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	270-327	B overlap 91%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	328-385	B overlap 91%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	209-266	B overlap 91%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	212-269	B overlap 91%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	270-327	B overlap 91%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	270-327	B overlap 91%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	444-501	B overlap 91%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	270-327	B overlap 91%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	282-339	B overlap 91%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	212-269	B overlap 91%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	212-269	B overlap 91%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	212-269	B overlap 91%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	212-269	B overlap 91%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_179

58 aa | 98.28% best ungapped identity | 1 substitutions | part 10/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNEQQNAFYIHLPLNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
|||||.|||||
Parent ADNKFNEQQNAFYIHLPLNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_7f705628d3208506515b3404	270-327	B overlap 91%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	212-269	B overlap 91%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	270-327	B overlap 91%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	270-327	B overlap 91%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	212-269	B overlap 91%	Staphylococcus aureus
UP_86d09985303304149d93296c	160-217	B overlap 91%	Staphylococcus aureus
UP_87c984f47195a756918038f8	212-269	B overlap 91%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	218-275	B overlap 91%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	270-327	B overlap 91%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	212-269	B overlap 91%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	212-269	B overlap 91%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	154-211	B overlap 91%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	212-269	B overlap 91%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	212-269	B overlap 91%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	270-327	B overlap 91%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	270-327	B overlap 91%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	209-266	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_179

58 aa | 98.28% best ungapped identity | 1 substitutions | part 11/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNQEQNAFYEILHLPNLTEEQRNQFIQSLKDDPSVSKEILAEAKKLNDAPK

|||||.|||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_9135ac09959d17a301bf7250	328-385	B overlap 91%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	212-269	B overlap 91%	Staphylococcus aureus
UP_91eb16918889951219e50a73	270-327	B overlap 91%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	270-327	B overlap 91%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	328-385	B overlap 91%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	270-327	B overlap 91%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	270-327	B overlap 91%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	270-327	B overlap 91%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	270-327	B overlap 91%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	270-327	B overlap 91%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	270-327	B overlap 91%	Staphylococcus aureus
UP_95e30e740b9bec939fb36b82	218-275	B overlap 91%	Staphylococcus aureus
UP_971043b6271e59644756c924	212-269	B overlap 91%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	270-327	B overlap 91%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	270-327	B overlap 91%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	270-327	B overlap 91%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_179

58 aa | 98.28% best ungapped identity | 1 substitutions | part 12/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNQEQNAFYEILHLPNLTEEQRNQFIQSLKDDPSVSKEILAEAKKLNDAPK

|||||.|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_9bd8f1fc33e86407f447de60	270-327	B overlap 91%	Staphylococcus aureus
UP_9d6cc6db34ab44b810682d	212-269	B overlap 91%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	212-269	B overlap 91%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	270-327	B overlap 91%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	328-385	B overlap 91%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	212-269	B overlap 91%	Staphylococcus aureus
UP_alc16686cb18780db1e61843	270-327	B overlap 91%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	270-327	B overlap 91%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	212-269	B overlap 91%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	270-327	B overlap 91%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	270-327	B overlap 91%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	212-269	B overlap 91%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	282-339	B overlap 91%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	212-269	B overlap 91%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	270-327	B overlap 91%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	157-214	B overlap 91%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_179

58 aa | 98.28% best ungapped identity | 1 substitutions | part 13/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNEQQNAFYIHLPLNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
|||||.|||||||
Parent ADNKFNEQQNAFYIHLPLNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_a7e781376ecc70df809fd7f5	159-216	B overlap 91%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	270-327	B overlap 91%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	154-211	B overlap 91%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	212-269	B overlap 91%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	282-339	B overlap 91%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	212-269	B overlap 91%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	212-269	B overlap 91%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	270-327	B overlap 91%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	328-385	B overlap 91%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	270-327	B overlap 91%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	212-269	B overlap 91%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	270-327	B overlap 91%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	212-269	B overlap 91%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	270-327	B overlap 91%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	270-327	B overlap 91%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	270-327	B overlap 91%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	282-339	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_179

58 aa | 98.28% best ungapped identity | 1 substitutions | part 14/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNQEQNAFYEILHLPNLTEEQRNFGIQLKDDPSVSKEILAEAKKLNDAPK

|||||.|||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_afbcc9c98c455fb3a548a2f1	212-269	B overlap 91%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	165-222	B overlap 91%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	270-327	B overlap 91%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	270-327	B overlap 91%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	212-269	B overlap 91%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	154-211	B overlap 91%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	270-327	B overlap 91%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	270-327	B overlap 91%	Staphylococcus aureus
UP_b448388f79d88503154c8958	270-327	B overlap 91%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	270-327	B overlap 91%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	270-327	B overlap 91%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	212-269	B overlap 91%	Staphylococcus aureus
UP_b89432f6e7437c0651852af5	151-208	B overlap 91%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	270-327	B overlap 91%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	270-327	B overlap 91%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	340-397	B overlap 91%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_179

58 aa | 98.28% best ungapped identity | 1 substitutions | part 15/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNQEQNAFYIHLPLNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK
|||||.|||||||
Parent ADNKFNQEQNAFYIHLPLNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_bbbe3db3c1b8d6db4b9a21e46	270-327	B overlap 91%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	229-286	B overlap 91%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	270-327	B overlap 91%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	270-327	B overlap 91%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	270-327	B overlap 91%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	270-327	B overlap 91%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	270-327	B overlap 91%	Staphylococcus aureus
UP_c360b4eef28e7ac3a6add6d9	66-123	B overlap 91%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	270-327	B overlap 91%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	212-269	B overlap 91%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	224-281	B overlap 91%	Staphylococcus aureus
UP_c6e58db97616169658087da4	270-327	B overlap 91%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	212-269	B overlap 91%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	212-269	B overlap 91%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	270-327	B overlap 91%	Staphylococcus aureus
UP_cc018e0aa888e81d3674855c	246-303	B overlap 91%	Staphylococcus aureus
UP_cd42d745d221a99aeeeb940	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 16/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNQEQNAFYEILHLPNLTEEQRNFGIQLKDDPSVSKEILAEAKKLNDAPK

|||||.|||||

Parent ADNKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_cda3c6f0d10df8be6dc4ff46	212-269	B overlap 91%	Staphylococcus argenteus
UP_ce48648d81e147b208ae7f35	270-327	B overlap 91%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	270-327	B overlap 91%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	212-269	B overlap 91%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	343-400	B overlap 91%	Staphylococcus aureus
UP_d2f4d68676a2244ecc95da63	99-156	B overlap 91%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	212-269	B overlap 91%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	212-269	B overlap 91%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	270-327	B overlap 91%	Staphylococcus aureus
UP_d42f3bf1007f1620dba29aac	212-269	B overlap 91%	Staphylococcus argenteus
UP_d446b7e01a0f059e086dcfed	270-327	B overlap 91%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d5b345437142d9cf807db25d	212-269	B overlap 91%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	212-269	B overlap 91%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	270-327	B overlap 91%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	328-385	B overlap 91%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	328-385	B overlap 91%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 17/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNQEQNAFYEILHLPNLTEEQRNQFIQSLKDDPSVSKEILAEAKKLNDAPK

|||||.|||||

Parent ADNKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_df25788f262b81ebd8fdbab69	270-327	B overlap 91%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	212-269	B overlap 91%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	270-327	B overlap 91%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	212-269	B overlap 91%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	270-327	B overlap 91%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	159-216	B overlap 91%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	212-269	B overlap 91%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	270-327	B overlap 91%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	73-130	B overlap 91%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	282-339	B overlap 91%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	212-269	B overlap 91%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	270-327	B overlap 91%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	282-339	B overlap 91%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	218-275	B overlap 91%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	270-327	B overlap 91%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	270-327	B overlap 91%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 18/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNQEQNAFYELHLPNLTEEQRNQFIQSLKDDPSVSKEILAEAKKLNDAPK

|||||.|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_e69c9db9fb24f123702443be9	212-269	B overlap 91%	Staphylococcus aureus
UP_e6d99cc66a27067b7ac482cc	212-269	B overlap 91%	Staphylococcus argenteus
UP_e80088e3013d805979b62cf8	270-327	B overlap 91%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	270-327	B overlap 91%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	212-269	B overlap 91%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	270-327	B overlap 91%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	270-327	B overlap 91%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	212-269	B overlap 91%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	154-211	B overlap 91%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	270-327	B overlap 91%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	212-269	B overlap 91%	Staphylococcus aureus
UP_f1c8a677456a5de29a99e38e	270-327	B overlap 91%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	270-327	B overlap 91%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	270-327	B overlap 91%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	212-269	B overlap 91%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	282-339	B overlap 91%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	99-156	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_179

58 aa | 98.28% best ungapped identity | 1 substitutions | part 19/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNQEQNAFYIHLPLNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAPK
|||||.|||||
Parent ADNKFNQEQNAFYIHLPLNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAPK

All equally best ungapped sites on this page

UP_f71b012850e63ea4fb4e7851	212-269	B overlap 91%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	224-281	B overlap 91%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	270-327	B overlap 91%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	270-327	B overlap 91%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	328-385	B overlap 91%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	224-281	B overlap 91%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_180

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNQEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 ||||·|
Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	272-327	B overlap 93%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	272-327	B overlap 93%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	272-327	B overlap 93%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	272-327	B overlap 93%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	214-269	B overlap 93%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	214-269	B overlap 93%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	272-327	B overlap 93%	Staphylococcus aureus
UP_04faae54d75da101458d937d	272-327	B overlap 93%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	167-222	B overlap 93%	Staphylococcus aureus
UP_0558a58a6056e4177ee8a734	156-211	B overlap 93%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	214-269	B overlap 93%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	272-327	B overlap 93%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	284-339	B overlap 93%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	214-269	B overlap 93%	Staphylococcus aureus
UP_080bdc344b3e8de041e14a8b	214-269	B overlap 93%	Staphylococcus argenteus
UP_0b47ec347104dea3cf401212	272-327	B overlap 93%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 2/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNQEQNAFYELHLPNLTEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

|||||.|||||||

Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_0c80c9392f03dca56d811fa2	272-327	B overlap 93%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	272-327	B overlap 93%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	272-327	B overlap 93%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	272-327	B overlap 93%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	330-385	B overlap 93%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	284-339	B overlap 93%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	272-327	B overlap 93%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	272-327	B overlap 93%	Staphylococcus aureus
UP_15b865d3666d14f4c1598c14	95-150	B overlap 93%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	272-327	B overlap 93%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	272-327	B overlap 93%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	272-327	B overlap 93%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	272-327	B overlap 93%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	272-327	B overlap 93%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	272-327	B overlap 93%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	214-269	B overlap 93%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_180

56 aa | 98.21% best ungapped identity | 1 substitutions | part 3/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNQEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 ||||.||
Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_1b50a5126b16c8571f3dbf16	211-266	B overlap 93%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	214-269	B overlap 93%	Staphylococcus aureus
UP_1c369039d2aa8fce7e14fc8	214-269	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	272-327	B overlap 93%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	330-385	B overlap 93%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	272-327	B overlap 93%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	214-269	B overlap 93%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	284-339	B overlap 93%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	272-327	B overlap 93%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	272-327	B overlap 93%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	272-327	B overlap 93%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	272-327	B overlap 93%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	272-327	B overlap 93%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	272-327	B overlap 93%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	272-327	B overlap 93%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	214-269	B overlap 93%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_180

56 aa | 98.21% best ungapped identity | 1 substitutions | part 4/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNQEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPAK
 ||||·|
Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_2b9173d33011444e5c5e2f14	504-559	B overlap 93%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	330-385	B overlap 93%	Staphylococcus aureus
UP_2bd9d8f9a1f5bb1a2e03e456	214-269	B overlap 93%	Staphylococcus aureus
UP_2def648691a179d8337edb84	168-223	B overlap 93%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	214-269	B overlap 93%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	272-327	B overlap 93%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	214-269	B overlap 93%	Staphylococcus aureus
UP_324c49ab20a20eee8d7b5738	214-269	B overlap 93%	Staphylococcus argenteus
UP_332e727aed2e33d630729c9d	272-327	B overlap 93%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	214-269	B overlap 93%	Staphylococcus aureus
UP_369376855189ded07861b56b	214-269	B overlap 93%	Staphylococcus aureus
UP_37e60ca6c449c9241b51223d	272-327	B overlap 93%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	272-327	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	330-385	B overlap 93%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	272-327	B overlap 93%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	330-385	B overlap 93%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_180

56 aa | 98.21% best ungapped identity | 1 substitutions | part 5/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNQEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 ||||.|||||
Parent NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_3c32faf6872b0a8e85bf68be	272-327	B overlap 93%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	272-327	B overlap 93%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	272-327	B overlap 93%	Staphylococcus aureus
UP_3d571252244f795c04507670	272-327	B overlap 93%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	214-269	B overlap 93%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	226-281	B overlap 93%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	68-123	B overlap 93%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	214-269	B overlap 93%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	272-327	B overlap 93%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	272-327	B overlap 93%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	272-327	B overlap 93%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	272-327	B overlap 93%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	272-327	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	330-385	B overlap 93%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	272-327	B overlap 93%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	214-269	B overlap 93%	Staphylococcus aureus
UP_4667ae039c0ce4ff6d65fa16	95-150	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_180

56 aa | 98.21% best ungapped identity | 1 substitutions | part 6/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNQEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 ||||.||
Parent NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_46cd879e24623ead35e04d06	214-269	B overlap 93%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	284-339	B overlap 93%	Staphylococcus aureus
UP_483345435ebd382942892e04	153-208	B overlap 93%	Staphylococcus argenteus
UP_493fc1e6cf2d8753094287af	214-269	B overlap 93%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	156-211	B overlap 93%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	272-327	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	446-501	B overlap 93%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	214-269	B overlap 93%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	214-269	B overlap 93%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	214-269	B overlap 93%	Staphylococcus aureus
UP_4f7ac95290874e78b8d9f0ed	95-150	B overlap 93%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	272-327	B overlap 93%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	272-327	B overlap 93%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	272-327	B overlap 93%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	214-269	B overlap 93%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	272-327	B overlap 93%	Staphylococcus aureus
UP_5afea06ab560a525e381f6c8	214-269	B overlap 93%	Staphylococcus argenteus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_180

56 aa | 98.21% best ungapped identity | 1 substitutions | part 7/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNQEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 ||||.|||||
Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_5bbec0493fad67c07e5cf02b	272-327	B overlap 93%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	272-327	B overlap 93%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	284-339	B overlap 93%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	214-269	B overlap 93%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	214-269	B overlap 93%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	272-327	B overlap 93%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	272-327	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	330-385	B overlap 93%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	272-327	B overlap 93%	Staphylococcus aureus
UP_6193b3607b8eab64acbfe79f	153-208	B overlap 93%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	342-397	B overlap 93%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	214-269	B overlap 93%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	272-327	B overlap 93%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	272-327	B overlap 93%	Staphylococcus aureus
UP_63bbd7d1ac5832ffe8cbd7f	211-266	B overlap 93%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	214-269	B overlap 93%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 8/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNQEQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

|||||.|||||||

Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_654970f68b48978377243697	272-327	B overlap 93%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	214-269	B overlap 93%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	214-269	B overlap 93%	Staphylococcus aureus
UP_67b157c032f302cca570b203	342-397	B overlap 93%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	272-327	B overlap 93%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	272-327	B overlap 93%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	272-327	B overlap 93%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	272-327	B overlap 93%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	272-327	B overlap 93%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	272-327	B overlap 93%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	342-397	B overlap 93%	Staphylococcus aureus
UP_6d760fbcf9f250b9d80b6377	214-269	B overlap 93%	Staphylococcus argenteus
UP_6d765dcd23be695e8386b589	272-327	B overlap 93%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	272-327	B overlap 93%	Staphylococcus aureus
UP_6dc6cc8e9acff01b2bc3cf5c	214-269	B overlap 93%	Staphylococcus argenteus
UP_6dde12d1b214335f1b98b297	272-327	B overlap 93%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 9/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNQEQNAFYEILHLPNLTEEQRNQFIQSLKDDPSVSKEILAEAKKLNDAPK

|||||.|||||||

Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_6eb5ab0c8436b449ad83a5f5	272-327	B overlap 93%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	284-339	B overlap 93%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	272-327	B overlap 93%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	272-327	B overlap 93%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	330-385	B overlap 93%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	272-327	B overlap 93%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	330-385	B overlap 93%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	211-266	B overlap 93%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	214-269	B overlap 93%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	272-327	B overlap 93%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	272-327	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	446-501	B overlap 93%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	272-327	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	284-339	B overlap 93%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	214-269	B overlap 93%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	214-269	B overlap 93%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_180

56 aa | 98.21% best ungapped identity | 1 substitutions | part 10/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNQEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 ||||.||
Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_7e1d634bed16b84ddf354b21	214-269	B overlap 93%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	272-327	B overlap 93%	Staphylococcus aureus
UP_7f705628d3208506515b3404	272-327	B overlap 93%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	214-269	B overlap 93%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	272-327	B overlap 93%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	272-327	B overlap 93%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	214-269	B overlap 93%	Staphylococcus aureus
UP_86d09985303304149d93296c	162-217	B overlap 93%	Staphylococcus aureus
UP_87c984f47195a756918038f8	214-269	B overlap 93%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	220-275	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	272-327	B overlap 93%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	214-269	B overlap 93%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	214-269	B overlap 93%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	156-211	B overlap 93%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	214-269	B overlap 93%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	214-269	B overlap 93%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_180

56 aa | 98.21% best ungapped identity | 1 substitutions | part 11/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNQEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 ||||·|
Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_8ec48e90fd6193201e736c4a	272-327	B overlap 93%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	211-266	B overlap 93%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	330-385	B overlap 93%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	214-269	B overlap 93%	Staphylococcus aureus
UP_91eb16918889951219e50a73	272-327	B overlap 93%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	272-327	B overlap 93%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	330-385	B overlap 93%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	272-327	B overlap 93%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	272-327	B overlap 93%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	272-327	B overlap 93%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	272-327	B overlap 93%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	272-327	B overlap 93%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	272-327	B overlap 93%	Staphylococcus aureus
UP_95e30e740b9bec939fb36b82	220-275	B overlap 93%	Staphylococcus aureus
UP_971043b6271e59644756c924	214-269	B overlap 93%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	272-327	B overlap 93%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_180

56 aa | 98.21% best ungapped identity | 1 substitutions | part 12/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNQEQQNAFYIILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPAK
 ||||.||
Parent NKFNKEQQNAFYIILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_9819abf61294ca7e009f396c	272-327	B overlap 93%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	214-269	B overlap 93%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	272-327	B overlap 93%	Staphylococcus aureus
UP_9d6ccee6db34ab44b810682d	214-269	B overlap 93%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	214-269	B overlap 93%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	272-327	B overlap 93%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	330-385	B overlap 93%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	214-269	B overlap 93%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	272-327	B overlap 93%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	272-327	B overlap 93%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	214-269	B overlap 93%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	272-327	B overlap 93%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	272-327	B overlap 93%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	214-269	B overlap 93%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	284-339	B overlap 93%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	214-269	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_180

56 aa | 98.21% best ungapped identity | 1 substitutions | part 13/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNQEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 ||||.|||||
Parent NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_a67d8ed9efe67a0be3b461af	159-214	B overlap 93%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	214-269	B overlap 93%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	161-216	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	272-327	B overlap 93%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	156-211	B overlap 93%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	214-269	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	284-339	B overlap 93%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	214-269	B overlap 93%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	214-269	B overlap 93%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	272-327	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	330-385	B overlap 93%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	272-327	B overlap 93%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	214-269	B overlap 93%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	272-327	B overlap 93%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	214-269	B overlap 93%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	272-327	B overlap 93%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_180

56 aa | 98.21% best ungapped identity | 1 substitutions | part 14/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNQEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 ||||.||
Parent NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_aef0cd1f96e996ad96a2b979	272-327	B overlap 93%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	284-339	B overlap 93%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	214-269	B overlap 93%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	167-222	B overlap 93%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	272-327	B overlap 93%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	272-327	B overlap 93%	Staphylococcus aureus
UP_b1ccbcb665058d4e6104b0dc	214-269	B overlap 93%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	156-211	B overlap 93%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	272-327	B overlap 93%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	272-327	B overlap 93%	Staphylococcus aureus
UP_b448388f79d88503154c8958	272-327	B overlap 93%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	272-327	B overlap 93%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	272-327	B overlap 93%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	214-269	B overlap 93%	Staphylococcus aureus
UP_b89432f6e7437c0651852af5	153-208	B overlap 93%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	272-327	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_180

56 aa | 98.21% best ungapped identity | 1 substitutions | part 15/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNQEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 ||||·|||||
Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_bb1a05adfa3439ea88c6734c	342-397	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	272-327	B overlap 93%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	272-327	B overlap 93%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	231-286	B overlap 93%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	272-327	B overlap 93%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	272-327	B overlap 93%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	272-327	B overlap 93%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	272-327	B overlap 93%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	272-327	B overlap 93%	Staphylococcus aureus
UP_c360b4eef28e7ac3a6add6d9	68-123	B overlap 93%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	272-327	B overlap 93%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	214-269	B overlap 93%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	226-281	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	272-327	B overlap 93%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	214-269	B overlap 93%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	214-269	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_180

56 aa | 98.21% best ungapped identity | 1 substitutions | part 16/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNQEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 ||||.||
Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_cc018e0aa888e81d3674855c	248-303	B overlap 93%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	272-327	B overlap 93%	Staphylococcus aureus
UP_cda3c6f0d10df8be6dc4ff46	214-269	B overlap 93%	Staphylococcus argenteus
UP_ce48648d81e147b208ae7f35	272-327	B overlap 93%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	272-327	B overlap 93%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	214-269	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	345-400	B overlap 93%	Staphylococcus aureus
UP_d2f4d68676a2244ecc95da63	101-156	B overlap 93%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	214-269	B overlap 93%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	214-269	B overlap 93%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	272-327	B overlap 93%	Staphylococcus aureus
UP_d42f3bf1007f1620dba29aac	214-269	B overlap 93%	Staphylococcus argenteus
UP_d446b7e01a0f059e086dcfed	272-327	B overlap 93%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d5b345437142d9cf807db25d	214-269	B overlap 93%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	214-269	B overlap 93%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	272-327	B overlap 93%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	330-385	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_180

56 aa | 98.21% best ungapped identity | 1 substitutions | part 17/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNQEQQNAFYIILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 ||||.|||||
Parent NKFNKEQQNAFYIILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_de03166de512b68a9e6934b6	330-385	B overlap 93%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	272-327	B overlap 93%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	272-327	B overlap 93%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	214-269	B overlap 93%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	272-327	B overlap 93%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	214-269	B overlap 93%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	272-327	B overlap 93%	Staphylococcus aureus
UP_e09b710f80dfd0bf7aa57a91	161-216	B overlap 93%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	214-269	B overlap 93%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	272-327	B overlap 93%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	75-130	B overlap 93%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	284-339	B overlap 93%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	214-269	B overlap 93%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	272-327	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	284-339	B overlap 93%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	220-275	B overlap 93%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_180

56 aa | 98.21% best ungapped identity | 1 substitutions | part 18/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNQEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 ||||.||
Parent NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_e572e0aad33c5ed8c26e312c	272-327	B overlap 93%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	272-327	B overlap 93%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	214-269	B overlap 93%	Staphylococcus aureus
UP_e6d99cc66a27067b7ac482cc	214-269	B overlap 93%	Staphylococcus argenteus
UP_e80088e3013d805979b62cf8	272-327	B overlap 93%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	272-327	B overlap 93%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	214-269	B overlap 93%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	272-327	B overlap 93%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	272-327	B overlap 93%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	214-269	B overlap 93%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	156-211	B overlap 93%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	272-327	B overlap 93%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	214-269	B overlap 93%	Staphylococcus aureus
UP_f1c8a677456a5de29a99e38e	272-327	B overlap 93%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	272-327	B overlap 93%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	272-327	B overlap 93%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_180

56 aa | 98.21% best ungapped identity | 1 substitutions | part 19/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNQEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 ||||.||
Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_f57ed69187f17aafd0cb1f95	284-339	B overlap 93%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	101-156	B overlap 93%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	214-269	B overlap 93%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	226-281	B overlap 93%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	272-327	B overlap 93%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	272-327	B overlap 93%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	330-385	B overlap 93%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	226-281	B overlap 93%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_193

57 aa | 96.49% best ungapped identity | 2 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 3. Ungapped best parents: 3. Inclusive-database exact parents excluded from main set: 2.

Query ENNFDAAQNAFYEILNLPYLSEEQRNGFIQSLKDDPSVSNLAEAKKANDAQAPQ
..|||||
Parent APNFDAAQNAFYEILNLPYLSEEQRNGFIQSLKDDPSVSNLAEAKKANDAQAPQ

All equally best ungapped sites on this page

UP_186180d4e8b71aa3b8ad6377	154-210	B overlap 91%	Staphylococcus hyicus
UP_9cb5d53f772795633619c16b	95-151	B overlap 91%	Staphylococcus hyicus
UP_cf485c0f63c128319028ab16	154-210	B overlap 91%	Staphylococcus hyicus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_201

49 aa | 97.96% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 3. Ungapped best parents: 3. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEIVNLPNLTDEQRNGYIQLKDDPSVSTNILQQAQATNANQAP
|||||
Parent QQNAFYEIVNLPNLTDEQRNGYIQLKDDPSVSANILQQAQATNANQAP

All equally best ungapped sites on this page

UP_186180d4e8b71aa3b8ad6377	43-91	B overlap 90%	Staphylococcus hyicus
UP_9cb5d53f772795633619c16b	43-91	B overlap 90%	Staphylococcus hyicus
UP_cf485c0f63c128319028ab16	43-91	B overlap 90%	Staphylococcus hyicus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_203

51 aa | 98.04% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 3. Ungapped best parents: 3. Inclusive-database exact parents excluded from main set: 0.

Query DAQQNAFYIEIVNLPNLTDEQRNGYIQSLKDDPSVSTNIIQQAAQTANANQAP
|||||
Parent DAQQNAFYIEIVNLPNLTDEQRNGYIQSLKDDPSVSANIIQQAAQTANANQAP

All equally best ungapped sites on this page

UP_186180d4e8b71aa3b8ad6377	41-91	B overlap 90%	Staphylococcus hyicus
UP_9cb5d53f772795633619c16b	41-91	B overlap 90%	Staphylococcus hyicus
UP_cf485c0f63c128319028ab16	41-91	B overlap 90%	Staphylococcus hyicus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_224

46 aa | 97.83% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 3. Ungapped best parents: 3. Inclusive-database exact parents excluded from main set: 0.

Query DAQQNAFYIEIVNLPNLTDEQRNGYIQLKDDPSVSTNILQQAQATN
|||||
Parent DAQQNAFYIEIVNLPNLTDEQRNGYIQLKDDPSVSANILQQAQATN

All equally best ungapped sites on this page

UP_186180d4e8b71aa3b8ad6377	41-86	B overlap 100%	Staphylococcus hyicus
UP_9cb5d53f772795633619c16b	41-86	B overlap 100%	Staphylococcus hyicus
UP_cf485c0f63c128319028ab16	41-86	B overlap 100%	Staphylococcus hyicus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_225

53 aa | 96.23% best ungapped identity | 2 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 3. Ungapped best parents: 3. Inclusive-database exact parents excluded from main set: 2.

Query ENNFDAAQNAFYEILNLPYLSEEQRNGFIQSLKDDPSVSNLAEAKKANDA
..|||||
Parent APNFDAAQNAFYEILNLPYLSEEQRNGFIQSLKDDPSVSNLAEAKKANDA

All equally best ungapped sites on this page

UP_186180d4e8b71aa3b8ad6377	154-206	B overlap 98%	Staphylococcus hyicus
UP_9cb5d53f772795633619c16b	95-147	B overlap 98%	Staphylococcus hyicus
UP_cf485c0f63c128319028ab16	154-206	B overlap 98%	Staphylococcus hyicus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_263

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 8. Ungapped best parents: 8. Inclusive-database exact parents excluded from main set: 1.

Query QNEFETDQQRIFYHTLHLEDVTEDQRNQYIKTIREEPIRAQEVFSESVD
|||||
Parent QNEFETDQQRIFYHTLHLEDVTEDQRNQYIKTIREEPTRAQEVFSESVD

All equally best ungapped sites on this page

UP_36f106609c5b81ccc76b8520	42-91	B overlap 100%	Staphylococcus felis
UP_52142226355e62ec0bd5417b	42-91	B overlap 100%	Staphylococcus felis
UP_5c0f21896baad441eeaa76bc	42-91	B overlap 100%	Staphylococcus felis
UP_6488607076f11ee398c3556d	42-91	B overlap 100%	Staphylococcus felis
UP_7e397a8408e5256769cc750b	42-91	B overlap 100%	Staphylococcus felis
UP_bbb40b1358c54b04f09265b4	42-91	B overlap 100%	Staphylococcus felis
UP_ec1e1a0e25567ab3db419092	42-91	B overlap 100%	Staphylococcus felis
UP_ed1cb4dabba103f1a94b1e42	42-91	B overlap 100%	Staphylococcus felis

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_264

48 aa | 97.92% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 7. Ungapped best parents: 7. Inclusive-database exact parents excluded from main set: 1.

Query NPERRTAQQNAFYGVLHNEDLSEQKRNEYIEQIKKNPDHSQQVWIDSI
|||||
Parent NPERRTAQQNAFYGVLHNEDLSEKKRNEYIEQIKKNPDHSQQVWIDSI

All equally best ungapped sites on this page

UP_36f106609c5b81ccc76b8520	94-141	B overlap 98%	Staphylococcus felis
UP_52142226355e62ec0bd5417b	94-141	B overlap 98%	Staphylococcus felis
UP_5c0f21896baad441eaa76bc	94-141	B overlap 98%	Staphylococcus felis
UP_7e397a8408e5256769cc750b	94-141	B overlap 98%	Staphylococcus felis
UP_bbb40b1358c54b04f09265b4	94-141	B overlap 98%	Staphylococcus felis
UP_ec1e1a0e25567ab3db419092	94-141	B overlap 98%	Staphylococcus felis
UP_ed1cb4dabba103f1a94b1e42	94-141	B overlap 98%	Staphylococcus felis

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_294

50 aa | 96.00% best ungapped identity | 2 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 8. Ungapped best parents: 8. Inclusive-database exact parents excluded from main set: 2.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||.....
Parent QQNAFYQVLNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_158b282e8b4d77a02a00c02d	43-92	B overlap 92%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	43-92	B overlap 92%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	43-92	B overlap 92%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	162-211	B overlap 92%	Staphylococcus aureus
UP_6193b3607b8eab64acbfe79f	43-92	B overlap 92%	Staphylococcus aureus
UP_63bbd7d1ac5832fffe8cbd7f	43-92	B overlap 92%	Staphylococcus aureus
UP_b918b28f2eebd219cf84d3d5	43-92	B overlap 92%	Staphylococcus aureus
UP_f1c8a677456a5de29a99e38e	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_295

56 aa | 96.43% best ungapped identity | 2 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 6. Ungapped best parents: 6. Inclusive-database exact parents excluded from main set: 2.

Query AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

||||| . . |||||

Parent AQHDEAQQNAFYQVLNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_158b282e8b4d77a02a00c02d	37-92	B overlap 93%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	37-92	B overlap 93%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	37-92	B overlap 93%	Staphylococcus aureus
UP_6193b3607b8eab64acbfe79f	37-92	B overlap 93%	Staphylococcus aureus
UP_63bbd7d1ac5832fffe8cbd7f	37-92	B overlap 93%	Staphylococcus aureus
UP_b918b28f2eebd219cf84d3d5	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_298

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 7. Ungapped best parents: 7. Inclusive-database exact parents excluded from main set: 4.

Query NKFNKDRQSAFYIEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK
 ||||| . |||||
Parent NKFNKDQQSAFYIEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_03f0f7456ad3ed419cc4e4e6	98-153	B overlap 93%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	98-153	B overlap 93%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	98-153	B overlap 93%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	98-153	B overlap 93%	Staphylococcus aureus
UP_97e42757ac273b6b51241624	98-153	B overlap 93%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	98-153	B overlap 93%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_299

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 9. Ungapped best parents: 9. Inclusive-database exact parents excluded from main set: 4.

Query RQSAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK
· |||||
Parent QQSAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_03f0f7456ad3ed419cc4e4e6	104-153	B overlap 92%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	104-153	B overlap 92%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	104-153	B overlap 92%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	104-153	B overlap 92%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	104-153	B overlap 92%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	104-153	B overlap 92%	Staphylococcus aureus
UP_97e42757ac273b6b51241624	104-153	B overlap 92%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	104-153	B overlap 92%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 7. Ungapped best parents: 7. Inclusive-database exact parents excluded from main set: 4.

Query ADAQQNKFNDKDRQSAFYIEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAP
|||||.|||||
Parent ADAQQNKFNDKQSAFYIEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAP

All equally best ungapped sites on this page

UP_03f0f7456ad3ed419cc4e4e6	93-152	B overlap 88%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	93-152	B overlap 88%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	93-152	B overlap 88%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	93-152	B overlap 88%	Staphylococcus aureus
UP_97e42757ac273b6b51241624	93-152	B overlap 88%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	93-152	B overlap 88%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_308

42 aa | 97.62% best ungapped identity | 1 substitutions | part 1/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 23. Ungapped best parents: 23. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKDQQNAFYELNMPNLNEEQRNGFIQSLKDDPSQSG
|||||
Parent ADNNFNKDQQNAFYELNMPNLNEEQRNGFIQSLKDDPSQSA

All equally best ungapped sites on this page

UP_03a181236a3f1dca5b3e2137	154-195	B overlap 98%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	154-195	B overlap 98%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	154-195	B overlap 98%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	154-195	B overlap 98%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	154-195	B overlap 98%	Staphylococcus aureus
UP_34e7dec5146720f3668dfdf6	154-195	B overlap 98%	Staphylococcus schweitzeri
UP_3c8c17cdc14c1efbda4317f7	154-195	B overlap 98%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	154-195	B overlap 98%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	166-207	B overlap 98%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	154-195	B overlap 98%	Staphylococcus aureus
UP_6afba783543b8f49d10ac03	154-195	B overlap 98%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	154-195	B overlap 98%	Staphylococcus schweitzeri
UP_7c356e4bb818e50881bc623e	154-195	B overlap 98%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	154-195	B overlap 98%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	93-134	B overlap 98%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	154-195	B overlap 98%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	212-253	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_308

42 aa | 97.62% best ungapped identity | 1 substitutions | part 2/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 23. Ungapped best parents: 23. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKDQQNAFYELNMPNLNEEQRNGFIQSLKDDPSQSG
|||||
Parent ADNNFNKDQQNAFYELNMPNLNEEQRNGFIQSLKDDPSQSA

All equally best ungapped sites on this page

UP_be959ce6ef2dd96b1e1c54e2	154-195	B overlap 98%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	154-195	B overlap 98%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	154-195	B overlap 98%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	212-253	B overlap 98%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	154-195	B overlap 98%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	154-195	B overlap 98%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_e849e99c27614e23057d660d	154-195	B overlap 98%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	154-195	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_315

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 10. Ungapped best parents: 10. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYQILDMPNLNEEQRNGFIQSLKDDPSQSNLLGEAQLNDSQAPK
|||||
Parent NNFNKDQQSAFYQILNMPNLNEEQRNGFIQSLKDDPSQSNLLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_080bdc344b3e8de041e14a8b	98-153	B overlap 93%	Staphylococcus argenteus
UP_324c49ab20a20eee8d7b5738	98-153	B overlap 93%	Staphylococcus argenteus
UP_3a42c26503937de9eaf4c2e2	98-153	B overlap 93%	Staphylococcus roterodami
UP_5afea06ab560a525e381f6c8	98-153	B overlap 93%	Staphylococcus argenteus
UP_6d760fbcf9f250b9d80b6377	98-153	B overlap 93%	Staphylococcus argenteus
UP_6dc6cc8e9acff01b2bc3cf5c	98-153	B overlap 93%	Staphylococcus argenteus
UP_857b4b53ca1f3ac9d11a0570	98-153	B overlap 93%	Staphylococcus roterodami
UP_cda3c6f0d10df8be6dc4ff46	98-153	B overlap 93%	Staphylococcus argenteus
UP_d42f3bf1007f1620dba29aac	98-153	B overlap 93%	Staphylococcus argenteus
UP_e6d99cc66a27067b7ac482cc	98-153	B overlap 93%	Staphylococcus argenteus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_316

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 10. Ungapped best parents: 10. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYQILDMPNLNEEQRNGFIQSLKDDPSQSNNLLGEAQKLNDSQAPK

||||||| . |||||||||

Parent QQSIFYQILNMPNLNEEQRNGFIQSLKDDPSQSNNLLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_080bdc344b3e8de041e14a8b	104-153	B overlap 92%	Staphylococcus argenteus
UP_324c49ab20a20eee8d7b5738	104-153	B overlap 92%	Staphylococcus argenteus
UP_3a42c26503937de9eaf4c2e2	104-153	B overlap 92%	Staphylococcus roterodami
UP_5afea06ab560a525e381f6c8	104-153	B overlap 92%	Staphylococcus argenteus
UP_6d760fbc9f9250b9d80b6377	104-153	B overlap 92%	Staphylococcus argenteus
UP_6dc6cc8e9acff01b2bc3cf5c	104-153	B overlap 92%	Staphylococcus argenteus
UP_857b4b53ca1f3ac9d11a0570	104-153	B overlap 92%	Staphylococcus roterodami
UP_cda3c6f0d10df8be6dc4ff46	104-153	B overlap 92%	Staphylococcus argenteus
UP_d42f3bf1007f1620dba29aac	104-153	B overlap 92%	Staphylococcus argenteus
UP_e6d99cc66a27067b7ac482cc	104-153	B overlap 92%	Staphylococcus argenteus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_318

57 aa | 98.25% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 10. Ungapped best parents: 10. Inclusive-database exact parents excluded from main set: 0.

Query QNNFNKDQQSAFYQILDMPNLNEEQRNGFIQSLKDDPSQSNLLGEAQLNDSQAPK
|||||
Parent QNNFNKDQQSAFYQILNMPNLNEEQRNGFIQSLKDDPSQSNLLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_080bdc344b3e8de041e14a8b	97-153	B overlap 93%	Staphylococcus argenteus
UP_324c49ab20a20eee8d7b5738	97-153	B overlap 93%	Staphylococcus argenteus
UP_3a42c26503937de9eaf4c2e2	97-153	B overlap 93%	Staphylococcus roterodami
UP_5afea06ab560a525e381f6c8	97-153	B overlap 93%	Staphylococcus argenteus
UP_6d760fbcf9f250b9d80b6377	97-153	B overlap 93%	Staphylococcus argenteus
UP_6dc6cc8e9acff01b2bc3cf5c	97-153	B overlap 93%	Staphylococcus argenteus
UP_857b4b53ca1f3ac9d11a0570	97-153	B overlap 93%	Staphylococcus roterodami
UP_cda3c6f0d10df8be6dc4ff46	97-153	B overlap 93%	Staphylococcus argenteus
UP_d42f3bf1007f1620dba29aac	97-153	B overlap 93%	Staphylococcus argenteus
UP_e6d99cc66a27067b7ac482cc	97-153	B overlap 93%	Staphylococcus argenteus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_320

56 aa | 92.86% best ungapped identity | 4 substitutions | part 1/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	98-153	B overlap 93%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	98-153	B overlap 93%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	98-153	B overlap 93%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	98-153	B overlap 93%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	98-153	B overlap 93%	Staphylococcus aureus
UP_04faae54d75da101458d937d	98-153	B overlap 93%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	98-153	B overlap 93%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	98-153	B overlap 93%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	98-153	B overlap 93%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	98-153	B overlap 93%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	98-153	B overlap 93%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	98-153	B overlap 93%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	98-153	B overlap 93%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	98-153	B overlap 93%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	98-153	B overlap 93%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	98-153	B overlap 93%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_320

56 aa | 92.86% best ungapped identity | 4 substitutions | part 2/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_11ef8762e0d1f699cca11a72	98-153	B overlap 93%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	110-165	B overlap 93%	Staphylococcus aureus
UP_1320c3a44aa32eab329067c	98-153	B overlap 93%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	98-153	B overlap 93%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	98-153	B overlap 93%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	98-153	B overlap 93%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	98-153	B overlap 93%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	98-153	B overlap 93%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	98-153	B overlap 93%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	98-153	B overlap 93%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	98-153	B overlap 93%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	98-153	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	98-153	B overlap 93%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	98-153	B overlap 93%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	98-153	B overlap 93%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	98-153	B overlap 93%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_320

56 aa | 92.86% best ungapped identity | 4 substitutions | part 3/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_25a25a50af6d82d022c1bc30	98-153	B overlap 93%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	98-153	B overlap 93%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	98-153	B overlap 93%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	98-153	B overlap 93%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	98-153	B overlap 93%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	98-153	B overlap 93%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	98-153	B overlap 93%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	98-153	B overlap 93%	Staphylococcus aureus
UP_2def648691a179d8337edb84	52-107	B overlap 93%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	98-153	B overlap 93%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	98-153	B overlap 93%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	98-153	B overlap 93%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	98-153	B overlap 93%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	98-153	B overlap 93%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	98-153	B overlap 93%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	98-153	B overlap 93%	Staphylococcus schweitzeri
UP_369376855189ded07861b56b	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_320

56 aa | 92.86% best ungapped identity | 4 substitutions | part 4/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSFAFYELNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent NNFNKDQQSFAFYELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_3857b73b64bcc8ece5dac794	98-153	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	98-153	B overlap 93%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	98-153	B overlap 93%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	98-153	B overlap 93%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	98-153	B overlap 93%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	98-153	B overlap 93%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	98-153	B overlap 93%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	98-153	B overlap 93%	Staphylococcus aureus
UP_3d571252244f795c04507670	98-153	B overlap 93%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	98-153	B overlap 93%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	110-165	B overlap 93%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	110-165	B overlap 93%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	98-153	B overlap 93%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	98-153	B overlap 93%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	98-153	B overlap 93%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	98-153	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_320

56 aa | 92.86% best ungapped identity | 4 substitutions | part 5/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_43e1f746e535aaa2728e115e	156-211	B overlap 93%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	98-153	B overlap 93%	Staphylococcus aureus
UP_45e4aaf3fb1330efccb2d949	98-153	B overlap 93%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	98-153	B overlap 93%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	98-153	B overlap 93%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	110-165	B overlap 93%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	98-153	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	98-153	B overlap 93%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	98-153	B overlap 93%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	98-153	B overlap 93%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	98-153	B overlap 93%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	98-153	B overlap 93%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	98-153	B overlap 93%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	98-153	B overlap 93%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	98-153	B overlap 93%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	98-153	B overlap 93%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_320

56 aa | 92.86% best ungapped identity | 4 substitutions | part 6/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_59a4d124422826b95666ef8a	98-153	B overlap 93%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	98-153	B overlap 93%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	98-153	B overlap 93%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	110-165	B overlap 93%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	98-153	B overlap 93%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	98-153	B overlap 93%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	98-153	B overlap 93%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	98-153	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	98-153	B overlap 93%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	98-153	B overlap 93%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	98-153	B overlap 93%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	98-153	B overlap 93%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	98-153	B overlap 93%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	98-153	B overlap 93%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	98-153	B overlap 93%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	98-153	B overlap 93%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_320

56 aa | 92.86% best ungapped identity | 4 substitutions | part 7/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_67b157c032f302cca570b203	110-165	B overlap 93%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	98-153	B overlap 93%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	98-153	B overlap 93%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	98-153	B overlap 93%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	98-153	B overlap 93%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	98-153	B overlap 93%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	98-153	B overlap 93%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	98-153	B overlap 93%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	98-153	B overlap 93%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	98-153	B overlap 93%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	98-153	B overlap 93%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	98-153	B overlap 93%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	98-153	B overlap 93%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	98-153	B overlap 93%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	110-165	B overlap 93%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	98-153	B overlap 93%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_320

56 aa | 92.86% best ungapped identity | 4 substitutions | part 8/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_7795fca204a5e78852cf520f	98-153	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	98-153	B overlap 93%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	98-153	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	110-165	B overlap 93%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	98-153	B overlap 93%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	93-148	B overlap 93%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	98-153	B overlap 93%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	98-153	B overlap 93%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	98-153	B overlap 93%	Staphylococcus aureus
UP_7f705628d3208506515b3404	98-153	B overlap 93%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	98-153	B overlap 93%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	98-153	B overlap 93%	Staphylococcus aureus
UP_86d09985303304149d93296c	46-101	B overlap 93%	Staphylococcus aureus
UP_87c984f47195a756918038f8	98-153	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	98-153	B overlap 93%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	98-153	B overlap 93%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_320

56 aa | 92.86% best ungapped identity | 4 substitutions | part 9/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_8ebf15b38a54e71995270aa9	98-153	B overlap 93%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	98-153	B overlap 93%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	98-153	B overlap 93%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	98-153	B overlap 93%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	98-153	B overlap 93%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	98-153	B overlap 93%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	98-153	B overlap 93%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	98-153	B overlap 93%	Staphylococcus aureus
UP_971043b6271e59644756c924	98-153	B overlap 93%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	98-153	B overlap 93%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	98-153	B overlap 93%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	98-153	B overlap 93%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	98-153	B overlap 93%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	98-153	B overlap 93%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	98-153	B overlap 93%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	98-153	B overlap 93%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_320

56 aa | 92.86% best ungapped identity | 4 substitutions | part 10/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	98-153	B overlap 93%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	98-153	B overlap 93%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	110-165	B overlap 93%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	98-153	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	98-153	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	98-153	B overlap 93%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	98-153	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	110-165	B overlap 93%	Staphylococcus aureus
UP_aafb3bf93e81454cf6b62ce	98-153	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	98-153	B overlap 93%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	98-153	B overlap 93%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	98-153	B overlap 93%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	98-153	B overlap 93%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	98-153	B overlap 93%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	98-153	B overlap 93%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	98-153	B overlap 93%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	110-165	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_320

56 aa | 92.86% best ungapped identity | 4 substitutions | part 11/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_afbcc9c98c455fb3a548a2f1	98-153	B overlap 93%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	98-153	B overlap 93%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	98-153	B overlap 93%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	98-153	B overlap 93%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	98-153	B overlap 93%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	98-153	B overlap 93%	Staphylococcus aureus
UP_b448388f79d88503154c8958	98-153	B overlap 93%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	98-153	B overlap 93%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	98-153	B overlap 93%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	98-153	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	98-153	B overlap 93%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	110-165	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	98-153	B overlap 93%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	98-153	B overlap 93%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	98-153	B overlap 93%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	98-153	B overlap 93%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_320

56 aa | 92.86% best ungapped identity | 4 substitutions | part 12/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_c19b2cacfb0fadd8c64def21	98-153	B overlap 93%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	98-153	B overlap 93%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	110-165	B overlap 93%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	110-165	B overlap 93%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	98-153	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	98-153	B overlap 93%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	98-153	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	98-153	B overlap 93%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	98-153	B overlap 93%	Staphylococcus aureus
UP_cd42d745d221a99aeeee0b940	98-153	B overlap 93%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	98-153	B overlap 93%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	98-153	B overlap 93%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	98-153	B overlap 93%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	98-153	B overlap 93%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	98-153	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	110-165	B overlap 93%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_320

56 aa | 92.86% best ungapped identity | 4 substitutions | part 13/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_d389de07164bf1f90f2d9716	98-153	B overlap 93%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	98-153	B overlap 93%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	98-153	B overlap 93%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d7a61917e251e0f799ce2cd3	98-153	B overlap 93%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	98-153	B overlap 93%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	98-153	B overlap 93%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	98-153	B overlap 93%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	98-153	B overlap 93%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	98-153	B overlap 93%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	98-153	B overlap 93%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	98-153	B overlap 93%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	98-153	B overlap 93%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	98-153	B overlap 93%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	98-153	B overlap 93%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	98-153	B overlap 93%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	98-153	B overlap 93%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_320

56 aa | 92.86% best ungapped identity | 4 substitutions | part 14/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_e35673697002755fd8bfbf21	110-165	B overlap 93%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	98-153	B overlap 93%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	110-165	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	110-165	B overlap 93%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	98-153	B overlap 93%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	98-153	B overlap 93%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	98-153	B overlap 93%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	98-153	B overlap 93%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	98-153	B overlap 93%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	98-153	B overlap 93%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	98-153	B overlap 93%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	98-153	B overlap 93%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	98-153	B overlap 93%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	98-153	B overlap 93%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	98-153	B overlap 93%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	98-153	B overlap 93%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_320

56 aa | 92.86% best ungapped identity | 4 substitutions | part 15/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSFAFYELNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||
Parent NNFNKDQQSFAFYELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAKKLNESQAPK

All equally best ungapped sites on this page

UP_f71b012850e63ea4fb4e7851	98-153	B overlap 93%	Staphylococcus aureus
UP_f85095abf436c388206c5124	98-153	B overlap 93%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	98-153	B overlap 93%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	98-153	B overlap 93%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	98-153	B overlap 93%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_321

50 aa | 92.00% best ungapped identity | 4 substitutions | part 1/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	104-153	B overlap 92%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	104-153	B overlap 92%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	104-153	B overlap 92%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	104-153	B overlap 92%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	104-153	B overlap 92%	Staphylococcus aureus
UP_04faae54d75da101458d937d	104-153	B overlap 92%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	104-153	B overlap 92%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	104-153	B overlap 92%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	104-153	B overlap 92%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	104-153	B overlap 92%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	104-153	B overlap 92%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	104-153	B overlap 92%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	104-153	B overlap 92%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	104-153	B overlap 92%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	104-153	B overlap 92%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	104-153	B overlap 92%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_321

50 aa | 92.00% best ungapped identity | 4 substitutions | part 2/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_11ef8762e0d1f699cca11a72	104-153	B overlap 92%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	116-165	B overlap 92%	Staphylococcus aureus
UP_1320c3a44aa32eab329067c	104-153	B overlap 92%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	104-153	B overlap 92%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	104-153	B overlap 92%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	104-153	B overlap 92%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	104-153	B overlap 92%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	104-153	B overlap 92%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	104-153	B overlap 92%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	104-153	B overlap 92%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	104-153	B overlap 92%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	104-153	B overlap 92%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	104-153	B overlap 92%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	104-153	B overlap 92%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	104-153	B overlap 92%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	104-153	B overlap 92%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_321

50 aa | 92.00% best ungapped identity | 4 substitutions | part 3/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_25a25a50af6d82d022c1bc30	104-153	B overlap 92%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	104-153	B overlap 92%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	104-153	B overlap 92%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	104-153	B overlap 92%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	104-153	B overlap 92%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	104-153	B overlap 92%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	104-153	B overlap 92%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	104-153	B overlap 92%	Staphylococcus aureus
UP_2def648691a179d8337edb84	58-107	B overlap 92%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	104-153	B overlap 92%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	104-153	B overlap 92%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	104-153	B overlap 92%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	104-153	B overlap 92%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	104-153	B overlap 92%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	104-153	B overlap 92%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	104-153	B overlap 92%	Staphylococcus schweitzeri
UP_369376855189ded07861b56b	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_321

50 aa | 92.00% best ungapped identity | 4 substitutions | part 4/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_3857b73b64bcc8ece5dac794	104-153	B overlap 92%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	104-153	B overlap 92%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	104-153	B overlap 92%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	104-153	B overlap 92%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	104-153	B overlap 92%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	104-153	B overlap 92%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	104-153	B overlap 92%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	104-153	B overlap 92%	Staphylococcus aureus
UP_3d571252244f795c04507670	104-153	B overlap 92%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	104-153	B overlap 92%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	116-165	B overlap 92%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	116-165	B overlap 92%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	104-153	B overlap 92%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	104-153	B overlap 92%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	104-153	B overlap 92%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	104-153	B overlap 92%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_321

50 aa | 92.00% best ungapped identity | 4 substitutions | part 5/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_43e1f746e535aaa2728e115e	162-211	B overlap 92%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	104-153	B overlap 92%	Staphylococcus aureus
UP_45e4aaf3fb1330efccb2d949	104-153	B overlap 92%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	104-153	B overlap 92%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	104-153	B overlap 92%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	116-165	B overlap 92%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	104-153	B overlap 92%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	104-153	B overlap 92%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	104-153	B overlap 92%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	104-153	B overlap 92%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	104-153	B overlap 92%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	104-153	B overlap 92%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	104-153	B overlap 92%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	104-153	B overlap 92%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	104-153	B overlap 92%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	104-153	B overlap 92%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_321

50 aa | 92.00% best ungapped identity | 4 substitutions | part 6/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_59a4d124422826b95666ef8a	104-153	B overlap 92%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	104-153	B overlap 92%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	104-153	B overlap 92%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	116-165	B overlap 92%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	104-153	B overlap 92%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	104-153	B overlap 92%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	104-153	B overlap 92%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	104-153	B overlap 92%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	104-153	B overlap 92%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	104-153	B overlap 92%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	104-153	B overlap 92%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	104-153	B overlap 92%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	104-153	B overlap 92%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	104-153	B overlap 92%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	104-153	B overlap 92%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	104-153	B overlap 92%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_321

50 aa | 92.00% best ungapped identity | 4 substitutions | part 7/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_67b157c032f302cca570b203	116-165	B overlap 92%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	104-153	B overlap 92%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	104-153	B overlap 92%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	104-153	B overlap 92%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	104-153	B overlap 92%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	104-153	B overlap 92%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	104-153	B overlap 92%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	104-153	B overlap 92%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	104-153	B overlap 92%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	104-153	B overlap 92%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	104-153	B overlap 92%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	104-153	B overlap 92%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	104-153	B overlap 92%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	104-153	B overlap 92%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	116-165	B overlap 92%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	104-153	B overlap 92%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_321

50 aa | 92.00% best ungapped identity | 4 substitutions | part 8/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_7795fca204a5e78852cf520f	104-153	B overlap 92%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	104-153	B overlap 92%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	104-153	B overlap 92%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	116-165	B overlap 92%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	104-153	B overlap 92%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	99-148	B overlap 92%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	104-153	B overlap 92%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	104-153	B overlap 92%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	104-153	B overlap 92%	Staphylococcus aureus
UP_7f705628d3208506515b3404	104-153	B overlap 92%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	104-153	B overlap 92%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	104-153	B overlap 92%	Staphylococcus aureus
UP_86d09985303304149d93296c	52-101	B overlap 92%	Staphylococcus aureus
UP_87c984f47195a756918038f8	104-153	B overlap 92%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	104-153	B overlap 92%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	104-153	B overlap 92%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_321

50 aa | 92.00% best ungapped identity | 4 substitutions | part 9/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_8ebf15b38a54e71995270aa9	104-153	B overlap 92%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	104-153	B overlap 92%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	104-153	B overlap 92%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	104-153	B overlap 92%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	104-153	B overlap 92%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	104-153	B overlap 92%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	104-153	B overlap 92%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	104-153	B overlap 92%	Staphylococcus aureus
UP_971043b6271e59644756c924	104-153	B overlap 92%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	104-153	B overlap 92%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	104-153	B overlap 92%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	104-153	B overlap 92%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	104-153	B overlap 92%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	104-153	B overlap 92%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	104-153	B overlap 92%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	104-153	B overlap 92%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_321

50 aa | 92.00% best ungapped identity | 4 substitutions | part 10/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	104-153	B overlap 92%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	104-153	B overlap 92%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	116-165	B overlap 92%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	104-153	B overlap 92%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	104-153	B overlap 92%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	104-153	B overlap 92%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	104-153	B overlap 92%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	116-165	B overlap 92%	Staphylococcus aureus
UP_aafb3bf93e81454cf6b62ce	104-153	B overlap 92%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	104-153	B overlap 92%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	104-153	B overlap 92%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	104-153	B overlap 92%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	104-153	B overlap 92%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	104-153	B overlap 92%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	104-153	B overlap 92%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	104-153	B overlap 92%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	116-165	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_321

50 aa | 92.00% best ungapped identity | 4 substitutions | part 11/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_afbcc9c98c455fb3a548a2f1	104-153	B overlap 92%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	104-153	B overlap 92%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	104-153	B overlap 92%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	104-153	B overlap 92%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	104-153	B overlap 92%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	104-153	B overlap 92%	Staphylococcus aureus
UP_b448388f79d88503154c8958	104-153	B overlap 92%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	104-153	B overlap 92%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	104-153	B overlap 92%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	104-153	B overlap 92%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	104-153	B overlap 92%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	116-165	B overlap 92%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	104-153	B overlap 92%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	104-153	B overlap 92%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	104-153	B overlap 92%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	104-153	B overlap 92%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_321

50 aa | 92.00% best ungapped identity | 4 substitutions | part 12/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_c19b2cacfb0fadd8c64def21	104-153	B overlap 92%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	104-153	B overlap 92%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	116-165	B overlap 92%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	116-165	B overlap 92%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	104-153	B overlap 92%	Staphylococcus aureus
UP_c6e58db97616169658087da4	104-153	B overlap 92%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	104-153	B overlap 92%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	104-153	B overlap 92%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	104-153	B overlap 92%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	104-153	B overlap 92%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	104-153	B overlap 92%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	104-153	B overlap 92%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	104-153	B overlap 92%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	104-153	B overlap 92%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	104-153	B overlap 92%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	116-165	B overlap 92%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_321

50 aa | 92.00% best ungapped identity | 4 substitutions | part 13/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_d389de07164bf1f90f2d9716	104-153	B overlap 92%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	104-153	B overlap 92%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	104-153	B overlap 92%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d7a61917e251e0f799ce2cd3	104-153	B overlap 92%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	104-153	B overlap 92%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	104-153	B overlap 92%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	104-153	B overlap 92%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	104-153	B overlap 92%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	104-153	B overlap 92%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	104-153	B overlap 92%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	104-153	B overlap 92%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	104-153	B overlap 92%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	104-153	B overlap 92%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	104-153	B overlap 92%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	104-153	B overlap 92%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	104-153	B overlap 92%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_321

50 aa | 92.00% best ungapped identity | 4 substitutions | part 14/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||.....
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_e35673697002755fd8bfbf21	116-165	B overlap 92%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	104-153	B overlap 92%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	116-165	B overlap 92%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	116-165	B overlap 92%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	104-153	B overlap 92%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	104-153	B overlap 92%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	104-153	B overlap 92%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	104-153	B overlap 92%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	104-153	B overlap 92%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	104-153	B overlap 92%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	104-153	B overlap 92%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	104-153	B overlap 92%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	104-153	B overlap 92%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	104-153	B overlap 92%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	104-153	B overlap 92%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	104-153	B overlap 92%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_321

50 aa | 92.00% best ungapped identity | 4 substitutions | part 15/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_f71b012850e63ea4fb4e7851	104-153	B overlap 92%	Staphylococcus aureus
UP_f85095abf436c388206c5124	104-153	B overlap 92%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	104-153	B overlap 92%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	104-153	B overlap 92%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	104-153	B overlap 92%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

60 aa | 93.33% best ungapped identity | 4 substitutions | part 1/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	93-152	B overlap 88%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	93-152	B overlap 88%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	93-152	B overlap 88%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	93-152	B overlap 88%	Staphylococcus aureus
UP_04faae54d75da101458d937d	93-152	B overlap 88%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	93-152	B overlap 88%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	93-152	B overlap 88%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	93-152	B overlap 88%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	93-152	B overlap 88%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	93-152	B overlap 88%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	93-152	B overlap 88%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	93-152	B overlap 88%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	93-152	B overlap 88%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	93-152	B overlap 88%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	93-152	B overlap 88%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	93-152	B overlap 88%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	105-164	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 93.33% best ungapped identity | 4 substitutions | part 2/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_1320c3a44aa32eaab329067c	93-152	B overlap 88%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	93-152	B overlap 88%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	93-152	B overlap 88%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	93-152	B overlap 88%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	93-152	B overlap 88%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	93-152	B overlap 88%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	93-152	B overlap 88%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	93-152	B overlap 88%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	93-152	B overlap 88%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	93-152	B overlap 88%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	93-152	B overlap 88%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	93-152	B overlap 88%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	93-152	B overlap 88%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	93-152	B overlap 88%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	93-152	B overlap 88%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	93-152	B overlap 88%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_322

60 aa | 93.33% best ungapped identity | 4 substitutions | part 3/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_29750953a09e57a87c7dae67	93-152	B overlap 88%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	93-152	B overlap 88%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	93-152	B overlap 88%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	93-152	B overlap 88%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	93-152	B overlap 88%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	93-152	B overlap 88%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	93-152	B overlap 88%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	93-152	B overlap 88%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	93-152	B overlap 88%	Staphylococcus aureus
UP_369376855189ded07861b56b	93-152	B overlap 88%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	93-152	B overlap 88%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	93-152	B overlap 88%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	93-152	B overlap 88%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	93-152	B overlap 88%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	93-152	B overlap 88%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	93-152	B overlap 88%	Staphylococcus aureus
UP_3d571252244f795c04507670	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 93.33% best ungapped identity | 4 substitutions | part 4/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_3d709a118b2e3fa7ce83d3cb	93-152	B overlap 88%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	105-164	B overlap 88%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	93-152	B overlap 88%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	93-152	B overlap 88%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	93-152	B overlap 88%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	93-152	B overlap 88%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	93-152	B overlap 88%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	93-152	B overlap 88%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	93-152	B overlap 88%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	93-152	B overlap 88%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	93-152	B overlap 88%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	105-164	B overlap 88%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	93-152	B overlap 88%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	93-152	B overlap 88%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	93-152	B overlap 88%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	93-152	B overlap 88%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_322

60 aa | 93.33% best ungapped identity | 4 substitutions | part 5/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_549e2ac62132d0bd32cea7ca	93-152	B overlap 88%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	93-152	B overlap 88%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	93-152	B overlap 88%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	93-152	B overlap 88%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	93-152	B overlap 88%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	93-152	B overlap 88%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	93-152	B overlap 88%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	93-152	B overlap 88%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	93-152	B overlap 88%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	105-164	B overlap 88%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	93-152	B overlap 88%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	93-152	B overlap 88%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	93-152	B overlap 88%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	93-152	B overlap 88%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	93-152	B overlap 88%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	93-152	B overlap 88%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 93.33% best ungapped identity | 4 substitutions | part 6/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_649aef15e2ae8a296e72350f	93-152	B overlap 88%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	93-152	B overlap 88%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	93-152	B overlap 88%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	93-152	B overlap 88%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	93-152	B overlap 88%	Staphylococcus aureus
UP_67b157c032f302cca570b203	105-164	B overlap 88%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	93-152	B overlap 88%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	93-152	B overlap 88%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	93-152	B overlap 88%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	93-152	B overlap 88%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	93-152	B overlap 88%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	93-152	B overlap 88%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	93-152	B overlap 88%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	93-152	B overlap 88%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	93-152	B overlap 88%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	93-152	B overlap 88%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 93.33% best ungapped identity | 4 substitutions | part 7/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKL NESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL NESQAP

All equally best ungapped sites on this page

UP_728122342f84c9b8787f4a69	105-164	B overlap 88%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	93-152	B overlap 88%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	93-152	B overlap 88%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	93-152	B overlap 88%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	93-152	B overlap 88%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	93-152	B overlap 88%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	105-164	B overlap 88%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	93-152	B overlap 88%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	88-147	B overlap 88%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	93-152	B overlap 88%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	93-152	B overlap 88%	Staphylococcus aureus
UP_7f705628d3208506515b3404	93-152	B overlap 88%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	93-152	B overlap 88%	Staphylococcus aureus
UP_86d09985303304149d93296c	41-100	B overlap 88%	Staphylococcus aureus
UP_87c984f47195a756918038f8	93-152	B overlap 88%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	93-152	B overlap 88%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 93.33% best ungapped identity | 4 substitutions | part 8/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNE SQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_88f858d06848fb1195a19f07	93-152	B overlap 88%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	93-152	B overlap 88%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	93-152	B overlap 88%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	93-152	B overlap 88%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	93-152	B overlap 88%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	93-152	B overlap 88%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	93-152	B overlap 88%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	93-152	B overlap 88%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	93-152	B overlap 88%	Staphylococcus aureus
UP_971043b6271e59644756c924	93-152	B overlap 88%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	93-152	B overlap 88%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	93-152	B overlap 88%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	93-152	B overlap 88%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	93-152	B overlap 88%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	93-152	B overlap 88%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	93-152	B overlap 88%	Staphylococcus aureus
UP_alc16686cb18780db1e61843	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 93.33% best ungapped identity | 4 substitutions | part 9/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNE SQAP
|||||
Parent ADAQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	93-152	B overlap 88%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	93-152	B overlap 88%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	105-164	B overlap 88%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	93-152	B overlap 88%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	93-152	B overlap 88%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	93-152	B overlap 88%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	93-152	B overlap 88%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	105-164	B overlap 88%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	93-152	B overlap 88%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	93-152	B overlap 88%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	93-152	B overlap 88%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	93-152	B overlap 88%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	93-152	B overlap 88%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	93-152	B overlap 88%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	93-152	B overlap 88%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	93-152	B overlap 88%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	105-164	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 93.33% best ungapped identity | 4 substitutions | part 10/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_afbcc9c98c455fb3a548a2f1	93-152	B overlap 88%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	93-152	B overlap 88%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	93-152	B overlap 88%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	93-152	B overlap 88%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	93-152	B overlap 88%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	93-152	B overlap 88%	Staphylococcus aureus
UP_b448388f79d88503154c8958	93-152	B overlap 88%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	93-152	B overlap 88%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	93-152	B overlap 88%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	93-152	B overlap 88%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	93-152	B overlap 88%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	105-164	B overlap 88%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	93-152	B overlap 88%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	93-152	B overlap 88%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	93-152	B overlap 88%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	93-152	B overlap 88%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	105-164	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_322

60 aa | 93.33% best ungapped identity | 4 substitutions | part 11/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_c5e65e48f1e55f63860af521	105-164	B overlap 88%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	93-152	B overlap 88%	Staphylococcus aureus
UP_c6e58db97616169658087da4	93-152	B overlap 88%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	93-152	B overlap 88%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	93-152	B overlap 88%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	93-152	B overlap 88%	Staphylococcus aureus
UP_cd42d745d221a99aeeeb0b940	93-152	B overlap 88%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	93-152	B overlap 88%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	93-152	B overlap 88%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	93-152	B overlap 88%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	105-164	B overlap 88%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcac	93-152	B overlap 88%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	93-152	B overlap 88%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	93-152	B overlap 88%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	93-152	B overlap 88%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	93-152	B overlap 88%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_322

60 aa | 93.33% best ungapped identity | 4 substitutions | part 12/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKL NESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL NESQAP

All equally best ungapped sites on this page

UP_ddcc25ff5408d54d5c32163f	93-152	B overlap 88%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	93-152	B overlap 88%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	93-152	B overlap 88%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbab69	93-152	B overlap 88%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	93-152	B overlap 88%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	93-152	B overlap 88%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	93-152	B overlap 88%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	93-152	B overlap 88%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	93-152	B overlap 88%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	93-152	B overlap 88%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	93-152	B overlap 88%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	105-164	B overlap 88%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	93-152	B overlap 88%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	105-164	B overlap 88%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	105-164	B overlap 88%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	93-152	B overlap 88%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_322

60 aa | 93.33% best ungapped identity | 4 substitutions | part 13/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVRCSDKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_e6cd4f97cbff47488f070d32	93-152	B overlap 88%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	93-152	B overlap 88%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	93-152	B overlap 88%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	93-152	B overlap 88%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	93-152	B overlap 88%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	93-152	B overlap 88%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	93-152	B overlap 88%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	93-152	B overlap 88%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	93-152	B overlap 88%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	93-152	B overlap 88%	Staphylococcus aureus
UP_f85095abf436c388206c5124	93-152	B overlap 88%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	93-152	B overlap 88%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	93-152	B overlap 88%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	93-152	B overlap 88%	Staphylococcus aureus
UP_ffc5b205486d979b47f1e25f	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_324

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYIILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	98-153	B overlap 93%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	98-153	B overlap 93%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	98-153	B overlap 93%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	98-153	B overlap 93%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	98-153	B overlap 93%	Staphylococcus aureus
UP_04faae54d75da101458d937d	98-153	B overlap 93%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	98-153	B overlap 93%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	98-153	B overlap 93%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	98-153	B overlap 93%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	98-153	B overlap 93%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	98-153	B overlap 93%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	98-153	B overlap 93%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	98-153	B overlap 93%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	98-153	B overlap 93%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	98-153	B overlap 93%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	98-153	B overlap 93%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_324

56 aa | 98.21% best ungapped identity | 1 substitutions | part 2/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_11ef8762e0d1f699cca11a72	98-153	B overlap 93%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	110-165	B overlap 93%	Staphylococcus aureus
UP_1320c3a44aa32eab329067c	98-153	B overlap 93%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	98-153	B overlap 93%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	98-153	B overlap 93%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	98-153	B overlap 93%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	98-153	B overlap 93%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	98-153	B overlap 93%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	98-153	B overlap 93%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	98-153	B overlap 93%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	98-153	B overlap 93%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	98-153	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	98-153	B overlap 93%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	98-153	B overlap 93%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	98-153	B overlap 93%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	98-153	B overlap 93%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_324

56 aa | 98.21% best ungapped identity | 1 substitutions | part 3/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_25a25a50af6d82d022c1bc30	98-153	B overlap 93%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	98-153	B overlap 93%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	98-153	B overlap 93%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	98-153	B overlap 93%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	98-153	B overlap 93%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	98-153	B overlap 93%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	98-153	B overlap 93%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	98-153	B overlap 93%	Staphylococcus aureus
UP_2def648691a179d8337edb84	52-107	B overlap 93%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	98-153	B overlap 93%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	98-153	B overlap 93%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	98-153	B overlap 93%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	98-153	B overlap 93%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	98-153	B overlap 93%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	98-153	B overlap 93%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	98-153	B overlap 93%	Staphylococcus schweitzeri
UP_369376855189ded07861b56b	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_324

56 aa | 98.21% best ungapped identity | 1 substitutions | part 4/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYIILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_3857b73b64bcc8ece5dac794	98-153	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	98-153	B overlap 93%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	98-153	B overlap 93%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	98-153	B overlap 93%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	98-153	B overlap 93%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	98-153	B overlap 93%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	98-153	B overlap 93%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	98-153	B overlap 93%	Staphylococcus aureus
UP_3d571252244f795c04507670	98-153	B overlap 93%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	98-153	B overlap 93%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	110-165	B overlap 93%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	110-165	B overlap 93%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	98-153	B overlap 93%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	98-153	B overlap 93%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	98-153	B overlap 93%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	98-153	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_324

56 aa | 98.21% best ungapped identity | 1 substitutions | part 5/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYIILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_43e1f746e535aaa2728e115e	156-211	B overlap 93%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	98-153	B overlap 93%	Staphylococcus aureus
UP_45e4aaf3fb1330efccb2d949	98-153	B overlap 93%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	98-153	B overlap 93%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	98-153	B overlap 93%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	110-165	B overlap 93%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	98-153	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	98-153	B overlap 93%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	98-153	B overlap 93%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	98-153	B overlap 93%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	98-153	B overlap 93%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	98-153	B overlap 93%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	98-153	B overlap 93%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	98-153	B overlap 93%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	98-153	B overlap 93%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	98-153	B overlap 93%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_324

56 aa | 98.21% best ungapped identity | 1 substitutions | part 6/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYIELNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_59a4d124422826b95666ef8a	98-153	B overlap 93%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	98-153	B overlap 93%	Staphylococcus aureus
UP_5c006ddddf8fa9ce5cac1b28	98-153	B overlap 93%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	110-165	B overlap 93%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	98-153	B overlap 93%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	98-153	B overlap 93%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	98-153	B overlap 93%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	98-153	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	98-153	B overlap 93%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	98-153	B overlap 93%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	98-153	B overlap 93%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	98-153	B overlap 93%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	98-153	B overlap 93%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbbdd	98-153	B overlap 93%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	98-153	B overlap 93%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	98-153	B overlap 93%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_324

56 aa | 98.21% best ungapped identity | 1 substitutions | part 7/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYIILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_67b157c032f302cca570b203	110-165	B overlap 93%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	98-153	B overlap 93%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	98-153	B overlap 93%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	98-153	B overlap 93%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	98-153	B overlap 93%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	98-153	B overlap 93%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	98-153	B overlap 93%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	98-153	B overlap 93%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	98-153	B overlap 93%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	98-153	B overlap 93%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	98-153	B overlap 93%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	98-153	B overlap 93%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	98-153	B overlap 93%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	98-153	B overlap 93%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	110-165	B overlap 93%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	98-153	B overlap 93%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_324

56 aa | 98.21% best ungapped identity | 1 substitutions | part 8/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_7795fca204a5e78852cf520f	98-153	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	98-153	B overlap 93%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	98-153	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	110-165	B overlap 93%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	98-153	B overlap 93%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	93-148	B overlap 93%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	98-153	B overlap 93%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	98-153	B overlap 93%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	98-153	B overlap 93%	Staphylococcus aureus
UP_7f705628d3208506515b3404	98-153	B overlap 93%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	98-153	B overlap 93%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	98-153	B overlap 93%	Staphylococcus aureus
UP_86d09985303304149d93296c	46-101	B overlap 93%	Staphylococcus aureus
UP_87c984f47195a756918038f8	98-153	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	98-153	B overlap 93%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	98-153	B overlap 93%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_324

56 aa | 98.21% best ungapped identity | 1 substitutions | part 9/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_8ebf15b38a54e71995270aa9	98-153	B overlap 93%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	98-153	B overlap 93%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	98-153	B overlap 93%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	98-153	B overlap 93%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	98-153	B overlap 93%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	98-153	B overlap 93%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	98-153	B overlap 93%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	98-153	B overlap 93%	Staphylococcus aureus
UP_971043b6271e59644756c924	98-153	B overlap 93%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	98-153	B overlap 93%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	98-153	B overlap 93%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	98-153	B overlap 93%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	98-153	B overlap 93%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	98-153	B overlap 93%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	98-153	B overlap 93%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	98-153	B overlap 93%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_324

56 aa | 98.21% best ungapped identity | 1 substitutions | part 10/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYIILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	98-153	B overlap 93%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	98-153	B overlap 93%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	110-165	B overlap 93%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	98-153	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	98-153	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	98-153	B overlap 93%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	98-153	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	110-165	B overlap 93%	Staphylococcus aureus
UP_aafb3bf93e81454cf6b62ce	98-153	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	98-153	B overlap 93%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	98-153	B overlap 93%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	98-153	B overlap 93%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	98-153	B overlap 93%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	98-153	B overlap 93%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	98-153	B overlap 93%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	98-153	B overlap 93%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	110-165	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_324

56 aa | 98.21% best ungapped identity | 1 substitutions | part 11/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYIILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_afbcc9c98c455fb3a548a2f1	98-153	B overlap 93%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	98-153	B overlap 93%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	98-153	B overlap 93%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	98-153	B overlap 93%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	98-153	B overlap 93%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	98-153	B overlap 93%	Staphylococcus aureus
UP_b448388f79d88503154c8958	98-153	B overlap 93%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	98-153	B overlap 93%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	98-153	B overlap 93%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	98-153	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	98-153	B overlap 93%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	110-165	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	98-153	B overlap 93%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	98-153	B overlap 93%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	98-153	B overlap 93%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	98-153	B overlap 93%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_324

56 aa | 98.21% best ungapped identity | 1 substitutions | part 12/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYIILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_c19b2cacfb0fadd8c64def21	98-153	B overlap 93%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	98-153	B overlap 93%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	110-165	B overlap 93%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	110-165	B overlap 93%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	98-153	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	98-153	B overlap 93%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	98-153	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	98-153	B overlap 93%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	98-153	B overlap 93%	Staphylococcus aureus
UP_cd42d745d221a99aeeee0b940	98-153	B overlap 93%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	98-153	B overlap 93%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	98-153	B overlap 93%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	98-153	B overlap 93%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	98-153	B overlap 93%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	98-153	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	110-165	B overlap 93%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_324

56 aa | 98.21% best ungapped identity | 1 substitutions | part 13/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_d389de07164bf1f90f2d9716	98-153	B overlap 93%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	98-153	B overlap 93%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	98-153	B overlap 93%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d7a61917e251e0f799ce2cd3	98-153	B overlap 93%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	98-153	B overlap 93%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	98-153	B overlap 93%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	98-153	B overlap 93%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	98-153	B overlap 93%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	98-153	B overlap 93%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	98-153	B overlap 93%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	98-153	B overlap 93%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	98-153	B overlap 93%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	98-153	B overlap 93%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	98-153	B overlap 93%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	98-153	B overlap 93%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	98-153	B overlap 93%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_324

56 aa | 98.21% best ungapped identity | 1 substitutions | part 14/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_e35673697002755fd8bfbf21	110-165	B overlap 93%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	98-153	B overlap 93%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	110-165	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	110-165	B overlap 93%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	98-153	B overlap 93%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	98-153	B overlap 93%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	98-153	B overlap 93%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	98-153	B overlap 93%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	98-153	B overlap 93%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	98-153	B overlap 93%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	98-153	B overlap 93%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	98-153	B overlap 93%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	98-153	B overlap 93%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	98-153	B overlap 93%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	98-153	B overlap 93%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	98-153	B overlap 93%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_324

56 aa | 98.21% best ungapped identity | 1 substitutions | part 15/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYIILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_f71b012850e63ea4fb4e7851	98-153	B overlap 93%	Staphylococcus aureus
UP_f85095abf436c388206c5124	98-153	B overlap 93%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	98-153	B overlap 93%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	98-153	B overlap 93%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	98-153	B overlap 93%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_325

48 aa | 97.92% best ungapped identity | 1 substitutions | part 1/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query NAFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
 ||||·|
Parent NAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	45-92	B overlap 92%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	45-92	B overlap 92%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	45-92	B overlap 92%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	45-92	B overlap 92%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	45-92	B overlap 92%	Staphylococcus aureus
UP_04faae54d75da101458d937d	45-92	B overlap 92%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	45-92	B overlap 92%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	45-92	B overlap 92%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	45-92	B overlap 92%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	45-92	B overlap 92%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	45-92	B overlap 92%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	45-92	B overlap 92%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	45-92	B overlap 92%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	45-92	B overlap 92%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	45-92	B overlap 92%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	45-92	B overlap 92%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	45-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_325

48 aa | 97.92% best ungapped identity | 1 substitutions | part 2/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query NAFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
||||.|||||
Parent NAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_127db86243730a6f9df4e8bd	57-104	B overlap 92%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	45-92	B overlap 92%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	45-92	B overlap 92%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	45-92	B overlap 92%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	45-92	B overlap 92%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	45-92	B overlap 92%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	45-92	B overlap 92%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	45-92	B overlap 92%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	45-92	B overlap 92%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	45-92	B overlap 92%	Staphylococcus aureus
UP_1f0c143935bf9440a4d0dd38	45-92	B overlap 92%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	45-92	B overlap 92%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	45-92	B overlap 92%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	45-92	B overlap 92%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	45-92	B overlap 92%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	45-92	B overlap 92%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	45-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_325

48 aa | 97.92% best ungapped identity | 1 substitutions | part 3/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query NAFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
||||.|||||
Parent NAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_29064a9961a975f454e1d6b1	45-92	B overlap 92%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	45-92	B overlap 92%	Staphylococcus aureus
UP_29da8f2bf1e86de36a87930b	45-92	B overlap 92%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	45-92	B overlap 92%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	45-92	B overlap 92%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	45-92	B overlap 92%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	45-92	B overlap 92%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	45-92	B overlap 92%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	45-92	B overlap 92%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	45-92	B overlap 92%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	45-92	B overlap 92%	Staphylococcus aureus
UP_369376855189ded07861b56b	45-92	B overlap 92%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	45-92	B overlap 92%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	45-92	B overlap 92%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	45-92	B overlap 92%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	45-92	B overlap 92%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	45-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_325

48 aa | 97.92% best ungapped identity | 1 substitutions | part 4/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query NAFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
||||.|||||
Parent NAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_3d571252244f795c04507670	45-92	B overlap 92%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	45-92	B overlap 92%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	57-104	B overlap 92%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	45-92	B overlap 92%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	45-92	B overlap 92%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	45-92	B overlap 92%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	45-92	B overlap 92%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	45-92	B overlap 92%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	45-92	B overlap 92%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	45-92	B overlap 92%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	45-92	B overlap 92%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	45-92	B overlap 92%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	57-104	B overlap 92%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	45-92	B overlap 92%	Staphylococcus aureus
UP_4a99a68bca225a34c1ac63f	45-92	B overlap 92%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	45-92	B overlap 92%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	45-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_325

48 aa | 97.92% best ungapped identity | 1 substitutions | part 5/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query NAFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
||||.|||||
Parent NAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_4c1fd99d56c771d3922e9759	45-92	B overlap 92%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	45-92	B overlap 92%	Staphylococcus aureus
UP_4cf67d66a141116ecdb88412	57-104	B overlap 92%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	45-92	B overlap 92%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	45-92	B overlap 92%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	45-92	B overlap 92%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	45-92	B overlap 92%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	45-92	B overlap 92%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	45-92	B overlap 92%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	45-92	B overlap 92%	Staphylococcus aureus
UP_5c006ddddf8fa9ce5cac1b28	45-92	B overlap 92%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	57-104	B overlap 92%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	45-92	B overlap 92%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	45-92	B overlap 92%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	45-92	B overlap 92%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	45-92	B overlap 92%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	45-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_325

48 aa | 97.92% best ungapped identity | 1 substitutions | part 6/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query NAFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
||||.|||||
Parent NAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_60b825dd9a4e560b2cee9750	45-92	B overlap 92%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	57-104	B overlap 92%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	45-92	B overlap 92%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	45-92	B overlap 92%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	45-92	B overlap 92%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	45-92	B overlap 92%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	45-92	B overlap 92%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	45-92	B overlap 92%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	45-92	B overlap 92%	Staphylococcus aureus
UP_67b157c032f302cca570b203	57-104	B overlap 92%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	45-92	B overlap 92%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	45-92	B overlap 92%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	45-92	B overlap 92%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	45-92	B overlap 92%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	45-92	B overlap 92%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	45-92	B overlap 92%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	57-104	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

48 aa | 97.92% best ungapped identity | 1 substitutions | part 7/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query NAFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||.|||

Parent NAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_6d9da94581db0938331cd2b3	45-92	B overlap 92%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	45-92	B overlap 92%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	45-92	B overlap 92%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	57-104	B overlap 92%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	45-92	B overlap 92%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	45-92	B overlap 92%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	45-92	B overlap 92%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	45-92	B overlap 92%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	45-92	B overlap 92%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	45-92	B overlap 92%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	45-92	B overlap 92%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	45-92	B overlap 92%	Staphylococcus aureus
UP_79e0b1d188807716a8d270a0	45-92	B overlap 92%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	57-104	B overlap 92%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	45-92	B overlap 92%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	40-87	B overlap 92%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	45-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_325

48 aa | 97.92% best ungapped identity | 1 substitutions | part 8/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query NAFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
||||.|||||||||||||||||||||||||||||||||||||||
Parent NAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_7d479adc0e68c632662d57f1	45-92	B overlap 92%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	45-92	B overlap 92%	Staphylococcus aureus
UP_7f705628d3208506515b3404	45-92	B overlap 92%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	45-92	B overlap 92%	Staphylococcus aureus
UP_87c984f47195a756918038f8	45-92	B overlap 92%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	45-92	B overlap 92%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	45-92	B overlap 92%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	45-92	B overlap 92%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	45-92	B overlap 92%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	45-92	B overlap 92%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	45-92	B overlap 92%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	45-92	B overlap 92%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	45-92	B overlap 92%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	45-92	B overlap 92%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	45-92	B overlap 92%	Staphylococcus aureus
UP_91eb16918889951219e50a73	45-92	B overlap 92%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	45-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_325

48 aa | 97.92% best ungapped identity | 1 substitutions | part 9/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query NAFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
||||.|||||
Parent NAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_92c2016d0a6d348ed68d0735	45-92	B overlap 92%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	45-92	B overlap 92%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	45-92	B overlap 92%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	45-92	B overlap 92%	Staphylococcus aureus
UP_94875a270e702e9733c65c20	45-92	B overlap 92%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	45-92	B overlap 92%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	45-92	B overlap 92%	Staphylococcus aureus
UP_971043b6271e59644756c924	45-92	B overlap 92%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	45-92	B overlap 92%	Staphylococcus aureus
UP_97e42757ac273b6b51241624	45-92	B overlap 92%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	45-92	B overlap 92%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	45-92	B overlap 92%	Staphylococcus aureus
UP_9cdee1761c3bb0284a50f196	57-104	B overlap 92%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	45-92	B overlap 92%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	45-92	B overlap 92%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	45-92	B overlap 92%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	45-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_325

48 aa | 97.92% best ungapped identity | 1 substitutions | part 10/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query NAFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
||||.|||||
Parent NAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_a1c16686cb18780db1e61843	45-92	B overlap 92%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	45-92	B overlap 92%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	45-92	B overlap 92%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	45-92	B overlap 92%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	57-104	B overlap 92%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	45-92	B overlap 92%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	45-92	B overlap 92%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	45-92	B overlap 92%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	45-92	B overlap 92%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	45-92	B overlap 92%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	57-104	B overlap 92%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	45-92	B overlap 92%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	45-92	B overlap 92%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	45-92	B overlap 92%	Staphylococcus aureus
UP_ad44964a13a988ebe08c8ee1	45-92	B overlap 92%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	45-92	B overlap 92%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	45-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_325

48 aa | 97.92% best ungapped identity | 1 substitutions | part 11/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query NAFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
||||.|||||
Parent NAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_adfdd12a6d4abde69ea98d50	45-92	B overlap 92%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	45-92	B overlap 92%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	45-92	B overlap 92%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	45-92	B overlap 92%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	45-92	B overlap 92%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	45-92	B overlap 92%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	57-104	B overlap 92%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	45-92	B overlap 92%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	56-103	B overlap 92%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	45-92	B overlap 92%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	45-92	B overlap 92%	Staphylococcus aureus
UP_b1b6527c392edca51eae006	45-92	B overlap 92%	Staphylococcus aureus
UP_b1ccbcb665058d4e6104b0dc	45-92	B overlap 92%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	45-92	B overlap 92%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	45-92	B overlap 92%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	45-92	B overlap 92%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	45-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_325

48 aa | 97.92% best ungapped identity | 1 substitutions | part 12/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query NAFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
||||·|||||
Parent NAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_b6e4af4642c11f9cbf3740d3	45-92	B overlap 92%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	45-92	B overlap 92%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	45-92	B overlap 92%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	45-92	B overlap 92%	Staphylococcus aureus
UP_ba9a53de95075c778cf3942f	45-92	B overlap 92%	Staphylococcus aureus
UP_bb14cd4e731365d1a25a797f	45-92	B overlap 92%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	57-104	B overlap 92%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	45-92	B overlap 92%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	45-92	B overlap 92%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	45-92	B overlap 92%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	45-92	B overlap 92%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	45-92	B overlap 92%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	45-92	B overlap 92%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	57-104	B overlap 92%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	57-104	B overlap 92%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	45-92	B overlap 92%	Staphylococcus aureus
UP_c6e58db97616169658087da4	45-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_325

48 aa | 97.92% best ungapped identity | 1 substitutions | part 13/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query NAFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
||||.|||||
Parent NAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_c70b93d4a66fc12e2077f819	45-92	B overlap 92%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	45-92	B overlap 92%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	45-92	B overlap 92%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	45-92	B overlap 92%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	45-92	B overlap 92%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	45-92	B overlap 92%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	45-92	B overlap 92%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	45-92	B overlap 92%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	57-104	B overlap 92%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	45-92	B overlap 92%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	45-92	B overlap 92%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	45-92	B overlap 92%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	45-92	B overlap 92%	Staphylococcus aureus
UP_d5b345437142d9cf807db25d	45-92	B overlap 92%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	45-92	B overlap 92%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	45-92	B overlap 92%	Staphylococcus aureus
UP_db4dfda598bef7013ceb3dbc	45-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_325

48 aa | 97.92% best ungapped identity | 1 substitutions | part 14/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query NAFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
||||.|||||
Parent NAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_dc8311c36f77892ca9e35f2e	45-92	B overlap 92%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	45-92	B overlap 92%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	45-92	B overlap 92%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	45-92	B overlap 92%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	45-92	B overlap 92%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	45-92	B overlap 92%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	45-92	B overlap 92%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	45-92	B overlap 92%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	45-92	B overlap 92%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	45-92	B overlap 92%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	45-92	B overlap 92%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	57-104	B overlap 92%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	45-92	B overlap 92%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	45-92	B overlap 92%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	57-104	B overlap 92%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	57-104	B overlap 92%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	45-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_325

48 aa | 97.92% best ungapped identity | 1 substitutions | part 15/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query NAFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
 ||||.|||||
Parent NAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_e59ad94e67fec4f53d6abdba	45-92	B overlap 92%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	45-92	B overlap 92%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	45-92	B overlap 92%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	45-92	B overlap 92%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	45-92	B overlap 92%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	45-92	B overlap 92%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	45-92	B overlap 92%	Staphylococcus aureus
UP_edaaa2299783d537504a97ff	57-104	B overlap 92%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	45-92	B overlap 92%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	45-92	B overlap 92%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	45-92	B overlap 92%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	45-92	B overlap 92%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	45-92	B overlap 92%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	45-92	B overlap 92%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	45-92	B overlap 92%	Staphylococcus aureus
UP_f6c81f1ef152502d327f40dc	45-92	B overlap 92%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	45-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_325

48 aa | 97.92% best ungapped identity | 1 substitutions | part 16/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query NAFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
 ||||·|
Parent NAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_f7ff8e7a025b9d0597c8c149	57-104	B overlap 92%	Staphylococcus aureus
UP_f85095abf436c388206c5124	45-92	B overlap 92%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	45-92	B overlap 92%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	45-92	B overlap 92%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	45-92	B overlap 92%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	45-92	B overlap 92%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	45-92	B overlap 92%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	45-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_329

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	104-153	B overlap 92%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	104-153	B overlap 92%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	104-153	B overlap 92%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	104-153	B overlap 92%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	104-153	B overlap 92%	Staphylococcus aureus
UP_04faae54d75da101458d937d	104-153	B overlap 92%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	104-153	B overlap 92%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	104-153	B overlap 92%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	104-153	B overlap 92%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	104-153	B overlap 92%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	104-153	B overlap 92%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	104-153	B overlap 92%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	104-153	B overlap 92%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	104-153	B overlap 92%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	104-153	B overlap 92%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	104-153	B overlap 92%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_329

50 aa | 98.00% best ungapped identity | 1 substitutions | part 2/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_11ef8762e0d1f699cca11a72	104-153	B overlap 92%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	116-165	B overlap 92%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	104-153	B overlap 92%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	104-153	B overlap 92%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	104-153	B overlap 92%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	104-153	B overlap 92%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	104-153	B overlap 92%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	104-153	B overlap 92%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	104-153	B overlap 92%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	104-153	B overlap 92%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	104-153	B overlap 92%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	104-153	B overlap 92%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	104-153	B overlap 92%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	104-153	B overlap 92%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	104-153	B overlap 92%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	104-153	B overlap 92%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_329

50 aa | 98.00% best ungapped identity | 1 substitutions | part 3/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_25a25a50af6d82d022c1bc30	104-153	B overlap 92%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	104-153	B overlap 92%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	104-153	B overlap 92%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	104-153	B overlap 92%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	104-153	B overlap 92%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	104-153	B overlap 92%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	104-153	B overlap 92%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	104-153	B overlap 92%	Staphylococcus aureus
UP_2def648691a179d8337edb84	58-107	B overlap 92%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	104-153	B overlap 92%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	104-153	B overlap 92%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	104-153	B overlap 92%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	104-153	B overlap 92%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	104-153	B overlap 92%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	104-153	B overlap 92%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	104-153	B overlap 92%	Staphylococcus schweitzeri
UP_369376855189ded07861b56b	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_329

50 aa | 98.00% best ungapped identity | 1 substitutions | part 4/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_3857b73b64bcc8ece5dac794	104-153	B overlap 92%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	104-153	B overlap 92%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	104-153	B overlap 92%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	104-153	B overlap 92%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	104-153	B overlap 92%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	104-153	B overlap 92%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	104-153	B overlap 92%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	104-153	B overlap 92%	Staphylococcus aureus
UP_3d571252244f795c04507670	104-153	B overlap 92%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	104-153	B overlap 92%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	116-165	B overlap 92%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	116-165	B overlap 92%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	104-153	B overlap 92%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	104-153	B overlap 92%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	104-153	B overlap 92%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	104-153	B overlap 92%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_329

50 aa | 98.00% best ungapped identity | 1 substitutions | part 5/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_43e1f746e535aaa2728e115e	162-211	B overlap 92%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	104-153	B overlap 92%	Staphylococcus aureus
UP_45e4aaf3fb1330efccb2d949	104-153	B overlap 92%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	104-153	B overlap 92%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	104-153	B overlap 92%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	116-165	B overlap 92%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	104-153	B overlap 92%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	104-153	B overlap 92%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	104-153	B overlap 92%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	104-153	B overlap 92%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	104-153	B overlap 92%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	104-153	B overlap 92%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	104-153	B overlap 92%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	104-153	B overlap 92%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	104-153	B overlap 92%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	104-153	B overlap 92%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_329

50 aa | 98.00% best ungapped identity | 1 substitutions | part 6/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_59a4d124422826b95666ef8a	104-153	B overlap 92%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	104-153	B overlap 92%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	104-153	B overlap 92%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	116-165	B overlap 92%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	104-153	B overlap 92%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	104-153	B overlap 92%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	104-153	B overlap 92%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	104-153	B overlap 92%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	104-153	B overlap 92%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	104-153	B overlap 92%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	104-153	B overlap 92%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	104-153	B overlap 92%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	104-153	B overlap 92%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	104-153	B overlap 92%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	104-153	B overlap 92%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	104-153	B overlap 92%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_329

50 aa | 98.00% best ungapped identity | 1 substitutions | part 7/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_67b157c032f302cca570b203	116-165	B overlap 92%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	104-153	B overlap 92%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	104-153	B overlap 92%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	104-153	B overlap 92%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	104-153	B overlap 92%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	104-153	B overlap 92%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	104-153	B overlap 92%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	104-153	B overlap 92%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	104-153	B overlap 92%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	104-153	B overlap 92%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	104-153	B overlap 92%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	104-153	B overlap 92%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	104-153	B overlap 92%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	104-153	B overlap 92%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	116-165	B overlap 92%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	104-153	B overlap 92%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_329

50 aa | 98.00% best ungapped identity | 1 substitutions | part 8/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_7795fca204a5e78852cf520f	104-153	B overlap 92%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	104-153	B overlap 92%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	104-153	B overlap 92%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	116-165	B overlap 92%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	104-153	B overlap 92%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	99-148	B overlap 92%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	104-153	B overlap 92%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	104-153	B overlap 92%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	104-153	B overlap 92%	Staphylococcus aureus
UP_7f705628d3208506515b3404	104-153	B overlap 92%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	104-153	B overlap 92%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	104-153	B overlap 92%	Staphylococcus aureus
UP_86d09985303304149d93296c	52-101	B overlap 92%	Staphylococcus aureus
UP_87c984f47195a756918038f8	104-153	B overlap 92%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	104-153	B overlap 92%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	104-153	B overlap 92%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_329

50 aa | 98.00% best ungapped identity | 1 substitutions | part 9/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_8ebf15b38a54e71995270aa9	104-153	B overlap 92%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	104-153	B overlap 92%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	104-153	B overlap 92%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	104-153	B overlap 92%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	104-153	B overlap 92%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	104-153	B overlap 92%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	104-153	B overlap 92%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	104-153	B overlap 92%	Staphylococcus aureus
UP_971043b6271e59644756c924	104-153	B overlap 92%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	104-153	B overlap 92%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	104-153	B overlap 92%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	104-153	B overlap 92%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	104-153	B overlap 92%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	104-153	B overlap 92%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	104-153	B overlap 92%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	104-153	B overlap 92%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_329

50 aa | 98.00% best ungapped identity | 1 substitutions | part 10/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	104-153	B overlap 92%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	104-153	B overlap 92%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	116-165	B overlap 92%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	104-153	B overlap 92%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	104-153	B overlap 92%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	104-153	B overlap 92%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	104-153	B overlap 92%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	116-165	B overlap 92%	Staphylococcus aureus
UP_aafb3bf93e81454cf6b62ce	104-153	B overlap 92%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	104-153	B overlap 92%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	104-153	B overlap 92%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	104-153	B overlap 92%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	104-153	B overlap 92%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	104-153	B overlap 92%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	104-153	B overlap 92%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	104-153	B overlap 92%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	116-165	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_329

50 aa | 98.00% best ungapped identity | 1 substitutions | part 11/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_afbcc9c98c455fb3a548a2f1	104-153	B overlap 92%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	104-153	B overlap 92%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	104-153	B overlap 92%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	104-153	B overlap 92%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	104-153	B overlap 92%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	104-153	B overlap 92%	Staphylococcus aureus
UP_b448388f79d88503154c8958	104-153	B overlap 92%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	104-153	B overlap 92%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	104-153	B overlap 92%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	104-153	B overlap 92%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	104-153	B overlap 92%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	116-165	B overlap 92%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	104-153	B overlap 92%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	104-153	B overlap 92%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	104-153	B overlap 92%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	104-153	B overlap 92%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_329

50 aa | 98.00% best ungapped identity | 1 substitutions | part 12/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_c19b2cacfb0fadd8c64def21	104-153	B overlap 92%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	104-153	B overlap 92%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	116-165	B overlap 92%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	116-165	B overlap 92%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	104-153	B overlap 92%	Staphylococcus aureus
UP_c6e58db97616169658087da4	104-153	B overlap 92%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	104-153	B overlap 92%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	104-153	B overlap 92%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	104-153	B overlap 92%	Staphylococcus aureus
UP_cd42d745d221a99aeeee0b940	104-153	B overlap 92%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	104-153	B overlap 92%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	104-153	B overlap 92%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	104-153	B overlap 92%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	104-153	B overlap 92%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	104-153	B overlap 92%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	116-165	B overlap 92%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_329

50 aa | 98.00% best ungapped identity | 1 substitutions | part 13/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_d389de07164bf1f90f2d9716	104-153	B overlap 92%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	104-153	B overlap 92%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	104-153	B overlap 92%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d7a61917e251e0f799ce2cd3	104-153	B overlap 92%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	104-153	B overlap 92%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	104-153	B overlap 92%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	104-153	B overlap 92%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	104-153	B overlap 92%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	104-153	B overlap 92%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	104-153	B overlap 92%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	104-153	B overlap 92%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	104-153	B overlap 92%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	104-153	B overlap 92%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	104-153	B overlap 92%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	104-153	B overlap 92%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	104-153	B overlap 92%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_329

50 aa | 98.00% best ungapped identity | 1 substitutions | part 14/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_e35673697002755fd8bfbf21	116-165	B overlap 92%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	104-153	B overlap 92%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	116-165	B overlap 92%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	116-165	B overlap 92%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	104-153	B overlap 92%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	104-153	B overlap 92%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	104-153	B overlap 92%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	104-153	B overlap 92%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	104-153	B overlap 92%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	104-153	B overlap 92%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	104-153	B overlap 92%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	104-153	B overlap 92%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	104-153	B overlap 92%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	104-153	B overlap 92%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	104-153	B overlap 92%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	104-153	B overlap 92%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_329

50 aa | 98.00% best ungapped identity | 1 substitutions | part 15/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_f71b012850e63ea4fb4e7851	104-153	B overlap 92%	Staphylococcus aureus
UP_f85095abf436c388206c5124	104-153	B overlap 92%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	104-153	B overlap 92%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	104-153	B overlap 92%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	104-153	B overlap 92%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_331

47 aa | 97.87% best ungapped identity | 1 substitutions | part 1/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query AFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK
|||.|||||
Parent AFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	46-92	B overlap 91%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	46-92	B overlap 91%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	46-92	B overlap 91%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	46-92	B overlap 91%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	46-92	B overlap 91%	Staphylococcus aureus
UP_04faae54d75da101458d937d	46-92	B overlap 91%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	46-92	B overlap 91%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	46-92	B overlap 91%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	46-92	B overlap 91%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	46-92	B overlap 91%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	46-92	B overlap 91%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	46-92	B overlap 91%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	46-92	B overlap 91%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	46-92	B overlap 91%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	46-92	B overlap 91%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	46-92	B overlap 91%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	46-92	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_331

47 aa | 97.87% best ungapped identity | 1 substitutions | part 2/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query AFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK
|||.|||||||||||||||||||||||||||||||||||||||
Parent AFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_127db86243730a6f9df4e8bd	58-104	B overlap 91%	Staphylococcus aureus
UP_1320c3a44aa32eab329067c	46-92	B overlap 91%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	46-92	B overlap 91%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	46-92	B overlap 91%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	46-92	B overlap 91%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	46-92	B overlap 91%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	46-92	B overlap 91%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	46-92	B overlap 91%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	46-92	B overlap 91%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	46-92	B overlap 91%	Staphylococcus aureus
UP_1f0c143935bf9440a4d0dd38	46-92	B overlap 91%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	46-92	B overlap 91%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	46-92	B overlap 91%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	46-92	B overlap 91%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	46-92	B overlap 91%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	46-92	B overlap 91%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	46-92	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_331

47 aa | 97.87% best ungapped identity | 1 substitutions | part 3/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query AFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|||.|||||||||||||||||||||||||||||||||||||||
Parent AFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_29064a9961a975f454e1d6b1	46-92	B overlap 91%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	46-92	B overlap 91%	Staphylococcus aureus
UP_29da8f2bf1e86de36a87930b	46-92	B overlap 91%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	46-92	B overlap 91%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	46-92	B overlap 91%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	46-92	B overlap 91%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	46-92	B overlap 91%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	46-92	B overlap 91%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	46-92	B overlap 91%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	46-92	B overlap 91%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	46-92	B overlap 91%	Staphylococcus aureus
UP_369376855189ded07861b56b	46-92	B overlap 91%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	46-92	B overlap 91%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	46-92	B overlap 91%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	46-92	B overlap 91%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	46-92	B overlap 91%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	46-92	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_331

47 aa | 97.87% best ungapped identity | 1 substitutions | part 4/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query AFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK
|||.|||||
Parent AFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_3d571252244f795c04507670	46-92	B overlap 91%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	46-92	B overlap 91%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	58-104	B overlap 91%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	46-92	B overlap 91%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	46-92	B overlap 91%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	46-92	B overlap 91%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	46-92	B overlap 91%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	46-92	B overlap 91%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	46-92	B overlap 91%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	46-92	B overlap 91%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	46-92	B overlap 91%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	46-92	B overlap 91%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	58-104	B overlap 91%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	46-92	B overlap 91%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	46-92	B overlap 91%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	46-92	B overlap 91%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	46-92	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_331

47 aa | 97.87% best ungapped identity | 1 substitutions | part 5/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query AFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK
|||.|||||
Parent AFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_4c1fd99d56c771d3922e9759	46-92	B overlap 91%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	46-92	B overlap 91%	Staphylococcus aureus
UP_4cf67d66a141116ecdb88412	58-104	B overlap 91%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	46-92	B overlap 91%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	46-92	B overlap 91%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	46-92	B overlap 91%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	46-92	B overlap 91%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	46-92	B overlap 91%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	46-92	B overlap 91%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	46-92	B overlap 91%	Staphylococcus aureus
UP_5c006ddddf8fa9ce5cac1b28	46-92	B overlap 91%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	58-104	B overlap 91%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	46-92	B overlap 91%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	46-92	B overlap 91%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	46-92	B overlap 91%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	46-92	B overlap 91%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	46-92	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_331

47 aa | 97.87% best ungapped identity | 1 substitutions | part 6/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query AFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK
|||.|||||
Parent AFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_60b825dd9a4e560b2cee9750	46-92	B overlap 91%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	58-104	B overlap 91%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	46-92	B overlap 91%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	46-92	B overlap 91%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	46-92	B overlap 91%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	46-92	B overlap 91%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	46-92	B overlap 91%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	46-92	B overlap 91%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	46-92	B overlap 91%	Staphylococcus aureus
UP_67b157c032f302cca570b203	58-104	B overlap 91%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	46-92	B overlap 91%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	46-92	B overlap 91%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	46-92	B overlap 91%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	46-92	B overlap 91%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	46-92	B overlap 91%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	46-92	B overlap 91%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	58-104	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_331

47 aa | 97.87% best ungapped identity | 1 substitutions | part 7/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query AFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|||.|||||||||||||||||||||||||||||||||||||
Parent AFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_6d9da94581db0938331cd2b3	46-92	B overlap 91%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	46-92	B overlap 91%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	46-92	B overlap 91%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	58-104	B overlap 91%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	46-92	B overlap 91%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	46-92	B overlap 91%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	46-92	B overlap 91%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	46-92	B overlap 91%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	46-92	B overlap 91%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	46-92	B overlap 91%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	46-92	B overlap 91%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	46-92	B overlap 91%	Staphylococcus aureus
UP_79e0b1d188807716a8d270a0	46-92	B overlap 91%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	58-104	B overlap 91%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	46-92	B overlap 91%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	41-87	B overlap 91%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	46-92	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_331

47 aa | 97.87% best ungapped identity | 1 substitutions | part 8/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query AFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK
|||.|||||
Parent AFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_7d479adc0e68c632662d57f1	46-92	B overlap 91%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	46-92	B overlap 91%	Staphylococcus aureus
UP_7f705628d3208506515b3404	46-92	B overlap 91%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	46-92	B overlap 91%	Staphylococcus aureus
UP_87c984f47195a756918038f8	46-92	B overlap 91%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	46-92	B overlap 91%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	46-92	B overlap 91%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	46-92	B overlap 91%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	46-92	B overlap 91%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	46-92	B overlap 91%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	46-92	B overlap 91%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	46-92	B overlap 91%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	46-92	B overlap 91%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	46-92	B overlap 91%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	46-92	B overlap 91%	Staphylococcus aureus
UP_91eb16918889951219e50a73	46-92	B overlap 91%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	46-92	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_331

47 aa | 97.87% best ungapped identity | 1 substitutions | part 9/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query AFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|||.||||||||||||||||||||||||||||||||||||||
Parent AFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_92c2016d0a6d348ed68d0735	46-92	B overlap 91%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	46-92	B overlap 91%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	46-92	B overlap 91%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	46-92	B overlap 91%	Staphylococcus aureus
UP_94875a270e702e9733c65c20	46-92	B overlap 91%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	46-92	B overlap 91%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	46-92	B overlap 91%	Staphylococcus aureus
UP_971043b6271e59644756c924	46-92	B overlap 91%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	46-92	B overlap 91%	Staphylococcus aureus
UP_97e42757ac273b6b51241624	46-92	B overlap 91%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	46-92	B overlap 91%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	46-92	B overlap 91%	Staphylococcus aureus
UP_9cdee1761c3bb0284a50f196	58-104	B overlap 91%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	46-92	B overlap 91%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	46-92	B overlap 91%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	46-92	B overlap 91%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	46-92	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_331

47 aa | 97.87% best ungapped identity | 1 substitutions | part 10/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query AFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK
|||.|||||
Parent AFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_a1c16686cb18780db1e61843	46-92	B overlap 91%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	46-92	B overlap 91%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	46-92	B overlap 91%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	46-92	B overlap 91%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	58-104	B overlap 91%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	46-92	B overlap 91%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	46-92	B overlap 91%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	46-92	B overlap 91%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	46-92	B overlap 91%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	46-92	B overlap 91%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	58-104	B overlap 91%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	46-92	B overlap 91%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	46-92	B overlap 91%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	46-92	B overlap 91%	Staphylococcus aureus
UP_ad44964a13a988ebe08c8ee1	46-92	B overlap 91%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	46-92	B overlap 91%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	46-92	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_331

47 aa | 97.87% best ungapped identity | 1 substitutions | part 11/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query AFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|||.||||||||||||||||||||||||||||||||||||||
Parent AFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_adfdd12a6d4abde69ea98d50	46-92	B overlap 91%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	46-92	B overlap 91%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	46-92	B overlap 91%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	46-92	B overlap 91%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	46-92	B overlap 91%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	46-92	B overlap 91%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	58-104	B overlap 91%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	46-92	B overlap 91%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	57-103	B overlap 91%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	46-92	B overlap 91%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	46-92	B overlap 91%	Staphylococcus aureus
UP_b1b6527c392edca51eae006	46-92	B overlap 91%	Staphylococcus aureus
UP_b1ccbcb665058d4e6104b0dc	46-92	B overlap 91%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	46-92	B overlap 91%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	46-92	B overlap 91%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	46-92	B overlap 91%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	46-92	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_331

47 aa | 97.87% best ungapped identity | 1 substitutions | part 12/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query AFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|||.|||||||||||||||||||||||||||||||||||||||
Parent AFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_b6e4af4642c11f9cbf3740d3	46-92	B overlap 91%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	46-92	B overlap 91%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	46-92	B overlap 91%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	46-92	B overlap 91%	Staphylococcus aureus
UP_ba9a53de95075c778cf3942f	46-92	B overlap 91%	Staphylococcus aureus
UP_bb14cd4e731365d1a25a797f	46-92	B overlap 91%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	58-104	B overlap 91%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	46-92	B overlap 91%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	46-92	B overlap 91%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	46-92	B overlap 91%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	46-92	B overlap 91%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	46-92	B overlap 91%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	46-92	B overlap 91%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	58-104	B overlap 91%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	58-104	B overlap 91%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	46-92	B overlap 91%	Staphylococcus aureus
UP_c6e58db97616169658087da4	46-92	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_331

47 aa | 97.87% best ungapped identity | 1 substitutions | part 13/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query AFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|||.|||||||||||||||||||||||||||||||||||||||
Parent AFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_c70b93d4a66fc12e2077f819	46-92	B overlap 91%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	46-92	B overlap 91%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	46-92	B overlap 91%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	46-92	B overlap 91%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	46-92	B overlap 91%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	46-92	B overlap 91%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	46-92	B overlap 91%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	46-92	B overlap 91%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	58-104	B overlap 91%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	46-92	B overlap 91%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	46-92	B overlap 91%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	46-92	B overlap 91%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	46-92	B overlap 91%	Staphylococcus aureus
UP_d5b345437142d9cf807db25d	46-92	B overlap 91%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	46-92	B overlap 91%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	46-92	B overlap 91%	Staphylococcus aureus
UP_db4dfda598bef7013ceb3dbc	46-92	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_331

47 aa | 97.87% best ungapped identity | 1 substitutions | part 14/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query AFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|||.|||||||||||||||||||||||||||||||||||||||
Parent AFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_dc8311c36f77892ca9e35f2e	46-92	B overlap 91%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	46-92	B overlap 91%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	46-92	B overlap 91%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	46-92	B overlap 91%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	46-92	B overlap 91%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	46-92	B overlap 91%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	46-92	B overlap 91%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	46-92	B overlap 91%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	46-92	B overlap 91%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	46-92	B overlap 91%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	46-92	B overlap 91%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	58-104	B overlap 91%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	46-92	B overlap 91%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	46-92	B overlap 91%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	58-104	B overlap 91%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	58-104	B overlap 91%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	46-92	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_331

47 aa | 97.87% best ungapped identity | 1 substitutions | part 15/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query AFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK
|||.|||||
Parent AFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_e59ad94e67fec4f53d6abdba	46-92	B overlap 91%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	46-92	B overlap 91%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	46-92	B overlap 91%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	46-92	B overlap 91%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	46-92	B overlap 91%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	46-92	B overlap 91%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	46-92	B overlap 91%	Staphylococcus aureus
UP_edaaa2299783d537504a97ff	58-104	B overlap 91%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	46-92	B overlap 91%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	46-92	B overlap 91%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	46-92	B overlap 91%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	46-92	B overlap 91%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	46-92	B overlap 91%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	46-92	B overlap 91%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	46-92	B overlap 91%	Staphylococcus aureus
UP_f6c81f1ef152502d327f40dc	46-92	B overlap 91%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	46-92	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_331

47 aa | 97.87% best ungapped identity | 1 substitutions | part 16/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 0.

Query AFYEVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
|||.|||||||||||||||||||||||||||||||||||||
Parent AFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_f7ff8e7a025b9d0597c8c149	58-104	B overlap 91%	Staphylococcus aureus
UP_f85095abf436c388206c5124	46-92	B overlap 91%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	46-92	B overlap 91%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	46-92	B overlap 91%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	46-92	B overlap 91%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	46-92	B overlap 91%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	46-92	B overlap 91%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	46-92	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 1/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	93-152	B overlap 88%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	93-152	B overlap 88%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	93-152	B overlap 88%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	93-152	B overlap 88%	Staphylococcus aureus
UP_04faae54d75da101458d937d	93-152	B overlap 88%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	93-152	B overlap 88%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	93-152	B overlap 88%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	93-152	B overlap 88%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	93-152	B overlap 88%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	93-152	B overlap 88%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	93-152	B overlap 88%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	93-152	B overlap 88%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	93-152	B overlap 88%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	93-152	B overlap 88%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	93-152	B overlap 88%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	93-152	B overlap 88%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	105-164	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_335

60 aa | 98.33% best ungapped identity | 1 substitutions | part 2/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQNNFNKDKQSAFYIEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||
Parent ADAQNNFNKDKQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_1320c3a44aa32eaab329067c	93-152	B overlap 88%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	93-152	B overlap 88%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	93-152	B overlap 88%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	93-152	B overlap 88%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	93-152	B overlap 88%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	93-152	B overlap 88%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	93-152	B overlap 88%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	93-152	B overlap 88%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	93-152	B overlap 88%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	93-152	B overlap 88%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	93-152	B overlap 88%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	93-152	B overlap 88%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	93-152	B overlap 88%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	93-152	B overlap 88%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	93-152	B overlap 88%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	93-152	B overlap 88%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_335

60 aa | 98.33% best ungapped identity | 1 substitutions | part 3/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_29750953a09e57a87c7dae67	93-152	B overlap 88%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	93-152	B overlap 88%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	93-152	B overlap 88%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	93-152	B overlap 88%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	93-152	B overlap 88%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	93-152	B overlap 88%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	93-152	B overlap 88%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	93-152	B overlap 88%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	93-152	B overlap 88%	Staphylococcus aureus
UP_369376855189ded07861b56b	93-152	B overlap 88%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	93-152	B overlap 88%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	93-152	B overlap 88%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	93-152	B overlap 88%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	93-152	B overlap 88%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	93-152	B overlap 88%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	93-152	B overlap 88%	Staphylococcus aureus
UP_3d571252244f795c04507670	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 4/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_3d709a118b2e3fa7ce83d3cb	93-152	B overlap 88%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	105-164	B overlap 88%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	93-152	B overlap 88%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	93-152	B overlap 88%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	93-152	B overlap 88%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	93-152	B overlap 88%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	93-152	B overlap 88%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	93-152	B overlap 88%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	93-152	B overlap 88%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	93-152	B overlap 88%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	93-152	B overlap 88%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	105-164	B overlap 88%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	93-152	B overlap 88%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	93-152	B overlap 88%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	93-152	B overlap 88%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	93-152	B overlap 88%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 5/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_549e2ac62132d0bd32cea7ca	93-152	B overlap 88%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	93-152	B overlap 88%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	93-152	B overlap 88%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	93-152	B overlap 88%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	93-152	B overlap 88%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	93-152	B overlap 88%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	93-152	B overlap 88%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	93-152	B overlap 88%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	93-152	B overlap 88%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	105-164	B overlap 88%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	93-152	B overlap 88%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	93-152	B overlap 88%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	93-152	B overlap 88%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	93-152	B overlap 88%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	93-152	B overlap 88%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	93-152	B overlap 88%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 6/13

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

All equally best ungapped sites on this page

UP_649aef15e2ae8a296e72350f	93-152	B overlap 88%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	93-152	B overlap 88%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	93-152	B overlap 88%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	93-152	B overlap 88%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	93-152	B overlap 88%	Staphylococcus aureus
UP_67b157c032f302cca570b203	105-164	B overlap 88%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	93-152	B overlap 88%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	93-152	B overlap 88%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	93-152	B overlap 88%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	93-152	B overlap 88%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	93-152	B overlap 88%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	93-152	B overlap 88%	Staphylococcus aureus
UP_6c62710e758211ac2afb806	93-152	B overlap 88%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	93-152	B overlap 88%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	93-152	B overlap 88%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	93-152	B overlap 88%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	93-152	B overlap 88%	Staphylococcus aureus

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 7/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_728122342f84c9b8787f4a69	105-164	B overlap 88%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	93-152	B overlap 88%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	93-152	B overlap 88%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	93-152	B overlap 88%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	93-152	B overlap 88%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	93-152	B overlap 88%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	105-164	B overlap 88%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	93-152	B overlap 88%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	88-147	B overlap 88%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	93-152	B overlap 88%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	93-152	B overlap 88%	Staphylococcus aureus
UP_7f705628d3208506515b3404	93-152	B overlap 88%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	93-152	B overlap 88%	Staphylococcus aureus
UP_86d09985303304149d93296c	41-100	B overlap 88%	Staphylococcus aureus
UP_87c984f47195a756918038f8	93-152	B overlap 88%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	93-152	B overlap 88%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 8/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_88f858d06848fb1195a19f07	93-152	B overlap 88%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	93-152	B overlap 88%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	93-152	B overlap 88%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	93-152	B overlap 88%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	93-152	B overlap 88%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	93-152	B overlap 88%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	93-152	B overlap 88%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	93-152	B overlap 88%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	93-152	B overlap 88%	Staphylococcus aureus
UP_971043b6271e59644756c924	93-152	B overlap 88%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	93-152	B overlap 88%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	93-152	B overlap 88%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	93-152	B overlap 88%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	93-152	B overlap 88%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	93-152	B overlap 88%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	93-152	B overlap 88%	Staphylococcus aureus
UP_alc16686cb18780db1e61843	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 9/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQNNFNKDKQSAFYIEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||
Parent ADAQNNFNKDKQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	93-152	B overlap 88%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	93-152	B overlap 88%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	105-164	B overlap 88%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	93-152	B overlap 88%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	93-152	B overlap 88%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	93-152	B overlap 88%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	93-152	B overlap 88%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	105-164	B overlap 88%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	93-152	B overlap 88%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	93-152	B overlap 88%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	93-152	B overlap 88%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	93-152	B overlap 88%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	93-152	B overlap 88%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	93-152	B overlap 88%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	93-152	B overlap 88%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	93-152	B overlap 88%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	105-164	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_335

60 aa | 98.33% best ungapped identity | 1 substitutions | part 10/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQNNFNKDKQSAFYIEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||
Parent ADAQNNFNKDKQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_afbcc9c98c455fb3a548a2f1	93-152	B overlap 88%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	93-152	B overlap 88%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	93-152	B overlap 88%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	93-152	B overlap 88%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	93-152	B overlap 88%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	93-152	B overlap 88%	Staphylococcus aureus
UP_b448388f79d88503154c8958	93-152	B overlap 88%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	93-152	B overlap 88%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	93-152	B overlap 88%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	93-152	B overlap 88%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	93-152	B overlap 88%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	105-164	B overlap 88%	Staphylococcus aureus
UP_bb4de0544c0b9e271784e86f5	93-152	B overlap 88%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	93-152	B overlap 88%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	93-152	B overlap 88%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	93-152	B overlap 88%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	105-164	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_335

60 aa | 98.33% best ungapped identity | 1 substitutions | part 11/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_c5e65e48f1e55f63860af521	105-164	B overlap 88%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	93-152	B overlap 88%	Staphylococcus aureus
UP_c6e58db97616169658087da4	93-152	B overlap 88%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	93-152	B overlap 88%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	93-152	B overlap 88%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	93-152	B overlap 88%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	93-152	B overlap 88%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	93-152	B overlap 88%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	93-152	B overlap 88%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	93-152	B overlap 88%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	105-164	B overlap 88%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcac	93-152	B overlap 88%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	93-152	B overlap 88%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	93-152	B overlap 88%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	93-152	B overlap 88%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	93-152	B overlap 88%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_335

60 aa | 98.33% best ungapped identity | 1 substitutions | part 12/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQNNFNKDDQSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||
Parent ADAQNNFNKDDQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_ddcc25ff5408d54d5c32163f	93-152	B overlap 88%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	93-152	B overlap 88%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	93-152	B overlap 88%	Staphylococcus aureus
UP_df25788f262b81ebd8fdba69	93-152	B overlap 88%	Staphylococcus aureus
UP_df5ef9df08d9df798f955123	93-152	B overlap 88%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	93-152	B overlap 88%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	93-152	B overlap 88%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	93-152	B overlap 88%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	93-152	B overlap 88%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	93-152	B overlap 88%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	93-152	B overlap 88%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	105-164	B overlap 88%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	93-152	B overlap 88%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	105-164	B overlap 88%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	105-164	B overlap 88%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	93-152	B overlap 88%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 13/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRSGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_e6cd4f97cbff47488f070d32	93-152	B overlap 88%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	93-152	B overlap 88%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	93-152	B overlap 88%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	93-152	B overlap 88%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	93-152	B overlap 88%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	93-152	B overlap 88%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	93-152	B overlap 88%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	93-152	B overlap 88%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	93-152	B overlap 88%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	93-152	B overlap 88%	Staphylococcus aureus
UP_f85095abf436c388206c5124	93-152	B overlap 88%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	93-152	B overlap 88%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	93-152	B overlap 88%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	93-152	B overlap 88%	Staphylococcus aureus
UP_ffc5b205486d979b47f1e25f	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_349

56 aa | 89.29% best ungapped identity | 6 substitutions | part 1/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSI SVRCSDKKLNESQAPK

|||||

Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEKKLNESQAPK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	98-153	B overlap 93%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	98-153	B overlap 93%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	98-153	B overlap 93%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	98-153	B overlap 93%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	98-153	B overlap 93%	Staphylococcus aureus
UP_04faae54d75da101458d937d	98-153	B overlap 93%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	98-153	B overlap 93%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	98-153	B overlap 93%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	98-153	B overlap 93%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	98-153	B overlap 93%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	98-153	B overlap 93%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	98-153	B overlap 93%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	98-153	B overlap 93%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	98-153	B overlap 93%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	98-153	B overlap 93%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	98-153	B overlap 93%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 89.29% best ungapped identity | 6 substitutions | part 2/15

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

|||||

All equally best ungapped sites on this page

UP_11ef8762e0d1f699cca11a72	98-153	B overlap 93%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	110-165	B overlap 93%	Staphylococcus aureus
UP_1320c3a4a4aa32eaab329067c	98-153	B overlap 93%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	98-153	B overlap 93%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	98-153	B overlap 93%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	98-153	B overlap 93%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	98-153	B overlap 93%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	98-153	B overlap 93%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	98-153	B overlap 93%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	98-153	B overlap 93%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	98-153	B overlap 93%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	98-153	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	98-153	B overlap 93%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	98-153	B overlap 93%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	98-153	B overlap 93%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	98-153	B overlap 93%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	98-153	B overlap 93%	Staphylococcus aureus

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 89.29% best ungapped identity | 6 substitutions | part 3/15

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

|||||

Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

UP_25a25a50af6d82d022c1b30	98-153	B overlap 93%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	98-153	B overlap 93%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	98-153	B overlap 93%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	98-153	B overlap 93%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	98-153	B overlap 93%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	98-153	B overlap 93%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	98-153	B overlap 93%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	98-153	B overlap 93%	Staphylococcus aureus
UP_2def648691a179d8337edb84	52-107	B overlap 93%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	98-153	B overlap 93%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	98-153	B overlap 93%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	98-153	B overlap 93%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	98-153	B overlap 93%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	98-153	B overlap 93%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	98-153	B overlap 93%	Staphylococcus aureus
UP_34e7dec5146720f3668dfdf6	98-153	B overlap 93%	Staphylococcus schweitzeri
UP_369376855189ded07861b56b	98-153	B overlap 93%	Staphylococcus aureus

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 89.29% best ungapped identity | 6 substitutions | part 4/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSI SVRCSDKKLNESQAPK

|||||

Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEKKLNESQAPK

All equally best ungapped sites on this page

UP_3857b73b64bcc8ece5dac794	98-153	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	98-153	B overlap 93%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	98-153	B overlap 93%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	98-153	B overlap 93%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	98-153	B overlap 93%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	98-153	B overlap 93%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	98-153	B overlap 93%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	98-153	B overlap 93%	Staphylococcus aureus
UP_3d571252244f795c04507670	98-153	B overlap 93%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	98-153	B overlap 93%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	110-165	B overlap 93%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	110-165	B overlap 93%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	98-153	B overlap 93%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	98-153	B overlap 93%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	98-153	B overlap 93%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	98-153	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 89.29% best ungapped identity | 6 substitutions | part 5/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSI SVRCSDKKLNESQAPK

|||||

Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_43e1f746e535aaa2728e115e	156-211	B overlap 93%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	98-153	B overlap 93%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	98-153	B overlap 93%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	98-153	B overlap 93%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	98-153	B overlap 93%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	110-165	B overlap 93%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	98-153	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	98-153	B overlap 93%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	98-153	B overlap 93%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	98-153	B overlap 93%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	98-153	B overlap 93%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	98-153	B overlap 93%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	98-153	B overlap 93%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	98-153	B overlap 93%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	98-153	B overlap 93%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	98-153	B overlap 93%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 89.29% best ungapped identity | 6 substitutions | part 6/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSI SVRCSDKKLNESQAPK

|||||

Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEKKLNESQAPK

All equally best ungapped sites on this page

UP_59a4d124422826b95666ef8a	98-153	B overlap 93%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	98-153	B overlap 93%	Staphylococcus aureus
UP_5c006dddff8fa9ce5cac1b28	98-153	B overlap 93%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	110-165	B overlap 93%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	98-153	B overlap 93%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	98-153	B overlap 93%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	98-153	B overlap 93%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	98-153	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	98-153	B overlap 93%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	98-153	B overlap 93%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	98-153	B overlap 93%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	98-153	B overlap 93%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	98-153	B overlap 93%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	98-153	B overlap 93%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	98-153	B overlap 93%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	98-153	B overlap 93%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 89.29% best ungapped identity | 6 substitutions | part 7/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSI SVRCSDKKLNESQAPK

|||||

Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEKKLNESQAPK

All equally best ungapped sites on this page

UP_67b157c032f302cca570b203	110-165	B overlap 93%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	98-153	B overlap 93%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	98-153	B overlap 93%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	98-153	B overlap 93%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6bfc4	98-153	B overlap 93%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	98-153	B overlap 93%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	98-153	B overlap 93%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	98-153	B overlap 93%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	98-153	B overlap 93%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	98-153	B overlap 93%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	98-153	B overlap 93%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	98-153	B overlap 93%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	98-153	B overlap 93%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	98-153	B overlap 93%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	110-165	B overlap 93%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	98-153	B overlap 93%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 89.29% best ungapped identity | 6 substitutions | part 8/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSI SVRCSDKKLNESQAPK

|||||

Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEKKLNESQAPK

All equally best ungapped sites on this page

UP_7795fca204a5e78852cf520f	98-153	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	98-153	B overlap 93%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	98-153	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	110-165	B overlap 93%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	98-153	B overlap 93%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	93-148	B overlap 93%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	98-153	B overlap 93%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	98-153	B overlap 93%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	98-153	B overlap 93%	Staphylococcus aureus
UP_7f705628d3208506515b3404	98-153	B overlap 93%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	98-153	B overlap 93%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	98-153	B overlap 93%	Staphylococcus aureus
UP_86d09985303304149d93296c	46-101	B overlap 93%	Staphylococcus aureus
UP_87c984f47195a756918038f8	98-153	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	98-153	B overlap 93%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	98-153	B overlap 93%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 89.29% best ungapped identity | 6 substitutions | part 9/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSI SVRCSDKKLNESQAPK

|||||

Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEKKLNESQAPK

All equally best ungapped sites on this page

UP_8ebf15b38a54e71995270aa9	98-153	B overlap 93%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	98-153	B overlap 93%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	98-153	B overlap 93%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	98-153	B overlap 93%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	98-153	B overlap 93%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	98-153	B overlap 93%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	98-153	B overlap 93%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	98-153	B overlap 93%	Staphylococcus aureus
UP_971043b6271e59644756c924	98-153	B overlap 93%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	98-153	B overlap 93%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	98-153	B overlap 93%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	98-153	B overlap 93%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	98-153	B overlap 93%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	98-153	B overlap 93%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	98-153	B overlap 93%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	98-153	B overlap 93%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_349

56 aa | 89.29% best ungapped identity | 6 substitutions | part 10/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	98-153	B overlap 93%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	98-153	B overlap 93%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	110-165	B overlap 93%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	98-153	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	98-153	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	98-153	B overlap 93%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	98-153	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	110-165	B overlap 93%	Staphylococcus aureus
UP_aafb3bf93e81454cf6b62ce	98-153	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	98-153	B overlap 93%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	98-153	B overlap 93%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	98-153	B overlap 93%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	98-153	B overlap 93%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	98-153	B overlap 93%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	98-153	B overlap 93%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	98-153	B overlap 93%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	110-165	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_349

56 aa | 89.29% best ungapped identity | 6 substitutions | part 11/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSI SVRCSDKKLNESQAPK

|||||

Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEKKLNESQAPK

All equally best ungapped sites on this page

UP_afbcc9c98c455fb3a548a2f1	98-153	B overlap 93%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	98-153	B overlap 93%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	98-153	B overlap 93%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	98-153	B overlap 93%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	98-153	B overlap 93%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	98-153	B overlap 93%	Staphylococcus aureus
UP_b448388f79d88503154c8958	98-153	B overlap 93%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	98-153	B overlap 93%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	98-153	B overlap 93%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	98-153	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	98-153	B overlap 93%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	110-165	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	98-153	B overlap 93%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	98-153	B overlap 93%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	98-153	B overlap 93%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	98-153	B overlap 93%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_349

56 aa | 89.29% best ungapped identity | 6 substitutions | part 12/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSISVRCSDDKLNESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKLNESQAPK

All equally best ungapped sites on this page

UP_c19b2cacfb0fadd8c64def21	98-153	B overlap 93%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	98-153	B overlap 93%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	110-165	B overlap 93%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	110-165	B overlap 93%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	98-153	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	98-153	B overlap 93%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	98-153	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	98-153	B overlap 93%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	98-153	B overlap 93%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	98-153	B overlap 93%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	98-153	B overlap 93%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	98-153	B overlap 93%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	98-153	B overlap 93%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	98-153	B overlap 93%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	98-153	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	110-165	B overlap 93%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcaf	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_349

56 aa | 89.29% best ungapped identity | 6 substitutions | part 13/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSI SVRCSDKKLNESQAPK

|||||

Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEKKLNESQAPK

All equally best ungapped sites on this page

UP_d389de07164bf1f90f2d9716	98-153	B overlap 93%	Staphylococcus aureus
UP_d3d0b4f2becf155510c9dc1c	98-153	B overlap 93%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	98-153	B overlap 93%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d7a61917e251e0f799ce2cd3	98-153	B overlap 93%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	98-153	B overlap 93%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	98-153	B overlap 93%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	98-153	B overlap 93%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	98-153	B overlap 93%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	98-153	B overlap 93%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	98-153	B overlap 93%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	98-153	B overlap 93%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	98-153	B overlap 93%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	98-153	B overlap 93%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	98-153	B overlap 93%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	98-153	B overlap 93%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	98-153	B overlap 93%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 89.29% best ungapped identity | 6 substitutions | part 14/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSI SVRCSDKKLNESQAPK

|||||

Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEKKLNESQAPK

All equally best ungapped sites on this page

UP_e35673697002755fd8bbfbf21	110-165	B overlap 93%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	98-153	B overlap 93%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	110-165	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	110-165	B overlap 93%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	98-153	B overlap 93%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	98-153	B overlap 93%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	98-153	B overlap 93%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	98-153	B overlap 93%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	98-153	B overlap 93%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	98-153	B overlap 93%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	98-153	B overlap 93%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	98-153	B overlap 93%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	98-153	B overlap 93%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	98-153	B overlap 93%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	98-153	B overlap 93%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	98-153	B overlap 93%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_349

56 aa | 89.29% best ungapped identity | 6 substitutions | part 15/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSISVRCSDKKLNESQAPK

|||||

Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEKKLNESQAPK

All equally best ungapped sites on this page

UP_f71b012850e63ea4fb4e7851	98-153	B overlap 93%	Staphylococcus aureus
UP_f85095abf436c388206c5124	98-153	B overlap 93%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	98-153	B overlap 93%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	98-153	B overlap 93%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	98-153	B overlap 93%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_350

50 aa | 88.00% best ungapped identity | 6 substitutions | part 1/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAPK
|||||.....|...|
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	104-153	B overlap 92%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	104-153	B overlap 92%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	104-153	B overlap 92%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	104-153	B overlap 92%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	104-153	B overlap 92%	Staphylococcus aureus
UP_04faae54d75da101458d937d	104-153	B overlap 92%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	104-153	B overlap 92%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	104-153	B overlap 92%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	104-153	B overlap 92%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	104-153	B overlap 92%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	104-153	B overlap 92%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	104-153	B overlap 92%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	104-153	B overlap 92%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	104-153	B overlap 92%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	104-153	B overlap 92%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	104-153	B overlap 92%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_350

50 aa | 88.00% best ungapped identity | 6 substitutions | part 2/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAPK
|||||.....|...|
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_11ef8762e0d1f699cca11a72	104-153	B overlap 92%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	116-165	B overlap 92%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	104-153	B overlap 92%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	104-153	B overlap 92%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	104-153	B overlap 92%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	104-153	B overlap 92%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	104-153	B overlap 92%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	104-153	B overlap 92%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	104-153	B overlap 92%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	104-153	B overlap 92%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	104-153	B overlap 92%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	104-153	B overlap 92%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	104-153	B overlap 92%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	104-153	B overlap 92%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	104-153	B overlap 92%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	104-153	B overlap 92%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_350

50 aa | 88.00% best ungapped identity | 6 substitutions | part 3/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAPK
|||||.....|...|
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_25a25a50af6d82d022c1bc30	104-153	B overlap 92%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	104-153	B overlap 92%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	104-153	B overlap 92%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	104-153	B overlap 92%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	104-153	B overlap 92%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	104-153	B overlap 92%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	104-153	B overlap 92%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	104-153	B overlap 92%	Staphylococcus aureus
UP_2def648691a179d8337edb84	58-107	B overlap 92%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	104-153	B overlap 92%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	104-153	B overlap 92%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	104-153	B overlap 92%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	104-153	B overlap 92%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	104-153	B overlap 92%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	104-153	B overlap 92%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	104-153	B overlap 92%	Staphylococcus schweitzeri
UP_369376855189ded07861b56b	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_350

50 aa | 88.00% best ungapped identity | 6 substitutions | part 4/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAPK
|||||.....|...|.....|
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_3857b73b64bcc8ece5dac794	104-153	B overlap 92%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	104-153	B overlap 92%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	104-153	B overlap 92%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	104-153	B overlap 92%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	104-153	B overlap 92%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	104-153	B overlap 92%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	104-153	B overlap 92%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	104-153	B overlap 92%	Staphylococcus aureus
UP_3d571252244f795c04507670	104-153	B overlap 92%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	104-153	B overlap 92%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	116-165	B overlap 92%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	116-165	B overlap 92%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	104-153	B overlap 92%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	104-153	B overlap 92%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	104-153	B overlap 92%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	104-153	B overlap 92%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_350

50 aa | 88.00% best ungapped identity | 6 substitutions | part 5/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAPK
|||||.....|...|.....|
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_43e1f746e535aaa2728e115e	162-211	B overlap 92%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	104-153	B overlap 92%	Staphylococcus aureus
UP_45e4aaf3fb1330efccb2d949	104-153	B overlap 92%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	104-153	B overlap 92%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	104-153	B overlap 92%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	116-165	B overlap 92%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	104-153	B overlap 92%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	104-153	B overlap 92%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	104-153	B overlap 92%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	104-153	B overlap 92%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	104-153	B overlap 92%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	104-153	B overlap 92%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	104-153	B overlap 92%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	104-153	B overlap 92%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	104-153	B overlap 92%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	104-153	B overlap 92%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_350

50 aa | 88.00% best ungapped identity | 6 substitutions | part 6/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSI SVRCSDKKLNESQAPK

||||| . . . |||||

Parent QQSIFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_59a4d124422826b95666ef8a	104-153	B overlap 92%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	104-153	B overlap 92%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	104-153	B overlap 92%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	116-165	B overlap 92%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	104-153	B overlap 92%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	104-153	B overlap 92%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	104-153	B overlap 92%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	104-153	B overlap 92%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	104-153	B overlap 92%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	104-153	B overlap 92%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	104-153	B overlap 92%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	104-153	B overlap 92%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	104-153	B overlap 92%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	104-153	B overlap 92%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	104-153	B overlap 92%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	104-153	B overlap 92%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

50 aa | 88.00% best ungapped identity | 6 substitutions | part 7/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSI SVRCSDKKLNESQAPK

|||||.....|...|

Parent QQSIFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_67b157c032f302cca570b203	116-165	B overlap 92%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	104-153	B overlap 92%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	104-153	B overlap 92%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	104-153	B overlap 92%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6bfc4	104-153	B overlap 92%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	104-153	B overlap 92%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	104-153	B overlap 92%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	104-153	B overlap 92%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	104-153	B overlap 92%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	104-153	B overlap 92%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	104-153	B overlap 92%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	104-153	B overlap 92%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	104-153	B overlap 92%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	104-153	B overlap 92%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	116-165	B overlap 92%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	104-153	B overlap 92%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_350

50 aa | 88.00% best ungapped identity | 6 substitutions | part 8/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAPK
|||||.....|...|
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_7795fca204a5e78852cf520f	104-153	B overlap 92%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	104-153	B overlap 92%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	104-153	B overlap 92%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	116-165	B overlap 92%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	104-153	B overlap 92%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	99-148	B overlap 92%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	104-153	B overlap 92%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	104-153	B overlap 92%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	104-153	B overlap 92%	Staphylococcus aureus
UP_7f705628d3208506515b3404	104-153	B overlap 92%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	104-153	B overlap 92%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	104-153	B overlap 92%	Staphylococcus aureus
UP_86d09985303304149d93296c	52-101	B overlap 92%	Staphylococcus aureus
UP_87c984f47195a756918038f8	104-153	B overlap 92%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	104-153	B overlap 92%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	104-153	B overlap 92%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_350

50 aa | 88.00% best ungapped identity | 6 substitutions | part 9/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSI SVRCSDKKLNESQAPK

||||| . . . |||||

Parent QQSIFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_8ebf15b38a54e71995270aa9	104-153	B overlap 92%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	104-153	B overlap 92%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	104-153	B overlap 92%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	104-153	B overlap 92%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	104-153	B overlap 92%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	104-153	B overlap 92%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	104-153	B overlap 92%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	104-153	B overlap 92%	Staphylococcus aureus
UP_971043b6271e59644756c924	104-153	B overlap 92%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	104-153	B overlap 92%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	104-153	B overlap 92%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	104-153	B overlap 92%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	104-153	B overlap 92%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	104-153	B overlap 92%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	104-153	B overlap 92%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	104-153	B overlap 92%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_350

50 aa | 88.00% best ungapped identity | 6 substitutions | part 10/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSI SVRCSDKKLNESQAPK

||||| . . . |||||

Parent QQSIFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	104-153	B overlap 92%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	104-153	B overlap 92%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	116-165	B overlap 92%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	104-153	B overlap 92%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	104-153	B overlap 92%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	104-153	B overlap 92%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	104-153	B overlap 92%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	116-165	B overlap 92%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	104-153	B overlap 92%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	104-153	B overlap 92%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	104-153	B overlap 92%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	104-153	B overlap 92%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	104-153	B overlap 92%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	104-153	B overlap 92%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	104-153	B overlap 92%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	104-153	B overlap 92%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	116-165	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_350

50 aa | 88.00% best ungapped identity | 6 substitutions | part 11/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAPK
|||||.....|...|.....|
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_afbcc9c98c455fb3a548a2f1	104-153	B overlap 92%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	104-153	B overlap 92%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	104-153	B overlap 92%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	104-153	B overlap 92%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	104-153	B overlap 92%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	104-153	B overlap 92%	Staphylococcus aureus
UP_b448388f79d88503154c8958	104-153	B overlap 92%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	104-153	B overlap 92%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	104-153	B overlap 92%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	104-153	B overlap 92%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	104-153	B overlap 92%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	116-165	B overlap 92%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	104-153	B overlap 92%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	104-153	B overlap 92%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	104-153	B overlap 92%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	104-153	B overlap 92%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_350

50 aa | 88.00% best ungapped identity | 6 substitutions | part 12/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAPK
|||||.....|...|.....|
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_c19b2cacfb0fadd8c64def21	104-153	B overlap 92%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	104-153	B overlap 92%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	116-165	B overlap 92%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	116-165	B overlap 92%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	104-153	B overlap 92%	Staphylococcus aureus
UP_c6e58db97616169658087da4	104-153	B overlap 92%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	104-153	B overlap 92%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	104-153	B overlap 92%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	104-153	B overlap 92%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	104-153	B overlap 92%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	104-153	B overlap 92%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	104-153	B overlap 92%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	104-153	B overlap 92%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	104-153	B overlap 92%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	104-153	B overlap 92%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	116-165	B overlap 92%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_350

50 aa | 88.00% best ungapped identity | 6 substitutions | part 13/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAPK
|||||.....|...|.....|
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_d389de07164bf1f90f2d9716	104-153	B overlap 92%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	104-153	B overlap 92%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	104-153	B overlap 92%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d7a61917e251e0f799ce2cd3	104-153	B overlap 92%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	104-153	B overlap 92%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	104-153	B overlap 92%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	104-153	B overlap 92%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	104-153	B overlap 92%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	104-153	B overlap 92%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	104-153	B overlap 92%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	104-153	B overlap 92%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	104-153	B overlap 92%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	104-153	B overlap 92%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	104-153	B overlap 92%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	104-153	B overlap 92%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	104-153	B overlap 92%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_350

50 aa | 88.00% best ungapped identity | 6 substitutions | part 14/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAPK
|||||.....|...|.....|
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_e35673697002755fd8bfbf21	116-165	B overlap 92%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	104-153	B overlap 92%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	116-165	B overlap 92%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	116-165	B overlap 92%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	104-153	B overlap 92%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	104-153	B overlap 92%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	104-153	B overlap 92%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	104-153	B overlap 92%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	104-153	B overlap 92%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	104-153	B overlap 92%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	104-153	B overlap 92%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	104-153	B overlap 92%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	104-153	B overlap 92%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	104-153	B overlap 92%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	104-153	B overlap 92%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	104-153	B overlap 92%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_350

50 aa | 88.00% best ungapped identity | 6 substitutions | part 15/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAPK
|||||.....|...|.....|
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_f71b012850e63ea4fb4e7851	104-153	B overlap 92%	Staphylococcus aureus
UP_f85095abf436c388206c5124	104-153	B overlap 92%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	104-153	B overlap 92%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	104-153	B overlap 92%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	104-153	B overlap 92%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

60 aa | 90.00% best ungapped identity | 6 substitutions | part 1/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQNNFNKDKQSAYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAP
|||||
Parent ADAQNNFNKDKQSAYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	93-152	B overlap 88%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	93-152	B overlap 88%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	93-152	B overlap 88%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	93-152	B overlap 88%	Staphylococcus aureus
UP_04faae54d75da101458d937d	93-152	B overlap 88%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	93-152	B overlap 88%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	93-152	B overlap 88%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	93-152	B overlap 88%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	93-152	B overlap 88%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	93-152	B overlap 88%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	93-152	B overlap 88%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	93-152	B overlap 88%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	93-152	B overlap 88%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	93-152	B overlap 88%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	93-152	B overlap 88%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	93-152	B overlap 88%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	105-164	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_351

60 aa | 90.00% best ungapped identity | 6 substitutions | part 2/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQNNFNKDKQSAYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAP
|||||
Parent ADAQNNFNKDKQSAYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_1320c3a44aa32eaab329067c	93-152	B overlap 88%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	93-152	B overlap 88%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	93-152	B overlap 88%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	93-152	B overlap 88%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	93-152	B overlap 88%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	93-152	B overlap 88%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	93-152	B overlap 88%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	93-152	B overlap 88%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	93-152	B overlap 88%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	93-152	B overlap 88%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	93-152	B overlap 88%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	93-152	B overlap 88%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	93-152	B overlap 88%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	93-152	B overlap 88%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	93-152	B overlap 88%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	93-152	B overlap 88%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_351

60 aa | 90.00% best ungapped identity | 6 substitutions | part 3/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_29750953a09e57a87c7dae67	93-152	B overlap 88%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	93-152	B overlap 88%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	93-152	B overlap 88%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	93-152	B overlap 88%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	93-152	B overlap 88%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	93-152	B overlap 88%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	93-152	B overlap 88%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	93-152	B overlap 88%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	93-152	B overlap 88%	Staphylococcus aureus
UP_369376855189ded07861b56b	93-152	B overlap 88%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	93-152	B overlap 88%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	93-152	B overlap 88%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	93-152	B overlap 88%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	93-152	B overlap 88%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	93-152	B overlap 88%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	93-152	B overlap 88%	Staphylococcus aureus
UP_3d571252244f795c04507670	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 90.00% best ungapped identity | 6 substitutions | part 4/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_3d709a118b2e3fa7ce83d3cb	93-152	B overlap 88%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	105-164	B overlap 88%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	93-152	B overlap 88%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	93-152	B overlap 88%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	93-152	B overlap 88%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	93-152	B overlap 88%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	93-152	B overlap 88%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	93-152	B overlap 88%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	93-152	B overlap 88%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	93-152	B overlap 88%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	93-152	B overlap 88%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	105-164	B overlap 88%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	93-152	B overlap 88%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	93-152	B overlap 88%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	93-152	B overlap 88%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	93-152	B overlap 88%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_351

60 aa | 90.00% best ungapped identity | 6 substitutions | part 5/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_549e2ac62132d0bd32cea7ca	93-152	B overlap 88%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	93-152	B overlap 88%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	93-152	B overlap 88%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	93-152	B overlap 88%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	93-152	B overlap 88%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	93-152	B overlap 88%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	93-152	B overlap 88%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	93-152	B overlap 88%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	93-152	B overlap 88%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	105-164	B overlap 88%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	93-152	B overlap 88%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	93-152	B overlap 88%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	93-152	B overlap 88%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	93-152	B overlap 88%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	93-152	B overlap 88%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	93-152	B overlap 88%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 90.00% best ungapped identity | 6 substitutions | part 6/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_649aef15e2ae8a296e72350f	93-152	B overlap 88%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	93-152	B overlap 88%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	93-152	B overlap 88%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	93-152	B overlap 88%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	93-152	B overlap 88%	Staphylococcus aureus
UP_67b157c032f302cca570b203	105-164	B overlap 88%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	93-152	B overlap 88%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	93-152	B overlap 88%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	93-152	B overlap 88%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	93-152	B overlap 88%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	93-152	B overlap 88%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	93-152	B overlap 88%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	93-152	B overlap 88%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	93-152	B overlap 88%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	93-152	B overlap 88%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	93-152	B overlap 88%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_351

60 aa | 90.00% best ungapped identity | 6 substitutions | part 7/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_728122342f84c9b8787f4a69	105-164	B overlap 88%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	93-152	B overlap 88%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	93-152	B overlap 88%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	93-152	B overlap 88%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	93-152	B overlap 88%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	93-152	B overlap 88%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	105-164	B overlap 88%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	93-152	B overlap 88%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	88-147	B overlap 88%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	93-152	B overlap 88%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	93-152	B overlap 88%	Staphylococcus aureus
UP_7f705628d3208506515b3404	93-152	B overlap 88%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	93-152	B overlap 88%	Staphylococcus aureus
UP_86d09985303304149d93296c	41-100	B overlap 88%	Staphylococcus aureus
UP_87c984f47195a756918038f8	93-152	B overlap 88%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	93-152	B overlap 88%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_351

60 aa | 90.00% best ungapped identity | 6 substitutions | part 8/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQNNFNKDKQSAYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAP
|||||
Parent ADAQNNFNKDKQSAYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_88f858d06848fb1195a19f07	93-152	B overlap 88%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	93-152	B overlap 88%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	93-152	B overlap 88%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	93-152	B overlap 88%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	93-152	B overlap 88%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	93-152	B overlap 88%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	93-152	B overlap 88%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	93-152	B overlap 88%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	93-152	B overlap 88%	Staphylococcus aureus
UP_971043b6271e59644756c924	93-152	B overlap 88%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	93-152	B overlap 88%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	93-152	B overlap 88%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	93-152	B overlap 88%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	93-152	B overlap 88%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	93-152	B overlap 88%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	93-152	B overlap 88%	Staphylococcus aureus
UP_alc16686cb18780db1e61843	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 90.00% best ungapped identity | 6 substitutions | part 9/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	93-152	B overlap 88%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	93-152	B overlap 88%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	105-164	B overlap 88%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	93-152	B overlap 88%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	93-152	B overlap 88%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	93-152	B overlap 88%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	93-152	B overlap 88%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	105-164	B overlap 88%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	93-152	B overlap 88%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	93-152	B overlap 88%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	93-152	B overlap 88%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	93-152	B overlap 88%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	93-152	B overlap 88%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	93-152	B overlap 88%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	93-152	B overlap 88%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	93-152	B overlap 88%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	105-164	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_351

60 aa | 90.00% best ungapped identity | 6 substitutions | part 10/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSIFYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSIFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAKKLNESQAP

All equally best ungapped sites on this page

UP_afbcc9c98c455fb3a548a2f1	93-152	B overlap 88%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	93-152	B overlap 88%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	93-152	B overlap 88%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	93-152	B overlap 88%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	93-152	B overlap 88%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	93-152	B overlap 88%	Staphylococcus aureus
UP_b448388f79d88503154c8958	93-152	B overlap 88%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	93-152	B overlap 88%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	93-152	B overlap 88%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	93-152	B overlap 88%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	93-152	B overlap 88%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	105-164	B overlap 88%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	93-152	B overlap 88%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	93-152	B overlap 88%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	93-152	B overlap 88%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	93-152	B overlap 88%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	105-164	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_351

60 aa | 90.00% best ungapped identity | 6 substitutions | part 11/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQNNFNKDKQSAYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAP
|||||
Parent ADAQNNFNKDKQSAYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_c5e65e48f1e55f63860af521	105-164	B overlap 88%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	93-152	B overlap 88%	Staphylococcus aureus
UP_c6e58db97616169658087da4	93-152	B overlap 88%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	93-152	B overlap 88%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	93-152	B overlap 88%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	93-152	B overlap 88%	Staphylococcus aureus
UP_cd42d745d221a99aeeeb0b940	93-152	B overlap 88%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	93-152	B overlap 88%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	93-152	B overlap 88%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	93-152	B overlap 88%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	105-164	B overlap 88%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcac	93-152	B overlap 88%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	93-152	B overlap 88%	Staphylococcus aureus
UP_d3d0b4f2bafc155510c9dc1c	93-152	B overlap 88%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	93-152	B overlap 88%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	93-152	B overlap 88%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_351

60 aa | 90.00% best ungapped identity | 6 substitutions | part 12/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_ddcc25ff5408d54d5c32163f	93-152	B overlap 88%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	93-152	B overlap 88%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	93-152	B overlap 88%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbab69	93-152	B overlap 88%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	93-152	B overlap 88%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	93-152	B overlap 88%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	93-152	B overlap 88%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	93-152	B overlap 88%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	93-152	B overlap 88%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	93-152	B overlap 88%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	93-152	B overlap 88%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	105-164	B overlap 88%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	93-152	B overlap 88%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	105-164	B overlap 88%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	105-164	B overlap 88%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	93-152	B overlap 88%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 90.00% best ungapped identity | 6 substitutions | part 13/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSIFYEILNMPNLNEAQRNGFIQSLKDDPSQISVRCSDKKLNESQAP
|||||
Parent ADAQQNNFNKDDQSIFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_e6cd4f97cbff47488f070d32	93-152	B overlap 88%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	93-152	B overlap 88%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	93-152	B overlap 88%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	93-152	B overlap 88%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	93-152	B overlap 88%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	93-152	B overlap 88%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	93-152	B overlap 88%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	93-152	B overlap 88%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	93-152	B overlap 88%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	93-152	B overlap 88%	Staphylococcus aureus
UP_f85095abf436c388206c5124	93-152	B overlap 88%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	93-152	B overlap 88%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	93-152	B overlap 88%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	93-152	B overlap 88%	Staphylococcus aureus
UP_ffc5b205486d979b47f1e25f	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_353

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 348. Ungapped best parents: 348. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
|||||
Parent QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	278-327	B overlap 92%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	278-327	B overlap 92%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	278-327	B overlap 92%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	278-327	B overlap 92%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	220-269	B overlap 92%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	220-269	B overlap 92%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	278-327	B overlap 92%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	278-327	B overlap 92%	Staphylococcus aureus
UP_04faae54d75da101458d937d	278-327	B overlap 92%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	173-222	B overlap 92%	Staphylococcus aureus
UP_0558a58a6056e4177ee8a734	162-211	B overlap 92%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	278-327	B overlap 92%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	220-269	B overlap 92%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	278-327	B overlap 92%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	290-339	B overlap 92%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	162-211	B overlap 92%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

50 aa | 98.00% best ungapped identity | 1 substitutions | part 2/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 348. Ungapped best parents: 348. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK

|||||

Parent QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_080bdc344b3e8de041e14a8b	220-269	B overlap 92%	<i>Staphylococcus argenteus</i>
UP_0927b06f2227da558be634a6	162-211	B overlap 92%	<i>Staphylococcus aureus</i>
UP_0b47ec347104dea3cf401212	278-327	B overlap 92%	<i>Staphylococcus aureus</i>
UP_0b60d796a68d3045e93b134e	278-327	B overlap 92%	<i>Staphylococcus aureus</i>
UP_0c80c9392f03dca56d811fa2	278-327	B overlap 92%	<i>Staphylococcus aureus</i>
UP_0cc89752f503c11658a4c8e1	278-327	B overlap 92%	<i>Staphylococcus aureus</i>
UP_0e50e0f21a33ab0ea0d484e0	278-327	B overlap 92%	<i>Staphylococcus aureus</i>
UP_10f4f6cd64b765a00fca2bc0	278-327	B overlap 92%	<i>Staphylococcus aureus</i>
UP_11ef8762e0d1f699cca11a72	336-385	B overlap 92%	<i>Staphylococcus aureus</i>
UP_127db86243730a6f9df4e8bd	290-339	B overlap 92%	<i>Staphylococcus aureus</i>
UP_13ccf6af01357064a43132ca	278-327	B overlap 92%	<i>Staphylococcus aureus</i>
UP_1529d2d15daae1f92fd339c3	278-327	B overlap 92%	<i>Staphylococcus aureus</i>
UP_15b865d3666d14f4c1598c14	101-150	B overlap 92%	<i>Staphylococcus aureus</i>
UP_15ba5cb86fd86da91d8bd88c	278-327	B overlap 92%	<i>Staphylococcus aureus</i>
UP_1678712e643cf888f6cadf62	278-327	B overlap 92%	<i>Staphylococcus aureus</i>
UP_16958848fed046b3709f6bd4	278-327	B overlap 92%	<i>Staphylococcus aureus</i>
UP_171c514ceeeab0855461d73b	278-327	B overlap 92%	<i>Staphylococcus aureus</i>

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_353

50 aa | 98.00% best ungapped identity | 1 substitutions | part 3/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 348. Ungapped best parents: 348. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAQALK
|||||
Parent QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_172cccb9efefc37e19236363	278-327	B overlap 92%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	278-327	B overlap 92%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	220-269	B overlap 92%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	278-327	B overlap 92%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	217-266	B overlap 92%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	220-269	B overlap 92%	Staphylococcus aureus
UP_1c369039d2aa8fce7e14fc8	220-269	B overlap 92%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	278-327	B overlap 92%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	336-385	B overlap 92%	Staphylococcus aureus
UP_2048573278606fc387b40165	3-52	B overlap 92%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	278-327	B overlap 92%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	220-269	B overlap 92%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	290-339	B overlap 92%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	278-327	B overlap 92%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	278-327	B overlap 92%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	278-327	B overlap 92%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	278-327	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_353

50 aa | 98.00% best ungapped identity | 1 substitutions | part 4/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 348. Ungapped best parents: 348. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAQALK
|||||
Parent QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_27f29e3fac76766f4af636e5	278-327	B overlap 92%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	278-327	B overlap 92%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	278-327	B overlap 92%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	278-327	B overlap 92%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	162-211	B overlap 92%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	220-269	B overlap 92%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	278-327	B overlap 92%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	510-559	B overlap 92%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	336-385	B overlap 92%	Staphylococcus aureus
UP_2bd9d8f9a1f5bb1a2e03e456	220-269	B overlap 92%	Staphylococcus aureus
UP_2def648691a179d8337edb84	174-223	B overlap 92%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	220-269	B overlap 92%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	278-327	B overlap 92%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	220-269	B overlap 92%	Staphylococcus aureus
UP_324c49ab20a20eee8d7b5738	220-269	B overlap 92%	Staphylococcus argenteus
UP_332e727aed2e33d630729c9d	278-327	B overlap 92%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_353

50 aa | 98.00% best ungapped identity | 1 substitutions | part 5/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 348. Ungapped best parents: 348. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
|||||
Parent QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_369376855189ded07861b56b	220-269	B overlap 92%	Staphylococcus aureus
UP_37e60ca6c449c9241b51223d	278-327	B overlap 92%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	278-327	B overlap 92%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	336-385	B overlap 92%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	278-327	B overlap 92%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	336-385	B overlap 92%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	220-269	B overlap 92%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	278-327	B overlap 92%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	278-327	B overlap 92%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	278-327	B overlap 92%	Staphylococcus aureus
UP_3d571252244f795c04507670	278-327	B overlap 92%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	220-269	B overlap 92%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	232-281	B overlap 92%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	74-123	B overlap 92%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	220-269	B overlap 92%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	278-327	B overlap 92%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	278-327	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

50 aa | 98.00% best ungapped identity | 1 substitutions | part 6/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 348. Ungapped best parents: 348. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK

|||||

Parent QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAPK

All equally best ungapped sites on this page

UP_41c651f601c919b8ee6882b1	278-327	B overlap 92%	Staphylococcus aureus
UP_4271883fc6ad1062b7cf0f1c	278-327	B overlap 92%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	278-327	B overlap 92%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	336-385	B overlap 92%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	278-327	B overlap 92%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	278-327	B overlap 92%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	220-269	B overlap 92%	Staphylococcus aureus
UP_4667ae039c0ce4ff6d65fa16	101-150	B overlap 92%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	220-269	B overlap 92%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	290-339	B overlap 92%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	278-327	B overlap 92%	Staphylococcus aureus
UP_483345435ebd382942892e04	159-208	B overlap 92%	Staphylococcus argenteus
UP_493fc1e6cf2d8753094287af	220-269	B overlap 92%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	162-211	B overlap 92%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	278-327	B overlap 92%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	452-501	B overlap 92%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_353

50 aa | 98.00% best ungapped identity | 1 substitutions | part 7/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 348. Ungapped best parents: 348. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
|||||
Parent QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_4ceeb2195c19bf40231b07fa	220-269	B overlap 92%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	220-269	B overlap 92%	Staphylococcus aureus
UP_4f7ac95290874e78b8d9f0ed	101-150	B overlap 92%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	278-327	B overlap 92%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	278-327	B overlap 92%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	278-327	B overlap 92%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	220-269	B overlap 92%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	278-327	B overlap 92%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	278-327	B overlap 92%	Staphylococcus aureus
UP_5afea06ab560a525e381f6c8	220-269	B overlap 92%	Staphylococcus argenteus
UP_5bbec0493fad67c07e5cf02b	278-327	B overlap 92%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	278-327	B overlap 92%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	290-339	B overlap 92%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	220-269	B overlap 92%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	220-269	B overlap 92%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	278-327	B overlap 92%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	278-327	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_353

50 aa | 98.00% best ungapped identity | 1 substitutions | part 8/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 348. Ungapped best parents: 348. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK

|||||

Parent QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_60b271b0316c17b99e44dff0	336-385	B overlap 92%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	278-327	B overlap 92%	Staphylococcus aureus
UP_6193b3607b8eab64acbfe79f	159-208	B overlap 92%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	348-397	B overlap 92%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	220-269	B overlap 92%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	278-327	B overlap 92%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	278-327	B overlap 92%	Staphylococcus aureus
UP_63bbd7d1ac5832fffe8cbd7f	217-266	B overlap 92%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	220-269	B overlap 92%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	278-327	B overlap 92%	Staphylococcus aureus
UP_654970f68b48978377243697	278-327	B overlap 92%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	220-269	B overlap 92%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	220-269	B overlap 92%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	220-269	B overlap 92%	Staphylococcus aureus
UP_67b157c032f302cca570b203	348-397	B overlap 92%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	278-327	B overlap 92%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	278-327	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_353

50 aa | 98.00% best ungapped identity | 1 substitutions | part 9/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 348. Ungapped best parents: 348. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
|||||
Parent QQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_69110bf3c572e891b42e16a0	278-327	B overlap 92%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	278-327	B overlap 92%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	278-327	B overlap 92%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	278-327	B overlap 92%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	278-327	B overlap 92%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	348-397	B overlap 92%	Staphylococcus aureus
UP_6d760fbcf9f250b9d80b6377	220-269	B overlap 92%	Staphylococcus argenteus
UP_6d765dcd23be695e8386b589	278-327	B overlap 92%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	220-269	B overlap 92%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	278-327	B overlap 92%	Staphylococcus aureus
UP_6dc6cc8e9acff01b2bc3cf5c	220-269	B overlap 92%	Staphylococcus argenteus
UP_6dde12d1b214335f1b98b297	278-327	B overlap 92%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	278-327	B overlap 92%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	278-327	B overlap 92%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	278-327	B overlap 92%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	290-339	B overlap 92%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	278-327	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_353

50 aa | 98.00% best ungapped identity | 1 substitutions | part 10/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 348. Ungapped best parents: 348. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAQALK
|||||
Parent QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_74703a26fe5c31c3ed92f291	278-327	B overlap 92%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	336-385	B overlap 92%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	278-327	B overlap 92%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	336-385	B overlap 92%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	217-266	B overlap 92%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	220-269	B overlap 92%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	278-327	B overlap 92%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	278-327	B overlap 92%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	278-327	B overlap 92%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	452-501	B overlap 92%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	278-327	B overlap 92%	Staphylococcus aureus
UP_79e0b1d188807716a8d270a0	162-211	B overlap 92%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	290-339	B overlap 92%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	220-269	B overlap 92%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	215-264	B overlap 92%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	220-269	B overlap 92%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_353

50 aa | 98.00% best ungapped identity | 1 substitutions | part 11/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 348. Ungapped best parents: 348. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
|||||
Parent QQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_7d479adc0e68c632662d57f1	237-286	B overlap 92%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	220-269	B overlap 92%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	278-327	B overlap 92%	Staphylococcus aureus
UP_7f705628d3208506515b3404	278-327	B overlap 92%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	220-269	B overlap 92%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	278-327	B overlap 92%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	278-327	B overlap 92%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	220-269	B overlap 92%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	278-327	B overlap 92%	Staphylococcus aureus
UP_86d09985303304149d93296c	168-217	B overlap 92%	Staphylococcus aureus
UP_87c984f47195a756918038f8	220-269	B overlap 92%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	226-275	B overlap 92%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	278-327	B overlap 92%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	466-515	B overlap 92%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	220-269	B overlap 92%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	220-269	B overlap 92%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_353

50 aa | 98.00% best ungapped identity | 1 substitutions | part 12/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 348. Ungapped best parents: 348. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
|||||
Parent QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_8b309cd32d7ae555f36ba5ea	220-269	B overlap 92%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	220-269	B overlap 92%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	278-327	B overlap 92%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	278-327	B overlap 92%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	217-266	B overlap 92%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	336-385	B overlap 92%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	220-269	B overlap 92%	Staphylococcus aureus
UP_91eb16918889951219e50a73	278-327	B overlap 92%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	278-327	B overlap 92%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	336-385	B overlap 92%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	278-327	B overlap 92%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	278-327	B overlap 92%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	278-327	B overlap 92%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	278-327	B overlap 92%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	278-327	B overlap 92%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	278-327	B overlap 92%	Staphylococcus aureus
UP_95e30e740b9bec939fb36b82	226-275	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_353

50 aa | 98.00% best ungapped identity | 1 substitutions | part 13/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 348. Ungapped best parents: 348. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
|||||
Parent QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_971043b6271e59644756c924	220-269	B overlap 92%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	278-327	B overlap 92%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	278-327	B overlap 92%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	278-327	B overlap 92%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	220-269	B overlap 92%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	278-327	B overlap 92%	Staphylococcus aureus
UP_9d6ccee6db34ab44b810682d	220-269	B overlap 92%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	220-269	B overlap 92%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	278-327	B overlap 92%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	336-385	B overlap 92%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	220-269	B overlap 92%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	278-327	B overlap 92%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	278-327	B overlap 92%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	220-269	B overlap 92%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	278-327	B overlap 92%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	278-327	B overlap 92%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

50 aa | 98.00% best ungapped identity | 1 substitutions | part 14/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 348. Ungapped best parents: 348. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK

|||||

Parent QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_a496e39d8ed9511ac38a7bed	290-339	B overlap 92%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	220-269	B overlap 92%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	278-327	B overlap 92%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	165-214	B overlap 92%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	220-269	B overlap 92%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	167-216	B overlap 92%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	278-327	B overlap 92%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	162-211	B overlap 92%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	162-211	B overlap 92%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	220-269	B overlap 92%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	290-339	B overlap 92%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	220-269	B overlap 92%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	220-269	B overlap 92%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	278-327	B overlap 92%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	336-385	B overlap 92%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	278-327	B overlap 92%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	278-327	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_353

50 aa | 98.00% best ungapped identity | 1 substitutions | part 15/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 348. Ungapped best parents: 348. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK

|||||

Parent QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAPK

All equally best ungapped sites on this page

UP_adfdd12a6d4abde69ea98d50	220-269	B overlap 92%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	278-327	B overlap 92%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	220-269	B overlap 92%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	278-327	B overlap 92%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	278-327	B overlap 92%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	278-327	B overlap 92%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	290-339	B overlap 92%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	220-269	B overlap 92%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	173-222	B overlap 92%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	278-327	B overlap 92%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	278-327	B overlap 92%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	220-269	B overlap 92%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	162-211	B overlap 92%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	278-327	B overlap 92%	Staphylococcus aureus
UP_b30e7e945ecd9f7156ff4b4	278-327	B overlap 92%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	278-327	B overlap 92%	Staphylococcus aureus
UP_b448388f79d88503154c8958	278-327	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_353

50 aa | 98.00% best ungapped identity | 1 substitutions | part 16/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 348. Ungapped best parents: 348. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAQALK
|||||
Parent QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_b54736db19c8850e9f6b13b1	278-327	B overlap 92%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	278-327	B overlap 92%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	220-269	B overlap 92%	Staphylococcus aureus
UP_b89432f6e7437c0651852af5	159-208	B overlap 92%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	278-327	B overlap 92%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	278-327	B overlap 92%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	348-397	B overlap 92%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	278-327	B overlap 92%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	278-327	B overlap 92%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	237-286	B overlap 92%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	278-327	B overlap 92%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	278-327	B overlap 92%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	278-327	B overlap 92%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	278-327	B overlap 92%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	278-327	B overlap 92%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	278-327	B overlap 92%	Staphylococcus aureus
UP_c360b4eef28e7ac3a6add6d9	74-123	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_353

50 aa | 98.00% best ungapped identity | 1 substitutions | part 17/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 348. Ungapped best parents: 348. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
|||||
Parent QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_c3971c3863339abe6ae39176	278-327	B overlap 92%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	220-269	B overlap 92%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	232-281	B overlap 92%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	278-327	B overlap 92%	Staphylococcus aureus
UP_c6e58db97616169658087da4	278-327	B overlap 92%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	220-269	B overlap 92%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	220-269	B overlap 92%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	220-269	B overlap 92%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	278-327	B overlap 92%	Staphylococcus aureus
UP_ca698c2d92aaa89331dd0ba4	220-269	B overlap 92%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	278-327	B overlap 92%	Staphylococcus aureus
UP_cc018e0aa888e81d3674855c	254-303	B overlap 92%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	278-327	B overlap 92%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	278-327	B overlap 92%	Staphylococcus aureus
UP_cda3c6f0d10df8be6dc4ff46	220-269	B overlap 92%	Staphylococcus argenteus
UP_ce48648d81e147b208ae7f35	278-327	B overlap 92%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	278-327	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_353

50 aa | 98.00% best ungapped identity | 1 substitutions | part 18/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 348. Ungapped best parents: 348. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
|||||
Parent QQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_cfedaa72f01f43f853011c47	220-269	B overlap 92%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	336-385	B overlap 92%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	220-269	B overlap 92%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	351-400	B overlap 92%	Staphylococcus aureus
UP_d2f4d68676a2244ecc95da63	107-156	B overlap 92%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	220-269	B overlap 92%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	220-269	B overlap 92%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	278-327	B overlap 92%	Staphylococcus aureus
UP_d42f3bf1007f1620dba29aac	220-269	B overlap 92%	Staphylococcus argenteus
UP_d446b7e01a0f059e086dcfed	278-327	B overlap 92%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d5b345437142d9cf807db25d	220-269	B overlap 92%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	220-269	B overlap 92%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	278-327	B overlap 92%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	278-327	B overlap 92%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	336-385	B overlap 92%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	336-385	B overlap 92%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	278-327	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_353

50 aa | 98.00% best ungapped identity | 1 substitutions | part 19/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 348. Ungapped best parents: 348. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
|||||
Parent QQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_df25788f262b81ebd8fdb69	278-327	B overlap 92%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	220-269	B overlap 92%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	220-269	B overlap 92%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	278-327	B overlap 92%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	220-269	B overlap 92%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	278-327	B overlap 92%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	167-216	B overlap 92%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	220-269	B overlap 92%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	278-327	B overlap 92%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	81-130	B overlap 92%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	290-339	B overlap 92%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	220-269	B overlap 92%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	278-327	B overlap 92%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	290-339	B overlap 92%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	226-275	B overlap 92%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	278-327	B overlap 92%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	278-327	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_353

50 aa | 98.00% best ungapped identity | 1 substitutions | part 20/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 348. Ungapped best parents: 348. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAQALK
|||||
Parent QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_e59ad94e67fec4f53d6abdba	278-327	B overlap 92%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	220-269	B overlap 92%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	220-269	B overlap 92%	Staphylococcus aureus
UP_e6d99cc66a27067b7ac482cc	220-269	B overlap 92%	Staphylococcus argenteus
UP_e80088e3013d805979b62cf8	278-327	B overlap 92%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	278-327	B overlap 92%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	278-327	B overlap 92%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	278-327	B overlap 92%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	220-269	B overlap 92%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	278-327	B overlap 92%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	278-327	B overlap 92%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	220-269	B overlap 92%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	162-211	B overlap 92%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	278-327	B overlap 92%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	220-269	B overlap 92%	Staphylococcus aureus
UP_f1c8a677456a5de29a99e38e	278-327	B overlap 92%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	278-327	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_353

50 aa | 98.00% best ungapped identity | 1 substitutions | part 21/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 348. Ungapped best parents: 348. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK

|||||

Parent QQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_f378f6d5351f987fc65d7f50	278-327	B overlap 92%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	220-269	B overlap 92%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	290-339	B overlap 92%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	107-156	B overlap 92%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	220-269	B overlap 92%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	232-281	B overlap 92%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	278-327	B overlap 92%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	278-327	B overlap 92%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	336-385	B overlap 92%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	232-281	B overlap 92%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	220-269	B overlap 92%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	278-327	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_354

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
 |||
Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	272-327	B overlap 93%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	272-327	B overlap 93%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	272-327	B overlap 93%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	272-327	B overlap 93%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	214-269	B overlap 93%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	214-269	B overlap 93%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	272-327	B overlap 93%	Staphylococcus aureus
UP_04faae54d75da101458d937d	272-327	B overlap 93%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	167-222	B overlap 93%	Staphylococcus aureus
UP_0558a58a6056e4177ee8a734	156-211	B overlap 93%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	214-269	B overlap 93%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	272-327	B overlap 93%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	284-339	B overlap 93%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	214-269	B overlap 93%	Staphylococcus aureus
UP_080bdc344b3e8de041e14a8b	214-269	B overlap 93%	Staphylococcus argenteus
UP_0b47ec347104dea3cf401212	272-327	B overlap 93%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 2/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK

|||||

Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_0c80c9392f03dca56d811fa2	272-327	B overlap 93%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	272-327	B overlap 93%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	272-327	B overlap 93%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	272-327	B overlap 93%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	330-385	B overlap 93%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	284-339	B overlap 93%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	272-327	B overlap 93%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	272-327	B overlap 93%	Staphylococcus aureus
UP_15b865d3666d14f4c1598c14	95-150	B overlap 93%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	272-327	B overlap 93%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	272-327	B overlap 93%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	272-327	B overlap 93%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	272-327	B overlap 93%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	272-327	B overlap 93%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	272-327	B overlap 93%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	214-269	B overlap 93%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_354

56 aa | 98.21% best ungapped identity | 1 substitutions | part 3/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
 |||||
Parent NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_1b50a5126b16c8571f3dbf16	211-266	B overlap 93%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	214-269	B overlap 93%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	214-269	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	272-327	B overlap 93%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	330-385	B overlap 93%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	272-327	B overlap 93%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	214-269	B overlap 93%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	284-339	B overlap 93%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	272-327	B overlap 93%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	272-327	B overlap 93%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	272-327	B overlap 93%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	272-327	B overlap 93%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	272-327	B overlap 93%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	272-327	B overlap 93%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	272-327	B overlap 93%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	214-269	B overlap 93%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_354

56 aa | 98.21% best ungapped identity | 1 substitutions | part 4/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
 |||
Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_2b9173d33011444e5c5e2f14	504-559	B overlap 93%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	330-385	B overlap 93%	Staphylococcus aureus
UP_2bd9d8f9a1f5bb1a2e03e456	214-269	B overlap 93%	Staphylococcus aureus
UP_2def648691a179d8337edb84	168-223	B overlap 93%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	214-269	B overlap 93%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	272-327	B overlap 93%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	214-269	B overlap 93%	Staphylococcus aureus
UP_324c49ab20a20eee8d7b5738	214-269	B overlap 93%	Staphylococcus argenteus
UP_332e727aed2e33d630729c9d	272-327	B overlap 93%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	214-269	B overlap 93%	Staphylococcus aureus
UP_369376855189ded07861b56b	214-269	B overlap 93%	Staphylococcus aureus
UP_37e60ca6c449c9241b51223d	272-327	B overlap 93%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	272-327	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	330-385	B overlap 93%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	272-327	B overlap 93%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	330-385	B overlap 93%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_354

56 aa | 98.21% best ungapped identity | 1 substitutions | part 5/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYIEIHLPLNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
|||||
Parent NKFNKEQQNAFYIEIHLPLNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_3c32faf6872b0a8e85bf68be	272-327	B overlap 93%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	272-327	B overlap 93%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	272-327	B overlap 93%	Staphylococcus aureus
UP_3d571252244f795c04507670	272-327	B overlap 93%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	214-269	B overlap 93%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	226-281	B overlap 93%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	68-123	B overlap 93%	Staphylococcus aureus
UP_3fee6a180afdbfbc0846e0dd	214-269	B overlap 93%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	272-327	B overlap 93%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	272-327	B overlap 93%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	272-327	B overlap 93%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	272-327	B overlap 93%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	272-327	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	330-385	B overlap 93%	Staphylococcus aureus
UP_45a183f1c00512726bcbadecb	272-327	B overlap 93%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	214-269	B overlap 93%	Staphylococcus aureus
UP_4667ae039c0ce4ff6d65fa16	95-150	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_354

56 aa | 98.21% best ungapped identity | 1 substitutions | part 6/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
 |||||
Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_46cd879e24623ead35e04d06	214-269	B overlap 93%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	284-339	B overlap 93%	Staphylococcus aureus
UP_483345435ebd382942892e04	153-208	B overlap 93%	Staphylococcus argenteus
UP_493fc1e6cf2d8753094287af	214-269	B overlap 93%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	156-211	B overlap 93%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	272-327	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	446-501	B overlap 93%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	214-269	B overlap 93%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	214-269	B overlap 93%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	214-269	B overlap 93%	Staphylococcus aureus
UP_4f7ac95290874e78b8d9f0ed	95-150	B overlap 93%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	272-327	B overlap 93%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	272-327	B overlap 93%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	272-327	B overlap 93%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	214-269	B overlap 93%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	272-327	B overlap 93%	Staphylococcus aureus
UP_5afea06ab560a525e381f6c8	214-269	B overlap 93%	Staphylococcus argenteus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 7/19

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Parent NKFNKEQQNAFYEILHLPNLTEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

UP_5bbec0493fad67c07e5cf02b	272-327	B overlap 93%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	272-327	B overlap 93%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	284-339	B overlap 93%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	214-269	B overlap 93%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	214-269	B overlap 93%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	272-327	B overlap 93%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	272-327	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	330-385	B overlap 93%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	272-327	B overlap 93%	Staphylococcus aureus
UP_6193b3607b8eab64acbf79f	153-208	B overlap 93%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	342-397	B overlap 93%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	214-269	B overlap 93%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	272-327	B overlap 93%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	272-327	B overlap 93%	Staphylococcus aureus
UP_63bbd7d1ac5832ffe8cbd7f	211-266	B overlap 93%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	214-269	B overlap 93%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	272-327	B overlap 93%	Staphylococcus aureus

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_354

56 aa | 98.21% best ungapped identity | 1 substitutions | part 8/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
 |||
Parent NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_654970f68b48978377243697	272-327	B overlap 93%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	214-269	B overlap 93%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	214-269	B overlap 93%	Staphylococcus aureus
UP_67b157c032f302cca570b203	342-397	B overlap 93%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	272-327	B overlap 93%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	272-327	B overlap 93%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	272-327	B overlap 93%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	272-327	B overlap 93%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	272-327	B overlap 93%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	272-327	B overlap 93%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	342-397	B overlap 93%	Staphylococcus aureus
UP_6d760fbcf9f250b9d80b6377	214-269	B overlap 93%	Staphylococcus argenteus
UP_6d765dcd23be695e8386b589	272-327	B overlap 93%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	272-327	B overlap 93%	Staphylococcus aureus
UP_6dc6cc8e9acff01b2bc3cf5c	214-269	B overlap 93%	Staphylococcus argenteus
UP_6dde12d1b214335f1b98b297	272-327	B overlap 93%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 9/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
 |||||||
 Parent NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_6eb5ab0c8436b449ad83a5f5	272-327	B overlap 93%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	284-339	B overlap 93%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	272-327	B overlap 93%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	272-327	B overlap 93%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	330-385	B overlap 93%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	272-327	B overlap 93%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	330-385	B overlap 93%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	211-266	B overlap 93%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	214-269	B overlap 93%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	272-327	B overlap 93%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	272-327	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	446-501	B overlap 93%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	272-327	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	284-339	B overlap 93%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	214-269	B overlap 93%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	214-269	B overlap 93%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 10/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
|||||
Parent NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_7e1d634bed16b84ddf354b21	214-269	B overlap 93%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	272-327	B overlap 93%	Staphylococcus aureus
UP_7f705628d3208506515b3404	272-327	B overlap 93%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	214-269	B overlap 93%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	272-327	B overlap 93%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	272-327	B overlap 93%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	214-269	B overlap 93%	Staphylococcus aureus
UP_86d09985303304149d93296c	162-217	B overlap 93%	Staphylococcus aureus
UP_87c984f47195a756918038f8	214-269	B overlap 93%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	220-275	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	272-327	B overlap 93%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	214-269	B overlap 93%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	214-269	B overlap 93%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	156-211	B overlap 93%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	214-269	B overlap 93%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	214-269	B overlap 93%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 11/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK

|||||

Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_8ec48e90fd6193201e736c4a	272-327	B overlap 93%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	211-266	B overlap 93%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	330-385	B overlap 93%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	214-269	B overlap 93%	Staphylococcus aureus
UP_91eb16918889951219e50a73	272-327	B overlap 93%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	272-327	B overlap 93%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	330-385	B overlap 93%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	272-327	B overlap 93%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	272-327	B overlap 93%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	272-327	B overlap 93%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	272-327	B overlap 93%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	272-327	B overlap 93%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	272-327	B overlap 93%	Staphylococcus aureus
UP_95e30e740b9bec939fb36b82	220-275	B overlap 93%	Staphylococcus aureus
UP_971043b6271e59644756c924	214-269	B overlap 93%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	272-327	B overlap 93%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 12/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
 |||||||
 Parent NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_9819abf61294ca7e009f396c	272-327	B overlap 93%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	214-269	B overlap 93%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	272-327	B overlap 93%	Staphylococcus aureus
UP_9d6cc6e6db34ab44b810682d	214-269	B overlap 93%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	214-269	B overlap 93%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	272-327	B overlap 93%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	330-385	B overlap 93%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	214-269	B overlap 93%	Staphylococcus aureus
UP_alc16686cb18780db1e61843	272-327	B overlap 93%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	272-327	B overlap 93%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	214-269	B overlap 93%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	272-327	B overlap 93%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	272-327	B overlap 93%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	214-269	B overlap 93%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	284-339	B overlap 93%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	214-269	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_354

56 aa | 98.21% best ungapped identity | 1 substitutions | part 13/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYELHLPNLTEEQRNQFIQSLKDDPSVSKEILAEAKKLNDQAQALK

|||||

Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_a67d8ed9efe67a0be3b461af	159-214	B overlap 93%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	214-269	B overlap 93%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	161-216	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	272-327	B overlap 93%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	156-211	B overlap 93%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	214-269	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	284-339	B overlap 93%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	214-269	B overlap 93%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	214-269	B overlap 93%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	272-327	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	330-385	B overlap 93%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	272-327	B overlap 93%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	214-269	B overlap 93%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	272-327	B overlap 93%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	214-269	B overlap 93%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	272-327	B overlap 93%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 14/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK

|||||

Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_aef0cd1f96e996ad96a2b979	272-327	B overlap 93%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	284-339	B overlap 93%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	214-269	B overlap 93%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	167-222	B overlap 93%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	272-327	B overlap 93%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	272-327	B overlap 93%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	214-269	B overlap 93%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	156-211	B overlap 93%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	272-327	B overlap 93%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	272-327	B overlap 93%	Staphylococcus aureus
UP_b448388f79d88503154c8958	272-327	B overlap 93%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	272-327	B overlap 93%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	272-327	B overlap 93%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	214-269	B overlap 93%	Staphylococcus aureus
UP_b89432f6e7437c0651852af5	153-208	B overlap 93%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	272-327	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_354

56 aa | 98.21% best ungapped identity | 1 substitutions | part 15/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
 |||
Parent NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_bb1a05adfa3439ea88c6734c	342-397	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	272-327	B overlap 93%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	272-327	B overlap 93%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	231-286	B overlap 93%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	272-327	B overlap 93%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	272-327	B overlap 93%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	272-327	B overlap 93%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	272-327	B overlap 93%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	272-327	B overlap 93%	Staphylococcus aureus
UP_c360b4eef28e7ac3a6add6d9	68-123	B overlap 93%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	272-327	B overlap 93%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	214-269	B overlap 93%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	226-281	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	272-327	B overlap 93%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	214-269	B overlap 93%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	214-269	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 16/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
|||||
Parent NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_cc018e0aa888e81d3674855c	248-303	B overlap 93%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	272-327	B overlap 93%	Staphylococcus aureus
UP_cda3c6f0d10df8be6dc4ff46	214-269	B overlap 93%	Staphylococcus argenteus
UP_ce48648d81e147b208ae7f35	272-327	B overlap 93%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	272-327	B overlap 93%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	214-269	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	345-400	B overlap 93%	Staphylococcus aureus
UP_d2f4d68676a2244ecc95da63	101-156	B overlap 93%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	214-269	B overlap 93%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	214-269	B overlap 93%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	272-327	B overlap 93%	Staphylococcus aureus
UP_d42f3bf1007f1620dba29aac	214-269	B overlap 93%	Staphylococcus argenteus
UP_d446b7e01a0f059e086dcfed	272-327	B overlap 93%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d5b345437142d9cf807db25d	214-269	B overlap 93%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	214-269	B overlap 93%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	272-327	B overlap 93%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	330-385	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_354

56 aa | 98.21% best ungapped identity | 1 substitutions | part 17/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
 |||||
Parent NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_de03166de512b68a9e6934b6	330-385	B overlap 93%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	272-327	B overlap 93%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	272-327	B overlap 93%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	214-269	B overlap 93%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	272-327	B overlap 93%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	214-269	B overlap 93%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	272-327	B overlap 93%	Staphylococcus aureus
UP_e09b710f80dfd0bf7aa57a91	161-216	B overlap 93%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	214-269	B overlap 93%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	272-327	B overlap 93%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	75-130	B overlap 93%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	284-339	B overlap 93%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	214-269	B overlap 93%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	272-327	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	284-339	B overlap 93%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	220-275	B overlap 93%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_354

56 aa | 98.21% best ungapped identity | 1 substitutions | part 18/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
|||||
Parent NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_e572e0ad33c5ed8c26e312c	272-327	B overlap 93%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	272-327	B overlap 93%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	214-269	B overlap 93%	Staphylococcus aureus
UP_e6d99cc66a27067b7ac482cc	214-269	B overlap 93%	Staphylococcus argenteus
UP_e80088e3013d805979b62cf8	272-327	B overlap 93%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	272-327	B overlap 93%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	214-269	B overlap 93%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	272-327	B overlap 93%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	272-327	B overlap 93%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	214-269	B overlap 93%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	156-211	B overlap 93%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	272-327	B overlap 93%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	214-269	B overlap 93%	Staphylococcus aureus
UP_f1c8a677456a5de29a99e38e	272-327	B overlap 93%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	272-327	B overlap 93%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	272-327	B overlap 93%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 19/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQALK
 |||||||
 Parent NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQAPK

All equally best ungapped sites on this page

UP_f57ed69187f17aafd0cb1f95	284-339	B overlap 93%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	101-156	B overlap 93%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	214-269	B overlap 93%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	226-281	B overlap 93%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	272-327	B overlap 93%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	272-327	B overlap 93%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	330-385	B overlap 93%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	226-281	B overlap 93%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_360

58 aa | 98.28% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 3. Ungapped best parents: 3. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKDQNAFYEILNMPNLNEEQRNGRIQSLKDDPSQSANLLTEAKKLNDQAQPK
|||||
Parent ADNKFNKDQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLTEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_2875183729a0466273c1e3c1	154-211	B overlap 91%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	154-211	B overlap 91%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_362

54 aa | 98.15% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 5. Ungapped best parents: 5. Inclusive-database exact parents excluded from main set: 0.

Query FNKDQQSAFYEILNMPNLNDEQRNGFIQSLKDDPSQSTNVLGEAKKLNDAQAPK
|||||
Parent FNKDQQSAFYEILNMPNLNEEQRNGFIQSLKDDPSQSTNVLGEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_0558a58a6056e4177ee8a734	100-153	B overlap 93%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	100-153	B overlap 93%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	100-153	B overlap 93%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	100-153	B overlap 93%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	100-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

48 aa | 97.92% best ungapped identity | 1 substitutions | part 1/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAET

|||||

Parent ADNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	212-259	B overlap 98%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	212-259	B overlap 98%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	154-201	B overlap 98%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	212-259	B overlap 98%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	212-259	B overlap 98%	Staphylococcus aureus
UP_04faae54d75da101458d937d	212-259	B overlap 98%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	212-259	B overlap 98%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	212-259	B overlap 98%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	224-271	B overlap 98%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	212-259	B overlap 98%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	212-259	B overlap 98%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	212-259	B overlap 98%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	212-259	B overlap 98%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	212-259	B overlap 98%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	212-259	B overlap 98%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	270-317	B overlap 98%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	224-271	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_363

48 aa | 97.92% best ungapped identity | 1 substitutions | part 2/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
|||||
Parent ADNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_1529d2d15daae1f92fd339c3	212-259	B overlap 98%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	212-259	B overlap 98%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	212-259	B overlap 98%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	212-259	B overlap 98%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	212-259	B overlap 98%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	212-259	B overlap 98%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	154-201	B overlap 98%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	212-259	B overlap 98%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	212-259	B overlap 98%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	270-317	B overlap 98%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	212-259	B overlap 98%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	212-259	B overlap 98%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	212-259	B overlap 98%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	154-201	B overlap 98%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	224-271	B overlap 98%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	212-259	B overlap 98%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	212-259	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

48 aa | 97.92% best ungapped identity | 1 substitutions | part 3/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAET

|||||

Parent ADNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_29064a9961a975f454e1d6b1	212-259	B overlap 98%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	212-259	B overlap 98%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	212-259	B overlap 98%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	386-433	B overlap 98%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	444-491	B overlap 98%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcbf72d	212-259	B overlap 98%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	154-201	B overlap 98%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	212-259	B overlap 98%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	212-259	B overlap 98%	Staphylococcus aureus
UP_34e7dec5146720f3668dfdf6	212-259	B overlap 98%	Staphylococcus schweitzeri
UP_37e60ca6c449c9241b51223d	212-259	B overlap 98%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	212-259	B overlap 98%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	270-317	B overlap 98%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	212-259	B overlap 98%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	270-317	B overlap 98%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	212-259	B overlap 98%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	212-259	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_363

48 aa | 97.92% best ungapped identity | 1 substitutions | part 4/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
|||||
Parent ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_3deac7afe1d09cf6d458d16d	8-55	B overlap 98%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	154-201	B overlap 98%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	212-259	B overlap 98%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	212-259	B overlap 98%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	212-259	B overlap 98%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	212-259	B overlap 98%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	270-317	B overlap 98%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	212-259	B overlap 98%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	212-259	B overlap 98%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	224-271	B overlap 98%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	212-259	B overlap 98%	Staphylococcus aureus
UP_493fc1e6cf2d8753094287af	154-201	B overlap 98%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	212-259	B overlap 98%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	386-433	B overlap 98%	Staphylococcus aureus
UP_51c0096cd463a4b89359dc12	281-328	B overlap 98%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	212-259	B overlap 98%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	212-259	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

48 aa | 97.92% best ungapped identity | 1 substitutions | part 5/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAET

|||||

Parent ADNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_549e2ac62132d0bd32cea7ca	212-259	B overlap 98%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	212-259	B overlap 98%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	212-259	B overlap 98%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	212-259	B overlap 98%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	212-259	B overlap 98%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	224-271	B overlap 98%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	212-259	B overlap 98%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	212-259	B overlap 98%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	270-317	B overlap 98%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	212-259	B overlap 98%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	282-329	B overlap 98%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	212-259	B overlap 98%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	212-259	B overlap 98%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	154-201	B overlap 98%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	212-259	B overlap 98%	Staphylococcus aureus
UP_654970f68b48978377243697	212-259	B overlap 98%	Staphylococcus aureus
UP_67b157c032f302cca570b203	224-271	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_363

48 aa | 97.92% best ungapped identity | 1 substitutions | part 6/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
 |||||
Parent ADNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_67b157c032f302cca570b203	282-329	B overlap 98%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	212-259	B overlap 98%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	212-259	B overlap 98%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	212-259	B overlap 98%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	212-259	B overlap 98%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	212-259	B overlap 98%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	212-259	B overlap 98%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	212-259	B overlap 98%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	212-259	B overlap 98%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	224-271	B overlap 98%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	282-329	B overlap 98%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	212-259	B overlap 98%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	212-259	B overlap 98%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	212-259	B overlap 98%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	212-259	B overlap 98%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	212-259	B overlap 98%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	224-271	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_363

48 aa | 97.92% best ungapped identity | 1 substitutions | part 7/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAET

|||||

Parent ADNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_72dd9fa28dab2363ac98467e	212-259	B overlap 98%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	212-259	B overlap 98%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	212-259	B overlap 98%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	270-317	B overlap 98%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	151-198	B overlap 98%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	212-259	B overlap 98%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	212-259	B overlap 98%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	386-433	B overlap 98%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	212-259	B overlap 98%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	224-271	B overlap 98%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	154-201	B overlap 98%	Staphylococcus aureus
UP_7f705628d3208506515b3404	212-259	B overlap 98%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	154-201	B overlap 98%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	212-259	B overlap 98%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	212-259	B overlap 98%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	154-201	B overlap 98%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	212-259	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

48 aa | 97.92% best ungapped identity | 1 substitutions | part 8/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAET

|||||

Parent ADNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_87d28524a66281b6bb26bf59	160-207	B overlap 98%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	212-259	B overlap 98%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	154-201	B overlap 98%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	212-259	B overlap 98%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	212-259	B overlap 98%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	151-198	B overlap 98%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	270-317	B overlap 98%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	154-201	B overlap 98%	Staphylococcus aureus
UP_91eb16918889951219e50a73	212-259	B overlap 98%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	212-259	B overlap 98%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	212-259	B overlap 98%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	212-259	B overlap 98%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	212-259	B overlap 98%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	212-259	B overlap 98%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	212-259	B overlap 98%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	212-259	B overlap 98%	Staphylococcus aureus
UP_9d39a6668a25b34b2d8a3444	223-270	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_363

48 aa | 97.92% best ungapped identity | 1 substitutions | part 9/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAET

|||||

Parent ADNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_9f4197427ac818393ee9d5f5	212-259	B overlap 98%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	212-259	B overlap 98%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	154-201	B overlap 98%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	212-259	B overlap 98%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	212-259	B overlap 98%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	154-201	B overlap 98%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	224-271	B overlap 98%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	212-259	B overlap 98%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	99-146	B overlap 98%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	101-148	B overlap 98%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	212-259	B overlap 98%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	224-271	B overlap 98%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	270-317	B overlap 98%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	212-259	B overlap 98%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	212-259	B overlap 98%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	212-259	B overlap 98%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	212-259	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_363

48 aa | 97.92% best ungapped identity | 1 substitutions | part 10/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAET

|||||

Parent ADNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_aef0cd1f96e996ad96a2b979	212-259	B overlap 98%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	224-271	B overlap 98%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	154-201	B overlap 98%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	212-259	B overlap 98%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	212-259	B overlap 98%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	212-259	B overlap 98%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	212-259	B overlap 98%	Staphylococcus aureus
UP_b448388f79d88503154c8958	212-259	B overlap 98%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	212-259	B overlap 98%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	212-259	B overlap 98%	Unresolved
UP_b8b659f615cfbdc781f8d48e	212-259	B overlap 98%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	212-259	B overlap 98%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	282-329	B overlap 98%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	212-259	B overlap 98%	Staphylococcus aureus
UP_bde2fa9c31fb8faa98d74869	223-270	B overlap 98%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	212-259	B overlap 98%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	212-259	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

48 aa | 97.92% best ungapped identity | 1 substitutions | part 11/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAET

|||||

Parent ADNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_c11da477f7461107eb6f572c	212-259	B overlap 98%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	212-259	B overlap 98%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	212-259	B overlap 98%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	340-387	B overlap 98%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	212-259	B overlap 98%	Staphylococcus aureus
UP_c6e58db97616169658087da4	212-259	B overlap 98%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	154-201	B overlap 98%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	212-259	B overlap 98%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	212-259	B overlap 98%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	212-259	B overlap 98%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	212-259	B overlap 98%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	270-317	B overlap 98%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	285-332	B overlap 98%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	212-259	B overlap 98%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	212-259	B overlap 98%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d762df1fa79b331ff9b41f57	154-201	B overlap 98%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	270-317	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_363

48 aa | 97.92% best ungapped identity | 1 substitutions | part 12/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYEILHLPNLNNEEQRNGFIQSLKDDPSQSANLLAET
|||||
Parent ADNKFNKEQQNAFYEILHLPNLNNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_de03166de512b68a9e6934b6	270-317	B overlap 98%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	212-259	B overlap 98%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbab69	212-259	B overlap 98%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	212-259	B overlap 98%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	101-148	B overlap 98%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	154-201	B overlap 98%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	212-259	B overlap 98%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	15-62	B overlap 98%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	224-271	B overlap 98%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	212-259	B overlap 98%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	224-271	B overlap 98%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	212-259	B overlap 98%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	212-259	B overlap 98%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	212-259	B overlap 98%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	212-259	B overlap 98%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	212-259	B overlap 98%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	212-259	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_363

48 aa | 97.92% best ungapped identity | 1 substitutions | part 13/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAET

|||||

Parent ADNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_ed524523f096fabfa8f0638f	212-259	B overlap 98%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	154-201	B overlap 98%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	212-259	B overlap 98%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	224-271	B overlap 98%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	41-88	B overlap 98%	Staphylococcus aureus
UP_f85095abf436c388206c5124	212-259	B overlap 98%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	212-259	B overlap 98%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	212-259	B overlap 98%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	212-259	B overlap 98%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	270-317	B overlap 98%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	166-213	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_364

52 aa | 71.15% best ungapped identity | 15 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 3. Ungapped best parents: 4. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKDQQNAFYIEINEEQRNGFIQSLKDDPSQSANLLTEAKKLNDQAQPK
 .|.....|
Parent KDQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLTEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_2875183729a0466273c1e3c1	160-211	B overlap 92%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	160-211	B overlap 92%	Staphylococcus aureus
UP_c360b4eef28e7ac3a6add6d9	14-65	B overlap 0%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	160-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_372

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 4. Ungapped best parents: 4. Inclusive-database exact parents excluded from main set: 0.

Query SQHDEAQQNAFYQVLNMHNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQAPK
 . |||||
Parent AQHDEAQQNAFYQVLNMHNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQAPK

All equally best ungapped sites on this page

UP_2189529a20f88a21c7094cb4	37-92	B overlap 93%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	37-92	B overlap 93%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	37-92	B overlap 93%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_374

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 5. Ungapped best parents: 5. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNDEQRNGFIQSLKDDPSQSTNVLGEAKKLNDAPK
|||||
Parent QQSAFYEILNMPNLNEEQRNGFIQSLKDDPSQSTNVLGEAKKLNDAPK

All equally best ungapped sites on this page

UP_0558a58a6056e4177ee8a734	104-153	B overlap 92%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	104-153	B overlap 92%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	104-153	B overlap 92%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	104-153	B overlap 92%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_376

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 3. Ungapped best parents: 3. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRNGRIQSLKDDPSQSANLLTEAKKLNDAPK
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLTEAKKLNDAPK

All equally best ungapped sites on this page

UP_2875183729a0466273c1e3c1	162-211	B overlap 92%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	162-211	B overlap 92%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_379

44 aa | 81.82% best ungapped identity | 8 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 3. Ungapped best parents: 3. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEINEEQRNGFIQSLKDDPSQSANLLTEAKKLNDQAQPK
 |
Parent EILNMPNLNEEQRNGFIQSLKDDPSQSANLLTEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_2875183729a0466273c1e3c1	168-211	B overlap 91%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	168-211	B overlap 91%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	168-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_380

40 aa | 97.50% best ungapped identity | 1 substitutions | part 1/17

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 280. Ungapped best parents: 280. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	220-259	B overlap 100%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	220-259	B overlap 100%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	220-259	B overlap 100%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	162-201	B overlap 100%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	220-259	B overlap 100%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	220-259	B overlap 100%	Staphylococcus aureus
UP_04faae54d75da101458d937d	220-259	B overlap 100%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	220-259	B overlap 100%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	220-259	B overlap 100%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	232-271	B overlap 100%	Staphylococcus aureus
UP_080bdc344b3e8de041e14a8b	162-201	B overlap 100%	Staphylococcus argenteus
UP_089401edee5041f7fee8922d	220-259	B overlap 100%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	220-259	B overlap 100%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	220-259	B overlap 100%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	220-259	B overlap 100%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	220-259	B overlap 100%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	220-259	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_380

40 aa | 97.50% best ungapped identity | 1 substitutions | part 2/17

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 280. Ungapped best parents: 280. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_11ef8762e0d1f699cca11a72	278-317	B overlap 100%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	232-271	B overlap 100%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	220-259	B overlap 100%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	220-259	B overlap 100%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	220-259	B overlap 100%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	220-259	B overlap 100%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	220-259	B overlap 100%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	220-259	B overlap 100%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	220-259	B overlap 100%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	220-259	B overlap 100%	Staphylococcus aureus
UP_1be437bab2a84ae74283a17	162-201	B overlap 100%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	220-259	B overlap 100%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	220-259	B overlap 100%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	278-317	B overlap 100%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	220-259	B overlap 100%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	220-259	B overlap 100%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	220-259	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_380

40 aa | 97.50% best ungapped identity | 1 substitutions | part 3/17

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 280. Ungapped best parents: 280. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_23ad0d4e8e61e8e5964b80b0	162-201	B overlap 100%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	232-271	B overlap 100%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	220-259	B overlap 100%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	162-201	B overlap 100%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	220-259	B overlap 100%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	220-259	B overlap 100%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	220-259	B overlap 100%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	220-259	B overlap 100%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	220-259	B overlap 100%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	394-433	B overlap 100%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	452-491	B overlap 100%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	220-259	B overlap 100%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	278-317	B overlap 100%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	220-259	B overlap 100%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	162-201	B overlap 100%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	220-259	B overlap 100%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	162-201	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_380

40 aa | 97.50% best ungapped identity | 1 substitutions | part 4/17

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 280. Ungapped best parents: 280. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_324c49ab20a20eee8d7b5738	162-201	B overlap 100%	Staphylococcus argenteus
UP_332e727aed2e33d630729c9d	220-259	B overlap 100%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	220-259	B overlap 100%	Staphylococcus schweitzeri
UP_37e60ca6c449c9241b51223d	220-259	B overlap 100%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	220-259	B overlap 100%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	278-317	B overlap 100%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	220-259	B overlap 100%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	278-317	B overlap 100%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	220-259	B overlap 100%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	220-259	B overlap 100%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	220-259	B overlap 100%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	16-55	B overlap 100%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	162-201	B overlap 100%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	220-259	B overlap 100%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	220-259	B overlap 100%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	220-259	B overlap 100%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	220-259	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_380

40 aa | 97.50% best ungapped identity | 1 substitutions | part 5/17

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 280. Ungapped best parents: 280. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_42c6d0abd3e7d4da6ec47e2d	220-259	B overlap 100%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	278-317	B overlap 100%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	220-259	B overlap 100%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	220-259	B overlap 100%	Staphylococcus aureus
UP_4667ae039c0ce4ff6d65fa16	43-82	B overlap 100%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	232-271	B overlap 100%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	220-259	B overlap 100%	Staphylococcus aureus
UP_483345435ebd382942892e04	101-140	B overlap 100%	Staphylococcus argenteus
UP_493fc1e6cf2d8753094287af	162-201	B overlap 100%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	220-259	B overlap 100%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	220-259	B overlap 100%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	394-433	B overlap 100%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	162-201	B overlap 100%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	162-201	B overlap 100%	Staphylococcus aureus
UP_4f7ac95290874e78b8d9f0ed	43-82	B overlap 100%	Staphylococcus aureus
UP_51c0096cd463a4b89359dc12	173-212	B overlap 100%	Staphylococcus aureus
UP_51c0096cd463a4b89359dc12	289-328	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_380

40 aa | 97.50% best ungapped identity | 1 substitutions | part 6/17

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 280. Ungapped best parents: 280. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_529b0b3dc076b8643749c136	220-259	B overlap 100%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	220-259	B overlap 100%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	220-259	B overlap 100%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	220-259	B overlap 100%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	162-201	B overlap 100%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	220-259	B overlap 100%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	220-259	B overlap 100%	Staphylococcus aureus
UP_5afea06ab560a525e381f6c8	162-201	B overlap 100%	Staphylococcus argenteus
UP_5bbec0493fad67c07e5cf02b	220-259	B overlap 100%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	220-259	B overlap 100%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	232-271	B overlap 100%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	162-201	B overlap 100%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	220-259	B overlap 100%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	220-259	B overlap 100%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	278-317	B overlap 100%	Staphylococcus aureus
UP_60b825dd9a4e560b2cee9750	220-259	B overlap 100%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	220-259	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_380

40 aa | 97.50% best ungapped identity | 1 substitutions | part 7/17

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 280. Ungapped best parents: 280. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
|||||
Parent QQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_6193b3607b8eab64acbfe79f	101-140	B overlap 100%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	290-329	B overlap 100%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	162-201	B overlap 100%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	220-259	B overlap 100%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	220-259	B overlap 100%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	162-201	B overlap 100%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	220-259	B overlap 100%	Staphylococcus aureus
UP_654970f68b48978377243697	220-259	B overlap 100%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	162-201	B overlap 100%	Staphylococcus aureus
UP_67b157c032f302cca570b203	232-271	B overlap 100%	Staphylococcus aureus
UP_67b157c032f302cca570b203	290-329	B overlap 100%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	220-259	B overlap 100%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	220-259	B overlap 100%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	220-259	B overlap 100%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	220-259	B overlap 100%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	220-259	B overlap 100%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	220-259	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_380

40 aa | 97.50% best ungapped identity | 1 substitutions | part 8/17

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 280. Ungapped best parents: 280. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_6afbaf783543b8f49d10ac03	220-259	B overlap 100%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	220-259	B overlap 100%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	232-271	B overlap 100%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	290-329	B overlap 100%	Staphylococcus aureus
UP_6d760fbcf9f250b9d80b6377	162-201	B overlap 100%	Staphylococcus argenteus
UP_6d765dcd23be695e8386b589	220-259	B overlap 100%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	162-201	B overlap 100%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	220-259	B overlap 100%	Staphylococcus aureus
UP_6dc6cc8e9acff01b2bc3cf5c	162-201	B overlap 100%	Staphylococcus argenteus
UP_6e5bbda7608529fb49505998	220-259	B overlap 100%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	220-259	B overlap 100%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	220-259	B overlap 100%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	232-271	B overlap 100%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	220-259	B overlap 100%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	220-259	B overlap 100%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	220-259	B overlap 100%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	278-317	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_380

40 aa | 97.50% best ungapped identity | 1 substitutions | part 9/17

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 280. Ungapped best parents: 280. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
|||||
Parent QQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_765723fc1968b55d97f0d898	159-198	B overlap 100%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	220-259	B overlap 100%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	220-259	B overlap 100%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	220-259	B overlap 100%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	336-375	B overlap 100%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	394-433	B overlap 100%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	220-259	B overlap 100%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	232-271	B overlap 100%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	162-201	B overlap 100%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	162-201	B overlap 100%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	162-201	B overlap 100%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	162-201	B overlap 100%	Staphylococcus aureus
UP_7f705628d3208506515b3404	220-259	B overlap 100%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	162-201	B overlap 100%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	220-259	B overlap 100%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	220-259	B overlap 100%	Staphylococcus aureus
UP_857b4b53ca1f3ac9d11a0570	162-201	B overlap 100%	Staphylococcus roterodami

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_380

40 aa | 97.50% best ungapped identity | 1 substitutions | part 10/17

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 280. Ungapped best parents: 280. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
|||||
Parent QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_85dd3992b51e31c2bfa5968c	162-201	B overlap 100%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	220-259	B overlap 100%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	168-207	B overlap 100%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	220-259	B overlap 100%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	162-201	B overlap 100%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	162-201	B overlap 100%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	162-201	B overlap 100%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	220-259	B overlap 100%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	220-259	B overlap 100%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	159-198	B overlap 100%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	278-317	B overlap 100%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	162-201	B overlap 100%	Staphylococcus aureus
UP_91eb16918889951219e50a73	220-259	B overlap 100%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	220-259	B overlap 100%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	220-259	B overlap 100%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	220-259	B overlap 100%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	220-259	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_380

40 aa | 97.50% best ungapped identity | 1 substitutions | part 11/17

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 280. Ungapped best parents: 280. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
|||||
Parent QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_950ac899ed983d043130a8ab	162-201	B overlap 100%	Staphylococcus aureus
UP_95e30e740b9bec939fb36b82	168-207	B overlap 100%	Staphylococcus aureus
UP_971043b6271e59644756c924	162-201	B overlap 100%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	220-259	B overlap 100%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	220-259	B overlap 100%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	220-259	B overlap 100%	Staphylococcus aureus
UP_9d39a6668a25b34b2d8a3444	231-270	B overlap 100%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	162-201	B overlap 100%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	220-259	B overlap 100%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	220-259	B overlap 100%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	278-317	B overlap 100%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	220-259	B overlap 100%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	162-201	B overlap 100%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	220-259	B overlap 100%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	220-259	B overlap 100%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	162-201	B overlap 100%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	232-271	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_380

40 aa | 97.50% best ungapped identity | 1 substitutions | part 12/17

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 280. Ungapped best parents: 280. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_a4c8a9731fd8233e1ba12907	162-201	B overlap 100%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	220-259	B overlap 100%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	107-146	B overlap 100%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	109-148	B overlap 100%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	220-259	B overlap 100%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	232-271	B overlap 100%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	162-201	B overlap 100%	Staphylococcus aureus
UP_acc811a9219f865a4e04d8f1	43-82	B overlap 100%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	278-317	B overlap 100%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	220-259	B overlap 100%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	220-259	B overlap 100%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	162-201	B overlap 100%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	220-259	B overlap 100%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	220-259	B overlap 100%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	220-259	B overlap 100%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	232-271	B overlap 100%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	162-201	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_380

40 aa | 97.50% best ungapped identity | 1 substitutions | part 13/17

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 280. Ungapped best parents: 280. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_b1b6527c392edca51eaed006	220-259	B overlap 100%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	162-201	B overlap 100%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	220-259	B overlap 100%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	220-259	B overlap 100%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	220-259	B overlap 100%	Staphylococcus aureus
UP_b448388f79d88503154c8958	220-259	B overlap 100%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	220-259	B overlap 100%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	220-259	B overlap 100%	Unresolved
UP_b8b659f615cfbdc781f8d48e	220-259	B overlap 100%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	220-259	B overlap 100%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	290-329	B overlap 100%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	220-259	B overlap 100%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	220-259	B overlap 100%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	179-218	B overlap 100%	Staphylococcus aureus
UP_bde2fa9c31fb8faa98d74869	231-270	B overlap 100%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	220-259	B overlap 100%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	220-259	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_380

40 aa | 97.50% best ungapped identity | 1 substitutions | part 14/17

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 280. Ungapped best parents: 280. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
|||||
Parent QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_be959ce6ef2dd96b1e1c54e2	220-259	B overlap 100%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	220-259	B overlap 100%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	220-259	B overlap 100%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	220-259	B overlap 100%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	348-387	B overlap 100%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	220-259	B overlap 100%	Staphylococcus aureus
UP_c6e58db97616169658087da4	220-259	B overlap 100%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	162-201	B overlap 100%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	162-201	B overlap 100%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	220-259	B overlap 100%	Staphylococcus aureus
UP_ca698c2d92aaa89331dd0ba4	162-201	B overlap 100%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	220-259	B overlap 100%	Staphylococcus aureus
UP_cc018e0aa888e81d3674855c	196-235	B overlap 100%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	220-259	B overlap 100%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	220-259	B overlap 100%	Staphylococcus aureus
UP_cda3c6f0d10df8be6dc4ff46	162-201	B overlap 100%	Staphylococcus argenteus
UP_ce48648d81e147b208ae7f35	220-259	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_380

40 aa | 97.50% best ungapped identity | 1 substitutions | part 15/17

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 280. Ungapped best parents: 280. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_d029c5e7d71dbf147ea7f9c6	278-317	B overlap 100%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	293-332	B overlap 100%	Staphylococcus aureus
UP_d2f4d68676a2244ecc95da63	49-88	B overlap 100%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	162-201	B overlap 100%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	220-259	B overlap 100%	Staphylococcus aureus
UP_d42f3bf1007f1620dba29aac	162-201	B overlap 100%	Staphylococcus argenteus
UP_d446b7e01a0f059e086dcfed	220-259	B overlap 100%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d762df1fa79b331ff9b41f57	162-201	B overlap 100%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	278-317	B overlap 100%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	278-317	B overlap 100%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	220-259	B overlap 100%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	220-259	B overlap 100%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	162-201	B overlap 100%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	220-259	B overlap 100%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	109-148	B overlap 100%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	162-201	B overlap 100%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	162-201	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_380

40 aa | 97.50% best ungapped identity | 1 substitutions | part 16/17

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 280. Ungapped best parents: 280. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_e2e00bac98d8098c0fd26bc9	220-259	B overlap 100%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	23-62	B overlap 100%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	232-271	B overlap 100%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	220-259	B overlap 100%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	232-271	B overlap 100%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	220-259	B overlap 100%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	162-201	B overlap 100%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	162-201	B overlap 100%	Staphylococcus aureus
UP_e6d99cc66a27067b7ac482cc	162-201	B overlap 100%	Staphylococcus argenteus
UP_e80088e3013d805979b62cf8	220-259	B overlap 100%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	220-259	B overlap 100%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	220-259	B overlap 100%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	220-259	B overlap 100%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	220-259	B overlap 100%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	162-201	B overlap 100%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	220-259	B overlap 100%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	220-259	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_380

40 aa | 97.50% best ungapped identity | 1 substitutions | part 17/17

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 280. Ungapped best parents: 280. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_ed69ce42790ce3e1433d3850	162-201	B overlap 100%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	220-259	B overlap 100%	Staphylococcus aureus
UP_f128cef13388885c81d316f6	115-154	B overlap 100%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	220-259	B overlap 100%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	220-259	B overlap 100%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	162-201	B overlap 100%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	232-271	B overlap 100%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	49-88	B overlap 100%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	162-201	B overlap 100%	Staphylococcus aureus
UP_f85095abf436c388206c5124	220-259	B overlap 100%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	220-259	B overlap 100%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	220-259	B overlap 100%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	220-259	B overlap 100%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	278-317	B overlap 100%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	174-213	B overlap 100%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	162-201	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_383

56 aa | 96.43% best ungapped identity | 2 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 5. Ungapped best parents: 5. Inclusive-database exact parents excluded from main set: 0.

Query HNFNKDQQSAFYIEILNMPNLNDEQRNGFIQSLKDDPSQSTNVLGEAKKLNDQAQPK
· |||||
Parent NNFNKDQQSAFYIEILNMPNLNEEQRNGFIQSLKDDPSQSTNVLGEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_0558a58a6056e4177ee8a734	98-153	B overlap 93%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	98-153	B overlap 93%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	98-153	B overlap 93%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	98-153	B overlap 93%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_389

60 aa | 96.67% best ungapped identity | 2 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 4. Ungapped best parents: 4. Inclusive-database exact parents excluded from main set: 0.

Query AEAQHNFNKDDQSIFYEILNMPNLNEQRNGFIQSLKDDPSQSTNVLGEAKKLNDQAAP
|||||.|||||||.|.|||||||
Parent AEAQQNNFNKDQSQSIFYEILNMPNLNEEQRNGFIQSLKDDPSQSTNVLGEAKKLNDQAAP

All equally best ungapped sites on this page

UP_2875183729a0466273c1e3c1	93-152	B overlap 88%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	93-152	B overlap 88%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	93-152	B overlap 88%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_392

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 3. Ungapped best parents: 3. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYIEILNMPNLNEEQRNGRIQSLKDDPSQSANLLTEAKKLNDAPK
 |||||
Parent NKFNKDQQNAFYIEILNMPNLNEEQRNGFIQSLKDDPSQSANLLTEAKKLNDAPK

All equally best ungapped sites on this page

UP_2875183729a0466273c1e3c1	156-211	B overlap 93%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	156-211	B overlap 93%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_394

50 aa | 74.00% best ungapped identity | 13 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 6; tied parents: 3. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYEinEEQRNGFIQSLKDDPSQSANLLTEAKKLNDAAQAPK
 ||.....|
Parent NKMLSNEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_c360b4eef28e7ac3a6add6d9 16-65 B overlap 0% Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

46 aa | 97.83% best ungapped identity | 1 substitutions | part 1/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET

|||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	214-259	B overlap 100%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	214-259	B overlap 100%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	156-201	B overlap 100%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	214-259	B overlap 100%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	214-259	B overlap 100%	Staphylococcus aureus
UP_04faae54d75da101458d937d	214-259	B overlap 100%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	214-259	B overlap 100%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	214-259	B overlap 100%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	226-271	B overlap 100%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	214-259	B overlap 100%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	214-259	B overlap 100%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	214-259	B overlap 100%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	214-259	B overlap 100%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	214-259	B overlap 100%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	214-259	B overlap 100%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	272-317	B overlap 100%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	226-271	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

46 aa | 97.83% best ungapped identity | 1 substitutions | part 2/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET

|||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_1529d2d15daae1f92fd339c3	214-259	B overlap 100%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	214-259	B overlap 100%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	214-259	B overlap 100%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	214-259	B overlap 100%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	214-259	B overlap 100%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	214-259	B overlap 100%	Staphylococcus aureus
UP_1be437babcd2a84ae74283a17	156-201	B overlap 100%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	214-259	B overlap 100%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	214-259	B overlap 100%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	272-317	B overlap 100%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	214-259	B overlap 100%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	214-259	B overlap 100%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	214-259	B overlap 100%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	156-201	B overlap 100%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	226-271	B overlap 100%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	214-259	B overlap 100%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	214-259	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

46 aa | 97.83% best ungapped identity | 1 substitutions | part 3/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET

|||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_29064a9961a975f454e1d6b1	214-259	B overlap 100%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	214-259	B overlap 100%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	214-259	B overlap 100%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	388-433	B overlap 100%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	446-491	B overlap 100%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcbf72d	214-259	B overlap 100%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	156-201	B overlap 100%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	214-259	B overlap 100%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	214-259	B overlap 100%	Staphylococcus aureus
UP_34e7dec5146720f3668dfdf6	214-259	B overlap 100%	Staphylococcus schweitzeri
UP_37e60ca6c449c9241b51223d	214-259	B overlap 100%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	214-259	B overlap 100%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	272-317	B overlap 100%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	214-259	B overlap 100%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	272-317	B overlap 100%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda431f7f	214-259	B overlap 100%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	214-259	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

46 aa | 97.83% best ungapped identity | 1 substitutions | part 4/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET

|||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_3deac7afe1d09cf6d458d16d	10-55	B overlap 100%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	156-201	B overlap 100%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	214-259	B overlap 100%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	214-259	B overlap 100%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	214-259	B overlap 100%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	214-259	B overlap 100%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	272-317	B overlap 100%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	214-259	B overlap 100%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	214-259	B overlap 100%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	226-271	B overlap 100%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	214-259	B overlap 100%	Staphylococcus aureus
UP_493fc1e6cf2d8753094287af	156-201	B overlap 100%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	214-259	B overlap 100%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	388-433	B overlap 100%	Staphylococcus aureus
UP_51c0096cd463a4b89359dc12	283-328	B overlap 100%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	214-259	B overlap 100%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	214-259	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

46 aa | 97.83% best ungapped identity | 1 substitutions | part 5/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET

|||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_549e2ac62132d0bd32cea7ca	214-259	B overlap 100%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	214-259	B overlap 100%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	214-259	B overlap 100%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	214-259	B overlap 100%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	214-259	B overlap 100%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	226-271	B overlap 100%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	214-259	B overlap 100%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	214-259	B overlap 100%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	272-317	B overlap 100%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	214-259	B overlap 100%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	284-329	B overlap 100%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	214-259	B overlap 100%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	214-259	B overlap 100%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	156-201	B overlap 100%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	214-259	B overlap 100%	Staphylococcus aureus
UP_654970f68b48978377243697	214-259	B overlap 100%	Staphylococcus aureus
UP_67b157c032f302cca570b203	226-271	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_395

46 aa | 97.83% best ungapped identity | 1 substitutions | part 6/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
 |||||
 Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_67b157c032f302cca570b203	284-329	B overlap 100%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	214-259	B overlap 100%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	214-259	B overlap 100%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	214-259	B overlap 100%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	214-259	B overlap 100%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	214-259	B overlap 100%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	214-259	B overlap 100%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	214-259	B overlap 100%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	214-259	B overlap 100%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	226-271	B overlap 100%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	284-329	B overlap 100%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	214-259	B overlap 100%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	214-259	B overlap 100%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	214-259	B overlap 100%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	214-259	B overlap 100%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	214-259	B overlap 100%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	226-271	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_395

46 aa | 97.83% best ungapped identity | 1 substitutions | part 7/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET

|||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_72dd9fa28dab2363ac98467e	214-259	B overlap 100%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	214-259	B overlap 100%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	214-259	B overlap 100%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	272-317	B overlap 100%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	153-198	B overlap 100%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	214-259	B overlap 100%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	214-259	B overlap 100%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	388-433	B overlap 100%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	214-259	B overlap 100%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	226-271	B overlap 100%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	156-201	B overlap 100%	Staphylococcus aureus
UP_7f705628d3208506515b3404	214-259	B overlap 100%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	156-201	B overlap 100%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	214-259	B overlap 100%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	214-259	B overlap 100%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	156-201	B overlap 100%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	214-259	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

46 aa | 97.83% best ungapped identity | 1 substitutions | part 8/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET

|||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_87d28524a66281b6bb26bf59	162-207	B overlap 100%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	214-259	B overlap 100%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	156-201	B overlap 100%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	214-259	B overlap 100%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	214-259	B overlap 100%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	153-198	B overlap 100%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	272-317	B overlap 100%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	156-201	B overlap 100%	Staphylococcus aureus
UP_91eb16918889951219e50a73	214-259	B overlap 100%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	214-259	B overlap 100%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	214-259	B overlap 100%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	214-259	B overlap 100%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	214-259	B overlap 100%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	214-259	B overlap 100%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	214-259	B overlap 100%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	214-259	B overlap 100%	Staphylococcus aureus
UP_9d39a6668a25b34b2d8a3444	225-270	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

46 aa | 97.83% best ungapped identity | 1 substitutions | part 9/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET

|||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_9f4197427ac818393ee9d5f5	214-259	B overlap 100%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	214-259	B overlap 100%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	156-201	B overlap 100%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	214-259	B overlap 100%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	214-259	B overlap 100%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	156-201	B overlap 100%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	226-271	B overlap 100%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	214-259	B overlap 100%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	101-146	B overlap 100%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	103-148	B overlap 100%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	214-259	B overlap 100%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	226-271	B overlap 100%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	272-317	B overlap 100%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	214-259	B overlap 100%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	214-259	B overlap 100%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	214-259	B overlap 100%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	214-259	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

46 aa | 97.83% best ungapped identity | 1 substitutions | part 10/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET

|||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_aef0cd1f96e996ad96a2b979	214-259	B overlap 100%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	226-271	B overlap 100%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	156-201	B overlap 100%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	214-259	B overlap 100%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	214-259	B overlap 100%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	214-259	B overlap 100%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	214-259	B overlap 100%	Staphylococcus aureus
UP_b448388f79d88503154c8958	214-259	B overlap 100%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	214-259	B overlap 100%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	214-259	B overlap 100%	Unresolved
UP_b8b659f615cfbdc781f8d48e	214-259	B overlap 100%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	214-259	B overlap 100%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	284-329	B overlap 100%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	214-259	B overlap 100%	Staphylococcus aureus
UP_bde2fa9c31fb8faa98d74869	225-270	B overlap 100%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	214-259	B overlap 100%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	214-259	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_395

46 aa | 97.83% best ungapped identity | 1 substitutions | part 11/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
 |||
Parent NKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_c11da477f7461107eb6f572c	214-259	B overlap 100%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	214-259	B overlap 100%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	214-259	B overlap 100%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	342-387	B overlap 100%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	214-259	B overlap 100%	Staphylococcus aureus
UP_c6e58db97616169658087da4	214-259	B overlap 100%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	156-201	B overlap 100%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	214-259	B overlap 100%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	214-259	B overlap 100%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	214-259	B overlap 100%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	214-259	B overlap 100%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	272-317	B overlap 100%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	287-332	B overlap 100%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	214-259	B overlap 100%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	214-259	B overlap 100%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d762df1fa79b331ff9b41f57	156-201	B overlap 100%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	272-317	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_395

46 aa | 97.83% best ungapped identity | 1 substitutions | part 12/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAET
 |||
Parent NKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_de03166de512b68a9e6934b6	272-317	B overlap 100%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	214-259	B overlap 100%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	214-259	B overlap 100%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	214-259	B overlap 100%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	103-148	B overlap 100%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	156-201	B overlap 100%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	214-259	B overlap 100%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	17-62	B overlap 100%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	226-271	B overlap 100%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	214-259	B overlap 100%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	226-271	B overlap 100%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	214-259	B overlap 100%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	214-259	B overlap 100%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	214-259	B overlap 100%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	214-259	B overlap 100%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	214-259	B overlap 100%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	214-259	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_395

46 aa | 97.83% best ungapped identity | 1 substitutions | part 13/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 211. Ungapped best parents: 211. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAET

|||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEA

All equally best ungapped sites on this page

UP_ed524523f096fabfa8f0638f	214-259	B overlap 100%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	156-201	B overlap 100%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	214-259	B overlap 100%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	226-271	B overlap 100%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	43-88	B overlap 100%	Staphylococcus aureus
UP_f85095abf436c388206c5124	214-259	B overlap 100%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	214-259	B overlap 100%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	214-259	B overlap 100%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	214-259	B overlap 100%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	272-317	B overlap 100%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	168-213	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_399

53 aa | 96.23% best ungapped identity | 2 substitutions | part 1/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query DAALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|.|.|||
Parent DEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	40-92	B overlap 92%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	40-92	B overlap 92%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	40-92	B overlap 92%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	40-92	B overlap 92%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	40-92	B overlap 92%	Staphylococcus aureus
UP_04faae54d75da101458d937d	40-92	B overlap 92%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	40-92	B overlap 92%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	40-92	B overlap 92%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	40-92	B overlap 92%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	40-92	B overlap 92%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	40-92	B overlap 92%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	40-92	B overlap 92%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	40-92	B overlap 92%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	40-92	B overlap 92%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	40-92	B overlap 92%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	40-92	B overlap 92%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	40-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_399

53 aa | 96.23% best ungapped identity | 2 substitutions | part 2/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query DAALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|.|.|||
Parent DEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_127db86243730a6f9df4e8bd	52-104	B overlap 92%	Staphylococcus aureus
UP_1320c3a44aa32eab329067c	40-92	B overlap 92%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	40-92	B overlap 92%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	40-92	B overlap 92%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	40-92	B overlap 92%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	40-92	B overlap 92%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	40-92	B overlap 92%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	40-92	B overlap 92%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	40-92	B overlap 92%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	40-92	B overlap 92%	Staphylococcus aureus
UP_1f0c143935bf9440a4d0dd38	40-92	B overlap 92%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	40-92	B overlap 92%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	40-92	B overlap 92%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	40-92	B overlap 92%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	40-92	B overlap 92%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	40-92	B overlap 92%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	40-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_399

53 aa | 96.23% best ungapped identity | 2 substitutions | part 3/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query DAALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|.|.||
Parent DEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_29064a9961a975f454e1d6b1	40-92	B overlap 92%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	40-92	B overlap 92%	Staphylococcus aureus
UP_29da8f2bf1e86de36a87930b	40-92	B overlap 92%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	40-92	B overlap 92%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	40-92	B overlap 92%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	40-92	B overlap 92%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	40-92	B overlap 92%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	40-92	B overlap 92%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	40-92	B overlap 92%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	40-92	B overlap 92%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	40-92	B overlap 92%	Staphylococcus aureus
UP_369376855189ded07861b56b	40-92	B overlap 92%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	40-92	B overlap 92%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	40-92	B overlap 92%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	40-92	B overlap 92%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	40-92	B overlap 92%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	40-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_399

53 aa | 96.23% best ungapped identity | 2 substitutions | part 4/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query DAALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
|.|.|||
Parent DEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_3d571252244f795c04507670	40-92	B overlap 92%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	40-92	B overlap 92%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	52-104	B overlap 92%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	40-92	B overlap 92%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	40-92	B overlap 92%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	40-92	B overlap 92%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	40-92	B overlap 92%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	40-92	B overlap 92%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	40-92	B overlap 92%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	40-92	B overlap 92%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	40-92	B overlap 92%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	40-92	B overlap 92%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	52-104	B overlap 92%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	40-92	B overlap 92%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	40-92	B overlap 92%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	40-92	B overlap 92%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	40-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_399

53 aa | 96.23% best ungapped identity | 2 substitutions | part 5/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query DAALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|.|.|||
Parent DEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_4c1fd99d56c771d3922e9759	40-92	B overlap 92%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	40-92	B overlap 92%	Staphylococcus aureus
UP_4cf67d66a141116ecdb88412	52-104	B overlap 92%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	40-92	B overlap 92%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	40-92	B overlap 92%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	40-92	B overlap 92%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	40-92	B overlap 92%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	40-92	B overlap 92%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	40-92	B overlap 92%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	40-92	B overlap 92%	Staphylococcus aureus
UP_5c006ddddf8fa9ce5cac1b28	40-92	B overlap 92%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	52-104	B overlap 92%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	40-92	B overlap 92%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	40-92	B overlap 92%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	40-92	B overlap 92%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	40-92	B overlap 92%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	40-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_399

53 aa | 96.23% best ungapped identity | 2 substitutions | part 6/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query DAALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
|.|.|||
Parent DEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_60b825dd9a4e560b2cee9750	40-92	B overlap 92%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	52-104	B overlap 92%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	40-92	B overlap 92%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	40-92	B overlap 92%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	40-92	B overlap 92%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	40-92	B overlap 92%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	40-92	B overlap 92%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	40-92	B overlap 92%	Staphylococcus aureus
UP_67b157c032f302cca570b203	52-104	B overlap 92%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	40-92	B overlap 92%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	40-92	B overlap 92%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	40-92	B overlap 92%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	40-92	B overlap 92%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	40-92	B overlap 92%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	40-92	B overlap 92%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	52-104	B overlap 92%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	40-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_399

53 aa | 96.23% best ungapped identity | 2 substitutions | part 7/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query DAALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|.|.|||
Parent DEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_6e049e4ca0302272d62248f6	40-92	B overlap 92%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	40-92	B overlap 92%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	52-104	B overlap 92%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	40-92	B overlap 92%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	40-92	B overlap 92%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	40-92	B overlap 92%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	40-92	B overlap 92%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	40-92	B overlap 92%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	40-92	B overlap 92%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	40-92	B overlap 92%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	40-92	B overlap 92%	Staphylococcus aureus
UP_79e0b1d188807716a8d270a0	40-92	B overlap 92%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	52-104	B overlap 92%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	40-92	B overlap 92%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	35-87	B overlap 92%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	40-92	B overlap 92%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	40-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_399

53 aa | 96.23% best ungapped identity | 2 substitutions | part 8/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query DAALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
|.|.||
Parent DEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_7e1d634bed16b84ddf354b21	40-92	B overlap 92%	Staphylococcus aureus
UP_7f705628d3208506515b3404	40-92	B overlap 92%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	40-92	B overlap 92%	Staphylococcus aureus
UP_87c984f47195a756918038f8	40-92	B overlap 92%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	40-92	B overlap 92%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	40-92	B overlap 92%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	40-92	B overlap 92%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	40-92	B overlap 92%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	40-92	B overlap 92%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	40-92	B overlap 92%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	40-92	B overlap 92%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	40-92	B overlap 92%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	40-92	B overlap 92%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	40-92	B overlap 92%	Staphylococcus aureus
UP_91eb16918889951219e50a73	40-92	B overlap 92%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	40-92	B overlap 92%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	40-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_399

53 aa | 96.23% best ungapped identity | 2 substitutions | part 9/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query DAALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|.|.|||
Parent DEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_9405efe3c9c1b998737ba3a9	40-92	B overlap 92%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	40-92	B overlap 92%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	40-92	B overlap 92%	Staphylococcus aureus
UP_94875a270e702e9733c65c20	40-92	B overlap 92%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	40-92	B overlap 92%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	40-92	B overlap 92%	Staphylococcus aureus
UP_971043b6271e59644756c924	40-92	B overlap 92%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	40-92	B overlap 92%	Staphylococcus aureus
UP_97e42757ac273b6b51241624	40-92	B overlap 92%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	40-92	B overlap 92%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	40-92	B overlap 92%	Staphylococcus aureus
UP_9cdee1761c3bb0284a50f196	52-104	B overlap 92%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	40-92	B overlap 92%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	40-92	B overlap 92%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	40-92	B overlap 92%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	40-92	B overlap 92%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	40-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_399

53 aa | 96.23% best ungapped identity | 2 substitutions | part 10/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query DAALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|.|.|||
Parent DEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	40-92	B overlap 92%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	40-92	B overlap 92%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	40-92	B overlap 92%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	52-104	B overlap 92%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	40-92	B overlap 92%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	40-92	B overlap 92%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	40-92	B overlap 92%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	40-92	B overlap 92%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	40-92	B overlap 92%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	52-104	B overlap 92%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	40-92	B overlap 92%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	40-92	B overlap 92%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	40-92	B overlap 92%	Staphylococcus aureus
UP_ad44964a13a988ebe08c8ee1	40-92	B overlap 92%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	40-92	B overlap 92%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	40-92	B overlap 92%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	40-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_399

53 aa | 96.23% best ungapped identity | 2 substitutions | part 11/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query DAALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|.|.||
Parent DEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_aec2af7cb0206c955110b821	40-92	B overlap 92%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	40-92	B overlap 92%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	40-92	B overlap 92%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	40-92	B overlap 92%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	40-92	B overlap 92%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	52-104	B overlap 92%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	40-92	B overlap 92%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	51-103	B overlap 92%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	40-92	B overlap 92%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	40-92	B overlap 92%	Staphylococcus aureus
UP_b1b6527c392edca51eae006	40-92	B overlap 92%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	40-92	B overlap 92%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	40-92	B overlap 92%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	40-92	B overlap 92%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	40-92	B overlap 92%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	40-92	B overlap 92%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	40-92	B overlap 92%	Unresolved

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_399

53 aa | 96.23% best ungapped identity | 2 substitutions | part 12/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query DAALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|.|.|||
Parent DEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_b82a3b36b8bfd9b79123fe6d	40-92	B overlap 92%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	40-92	B overlap 92%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	40-92	B overlap 92%	Staphylococcus aureus
UP_ba9a53de95075c778cf3942f	40-92	B overlap 92%	Staphylococcus aureus
UP_bb14cd4e731365d1a25a797f	40-92	B overlap 92%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	52-104	B overlap 92%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	40-92	B overlap 92%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	40-92	B overlap 92%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	40-92	B overlap 92%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	40-92	B overlap 92%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	40-92	B overlap 92%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	40-92	B overlap 92%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	52-104	B overlap 92%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	52-104	B overlap 92%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	40-92	B overlap 92%	Staphylococcus aureus
UP_c6e58db97616169658087da4	40-92	B overlap 92%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	40-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_399

53 aa | 96.23% best ungapped identity | 2 substitutions | part 13/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query DAALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND5QAPK
|.|.||
Parent DEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND5QAPK

All equally best ungapped sites on this page

UP_c86fdaa2621aef50129d348b	40-92	B overlap 92%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	40-92	B overlap 92%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	40-92	B overlap 92%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	40-92	B overlap 92%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	40-92	B overlap 92%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	40-92	B overlap 92%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	40-92	B overlap 92%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	52-104	B overlap 92%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	40-92	B overlap 92%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	40-92	B overlap 92%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	40-92	B overlap 92%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	40-92	B overlap 92%	Staphylococcus aureus
UP_d5b345437142d9cf807db25d	40-92	B overlap 92%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	40-92	B overlap 92%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	40-92	B overlap 92%	Staphylococcus aureus
UP_db4dfda598bef7013ceb3dbc	40-92	B overlap 92%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	40-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_399

53 aa | 96.23% best ungapped identity | 2 substitutions | part 14/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query DAALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|.|.||
Parent DEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_ddcc25ff5408d54d5c32163f	40-92	B overlap 92%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	40-92	B overlap 92%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	40-92	B overlap 92%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbab69	40-92	B overlap 92%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	40-92	B overlap 92%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	40-92	B overlap 92%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	40-92	B overlap 92%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	40-92	B overlap 92%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	40-92	B overlap 92%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	40-92	B overlap 92%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	52-104	B overlap 92%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	40-92	B overlap 92%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	40-92	B overlap 92%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	52-104	B overlap 92%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	52-104	B overlap 92%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	40-92	B overlap 92%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	40-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_399

53 aa | 96.23% best ungapped identity | 2 substitutions | part 15/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query DAALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
|.|.|||
Parent DEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_e69cdb9fb24f123702443be9	40-92	B overlap 92%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	40-92	B overlap 92%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	40-92	B overlap 92%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	40-92	B overlap 92%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	40-92	B overlap 92%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	40-92	B overlap 92%	Staphylococcus aureus
UP_edaaa2299783d537504a97ff	52-104	B overlap 92%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	40-92	B overlap 92%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	40-92	B overlap 92%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	40-92	B overlap 92%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	40-92	B overlap 92%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	40-92	B overlap 92%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	40-92	B overlap 92%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	40-92	B overlap 92%	Staphylococcus aureus
UP_f6c81f1ef152502d327f40dc	40-92	B overlap 92%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	40-92	B overlap 92%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	52-104	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_399

53 aa | 96.23% best ungapped identity | 2 substitutions | part 16/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query DAALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|.|.|||
Parent DEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_f85095abf436c388206c5124	40-92	B overlap 92%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	40-92	B overlap 92%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	40-92	B overlap 92%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	40-92	B overlap 92%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	40-92	B overlap 92%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	40-92	B overlap 92%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	40-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_400

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	43-92	B overlap 92%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	43-92	B overlap 92%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	43-92	B overlap 92%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	43-92	B overlap 92%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	43-92	B overlap 92%	Staphylococcus aureus
UP_04faae54d75da101458d937d	43-92	B overlap 92%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	43-92	B overlap 92%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	43-92	B overlap 92%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	43-92	B overlap 92%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	43-92	B overlap 92%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	43-92	B overlap 92%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	43-92	B overlap 92%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	43-92	B overlap 92%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	43-92	B overlap 92%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	43-92	B overlap 92%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	43-92	B overlap 92%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_400

50 aa | 98.00% best ungapped identity | 1 substitutions | part 2/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNESQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_127db86243730a6f9df4e8bd	55-104	B overlap 92%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	43-92	B overlap 92%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	43-92	B overlap 92%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	43-92	B overlap 92%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	43-92	B overlap 92%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	43-92	B overlap 92%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	43-92	B overlap 92%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	43-92	B overlap 92%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	43-92	B overlap 92%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	43-92	B overlap 92%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	43-92	B overlap 92%	Staphylococcus aureus
UP_1f0c143935bf9440a4d0dd38	43-92	B overlap 92%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	43-92	B overlap 92%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	43-92	B overlap 92%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	43-92	B overlap 92%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	43-92	B overlap 92%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_400

50 aa | 98.00% best ungapped identity | 1 substitutions | part 3/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND5QAPK

All equally best ungapped sites on this page

UP_27535d7a22973790e02141b6	43-92	B overlap 92%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	43-92	B overlap 92%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	43-92	B overlap 92%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	43-92	B overlap 92%	Staphylococcus aureus
UP_29da8f2bf1e86de36a87930b	43-92	B overlap 92%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	43-92	B overlap 92%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	43-92	B overlap 92%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	43-92	B overlap 92%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	43-92	B overlap 92%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	43-92	B overlap 92%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	43-92	B overlap 92%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	43-92	B overlap 92%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	43-92	B overlap 92%	Staphylococcus aureus
UP_369376855189ded07861b56b	43-92	B overlap 92%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	43-92	B overlap 92%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	43-92	B overlap 92%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_400

50 aa | 98.00% best ungapped identity | 1 substitutions | part 4/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNESQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_3b5d00aa43f6f726e74f8c5b	43-92	B overlap 92%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	43-92	B overlap 92%	Staphylococcus aureus
UP_3d571252244f795c04507670	43-92	B overlap 92%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	43-92	B overlap 92%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	55-104	B overlap 92%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	43-92	B overlap 92%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	43-92	B overlap 92%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	43-92	B overlap 92%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	43-92	B overlap 92%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	43-92	B overlap 92%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	43-92	B overlap 92%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	43-92	B overlap 92%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	43-92	B overlap 92%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	43-92	B overlap 92%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	55-104	B overlap 92%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	43-92	B overlap 92%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_400

50 aa | 98.00% best ungapped identity | 1 substitutions | part 5/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND5QAPK

All equally best ungapped sites on this page

UP_4bada09eb771680e18bd9d98	43-92	B overlap 92%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	43-92	B overlap 92%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	43-92	B overlap 92%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	43-92	B overlap 92%	Staphylococcus aureus
UP_4cf67d66a141116ecdb88412	55-104	B overlap 92%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	43-92	B overlap 92%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	43-92	B overlap 92%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	43-92	B overlap 92%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	43-92	B overlap 92%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	43-92	B overlap 92%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	43-92	B overlap 92%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	43-92	B overlap 92%	Staphylococcus aureus
UP_5c006ddddd8fa9ce5cac1b28	43-92	B overlap 92%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	55-104	B overlap 92%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	43-92	B overlap 92%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	43-92	B overlap 92%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_400

50 aa | 98.00% best ungapped identity | 1 substitutions | part 6/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND5QAPK

All equally best ungapped sites on this page

UP_608ceea43032113cb4d07194	43-92	B overlap 92%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	43-92	B overlap 92%	Staphylococcus aureus
UP_60b825dd9a4e560b2cee9750	43-92	B overlap 92%	Staphylococcus aureus
UP_6193b3607b8eab64acbfe79f	43-92	B overlap 92%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	55-104	B overlap 92%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	43-92	B overlap 92%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	43-92	B overlap 92%	Staphylococcus aureus
UP_63bbd7d1ac5832ffe8cbd7f	43-92	B overlap 92%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	43-92	B overlap 92%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	43-92	B overlap 92%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	43-92	B overlap 92%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	43-92	B overlap 92%	Staphylococcus aureus
UP_67b157c032f302cca570b203	55-104	B overlap 92%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	43-92	B overlap 92%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	43-92	B overlap 92%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	43-92	B overlap 92%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_400

50 aa | 98.00% best ungapped identity | 1 substitutions | part 7/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNESQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_6b8d202fa3625a660a83b9c9	43-92	B overlap 92%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	43-92	B overlap 92%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	55-104	B overlap 92%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	43-92	B overlap 92%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	43-92	B overlap 92%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	43-92	B overlap 92%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	55-104	B overlap 92%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	43-92	B overlap 92%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	43-92	B overlap 92%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	43-92	B overlap 92%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	43-92	B overlap 92%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	43-92	B overlap 92%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	43-92	B overlap 92%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	43-92	B overlap 92%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	43-92	B overlap 92%	Staphylococcus aureus
UP_79e0b1d188807716a8d270a0	43-92	B overlap 92%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	55-104	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_400

50 aa | 98.00% best ungapped identity | 1 substitutions | part 8/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNESQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_7b0dab3685caa82d4893fd26	43-92	B overlap 92%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	38-87	B overlap 92%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	43-92	B overlap 92%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	43-92	B overlap 92%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	43-92	B overlap 92%	Staphylococcus aureus
UP_7f705628d3208506515b3404	43-92	B overlap 92%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	43-92	B overlap 92%	Staphylococcus aureus
UP_87c984f47195a756918038f8	43-92	B overlap 92%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	43-92	B overlap 92%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	43-92	B overlap 92%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	43-92	B overlap 92%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	43-92	B overlap 92%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	43-92	B overlap 92%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	43-92	B overlap 92%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	43-92	B overlap 92%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	43-92	B overlap 92%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_400

50 aa | 98.00% best ungapped identity | 1 substitutions | part 9/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND5QAPK

All equally best ungapped sites on this page

UP_918e6ea85b2345fa36a39d6e	43-92	B overlap 92%	Staphylococcus aureus
UP_91eb16918889951219e50a73	43-92	B overlap 92%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	43-92	B overlap 92%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	43-92	B overlap 92%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	43-92	B overlap 92%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	43-92	B overlap 92%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	43-92	B overlap 92%	Staphylococcus aureus
UP_94875a270e702e9733c65c20	43-92	B overlap 92%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	43-92	B overlap 92%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	43-92	B overlap 92%	Staphylococcus aureus
UP_971043b6271e59644756c924	43-92	B overlap 92%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	43-92	B overlap 92%	Staphylococcus aureus
UP_97e42757ac273b6b51241624	43-92	B overlap 92%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	43-92	B overlap 92%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	43-92	B overlap 92%	Staphylococcus aureus
UP_9cdee1761c3bb0284a50f196	55-104	B overlap 92%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_400

50 aa | 98.00% best ungapped identity | 1 substitutions | part 10/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND5QAPK

All equally best ungapped sites on this page

UP_9f4197427ac818393ee9d5f5	43-92	B overlap 92%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	43-92	B overlap 92%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	43-92	B overlap 92%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	43-92	B overlap 92%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	43-92	B overlap 92%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	43-92	B overlap 92%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	43-92	B overlap 92%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	55-104	B overlap 92%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	43-92	B overlap 92%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	43-92	B overlap 92%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	43-92	B overlap 92%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	43-92	B overlap 92%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	43-92	B overlap 92%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	55-104	B overlap 92%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	43-92	B overlap 92%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	43-92	B overlap 92%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_400

50 aa | 98.00% best ungapped identity | 1 substitutions | part 11/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNESQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_ad44964a13a988ebe08c8ee1	43-92	B overlap 92%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	43-92	B overlap 92%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	43-92	B overlap 92%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	43-92	B overlap 92%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	43-92	B overlap 92%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	43-92	B overlap 92%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	43-92	B overlap 92%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	43-92	B overlap 92%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	43-92	B overlap 92%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	55-104	B overlap 92%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	43-92	B overlap 92%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	54-103	B overlap 92%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	43-92	B overlap 92%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	43-92	B overlap 92%	Staphylococcus aureus
UP_b1b6527c392edca51eae006	43-92	B overlap 92%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	43-92	B overlap 92%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_400

50 aa | 98.00% best ungapped identity | 1 substitutions | part 12/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNESQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_b2ccff34639295d64dc25841	43-92	B overlap 92%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	43-92	B overlap 92%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	43-92	B overlap 92%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	43-92	B overlap 92%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	43-92	B overlap 92%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	43-92	B overlap 92%	Staphylococcus aureus
UP_b918b28f2eebd219cf84d3d5	43-92	B overlap 92%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	43-92	B overlap 92%	Staphylococcus aureus
UP_ba9a53de95075c778cf3942f	43-92	B overlap 92%	Staphylococcus aureus
UP_bb14cd4e731365d1a25a797f	43-92	B overlap 92%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	55-104	B overlap 92%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	43-92	B overlap 92%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	43-92	B overlap 92%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	43-92	B overlap 92%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	43-92	B overlap 92%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	43-92	B overlap 92%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_400

50 aa | 98.00% best ungapped identity | 1 substitutions | part 13/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND5QAPK

All equally best ungapped sites on this page

UP_c52c098706d885752d27c2ba	55-104	B overlap 92%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	55-104	B overlap 92%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	43-92	B overlap 92%	Staphylococcus aureus
UP_c6e58db97616169658087da4	43-92	B overlap 92%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	43-92	B overlap 92%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	43-92	B overlap 92%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	43-92	B overlap 92%	Staphylococcus aureus
UP_cd42d745d221a99aeeee0b940	43-92	B overlap 92%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	43-92	B overlap 92%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	43-92	B overlap 92%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	43-92	B overlap 92%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	43-92	B overlap 92%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	55-104	B overlap 92%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	43-92	B overlap 92%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	43-92	B overlap 92%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	43-92	B overlap 92%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_400

50 aa | 98.00% best ungapped identity | 1 substitutions | part 14/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNESQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_d5b345437142d9cf807db25d	43-92	B overlap 92%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	43-92	B overlap 92%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	43-92	B overlap 92%	Staphylococcus aureus
UP_db4dfda598bef7013ceb3dbc	43-92	B overlap 92%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	43-92	B overlap 92%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	43-92	B overlap 92%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	43-92	B overlap 92%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	43-92	B overlap 92%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	43-92	B overlap 92%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	43-92	B overlap 92%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	43-92	B overlap 92%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	43-92	B overlap 92%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	43-92	B overlap 92%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	43-92	B overlap 92%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	43-92	B overlap 92%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	55-104	B overlap 92%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_400

50 aa | 98.00% best ungapped identity | 1 substitutions | part 15/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNESQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_e42b0b69f1cfc645490b75f7	43-92	B overlap 92%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	55-104	B overlap 92%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	55-104	B overlap 92%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	43-92	B overlap 92%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	43-92	B overlap 92%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	43-92	B overlap 92%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	43-92	B overlap 92%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	43-92	B overlap 92%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	43-92	B overlap 92%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	43-92	B overlap 92%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	43-92	B overlap 92%	Staphylococcus aureus
UP_edaaa2299783d537504a97ff	55-104	B overlap 92%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	43-92	B overlap 92%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	43-92	B overlap 92%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	43-92	B overlap 92%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	43-92	B overlap 92%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_400

50 aa | 98.00% best ungapped identity | 1 substitutions | part 16/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND5QAPK

All equally best ungapped sites on this page

UP_f3f516963b9fff79fee15396	43-92	B overlap 92%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	43-92	B overlap 92%	Staphylococcus aureus
UP_f6c81f1ef152502d327f40dc	43-92	B overlap 92%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	43-92	B overlap 92%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	55-104	B overlap 92%	Staphylococcus aureus
UP_f85095abf436c388206c5124	43-92	B overlap 92%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	43-92	B overlap 92%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	43-92	B overlap 92%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	43-92	B overlap 92%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	43-92	B overlap 92%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	43-92	B overlap 92%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_401

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	37-92	B overlap 93%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	37-92	B overlap 93%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	37-92	B overlap 93%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	37-92	B overlap 93%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	37-92	B overlap 93%	Staphylococcus aureus
UP_04faae54d75da101458d937d	37-92	B overlap 93%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	37-92	B overlap 93%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	37-92	B overlap 93%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	37-92	B overlap 93%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	37-92	B overlap 93%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	37-92	B overlap 93%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	37-92	B overlap 93%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	37-92	B overlap 93%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	37-92	B overlap 93%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	37-92	B overlap 93%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	37-92	B overlap 93%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_401

56 aa | 98.21% best ungapped identity | 1 substitutions | part 2/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_127db86243730a6f9df4e8bd	49-104	B overlap 93%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	37-92	B overlap 93%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	37-92	B overlap 93%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	37-92	B overlap 93%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	37-92	B overlap 93%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	37-92	B overlap 93%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	37-92	B overlap 93%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	37-92	B overlap 93%	Staphylococcus aureus
UP_1be437bab32a84ae74283a17	37-92	B overlap 93%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	37-92	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	37-92	B overlap 93%	Staphylococcus aureus
UP_1f0c143935bf9440a4d0dd38	37-92	B overlap 93%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	37-92	B overlap 93%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	37-92	B overlap 93%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	37-92	B overlap 93%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	37-92	B overlap 93%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_401

56 aa | 98.21% best ungapped identity | 1 substitutions | part 3/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_27535d7a22973790e02141b6	37-92	B overlap 93%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	37-92	B overlap 93%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	37-92	B overlap 93%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	37-92	B overlap 93%	Staphylococcus aureus
UP_29da8f2bf1e86de36a87930b	37-92	B overlap 93%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	37-92	B overlap 93%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	37-92	B overlap 93%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	37-92	B overlap 93%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	37-92	B overlap 93%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	37-92	B overlap 93%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	37-92	B overlap 93%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	37-92	B overlap 93%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	37-92	B overlap 93%	Staphylococcus aureus
UP_369376855189ded07861b56b	37-92	B overlap 93%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	37-92	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	37-92	B overlap 93%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_401

56 aa | 98.21% best ungapped identity | 1 substitutions | part 4/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_3b5d00aa43f6f726e74f8c5b	37-92	B overlap 93%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	37-92	B overlap 93%	Staphylococcus aureus
UP_3d571252244f795c04507670	37-92	B overlap 93%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	37-92	B overlap 93%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	49-104	B overlap 93%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	37-92	B overlap 93%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	37-92	B overlap 93%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	37-92	B overlap 93%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	37-92	B overlap 93%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	37-92	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	37-92	B overlap 93%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	37-92	B overlap 93%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	37-92	B overlap 93%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	37-92	B overlap 93%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	49-104	B overlap 93%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	37-92	B overlap 93%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_401

56 aa | 98.21% best ungapped identity | 1 substitutions | part 5/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_4bada09eb771680e18bd9d98	37-92	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	37-92	B overlap 93%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	37-92	B overlap 93%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	37-92	B overlap 93%	Staphylococcus aureus
UP_4cf67d66a141116ecdb88412	49-104	B overlap 93%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	37-92	B overlap 93%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	37-92	B overlap 93%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	37-92	B overlap 93%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	37-92	B overlap 93%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	37-92	B overlap 93%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	37-92	B overlap 93%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	37-92	B overlap 93%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	37-92	B overlap 93%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	49-104	B overlap 93%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	37-92	B overlap 93%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	37-92	B overlap 93%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_401

56 aa | 98.21% best ungapped identity | 1 substitutions | part 6/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_608ceea43032113cb4d07194	37-92	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	37-92	B overlap 93%	Staphylococcus aureus
UP_60b825dd9a4e560b2cee9750	37-92	B overlap 93%	Staphylococcus aureus
UP_6193b3607b8eab64acbf79f	37-92	B overlap 93%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	49-104	B overlap 93%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	37-92	B overlap 93%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	37-92	B overlap 93%	Staphylococcus aureus
UP_63bbd7d1ac5832fffe8cbd7f	37-92	B overlap 93%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	37-92	B overlap 93%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	37-92	B overlap 93%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	37-92	B overlap 93%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	37-92	B overlap 93%	Staphylococcus aureus
UP_67b157c032f302cca570b203	49-104	B overlap 93%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	37-92	B overlap 93%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	37-92	B overlap 93%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	37-92	B overlap 93%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 7/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_6b8d202fa3625a660a83b9c9	37-92	B overlap 93%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	37-92	B overlap 93%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	49-104	B overlap 93%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	37-92	B overlap 93%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	37-92	B overlap 93%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	37-92	B overlap 93%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	49-104	B overlap 93%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	37-92	B overlap 93%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	37-92	B overlap 93%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	37-92	B overlap 93%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	37-92	B overlap 93%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	37-92	B overlap 93%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	37-92	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	37-92	B overlap 93%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	37-92	B overlap 93%	Staphylococcus aureus
UP_79e0b1d188807716a8d270a0	37-92	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	49-104	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 8/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_7b0dab3685caa82d4893fd26	37-92	B overlap 93%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	32-87	B overlap 93%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	37-92	B overlap 93%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	37-92	B overlap 93%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	37-92	B overlap 93%	Staphylococcus aureus
UP_7f705628d3208506515b3404	37-92	B overlap 93%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	37-92	B overlap 93%	Staphylococcus aureus
UP_87c984f47195a756918038f8	37-92	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	37-92	B overlap 93%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	37-92	B overlap 93%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	37-92	B overlap 93%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	37-92	B overlap 93%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	37-92	B overlap 93%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	37-92	B overlap 93%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	37-92	B overlap 93%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	37-92	B overlap 93%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_401

56 aa | 98.21% best ungapped identity | 1 substitutions | part 9/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_918e6ea85b2345fa36a39d6e	37-92	B overlap 93%	Staphylococcus aureus
UP_91eb16918889951219e50a73	37-92	B overlap 93%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	37-92	B overlap 93%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	37-92	B overlap 93%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	37-92	B overlap 93%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	37-92	B overlap 93%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	37-92	B overlap 93%	Staphylococcus aureus
UP_94875a270e702e9733c65c20	37-92	B overlap 93%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	37-92	B overlap 93%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	37-92	B overlap 93%	Staphylococcus aureus
UP_971043b6271e59644756c924	37-92	B overlap 93%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	37-92	B overlap 93%	Staphylococcus aureus
UP_97e42757ac273b6b51241624	37-92	B overlap 93%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	37-92	B overlap 93%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	37-92	B overlap 93%	Staphylococcus aureus
UP_9cdee1761c3bb0284a50f196	49-104	B overlap 93%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_401

56 aa | 98.21% best ungapped identity | 1 substitutions | part 10/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_9f4197427ac818393ee9d5f5	37-92	B overlap 93%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	37-92	B overlap 93%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	37-92	B overlap 93%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	37-92	B overlap 93%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	37-92	B overlap 93%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	37-92	B overlap 93%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	37-92	B overlap 93%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	49-104	B overlap 93%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	37-92	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	37-92	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	37-92	B overlap 93%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	37-92	B overlap 93%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	37-92	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	49-104	B overlap 93%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	37-92	B overlap 93%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	37-92	B overlap 93%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_401

56 aa | 98.21% best ungapped identity | 1 substitutions | part 11/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK
 |||
Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_ad44964a13a988ebe08c8ee1	37-92	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	37-92	B overlap 93%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	37-92	B overlap 93%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	37-92	B overlap 93%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	37-92	B overlap 93%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	37-92	B overlap 93%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	37-92	B overlap 93%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	37-92	B overlap 93%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	37-92	B overlap 93%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	49-104	B overlap 93%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	37-92	B overlap 93%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	48-103	B overlap 93%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	37-92	B overlap 93%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	37-92	B overlap 93%	Staphylococcus aureus
UP_b1b6527c392edca51eae006	37-92	B overlap 93%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	37-92	B overlap 93%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_401

56 aa | 98.21% best ungapped identity | 1 substitutions | part 12/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_b2ccff34639295d64dc25841	37-92	B overlap 93%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	37-92	B overlap 93%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	37-92	B overlap 93%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	37-92	B overlap 93%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	37-92	B overlap 93%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	37-92	B overlap 93%	Staphylococcus aureus
UP_b918b28f2eebd219cf84d3d5	37-92	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	37-92	B overlap 93%	Staphylococcus aureus
UP_ba9a53de95075c778cf3942f	37-92	B overlap 93%	Staphylococcus aureus
UP_bb14cd4e731365d1a25a797f	37-92	B overlap 93%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	49-104	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	37-92	B overlap 93%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	37-92	B overlap 93%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	37-92	B overlap 93%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	37-92	B overlap 93%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	37-92	B overlap 93%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 13/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_c52c098706d885752d27c2ba	49-104	B overlap 93%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	49-104	B overlap 93%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	37-92	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	37-92	B overlap 93%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	37-92	B overlap 93%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	37-92	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	37-92	B overlap 93%	Staphylococcus aureus
UP_cd42d745d221a99aee0b940	37-92	B overlap 93%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	37-92	B overlap 93%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	37-92	B overlap 93%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	37-92	B overlap 93%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	37-92	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	49-104	B overlap 93%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	37-92	B overlap 93%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	37-92	B overlap 93%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	37-92	B overlap 93%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 14/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_d5b345437142d9cf807db25d	37-92	B overlap 93%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	37-92	B overlap 93%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	37-92	B overlap 93%	Staphylococcus aureus
UP_db4dfda598bef7013ceb3dbc	37-92	B overlap 93%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	37-92	B overlap 93%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	37-92	B overlap 93%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	37-92	B overlap 93%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	37-92	B overlap 93%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbab69	37-92	B overlap 93%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	37-92	B overlap 93%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	37-92	B overlap 93%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	37-92	B overlap 93%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	37-92	B overlap 93%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	37-92	B overlap 93%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	37-92	B overlap 93%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	49-104	B overlap 93%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 15/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_e42b0b69f1cfc645490b75f7	37-92	B overlap 93%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	49-104	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	49-104	B overlap 93%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	37-92	B overlap 93%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdb	37-92	B overlap 93%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	37-92	B overlap 93%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	37-92	B overlap 93%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	37-92	B overlap 93%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	37-92	B overlap 93%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	37-92	B overlap 93%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	37-92	B overlap 93%	Staphylococcus aureus
UP_edaaa2299783d537504a97ff	49-104	B overlap 93%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	37-92	B overlap 93%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	37-92	B overlap 93%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	37-92	B overlap 93%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	37-92	B overlap 93%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_401

56 aa | 98.21% best ungapped identity | 1 substitutions | part 16/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 267. Ungapped best parents: 267. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNESQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_f3f516963b9fff79fee15396	37-92	B overlap 93%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	37-92	B overlap 93%	Staphylococcus aureus
UP_f6c81f1ef152502d327f40dc	37-92	B overlap 93%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	37-92	B overlap 93%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	49-104	B overlap 93%	Staphylococcus aureus
UP_f85095abf436c388206c5124	37-92	B overlap 93%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	37-92	B overlap 93%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	37-92	B overlap 93%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	37-92	B overlap 93%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	37-92	B overlap 93%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	37-92	B overlap 93%	Staphylococcus aureus
UP_ffc5b205486d979b47f1e25f	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_402

58 aa | 98.28% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 15. Ungapped best parents: 15. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKDQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPE
|||||
Parent ADNNFNKDQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_069ddad137c106406bd4638b	154-211	B overlap 91%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	154-211	B overlap 91%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	154-211	B overlap 91%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	154-211	B overlap 91%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	154-211	B overlap 91%	Staphylococcus schweitzeri
UP_3c8c17cdc14c1efbda4317f7	154-211	B overlap 91%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	154-211	B overlap 91%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	154-211	B overlap 91%	Staphylococcus schweitzeri
UP_8669acd6343173d377af9eeb	154-211	B overlap 91%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	93-150	B overlap 91%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	154-211	B overlap 91%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	154-211	B overlap 91%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	212-269	B overlap 91%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	154-211	B overlap 91%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_e849e99c27614e23057d660d	154-211	B overlap 91%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_407

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/4

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 57. Ungapped best parents: 57. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYIEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPE
|||||
Parent QQNAFYIEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_024878c1d85f08ce1a4839c7	162-211	B overlap 92%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	162-211	B overlap 92%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	174-223	B overlap 92%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	162-211	B overlap 92%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	162-211	B overlap 92%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	162-211	B overlap 92%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	162-211	B overlap 92%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	162-211	B overlap 92%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	162-211	B overlap 92%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	162-211	B overlap 92%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	162-211	B overlap 92%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	220-269	B overlap 92%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	162-211	B overlap 92%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	162-211	B overlap 92%	Staphylococcus schweitzeri
UP_3a6796c5a9d5c6e6a7f4b190	220-269	B overlap 92%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	162-211	B overlap 92%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_407

50 aa | 98.00% best ungapped identity | 1 substitutions | part 2/4

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 57. Ungapped best parents: 57. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPE
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_45a183f1c00512726bcadecb	162-211	B overlap 92%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	162-211	B overlap 92%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	162-211	B overlap 92%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	174-223	B overlap 92%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	232-281	B overlap 92%	Staphylococcus aureus
UP_654970f68b48978377243697	162-211	B overlap 92%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	162-211	B overlap 92%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	174-223	B overlap 92%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	162-211	B overlap 92%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	162-211	B overlap 92%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	162-211	B overlap 92%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	162-211	B overlap 92%	Staphylococcus schweitzeri
UP_74703a26fe5c31c3ed92f291	162-211	B overlap 92%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	162-211	B overlap 92%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	220-269	B overlap 92%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	101-150	B overlap 92%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_407

50 aa | 98.00% best ungapped identity | 1 substitutions | part 3/4

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 57. Ungapped best parents: 57. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPE
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_7927bfde9a5a8cb5117de33e	162-211	B overlap 92%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	157-206	B overlap 92%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	162-211	B overlap 92%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	101-150	B overlap 92%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	162-211	B overlap 92%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	162-211	B overlap 92%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	162-211	B overlap 92%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	162-211	B overlap 92%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	162-211	B overlap 92%	Unresolved
UP_c05788d62510f2a026e1a1a6	162-211	B overlap 92%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	162-211	B overlap 92%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	162-211	B overlap 92%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	162-211	B overlap 92%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	220-269	B overlap 92%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	235-284	B overlap 92%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	162-211	B overlap 92%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	162-211	B overlap 92%	Staphylococcus aureus; Staphylococcus haemolyticus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_407

50 aa | 98.00% best ungapped identity | 1 substitutions | part 4/4

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 57. Ungapped best parents: 57. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPE

|||||

Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_d7a61917e251e0f799ce2cd3	162-211	B overlap 92%	Staphylococcus aureus
UP_db4dfda598bef7013ceb3dbc	162-211	B overlap 92%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	162-211	B overlap 92%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	162-211	B overlap 92%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	162-211	B overlap 92%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	162-211	B overlap 92%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	162-211	B overlap 92%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	162-211	B overlap 92%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	162-211	B overlap 92%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_409

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 15. Ungapped best parents: 15. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPE
|||||
Parent NNFNKDQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_069ddad137c106406bd4638b	156-211	B overlap 93%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	156-211	B overlap 93%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	156-211	B overlap 93%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	156-211	B overlap 93%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	156-211	B overlap 93%	Staphylococcus schweitzeri
UP_3c8c17cdc14c1efbda4317f7	156-211	B overlap 93%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	156-211	B overlap 93%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	156-211	B overlap 93%	Staphylococcus schweitzeri
UP_8669acd6343173d377af9eeb	156-211	B overlap 93%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	95-150	B overlap 93%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	156-211	B overlap 93%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	156-211	B overlap 93%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	214-269	B overlap 93%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	156-211	B overlap 93%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_e849e99c27614e23057d660d	156-211	B overlap 93%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_416

51 aa | 98.04% best ungapped identity | 1 substitutions | part 1/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 128. Ungapped best parents: 128. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV
|||||
Parent ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	154-204	B overlap 98%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	154-204	B overlap 98%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	154-204	B overlap 98%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	154-204	B overlap 98%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	154-204	B overlap 98%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	154-204	B overlap 98%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	154-204	B overlap 98%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	154-204	B overlap 98%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	154-204	B overlap 98%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	212-262	B overlap 98%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	154-204	B overlap 98%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	166-216	B overlap 98%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	154-204	B overlap 98%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	154-204	B overlap 98%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	154-204	B overlap 98%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	154-204	B overlap 98%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	154-204	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_416

51 aa | 98.04% best ungapped identity | 1 substitutions | part 2/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 128. Ungapped best parents: 128. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV
|||||
Parent ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_17525f286aea9a272c4eff5e	154-204	B overlap 98%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	154-204	B overlap 98%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	154-204	B overlap 98%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	93-143	B overlap 98%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	154-204	B overlap 98%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	154-204	B overlap 98%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	154-204	B overlap 98%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	166-216	B overlap 98%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	154-204	B overlap 98%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	154-204	B overlap 98%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	154-204	B overlap 98%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	154-204	B overlap 98%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	154-204	B overlap 98%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	154-204	B overlap 98%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	154-204	B overlap 98%	Staphylococcus aureus
UP_369376855189ded07861b56b	154-204	B overlap 98%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	154-204	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_416

51 aa | 98.04% best ungapped identity | 1 substitutions | part 3/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 128. Ungapped best parents: 128. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV
|||||
Parent ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_3b972ecb2f3727cb6a074f03	154-204	B overlap 98%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	154-204	B overlap 98%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	212-262	B overlap 98%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	154-204	B overlap 98%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	154-204	B overlap 98%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	212-262	B overlap 98%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	154-204	B overlap 98%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	166-216	B overlap 98%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	154-204	B overlap 98%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	154-204	B overlap 98%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	154-204	B overlap 98%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	154-204	B overlap 98%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	328-378	B overlap 98%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	154-204	B overlap 98%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	154-204	B overlap 98%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	154-204	B overlap 98%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	154-204	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_416

51 aa | 98.04% best ungapped identity | 1 substitutions | part 4/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 128. Ungapped best parents: 128. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV
|||||
Parent ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_60b271b0316c17b99e44dff0	154-204	B overlap 98%	Staphylococcus aureus
UP_60b825dd9a4e560b2cee9750	154-204	B overlap 98%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	154-204	B overlap 98%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	154-204	B overlap 98%	Staphylococcus aureus
UP_63bbd7d1ac5832ffe8cbd7f	93-143	B overlap 98%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	154-204	B overlap 98%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	154-204	B overlap 98%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	154-204	B overlap 98%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	154-204	B overlap 98%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	154-204	B overlap 98%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	154-204	B overlap 98%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	154-204	B overlap 98%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	154-204	B overlap 98%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	166-216	B overlap 98%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	154-204	B overlap 98%	Staphylococcus aureus
UP_7e101fe0a0c932eb329824da	154-204	B overlap 98%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	102-152	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_416

51 aa | 98.04% best ungapped identity | 1 substitutions | part 5/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 128. Ungapped best parents: 128. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV
|||||
Parent ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_880b0305912327d2b0fa85b9	154-204	B overlap 98%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	154-204	B overlap 98%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	154-204	B overlap 98%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	154-204	B overlap 98%	Staphylococcus aureus
UP_91eb16918889951219e50a73	154-204	B overlap 98%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	154-204	B overlap 98%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	154-204	B overlap 98%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	154-204	B overlap 98%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	154-204	B overlap 98%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	154-204	B overlap 98%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	154-204	B overlap 98%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	154-204	B overlap 98%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	154-204	B overlap 98%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	154-204	B overlap 98%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	154-204	B overlap 98%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	154-204	B overlap 98%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	154-204	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_416

51 aa | 98.04% best ungapped identity | 1 substitutions | part 6/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 128. Ungapped best parents: 128. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV
|||||
Parent ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_aa8fa5fea3755868ae9435b3	166-216	B overlap 98%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	154-204	B overlap 98%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	154-204	B overlap 98%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	154-204	B overlap 98%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	154-204	B overlap 98%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	154-204	B overlap 98%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	154-204	B overlap 98%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	154-204	B overlap 98%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	166-216	B overlap 98%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	154-204	B overlap 98%	Staphylococcus aureus
UP_b1b6527c392edca51eae006	154-204	B overlap 98%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	154-204	B overlap 98%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	154-204	B overlap 98%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	154-204	B overlap 98%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	154-204	B overlap 98%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	166-216	B overlap 98%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	154-204	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_416

51 aa | 98.04% best ungapped identity | 1 substitutions | part 7/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 128. Ungapped best parents: 128. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV

|||||

Parent ADNNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_be2de2fa9c31fb8faa98d74869	165-215	B overlap 98%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	154-204	B overlap 98%	Staphylococcus aureus
UP_be60757ef487778b0359b0d48	154-204	B overlap 98%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	154-204	B overlap 98%	Staphylococcus aureus
UP_c45cb0f00466c9f2a59ce3df	154-204	B overlap 98%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	282-332	B overlap 98%	Staphylococcus aureus
UP_c6e58db97616169658087da4	154-204	B overlap 98%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	154-204	B overlap 98%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	154-204	B overlap 98%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	154-204	B overlap 98%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	154-204	B overlap 98%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	154-204	B overlap 98%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	154-204	B overlap 98%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	154-204	B overlap 98%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	154-204	B overlap 98%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	154-204	B overlap 98%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	166-216	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_416

51 aa | 98.04% best ungapped identity | 1 substitutions | part 8/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 128. Ungapped best parents: 128. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV
|||||
Parent ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_e4416bec7da11378a24f1c9b	166-216	B overlap 98%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	166-216	B overlap 98%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	154-204	B overlap 98%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	154-204	B overlap 98%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	154-204	B overlap 98%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	154-204	B overlap 98%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	154-204	B overlap 98%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	166-216	B overlap 98%	Staphylococcus aureus
UP_f85095abf436c388206c5124	154-204	B overlap 98%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	154-204	B overlap 98%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	154-204	B overlap 98%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	154-204	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

46 aa | 97.83% best ungapped identity | 1 substitutions | part 1/9

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 135. Ungapped best parents: 135. Inclusive-database exact parents excluded from main set: 0.

Query NKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV

|||||

Parent NKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	159-204	B overlap 100%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	159-204	B overlap 100%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	159-204	B overlap 100%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	159-204	B overlap 100%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	159-204	B overlap 100%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	159-204	B overlap 100%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	159-204	B overlap 100%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	159-204	B overlap 100%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	159-204	B overlap 100%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	159-204	B overlap 100%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	217-262	B overlap 100%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	159-204	B overlap 100%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	171-216	B overlap 100%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	159-204	B overlap 100%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	159-204	B overlap 100%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	159-204	B overlap 100%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	159-204	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_417

46 aa | 97.83% best ungapped identity | 1 substitutions | part 2/9

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 135. Ungapped best parents: 135. Inclusive-database exact parents excluded from main set: 0.

Query NKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV
|||||
Parent NKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_172cccb9efefc37e19236363	159-204	B overlap 100%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	159-204	B overlap 100%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	159-204	B overlap 100%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	159-204	B overlap 100%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	98-143	B overlap 100%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	159-204	B overlap 100%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	159-204	B overlap 100%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	159-204	B overlap 100%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	171-216	B overlap 100%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	159-204	B overlap 100%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	159-204	B overlap 100%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	159-204	B overlap 100%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	159-204	B overlap 100%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	159-204	B overlap 100%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	159-204	B overlap 100%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	159-204	B overlap 100%	Staphylococcus aureus
UP_369376855189ded07861b56b	159-204	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

46 aa | 97.83% best ungapped identity | 1 substitutions | part 3/9

Gap-aware minimum edit distance: 1; tied parents: 135. Ungapped best parents: 135. Inclusive-database exact parents excluded from main set: 0.

Parent NKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

UP_37e60ca6c449c9241b51223d	159-204	B overlap 100%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	159-204	B overlap 100%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	159-204	B overlap 100%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	159-204	B overlap 100%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	159-204	B overlap 100%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	217-262	B overlap 100%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	159-204	B overlap 100%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	159-204	B overlap 100%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	217-262	B overlap 100%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	159-204	B overlap 100%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	171-216	B overlap 100%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	159-204	B overlap 100%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	159-204	B overlap 100%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	159-204	B overlap 100%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	159-204	B overlap 100%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	333-378	B overlap 100%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	159-204	B overlap 100%	Staphylococcus aureus

Database-supported natural full length; sequence identity is not experimental binding validation.

46 aa | 97.83% best ungapped identity | 1 substitutions | part 4/9

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 135. Ungapped best parents: 135. Inclusive-database exact parents excluded from main set: 0.

Query NKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV

|||||

Parent NKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_550734204abcdeb4f1f5bb24	159-204	B overlap 100%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	159-204	B overlap 100%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	159-204	B overlap 100%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	159-204	B overlap 100%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	159-204	B overlap 100%	Staphylococcus aureus
UP_60b825dd9a4e560b2cee9750	159-204	B overlap 100%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	159-204	B overlap 100%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	159-204	B overlap 100%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	159-204	B overlap 100%	Staphylococcus aureus
UP_63bbd7d1ac5832fffe8cbd7f	98-143	B overlap 100%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	159-204	B overlap 100%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	159-204	B overlap 100%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6bfc4	159-204	B overlap 100%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	159-204	B overlap 100%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	159-204	B overlap 100%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	159-204	B overlap 100%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	159-204	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

46 aa | 97.83% best ungapped identity | 1 substitutions | part 5/9

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 135. Ungapped best parents: 135. Inclusive-database exact parents excluded from main set: 0.

Query NKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV

|||||

Parent NKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_79d5a456d06c11f134b82a70	159-204	B overlap 100%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	171-216	B overlap 100%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	159-204	B overlap 100%	Staphylococcus aureus
UP_7e101fe0a0c932eb329824da	159-204	B overlap 100%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	159-204	B overlap 100%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	107-152	B overlap 100%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	159-204	B overlap 100%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	159-204	B overlap 100%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	159-204	B overlap 100%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	159-204	B overlap 100%	Staphylococcus aureus
UP_91eb16918889951219e50a73	159-204	B overlap 100%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	159-204	B overlap 100%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	159-204	B overlap 100%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	159-204	B overlap 100%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	159-204	B overlap 100%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	159-204	B overlap 100%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	159-204	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

46 aa | 97.83% best ungapped identity | 1 substitutions | part 6/9

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 135. Ungapped best parents: 135. Inclusive-database exact parents excluded from main set: 0.

Query NKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV

|||||

Parent NKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_9bd8f1fc33e86407f447de60	159-204	B overlap 100%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	159-204	B overlap 100%	Staphylococcus aureus
UP_alc16686cb18780db1e61843	159-204	B overlap 100%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	159-204	B overlap 100%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	159-204	B overlap 100%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	159-204	B overlap 100%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	171-216	B overlap 100%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	159-204	B overlap 100%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	159-204	B overlap 100%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	159-204	B overlap 100%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	159-204	B overlap 100%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	159-204	B overlap 100%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	159-204	B overlap 100%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	159-204	B overlap 100%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	171-216	B overlap 100%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	159-204	B overlap 100%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	159-204	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_417

46 aa | 97.83% best ungapped identity | 1 substitutions | part 7/9

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 135. Ungapped best parents: 135. Inclusive-database exact parents excluded from main set: 0.

Query NKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV
|||||
Parent NKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_b30e7e945ecdd9f7156ff4b4	159-204	B overlap 100%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	159-204	B overlap 100%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	159-204	B overlap 100%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	159-204	B overlap 100%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	171-216	B overlap 100%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	229-274	B overlap 100%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	159-204	B overlap 100%	Staphylococcus aureus
UP_bde2fa9c31fb8faa98d74869	170-215	B overlap 100%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	159-204	B overlap 100%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	159-204	B overlap 100%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	159-204	B overlap 100%	Staphylococcus aureus
UP_c45cb0f00466c9f2a59ce3df	159-204	B overlap 100%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	287-332	B overlap 100%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	403-448	B overlap 100%	Staphylococcus aureus
UP_c6e58db97616169658087da4	159-204	B overlap 100%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	159-204	B overlap 100%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	159-204	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

46 aa | 97.83% best ungapped identity | 1 substitutions | part 8/9

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 135. Ungapped best parents: 135. Inclusive-database exact parents excluded from main set: 0.

Query NKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV

|||||

Parent NKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_cd8da5efd6990027122ce46	159-204	B overlap 100%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	159-204	B overlap 100%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	159-204	B overlap 100%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	159-204	B overlap 100%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	159-204	B overlap 100%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	159-204	B overlap 100%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	217-262	B overlap 100%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	159-204	B overlap 100%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	171-216	B overlap 100%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	171-216	B overlap 100%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	171-216	B overlap 100%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	159-204	B overlap 100%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	159-204	B overlap 100%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	159-204	B overlap 100%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	159-204	B overlap 100%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	159-204	B overlap 100%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	159-204	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_417

46 aa | 97.83% best ungapped identity | 1 substitutions | part 9/9

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 135. Ungapped best parents: 135. Inclusive-database exact parents excluded from main set: 0.

Query NKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV
|||||
Parent NKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_f57ed69187f17aafd0cb1f95	171-216	B overlap 100%	Staphylococcus aureus
UP_f85095abf436c388206c5124	159-204	B overlap 100%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	159-204	B overlap 100%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	159-204	B overlap 100%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	159-204	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_418

49 aa | 97.96% best ungapped identity | 1 substitutions | part 1/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 128. Ungapped best parents: 128. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV
|||||
Parent NNFNKEQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	156-204	B overlap 100%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	156-204	B overlap 100%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	156-204	B overlap 100%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	156-204	B overlap 100%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	156-204	B overlap 100%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	156-204	B overlap 100%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	156-204	B overlap 100%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	156-204	B overlap 100%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	156-204	B overlap 100%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	214-262	B overlap 100%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	156-204	B overlap 100%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	168-216	B overlap 100%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	156-204	B overlap 100%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	156-204	B overlap 100%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	156-204	B overlap 100%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	156-204	B overlap 100%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	156-204	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_418

49 aa | 97.96% best ungapped identity | 1 substitutions | part 2/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 128. Ungapped best parents: 128. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV
|||||
Parent NNFNKEQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_17525f286aea9a272c4eff5e	156-204	B overlap 100%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	156-204	B overlap 100%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	156-204	B overlap 100%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	95-143	B overlap 100%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	156-204	B overlap 100%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	156-204	B overlap 100%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	156-204	B overlap 100%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	168-216	B overlap 100%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	156-204	B overlap 100%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	156-204	B overlap 100%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	156-204	B overlap 100%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	156-204	B overlap 100%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	156-204	B overlap 100%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	156-204	B overlap 100%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	156-204	B overlap 100%	Staphylococcus aureus
UP_369376855189ded07861b56b	156-204	B overlap 100%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	156-204	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_418

49 aa | 97.96% best ungapped identity | 1 substitutions | part 3/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 128. Ungapped best parents: 128. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV
|||||
Parent NNFNKEQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_3b972ecb2f3727cb6a074f03	156-204	B overlap 100%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	156-204	B overlap 100%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	214-262	B overlap 100%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	156-204	B overlap 100%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	156-204	B overlap 100%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	214-262	B overlap 100%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	156-204	B overlap 100%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	168-216	B overlap 100%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	156-204	B overlap 100%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	156-204	B overlap 100%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	156-204	B overlap 100%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	156-204	B overlap 100%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	330-378	B overlap 100%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	156-204	B overlap 100%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	156-204	B overlap 100%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	156-204	B overlap 100%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	156-204	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_418

49 aa | 97.96% best ungapped identity | 1 substitutions | part 4/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 128. Ungapped best parents: 128. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV
|||||
Parent NNFNKEQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_60b271b0316c17b99e44dff0	156-204	B overlap 100%	Staphylococcus aureus
UP_60b825dd9a4e560b2cee9750	156-204	B overlap 100%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	156-204	B overlap 100%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	156-204	B overlap 100%	Staphylococcus aureus
UP_63bbd7d1ac5832ffe8cbd7f	95-143	B overlap 100%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	156-204	B overlap 100%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	156-204	B overlap 100%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	156-204	B overlap 100%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	156-204	B overlap 100%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	156-204	B overlap 100%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	156-204	B overlap 100%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	156-204	B overlap 100%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	156-204	B overlap 100%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	168-216	B overlap 100%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	156-204	B overlap 100%	Staphylococcus aureus
UP_7e101fe0a0c932eb329824da	156-204	B overlap 100%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	104-152	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_418

49 aa | 97.96% best ungapped identity | 1 substitutions | part 5/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 128. Ungapped best parents: 128. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV
|||||
Parent NNFNKEQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_880b0305912327d2b0fa85b9	156-204	B overlap 100%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	156-204	B overlap 100%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	156-204	B overlap 100%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	156-204	B overlap 100%	Staphylococcus aureus
UP_91eb16918889951219e50a73	156-204	B overlap 100%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	156-204	B overlap 100%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	156-204	B overlap 100%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	156-204	B overlap 100%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	156-204	B overlap 100%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	156-204	B overlap 100%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	156-204	B overlap 100%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	156-204	B overlap 100%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	156-204	B overlap 100%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	156-204	B overlap 100%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	156-204	B overlap 100%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	156-204	B overlap 100%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	156-204	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

49 aa | 97.96% best ungapped identity | 1 substitutions | part 6/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 128. Ungapped best parents: 128. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV

|||||

Parent NNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_aa8fa5fea3755868ae9435b3	168-216	B overlap 100%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	156-204	B overlap 100%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	156-204	B overlap 100%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	156-204	B overlap 100%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	156-204	B overlap 100%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	156-204	B overlap 100%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	156-204	B overlap 100%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	156-204	B overlap 100%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	168-216	B overlap 100%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	156-204	B overlap 100%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	156-204	B overlap 100%	Staphylococcus aureus
UP_b30e7e945ecd9f7156ff4b4	156-204	B overlap 100%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	156-204	B overlap 100%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	156-204	B overlap 100%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	156-204	B overlap 100%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	168-216	B overlap 100%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	156-204	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_418

49 aa | 97.96% best ungapped identity | 1 substitutions | part 7/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 128. Ungapped best parents: 128. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV
|||||
Parent NNFNKEQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_bde2fa9c31fb8faa98d74869	167-215	B overlap 100%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	156-204	B overlap 100%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	156-204	B overlap 100%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	156-204	B overlap 100%	Staphylococcus aureus
UP_c45cb0f00466c9f2a59ce3df	156-204	B overlap 100%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	284-332	B overlap 100%	Staphylococcus aureus
UP_c6e58db97616169658087da4	156-204	B overlap 100%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	156-204	B overlap 100%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	156-204	B overlap 100%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	156-204	B overlap 100%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	156-204	B overlap 100%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	156-204	B overlap 100%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	156-204	B overlap 100%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	156-204	B overlap 100%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	156-204	B overlap 100%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	156-204	B overlap 100%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	168-216	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

49 aa | 97.96% best ungapped identity | 1 substitutions | part 8/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 128. Ungapped best parents: 128. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKV

|||||

Parent NNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKL

All equally best ungapped sites on this page

UP_e4416bec7da11378a24f1c9b	168-216	B overlap 100%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	168-216	B overlap 100%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	156-204	B overlap 100%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	156-204	B overlap 100%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	156-204	B overlap 100%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	156-204	B overlap 100%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	156-204	B overlap 100%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	168-216	B overlap 100%	Staphylococcus aureus
UP_f85095abf436c388206c5124	156-204	B overlap 100%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	156-204	B overlap 100%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	156-204	B overlap 100%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	156-204	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_423

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	43-92	B overlap 92%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	43-92	B overlap 92%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	43-92	B overlap 92%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	43-92	B overlap 92%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	43-92	B overlap 92%	Staphylococcus aureus
UP_04faae54d75da101458d937d	43-92	B overlap 92%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	43-92	B overlap 92%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	43-92	B overlap 92%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	43-92	B overlap 92%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	43-92	B overlap 92%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	43-92	B overlap 92%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	43-92	B overlap 92%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	43-92	B overlap 92%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	43-92	B overlap 92%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	43-92	B overlap 92%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	43-92	B overlap 92%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_423

50 aa | 98.00% best ungapped identity | 1 substitutions | part 2/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_127db86243730a6f9df4e8bd	55-104	B overlap 92%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	43-92	B overlap 92%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	43-92	B overlap 92%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	43-92	B overlap 92%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	43-92	B overlap 92%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	43-92	B overlap 92%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	43-92	B overlap 92%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	43-92	B overlap 92%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	43-92	B overlap 92%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	43-92	B overlap 92%	Staphylococcus aureus
UP_1f0c143935bf9440a4d0dd38	43-92	B overlap 92%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	43-92	B overlap 92%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	43-92	B overlap 92%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	43-92	B overlap 92%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	43-92	B overlap 92%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	43-92	B overlap 92%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_423

50 aa | 98.00% best ungapped identity | 1 substitutions | part 3/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_29064a9961a975f454e1d6b1	43-92	B overlap 92%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	43-92	B overlap 92%	Staphylococcus aureus
UP_29da8f2bf1e86de36a87930b	43-92	B overlap 92%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	43-92	B overlap 92%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	43-92	B overlap 92%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	43-92	B overlap 92%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	43-92	B overlap 92%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	43-92	B overlap 92%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	43-92	B overlap 92%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	43-92	B overlap 92%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	43-92	B overlap 92%	Staphylococcus aureus
UP_369376855189ded07861b56b	43-92	B overlap 92%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	43-92	B overlap 92%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	43-92	B overlap 92%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	43-92	B overlap 92%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	43-92	B overlap 92%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_423

50 aa | 98.00% best ungapped identity | 1 substitutions | part 4/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_3d571252244f795c04507670	43-92	B overlap 92%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	43-92	B overlap 92%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	55-104	B overlap 92%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	43-92	B overlap 92%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	43-92	B overlap 92%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	43-92	B overlap 92%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	43-92	B overlap 92%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	43-92	B overlap 92%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	43-92	B overlap 92%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	43-92	B overlap 92%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	43-92	B overlap 92%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	43-92	B overlap 92%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	55-104	B overlap 92%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	43-92	B overlap 92%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	43-92	B overlap 92%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	43-92	B overlap 92%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_423

50 aa | 98.00% best ungapped identity | 1 substitutions | part 5/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||

Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_4c1fd99d56c771d3922e9759	43-92	B overlap 92%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	43-92	B overlap 92%	Staphylococcus aureus
UP_4cf67d66a141116ecdb88412	55-104	B overlap 92%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	43-92	B overlap 92%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	43-92	B overlap 92%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	43-92	B overlap 92%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	43-92	B overlap 92%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	43-92	B overlap 92%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	43-92	B overlap 92%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	43-92	B overlap 92%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	43-92	B overlap 92%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	55-104	B overlap 92%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	43-92	B overlap 92%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	43-92	B overlap 92%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	43-92	B overlap 92%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	43-92	B overlap 92%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_423

50 aa | 98.00% best ungapped identity | 1 substitutions | part 6/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_60b825dd9a4e560b2cee9750	43-92	B overlap 92%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	55-104	B overlap 92%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	43-92	B overlap 92%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	43-92	B overlap 92%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	43-92	B overlap 92%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	43-92	B overlap 92%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	43-92	B overlap 92%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	43-92	B overlap 92%	Staphylococcus aureus
UP_67b157c032f302cca570b203	55-104	B overlap 92%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	43-92	B overlap 92%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	43-92	B overlap 92%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	43-92	B overlap 92%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	43-92	B overlap 92%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	43-92	B overlap 92%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	43-92	B overlap 92%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	55-104	B overlap 92%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_423

50 aa | 98.00% best ungapped identity | 1 substitutions | part 7/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_6e049e4ca0302272d62248f6	43-92	B overlap 92%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	43-92	B overlap 92%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	55-104	B overlap 92%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	43-92	B overlap 92%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	43-92	B overlap 92%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	43-92	B overlap 92%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	43-92	B overlap 92%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	43-92	B overlap 92%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	43-92	B overlap 92%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	43-92	B overlap 92%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	43-92	B overlap 92%	Staphylococcus aureus
UP_79e0b1d188807716a8d270a0	43-92	B overlap 92%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	55-104	B overlap 92%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	43-92	B overlap 92%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	38-87	B overlap 92%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	43-92	B overlap 92%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_423

50 aa | 98.00% best ungapped identity | 1 substitutions | part 8/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_7e1d634bed16b84ddf354b21	43-92	B overlap 92%	Staphylococcus aureus
UP_7f705628d3208506515b3404	43-92	B overlap 92%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	43-92	B overlap 92%	Staphylococcus aureus
UP_87c984f47195a756918038f8	43-92	B overlap 92%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	43-92	B overlap 92%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	43-92	B overlap 92%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	43-92	B overlap 92%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	43-92	B overlap 92%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	43-92	B overlap 92%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	43-92	B overlap 92%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	43-92	B overlap 92%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	43-92	B overlap 92%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	43-92	B overlap 92%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	43-92	B overlap 92%	Staphylococcus aureus
UP_91eb16918889951219e50a73	43-92	B overlap 92%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	43-92	B overlap 92%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

50 aa | 98.00% best ungapped identity | 1 substitutions | part 9/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

||||| . |||||

Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_9405efe3c9c1b998737ba3a9	43-92	B overlap 92%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	43-92	B overlap 92%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	43-92	B overlap 92%	Staphylococcus aureus
UP_94875a270e702e9733c65c20	43-92	B overlap 92%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	43-92	B overlap 92%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	43-92	B overlap 92%	Staphylococcus aureus
UP_971043b6271e59644756c924	43-92	B overlap 92%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	43-92	B overlap 92%	Staphylococcus aureus
UP_97e42757ac273b6b51241624	43-92	B overlap 92%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	43-92	B overlap 92%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	43-92	B overlap 92%	Staphylococcus aureus
UP_9cdee1761c3bb0284a50f196	55-104	B overlap 92%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	43-92	B overlap 92%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	43-92	B overlap 92%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	43-92	B overlap 92%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	43-92	B overlap 92%	Staphylococcus aureus
UP_alc16686cb18780db1e61843	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_423

50 aa | 98.00% best ungapped identity | 1 substitutions | part 10/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	43-92	B overlap 92%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	43-92	B overlap 92%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	43-92	B overlap 92%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	55-104	B overlap 92%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	43-92	B overlap 92%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	43-92	B overlap 92%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	43-92	B overlap 92%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	43-92	B overlap 92%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	43-92	B overlap 92%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	55-104	B overlap 92%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	43-92	B overlap 92%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	43-92	B overlap 92%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	43-92	B overlap 92%	Staphylococcus aureus
UP_ad44964a13a988ebe08c8ee1	43-92	B overlap 92%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	43-92	B overlap 92%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	43-92	B overlap 92%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_423

50 aa | 98.00% best ungapped identity | 1 substitutions | part 11/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||

Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_aec2af7cb0206c955110b821	43-92	B overlap 92%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	43-92	B overlap 92%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	43-92	B overlap 92%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	43-92	B overlap 92%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	43-92	B overlap 92%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	55-104	B overlap 92%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	43-92	B overlap 92%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	54-103	B overlap 92%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	43-92	B overlap 92%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	43-92	B overlap 92%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	43-92	B overlap 92%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	43-92	B overlap 92%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	43-92	B overlap 92%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	43-92	B overlap 92%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	43-92	B overlap 92%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	43-92	B overlap 92%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	43-92	B overlap 92%	Unresolved

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_423

50 aa | 98.00% best ungapped identity | 1 substitutions | part 12/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_b82a3b36b8bfd9b79123fe6d	43-92	B overlap 92%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	43-92	B overlap 92%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	43-92	B overlap 92%	Staphylococcus aureus
UP_ba9a53de95075c778cf3942f	43-92	B overlap 92%	Staphylococcus aureus
UP_bb14cd4e731365d1a25a797f	43-92	B overlap 92%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	55-104	B overlap 92%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	43-92	B overlap 92%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	43-92	B overlap 92%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	43-92	B overlap 92%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	43-92	B overlap 92%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	43-92	B overlap 92%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	43-92	B overlap 92%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	55-104	B overlap 92%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	55-104	B overlap 92%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	43-92	B overlap 92%	Staphylococcus aureus
UP_c6e58db97616169658087da4	43-92	B overlap 92%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_423

50 aa | 98.00% best ungapped identity | 1 substitutions | part 13/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_c86fdaa2621aef50129d348b	43-92	B overlap 92%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	43-92	B overlap 92%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	43-92	B overlap 92%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	43-92	B overlap 92%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	43-92	B overlap 92%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	43-92	B overlap 92%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	43-92	B overlap 92%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	55-104	B overlap 92%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	43-92	B overlap 92%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	43-92	B overlap 92%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	43-92	B overlap 92%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	43-92	B overlap 92%	Staphylococcus aureus
UP_d5b345437142d9cf807db25d	43-92	B overlap 92%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	43-92	B overlap 92%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	43-92	B overlap 92%	Staphylococcus aureus
UP_db4dfda598bef7013ceb3dbc	43-92	B overlap 92%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_423

50 aa | 98.00% best ungapped identity | 1 substitutions | part 14/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_ddcc25ff5408d54d5c32163f	43-92	B overlap 92%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	43-92	B overlap 92%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	43-92	B overlap 92%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbab69	43-92	B overlap 92%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	43-92	B overlap 92%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	43-92	B overlap 92%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	43-92	B overlap 92%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	43-92	B overlap 92%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	43-92	B overlap 92%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	43-92	B overlap 92%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	55-104	B overlap 92%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	43-92	B overlap 92%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	43-92	B overlap 92%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	55-104	B overlap 92%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	55-104	B overlap 92%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	43-92	B overlap 92%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_423

50 aa | 98.00% best ungapped identity | 1 substitutions | part 15/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_e69cdb9fb24f123702443be9	43-92	B overlap 92%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	43-92	B overlap 92%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	43-92	B overlap 92%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	43-92	B overlap 92%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	43-92	B overlap 92%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	43-92	B overlap 92%	Staphylococcus aureus
UP_edaaa2299783d537504a97ff	55-104	B overlap 92%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	43-92	B overlap 92%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	43-92	B overlap 92%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	43-92	B overlap 92%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	43-92	B overlap 92%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	43-92	B overlap 92%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	43-92	B overlap 92%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	43-92	B overlap 92%	Staphylococcus aureus
UP_f6c81f1ef152502d327f40dc	43-92	B overlap 92%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	43-92	B overlap 92%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	55-104	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_423

50 aa | 98.00% best ungapped identity | 1 substitutions | part 16/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

|||||

Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_f85095abf436c388206c5124	43-92	B overlap 92%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	43-92	B overlap 92%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	43-92	B overlap 92%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	43-92	B overlap 92%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	43-92	B overlap 92%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	43-92	B overlap 92%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_424

53 aa | 98.11% best ungapped identity | 1 substitutions | part 1/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 34. Ungapped best parents: 34. Inclusive-database exact parents excluded from main set: 0.

Query NNYVTDQRKAFYQVLHLKGITEEQRNQYIKTLREHPERAQEVFSESLKDSKNP
|||||.|||||
Parent NNYVTDQQKAFYQVLHLKGITEEQRNQYIKTLREHPERAQEVFSESLKDSKNP

All equally best ungapped sites on this page

UP_080b54fa3b40257f81d40227	45-97	B overlap 94%	Staphylococcus aureus
UP_0844823474fe482f619d596c	45-97	B overlap 94%	Staphylococcus aureus
UP_09e93a100ab0592113819de2	45-97	B overlap 94%	Staphylococcus aureus
UP_1abd0d78b674a80bd316dc43	45-97	B overlap 94%	Staphylococcus aureus
UP_1cce06b3c353b5db65949ed7	45-97	B overlap 94%	Staphylococcus aureus
UP_287ac0aa87234d989b77626d	45-97	B overlap 94%	Staphylococcus aureus
UP_3326ba85d4fb68f0db74dad3	45-97	B overlap 94%	Staphylococcus aureus
UP_3e90765a890b23e10914f4cb	45-97	B overlap 94%	Staphylococcus aureus
UP_3f9417cbbf4df334bd68565d	45-97	B overlap 94%	Staphylococcus aureus
UP_40d63737a50ca72a469dfb0a	45-97	B overlap 94%	Staphylococcus aureus; Staphylococcus warneri
UP_4260a2938df5eb4d4af340bb	45-97	B overlap 94%	Staphylococcus argenteus
UP_647b77d4dd80634487cff0e3	45-97	B overlap 94%	Staphylococcus argenteus
UP_674da628829daa8068ae47a8	45-97	B overlap 94%	Staphylococcus aureus
UP_6946c085a2332718e620f864	45-97	B overlap 94%	Staphylococcus aureus
UP_6e589309e46ae0b64b4ed832	45-97	B overlap 94%	Staphylococcus aureus
UP_759e29dc7eea7a81097c5a1c	45-97	B overlap 94%	Staphylococcus argenteus
UP_77eb74d884e15b13edfd328c	45-97	B overlap 94%	Staphylococcus aureus; Staphylococcus schleiferi

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_424

53 aa | 98.11% best ungapped identity | 1 substitutions | part 2/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 34. Ungapped best parents: 34. Inclusive-database exact parents excluded from main set: 0.

Query NNYVTDRQKAFYQVLHLKGITEEQRNQYIKTLREHPERAQEVFSESLKDSKNP
||||| . |||||
Parent NNYVTDQKAFYQVLHLKGITEEQRNQYIKTLREHPERAQEVFSESLKDSKNP

All equally best ungapped sites on this page

UP_8bdb895ddacecf7f76282273	45-97	B overlap 94%	Staphylococcus aureus
UP_969662182f97cf9a6b1e4d38	45-97	B overlap 94%	Staphylococcus aureus
UP_a5a6b593992bf821624c7c64	45-97	B overlap 94%	Staphylococcus aureus
UP_a79947cba0eba2594b4e582b	45-97	B overlap 94%	Staphylococcus aureus
UP_bd9b9fdc5d782598991d6e39	45-97	B overlap 94%	Staphylococcus aureus
UP_beb0504f56238eb96fe95d4f	45-97	B overlap 94%	Staphylococcus aureus
UP_bf06f5837e0482af14fd6e61	45-97	B overlap 94%	Staphylococcus aureus
UP_c26231b9c3c86dc14805f6a4	45-97	B overlap 94%	Staphylococcus aureus
UP_c2725186bd2cc7a5a9bc7d20	45-97	B overlap 94%	Staphylococcus aureus
UP_ce0c61d648c5df0d488bba2e	45-97	B overlap 94%	Staphylococcus argenteus; Staphylococcus aureus
UP_d6915aab6d24397af8087a3b	45-97	B overlap 94%	Staphylococcus aureus; Staphylococcus epidermidis
UP_e1174f8dc5a56c37c40fa224	45-97	B overlap 94%	Staphylococcus aureus
UP_e266103de7716a90218fcb4a	45-97	B overlap 94%	Staphylococcus aureus; Staphylococcus epidermidis
UP_ed4bca3d5277711ae0fcb88e	45-97	B overlap 94%	Staphylococcus aureus
UP_f4fb59eba6cb6b63e737ffea	45-97	B overlap 94%	Staphylococcus aureus
UP_f7660cd8b89bde52b15f1df3	45-97	B overlap 94%	Staphylococcus aureus
UP_f8688bb3e1f4e498e85a7696	45-97	B overlap 94%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_425

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
 |||
Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	37-92	B overlap 93%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	37-92	B overlap 93%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	37-92	B overlap 93%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	37-92	B overlap 93%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	37-92	B overlap 93%	Staphylococcus aureus
UP_04faae54d75da101458d937d	37-92	B overlap 93%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	37-92	B overlap 93%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	37-92	B overlap 93%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	37-92	B overlap 93%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	37-92	B overlap 93%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	37-92	B overlap 93%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	37-92	B overlap 93%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	37-92	B overlap 93%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	37-92	B overlap 93%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	37-92	B overlap 93%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	37-92	B overlap 93%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 2/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_127db86243730a6f9df4e8bd	49-104	B overlap 93%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	37-92	B overlap 93%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	37-92	B overlap 93%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	37-92	B overlap 93%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	37-92	B overlap 93%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	37-92	B overlap 93%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	37-92	B overlap 93%	Staphylococcus aureus
UP_1be437babca2a84ae74283a17	37-92	B overlap 93%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	37-92	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	37-92	B overlap 93%	Staphylococcus aureus
UP_1f0c143935bf9440a4d0dd38	37-92	B overlap 93%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	37-92	B overlap 93%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	37-92	B overlap 93%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	37-92	B overlap 93%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	37-92	B overlap 93%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	37-92	B overlap 93%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_425

56 aa | 98.21% best ungapped identity | 1 substitutions | part 3/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
 |||
Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_29064a9961a975f454e1d6b1	37-92	B overlap 93%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	37-92	B overlap 93%	Staphylococcus aureus
UP_29da8f2bf1e86de36a87930b	37-92	B overlap 93%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	37-92	B overlap 93%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	37-92	B overlap 93%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	37-92	B overlap 93%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	37-92	B overlap 93%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	37-92	B overlap 93%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	37-92	B overlap 93%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	37-92	B overlap 93%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	37-92	B overlap 93%	Staphylococcus aureus
UP_369376855189ded07861b56b	37-92	B overlap 93%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	37-92	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	37-92	B overlap 93%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	37-92	B overlap 93%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	37-92	B overlap 93%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_425

56 aa | 98.21% best ungapped identity | 1 substitutions | part 4/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
 |||||
Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_3d571252244f795c04507670	37-92	B overlap 93%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	37-92	B overlap 93%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	49-104	B overlap 93%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	37-92	B overlap 93%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	37-92	B overlap 93%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	37-92	B overlap 93%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	37-92	B overlap 93%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	37-92	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	37-92	B overlap 93%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	37-92	B overlap 93%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	37-92	B overlap 93%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	37-92	B overlap 93%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	49-104	B overlap 93%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	37-92	B overlap 93%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	37-92	B overlap 93%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	37-92	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 5/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_4c1fd99d56c771d3922e9759	37-92	B overlap 93%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	37-92	B overlap 93%	Staphylococcus aureus
UP_4cf67d66a141116ecdb88412	49-104	B overlap 93%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	37-92	B overlap 93%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	37-92	B overlap 93%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	37-92	B overlap 93%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	37-92	B overlap 93%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	37-92	B overlap 93%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	37-92	B overlap 93%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	37-92	B overlap 93%	Staphylococcus aureus
UP_5c006dddff8fa9ce5cac1b28	37-92	B overlap 93%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	49-104	B overlap 93%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	37-92	B overlap 93%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	37-92	B overlap 93%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	37-92	B overlap 93%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	37-92	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_425

56 aa | 98.21% best ungapped identity | 1 substitutions | part 6/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
 |||||
Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_60b825dd9a4e560b2cee9750	37-92	B overlap 93%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	49-104	B overlap 93%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	37-92	B overlap 93%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	37-92	B overlap 93%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	37-92	B overlap 93%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	37-92	B overlap 93%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	37-92	B overlap 93%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	37-92	B overlap 93%	Staphylococcus aureus
UP_67b157c032f302cca570b203	49-104	B overlap 93%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	37-92	B overlap 93%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	37-92	B overlap 93%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	37-92	B overlap 93%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	37-92	B overlap 93%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	37-92	B overlap 93%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	37-92	B overlap 93%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	49-104	B overlap 93%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_425

56 aa | 98.21% best ungapped identity | 1 substitutions | part 7/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_6e049e4ca0302272d6248f6	37-92	B overlap 93%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	37-92	B overlap 93%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	49-104	B overlap 93%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	37-92	B overlap 93%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	37-92	B overlap 93%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	37-92	B overlap 93%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	37-92	B overlap 93%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	37-92	B overlap 93%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	37-92	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	37-92	B overlap 93%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	37-92	B overlap 93%	Staphylococcus aureus
UP_79e0b1d188807716a8d270a0	37-92	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	49-104	B overlap 93%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	37-92	B overlap 93%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	32-87	B overlap 93%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	37-92	B overlap 93%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_425

56 aa | 98.21% best ungapped identity | 1 substitutions | part 8/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
 |||
Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_7e1d634bed16b84ddf354b21	37-92	B overlap 93%	Staphylococcus aureus
UP_7f705628d3208506515b3404	37-92	B overlap 93%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	37-92	B overlap 93%	Staphylococcus aureus
UP_87c984f47195a756918038f8	37-92	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	37-92	B overlap 93%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	37-92	B overlap 93%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	37-92	B overlap 93%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	37-92	B overlap 93%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	37-92	B overlap 93%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	37-92	B overlap 93%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	37-92	B overlap 93%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	37-92	B overlap 93%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	37-92	B overlap 93%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	37-92	B overlap 93%	Staphylococcus aureus
UP_91eb16918889951219e50a73	37-92	B overlap 93%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	37-92	B overlap 93%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 9/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_9405efe3c9c1b998737ba3a9	37-92	B overlap 93%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	37-92	B overlap 93%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	37-92	B overlap 93%	Staphylococcus aureus
UP_94875a270e702e9733c65c20	37-92	B overlap 93%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	37-92	B overlap 93%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	37-92	B overlap 93%	Staphylococcus aureus
UP_971043b6271e59644756c924	37-92	B overlap 93%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	37-92	B overlap 93%	Staphylococcus aureus
UP_97e42757ac273b6b51241624	37-92	B overlap 93%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	37-92	B overlap 93%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	37-92	B overlap 93%	Staphylococcus aureus
UP_9cdee1761c3bb0284a50f196	49-104	B overlap 93%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	37-92	B overlap 93%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	37-92	B overlap 93%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	37-92	B overlap 93%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	37-92	B overlap 93%	Staphylococcus aureus
UP_alc16686cb18780db1e61843	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_425

56 aa | 98.21% best ungapped identity | 1 substitutions | part 10/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
 |||||
Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	37-92	B overlap 93%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	37-92	B overlap 93%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	37-92	B overlap 93%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	49-104	B overlap 93%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	37-92	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	37-92	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	37-92	B overlap 93%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	37-92	B overlap 93%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	37-92	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	49-104	B overlap 93%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	37-92	B overlap 93%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	37-92	B overlap 93%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	37-92	B overlap 93%	Staphylococcus aureus
UP_ad44964a13a988ebe08c8ee1	37-92	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	37-92	B overlap 93%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	37-92	B overlap 93%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 11/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_aec2af7cb0206c955110b821	37-92	B overlap 93%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	37-92	B overlap 93%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	37-92	B overlap 93%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	37-92	B overlap 93%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	37-92	B overlap 93%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	49-104	B overlap 93%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	37-92	B overlap 93%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	48-103	B overlap 93%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	37-92	B overlap 93%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	37-92	B overlap 93%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	37-92	B overlap 93%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	37-92	B overlap 93%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	37-92	B overlap 93%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	37-92	B overlap 93%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	37-92	B overlap 93%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	37-92	B overlap 93%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	37-92	B overlap 93%	Unresolved

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_425

56 aa | 98.21% best ungapped identity | 1 substitutions | part 12/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
 |||||
Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_b82a3b36b8bfd9b79123fe6d	37-92	B overlap 93%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	37-92	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	37-92	B overlap 93%	Staphylococcus aureus
UP_ba9a53de95075c778cf3942f	37-92	B overlap 93%	Staphylococcus aureus
UP_bb14cd4e731365d1a25a797f	37-92	B overlap 93%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	49-104	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	37-92	B overlap 93%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	37-92	B overlap 93%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	37-92	B overlap 93%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	37-92	B overlap 93%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	37-92	B overlap 93%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	37-92	B overlap 93%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	49-104	B overlap 93%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	49-104	B overlap 93%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	37-92	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	37-92	B overlap 93%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_425

56 aa | 98.21% best ungapped identity | 1 substitutions | part 13/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
|||||
Parent AQHDEAQQNAFYQVLNMPNLNADQ RNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_c86fdaa2621aef50129d348b	37-92	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	37-92	B overlap 93%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	37-92	B overlap 93%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	37-92	B overlap 93%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	37-92	B overlap 93%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	37-92	B overlap 93%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	37-92	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	49-104	B overlap 93%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcac	37-92	B overlap 93%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	37-92	B overlap 93%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	37-92	B overlap 93%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	37-92	B overlap 93%	Staphylococcus aureus
UP_d5b345437142d9cf807db25d	37-92	B overlap 93%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	37-92	B overlap 93%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	37-92	B overlap 93%	Staphylococcus aureus
UP_db4dfda598bef7013ceb3dbc	37-92	B overlap 93%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_425

56 aa | 98.21% best ungapped identity | 1 substitutions | part 14/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
 |||
Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_ddcc25ff5408d54d5c32163f	37-92	B overlap 93%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	37-92	B overlap 93%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	37-92	B overlap 93%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbab69	37-92	B overlap 93%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	37-92	B overlap 93%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	37-92	B overlap 93%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	37-92	B overlap 93%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	37-92	B overlap 93%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	37-92	B overlap 93%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	37-92	B overlap 93%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	49-104	B overlap 93%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	37-92	B overlap 93%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	37-92	B overlap 93%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	49-104	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	49-104	B overlap 93%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	37-92	B overlap 93%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 15/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_e69cdb9fb24f123702443be9	37-92	B overlap 93%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	37-92	B overlap 93%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	37-92	B overlap 93%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	37-92	B overlap 93%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	37-92	B overlap 93%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	37-92	B overlap 93%	Staphylococcus aureus
UP_edaaa2299783d537504a97ff	49-104	B overlap 93%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	37-92	B overlap 93%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	37-92	B overlap 93%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	37-92	B overlap 93%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	37-92	B overlap 93%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	37-92	B overlap 93%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	37-92	B overlap 93%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	37-92	B overlap 93%	Staphylococcus aureus
UP_f6c81f1ef152502d327f40dc	37-92	B overlap 93%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	37-92	B overlap 93%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	49-104	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_425

56 aa | 98.21% best ungapped identity | 1 substitutions | part 16/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADRRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
 |||||
Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_f85095abf436c388206c5124	37-92	B overlap 93%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	37-92	B overlap 93%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	37-92	B overlap 93%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	37-92	B overlap 93%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	37-92	B overlap 93%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	37-92	B overlap 93%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

44 aa | 97.73% best ungapped identity | 1 substitutions | part 1/15

Gap-aware minimum edit distance: 1; tied parents: 250. Ungapped best parents: 250. Inclusive-database exact parents excluded from main set: 0.

|||||

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	93-136	B overlap 91%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	93-136	B overlap 91%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	93-136	B overlap 91%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	93-136	B overlap 91%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	93-136	B overlap 91%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	93-136	B overlap 91%	Staphylococcus aureus
UP_04faae54d75da101458d937d	93-136	B overlap 91%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	93-136	B overlap 91%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	93-136	B overlap 91%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	93-136	B overlap 91%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	93-136	B overlap 91%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	93-136	B overlap 91%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	93-136	B overlap 91%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	93-136	B overlap 91%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	93-136	B overlap 91%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	93-136	B overlap 91%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	93-136	B overlap 91%	Staphylococcus aureus

Database-supported natural full length; sequence identity is not experimental binding validation.

44 aa | 97.73% best ungapped identity | 1 substitutions | part 2/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 250. Ungapped best parents: 250. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQT

|||||

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQS

All equally best ungapped sites on this page

UP_0e50e0f21a33ab0ea0d484e0	93-136	B overlap 91%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	93-136	B overlap 91%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	93-136	B overlap 91%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	105-148	B overlap 91%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	93-136	B overlap 91%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	93-136	B overlap 91%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	93-136	B overlap 91%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	93-136	B overlap 91%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	93-136	B overlap 91%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	93-136	B overlap 91%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	93-136	B overlap 91%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	93-136	B overlap 91%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	93-136	B overlap 91%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	93-136	B overlap 91%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	93-136	B overlap 91%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	93-136	B overlap 91%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	93-136	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_440

44 aa | 97.73% best ungapped identity | 1 substitutions | part 3/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 250. Ungapped best parents: 250. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQT
|||||
Parent ADAQ0NNFNKDDQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQS

All equally best ungapped sites on this page

UP_25a25a50af6d82d022c1bc30	93-136	B overlap 91%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	93-136	B overlap 91%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	93-136	B overlap 91%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	93-136	B overlap 91%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	93-136	B overlap 91%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	93-136	B overlap 91%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	93-136	B overlap 91%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	93-136	B overlap 91%	Staphylococcus aureus
UP_2bd9d8f9a1f5bb1a2e03e456	93-136	B overlap 91%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	93-136	B overlap 91%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	93-136	B overlap 91%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	93-136	B overlap 91%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	93-136	B overlap 91%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	93-136	B overlap 91%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	93-136	B overlap 91%	Staphylococcus aureus
UP_369376855189ded07861b56b	93-136	B overlap 91%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	93-136	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

44 aa | 97.73% best ungapped identity | 1 substitutions | part 4/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 250. Ungapped best parents: 250. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQT

|||||

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQS

All equally best ungapped sites on this page

UP_38c4dc61cd0e5be23baa440a	93-136	B overlap 91%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	93-136	B overlap 91%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	93-136	B overlap 91%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	93-136	B overlap 91%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	93-136	B overlap 91%	Staphylococcus aureus
UP_3d571252244f795c04507670	93-136	B overlap 91%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	93-136	B overlap 91%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	105-148	B overlap 91%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	93-136	B overlap 91%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	93-136	B overlap 91%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	93-136	B overlap 91%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	93-136	B overlap 91%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	93-136	B overlap 91%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	93-136	B overlap 91%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	93-136	B overlap 91%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	93-136	B overlap 91%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	93-136	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

44 aa | 97.73% best ungapped identity | 1 substitutions | part 5/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 250. Ungapped best parents: 250. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQT

|||||

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQS

All equally best ungapped sites on this page

UP_4804812c0737255bc0231c5e	105-148	B overlap 91%	Staphylococcus aureus
UP_4a99a68bca225a34c1ac6f3f	93-136	B overlap 91%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	93-136	B overlap 91%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	93-136	B overlap 91%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	93-136	B overlap 91%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	93-136	B overlap 91%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	93-136	B overlap 91%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	93-136	B overlap 91%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	93-136	B overlap 91%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	93-136	B overlap 91%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	93-136	B overlap 91%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	93-136	B overlap 91%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	93-136	B overlap 91%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	93-136	B overlap 91%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	93-136	B overlap 91%	Staphylococcus aureus
UP_5c006ddddf8fa9ce5cac1b28	93-136	B overlap 91%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	105-148	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

44 aa | 97.73% best ungapped identity | 1 substitutions | part 6/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 250. Ungapped best parents: 250. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQT

|||||

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQS

All equally best ungapped sites on this page

UP_5c79f37096e7b6a91cf6a35b	93-136	B overlap 91%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	93-136	B overlap 91%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	93-136	B overlap 91%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	93-136	B overlap 91%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	93-136	B overlap 91%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	93-136	B overlap 91%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	93-136	B overlap 91%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	93-136	B overlap 91%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	93-136	B overlap 91%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	93-136	B overlap 91%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	93-136	B overlap 91%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	93-136	B overlap 91%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	93-136	B overlap 91%	Staphylococcus aureus
UP_67b157c032f302cca570b203	105-148	B overlap 91%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	93-136	B overlap 91%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	93-136	B overlap 91%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	93-136	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

44 aa | 97.73% best ungapped identity | 1 substitutions | part 7/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 250. Ungapped best parents: 250. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQT

|||||

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQS

All equally best ungapped sites on this page

UP_6a0f7e403b1f461cbbb6bfc4	93-136	B overlap 91%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	93-136	B overlap 91%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	93-136	B overlap 91%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	93-136	B overlap 91%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	93-136	B overlap 91%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	93-136	B overlap 91%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	93-136	B overlap 91%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	93-136	B overlap 91%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	105-148	B overlap 91%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	93-136	B overlap 91%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	93-136	B overlap 91%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	93-136	B overlap 91%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	93-136	B overlap 91%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	93-136	B overlap 91%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	105-148	B overlap 91%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	93-136	B overlap 91%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	88-131	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

44 aa | 97.73% best ungapped identity | 1 substitutions | part 8/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 250. Ungapped best parents: 250. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQT

|||||

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQS

All equally best ungapped sites on this page

UP_7c5c19f3391cae5013f8808e	93-136	B overlap 91%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	93-136	B overlap 91%	Staphylococcus aureus
UP_7f705628d3208506515b3404	93-136	B overlap 91%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	93-136	B overlap 91%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	93-136	B overlap 91%	Staphylococcus aureus
UP_86d09985303304149d93296c	41-84	B overlap 91%	Staphylococcus aureus
UP_87c984f47195a756918038f8	93-136	B overlap 91%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	93-136	B overlap 91%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	93-136	B overlap 91%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	93-136	B overlap 91%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	93-136	B overlap 91%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	93-136	B overlap 91%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	93-136	B overlap 91%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	93-136	B overlap 91%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	93-136	B overlap 91%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	93-136	B overlap 91%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	93-136	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

44 aa | 97.73% best ungapped identity | 1 substitutions | part 9/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 250. Ungapped best parents: 250. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQT

|||||

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQS

All equally best ungapped sites on this page

UP_94696029669c440ee3f1e3bb	93-136	B overlap 91%	Staphylococcus aureus
UP_94875a270e702e9733c65c20	93-136	B overlap 91%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	93-136	B overlap 91%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	93-136	B overlap 91%	Staphylococcus aureus
UP_971043b6271e59644756c924	93-136	B overlap 91%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	93-136	B overlap 91%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	93-136	B overlap 91%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	93-136	B overlap 91%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	93-136	B overlap 91%	Staphylococcus aureus
UP_9d6ccee6db34ab44b810682d	93-136	B overlap 91%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	93-136	B overlap 91%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	93-136	B overlap 91%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	93-136	B overlap 91%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	93-136	B overlap 91%	Staphylococcus aureus
UP_alc16686cb18780db1e61843	93-136	B overlap 91%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	93-136	B overlap 91%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	93-136	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_440

44 aa | 97.73% best ungapped identity | 1 substitutions | part 10/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 250. Ungapped best parents: 250. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQT

|||||

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQS

All equally best ungapped sites on this page

UP_a496e39d8ed9511ac38a7bed	105-148	B overlap 91%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	93-136	B overlap 91%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	93-136	B overlap 91%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	93-136	B overlap 91%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	93-136	B overlap 91%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	93-136	B overlap 91%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	93-136	B overlap 91%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	93-136	B overlap 91%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	105-148	B overlap 91%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	93-136	B overlap 91%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	93-136	B overlap 91%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	93-136	B overlap 91%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	93-136	B overlap 91%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	93-136	B overlap 91%	Staphylococcus aureus
UP_adfd12a6d4abde69ea98d50	93-136	B overlap 91%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	93-136	B overlap 91%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	93-136	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_440

44 aa | 97.73% best ungapped identity | 1 substitutions | part 11/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 250. Ungapped best parents: 250. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQT

|||||

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQS

All equally best ungapped sites on this page

UP_aeef4a2afc83331be02cf5f3	93-136	B overlap 91%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	93-136	B overlap 91%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	105-148	B overlap 91%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	93-136	B overlap 91%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	104-147	B overlap 91%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	93-136	B overlap 91%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	93-136	B overlap 91%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	93-136	B overlap 91%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	93-136	B overlap 91%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	93-136	B overlap 91%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	93-136	B overlap 91%	Staphylococcus aureus
UP_b448388f79d88503154c8958	93-136	B overlap 91%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	93-136	B overlap 91%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	93-136	B overlap 91%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	93-136	B overlap 91%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	93-136	B overlap 91%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	105-148	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_440

44 aa | 97.73% best ungapped identity | 1 substitutions | part 12/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 250. Ungapped best parents: 250. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQT

|||||

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQS

All equally best ungapped sites on this page

UP_bb4de0544c0b9e27184e86f5	93-136	B overlap 91%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	93-136	B overlap 91%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	93-136	B overlap 91%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	93-136	B overlap 91%	Staphylococcus aureus
UP_c45cb0f00466c9f2a59ce3df	93-136	B overlap 91%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	105-148	B overlap 91%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	105-148	B overlap 91%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	93-136	B overlap 91%	Staphylococcus aureus
UP_c6e58db97616169658087da4	93-136	B overlap 91%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	93-136	B overlap 91%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	93-136	B overlap 91%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	93-136	B overlap 91%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	93-136	B overlap 91%	Staphylococcus aureus
UP_cd42d745d221a99ae0b940	93-136	B overlap 91%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	93-136	B overlap 91%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	93-136	B overlap 91%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	93-136	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_440

44 aa | 97.73% best ungapped identity | 1 substitutions | part 13/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 250. Ungapped best parents: 250. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQT

|||||

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQS

All equally best ungapped sites on this page

UP_d203b9c61830b72cb7044877	105-148	B overlap 91%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcac	93-136	B overlap 91%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	93-136	B overlap 91%	Staphylococcus aureus
UP_d3d0b4f2bafc155510c9dc1c	93-136	B overlap 91%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	93-136	B overlap 91%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	93-136	B overlap 91%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	93-136	B overlap 91%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	93-136	B overlap 91%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	93-136	B overlap 91%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	93-136	B overlap 91%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbab69	93-136	B overlap 91%	Staphylococcus aureus
UP_df5ef9df08d9df798f955123	93-136	B overlap 91%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	93-136	B overlap 91%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	93-136	B overlap 91%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	93-136	B overlap 91%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	93-136	B overlap 91%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	93-136	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

44 aa | 97.73% best ungapped identity | 1 substitutions | part 14/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 250. Ungapped best parents: 250. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQT

|||||

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQS

All equally best ungapped sites on this page

UP_e209bb92e764aa1d81ca9fbc	93-136	B overlap 91%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	93-136	B overlap 91%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	105-148	B overlap 91%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	93-136	B overlap 91%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	105-148	B overlap 91%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	105-148	B overlap 91%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	99-142	B overlap 91%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	93-136	B overlap 91%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	93-136	B overlap 91%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	93-136	B overlap 91%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	93-136	B overlap 91%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	93-136	B overlap 91%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	93-136	B overlap 91%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	93-136	B overlap 91%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	93-136	B overlap 91%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	93-136	B overlap 91%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	93-136	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_440

44 aa | 97.73% best ungapped identity | 1 substitutions | part 15/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 250. Ungapped best parents: 250. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQT

|||||

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQS

All equally best ungapped sites on this page

UP_f2fb3f19cc2124c827a1911c	93-136	B overlap 91%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	93-136	B overlap 91%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	93-136	B overlap 91%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	93-136	B overlap 91%	Staphylococcus aureus
UP_f85095abf436c388206c5124	93-136	B overlap 91%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	93-136	B overlap 91%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	93-136	B overlap 91%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	93-136	B overlap 91%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	93-136	B overlap 91%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	105-148	B overlap 91%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	93-136	B overlap 91%	Staphylococcus aureus
UP_ffc5b205486d979b47f1e25f	93-136	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_444

58 aa | 98.28% best ungapped identity | 1 substitutions | part 1/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	154-211	B overlap 91%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	154-211	B overlap 91%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	154-211	B overlap 91%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	154-211	B overlap 91%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	154-211	B overlap 91%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	154-211	B overlap 91%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	154-211	B overlap 91%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	154-211	B overlap 91%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	154-211	B overlap 91%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	154-211	B overlap 91%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	166-223	B overlap 91%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	154-211	B overlap 91%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	154-211	B overlap 91%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	154-211	B overlap 91%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	154-211	B overlap 91%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	154-211	B overlap 91%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_444

58 aa | 98.28% best ungapped identity | 1 substitutions | part 2/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_17a72cfa2435c90c879d4d7d	154-211	B overlap 91%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	154-211	B overlap 91%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	93-150	B overlap 91%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	154-211	B overlap 91%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	154-211	B overlap 91%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	154-211	B overlap 91%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	166-223	B overlap 91%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	154-211	B overlap 91%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	154-211	B overlap 91%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	154-211	B overlap 91%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	154-211	B overlap 91%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	154-211	B overlap 91%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	154-211	B overlap 91%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	154-211	B overlap 91%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	154-211	B overlap 91%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	154-211	B overlap 91%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_444

58 aa | 98.28% best ungapped identity | 1 substitutions | part 3/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_4271883fc6ad1062b7fc0f1c	154-211	B overlap 91%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	154-211	B overlap 91%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	212-269	B overlap 91%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	154-211	B overlap 91%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	166-223	B overlap 91%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	154-211	B overlap 91%	Staphylococcus aureus
UP_4a99a68bca225a34c1ac63f	154-211	B overlap 91%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	154-211	B overlap 91%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	154-211	B overlap 91%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	328-385	B overlap 91%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	154-211	B overlap 91%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	154-211	B overlap 91%	Staphylococcus aureus
UP_5c006ddddf8fa9ce5cac1b28	154-211	B overlap 91%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	154-211	B overlap 91%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	154-211	B overlap 91%	Staphylococcus aureus
UP_60b825dd9a4e560b2cee9750	154-211	B overlap 91%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_444

58 aa | 98.28% best ungapped identity | 1 substitutions | part 4/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_62f5b155ce6d81fb279b50da	154-211	B overlap 91%	Staphylococcus aureus
UP_63bbd7d1ac5832ffe8cbd7f	93-150	B overlap 91%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	154-211	B overlap 91%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	154-211	B overlap 91%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	154-211	B overlap 91%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	154-211	B overlap 91%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	154-211	B overlap 91%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	154-211	B overlap 91%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	154-211	B overlap 91%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	154-211	B overlap 91%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	166-223	B overlap 91%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	154-211	B overlap 91%	Staphylococcus aureus
UP_7e101fe0a0c932eb329824da	154-211	B overlap 91%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	102-159	B overlap 91%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	154-211	B overlap 91%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	154-211	B overlap 91%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_444

58 aa | 98.28% best ungapped identity | 1 substitutions | part 5/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_9135ac09959d17a301bf7250	154-211	B overlap 91%	Staphylococcus aureus
UP_91eb16918889951219e50a73	154-211	B overlap 91%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	154-211	B overlap 91%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	154-211	B overlap 91%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	154-211	B overlap 91%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	154-211	B overlap 91%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	154-211	B overlap 91%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	154-211	B overlap 91%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	154-211	B overlap 91%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	154-211	B overlap 91%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	154-211	B overlap 91%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	154-211	B overlap 91%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	154-211	B overlap 91%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	154-211	B overlap 91%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	166-223	B overlap 91%	Staphylococcus aureus
UP_aafb3bf93e81454cf6b62ce	154-211	B overlap 91%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_444

58 aa | 98.28% best ungapped identity | 1 substitutions | part 6/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_add239549e9b47b3b849d17d	154-211	B overlap 91%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	154-211	B overlap 91%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	154-211	B overlap 91%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	154-211	B overlap 91%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	154-211	B overlap 91%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	166-223	B overlap 91%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	154-211	B overlap 91%	Staphylococcus aureus
UP_b1b6527c392edca51eae006	154-211	B overlap 91%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	154-211	B overlap 91%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	154-211	B overlap 91%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	154-211	B overlap 91%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	154-211	B overlap 91%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	166-223	B overlap 91%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	154-211	B overlap 91%	Staphylococcus aureus
UP_bde2fa9c31fb8faa98d74869	165-222	B overlap 91%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	154-211	B overlap 91%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_444

58 aa | 98.28% best ungapped identity | 1 substitutions | part 7/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYELNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent ADNNFNKEQQNAFYELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_c19b2cacfb0fadd8c64def21	154-211	B overlap 91%	Staphylococcus aureus
UP_c45cb0f00466c9f2a59ce3df	154-211	B overlap 91%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	282-339	B overlap 91%	Staphylococcus aureus
UP_c6e58db97616169658087da4	154-211	B overlap 91%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	154-211	B overlap 91%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	154-211	B overlap 91%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	154-211	B overlap 91%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	154-211	B overlap 91%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	154-211	B overlap 91%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	154-211	B overlap 91%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	154-211	B overlap 91%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	154-211	B overlap 91%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	154-211	B overlap 91%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	166-223	B overlap 91%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	166-223	B overlap 91%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	166-223	B overlap 91%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_444

58 aa | 98.28% best ungapped identity | 1 substitutions | part 8/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK

|||||

Parent ADNNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_e572e0aad33c5ed8c26e312c	154-211	B overlap 91%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	154-211	B overlap 91%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	154-211	B overlap 91%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	154-211	B overlap 91%	Staphylococcus aureus
UP_f57ed69187f171aafd0cb1f95	166-223	B overlap 91%	Staphylococcus aureus
UP_f85095abf436c388206c5124	154-211	B overlap 91%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	154-211	B overlap 91%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	154-211	B overlap 91%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_445

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/10

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 159. Ungapped best parents: 159. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYIEILNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent QQNAFYIEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	162-211	B overlap 92%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	162-211	B overlap 92%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	162-211	B overlap 92%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	162-211	B overlap 92%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	162-211	B overlap 92%	Staphylococcus aureus
UP_04faae54d75da101458d937d	162-211	B overlap 92%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	162-211	B overlap 92%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	162-211	B overlap 92%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	162-211	B overlap 92%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	162-211	B overlap 92%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	162-211	B overlap 92%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	162-211	B overlap 92%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	162-211	B overlap 92%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	162-211	B overlap 92%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	174-223	B overlap 92%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	162-211	B overlap 92%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_445

50 aa | 98.00% best ungapped identity | 1 substitutions | part 2/10

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 159. Ungapped best parents: 159. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_15ba5cb86fd86da91d8bd88c	162-211	B overlap 92%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	162-211	B overlap 92%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	162-211	B overlap 92%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	162-211	B overlap 92%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	162-211	B overlap 92%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	162-211	B overlap 92%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	101-150	B overlap 92%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	162-211	B overlap 92%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	162-211	B overlap 92%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	162-211	B overlap 92%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	174-223	B overlap 92%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	162-211	B overlap 92%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	162-211	B overlap 92%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	162-211	B overlap 92%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	162-211	B overlap 92%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	162-211	B overlap 92%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_445

50 aa | 98.00% best ungapped identity | 1 substitutions | part 3/10

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 159. Ungapped best parents: 159. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_30ea5cdc7d72d9e463cf0607	162-211	B overlap 92%	Staphylococcus aureus
UP_37e60ca6c449c9241b51223d	162-211	B overlap 92%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	162-211	B overlap 92%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	162-211	B overlap 92%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	162-211	B overlap 92%	Staphylococcus aureus
UP_3d571252244f795c04507670	162-211	B overlap 92%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	162-211	B overlap 92%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	162-211	B overlap 92%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	162-211	B overlap 92%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	162-211	B overlap 92%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	220-269	B overlap 92%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	162-211	B overlap 92%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	174-223	B overlap 92%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	162-211	B overlap 92%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	162-211	B overlap 92%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	162-211	B overlap 92%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_445

50 aa | 98.00% best ungapped identity | 1 substitutions | part 4/10

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 159. Ungapped best parents: 159. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYIEILNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent QQNAFYIEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_4bf24ef2b76d0095dac00c3b	336-385	B overlap 92%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	162-211	B overlap 92%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	162-211	B overlap 92%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	162-211	B overlap 92%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	162-211	B overlap 92%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	174-223	B overlap 92%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	162-211	B overlap 92%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	162-211	B overlap 92%	Staphylococcus aureus
UP_60b825dd9a4e560b2cee9750	162-211	B overlap 92%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	162-211	B overlap 92%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	162-211	B overlap 92%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	162-211	B overlap 92%	Staphylococcus aureus
UP_63bbd7d1ac5832fffe8cbd7f	101-150	B overlap 92%	Staphylococcus aureus
UP_67b157c032f302cca570b203	174-223	B overlap 92%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	162-211	B overlap 92%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	162-211	B overlap 92%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_445

50 aa | 98.00% best ungapped identity | 1 substitutions | part 5/10

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 159. Ungapped best parents: 159. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_6adc3c978a0a0cde742ac48e	162-211	B overlap 92%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	162-211	B overlap 92%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	162-211	B overlap 92%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	162-211	B overlap 92%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	162-211	B overlap 92%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	162-211	B overlap 92%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	174-223	B overlap 92%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	162-211	B overlap 92%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	162-211	B overlap 92%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	162-211	B overlap 92%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	174-223	B overlap 92%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	162-211	B overlap 92%	Staphylococcus aureus
UP_7e101fe0a0c932eb329824da	162-211	B overlap 92%	Staphylococcus aureus
UP_7f705628d3208506515b3404	162-211	B overlap 92%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	162-211	B overlap 92%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	110-159	B overlap 92%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_445

50 aa | 98.00% best ungapped identity | 1 substitutions | part 6/10

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 159. Ungapped best parents: 159. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_8ebf15b38a54e71995270aa9	162-211	B overlap 92%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	162-211	B overlap 92%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	162-211	B overlap 92%	Staphylococcus aureus
UP_91eb16918889951219e50a73	162-211	B overlap 92%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	162-211	B overlap 92%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	162-211	B overlap 92%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	162-211	B overlap 92%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	162-211	B overlap 92%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	162-211	B overlap 92%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	162-211	B overlap 92%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	162-211	B overlap 92%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	162-211	B overlap 92%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	162-211	B overlap 92%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	162-211	B overlap 92%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	162-211	B overlap 92%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	162-211	B overlap 92%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_445

50 aa | 98.00% best ungapped identity | 1 substitutions | part 7/10

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 159. Ungapped best parents: 159. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_a8cfb339437e32aa42845f2c	162-211	B overlap 92%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	174-223	B overlap 92%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	162-211	B overlap 92%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	162-211	B overlap 92%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	162-211	B overlap 92%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	162-211	B overlap 92%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	162-211	B overlap 92%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	162-211	B overlap 92%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	162-211	B overlap 92%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	162-211	B overlap 92%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	174-223	B overlap 92%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	162-211	B overlap 92%	Staphylococcus aureus
UP_b1b6527c392edca51eae006	162-211	B overlap 92%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	162-211	B overlap 92%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	162-211	B overlap 92%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	162-211	B overlap 92%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_445

50 aa | 98.00% best ungapped identity | 1 substitutions | part 8/10

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 159. Ungapped best parents: 159. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_ba3dbbb1752f978426b34109	162-211	B overlap 92%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	174-223	B overlap 92%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	232-281	B overlap 92%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	162-211	B overlap 92%	Staphylococcus aureus
UP_bde2fa9c31fb8faa98d74869	173-222	B overlap 92%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	162-211	B overlap 92%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	162-211	B overlap 92%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	162-211	B overlap 92%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	162-211	B overlap 92%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	162-211	B overlap 92%	Staphylococcus aureus
UP_c45cb0f00466c9f2a59ce3df	162-211	B overlap 92%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	290-339	B overlap 92%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	406-455	B overlap 92%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	162-211	B overlap 92%	Staphylococcus aureus
UP_c6e58db97616169658087da4	162-211	B overlap 92%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	162-211	B overlap 92%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_445

50 aa | 98.00% best ungapped identity | 1 substitutions | part 9/10

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 159. Ungapped best parents: 159. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_cd8da5efd6990027122cfe46	162-211	B overlap 92%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	162-211	B overlap 92%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	162-211	B overlap 92%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	220-269	B overlap 92%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	162-211	B overlap 92%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	162-211	B overlap 92%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	162-211	B overlap 92%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	162-211	B overlap 92%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	220-269	B overlap 92%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	162-211	B overlap 92%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	162-211	B overlap 92%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	162-211	B overlap 92%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	162-211	B overlap 92%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	174-223	B overlap 92%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	174-223	B overlap 92%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	174-223	B overlap 92%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_445

50 aa | 98.00% best ungapped identity | 1 substitutions | part 10/10

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 159. Ungapped best parents: 159. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_e572e0aad33c5ed8c26e312c	162-211	B overlap 92%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	162-211	B overlap 92%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	162-211	B overlap 92%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	162-211	B overlap 92%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	162-211	B overlap 92%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	162-211	B overlap 92%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	174-223	B overlap 92%	Staphylococcus aureus
UP_f85095abf436c388206c5124	162-211	B overlap 92%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	162-211	B overlap 92%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	162-211	B overlap 92%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_446

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent NNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	156-211	B overlap 93%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	156-211	B overlap 93%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	156-211	B overlap 93%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	156-211	B overlap 93%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	156-211	B overlap 93%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	156-211	B overlap 93%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	156-211	B overlap 93%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	156-211	B overlap 93%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	156-211	B overlap 93%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	156-211	B overlap 93%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	168-223	B overlap 93%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	156-211	B overlap 93%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	156-211	B overlap 93%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	156-211	B overlap 93%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	156-211	B overlap 93%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	156-211	B overlap 93%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_446

56 aa | 98.21% best ungapped identity | 1 substitutions | part 2/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent NNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_17a72cfa2435c90c879d4d7d	156-211	B overlap 93%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	156-211	B overlap 93%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	95-150	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	156-211	B overlap 93%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	156-211	B overlap 93%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	156-211	B overlap 93%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	168-223	B overlap 93%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	156-211	B overlap 93%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	156-211	B overlap 93%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	156-211	B overlap 93%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	156-211	B overlap 93%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	156-211	B overlap 93%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	156-211	B overlap 93%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	156-211	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	156-211	B overlap 93%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	156-211	B overlap 93%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_446

56 aa | 98.21% best ungapped identity | 1 substitutions | part 3/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYIILNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent NNFNKEQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_4271883fc6ad1062b7fc0f1c	156-211	B overlap 93%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	156-211	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	214-269	B overlap 93%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	156-211	B overlap 93%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	168-223	B overlap 93%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	156-211	B overlap 93%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	156-211	B overlap 93%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	156-211	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	156-211	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	330-385	B overlap 93%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	156-211	B overlap 93%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	156-211	B overlap 93%	Staphylococcus aureus
UP_5c006ddddf8fa9ce5cac1b28	156-211	B overlap 93%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	156-211	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	156-211	B overlap 93%	Staphylococcus aureus
UP_60b825dd9a4e560b2cee9750	156-211	B overlap 93%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_446

56 aa | 98.21% best ungapped identity | 1 substitutions | part 4/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent NNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_62f5b155ce6d81fb279b50da	156-211	B overlap 93%	Staphylococcus aureus
UP_63bbd7d1ac5832fffe8cbd7f	95-150	B overlap 93%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	156-211	B overlap 93%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	156-211	B overlap 93%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	156-211	B overlap 93%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	156-211	B overlap 93%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	156-211	B overlap 93%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	156-211	B overlap 93%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	156-211	B overlap 93%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	156-211	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	168-223	B overlap 93%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	156-211	B overlap 93%	Staphylococcus aureus
UP_7e101fe0a0c932eb329824da	156-211	B overlap 93%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	104-159	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	156-211	B overlap 93%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	156-211	B overlap 93%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_446

56 aa | 98.21% best ungapped identity | 1 substitutions | part 5/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent NNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_9135ac09959d17a301bf7250	156-211	B overlap 93%	Staphylococcus aureus
UP_91eb16918889951219e50a73	156-211	B overlap 93%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	156-211	B overlap 93%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	156-211	B overlap 93%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	156-211	B overlap 93%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	156-211	B overlap 93%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	156-211	B overlap 93%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	156-211	B overlap 93%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	156-211	B overlap 93%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	156-211	B overlap 93%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	156-211	B overlap 93%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	156-211	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	156-211	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	156-211	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	168-223	B overlap 93%	Staphylococcus aureus
UP_aafb3bf93e81454cf6b62ce	156-211	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_446

56 aa | 98.21% best ungapped identity | 1 substitutions | part 6/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent NNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_add239549e9b47b3b849d17d	156-211	B overlap 93%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	156-211	B overlap 93%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	156-211	B overlap 93%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	156-211	B overlap 93%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	156-211	B overlap 93%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	168-223	B overlap 93%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	156-211	B overlap 93%	Staphylococcus aureus
UP_b1b6527c392edca51eae006	156-211	B overlap 93%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	156-211	B overlap 93%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	156-211	B overlap 93%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	156-211	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	156-211	B overlap 93%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	168-223	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	156-211	B overlap 93%	Staphylococcus aureus
UP_bde2fa9c31fb8faa98d74869	167-222	B overlap 93%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	156-211	B overlap 93%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_446

56 aa | 98.21% best ungapped identity | 1 substitutions | part 7/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYIILNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent NNFNKEQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_c19b2cacfb0fadd8c64def21	156-211	B overlap 93%	Staphylococcus aureus
UP_c45cb0f00466c9f2a59ce3df	156-211	B overlap 93%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	284-339	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	156-211	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	156-211	B overlap 93%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	156-211	B overlap 93%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	156-211	B overlap 93%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	156-211	B overlap 93%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	156-211	B overlap 93%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	156-211	B overlap 93%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	156-211	B overlap 93%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	156-211	B overlap 93%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	156-211	B overlap 93%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	168-223	B overlap 93%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	168-223	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	168-223	B overlap 93%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_446

56 aa | 98.21% best ungapped identity | 1 substitutions | part 8/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKYDPSQSANLLSEAKKLNESQAPK
|||||
Parent NNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_e572e0aad33c5ed8c26e312c	156-211	B overlap 93%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	156-211	B overlap 93%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	156-211	B overlap 93%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	156-211	B overlap 93%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	168-223	B overlap 93%	Staphylococcus aureus
UP_f85095abf436c388206c5124	156-211	B overlap 93%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	156-211	B overlap 93%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	156-211	B overlap 93%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_449

41 aa | 97.56% best ungapped identity | 1 substitutions | part 1/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 18. Ungapped best parents: 18. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEVQRNGFIQSLKDDPSQSTK

|||||

Parent NNFNKDQQSAFYEILNMPNLNEVQRNGFIQSLKDDPSQSTN

All equally best ungapped sites on this page

UP_1abc7eb87448ff645a5298d6	98-138	B overlap 100%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	98-138	B overlap 100%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	98-138	B overlap 100%	Staphylococcus aureus
UP_37e60ca6c449c9241b51223d	98-138	B overlap 100%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	98-138	B overlap 100%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	98-138	B overlap 100%	Staphylococcus aureus
UP_7e101fe0a0c932eb329824da	98-138	B overlap 100%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	98-138	B overlap 100%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	46-86	B overlap 100%	Staphylococcus aureus
UP_91eb16918889951219e50a73	98-138	B overlap 100%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	98-138	B overlap 100%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	98-138	B overlap 100%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	98-138	B overlap 100%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	98-138	B overlap 100%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	98-138	B overlap 100%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	98-138	B overlap 100%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	98-138	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_449

41 aa | 97.56% best ungapped identity | 1 substitutions | part 2/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 18. Ungapped best parents: 18. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEVQRNGFIQSLKDDPSQSTK

|||||

Parent NNFNKDQQSAFYEILNMPNLNEVQRNGFIQSLKDDPSQSTN

All equally best ungapped sites on this page

UP_f57ed69187f17aafd0cb1f95

110-150

B overlap 100%

Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_453

58 aa | 98.28% best ungapped identity | 1 substitutions | part 1/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 38. Ungapped best parents: 38. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNSQAPK
|||||
Parent ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_024878c1d85f08ce1a4839c7	154-211	B overlap 91%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	166-223	B overlap 91%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	154-211	B overlap 91%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	154-211	B overlap 91%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	154-211	B overlap 91%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	154-211	B overlap 91%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	154-211	B overlap 91%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	154-211	B overlap 91%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	212-269	B overlap 91%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	154-211	B overlap 91%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	154-211	B overlap 91%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	154-211	B overlap 91%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	166-223	B overlap 91%	Staphylococcus aureus
UP_654970f68b48978377243697	154-211	B overlap 91%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	154-211	B overlap 91%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	166-223	B overlap 91%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_453

58 aa | 98.28% best ungapped identity | 1 substitutions | part 2/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 38. Ungapped best parents: 38. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYELNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLNKSQAPK
|||||
Parent ADNNFNKEQQNAFYELNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLNESQAPK

All equally best ungapped sites on this page

UP_6dde12d1b214335f1b98b297	154-211	B overlap 91%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	154-211	B overlap 91%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	154-211	B overlap 91%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	154-211	B overlap 91%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	93-150	B overlap 91%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	154-211	B overlap 91%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	154-211	B overlap 91%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	149-206	B overlap 91%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	154-211	B overlap 91%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	154-211	B overlap 91%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	154-211	B overlap 91%	Unresolved
UP_c05788d62510f2a026e1a1a6	154-211	B overlap 91%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	154-211	B overlap 91%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	154-211	B overlap 91%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	227-284	B overlap 91%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	154-211	B overlap 91%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_453

58 aa | 98.28% best ungapped identity | 1 substitutions | part 3/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 38. Ungapped best parents: 38. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNSQAPK
|||||
Parent ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_e59ad94e67fec4f53d6abdba	154-211	B overlap 91%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	154-211	B overlap 91%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	154-211	B overlap 91%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	154-211	B overlap 91%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_454

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/4

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 57. Ungapped best parents: 57. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYIEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLNKSQAPK
|||||
Parent QQNAFYIEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLNESQAPK

All equally best ungapped sites on this page

UP_024878c1d85f08ce1a4839c7	162-211	B overlap 92%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	162-211	B overlap 92%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	174-223	B overlap 92%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	162-211	B overlap 92%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	162-211	B overlap 92%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	162-211	B overlap 92%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	162-211	B overlap 92%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	162-211	B overlap 92%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	162-211	B overlap 92%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	162-211	B overlap 92%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	162-211	B overlap 92%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	220-269	B overlap 92%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	162-211	B overlap 92%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	162-211	B overlap 92%	Staphylococcus schweitzeri
UP_3a6796c5a9d5c6e6a7f4b190	220-269	B overlap 92%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	162-211	B overlap 92%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_454

50 aa | 98.00% best ungapped identity | 1 substitutions | part 2/4

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 57. Ungapped best parents: 57. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLNKSQAPK
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLNESQAPK

All equally best ungapped sites on this page

UP_45a183f1c00512726bcadecb	162-211	B overlap 92%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	162-211	B overlap 92%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	162-211	B overlap 92%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	174-223	B overlap 92%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	232-281	B overlap 92%	Staphylococcus aureus
UP_654970f68b48978377243697	162-211	B overlap 92%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	162-211	B overlap 92%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	174-223	B overlap 92%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	162-211	B overlap 92%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	162-211	B overlap 92%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	162-211	B overlap 92%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	162-211	B overlap 92%	Staphylococcus schweitzeri
UP_74703a26fe5c31c3ed92f291	162-211	B overlap 92%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	162-211	B overlap 92%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	220-269	B overlap 92%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	101-150	B overlap 92%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_454

50 aa | 98.00% best ungapped identity | 1 substitutions | part 3/4

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 57. Ungapped best parents: 57. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYIEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLNKSQAPK
|||||
Parent QQNAFYIEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLNESQAPK

All equally best ungapped sites on this page

UP_7927bfde9a5a8cb5117de33e	162-211	B overlap 92%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	157-206	B overlap 92%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	162-211	B overlap 92%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	101-150	B overlap 92%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	162-211	B overlap 92%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	162-211	B overlap 92%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	162-211	B overlap 92%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	162-211	B overlap 92%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	162-211	B overlap 92%	Unresolved
UP_c05788d62510f2a026e1a1a6	162-211	B overlap 92%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	162-211	B overlap 92%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	162-211	B overlap 92%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	162-211	B overlap 92%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	220-269	B overlap 92%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	235-284	B overlap 92%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	162-211	B overlap 92%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	162-211	B overlap 92%	Staphylococcus aureus; Staphylococcus haemolyticus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_454

50 aa | 98.00% best ungapped identity | 1 substitutions | part 4/4

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 57. Ungapped best parents: 57. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNKSQAPK

|||||

Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_d7a61917e251e0f799ce2cd3	162-211	B overlap 92%	Staphylococcus aureus
UP_db4dfda598bef7013ceb3dbc	162-211	B overlap 92%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	162-211	B overlap 92%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	162-211	B overlap 92%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	162-211	B overlap 92%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	162-211	B overlap 92%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	162-211	B overlap 92%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	162-211	B overlap 92%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	162-211	B overlap 92%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_455

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 38. Ungapped best parents: 38. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNKSQAPK
|||||
Parent NNFNKEQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_024878c1d85f08ce1a4839c7	156-211	B overlap 93%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	168-223	B overlap 93%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	156-211	B overlap 93%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	156-211	B overlap 93%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	156-211	B overlap 93%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	156-211	B overlap 93%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	156-211	B overlap 93%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	156-211	B overlap 93%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	214-269	B overlap 93%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	156-211	B overlap 93%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	156-211	B overlap 93%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	156-211	B overlap 93%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	168-223	B overlap 93%	Staphylococcus aureus
UP_654970f68b48978377243697	156-211	B overlap 93%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	156-211	B overlap 93%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	168-223	B overlap 93%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_455

56 aa | 98.21% best ungapped identity | 1 substitutions | part 2/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 38. Ungapped best parents: 38. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNKSQAPK
|||||
Parent NNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_6dde12d1b214335f1b98b297	156-211	B overlap 93%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	156-211	B overlap 93%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	156-211	B overlap 93%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	156-211	B overlap 93%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	95-150	B overlap 93%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	156-211	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	156-211	B overlap 93%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	151-206	B overlap 93%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	156-211	B overlap 93%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	156-211	B overlap 93%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	156-211	B overlap 93%	Unresolved
UP_c05788d62510f2a026e1a1a6	156-211	B overlap 93%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	156-211	B overlap 93%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	156-211	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	229-284	B overlap 93%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	156-211	B overlap 93%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_455

56 aa | 98.21% best ungapped identity | 1 substitutions | part 3/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 38. Ungapped best parents: 38. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNKSQAPK
|||||
Parent NNFNKEQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_e59ad94e67fec4f53d6abdba	156-211	B overlap 93%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	156-211	B overlap 93%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	156-211	B overlap 93%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	156-211	B overlap 93%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_456

53 aa | 98.11% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 1. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 1.

Query NEAQQNAFYQVLNMPNLNEEQRNGFIQSLKDDPSQSNNLLGEAQKLNDSQAPK

||||| . |||||

Parent NEAQNAFYQILNMPNLNEEQRNGFIQSLKDDPSQSNNLLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_483345435ebd382942892e04

40-92

B overlap 92%

Staphylococcus argenteus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_457

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 1. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 1.

Query AQHNEAQQNAFYQLNMPNLNEEQRNGFIQSLKDDPSQSNLLGEAQKLNSQAPK
|||||
Parent AQHNEAQQNAFYQILNMPNLNEEQRNGFIQSLKDDPSQSNLLGEAQKLNSQAPK

All equally best ungapped sites on this page

UP_483345435ebd382942892e04 37-92 B overlap 93% Staphylococcus argenteus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_458

54 aa | 98.15% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 1. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 1.

Query HNEAQQNAFYQVLNMPNLNEEQRNGFIQSLKDDPSQSNNLLGEAQKLNDSQAPK

||||| . |||||

Parent HNEAQQNAFYQILNMPNLNEEQRNGFIQSLKDDPSQSNNLLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_483345435ebd382942892e04

39-92

B overlap 93%

Staphylococcus argenteus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_459

55 aa | 98.18% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 1. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 1.

Query QHNEAQQNAFYQVLNMPNLNEEQRNGFIQSLKDDPSQSNLLGEAQLNDSQAPK
|||||||·|||||||
Parent QHNEAQQNAFYQILNMPNLNEEQRNGFIQSLKDDPSQSNLLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_483345435ebd382942892e04 38-92 B overlap 93% Staphylococcus argenteus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_460

49 aa | 97.96% best ungapped identity | 1 substitutions | part 1/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	98-146	B overlap 100%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	98-146	B overlap 100%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	98-146	B overlap 100%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	98-146	B overlap 100%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	98-146	B overlap 100%	Staphylococcus aureus
UP_04faae54d75da101458d937d	98-146	B overlap 100%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	98-146	B overlap 100%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	98-146	B overlap 100%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	98-146	B overlap 100%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	98-146	B overlap 100%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	98-146	B overlap 100%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	98-146	B overlap 100%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	98-146	B overlap 100%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	98-146	B overlap 100%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	98-146	B overlap 100%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	98-146	B overlap 100%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	98-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_460

49 aa | 97.96% best ungapped identity | 1 substitutions | part 2/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_0e50e0f21a33ab0ea0d484e0	98-146	B overlap 100%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	98-146	B overlap 100%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	98-146	B overlap 100%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	110-158	B overlap 100%	Staphylococcus aureus
UP_1320c3a44aa32eab329067c	98-146	B overlap 100%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	98-146	B overlap 100%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	98-146	B overlap 100%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	98-146	B overlap 100%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	98-146	B overlap 100%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	98-146	B overlap 100%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	98-146	B overlap 100%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	98-146	B overlap 100%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	98-146	B overlap 100%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	98-146	B overlap 100%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	98-146	B overlap 100%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	98-146	B overlap 100%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	98-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_460

49 aa | 97.96% best ungapped identity | 1 substitutions | part 3/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_201e46d02269b0e88abd0484	98-146	B overlap 100%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	98-146	B overlap 100%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	98-146	B overlap 100%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	98-146	B overlap 100%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	98-146	B overlap 100%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	98-146	B overlap 100%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	98-146	B overlap 100%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	98-146	B overlap 100%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	98-146	B overlap 100%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	98-146	B overlap 100%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	98-146	B overlap 100%	Staphylococcus aureus
UP_2def648691a179d8337edb84	52-100	B overlap 100%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	98-146	B overlap 100%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	98-146	B overlap 100%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	98-146	B overlap 100%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	98-146	B overlap 100%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	98-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_460

49 aa | 97.96% best ungapped identity | 1 substitutions | part 4/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_3456f73a2a2eb213ca04e768	98-146	B overlap 100%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	98-146	B overlap 100%	Staphylococcus schweitzeri
UP_369376855189ded07861b56b	98-146	B overlap 100%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	98-146	B overlap 100%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	98-146	B overlap 100%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	98-146	B overlap 100%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	98-146	B overlap 100%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	98-146	B overlap 100%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	98-146	B overlap 100%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	98-146	B overlap 100%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	98-146	B overlap 100%	Staphylococcus aureus
UP_3d571252244f795c04507670	98-146	B overlap 100%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	98-146	B overlap 100%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	110-158	B overlap 100%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	110-158	B overlap 100%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	98-146	B overlap 100%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	98-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_460

49 aa | 97.96% best ungapped identity | 1 substitutions | part 5/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_41c651f601c919b8ee6882b1	98-146	B overlap 100%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	98-146	B overlap 100%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	98-146	B overlap 100%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	156-204	B overlap 100%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	98-146	B overlap 100%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	98-146	B overlap 100%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	98-146	B overlap 100%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	98-146	B overlap 100%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	110-158	B overlap 100%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	98-146	B overlap 100%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	98-146	B overlap 100%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	98-146	B overlap 100%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	98-146	B overlap 100%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	98-146	B overlap 100%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	98-146	B overlap 100%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	98-146	B overlap 100%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	98-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_460

49 aa | 97.96% best ungapped identity | 1 substitutions | part 6/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_5797f74530edb6dca240d934	98-146	B overlap 100%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	98-146	B overlap 100%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	98-146	B overlap 100%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	98-146	B overlap 100%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	98-146	B overlap 100%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	98-146	B overlap 100%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	110-158	B overlap 100%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	98-146	B overlap 100%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	98-146	B overlap 100%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	98-146	B overlap 100%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	98-146	B overlap 100%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	98-146	B overlap 100%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	98-146	B overlap 100%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	98-146	B overlap 100%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	98-146	B overlap 100%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	98-146	B overlap 100%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	98-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_460

49 aa | 97.96% best ungapped identity | 1 substitutions | part 7/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_65e146a1b116723a43999d3c	98-146	B overlap 100%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	98-146	B overlap 100%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	98-146	B overlap 100%	Staphylococcus aureus
UP_67b157c032f302cca570b203	110-158	B overlap 100%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	98-146	B overlap 100%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	98-146	B overlap 100%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	98-146	B overlap 100%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	98-146	B overlap 100%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	98-146	B overlap 100%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	98-146	B overlap 100%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	98-146	B overlap 100%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	98-146	B overlap 100%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	98-146	B overlap 100%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	98-146	B overlap 100%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	98-146	B overlap 100%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	98-146	B overlap 100%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	98-146	B overlap 100%	Staphylococcus schweitzeri

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_460

49 aa | 97.96% best ungapped identity | 1 substitutions | part 8/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_728122342f84c9b8787f4a69	110-158	B overlap 100%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	98-146	B overlap 100%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	98-146	B overlap 100%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	98-146	B overlap 100%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	98-146	B overlap 100%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	98-146	B overlap 100%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	110-158	B overlap 100%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	98-146	B overlap 100%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	93-141	B overlap 100%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	98-146	B overlap 100%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	98-146	B overlap 100%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	98-146	B overlap 100%	Staphylococcus aureus
UP_7f705628d3208506515b3404	98-146	B overlap 100%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	98-146	B overlap 100%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	98-146	B overlap 100%	Staphylococcus aureus
UP_86d09985303304149d93296c	46-94	B overlap 100%	Staphylococcus aureus
UP_87c984f47195a756918038f8	98-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_460

49 aa | 97.96% best ungapped identity | 1 substitutions | part 9/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_880b0305912327d2b0fa85b9	98-146	B overlap 100%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	98-146	B overlap 100%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	98-146	B overlap 100%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	98-146	B overlap 100%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	98-146	B overlap 100%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	98-146	B overlap 100%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	98-146	B overlap 100%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	98-146	B overlap 100%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	98-146	B overlap 100%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	98-146	B overlap 100%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	98-146	B overlap 100%	Staphylococcus aureus
UP_971043b6271e59644756c924	98-146	B overlap 100%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	98-146	B overlap 100%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	98-146	B overlap 100%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	98-146	B overlap 100%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	98-146	B overlap 100%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	98-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_460

49 aa | 97.96% best ungapped identity | 1 substitutions | part 10/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_a1447992e95160a52554a1a5	98-146	B overlap 100%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	98-146	B overlap 100%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	98-146	B overlap 100%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	98-146	B overlap 100%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	98-146	B overlap 100%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	110-158	B overlap 100%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	98-146	B overlap 100%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	98-146	B overlap 100%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	98-146	B overlap 100%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	98-146	B overlap 100%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	110-158	B overlap 100%	Staphylococcus aureus
UP_aafb3bf93e81454cf6b62ce	98-146	B overlap 100%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	98-146	B overlap 100%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	98-146	B overlap 100%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	98-146	B overlap 100%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	98-146	B overlap 100%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	98-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_460

49 aa | 97.96% best ungapped identity | 1 substitutions | part 11/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_aeef4a2afc83331be02cf5f3	98-146	B overlap 100%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	98-146	B overlap 100%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	110-158	B overlap 100%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	98-146	B overlap 100%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	98-146	B overlap 100%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	98-146	B overlap 100%	Staphylococcus aureus
UP_b1ccbcb665058d4e6104b0dc	98-146	B overlap 100%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	98-146	B overlap 100%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	98-146	B overlap 100%	Staphylococcus aureus
UP_b448388f79d88503154c8958	98-146	B overlap 100%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	98-146	B overlap 100%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	98-146	B overlap 100%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	98-146	B overlap 100%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	98-146	B overlap 100%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	110-158	B overlap 100%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	98-146	B overlap 100%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	98-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_460

49 aa | 97.96% best ungapped identity | 1 substitutions | part 12/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_bd030184b54efa453dc2fdac	98-146	B overlap 100%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	98-146	B overlap 100%	Staphylococcus aureus
UP_c111755f4dc3716c70d4a25d	109-157	B overlap 100%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	98-146	B overlap 100%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	98-146	B overlap 100%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	98-146	B overlap 100%	Staphylococcus aureus
UP_c45cb0f00466c9f2a59ce3df	98-146	B overlap 100%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	110-158	B overlap 100%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	110-158	B overlap 100%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	98-146	B overlap 100%	Staphylococcus aureus
UP_c6e58db97616169658087da4	98-146	B overlap 100%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	98-146	B overlap 100%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	98-146	B overlap 100%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	98-146	B overlap 100%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	98-146	B overlap 100%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	98-146	B overlap 100%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	98-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_460

49 aa | 97.96% best ungapped identity | 1 substitutions | part 13/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_cfedaa72f01f43f853011c47	98-146	B overlap 100%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	98-146	B overlap 100%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	98-146	B overlap 100%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	110-158	B overlap 100%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	98-146	B overlap 100%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	98-146	B overlap 100%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	98-146	B overlap 100%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	98-146	B overlap 100%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d7a61917e251e0f799ce2cd3	98-146	B overlap 100%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	98-146	B overlap 100%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	98-146	B overlap 100%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	98-146	B overlap 100%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	98-146	B overlap 100%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	98-146	B overlap 100%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb6a9	98-146	B overlap 100%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	98-146	B overlap 100%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	98-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_460

49 aa | 97.96% best ungapped identity | 1 substitutions | part 14/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_dfc482d6b3d9bfc6b950e923	98-146	B overlap 100%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	98-146	B overlap 100%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	98-146	B overlap 100%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	98-146	B overlap 100%	Staphylococcus aureus
UP_e209bb92e764aa1d81ca9fbc	98-146	B overlap 100%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	98-146	B overlap 100%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	110-158	B overlap 100%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	98-146	B overlap 100%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	110-158	B overlap 100%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	110-158	B overlap 100%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	98-146	B overlap 100%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	98-146	B overlap 100%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	98-146	B overlap 100%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	98-146	B overlap 100%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	98-146	B overlap 100%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	98-146	B overlap 100%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	98-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_460

49 aa | 97.96% best ungapped identity | 1 substitutions | part 15/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_e98c9e5a5c44c596ea9c499e	98-146	B overlap 100%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	98-146	B overlap 100%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	98-146	B overlap 100%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	98-146	B overlap 100%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	98-146	B overlap 100%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	98-146	B overlap 100%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	98-146	B overlap 100%	Staphylococcus aureus
UP_f85095abf436c388206c5124	98-146	B overlap 100%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	98-146	B overlap 100%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	98-146	B overlap 100%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	98-146	B overlap 100%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	98-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_461

43 aa | 97.67% best ungapped identity | 1 substitutions | part 1/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	104-146	B overlap 100%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	104-146	B overlap 100%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	104-146	B overlap 100%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	104-146	B overlap 100%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	104-146	B overlap 100%	Staphylococcus aureus
UP_04faae54d75da101458d937d	104-146	B overlap 100%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	104-146	B overlap 100%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	104-146	B overlap 100%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	104-146	B overlap 100%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	104-146	B overlap 100%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	104-146	B overlap 100%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	104-146	B overlap 100%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	104-146	B overlap 100%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	104-146	B overlap 100%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	104-146	B overlap 100%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	104-146	B overlap 100%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	104-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_461

43 aa | 97.67% best ungapped identity | 1 substitutions | part 2/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_0e50e0f21a33ab0ea0d484e0	104-146	B overlap 100%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	104-146	B overlap 100%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	104-146	B overlap 100%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	116-158	B overlap 100%	Staphylococcus aureus
UP_1320c3a44aa32eab329067c	104-146	B overlap 100%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	104-146	B overlap 100%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	104-146	B overlap 100%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	104-146	B overlap 100%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	104-146	B overlap 100%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	104-146	B overlap 100%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	104-146	B overlap 100%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	104-146	B overlap 100%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	104-146	B overlap 100%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	104-146	B overlap 100%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	104-146	B overlap 100%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	104-146	B overlap 100%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	104-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_461

43 aa | 97.67% best ungapped identity | 1 substitutions | part 3/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKI
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKL

All equally best ungapped sites on this page

UP_201e46d02269b0e88abd0484	104-146	B overlap 100%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	104-146	B overlap 100%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	104-146	B overlap 100%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	104-146	B overlap 100%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	104-146	B overlap 100%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	104-146	B overlap 100%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	104-146	B overlap 100%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	104-146	B overlap 100%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	104-146	B overlap 100%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	104-146	B overlap 100%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	104-146	B overlap 100%	Staphylococcus aureus
UP_2def648691a179d8337edb84	58-100	B overlap 100%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	104-146	B overlap 100%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	104-146	B overlap 100%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	104-146	B overlap 100%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	104-146	B overlap 100%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	104-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_461

43 aa | 97.67% best ungapped identity | 1 substitutions | part 4/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_3456f73a2a2eb213ca04e768	104-146	B overlap 100%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	104-146	B overlap 100%	Staphylococcus schweitzeri
UP_369376855189ded07861b56b	104-146	B overlap 100%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	104-146	B overlap 100%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	104-146	B overlap 100%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	104-146	B overlap 100%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	104-146	B overlap 100%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	104-146	B overlap 100%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	104-146	B overlap 100%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	104-146	B overlap 100%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	104-146	B overlap 100%	Staphylococcus aureus
UP_3d571252244f795c04507670	104-146	B overlap 100%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	104-146	B overlap 100%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	116-158	B overlap 100%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	116-158	B overlap 100%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	104-146	B overlap 100%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	104-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_461

43 aa | 97.67% best ungapped identity | 1 substitutions | part 5/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_41c651f601c919b8ee6882b1	104-146	B overlap 100%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	104-146	B overlap 100%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	104-146	B overlap 100%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	162-204	B overlap 100%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	104-146	B overlap 100%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	104-146	B overlap 100%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	104-146	B overlap 100%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	104-146	B overlap 100%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	116-158	B overlap 100%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	104-146	B overlap 100%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	104-146	B overlap 100%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	104-146	B overlap 100%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	104-146	B overlap 100%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	104-146	B overlap 100%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	104-146	B overlap 100%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	104-146	B overlap 100%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	104-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_461

43 aa | 97.67% best ungapped identity | 1 substitutions | part 6/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_5797f74530edb6dca240d934	104-146	B overlap 100%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	104-146	B overlap 100%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	104-146	B overlap 100%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	104-146	B overlap 100%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	104-146	B overlap 100%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	104-146	B overlap 100%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	116-158	B overlap 100%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	104-146	B overlap 100%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	104-146	B overlap 100%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	104-146	B overlap 100%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	104-146	B overlap 100%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	104-146	B overlap 100%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	104-146	B overlap 100%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	104-146	B overlap 100%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	104-146	B overlap 100%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	104-146	B overlap 100%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	104-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_461

43 aa | 97.67% best ungapped identity | 1 substitutions | part 7/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKI
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKL

All equally best ungapped sites on this page

UP_65e146a1b116723a43999d3c	104-146	B overlap 100%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	104-146	B overlap 100%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	104-146	B overlap 100%	Staphylococcus aureus
UP_67b157c032f302cca570b203	116-158	B overlap 100%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	104-146	B overlap 100%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	104-146	B overlap 100%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	104-146	B overlap 100%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	104-146	B overlap 100%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	104-146	B overlap 100%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	104-146	B overlap 100%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	104-146	B overlap 100%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	104-146	B overlap 100%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	104-146	B overlap 100%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	104-146	B overlap 100%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	104-146	B overlap 100%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	104-146	B overlap 100%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	104-146	B overlap 100%	Staphylococcus schweitzeri

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_461

43 aa | 97.67% best ungapped identity | 1 substitutions | part 8/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKI
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKL

All equally best ungapped sites on this page

UP_728122342f84c9b8787f4a69	116-158	B overlap 100%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	104-146	B overlap 100%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	104-146	B overlap 100%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	104-146	B overlap 100%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	104-146	B overlap 100%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	104-146	B overlap 100%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	116-158	B overlap 100%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	104-146	B overlap 100%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	99-141	B overlap 100%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	104-146	B overlap 100%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	104-146	B overlap 100%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	104-146	B overlap 100%	Staphylococcus aureus
UP_7f705628d3208506515b3404	104-146	B overlap 100%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	104-146	B overlap 100%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	104-146	B overlap 100%	Staphylococcus aureus
UP_86d09985303304149d93296c	52-94	B overlap 100%	Staphylococcus aureus
UP_87c984f47195a756918038f8	104-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_461

43 aa | 97.67% best ungapped identity | 1 substitutions | part 9/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_880b0305912327d2b0fa85b9	104-146	B overlap 100%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	104-146	B overlap 100%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	104-146	B overlap 100%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	104-146	B overlap 100%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	104-146	B overlap 100%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	104-146	B overlap 100%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	104-146	B overlap 100%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	104-146	B overlap 100%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	104-146	B overlap 100%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	104-146	B overlap 100%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	104-146	B overlap 100%	Staphylococcus aureus
UP_971043b6271e59644756c924	104-146	B overlap 100%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	104-146	B overlap 100%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	104-146	B overlap 100%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	104-146	B overlap 100%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	104-146	B overlap 100%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	104-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_461

43 aa | 97.67% best ungapped identity | 1 substitutions | part 10/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKI
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKL

All equally best ungapped sites on this page

UP_a1447992e95160a52554a1a5	104-146	B overlap 100%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	104-146	B overlap 100%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	104-146	B overlap 100%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	104-146	B overlap 100%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	104-146	B overlap 100%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	116-158	B overlap 100%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	104-146	B overlap 100%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	104-146	B overlap 100%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	104-146	B overlap 100%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	104-146	B overlap 100%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	116-158	B overlap 100%	Staphylococcus aureus
UP_aafb3bf93e81454cf6b62ce	104-146	B overlap 100%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	104-146	B overlap 100%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	104-146	B overlap 100%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	104-146	B overlap 100%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	104-146	B overlap 100%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	104-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_461

43 aa | 97.67% best ungapped identity | 1 substitutions | part 11/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKI
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKL

All equally best ungapped sites on this page

UP_aeef4a2afc83331be02cf5f3	104-146	B overlap 100%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	104-146	B overlap 100%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	116-158	B overlap 100%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	104-146	B overlap 100%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	104-146	B overlap 100%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	104-146	B overlap 100%	Staphylococcus aureus
UP_b1ccbcb665058d4e6104b0dc	104-146	B overlap 100%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	104-146	B overlap 100%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	104-146	B overlap 100%	Staphylococcus aureus
UP_b448388f79d88503154c8958	104-146	B overlap 100%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	104-146	B overlap 100%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	104-146	B overlap 100%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	104-146	B overlap 100%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	104-146	B overlap 100%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	116-158	B overlap 100%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	104-146	B overlap 100%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	104-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_461

43 aa | 97.67% best ungapped identity | 1 substitutions | part 12/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_bd030184b54efa453dc2fdac	104-146	B overlap 100%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	104-146	B overlap 100%	Staphylococcus aureus
UP_c111755f4dc3716c70d4a25d	115-157	B overlap 100%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	104-146	B overlap 100%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	104-146	B overlap 100%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	104-146	B overlap 100%	Staphylococcus aureus
UP_c45cb0f00466c9f2a59ce3df	104-146	B overlap 100%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	116-158	B overlap 100%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	116-158	B overlap 100%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	104-146	B overlap 100%	Staphylococcus aureus
UP_c6e58db97616169658087da4	104-146	B overlap 100%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	104-146	B overlap 100%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	104-146	B overlap 100%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	104-146	B overlap 100%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	104-146	B overlap 100%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	104-146	B overlap 100%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	104-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_461

43 aa | 97.67% best ungapped identity | 1 substitutions | part 13/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_cfedaa72f01f43f853011c47	104-146	B overlap 100%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	104-146	B overlap 100%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	104-146	B overlap 100%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	116-158	B overlap 100%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	104-146	B overlap 100%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	104-146	B overlap 100%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	104-146	B overlap 100%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	104-146	B overlap 100%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d7a61917e251e0f799ce2cd3	104-146	B overlap 100%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	104-146	B overlap 100%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	104-146	B overlap 100%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	104-146	B overlap 100%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	104-146	B overlap 100%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	104-146	B overlap 100%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	104-146	B overlap 100%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	104-146	B overlap 100%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	104-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_461

43 aa | 97.67% best ungapped identity | 1 substitutions | part 14/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_dfc482d6b3d9bfc6b950e923	104-146	B overlap 100%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	104-146	B overlap 100%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	104-146	B overlap 100%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	104-146	B overlap 100%	Staphylococcus aureus
UP_e209bb92e764aa1d81ca9fbc	104-146	B overlap 100%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	104-146	B overlap 100%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	116-158	B overlap 100%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	104-146	B overlap 100%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	116-158	B overlap 100%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	116-158	B overlap 100%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	104-146	B overlap 100%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	104-146	B overlap 100%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	104-146	B overlap 100%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	104-146	B overlap 100%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	104-146	B overlap 100%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	104-146	B overlap 100%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	104-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_461

43 aa | 97.67% best ungapped identity | 1 substitutions | part 15/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 249. Ungapped best parents: 249. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_e98c9e5a5c44c596ea9c499e	104-146	B overlap 100%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	104-146	B overlap 100%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	104-146	B overlap 100%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	104-146	B overlap 100%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	104-146	B overlap 100%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	104-146	B overlap 100%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	104-146	B overlap 100%	Staphylococcus aureus
UP_f85095abf436c388206c5124	104-146	B overlap 100%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	104-146	B overlap 100%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	104-146	B overlap 100%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	104-146	B overlap 100%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	104-146	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

54 aa | 98.15% best ungapped identity | 1 substitutions | part 1/14

Gap-aware minimum edit distance: 1; tied parents: 224. Ungapped best parents: 224. Inclusive-database exact parents excluded from main set: 0.

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

UP_00cff31cc9471abe8fe90176	93-146	B overlap 93%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	93-146	B overlap 93%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	93-146	B overlap 93%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	93-146	B overlap 93%	Staphylococcus aureus
UP_04faae54d75da101458d937d	93-146	B overlap 93%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	93-146	B overlap 93%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	93-146	B overlap 93%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	93-146	B overlap 93%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	93-146	B overlap 93%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	93-146	B overlap 93%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	93-146	B overlap 93%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	93-146	B overlap 93%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	93-146	B overlap 93%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	93-146	B overlap 93%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	93-146	B overlap 93%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	93-146	B overlap 93%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	93-146	B overlap 93%	Staphylococcus aureus

Database-supported natural full length; sequence identity is not experimental binding validation.

54 aa | 98.15% best ungapped identity | 1 substitutions | part 2/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 224. Ungapped best parents: 224. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI

|||||

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKL

All equally best ungapped sites on this page

UP_11ef8762e0d1f699cca11a72	93-146	B overlap 93%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	105-158	B overlap 93%	Staphylococcus aureus
UP_1320c3a4a4aa32eaab329067c	93-146	B overlap 93%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	93-146	B overlap 93%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	93-146	B overlap 93%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	93-146	B overlap 93%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	93-146	B overlap 93%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	93-146	B overlap 93%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	93-146	B overlap 93%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	93-146	B overlap 93%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	93-146	B overlap 93%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	93-146	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	93-146	B overlap 93%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	93-146	B overlap 93%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	93-146	B overlap 93%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	93-146	B overlap 93%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	93-146	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

54 aa | 98.15% best ungapped identity | 1 substitutions | part 3/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 224. Ungapped best parents: 224. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI

|||||

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKL

All equally best ungapped sites on this page

UP_27535d7a22973790e02141b6	93-146	B overlap 93%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	93-146	B overlap 93%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	93-146	B overlap 93%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	93-146	B overlap 93%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	93-146	B overlap 93%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	93-146	B overlap 93%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	93-146	B overlap 93%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	93-146	B overlap 93%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	93-146	B overlap 93%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	93-146	B overlap 93%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	93-146	B overlap 93%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	93-146	B overlap 93%	Staphylococcus aureus
UP_369376855189ded07861b56b	93-146	B overlap 93%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	93-146	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	93-146	B overlap 93%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	93-146	B overlap 93%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	93-146	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_462

54 aa | 98.15% best ungapped identity | 1 substitutions | part 4/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 224. Ungapped best parents: 224. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKI

|||||

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_3b972ecb2f3727cb6a074f03	93-146	B overlap 93%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	93-146	B overlap 93%	Staphylococcus aureus
UP_3d571252244f795c04507670	93-146	B overlap 93%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	93-146	B overlap 93%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	105-158	B overlap 93%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	93-146	B overlap 93%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	93-146	B overlap 93%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	93-146	B overlap 93%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	93-146	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	93-146	B overlap 93%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	93-146	B overlap 93%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	93-146	B overlap 93%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	93-146	B overlap 93%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	93-146	B overlap 93%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	105-158	B overlap 93%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	93-146	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	93-146	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

54 aa | 98.15% best ungapped identity | 1 substitutions | part 5/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 224. Ungapped best parents: 224. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI

|||||

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_4c1fd99d56c771d3922e9759	93-146	B overlap 93%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	93-146	B overlap 93%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	93-146	B overlap 93%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	93-146	B overlap 93%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	93-146	B overlap 93%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	93-146	B overlap 93%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	93-146	B overlap 93%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	93-146	B overlap 93%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	93-146	B overlap 93%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	93-146	B overlap 93%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	93-146	B overlap 93%	Staphylococcus aureus
UP_5c006dddff8fa9ce5cac1b28	93-146	B overlap 93%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	105-158	B overlap 93%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	93-146	B overlap 93%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	93-146	B overlap 93%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	93-146	B overlap 93%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	93-146	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_462

54 aa | 98.15% best ungapped identity | 1 substitutions | part 6/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 224. Ungapped best parents: 224. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI

|||||

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKL

All equally best ungapped sites on this page

UP_60b271b0316c17b99e44dff0	93-146	B overlap 93%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	93-146	B overlap 93%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	93-146	B overlap 93%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	93-146	B overlap 93%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	93-146	B overlap 93%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	93-146	B overlap 93%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	93-146	B overlap 93%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	93-146	B overlap 93%	Staphylococcus aureus
UP_67b157c032f302cca570b203	105-158	B overlap 93%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	93-146	B overlap 93%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	93-146	B overlap 93%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	93-146	B overlap 93%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	93-146	B overlap 93%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	93-146	B overlap 93%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	93-146	B overlap 93%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	93-146	B overlap 93%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	93-146	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_462

54 aa | 98.15% best ungapped identity | 1 substitutions | part 7/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 224. Ungapped best parents: 224. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI

|||||

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_6dde12d1b214335f1b98b297	93-146	B overlap 93%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	93-146	B overlap 93%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	93-146	B overlap 93%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	105-158	B overlap 93%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	93-146	B overlap 93%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	93-146	B overlap 93%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	93-146	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	93-146	B overlap 93%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	93-146	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	105-158	B overlap 93%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	93-146	B overlap 93%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	88-141	B overlap 93%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	93-146	B overlap 93%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	93-146	B overlap 93%	Staphylococcus aureus
UP_7f705628d3208506515b3404	93-146	B overlap 93%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	93-146	B overlap 93%	Staphylococcus aureus
UP_86d09985303304149d93296c	41-94	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

54 aa | 98.15% best ungapped identity | 1 substitutions | part 8/14

Gap-aware minimum edit distance: 1; tied parents: 224. Ungapped best parents: 224. Inclusive-database exact parents excluded from main set: 0.

All equally best ungapped sites on this page

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_462

54 aa | 98.15% best ungapped identity | 1 substitutions | part 9/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 224. Ungapped best parents: 224. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI

|||||

Parent ADAQQNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKL

All equally best ungapped sites on this page

UP_a0aa8aa9b9e13091daa307ec	93-146	B overlap 93%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	93-146	B overlap 93%	Staphylococcus aureus
UP_alc16686cb18780db1e61843	93-146	B overlap 93%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	93-146	B overlap 93%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	93-146	B overlap 93%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	105-158	B overlap 93%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	93-146	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	93-146	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	93-146	B overlap 93%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	93-146	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	105-158	B overlap 93%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	93-146	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	93-146	B overlap 93%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	93-146	B overlap 93%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	93-146	B overlap 93%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	93-146	B overlap 93%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	93-146	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_462

54 aa | 98.15% best ungapped identity | 1 substitutions | part 10/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 224. Ungapped best parents: 224. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI

|||||

Parent ADAQQNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_aeef4a2afc83331be02cf5f3	93-146	B overlap 93%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	93-146	B overlap 93%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	105-158	B overlap 93%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	93-146	B overlap 93%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	93-146	B overlap 93%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	93-146	B overlap 93%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	93-146	B overlap 93%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	93-146	B overlap 93%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	93-146	B overlap 93%	Staphylococcus aureus
UP_b448388f79d88503154c8958	93-146	B overlap 93%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	93-146	B overlap 93%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	93-146	B overlap 93%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	93-146	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	93-146	B overlap 93%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	105-158	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e271784e86f5	93-146	B overlap 93%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	93-146	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_462

54 aa | 98.15% best ungapped identity | 1 substitutions | part 11/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 224. Ungapped best parents: 224. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI

|||||

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKL

All equally best ungapped sites on this page

UP_c11da477f7461107eb6f572c	93-146	B overlap 93%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	93-146	B overlap 93%	Staphylococcus aureus
UP_c45cb0f00466c9f2a59ce3df	93-146	B overlap 93%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	105-158	B overlap 93%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	105-158	B overlap 93%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	93-146	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	93-146	B overlap 93%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	93-146	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	93-146	B overlap 93%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	93-146	B overlap 93%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	93-146	B overlap 93%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	93-146	B overlap 93%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	93-146	B overlap 93%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	93-146	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	105-158	B overlap 93%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcaf	93-146	B overlap 93%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	93-146	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_462

54 aa | 98.15% best ungapped identity | 1 substitutions | part 12/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 224. Ungapped best parents: 224. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSFAYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKI
|||||
Parent ADAQQNNFNKDDQSFAYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKL

All equally best ungapped sites on this page

UP_d3d0b4f2becf155510c9dc1c	93-146	B overlap 93%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	93-146	B overlap 93%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	93-146	B overlap 93%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	93-146	B overlap 93%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	93-146	B overlap 93%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	93-146	B overlap 93%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	93-146	B overlap 93%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbab69	93-146	B overlap 93%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	93-146	B overlap 93%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	93-146	B overlap 93%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	93-146	B overlap 93%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	93-146	B overlap 93%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	93-146	B overlap 93%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	93-146	B overlap 93%	Staphylococcus aureus
UP_e209bb92e764aa1d81ca9fbc	93-146	B overlap 93%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	93-146	B overlap 93%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	105-158	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_462

54 aa | 98.15% best ungapped identity | 1 substitutions | part 13/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 224. Ungapped best parents: 224. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDDQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKI
|||||
Parent ADAQQNNFNKDDQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKL

All equally best ungapped sites on this page

UP_e42b0b69f1cfc645490b75f7	93-146	B overlap 93%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	105-158	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	105-158	B overlap 93%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	93-146	B overlap 93%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	93-146	B overlap 93%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	93-146	B overlap 93%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	93-146	B overlap 93%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	93-146	B overlap 93%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	93-146	B overlap 93%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	93-146	B overlap 93%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	93-146	B overlap 93%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	93-146	B overlap 93%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	93-146	B overlap 93%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	93-146	B overlap 93%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	93-146	B overlap 93%	Staphylococcus aureus
UP_f85095abf436c388206c5124	93-146	B overlap 93%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	93-146	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_462

54 aa | 98.15% best ungapped identity | 1 substitutions | part 14/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 224. Ungapped best parents: 224. Inclusive-database exact parents excluded from main set: 0.

Query ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKI

|||||

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKL

All equally best ungapped sites on this page

UP_fbc28e3b3f2a651097c5f286	93-146	B overlap 93%	Staphylococcus aureus
-----------------------------	--------	---------------	-----------------------

UP_fc3bb560e958334c73ec96d3	93-146	B overlap 93%	Staphylococcus aureus
-----------------------------	--------	---------------	-----------------------

UP_ffc5b205486d979b4f71e25f	93-146	B overlap 93%	Staphylococcus aureus
-----------------------------	--------	---------------	-----------------------

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_488

58 aa | 98.28% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 1. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 1.

Query ADNNFNKKQNAFYELHLPNLTEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||.|||||
Parent ADNNFNKEQNAFYELHLPNLTEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_59a4d124422826b95666ef8a	154-211	B overlap 91%	Staphylococcus aureus
-----------------------------	---------	---------------	-----------------------

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_490

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 1. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 1.

Query NNFNKKQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK
 |||||·|
Parent NNFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_59a4d124422826b95666ef8a 156-211 B overlap 93% Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_497

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 94. Ungapped best parents: 94. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGAAKKLNDSQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQAPK

All equally best ungapped sites on this page

UP_019dd2dfa9fcd76a3ad06286	54-103	B overlap 92%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	43-92	B overlap 92%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	43-92	B overlap 92%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	43-92	B overlap 92%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	54-103	B overlap 92%	Staphylococcus aureus
UP_0558a58a6056e4177ee8a734	43-92	B overlap 92%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	43-92	B overlap 92%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	43-92	B overlap 92%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	43-92	B overlap 92%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	43-92	B overlap 92%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	43-92	B overlap 92%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	43-92	B overlap 92%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	43-92	B overlap 92%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	43-92	B overlap 92%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	43-92	B overlap 92%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	43-92	B overlap 92%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	55-104	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_497

50 aa | 98.00% best ungapped identity | 1 substitutions | part 2/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 94. Ungapped best parents: 94. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGAAKKLNDSQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQAPK

All equally best ungapped sites on this page

UP_24b2d55e0b8b4fd61b242c12	43-92	B overlap 92%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	43-92	B overlap 92%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	43-92	B overlap 92%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	43-92	B overlap 92%	Staphylococcus aureus
UP_2bd9d8f9a1f5bb1a2e03e456	43-92	B overlap 92%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	43-92	B overlap 92%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	43-92	B overlap 92%	Staphylococcus aureus
UP_34e7dec5146720f3668dfdf6	43-92	B overlap 92%	Staphylococcus schweitzeri
UP_37e60ca6c449c9241b51223d	43-92	B overlap 92%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	43-92	B overlap 92%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	43-92	B overlap 92%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	43-92	B overlap 92%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	55-104	B overlap 92%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	43-92	B overlap 92%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	43-92	B overlap 92%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	43-92	B overlap 92%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_497

50 aa | 98.00% best ungapped identity | 1 substitutions | part 3/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 94. Ungapped best parents: 94. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGAAKKLNDSQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQAPK

All equally best ungapped sites on this page

UP_493fc1e6cf2d8753094287af	43-92	B overlap 92%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	43-92	B overlap 92%	Staphylococcus aureus
UP_51c0096cd463a4b89359dc12	54-103	B overlap 92%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	43-92	B overlap 92%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	43-92	B overlap 92%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	43-92	B overlap 92%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	43-92	B overlap 92%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	43-92	B overlap 92%	Staphylococcus aureus
UP_654970f68b48978377243697	43-92	B overlap 92%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	43-92	B overlap 92%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	43-92	B overlap 92%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	43-92	B overlap 92%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	43-92	B overlap 92%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	43-92	B overlap 92%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	43-92	B overlap 92%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	43-92	B overlap 92%	Staphylococcus schweitzeri
UP_78d0100d0949dc0f0cb18a07	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_497

50 aa | 98.00% best ungapped identity | 1 substitutions | part 4/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 94. Ungapped best parents: 94. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGAAKKLNDSQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQAPK

All equally best ungapped sites on this page

UP_7c356e4bb818e50881bc623e	43-92	B overlap 92%	Staphylococcus aureus
UP_7e101fe0a0c932eb329824da	43-92	B overlap 92%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	43-92	B overlap 92%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	43-92	B overlap 92%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	43-92	B overlap 92%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	43-92	B overlap 92%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	43-92	B overlap 92%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	43-92	B overlap 92%	Staphylococcus aureus
UP_9d39a6668a25b34b2d8a3444	54-103	B overlap 92%	Staphylococcus aureus
UP_9d6ccee6db34ab44b810682d	43-92	B overlap 92%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	43-92	B overlap 92%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	43-92	B overlap 92%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	43-92	B overlap 92%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	43-92	B overlap 92%	Staphylococcus aureus
UP_ba9164430963a14567ce2a70	55-104	B overlap 92%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	43-92	B overlap 92%	Staphylococcus aureus
UP_bde2fa9c31fb8faa98d74869	54-103	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_497

50 aa | 98.00% best ungapped identity | 1 substitutions | part 5/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 94. Ungapped best parents: 94. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGAAKKLNDSQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQAPK

All equally best ungapped sites on this page

UP_be1cc533e7614313bdd04120	43-92	B overlap 92%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	43-92	B overlap 92%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	43-92	B overlap 92%	Staphylococcus aureus
UP_c111755f4dc3716c70d4a25d	54-103	B overlap 92%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	43-92	B overlap 92%	Staphylococcus aureus
UP_c45cb0f00466c9f2a59ce3df	43-92	B overlap 92%	Staphylococcus aureus
UP_c8395fe6773de5d93253fdb2	28-77	B overlap 92%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	43-92	B overlap 92%	Staphylococcus aureus
UP_cc018e0aa888e81d3674855c	43-92	B overlap 92%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	43-92	B overlap 92%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	43-92	B overlap 92%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	43-92	B overlap 92%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d7a61917e251e0f799ce2cd3	43-92	B overlap 92%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	43-92	B overlap 92%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	43-92	B overlap 92%	Staphylococcus aureus
UP_e209bb92e764aa1d81ca9fbc	43-92	B overlap 92%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	49-98	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_497

50 aa | 98.00% best ungapped identity | 1 substitutions | part 6/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 94. Ungapped best parents: 94. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGAAKKLNDSQAPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQAPK

All equally best ungapped sites on this page

UP_e6cd4f97cbff47488f070d32	43-92	B overlap 92%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	43-92	B overlap 92%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	43-92	B overlap 92%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	43-92	B overlap 92%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	43-92	B overlap 92%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	43-92	B overlap 92%	Staphylococcus aureus
UP_f128cef13388885c81d316f6	54-103	B overlap 92%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	55-104	B overlap 92%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	55-104	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_498

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 92. Ungapped best parents: 92. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGAACKLND SQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND SQAPK

All equally best ungapped sites on this page

UP_019dd2dfa9fcd76a3ad06286	48-103	B overlap 93%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	37-92	B overlap 93%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	37-92	B overlap 93%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	37-92	B overlap 93%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	48-103	B overlap 93%	Staphylococcus aureus
UP_0558a58a6056e4177ee8a734	37-92	B overlap 93%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	37-92	B overlap 93%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	37-92	B overlap 93%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	37-92	B overlap 93%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	37-92	B overlap 93%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	37-92	B overlap 93%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	37-92	B overlap 93%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	37-92	B overlap 93%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	37-92	B overlap 93%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	37-92	B overlap 93%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	49-104	B overlap 93%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_498

56 aa | 98.21% best ungapped identity | 1 substitutions | part 2/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 92. Ungapped best parents: 92. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGAACKLND SQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND SQAPK

All equally best ungapped sites on this page

UP_25a25a50af6d82d022c1b30	37-92	B overlap 93%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	37-92	B overlap 93%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	37-92	B overlap 93%	Staphylococcus aureus
UP_2bd9d8f9a1f5bb1a2e03e456	37-92	B overlap 93%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	37-92	B overlap 93%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	37-92	B overlap 93%	Staphylococcus aureus
UP_34e7dec5146720f3668d8dfd6	37-92	B overlap 93%	Staphylococcus schweitzeri
UP_37e60ca6c449c9241b51223d	37-92	B overlap 93%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	37-92	B overlap 93%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	37-92	B overlap 93%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	49-104	B overlap 93%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	37-92	B overlap 93%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	37-92	B overlap 93%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	37-92	B overlap 93%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	37-92	B overlap 93%	Staphylococcus aureus
UP_493fc1e6cf2d8753094287af	37-92	B overlap 93%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 3/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 92. Ungapped best parents: 92. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGAACKLND SQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND SQAPK

All equally best ungapped sites on this page

UP_51c0096cd463a4b89359dc12	48-103	B overlap 93%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	37-92	B overlap 93%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	37-92	B overlap 93%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	37-92	B overlap 93%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	37-92	B overlap 93%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	37-92	B overlap 93%	Staphylococcus aureus
UP_654970f68b48978377243697	37-92	B overlap 93%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	37-92	B overlap 93%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	37-92	B overlap 93%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	37-92	B overlap 93%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	37-92	B overlap 93%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	37-92	B overlap 93%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	37-92	B overlap 93%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	37-92	B overlap 93%	Staphylococcus schweitzeri
UP_78d0100d0949dc0f0cb18a07	37-92	B overlap 93%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	37-92	B overlap 93%	Staphylococcus aureus
UP_7e101fe0a0c932eb329824da	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_498

56 aa | 98.21% best ungapped identity | 1 substitutions | part 4/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 92. Ungapped best parents: 92. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGAACKLNSQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND SQAPK

All equally best ungapped sites on this page

UP_7f4311fb31c09bcc2207ac80	37-92	B overlap 93%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	37-92	B overlap 93%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	37-92	B overlap 93%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	37-92	B overlap 93%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	37-92	B overlap 93%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	37-92	B overlap 93%	Staphylococcus aureus
UP_9d39a6668a25b34b2d8a3444	48-103	B overlap 93%	Staphylococcus aureus
UP_9d6ccee6db34ab44b810682d	37-92	B overlap 93%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	37-92	B overlap 93%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	37-92	B overlap 93%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	37-92	B overlap 93%	Staphylococcus aureus
UP_b30e7e945ecd9f7156ff4b4	37-92	B overlap 93%	Staphylococcus aureus
UP_ba9164430963a14567ce2a70	49-104	B overlap 93%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	37-92	B overlap 93%	Staphylococcus aureus
UP_bde2fa9c31fb8faa98d74869	48-103	B overlap 93%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	37-92	B overlap 93%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_498

56 aa | 98.21% best ungapped identity | 1 substitutions | part 5/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 92. Ungapped best parents: 92. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGAACKLNSQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQAPK

All equally best ungapped sites on this page

UP_be959ce6ef2dd96b1e1c54e2	37-92	B overlap 93%	Staphylococcus aureus
UP_c111755f4dc3716c70d4a25d	48-103	B overlap 93%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	37-92	B overlap 93%	Staphylococcus aureus
UP_c45cb0f00466c9f2a59ce3df	37-92	B overlap 93%	Staphylococcus aureus
UP_c8395fe6773de5d93253fdb2	22-77	B overlap 93%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	37-92	B overlap 93%	Staphylococcus aureus
UP_cc018e0aa888e81d3674855c	37-92	B overlap 93%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	37-92	B overlap 93%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	37-92	B overlap 93%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	37-92	B overlap 93%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d7a61917e251e0f799ce2cd3	37-92	B overlap 93%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	37-92	B overlap 93%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	37-92	B overlap 93%	Staphylococcus aureus
UP_e209bb92e764aa1d81ca9fbc	37-92	B overlap 93%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	43-98	B overlap 93%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	37-92	B overlap 93%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_498

56 aa | 98.21% best ungapped identity | 1 substitutions | part 6/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 92. Ungapped best parents: 92. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGAACKLNSQAPK

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNSQAPK

All equally best ungapped sites on this page

UP_e98c9e5a5c44c596ea9c499e	37-92	B overlap 93%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	37-92	B overlap 93%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	37-92	B overlap 93%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	37-92	B overlap 93%	Staphylococcus aureus
UP_f128cef13388885c81d316f6	48-103	B overlap 93%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	49-104	B overlap 93%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	49-104	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_502

60 aa | 98.33% best ungapped identity | 1 substitutions | part 1/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query SDAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
· |||||
Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	93-152	B overlap 88%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	93-152	B overlap 88%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	93-152	B overlap 88%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	93-152	B overlap 88%	Staphylococcus aureus
UP_04faae54d75da101458d937d	93-152	B overlap 88%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	93-152	B overlap 88%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	93-152	B overlap 88%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	93-152	B overlap 88%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	93-152	B overlap 88%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	93-152	B overlap 88%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	93-152	B overlap 88%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	93-152	B overlap 88%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	93-152	B overlap 88%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	93-152	B overlap 88%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	93-152	B overlap 88%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	93-152	B overlap 88%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	105-164	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_502

60 aa | 98.33% best ungapped identity | 1 substitutions | part 2/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query SDAQQNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
· |||||
Parent ADAQQNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_1320c3a44aa32eaab329067c	93-152	B overlap 88%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	93-152	B overlap 88%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	93-152	B overlap 88%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	93-152	B overlap 88%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	93-152	B overlap 88%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	93-152	B overlap 88%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	93-152	B overlap 88%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	93-152	B overlap 88%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	93-152	B overlap 88%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	93-152	B overlap 88%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	93-152	B overlap 88%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	93-152	B overlap 88%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	93-152	B overlap 88%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	93-152	B overlap 88%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	93-152	B overlap 88%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	93-152	B overlap 88%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_502

60 aa | 98.33% best ungapped identity | 1 substitutions | part 3/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query SDAQQNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
· |||||
Parent ADAQQNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_29750953a09e57a87c7dae67	93-152	B overlap 88%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	93-152	B overlap 88%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	93-152	B overlap 88%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	93-152	B overlap 88%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	93-152	B overlap 88%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	93-152	B overlap 88%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	93-152	B overlap 88%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	93-152	B overlap 88%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	93-152	B overlap 88%	Staphylococcus aureus
UP_369376855189ded07861b56b	93-152	B overlap 88%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	93-152	B overlap 88%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	93-152	B overlap 88%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	93-152	B overlap 88%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	93-152	B overlap 88%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	93-152	B overlap 88%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	93-152	B overlap 88%	Staphylococcus aureus
UP_3d571252244f795c04507670	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_502

60 aa | 98.33% best ungapped identity | 1 substitutions | part 4/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query SDAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
· |||||
Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_3d709a118b2e3fa7ce83d3cb	93-152	B overlap 88%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	105-164	B overlap 88%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	93-152	B overlap 88%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	93-152	B overlap 88%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	93-152	B overlap 88%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	93-152	B overlap 88%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	93-152	B overlap 88%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	93-152	B overlap 88%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	93-152	B overlap 88%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	93-152	B overlap 88%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	93-152	B overlap 88%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	105-164	B overlap 88%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	93-152	B overlap 88%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	93-152	B overlap 88%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	93-152	B overlap 88%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	93-152	B overlap 88%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_502

60 aa | 98.33% best ungapped identity | 1 substitutions | part 5/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query SDAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
· |||||
Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_549e2ac62132d0bd32cea7ca	93-152	B overlap 88%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	93-152	B overlap 88%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	93-152	B overlap 88%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	93-152	B overlap 88%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	93-152	B overlap 88%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	93-152	B overlap 88%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	93-152	B overlap 88%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	93-152	B overlap 88%	Staphylococcus aureus
UP_5c006ddddf8fa9ce5cac1b28	93-152	B overlap 88%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	105-164	B overlap 88%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	93-152	B overlap 88%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	93-152	B overlap 88%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	93-152	B overlap 88%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	93-152	B overlap 88%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	93-152	B overlap 88%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	93-152	B overlap 88%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_502

60 aa | 98.33% best ungapped identity | 1 substitutions | part 6/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query SDAQQNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
· |||||
Parent ADAQQNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_649aef15e2ae8a296e72350f	93-152	B overlap 88%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	93-152	B overlap 88%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	93-152	B overlap 88%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	93-152	B overlap 88%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	93-152	B overlap 88%	Staphylococcus aureus
UP_67b157c032f302cca570b203	105-164	B overlap 88%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	93-152	B overlap 88%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	93-152	B overlap 88%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	93-152	B overlap 88%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	93-152	B overlap 88%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	93-152	B overlap 88%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	93-152	B overlap 88%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	93-152	B overlap 88%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	93-152	B overlap 88%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	93-152	B overlap 88%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	93-152	B overlap 88%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_502

60 aa | 98.33% best ungapped identity | 1 substitutions | part 7/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query SDAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
· |||||
Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_728122342f84c9b8787f4a69	105-164	B overlap 88%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	93-152	B overlap 88%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	93-152	B overlap 88%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	93-152	B overlap 88%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	93-152	B overlap 88%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	93-152	B overlap 88%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	105-164	B overlap 88%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	93-152	B overlap 88%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	88-147	B overlap 88%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	93-152	B overlap 88%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	93-152	B overlap 88%	Staphylococcus aureus
UP_7f705628d3208506515b3404	93-152	B overlap 88%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	93-152	B overlap 88%	Staphylococcus aureus
UP_86d09985303304149d93296c	41-100	B overlap 88%	Staphylococcus aureus
UP_87c984f47195a756918038f8	93-152	B overlap 88%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	93-152	B overlap 88%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_502

60 aa | 98.33% best ungapped identity | 1 substitutions | part 8/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query SDAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
· |||||
Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_88f858d06848fb1195a19f07	93-152	B overlap 88%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	93-152	B overlap 88%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	93-152	B overlap 88%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	93-152	B overlap 88%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	93-152	B overlap 88%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	93-152	B overlap 88%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	93-152	B overlap 88%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	93-152	B overlap 88%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	93-152	B overlap 88%	Staphylococcus aureus
UP_971043b6271e59644756c924	93-152	B overlap 88%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	93-152	B overlap 88%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	93-152	B overlap 88%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	93-152	B overlap 88%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	93-152	B overlap 88%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	93-152	B overlap 88%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	93-152	B overlap 88%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_502

60 aa | 98.33% best ungapped identity | 1 substitutions | part 9/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query SDAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
· |||||
Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	93-152	B overlap 88%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	93-152	B overlap 88%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	105-164	B overlap 88%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	93-152	B overlap 88%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	93-152	B overlap 88%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	93-152	B overlap 88%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	93-152	B overlap 88%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	105-164	B overlap 88%	Staphylococcus aureus
UP_aafb3bf93e81454cf6b62ce	93-152	B overlap 88%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	93-152	B overlap 88%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	93-152	B overlap 88%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	93-152	B overlap 88%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	93-152	B overlap 88%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	93-152	B overlap 88%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	93-152	B overlap 88%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	93-152	B overlap 88%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	105-164	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_502

60 aa | 98.33% best ungapped identity | 1 substitutions | part 10/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query SDAQQNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
· |||||
Parent ADAQQNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_afbcc9c98c455fb3a548a2f1	93-152	B overlap 88%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	93-152	B overlap 88%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	93-152	B overlap 88%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	93-152	B overlap 88%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	93-152	B overlap 88%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	93-152	B overlap 88%	Staphylococcus aureus
UP_b448388f79d88503154c8958	93-152	B overlap 88%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	93-152	B overlap 88%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	93-152	B overlap 88%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	93-152	B overlap 88%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	93-152	B overlap 88%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	105-164	B overlap 88%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	93-152	B overlap 88%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	93-152	B overlap 88%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	93-152	B overlap 88%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	93-152	B overlap 88%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	105-164	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_502

60 aa | 98.33% best ungapped identity | 1 substitutions | part 11/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query SDAQQNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
· |||||
Parent ADAQQNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_c5e65e48f1e55f63860af521	105-164	B overlap 88%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	93-152	B overlap 88%	Staphylococcus aureus
UP_c6e58db97616169658087da4	93-152	B overlap 88%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	93-152	B overlap 88%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	93-152	B overlap 88%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	93-152	B overlap 88%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	93-152	B overlap 88%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	93-152	B overlap 88%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	93-152	B overlap 88%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	93-152	B overlap 88%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	105-164	B overlap 88%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	93-152	B overlap 88%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	93-152	B overlap 88%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	93-152	B overlap 88%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	93-152	B overlap 88%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	93-152	B overlap 88%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_502

60 aa | 98.33% best ungapped identity | 1 substitutions | part 12/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query SDAQQNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
· |||||
Parent ADAQQNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_ddcc25ff5408d54d5c32163f	93-152	B overlap 88%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	93-152	B overlap 88%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	93-152	B overlap 88%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbab69	93-152	B overlap 88%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	93-152	B overlap 88%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	93-152	B overlap 88%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	93-152	B overlap 88%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	93-152	B overlap 88%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	93-152	B overlap 88%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	93-152	B overlap 88%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	93-152	B overlap 88%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	105-164	B overlap 88%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	93-152	B overlap 88%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	105-164	B overlap 88%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	105-164	B overlap 88%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	93-152	B overlap 88%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_502

60 aa | 98.33% best ungapped identity | 1 substitutions | part 13/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 0.

Query SDAQQNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
· |||||
Parent ADAQQNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_e6cd4f97cbff47488f070d32	93-152	B overlap 88%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	93-152	B overlap 88%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	93-152	B overlap 88%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	93-152	B overlap 88%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	93-152	B overlap 88%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	93-152	B overlap 88%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	93-152	B overlap 88%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	93-152	B overlap 88%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	93-152	B overlap 88%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	93-152	B overlap 88%	Staphylococcus aureus
UP_f85095abf436c388206c5124	93-152	B overlap 88%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	93-152	B overlap 88%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	93-152	B overlap 88%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	93-152	B overlap 88%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 1/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 40. Ungapped best parents: 40. Inclusive-database exact parents excluded from main set: 1.

Query ADNNFNKDQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

|||||||.|||||||

Parent ADNNFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_171c514ceeeab0855461d73b	212-269	B overlap 91%	Staphylococcus aureus
UP_172ccc9efefc37e19236363	212-269	B overlap 91%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	154-211	B overlap 91%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	270-327	B overlap 91%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	154-211	B overlap 91%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	212-269	B overlap 91%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	154-211	B overlap 91%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	154-211	B overlap 91%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	154-211	B overlap 91%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	154-211	B overlap 91%	Staphylococcus aureus
UP_6193b3607b8eab64acbfe79f	93-150	B overlap 91%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	154-211	B overlap 91%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	154-211	B overlap 91%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	154-211	B overlap 91%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	328-385	B overlap 91%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	154-211	B overlap 91%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 2/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 40. Ungapped best parents: 40. Inclusive-database exact parents excluded from main set: 1.

Query ADNNFNKDQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||||.|||||||

Parent ADNNFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_881bbe01144ac1c1eb0bre37	154-211	B overlap 91%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	154-211	B overlap 91%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	154-211	B overlap 91%	Staphylococcus aureus
UP_971043b6271e59644756c924	154-211	B overlap 91%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	154-211	B overlap 91%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	270-327	B overlap 91%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	154-211	B overlap 91%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	154-211	B overlap 91%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	154-211	B overlap 91%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	154-211	B overlap 91%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	212-269	B overlap 91%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	154-211	B overlap 91%	Staphylococcus aureus
UP_ca698c2d92aaa89331dd0ba4	154-211	B overlap 91%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	154-211	B overlap 91%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	154-211	B overlap 91%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	154-211	B overlap 91%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_503

58 aa | 98.28% best ungapped identity | 1 substitutions | part 3/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 40. Ungapped best parents: 40. Inclusive-database exact parents excluded from main set: 1.

Query ADNNFNKDDQNAFYIHLPLNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK
|||||.|||||
Parent ADNNFNKEQNAFYIHLPLNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_e6cd4f97cbff47488f070d32	154-211	B overlap 91%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	212-269	B overlap 91%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	154-211	B overlap 91%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	154-211	B overlap 91%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	154-211	B overlap 91%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_504

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 40. Ungapped best parents: 40. Inclusive-database exact parents excluded from main set: 1.

Query NNFNKDQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK
Parent NNFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_171c514ceeeab0855461d73b	214-269	B overlap 93%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	214-269	B overlap 93%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	156-211	B overlap 93%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	272-327	B overlap 93%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	156-211	B overlap 93%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	214-269	B overlap 93%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	156-211	B overlap 93%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	156-211	B overlap 93%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	156-211	B overlap 93%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	156-211	B overlap 93%	Staphylococcus aureus
UP_6193b3607b8eab64acbf79f	95-150	B overlap 93%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	156-211	B overlap 93%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	156-211	B overlap 93%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	156-211	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	330-385	B overlap 93%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	156-211	B overlap 93%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 2/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 40. Ungapped best parents: 40. Inclusive-database exact parents excluded from main set: 1.

Query NNFNKDQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||. |||||

Parent NNFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_881bbe01144ac1c1eb0bre37	156-211	B overlap 93%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	156-211	B overlap 93%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	156-211	B overlap 93%	Staphylococcus aureus
UP_971043b6271e59644756c924	156-211	B overlap 93%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	156-211	B overlap 93%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	272-327	B overlap 93%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	156-211	B overlap 93%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	156-211	B overlap 93%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	156-211	B overlap 93%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	156-211	B overlap 93%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	214-269	B overlap 93%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	156-211	B overlap 93%	Staphylococcus aureus
UP_ca698c2d92aaa89331dd0ba4	156-211	B overlap 93%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	156-211	B overlap 93%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	156-211	B overlap 93%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	156-211	B overlap 93%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_504

56 aa | 98.21% best ungapped identity | 1 substitutions | part 3/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 40. Ungapped best parents: 40. Inclusive-database exact parents excluded from main set: 1.

Query NNFNKDQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK
Parent NNFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_e6cd4f97cbff47488f070d32	156-211	B overlap 93%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	214-269	B overlap 93%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	156-211	B overlap 93%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	156-211	B overlap 93%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	156-211	B overlap 93%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_505

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	98-153	B overlap 93%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	98-153	B overlap 93%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	98-153	B overlap 93%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	98-153	B overlap 93%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	98-153	B overlap 93%	Staphylococcus aureus
UP_04faae54d75da101458d937d	98-153	B overlap 93%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	98-153	B overlap 93%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	98-153	B overlap 93%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	98-153	B overlap 93%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	98-153	B overlap 93%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	98-153	B overlap 93%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	98-153	B overlap 93%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	98-153	B overlap 93%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	98-153	B overlap 93%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	98-153	B overlap 93%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	98-153	B overlap 93%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_505

56 aa | 98.21% best ungapped identity | 1 substitutions | part 2/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_11ef8762e0d1f699cca11a72	98-153	B overlap 93%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	110-165	B overlap 93%	Staphylococcus aureus
UP_1320c3a44aa32eab329067c	98-153	B overlap 93%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	98-153	B overlap 93%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	98-153	B overlap 93%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	98-153	B overlap 93%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	98-153	B overlap 93%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	98-153	B overlap 93%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	98-153	B overlap 93%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	98-153	B overlap 93%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	98-153	B overlap 93%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	98-153	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	98-153	B overlap 93%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	98-153	B overlap 93%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	98-153	B overlap 93%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	98-153	B overlap 93%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_505

56 aa | 98.21% best ungapped identity | 1 substitutions | part 3/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_25a25a50af6d82d022c1bc30	98-153	B overlap 93%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	98-153	B overlap 93%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	98-153	B overlap 93%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	98-153	B overlap 93%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	98-153	B overlap 93%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	98-153	B overlap 93%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	98-153	B overlap 93%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	98-153	B overlap 93%	Staphylococcus aureus
UP_2def648691a179d8337edb84	52-107	B overlap 93%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	98-153	B overlap 93%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	98-153	B overlap 93%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	98-153	B overlap 93%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	98-153	B overlap 93%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	98-153	B overlap 93%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	98-153	B overlap 93%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	98-153	B overlap 93%	Staphylococcus schweitzeri
UP_369376855189ded07861b56b	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_505

56 aa | 98.21% best ungapped identity | 1 substitutions | part 4/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYIEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_3857b73b64bcc8ece5dac794	98-153	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	98-153	B overlap 93%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	98-153	B overlap 93%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	98-153	B overlap 93%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	98-153	B overlap 93%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	98-153	B overlap 93%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	98-153	B overlap 93%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	98-153	B overlap 93%	Staphylococcus aureus
UP_3d571252244f795c04507670	98-153	B overlap 93%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	98-153	B overlap 93%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	110-165	B overlap 93%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	110-165	B overlap 93%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	98-153	B overlap 93%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	98-153	B overlap 93%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	98-153	B overlap 93%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	98-153	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_505

56 aa | 98.21% best ungapped identity | 1 substitutions | part 5/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_43e1f746e535aaa2728e115e	156-211	B overlap 93%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	98-153	B overlap 93%	Staphylococcus aureus
UP_45e4aaf3fb1330efccb2d949	98-153	B overlap 93%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	98-153	B overlap 93%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	98-153	B overlap 93%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	110-165	B overlap 93%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	98-153	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	98-153	B overlap 93%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	98-153	B overlap 93%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	98-153	B overlap 93%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	98-153	B overlap 93%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	98-153	B overlap 93%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	98-153	B overlap 93%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	98-153	B overlap 93%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	98-153	B overlap 93%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	98-153	B overlap 93%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_505

56 aa | 98.21% best ungapped identity | 1 substitutions | part 6/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_59a4d124422826b95666ef8a	98-153	B overlap 93%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	98-153	B overlap 93%	Staphylococcus aureus
UP_5c006ddddf8fa9ce5cac1b28	98-153	B overlap 93%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	110-165	B overlap 93%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	98-153	B overlap 93%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	98-153	B overlap 93%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	98-153	B overlap 93%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	98-153	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	98-153	B overlap 93%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	98-153	B overlap 93%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	98-153	B overlap 93%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	98-153	B overlap 93%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	98-153	B overlap 93%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbbdd	98-153	B overlap 93%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	98-153	B overlap 93%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	98-153	B overlap 93%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_505

56 aa | 98.21% best ungapped identity | 1 substitutions | part 7/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_67b157c032f302cca570b203	110-165	B overlap 93%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	98-153	B overlap 93%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	98-153	B overlap 93%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	98-153	B overlap 93%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	98-153	B overlap 93%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	98-153	B overlap 93%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	98-153	B overlap 93%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	98-153	B overlap 93%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	98-153	B overlap 93%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	98-153	B overlap 93%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	98-153	B overlap 93%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	98-153	B overlap 93%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	98-153	B overlap 93%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	98-153	B overlap 93%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	110-165	B overlap 93%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	98-153	B overlap 93%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_505

56 aa | 98.21% best ungapped identity | 1 substitutions | part 8/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_7795fca204a5e78852cf520f	98-153	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	98-153	B overlap 93%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	98-153	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	110-165	B overlap 93%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	98-153	B overlap 93%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	93-148	B overlap 93%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	98-153	B overlap 93%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	98-153	B overlap 93%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	98-153	B overlap 93%	Staphylococcus aureus
UP_7f705628d3208506515b3404	98-153	B overlap 93%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	98-153	B overlap 93%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	98-153	B overlap 93%	Staphylococcus aureus
UP_86d09985303304149d93296c	46-101	B overlap 93%	Staphylococcus aureus
UP_87c984f47195a756918038f8	98-153	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	98-153	B overlap 93%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	98-153	B overlap 93%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_505

56 aa | 98.21% best ungapped identity | 1 substitutions | part 9/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_8ebf15b38a54e71995270aa9	98-153	B overlap 93%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	98-153	B overlap 93%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	98-153	B overlap 93%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	98-153	B overlap 93%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	98-153	B overlap 93%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	98-153	B overlap 93%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	98-153	B overlap 93%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	98-153	B overlap 93%	Staphylococcus aureus
UP_971043b6271e59644756c924	98-153	B overlap 93%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	98-153	B overlap 93%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	98-153	B overlap 93%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	98-153	B overlap 93%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	98-153	B overlap 93%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	98-153	B overlap 93%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	98-153	B overlap 93%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	98-153	B overlap 93%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_505

56 aa | 98.21% best ungapped identity | 1 substitutions | part 10/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	98-153	B overlap 93%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	98-153	B overlap 93%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	110-165	B overlap 93%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	98-153	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	98-153	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	98-153	B overlap 93%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	98-153	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	110-165	B overlap 93%	Staphylococcus aureus
UP_aafb3bf93e81454cf6b62ce	98-153	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	98-153	B overlap 93%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	98-153	B overlap 93%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	98-153	B overlap 93%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	98-153	B overlap 93%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	98-153	B overlap 93%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	98-153	B overlap 93%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	98-153	B overlap 93%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	110-165	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_505

56 aa | 98.21% best ungapped identity | 1 substitutions | part 11/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYIILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_afbcc9c98c455fb3a548a2f1	98-153	B overlap 93%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	98-153	B overlap 93%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	98-153	B overlap 93%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	98-153	B overlap 93%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	98-153	B overlap 93%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	98-153	B overlap 93%	Staphylococcus aureus
UP_b448388f79d88503154c8958	98-153	B overlap 93%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	98-153	B overlap 93%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	98-153	B overlap 93%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	98-153	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	98-153	B overlap 93%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	110-165	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	98-153	B overlap 93%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	98-153	B overlap 93%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	98-153	B overlap 93%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	98-153	B overlap 93%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_505

56 aa | 98.21% best ungapped identity | 1 substitutions | part 12/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKKDQSAFYELNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKKDQSAFYELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_c19b2cacfb0fadd8c64def21	98-153	B overlap 93%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	98-153	B overlap 93%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	110-165	B overlap 93%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	110-165	B overlap 93%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	98-153	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	98-153	B overlap 93%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	98-153	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	98-153	B overlap 93%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	98-153	B overlap 93%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	98-153	B overlap 93%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	98-153	B overlap 93%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	98-153	B overlap 93%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	98-153	B overlap 93%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	98-153	B overlap 93%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	98-153	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	110-165	B overlap 93%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_505

56 aa | 98.21% best ungapped identity | 1 substitutions | part 13/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_d389de07164bf1f90f2d9716	98-153	B overlap 93%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	98-153	B overlap 93%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	98-153	B overlap 93%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d7a61917e251e0f799ce2cd3	98-153	B overlap 93%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	98-153	B overlap 93%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	98-153	B overlap 93%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	98-153	B overlap 93%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	98-153	B overlap 93%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	98-153	B overlap 93%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	98-153	B overlap 93%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	98-153	B overlap 93%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	98-153	B overlap 93%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	98-153	B overlap 93%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	98-153	B overlap 93%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	98-153	B overlap 93%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	98-153	B overlap 93%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_505

56 aa | 98.21% best ungapped identity | 1 substitutions | part 14/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_e35673697002755fd8bfbf21	110-165	B overlap 93%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	98-153	B overlap 93%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	110-165	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	110-165	B overlap 93%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	98-153	B overlap 93%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	98-153	B overlap 93%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	98-153	B overlap 93%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	98-153	B overlap 93%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	98-153	B overlap 93%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	98-153	B overlap 93%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	98-153	B overlap 93%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	98-153	B overlap 93%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	98-153	B overlap 93%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	98-153	B overlap 93%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	98-153	B overlap 93%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	98-153	B overlap 93%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_505

56 aa | 98.21% best ungapped identity | 1 substitutions | part 15/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_f71b012850e63ea4fb4e7851	98-153	B overlap 93%	Staphylococcus aureus
UP_f85095abf436c388206c5124	98-153	B overlap 93%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	98-153	B overlap 93%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	98-153	B overlap 93%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	98-153	B overlap 93%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_506

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	104-153	B overlap 92%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	104-153	B overlap 92%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	104-153	B overlap 92%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	104-153	B overlap 92%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	104-153	B overlap 92%	Staphylococcus aureus
UP_04faae54d75da101458d937d	104-153	B overlap 92%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	104-153	B overlap 92%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	104-153	B overlap 92%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	104-153	B overlap 92%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	104-153	B overlap 92%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	104-153	B overlap 92%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	104-153	B overlap 92%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	104-153	B overlap 92%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	104-153	B overlap 92%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	104-153	B overlap 92%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	104-153	B overlap 92%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_506

50 aa | 98.00% best ungapped identity | 1 substitutions | part 2/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_11ef8762e0d1f699cca11a72	104-153	B overlap 92%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	116-165	B overlap 92%	Staphylococcus aureus
UP_1320c3a44aa32eab329067c	104-153	B overlap 92%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	104-153	B overlap 92%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	104-153	B overlap 92%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	104-153	B overlap 92%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	104-153	B overlap 92%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	104-153	B overlap 92%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	104-153	B overlap 92%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	104-153	B overlap 92%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	104-153	B overlap 92%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	104-153	B overlap 92%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	104-153	B overlap 92%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	104-153	B overlap 92%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	104-153	B overlap 92%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	104-153	B overlap 92%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_506

50 aa | 98.00% best ungapped identity | 1 substitutions | part 3/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_25a25a50af6d82d022c1bc30	104-153	B overlap 92%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	104-153	B overlap 92%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	104-153	B overlap 92%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	104-153	B overlap 92%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	104-153	B overlap 92%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	104-153	B overlap 92%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	104-153	B overlap 92%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	104-153	B overlap 92%	Staphylococcus aureus
UP_2def648691a179d8337edb84	58-107	B overlap 92%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	104-153	B overlap 92%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	104-153	B overlap 92%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	104-153	B overlap 92%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	104-153	B overlap 92%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	104-153	B overlap 92%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	104-153	B overlap 92%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	104-153	B overlap 92%	Staphylococcus schweitzeri
UP_369376855189ded07861b56b	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_506

50 aa | 98.00% best ungapped identity | 1 substitutions | part 4/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_3857b73b64bcc8ece5dac794	104-153	B overlap 92%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	104-153	B overlap 92%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	104-153	B overlap 92%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	104-153	B overlap 92%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	104-153	B overlap 92%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	104-153	B overlap 92%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	104-153	B overlap 92%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	104-153	B overlap 92%	Staphylococcus aureus
UP_3d571252244f795c04507670	104-153	B overlap 92%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	104-153	B overlap 92%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	116-165	B overlap 92%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	116-165	B overlap 92%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	104-153	B overlap 92%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	104-153	B overlap 92%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	104-153	B overlap 92%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	104-153	B overlap 92%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_506

50 aa | 98.00% best ungapped identity | 1 substitutions | part 5/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_43e1f746e535aaa2728e115e	162-211	B overlap 92%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	104-153	B overlap 92%	Staphylococcus aureus
UP_45e4aaf3fb1330efccb2d949	104-153	B overlap 92%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	104-153	B overlap 92%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	104-153	B overlap 92%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	116-165	B overlap 92%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	104-153	B overlap 92%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	104-153	B overlap 92%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	104-153	B overlap 92%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	104-153	B overlap 92%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	104-153	B overlap 92%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	104-153	B overlap 92%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	104-153	B overlap 92%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	104-153	B overlap 92%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	104-153	B overlap 92%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	104-153	B overlap 92%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_506

50 aa | 98.00% best ungapped identity | 1 substitutions | part 6/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_59a4d124422826b95666ef8a	104-153	B overlap 92%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	104-153	B overlap 92%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	104-153	B overlap 92%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	116-165	B overlap 92%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	104-153	B overlap 92%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	104-153	B overlap 92%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	104-153	B overlap 92%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	104-153	B overlap 92%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	104-153	B overlap 92%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	104-153	B overlap 92%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	104-153	B overlap 92%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	104-153	B overlap 92%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	104-153	B overlap 92%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	104-153	B overlap 92%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	104-153	B overlap 92%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	104-153	B overlap 92%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_506

50 aa | 98.00% best ungapped identity | 1 substitutions | part 7/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_67b157c032f302cca570b203	116-165	B overlap 92%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	104-153	B overlap 92%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	104-153	B overlap 92%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	104-153	B overlap 92%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	104-153	B overlap 92%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	104-153	B overlap 92%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	104-153	B overlap 92%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	104-153	B overlap 92%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	104-153	B overlap 92%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	104-153	B overlap 92%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	104-153	B overlap 92%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	104-153	B overlap 92%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	104-153	B overlap 92%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	104-153	B overlap 92%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	116-165	B overlap 92%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	104-153	B overlap 92%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_506

50 aa | 98.00% best ungapped identity | 1 substitutions | part 8/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_7795fca204a5e78852cf520f	104-153	B overlap 92%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	104-153	B overlap 92%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	104-153	B overlap 92%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	116-165	B overlap 92%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	104-153	B overlap 92%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	99-148	B overlap 92%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	104-153	B overlap 92%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	104-153	B overlap 92%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	104-153	B overlap 92%	Staphylococcus aureus
UP_7f705628d3208506515b3404	104-153	B overlap 92%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	104-153	B overlap 92%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	104-153	B overlap 92%	Staphylococcus aureus
UP_86d09985303304149d93296c	52-101	B overlap 92%	Staphylococcus aureus
UP_87c984f47195a756918038f8	104-153	B overlap 92%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	104-153	B overlap 92%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	104-153	B overlap 92%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_506

50 aa | 98.00% best ungapped identity | 1 substitutions | part 9/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_8ebf15b38a54e71995270aa9	104-153	B overlap 92%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	104-153	B overlap 92%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	104-153	B overlap 92%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	104-153	B overlap 92%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	104-153	B overlap 92%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	104-153	B overlap 92%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	104-153	B overlap 92%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	104-153	B overlap 92%	Staphylococcus aureus
UP_971043b6271e59644756c924	104-153	B overlap 92%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	104-153	B overlap 92%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	104-153	B overlap 92%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	104-153	B overlap 92%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	104-153	B overlap 92%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	104-153	B overlap 92%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	104-153	B overlap 92%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	104-153	B overlap 92%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_506

50 aa | 98.00% best ungapped identity | 1 substitutions | part 10/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	104-153	B overlap 92%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	104-153	B overlap 92%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	116-165	B overlap 92%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	104-153	B overlap 92%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	104-153	B overlap 92%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	104-153	B overlap 92%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	104-153	B overlap 92%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	116-165	B overlap 92%	Staphylococcus aureus
UP_aafb3bf93e81454cf6b62ce	104-153	B overlap 92%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	104-153	B overlap 92%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	104-153	B overlap 92%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	104-153	B overlap 92%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	104-153	B overlap 92%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	104-153	B overlap 92%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	104-153	B overlap 92%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	104-153	B overlap 92%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	116-165	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_506

50 aa | 98.00% best ungapped identity | 1 substitutions | part 11/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_afbcc9c98c455fb3a548a2f1	104-153	B overlap 92%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	104-153	B overlap 92%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	104-153	B overlap 92%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	104-153	B overlap 92%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	104-153	B overlap 92%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	104-153	B overlap 92%	Staphylococcus aureus
UP_b448388f79d88503154c8958	104-153	B overlap 92%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	104-153	B overlap 92%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	104-153	B overlap 92%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	104-153	B overlap 92%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	104-153	B overlap 92%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	116-165	B overlap 92%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	104-153	B overlap 92%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	104-153	B overlap 92%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	104-153	B overlap 92%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	104-153	B overlap 92%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_506

50 aa | 98.00% best ungapped identity | 1 substitutions | part 12/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_c19b2cacfb0fadd8c64def21	104-153	B overlap 92%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	104-153	B overlap 92%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	116-165	B overlap 92%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	116-165	B overlap 92%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	104-153	B overlap 92%	Staphylococcus aureus
UP_c6e58db97616169658087da4	104-153	B overlap 92%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	104-153	B overlap 92%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	104-153	B overlap 92%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	104-153	B overlap 92%	Staphylococcus aureus
UP_cd42d745d221a99aeeee0b940	104-153	B overlap 92%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	104-153	B overlap 92%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	104-153	B overlap 92%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	104-153	B overlap 92%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	104-153	B overlap 92%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	104-153	B overlap 92%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	116-165	B overlap 92%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_506

50 aa | 98.00% best ungapped identity | 1 substitutions | part 13/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_d389de07164bf1f90f2d9716	104-153	B overlap 92%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	104-153	B overlap 92%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	104-153	B overlap 92%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d7a61917e251e0f799ce2cd3	104-153	B overlap 92%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	104-153	B overlap 92%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	104-153	B overlap 92%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	104-153	B overlap 92%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	104-153	B overlap 92%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	104-153	B overlap 92%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	104-153	B overlap 92%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	104-153	B overlap 92%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	104-153	B overlap 92%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	104-153	B overlap 92%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	104-153	B overlap 92%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	104-153	B overlap 92%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	104-153	B overlap 92%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_506

50 aa | 98.00% best ungapped identity | 1 substitutions | part 14/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_e35673697002755fd8bfbf21	116-165	B overlap 92%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	104-153	B overlap 92%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	116-165	B overlap 92%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	116-165	B overlap 92%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	104-153	B overlap 92%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	104-153	B overlap 92%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	104-153	B overlap 92%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	104-153	B overlap 92%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	104-153	B overlap 92%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	104-153	B overlap 92%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	104-153	B overlap 92%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	104-153	B overlap 92%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	104-153	B overlap 92%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	104-153	B overlap 92%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	104-153	B overlap 92%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	104-153	B overlap 92%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_506

50 aa | 98.00% best ungapped identity | 1 substitutions | part 15/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 0.

Query QQSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_f71b012850e63ea4fb4e7851	104-153	B overlap 92%	Staphylococcus aureus
UP_f85095abf436c388206c5124	104-153	B overlap 92%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	104-153	B overlap 92%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	104-153	B overlap 92%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	104-153	B overlap 92%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_507

60 aa | 98.33% best ungapped identity | 1 substitutions | part 1/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 22. Ungapped best parents: 22. Inclusive-database exact parents excluded from main set: 0.

Query AEAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAP
|||||
Parent AEAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_03a181236a3f1dca5b3e2137	93-152	B overlap 88%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	93-152	B overlap 88%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	93-152	B overlap 88%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	93-152	B overlap 88%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	93-152	B overlap 88%	Staphylococcus aureus
UP_34e7dec5146720f3668dfdf6	93-152	B overlap 88%	Staphylococcus schweitzeri
UP_3c8c17cdc14c1efbda4317f7	93-152	B overlap 88%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	93-152	B overlap 88%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	105-164	B overlap 88%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	93-152	B overlap 88%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	93-152	B overlap 88%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	93-152	B overlap 88%	Staphylococcus schweitzeri
UP_7c356e4bb818e50881bc623e	93-152	B overlap 88%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	93-152	B overlap 88%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	93-152	B overlap 88%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	93-152	B overlap 88%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_507

60 aa | 98.33% best ungapped identity | 1 substitutions | part 2/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 22. Ungapped best parents: 22. Inclusive-database exact parents excluded from main set: 0.

Query AEAQQNNFNKDQQSAFYIELNMPNLNEAQRNGFIHSLKDDPSQSTNVLGEAKKLNESQAP
|||||
Parent AEAQQNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_d029c5e7d71dbf147ea7f9c6	93-152	B overlap 88%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	93-152	B overlap 88%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	93-152	B overlap 88%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_e849e99c27614e23057d660d	93-152	B overlap 88%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 1/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNDQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

|||||||.|||||||

Parent ADNKFNKEQQNAFYIEILHLPNLTEEQRNQFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	270-327	B overlap 91%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	270-327	B overlap 91%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	270-327	B overlap 91%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	270-327	B overlap 91%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	212-269	B overlap 91%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	212-269	B overlap 91%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	270-327	B overlap 91%	Staphylococcus aureus
UP_04faae54d75da101458d937d	270-327	B overlap 91%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	165-222	B overlap 91%	Staphylococcus aureus
UP_0558a58a6056e4177ee8a734	154-211	B overlap 91%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	212-269	B overlap 91%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	270-327	B overlap 91%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	282-339	B overlap 91%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	212-269	B overlap 91%	Staphylococcus aureus
UP_080bdc344b3e8de041e14a8b	212-269	B overlap 91%	Staphylococcus argenteus
UP_0b47ec347104dea3cf401212	270-327	B overlap 91%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_514

58 aa | 98.28% best ungapped identity | 1 substitutions | part 2/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKDQQNAFYIEILHLPNLTEEQNRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

|||||.|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_0c80c9392f03dca56d811fa2	270-327	B overlap 91%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	270-327	B overlap 91%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	270-327	B overlap 91%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	270-327	B overlap 91%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	328-385	B overlap 91%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	282-339	B overlap 91%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	270-327	B overlap 91%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	270-327	B overlap 91%	Staphylococcus aureus
UP_15b865d3666d14f4c1598c14	93-150	B overlap 91%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	270-327	B overlap 91%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	270-327	B overlap 91%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	270-327	B overlap 91%	Staphylococcus aureus
UP_172ccc9efefc37e19236363	270-327	B overlap 91%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	270-327	B overlap 91%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	212-269	B overlap 91%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	270-327	B overlap 91%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	209-266	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 3/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNDQQNAFYELHLPNLTEEQRNQFIQSLKDDPSVSKEILAEAKKLNDAPK

Parent ADNKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_1be437babc2a84ae74283a17	212-269	B overlap 91%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	212-269	B overlap 91%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	270-327	B overlap 91%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	328-385	B overlap 91%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	270-327	B overlap 91%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	212-269	B overlap 91%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	282-339	B overlap 91%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	270-327	B overlap 91%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	270-327	B overlap 91%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	270-327	B overlap 91%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	270-327	B overlap 91%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	270-327	B overlap 91%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	270-327	B overlap 91%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	270-327	B overlap 91%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	212-269	B overlap 91%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	270-327	B overlap 91%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	502-559	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 4/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKDQQNAFYIEILHLPNLTEEQRNFGIISLKDDPSVSKEILAEAKKLNDAPK

|||||||.|||||||

Parent ADNKFNKEQQNAFYIEILHLPNLTEEQRNQFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_2bb7f359bca88a778a9c4c37	328-385	B overlap 91%	Staphylococcus aureus
UP_2bd9d8f9a1f5bb1a2e03e456	212-269	B overlap 91%	Staphylococcus aureus
UP_2def648691a179d8337edb84	166-223	B overlap 91%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	212-269	B overlap 91%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	270-327	B overlap 91%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	212-269	B overlap 91%	Staphylococcus aureus
UP_324c49ab20a20eee8d7b5738	212-269	B overlap 91%	Staphylococcus argenteus
UP_332e727aed2e33d630729c9d	270-327	B overlap 91%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	212-269	B overlap 91%	Staphylococcus aureus
UP_369376855189ded07861b56b	212-269	B overlap 91%	Staphylococcus aureus
UP_37e60ca6c449c9241b51223d	270-327	B overlap 91%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	270-327	B overlap 91%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	328-385	B overlap 91%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	270-327	B overlap 91%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	328-385	B overlap 91%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	212-269	B overlap 91%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 5/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNDQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

|||||||.|||||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_3c8c17cdc14c1efbda4317f7	270-327	B overlap 91%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	270-327	B overlap 91%	Staphylococcus aureus
UP_3d571252244f795c04507670	270-327	B overlap 91%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	212-269	B overlap 91%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	224-281	B overlap 91%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	66-123	B overlap 91%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	212-269	B overlap 91%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	270-327	B overlap 91%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	270-327	B overlap 91%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	270-327	B overlap 91%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	270-327	B overlap 91%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	270-327	B overlap 91%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	328-385	B overlap 91%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	270-327	B overlap 91%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	212-269	B overlap 91%	Staphylococcus aureus
UP_4667ae039c0ce4ff6d65fa16	93-150	B overlap 91%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 6/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNDQQNAFYELHLPNLTEEQRNQFIQSLKDDPSVSKEILAEAKKLNDAPK

|||||||.|||||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_4804812c0737255bc0231c5e	282-339	B overlap 91%	Staphylococcus aureus
UP_483345435ebd382942892e04	151-208	B overlap 91%	Staphylococcus argenteus
UP_493fc1e6cf2d8753094287af	212-269	B overlap 91%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	154-211	B overlap 91%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	270-327	B overlap 91%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	444-501	B overlap 91%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	212-269	B overlap 91%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	212-269	B overlap 91%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	212-269	B overlap 91%	Staphylococcus aureus
UP_4f7ac95290874e78b8d9f0ed	93-150	B overlap 91%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	270-327	B overlap 91%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	270-327	B overlap 91%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	212-269	B overlap 91%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	270-327	B overlap 91%	Staphylococcus aureus
UP_5afea06ab560a525e381f6c8	212-269	B overlap 91%	Staphylococcus argenteus
UP_5bbec0493fad67c07e5cf02b	270-327	B overlap 91%	Staphylococcus aureus
UP_5c006ddddd8fa9ce5cac1b28	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 7/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKDQQNAFYIEILHLPNLTEEQRNFGIISLKDDPSVSKEILAEAKKLNDAPK

|||||||.|||||||

Parent ADNKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_5c12c291e4303f0c3d8c9a01	282-339	B overlap 91%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	212-269	B overlap 91%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	212-269	B overlap 91%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	270-327	B overlap 91%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	270-327	B overlap 91%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	328-385	B overlap 91%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	270-327	B overlap 91%	Staphylococcus aureus
UP_6193b3607b8eab64acbf79f	151-208	B overlap 91%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	340-397	B overlap 91%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	212-269	B overlap 91%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	270-327	B overlap 91%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	270-327	B overlap 91%	Staphylococcus aureus
UP_63bbd7d1ac5832ffe8cbd7f	209-266	B overlap 91%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	212-269	B overlap 91%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	270-327	B overlap 91%	Staphylococcus aureus
UP_654970f68b48978377243697	270-327	B overlap 91%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_514

58 aa | 98.28% best ungapped identity | 1 substitutions | part 8/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNDQKNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK
 |||||.|||||||
 Parent ADNKFNEQKNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_66f5e2adf96bd54c184bdb76	212-269	B overlap 91%	Staphylococcus aureus
UP_67b157c032f302cca570b203	340-397	B overlap 91%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	270-327	B overlap 91%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	270-327	B overlap 91%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	270-327	B overlap 91%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	270-327	B overlap 91%	Staphylococcus aureus
UP_6afba7f783543b8f49d10ac03	270-327	B overlap 91%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	270-327	B overlap 91%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	340-397	B overlap 91%	Staphylococcus aureus
UP_6d760fbc9f250b9d80b6377	212-269	B overlap 91%	Staphylococcus argenteus
UP_6d765dcd23be695e8386b589	270-327	B overlap 91%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	270-327	B overlap 91%	Staphylococcus aureus
UP_6dc6cc8e9acff01b2bc3cf5c	212-269	B overlap 91%	Staphylococcus argenteus
UP_6dde12d1b214335f1b98b297	270-327	B overlap 91%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	270-327	B overlap 91%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	270-327	B overlap 91%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	282-339	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_514

58 aa | 98.28% best ungapped identity | 1 substitutions | part 9/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKDQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAQAPK
 |||||||.|||
Parent ADNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_72dd9fa28dab2363ac98467e	270-327	B overlap 91%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	270-327	B overlap 91%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	328-385	B overlap 91%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	270-327	B overlap 91%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	328-385	B overlap 91%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	209-266	B overlap 91%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	212-269	B overlap 91%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	270-327	B overlap 91%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	270-327	B overlap 91%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	444-501	B overlap 91%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	270-327	B overlap 91%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	282-339	B overlap 91%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	212-269	B overlap 91%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	212-269	B overlap 91%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	212-269	B overlap 91%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	212-269	B overlap 91%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_514

58 aa | 98.28% best ungapped identity | 1 substitutions | part 10/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKDQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 |||||||.|||
Parent ADNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_7f705628d3208506515b3404	270-327	B overlap 91%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	212-269	B overlap 91%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	270-327	B overlap 91%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	270-327	B overlap 91%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	212-269	B overlap 91%	Staphylococcus aureus
UP_86d09985303304149d93296c	160-217	B overlap 91%	Staphylococcus aureus
UP_87c984f47195a756918038f8	212-269	B overlap 91%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	218-275	B overlap 91%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	270-327	B overlap 91%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	212-269	B overlap 91%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	212-269	B overlap 91%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	154-211	B overlap 91%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	212-269	B overlap 91%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	212-269	B overlap 91%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	270-327	B overlap 91%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	270-327	B overlap 91%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	209-266	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_514

58 aa | 98.28% best ungapped identity | 1 substitutions | part 11/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNDQQNAFYELHLPNLTEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

|||||||.|||||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_9135ac09959d17a301bf7250	328-385	B overlap 91%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	212-269	B overlap 91%	Staphylococcus aureus
UP_91eb16918889951219e50a73	270-327	B overlap 91%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	270-327	B overlap 91%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	328-385	B overlap 91%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	270-327	B overlap 91%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	270-327	B overlap 91%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	270-327	B overlap 91%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	270-327	B overlap 91%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	270-327	B overlap 91%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	270-327	B overlap 91%	Staphylococcus aureus
UP_95e30e740b9bec939fb36b82	218-275	B overlap 91%	Staphylococcus aureus
UP_971043b6271e59644756c924	212-269	B overlap 91%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	270-327	B overlap 91%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	270-327	B overlap 91%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	270-327	B overlap 91%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_514

58 aa | 98.28% best ungapped identity | 1 substitutions | part 12/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKDQQNAFYIEILHLPNLTEEQNRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

|||||.|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_9bd8f1fc33e86407f447de60	270-327	B overlap 91%	Staphylococcus aureus
UP_9d6cc6db34ab44b810682d	212-269	B overlap 91%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	212-269	B overlap 91%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	270-327	B overlap 91%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	328-385	B overlap 91%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	212-269	B overlap 91%	Staphylococcus aureus
UP_alc16686cb18780db1e61843	270-327	B overlap 91%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	270-327	B overlap 91%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	212-269	B overlap 91%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	270-327	B overlap 91%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	270-327	B overlap 91%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	212-269	B overlap 91%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	282-339	B overlap 91%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	212-269	B overlap 91%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	270-327	B overlap 91%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	157-214	B overlap 91%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 13/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKDQQNAFYIELHLPNLTEEQRNFGIQLKDDPSVSKEILAEAKKLNDAPK

|||||||.|||||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_a7e781376ecc70df809fd7f5	159-216	B overlap 91%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	270-327	B overlap 91%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	154-211	B overlap 91%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	212-269	B overlap 91%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	282-339	B overlap 91%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	212-269	B overlap 91%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	212-269	B overlap 91%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	270-327	B overlap 91%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	328-385	B overlap 91%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	270-327	B overlap 91%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	212-269	B overlap 91%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	270-327	B overlap 91%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	212-269	B overlap 91%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	270-327	B overlap 91%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	270-327	B overlap 91%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	270-327	B overlap 91%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	282-339	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 14/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKDQQNAFYIEILHLPNLTEEQRNFGIISLKDDPSVSKEILAEAKKLNDAPAK

|||||||.|||||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_afbcc9c98c455fb3a548a2f1	212-269	B overlap 91%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	165-222	B overlap 91%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	270-327	B overlap 91%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	270-327	B overlap 91%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	212-269	B overlap 91%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	154-211	B overlap 91%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	270-327	B overlap 91%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	270-327	B overlap 91%	Staphylococcus aureus
UP_b448388f79d88503154c8958	270-327	B overlap 91%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	270-327	B overlap 91%	Staphylococcus aureus
UP_b6e4af4642c11f9cbbf3740d3	270-327	B overlap 91%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	212-269	B overlap 91%	Staphylococcus aureus
UP_b89432f6e7437c0651852af5	151-208	B overlap 91%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	270-327	B overlap 91%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	270-327	B overlap 91%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	340-397	B overlap 91%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 15/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKDQQNAFYIEILHLPNLTEEQRNFGIISLKDDPSVSKEILAEAKKLNDAPK

|||||||.|||||||

Parent ADNKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_bbbe3db3c1b8d6db4b9a21e46	270-327	B overlap 91%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	229-286	B overlap 91%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	270-327	B overlap 91%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	270-327	B overlap 91%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	270-327	B overlap 91%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	270-327	B overlap 91%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	270-327	B overlap 91%	Staphylococcus aureus
UP_c360b4eef28e7ac3a6add6d9	66-123	B overlap 91%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	270-327	B overlap 91%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	212-269	B overlap 91%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	224-281	B overlap 91%	Staphylococcus aureus
UP_c6e58db97616169658087da4	270-327	B overlap 91%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	212-269	B overlap 91%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	212-269	B overlap 91%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	270-327	B overlap 91%	Staphylococcus aureus
UP_cc018e0aa888e81d3674855c	246-303	B overlap 91%	Staphylococcus aureus
UP_cd42d745d221a99aeeeb940	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_514

58 aa | 98.28% best ungapped identity | 1 substitutions | part 16/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNDQKNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK
 |||||.|||||||
 Parent ADNKFNEQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_cda3c6f0d10df8be6dc4ff46	212-269	B overlap 91%	Staphylococcus argenteus
UP_ce48648d81e147b208ae7f35	270-327	B overlap 91%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	270-327	B overlap 91%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	212-269	B overlap 91%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	343-400	B overlap 91%	Staphylococcus aureus
UP_d2f4d68676a2244ecc95da63	99-156	B overlap 91%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	212-269	B overlap 91%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	212-269	B overlap 91%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	270-327	B overlap 91%	Staphylococcus aureus
UP_d42f3bf1007f1620dba29aac	212-269	B overlap 91%	Staphylococcus argenteus
UP_d446b7e01a0f059e086dcfed	270-327	B overlap 91%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d5b345437142d9cf807db25d	212-269	B overlap 91%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	212-269	B overlap 91%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	270-327	B overlap 91%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	328-385	B overlap 91%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	328-385	B overlap 91%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_514

58 aa | 98.28% best ungapped identity | 1 substitutions | part 17/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNDQKNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK
 |||||.|||||||
 Parent ADNKFNEQKNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_df25788f262b81ebd8fdbab69	270-327	B overlap 91%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	212-269	B overlap 91%	Staphylococcus aureus
UP_dfc482d6b3db9bfc6b950e923	270-327	B overlap 91%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	212-269	B overlap 91%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	270-327	B overlap 91%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	159-216	B overlap 91%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	212-269	B overlap 91%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	270-327	B overlap 91%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	73-130	B overlap 91%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	282-339	B overlap 91%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	212-269	B overlap 91%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	270-327	B overlap 91%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	282-339	B overlap 91%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	218-275	B overlap 91%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	270-327	B overlap 91%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	270-327	B overlap 91%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_514

58 aa | 98.28% best ungapped identity | 1 substitutions | part 18/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNDQKNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK
 |||||.|||||||
 Parent ADNKFNEQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_e69cdb9fb24f123702443be9	212-269	B overlap 91%	Staphylococcus aureus
UP_e6d99cc66a27067b7ac482cc	212-269	B overlap 91%	Staphylococcus argenteus
UP_e80088e3013d805979b62cf8	270-327	B overlap 91%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	270-327	B overlap 91%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	212-269	B overlap 91%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	270-327	B overlap 91%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	270-327	B overlap 91%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	212-269	B overlap 91%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	154-211	B overlap 91%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	270-327	B overlap 91%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	212-269	B overlap 91%	Staphylococcus aureus
UP_f1c8a677456a5de29a99e38e	270-327	B overlap 91%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	270-327	B overlap 91%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	270-327	B overlap 91%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	212-269	B overlap 91%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	282-339	B overlap 91%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	99-156	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_514

58 aa | 98.28% best ungapped identity | 1 substitutions | part 19/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 310. Ungapped best parents: 310. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKDQQNAFYIEILHLPNLTEEQRNFGIISLKDDPSVSKEILAEAKKLNDAPAK

|||||||.|||||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_f71b012850e63ea4fb4e/851	212-269	B overlap 91%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	224-281	B overlap 91%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	270-327	B overlap 91%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	270-327	B overlap 91%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	328-385	B overlap 91%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	224-281	B overlap 91%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_515

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	272-327	B overlap 93%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	272-327	B overlap 93%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	272-327	B overlap 93%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	272-327	B overlap 93%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	214-269	B overlap 93%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	214-269	B overlap 93%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	272-327	B overlap 93%	Staphylococcus aureus
UP_04faae54d75da101458d937d	272-327	B overlap 93%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	167-222	B overlap 93%	Staphylococcus aureus
UP_0558a58a6056e4177ee8a734	156-211	B overlap 93%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	214-269	B overlap 93%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	272-327	B overlap 93%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	284-339	B overlap 93%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	214-269	B overlap 93%	Staphylococcus aureus
UP_080bdc344b3e8de041e14a8b	214-269	B overlap 93%	Staphylococcus argenteus
UP_0b47ec347104dea3cf401212	272-327	B overlap 93%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_515

56 aa | 98.21% best ungapped identity | 1 substitutions | part 2/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYIILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_0c80c9392f03dca56d811fa2	272-327	B overlap 93%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	272-327	B overlap 93%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	272-327	B overlap 93%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	272-327	B overlap 93%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	330-385	B overlap 93%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	284-339	B overlap 93%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	272-327	B overlap 93%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	272-327	B overlap 93%	Staphylococcus aureus
UP_15b865d3666d14f4c1598c14	95-150	B overlap 93%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	272-327	B overlap 93%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	272-327	B overlap 93%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	272-327	B overlap 93%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	272-327	B overlap 93%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	272-327	B overlap 93%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	272-327	B overlap 93%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	214-269	B overlap 93%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_515

56 aa | 98.21% best ungapped identity | 1 substitutions | part 3/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_1b50a5126b16c8571f3dbf16	211-266	B overlap 93%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	214-269	B overlap 93%	Staphylococcus aureus
UP_1c369039d2aa8fce7e14fc8	214-269	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	272-327	B overlap 93%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	330-385	B overlap 93%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	272-327	B overlap 93%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	214-269	B overlap 93%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	284-339	B overlap 93%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	272-327	B overlap 93%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	272-327	B overlap 93%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	272-327	B overlap 93%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	272-327	B overlap 93%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	272-327	B overlap 93%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	272-327	B overlap 93%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	272-327	B overlap 93%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	214-269	B overlap 93%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_515

56 aa | 98.21% best ungapped identity | 1 substitutions | part 4/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_2b9173d33011444e5c5e2f14	504-559	B overlap 93%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	330-385	B overlap 93%	Staphylococcus aureus
UP_2bd9d8f9a1f5bb1a2e03e456	214-269	B overlap 93%	Staphylococcus aureus
UP_2def648691a179d8337edb84	168-223	B overlap 93%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	214-269	B overlap 93%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	272-327	B overlap 93%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	214-269	B overlap 93%	Staphylococcus aureus
UP_324c49ab20a20eee8d7b5738	214-269	B overlap 93%	Staphylococcus argenteus
UP_332e727aed2e33d630729c9d	272-327	B overlap 93%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	214-269	B overlap 93%	Staphylococcus aureus
UP_369376855189ded07861b56b	214-269	B overlap 93%	Staphylococcus aureus
UP_37e60ca6c449c9241b51223d	272-327	B overlap 93%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	272-327	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	330-385	B overlap 93%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	272-327	B overlap 93%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	330-385	B overlap 93%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_515

56 aa | 98.21% best ungapped identity | 1 substitutions | part 5/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_3c32faf6872b0a8e85bf68be	272-327	B overlap 93%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	272-327	B overlap 93%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	272-327	B overlap 93%	Staphylococcus aureus
UP_3d571252244f795c04507670	272-327	B overlap 93%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	214-269	B overlap 93%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	226-281	B overlap 93%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	68-123	B overlap 93%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	214-269	B overlap 93%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	272-327	B overlap 93%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	272-327	B overlap 93%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	272-327	B overlap 93%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	272-327	B overlap 93%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	272-327	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	330-385	B overlap 93%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	272-327	B overlap 93%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	214-269	B overlap 93%	Staphylococcus aureus
UP_4667ae039c0ce4ff6d65fa16	95-150	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_515

56 aa | 98.21% best ungapped identity | 1 substitutions | part 6/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYIILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_46cd879e24623ead35e04d06	214-269	B overlap 93%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	284-339	B overlap 93%	Staphylococcus aureus
UP_483345435ebd382942892e04	153-208	B overlap 93%	Staphylococcus argenteus
UP_493fc1e6cf2d8753094287af	214-269	B overlap 93%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	156-211	B overlap 93%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	272-327	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	446-501	B overlap 93%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	214-269	B overlap 93%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	214-269	B overlap 93%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	214-269	B overlap 93%	Staphylococcus aureus
UP_4f7ac95290874e78b8d9f0ed	95-150	B overlap 93%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	272-327	B overlap 93%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	272-327	B overlap 93%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	272-327	B overlap 93%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	214-269	B overlap 93%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	272-327	B overlap 93%	Staphylococcus aureus
UP_5afea06ab560a525e381f6c8	214-269	B overlap 93%	Staphylococcus argenteus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_515

56 aa | 98.21% best ungapped identity | 1 substitutions | part 7/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_5bbec0493fad67c07e5cf02b	272-327	B overlap 93%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	272-327	B overlap 93%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	284-339	B overlap 93%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	214-269	B overlap 93%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	214-269	B overlap 93%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	272-327	B overlap 93%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	272-327	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	330-385	B overlap 93%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	272-327	B overlap 93%	Staphylococcus aureus
UP_6193b3607b8eab64acbfe79f	153-208	B overlap 93%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	342-397	B overlap 93%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	214-269	B overlap 93%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	272-327	B overlap 93%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	272-327	B overlap 93%	Staphylococcus aureus
UP_63bbd7d1ac5832ffe8cbd7f	211-266	B overlap 93%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	214-269	B overlap 93%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_515

56 aa | 98.21% best ungapped identity | 1 substitutions | part 8/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_654970f68b48978377243697	272-327	B overlap 93%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	214-269	B overlap 93%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	214-269	B overlap 93%	Staphylococcus aureus
UP_67b157c032f302cca570b203	342-397	B overlap 93%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	272-327	B overlap 93%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	272-327	B overlap 93%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	272-327	B overlap 93%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	272-327	B overlap 93%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	272-327	B overlap 93%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	272-327	B overlap 93%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	342-397	B overlap 93%	Staphylococcus aureus
UP_6d760fbcf9f250b9d80b6377	214-269	B overlap 93%	Staphylococcus argenteus
UP_6d765dcd23be695e8386b589	272-327	B overlap 93%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	272-327	B overlap 93%	Staphylococcus aureus
UP_6dc6cc8e9acff01b2bc3cf5c	214-269	B overlap 93%	Staphylococcus argenteus
UP_6dde12d1b214335f1b98b297	272-327	B overlap 93%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_515

56 aa | 98.21% best ungapped identity | 1 substitutions | part 9/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_6eb5ab0c8436b449ad83a5f5	272-327	B overlap 93%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	284-339	B overlap 93%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	272-327	B overlap 93%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	272-327	B overlap 93%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	330-385	B overlap 93%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	272-327	B overlap 93%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	330-385	B overlap 93%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	211-266	B overlap 93%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	214-269	B overlap 93%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	272-327	B overlap 93%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	272-327	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	446-501	B overlap 93%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	272-327	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	284-339	B overlap 93%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	214-269	B overlap 93%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	214-269	B overlap 93%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 10/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYELHLPNLTEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

|||||. |||||

Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_7e1d634bed16b84ddf354b21	214-269	B overlap 93%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	272-327	B overlap 93%	Staphylococcus aureus
UP_7f705628d3208506515b3404	272-327	B overlap 93%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	214-269	B overlap 93%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	272-327	B overlap 93%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	272-327	B overlap 93%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	214-269	B overlap 93%	Staphylococcus aureus
UP_86d09985303304149d93296c	162-217	B overlap 93%	Staphylococcus aureus
UP_87c984f47195a756918038f8	214-269	B overlap 93%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	220-275	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	272-327	B overlap 93%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	214-269	B overlap 93%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	214-269	B overlap 93%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	156-211	B overlap 93%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	214-269	B overlap 93%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	214-269	B overlap 93%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_515

56 aa | 98.21% best ungapped identity | 1 substitutions | part 11/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 |||||.||
 Parent NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_8ec48e90fd6193201e736c4a	272-327	B overlap 93%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	211-266	B overlap 93%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	330-385	B overlap 93%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	214-269	B overlap 93%	Staphylococcus aureus
UP_91eb16918889951219e50a73	272-327	B overlap 93%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	272-327	B overlap 93%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	330-385	B overlap 93%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	272-327	B overlap 93%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	272-327	B overlap 93%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	272-327	B overlap 93%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	272-327	B overlap 93%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	272-327	B overlap 93%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	272-327	B overlap 93%	Staphylococcus aureus
UP_95e30e740b9bec939fb36b82	220-275	B overlap 93%	Staphylococcus aureus
UP_971043b6271e59644756c924	214-269	B overlap 93%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	272-327	B overlap 93%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_515

56 aa | 98.21% best ungapped identity | 1 substitutions | part 12/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYIILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_9819abf61294ca7e009f396c	272-327	B overlap 93%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	214-269	B overlap 93%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	272-327	B overlap 93%	Staphylococcus aureus
UP_9d6ccee6db34ab44b810682d	214-269	B overlap 93%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	214-269	B overlap 93%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	272-327	B overlap 93%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	330-385	B overlap 93%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	214-269	B overlap 93%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	272-327	B overlap 93%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	272-327	B overlap 93%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	214-269	B overlap 93%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	272-327	B overlap 93%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	272-327	B overlap 93%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	214-269	B overlap 93%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	284-339	B overlap 93%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	214-269	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_515

56 aa | 98.21% best ungapped identity | 1 substitutions | part 13/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_a67d8ed9efe67a0be3b461af	159-214	B overlap 93%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	214-269	B overlap 93%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	161-216	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	272-327	B overlap 93%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	156-211	B overlap 93%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	214-269	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	284-339	B overlap 93%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	214-269	B overlap 93%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	214-269	B overlap 93%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	272-327	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	330-385	B overlap 93%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	272-327	B overlap 93%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	214-269	B overlap 93%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	272-327	B overlap 93%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	214-269	B overlap 93%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	272-327	B overlap 93%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_515

56 aa | 98.21% best ungapped identity | 1 substitutions | part 14/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_aef0cd1f96e996ad96a2b979	272-327	B overlap 93%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	284-339	B overlap 93%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	214-269	B overlap 93%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	167-222	B overlap 93%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	272-327	B overlap 93%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	272-327	B overlap 93%	Staphylococcus aureus
UP_b1ccbcb665058d4e6104b0dc	214-269	B overlap 93%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	156-211	B overlap 93%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	272-327	B overlap 93%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	272-327	B overlap 93%	Staphylococcus aureus
UP_b448388f79d88503154c8958	272-327	B overlap 93%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	272-327	B overlap 93%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	272-327	B overlap 93%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	214-269	B overlap 93%	Staphylococcus aureus
UP_b89432f6e7437c0651852af5	153-208	B overlap 93%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	272-327	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_515

56 aa | 98.21% best ungapped identity | 1 substitutions | part 15/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYELHLPNLTEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

|||||. |||||

Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_bb1a05adfa3439ea88c6734c	342-397	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	272-327	B overlap 93%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	272-327	B overlap 93%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	231-286	B overlap 93%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	272-327	B overlap 93%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	272-327	B overlap 93%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	272-327	B overlap 93%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	272-327	B overlap 93%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	272-327	B overlap 93%	Staphylococcus aureus
UP_c360b4eef28e7ac3a6add6d9	68-123	B overlap 93%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	272-327	B overlap 93%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	214-269	B overlap 93%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	226-281	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	272-327	B overlap 93%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	214-269	B overlap 93%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	214-269	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_515

56 aa | 98.21% best ungapped identity | 1 substitutions | part 16/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_cc018e0aa888e81d3674855c	248-303	B overlap 93%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	272-327	B overlap 93%	Staphylococcus aureus
UP_cda3c6f0d10df8be6dc4ff46	214-269	B overlap 93%	Staphylococcus argenteus
UP_ce48648d81e147b208ae7f35	272-327	B overlap 93%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	272-327	B overlap 93%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	214-269	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	345-400	B overlap 93%	Staphylococcus aureus
UP_d2f4d68676a2244ecc95da63	101-156	B overlap 93%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	214-269	B overlap 93%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	214-269	B overlap 93%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	272-327	B overlap 93%	Staphylococcus aureus
UP_d42f3bf1007f1620dba29aac	214-269	B overlap 93%	Staphylococcus argenteus
UP_d446b7e01a0f059e086dcfed	272-327	B overlap 93%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d5b345437142d9cf807db25d	214-269	B overlap 93%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	214-269	B overlap 93%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	272-327	B overlap 93%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	330-385	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_515

56 aa | 98.21% best ungapped identity | 1 substitutions | part 17/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_de03166de512b68a9e6934b6	330-385	B overlap 93%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	272-327	B overlap 93%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	272-327	B overlap 93%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	214-269	B overlap 93%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	272-327	B overlap 93%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	214-269	B overlap 93%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	272-327	B overlap 93%	Staphylococcus aureus
UP_e09b710f80dfd0bf7aa57a91	161-216	B overlap 93%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	214-269	B overlap 93%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	272-327	B overlap 93%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	75-130	B overlap 93%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	284-339	B overlap 93%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	214-269	B overlap 93%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	272-327	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	284-339	B overlap 93%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	220-275	B overlap 93%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_515

56 aa | 98.21% best ungapped identity | 1 substitutions | part 18/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_e572e0aad33c5ed8c26e312c	272-327	B overlap 93%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	272-327	B overlap 93%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	214-269	B overlap 93%	Staphylococcus aureus
UP_e6d99cc66a27067b7ac482cc	214-269	B overlap 93%	Staphylococcus argenteus
UP_e80088e3013d805979b62cf8	272-327	B overlap 93%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	272-327	B overlap 93%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	214-269	B overlap 93%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	272-327	B overlap 93%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	272-327	B overlap 93%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	214-269	B overlap 93%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	156-211	B overlap 93%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	272-327	B overlap 93%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	214-269	B overlap 93%	Staphylococcus aureus
UP_f1c8a677456a5de29a99e38e	272-327	B overlap 93%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	272-327	B overlap 93%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	272-327	B overlap 93%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_515

56 aa | 98.21% best ungapped identity | 1 substitutions | part 19/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_f57ed69187f17aafd0cb1f95	284-339	B overlap 93%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	101-156	B overlap 93%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	214-269	B overlap 93%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	226-281	B overlap 93%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	272-327	B overlap 93%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	272-327	B overlap 93%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	330-385	B overlap 93%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	226-281	B overlap 93%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_543

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 94. Ungapped best parents: 94. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQTPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQAPK

All equally best ungapped sites on this page

UP_019dd2dfa9fcd76a3ad06286	54-103	B overlap 92%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	43-92	B overlap 92%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	43-92	B overlap 92%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	43-92	B overlap 92%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	54-103	B overlap 92%	Staphylococcus aureus
UP_0558a58a6056e4177ee8a734	43-92	B overlap 92%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	43-92	B overlap 92%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	43-92	B overlap 92%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	43-92	B overlap 92%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	43-92	B overlap 92%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	43-92	B overlap 92%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	43-92	B overlap 92%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	43-92	B overlap 92%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	43-92	B overlap 92%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	43-92	B overlap 92%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	43-92	B overlap 92%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	55-104	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_543

50 aa | 98.00% best ungapped identity | 1 substitutions | part 2/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 94. Ungapped best parents: 94. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQTPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQAPK

All equally best ungapped sites on this page

UP_24b2d55e0b8b4fd61b242c12	43-92	B overlap 92%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	43-92	B overlap 92%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	43-92	B overlap 92%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	43-92	B overlap 92%	Staphylococcus aureus
UP_2bd9d8f9a1f5bb1a2e03e456	43-92	B overlap 92%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	43-92	B overlap 92%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	43-92	B overlap 92%	Staphylococcus aureus
UP_34e7dec5146720f3668dfdf6	43-92	B overlap 92%	Staphylococcus schweitzeri
UP_37e60ca6c449c9241b51223d	43-92	B overlap 92%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	43-92	B overlap 92%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	43-92	B overlap 92%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	43-92	B overlap 92%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	55-104	B overlap 92%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	43-92	B overlap 92%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	43-92	B overlap 92%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	43-92	B overlap 92%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_543

50 aa | 98.00% best ungapped identity | 1 substitutions | part 3/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 94. Ungapped best parents: 94. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQTPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQAPK

All equally best ungapped sites on this page

UP_493fc1e6cf2d8753094287af	43-92	B overlap 92%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	43-92	B overlap 92%	Staphylococcus aureus
UP_51c0096cd463a4b89359dc12	54-103	B overlap 92%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	43-92	B overlap 92%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	43-92	B overlap 92%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	43-92	B overlap 92%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	43-92	B overlap 92%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	43-92	B overlap 92%	Staphylococcus aureus
UP_654970f68b48978377243697	43-92	B overlap 92%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	43-92	B overlap 92%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	43-92	B overlap 92%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	43-92	B overlap 92%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	43-92	B overlap 92%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	43-92	B overlap 92%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	43-92	B overlap 92%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	43-92	B overlap 92%	Staphylococcus schweitzeri
UP_78d0100d0949dc0f0cb18a07	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_543

50 aa | 98.00% best ungapped identity | 1 substitutions | part 4/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 94. Ungapped best parents: 94. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQTPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQAPK

All equally best ungapped sites on this page

UP_7c356e4bb818e50881bc623e	43-92	B overlap 92%	Staphylococcus aureus
UP_7e101fe0a0c932eb329824da	43-92	B overlap 92%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	43-92	B overlap 92%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	43-92	B overlap 92%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	43-92	B overlap 92%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	43-92	B overlap 92%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	43-92	B overlap 92%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	43-92	B overlap 92%	Staphylococcus aureus
UP_9d39a6668a25b34b2d8a3444	54-103	B overlap 92%	Staphylococcus aureus
UP_9d6ccee6db34ab44b810682d	43-92	B overlap 92%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	43-92	B overlap 92%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	43-92	B overlap 92%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	43-92	B overlap 92%	Staphylococcus aureus
UP_b30e7e945ecd9f7156ff4b4	43-92	B overlap 92%	Staphylococcus aureus
UP_ba9164430963a14567ce2a70	55-104	B overlap 92%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	43-92	B overlap 92%	Staphylococcus aureus
UP_bde2fa9c31fb8faa98d74869	54-103	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_543

50 aa | 98.00% best ungapped identity | 1 substitutions | part 5/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 94. Ungapped best parents: 94. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSTPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSTQPK

All equally best ungapped sites on this page

UP_be1cc533e7614313bdd04120	43-92	B overlap 92%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	43-92	B overlap 92%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	43-92	B overlap 92%	Staphylococcus aureus
UP_c111755f4dc3716c70d4a25d	54-103	B overlap 92%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	43-92	B overlap 92%	Staphylococcus aureus
UP_c45cb0f00466c9f2a59ce3df	43-92	B overlap 92%	Staphylococcus aureus
UP_c8395fe6773de5d93253fdb2	28-77	B overlap 92%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	43-92	B overlap 92%	Staphylococcus aureus
UP_cc018e0aa888e81d3674855c	43-92	B overlap 92%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	43-92	B overlap 92%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	43-92	B overlap 92%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	43-92	B overlap 92%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d7a61917e251e0f799ce2cd3	43-92	B overlap 92%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	43-92	B overlap 92%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	43-92	B overlap 92%	Staphylococcus aureus
UP_e209bb92e764aa1d81ca9fbc	43-92	B overlap 92%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	49-98	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_543

50 aa | 98.00% best ungapped identity | 1 substitutions | part 6/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 94. Ungapped best parents: 94. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQTPK
|||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQAPK

All equally best ungapped sites on this page

UP_e6cd4f97cbff47488f070d32	43-92	B overlap 92%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	43-92	B overlap 92%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	43-92	B overlap 92%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	43-92	B overlap 92%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	43-92	B overlap 92%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	43-92	B overlap 92%	Staphylococcus aureus
UP_f128cef13388885c81d316f6	54-103	B overlap 92%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	55-104	B overlap 92%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	55-104	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_544

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 92. Ungapped best parents: 92. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQTPK
 |||
Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQAPK

All equally best ungapped sites on this page

UP_019dd2dfa9fcd76a3ad06286	48-103	B overlap 93%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	37-92	B overlap 93%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	37-92	B overlap 93%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	37-92	B overlap 93%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	48-103	B overlap 93%	Staphylococcus aureus
UP_0558a58a6056e4177ee8a734	37-92	B overlap 93%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	37-92	B overlap 93%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	37-92	B overlap 93%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	37-92	B overlap 93%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	37-92	B overlap 93%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	37-92	B overlap 93%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	37-92	B overlap 93%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	37-92	B overlap 93%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	37-92	B overlap 93%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	37-92	B overlap 93%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	49-104	B overlap 93%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_544

56 aa | 98.21% best ungapped identity | 1 substitutions | part 2/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 92. Ungapped best parents: 92. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNSQTPK
|||||
Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNSQAPK

All equally best ungapped sites on this page

UP_25a25a50af6d82d022c1bc30	37-92	B overlap 93%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	37-92	B overlap 93%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	37-92	B overlap 93%	Staphylococcus aureus
UP_2bd9d8f9a1f5bb1a2e03e456	37-92	B overlap 93%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcbf72d	37-92	B overlap 93%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	37-92	B overlap 93%	Staphylococcus aureus
UP_34e7dec5146720f3668dfdf6	37-92	B overlap 93%	Staphylococcus schweitzeri
UP_37e60ca6c449c9241b51223d	37-92	B overlap 93%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	37-92	B overlap 93%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	37-92	B overlap 93%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	49-104	B overlap 93%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	37-92	B overlap 93%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	37-92	B overlap 93%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	37-92	B overlap 93%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	37-92	B overlap 93%	Staphylococcus aureus
UP_493fc1e6cf2d8753094287af	37-92	B overlap 93%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_544

56 aa | 98.21% best ungapped identity | 1 substitutions | part 3/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 92. Ungapped best parents: 92. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQTPK
|||||
Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSQAPK

All equally best ungapped sites on this page

UP_51c0096cd463a4b89359dc12	48-103	B overlap 93%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	37-92	B overlap 93%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	37-92	B overlap 93%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	37-92	B overlap 93%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	37-92	B overlap 93%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	37-92	B overlap 93%	Staphylococcus aureus
UP_654970f68b48978377243697	37-92	B overlap 93%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	37-92	B overlap 93%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	37-92	B overlap 93%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	37-92	B overlap 93%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	37-92	B overlap 93%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	37-92	B overlap 93%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	37-92	B overlap 93%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	37-92	B overlap 93%	Staphylococcus schweitzeri
UP_78d0100d0949dc0f0cb18a07	37-92	B overlap 93%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	37-92	B overlap 93%	Staphylococcus aureus
UP_7e101fe0a0c932eb329824da	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_544

56 aa | 98.21% best ungapped identity | 1 substitutions | part 4/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 92. Ungapped best parents: 92. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSTPK
 |||
Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSTQAPK

All equally best ungapped sites on this page

UP_7f4311fb31c09bcc2207ac80	37-92	B overlap 93%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	37-92	B overlap 93%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	37-92	B overlap 93%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	37-92	B overlap 93%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	37-92	B overlap 93%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	37-92	B overlap 93%	Staphylococcus aureus
UP_9d39a6668a25b34b2d8a3444	48-103	B overlap 93%	Staphylococcus aureus
UP_9d6ccee6db34ab44b810682d	37-92	B overlap 93%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	37-92	B overlap 93%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	37-92	B overlap 93%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	37-92	B overlap 93%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	37-92	B overlap 93%	Staphylococcus aureus
UP_ba9164430963a14567ce2a70	49-104	B overlap 93%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	37-92	B overlap 93%	Staphylococcus aureus
UP_bde2fa9c31fb8faa98d74869	48-103	B overlap 93%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	37-92	B overlap 93%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_544

56 aa | 98.21% best ungapped identity | 1 substitutions | part 5/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 92. Ungapped best parents: 92. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSTPK
|||||
Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSPAK

All equally best ungapped sites on this page

UP_be959ce6ef2dd96b1e1c54e2	37-92	B overlap 93%	Staphylococcus aureus
UP_c111755f4dc3716c70d4a25d	48-103	B overlap 93%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	37-92	B overlap 93%	Staphylococcus aureus
UP_c45cb0f00466c9f2a59ce3df	37-92	B overlap 93%	Staphylococcus aureus
UP_c8395fe6773de5d93253fdb2	22-77	B overlap 93%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	37-92	B overlap 93%	Staphylococcus aureus
UP_cc018e0aa888e81d3674855c	37-92	B overlap 93%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	37-92	B overlap 93%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	37-92	B overlap 93%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	37-92	B overlap 93%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d7a61917e251e0f799ce2cd3	37-92	B overlap 93%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	37-92	B overlap 93%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	37-92	B overlap 93%	Staphylococcus aureus
UP_e209bb92e764aa1d81ca9fbc	37-92	B overlap 93%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	43-98	B overlap 93%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	37-92	B overlap 93%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_544

56 aa | 98.21% best ungapped identity | 1 substitutions | part 6/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 92. Ungapped best parents: 92. Inclusive-database exact parents excluded from main set: 0.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSTPK
|||||
Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNDSPAK

All equally best ungapped sites on this page

UP_e98c9e5a5c44c596ea9c499e	37-92	B overlap 93%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	37-92	B overlap 93%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	37-92	B overlap 93%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	37-92	B overlap 93%	Staphylococcus aureus
UP_f128cef13388885c81d316f6	48-103	B overlap 93%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	49-104	B overlap 93%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	49-104	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_547

58 aa | 98.28% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 8. Ungapped best parents: 8. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYELNISNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent ADNNFNKEQQNAFYELNMSNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_0116d58ecf7de0d927e8f882	154-211	B overlap 91%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	212-269	B overlap 91%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	154-211	B overlap 91%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	154-211	B overlap 91%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	154-211	B overlap 91%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	41-98	B overlap 91%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	43-100	B overlap 91%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	43-100	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 8. Ungapped best parents: 8. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNISLNNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

|||||||, ||||||||||||||||||

Parent QQNAFYEILNMSNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_0116d58ecf7de0d927e8f882	162-211	B overlap 92%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	220-269	B overlap 92%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	162-211	B overlap 92%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	162-211	B overlap 92%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	162-211	B overlap 92%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	49-98	B overlap 92%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	51-100	B overlap 92%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	51-100	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_549

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 8. Ungapped best parents: 8. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYEILNISLNNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent NNFNKEQQNAFYEILNMSNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_0116d58ecf7de0d927e8f882	156-211	B overlap 93%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	214-269	B overlap 93%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	156-211	B overlap 93%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	156-211	B overlap 93%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	156-211	B overlap 93%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	43-98	B overlap 93%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	45-100	B overlap 93%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	45-100	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

45 aa | 88.89% best ungapped identity | 5 substitutions | part 1/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 322. Ungapped best parents: 321. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSITFKFL

|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	270-314	B overlap 98%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	270-314	B overlap 98%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	270-314	B overlap 98%	Staphylococcus aureus
UP_019dd2dfa9fcd76a3ad06286	165-209	B overlap 98%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	270-314	B overlap 98%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	212-256	B overlap 98%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	212-256	B overlap 98%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	270-314	B overlap 98%	Staphylococcus aureus
UP_04faae54d75da101458d937d	270-314	B overlap 98%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	165-209	B overlap 98%	Staphylococcus aureus
UP_0558a58a6056e4177ee8a734	154-198	B overlap 98%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	212-256	B overlap 98%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	270-314	B overlap 98%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	282-326	B overlap 98%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	212-256	B overlap 98%	Staphylococcus aureus
UP_080bdc344b3e8de041e14a8b	212-256	B overlap 98%	Staphylococcus argenteus
UP_089401edee5041f7fee8922d	270-314	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

45 aa | 88.89% best ungapped identity | 5 substitutions | part 2/20

Gap-aware minimum edit distance: 5; tied parents: 322. Ungapped best parents: 321. Inclusive-database exact parents excluded from main set: 0.

|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

UP_0b47ec347104dea3cf401212	270-314	B overlap 98%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	270-314	B overlap 98%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	270-314	B overlap 98%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	270-314	B overlap 98%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	270-314	B overlap 98%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	270-314	B overlap 98%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	328-372	B overlap 98%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	282-326	B overlap 98%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	270-314	B overlap 98%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	270-314	B overlap 98%	Staphylococcus aureus
UP_15b865d3666d14f4c1598c14	93-137	B overlap 98%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	270-314	B overlap 98%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	270-314	B overlap 98%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	270-314	B overlap 98%	Staphylococcus aureus
UP_172ccb9efefc37e19236363	270-314	B overlap 98%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	270-314	B overlap 98%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	212-256	B overlap 98%	Staphylococcus aureus

Database-supported natural full length; sequence identity is not experimental binding validation.

45 aa | 88.89% best ungapped identity | 5 substitutions | part 3/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 322. Ungapped best parents: 321. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSITFKFL

|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_1af3f428c2406cefee44c2eb	270-314	B overlap 98%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	151-195	B overlap 98%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	209-253	B overlap 98%	Staphylococcus aureus
UP_1be437babca28a4ae74283a17	212-256	B overlap 98%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	212-256	B overlap 98%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	270-314	B overlap 98%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	328-372	B overlap 98%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	270-314	B overlap 98%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	212-256	B overlap 98%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	282-326	B overlap 98%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	270-314	B overlap 98%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	270-314	B overlap 98%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	270-314	B overlap 98%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	270-314	B overlap 98%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	270-314	B overlap 98%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	270-314	B overlap 98%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	270-314	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_554

45 aa | 88.89% best ungapped identity | 5 substitutions | part 4/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 322. Ungapped best parents: 321. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSITFKFL

|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_2ac045a2322e0b0e1176152a	212-256	B overlap 98%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	270-314	B overlap 98%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	502-546	B overlap 98%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	328-372	B overlap 98%	Staphylococcus aureus
UP_2bd9d8f9a1f5bb1a2e03e456	212-256	B overlap 98%	Staphylococcus aureus
UP_2def648691a179d8337edb84	166-210	B overlap 98%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	212-256	B overlap 98%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	270-314	B overlap 98%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	212-256	B overlap 98%	Staphylococcus aureus
UP_324c49ab20a20eee8d7b5738	212-256	B overlap 98%	Staphylococcus argenteus
UP_332e727aed2e33d630729c9d	270-314	B overlap 98%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	212-256	B overlap 98%	Staphylococcus aureus
UP_369376855189ded07861b56b	212-256	B overlap 98%	Staphylococcus aureus
UP_37e60ca6c449c9241b51223d	270-314	B overlap 98%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	270-314	B overlap 98%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	328-372	B overlap 98%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	270-314	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

45 aa | 88.89% best ungapped identity | 5 substitutions | part 5/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 322. Ungapped best parents: 321. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSITFKFL

|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_3a6796c5a9d5c6e6a7f4b190	328-372	B overlap 98%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	212-256	B overlap 98%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	270-314	B overlap 98%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	270-314	B overlap 98%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	270-314	B overlap 98%	Staphylococcus aureus
UP_3d571252244f795c04507670	270-314	B overlap 98%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	212-256	B overlap 98%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	224-268	B overlap 98%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	66-110	B overlap 98%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	212-256	B overlap 98%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	270-314	B overlap 98%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	270-314	B overlap 98%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	270-314	B overlap 98%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	270-314	B overlap 98%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	270-314	B overlap 98%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	328-372	B overlap 98%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	270-314	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

45 aa | 88.89% best ungapped identity | 5 substitutions | part 6/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 322. Ungapped best parents: 321. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSITFKFL

|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_45e4aaf3fb1330efcbb2d949	212-256	B overlap 98%	Staphylococcus aureus
UP_4667ae039c0ce4ff6d65fa16	93-137	B overlap 98%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	212-256	B overlap 98%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	282-326	B overlap 98%	Staphylococcus aureus
UP_483345435ebd382942892e04	151-195	B overlap 98%	Staphylococcus argenteus
UP_493fc1e6cf2d8753094287af	212-256	B overlap 98%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	154-198	B overlap 98%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	270-314	B overlap 98%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	270-314	B overlap 98%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	444-488	B overlap 98%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	212-256	B overlap 98%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	212-256	B overlap 98%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	212-256	B overlap 98%	Staphylococcus aureus
UP_4f7ac95290874e78b8d9f0ed	93-137	B overlap 98%	Staphylococcus aureus
UP_51c0096cd463a4b89359dc12	339-383	B overlap 98%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	270-314	B overlap 98%	Staphylococcus aureus
UP_53bda1e019bb633499b4959	270-314	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

45 aa | 88.89% best ungapped identity | 5 substitutions | part 7/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 322. Ungapped best parents: 321. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSITFKFL

|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_5797f74530edb6dca240d934	212-256	B overlap 98%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	270-314	B overlap 98%	Staphylococcus aureus
UP_5afea06ab560a525e381f6c8	212-256	B overlap 98%	Staphylococcus argenteus
UP_5bbec0493fad67c07e5cf02b	270-314	B overlap 98%	Staphylococcus aureus
UP_5c006dddff8fa9ce5cac1b28	270-314	B overlap 98%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	282-326	B overlap 98%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	212-256	B overlap 98%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	212-256	B overlap 98%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	270-314	B overlap 98%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	270-314	B overlap 98%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	328-372	B overlap 98%	Staphylococcus aureus
UP_60b825dd9a4e560b2cee9750	270-314	B overlap 98%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	270-314	B overlap 98%	Staphylococcus aureus
UP_6193b3607b8eab64acbf79f	151-195	B overlap 98%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	340-384	B overlap 98%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	212-256	B overlap 98%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	270-314	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

45 aa | 88.89% best ungapped identity | 5 substitutions | part 8/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 322. Ungapped best parents: 321. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSITFKFL

|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_62f5b155ce6d81fb279b50da	270-314	B overlap 98%	Staphylococcus aureus
UP_63bbd7d1ac5832fffe8cbd7f	209-253	B overlap 98%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	212-256	B overlap 98%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	270-314	B overlap 98%	Staphylococcus aureus
UP_654970f68b48978377243697	270-314	B overlap 98%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	212-256	B overlap 98%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	212-256	B overlap 98%	Staphylococcus aureus
UP_67b157c032f302cca570b203	340-384	B overlap 98%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	270-314	B overlap 98%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	270-314	B overlap 98%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	270-314	B overlap 98%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	270-314	B overlap 98%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	270-314	B overlap 98%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	270-314	B overlap 98%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	340-384	B overlap 98%	Staphylococcus aureus
UP_6d760fbcf9f250b9d80b6377	212-256	B overlap 98%	Staphylococcus argenteus
UP_6d765dcd23be695e8386b589	270-314	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

45 aa | 88.89% best ungapped identity | 5 substitutions | part 9/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 322. Ungapped best parents: 321. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSITFKFL

|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_6da8fc4aa58d4301cb08006e	270-314	B overlap 98%	<i>Staphylococcus aureus</i>
UP_6dc6cc8e9acff01b2bc3cf5c	212-256	B overlap 98%	<i>Staphylococcus argenteus</i>
UP_6dde12d1b214335f1b98b297	270-314	B overlap 98%	<i>Staphylococcus aureus</i>
UP_6e049e4ca0302272d62248f6	212-256	B overlap 98%	<i>Staphylococcus aureus</i>
UP_6e049e4ca0302272d62248f6	270-314	B overlap 98%	<i>Staphylococcus aureus</i>
UP_6eb5ab0c8436b449ad83a5f5	270-314	B overlap 98%	<i>Staphylococcus aureus</i>
UP_728122342f84c9b8787f4a69	282-326	B overlap 98%	<i>Staphylococcus aureus</i>
UP_72dd9fa28dab2363ac98467e	270-314	B overlap 98%	<i>Staphylococcus aureus</i>
UP_74703a26fe5c31c3ed92f291	270-314	B overlap 98%	<i>Staphylococcus aureus</i>
UP_74703a26fe5c31c3ed92f291	328-372	B overlap 98%	<i>Staphylococcus aureus</i>
UP_74b2aa306fe651ea390af003	270-314	B overlap 98%	<i>Staphylococcus aureus</i>
UP_74fe9ca5325f9fb09bb22cc3	328-372	B overlap 98%	<i>Staphylococcus aureus</i>
UP_765723fc1968b55d97f0d898	209-253	B overlap 98%	<i>Staphylococcus aureus</i>
UP_7795fca204a5e78852cf520f	212-256	B overlap 98%	<i>Staphylococcus aureus</i>
UP_78d0100d0949dc0f0cb18a07	270-314	B overlap 98%	<i>Staphylococcus aureus</i>
UP_78df64048dd12a47ebc935ef	270-314	B overlap 98%	<i>Staphylococcus aureus</i>
UP_7927bfde9a5a8cb5117de33e	444-488	B overlap 98%	<i>Staphylococcus aureus</i>

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_554

45 aa | 88.89% best ungapped identity | 5 substitutions | part 10/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 322. Ungapped best parents: 321. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSITFKFL

|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_79d5a456d06c11f134b82a70	270-314	B overlap 98%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	282-326	B overlap 98%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	212-256	B overlap 98%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	212-256	B overlap 98%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	212-256	B overlap 98%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	212-256	B overlap 98%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	270-314	B overlap 98%	Staphylococcus aureus
UP_7f705628d3208506515b3404	270-314	B overlap 98%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	212-256	B overlap 98%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	270-314	B overlap 98%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	270-314	B overlap 98%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	212-256	B overlap 98%	Staphylococcus aureus
UP_86d09985303304149d93296c	160-204	B overlap 98%	Staphylococcus aureus
UP_87c984f47195a756918038f8	212-256	B overlap 98%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	218-262	B overlap 98%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	270-314	B overlap 98%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	212-256	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

45 aa | 88.89% best ungapped identity | 5 substitutions | part 11/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 322. Ungapped best parents: 321. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSITFKFL

|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_88f858d06848fb1195a19f07	212-256	B overlap 98%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	154-198	B overlap 98%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	212-256	B overlap 98%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	154-198	B overlap 98%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	212-256	B overlap 98%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	270-314	B overlap 98%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	270-314	B overlap 98%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	209-253	B overlap 98%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	328-372	B overlap 98%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	212-256	B overlap 98%	Staphylococcus aureus
UP_91eb16918889951219e50a73	270-314	B overlap 98%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	270-314	B overlap 98%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	328-372	B overlap 98%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	270-314	B overlap 98%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	212-256	B overlap 98%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	270-314	B overlap 98%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	270-314	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

45 aa | 88.89% best ungapped identity | 5 substitutions | part 12/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 322. Ungapped best parents: 321. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSITFKFL

|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_94696029669c440ee3f1e3bb	270-314	B overlap 98%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	270-314	B overlap 98%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	270-314	B overlap 98%	Staphylococcus aureus
UP_95e30e740b9bec939fb36b82	218-262	B overlap 98%	Staphylococcus aureus
UP_971043b6271e59644756c924	212-256	B overlap 98%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	270-314	B overlap 98%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	212-256	B overlap 98%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	270-314	B overlap 98%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	270-314	B overlap 98%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	212-256	B overlap 98%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	270-314	B overlap 98%	Staphylococcus aureus
UP_9d39a6668a25b34b2d8a3444	281-325	B overlap 98%	Staphylococcus aureus
UP_9d6ccee6db34ab44b810682d	212-256	B overlap 98%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	212-256	B overlap 98%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	270-314	B overlap 98%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	328-372	B overlap 98%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	212-256	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

45 aa | 88.89% best ungapped identity | 5 substitutions | part 13/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 322. Ungapped best parents: 321. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSITFKFL

|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_a1c16686cb18780db1e61843	270-314	B overlap 98%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	270-314	B overlap 98%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	212-256	B overlap 98%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	270-314	B overlap 98%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	270-314	B overlap 98%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	212-256	B overlap 98%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	282-326	B overlap 98%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	212-256	B overlap 98%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	270-314	B overlap 98%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	157-201	B overlap 98%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	212-256	B overlap 98%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	159-203	B overlap 98%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	270-314	B overlap 98%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	154-198	B overlap 98%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	212-256	B overlap 98%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	282-326	B overlap 98%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	212-256	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

45 aa | 88.89% best ungapped identity | 5 substitutions | part 14/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 322. Ungapped best parents: 321. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSITFKFL

|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_ad211ea43b6f24a390f72420	212-256	B overlap 98%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	270-314	B overlap 98%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	328-372	B overlap 98%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	270-314	B overlap 98%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	212-256	B overlap 98%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	270-314	B overlap 98%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	212-256	B overlap 98%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	270-314	B overlap 98%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	270-314	B overlap 98%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	270-314	B overlap 98%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	282-326	B overlap 98%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	212-256	B overlap 98%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	165-209	B overlap 98%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	270-314	B overlap 98%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	270-314	B overlap 98%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	212-256	B overlap 98%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	154-198	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

45 aa | 88.89% best ungapped identity | 5 substitutions | part 15/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 322. Ungapped best parents: 321. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSITFKFL

|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_b2ccff34639295d64dc25841	270-314	B overlap 98%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	270-314	B overlap 98%	Staphylococcus aureus
UP_b448388f79d88503154c8958	270-314	B overlap 98%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	270-314	B overlap 98%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	270-314	B overlap 98%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	212-256	B overlap 98%	Staphylococcus aureus
UP_b89432f6e7437c0651852af5	151-195	B overlap 98%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	270-314	B overlap 98%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	270-314	B overlap 98%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	340-384	B overlap 98%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	270-314	B overlap 98%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	270-314	B overlap 98%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	229-273	B overlap 98%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	270-314	B overlap 98%	Staphylococcus aureus
UP_bde2fa9c31fb8faa98d74869	281-325	B overlap 98%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	270-314	B overlap 98%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	270-314	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_554

45 aa | 88.89% best ungapped identity | 5 substitutions | part 16/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 322. Ungapped best parents: 321. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSITFKFL

|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_be959ce6ef2dd96b1e1c54e2	270-314	B overlap 98%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	270-314	B overlap 98%	Staphylococcus aureus
UP_c360b4eef28e7ac3a6add6d9	66-110	B overlap 98%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	270-314	B overlap 98%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	212-256	B overlap 98%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	224-268	B overlap 98%	Staphylococcus aureus
UP_c6e58db97616169658087da4	270-314	B overlap 98%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	212-256	B overlap 98%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	212-256	B overlap 98%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	270-314	B overlap 98%	Staphylococcus aureus
UP_cc018e0aa888e81d3674855c	246-290	B overlap 98%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	270-314	B overlap 98%	Staphylococcus aureus
UP_cda3c6f0d10df8be6dc4ff46	212-256	B overlap 98%	Staphylococcus argenteus
UP_ce48648d81e147b208ae7f35	270-314	B overlap 98%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	270-314	B overlap 98%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	212-256	B overlap 98%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	343-387	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_554

45 aa | 88.89% best ungapped identity | 5 substitutions | part 17/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 322. Ungapped best parents: 321. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSITFKFL

|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_d223a6816455dd8ee2c4fcaf	212-256	B overlap 98%	Staphylococcus aureus
UP_d2f4d68676a2244ecc95da63	99-143	B overlap 98%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	212-256	B overlap 98%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	212-256	B overlap 98%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	270-314	B overlap 98%	Staphylococcus aureus
UP_d42f3bf1007f1620dba29aac	212-256	B overlap 98%	Staphylococcus argenteus
UP_d446b7e01a0f059e086dcfed	270-314	B overlap 98%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d5b345437142d9cf807db25d	212-256	B overlap 98%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	212-256	B overlap 98%	Staphylococcus aureus
UP_db4dfda598bef7013ceb3dbc	212-256	B overlap 98%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	270-314	B overlap 98%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	328-372	B overlap 98%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	328-372	B overlap 98%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	270-314	B overlap 98%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	270-314	B overlap 98%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	212-256	B overlap 98%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	270-314	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_554

45 aa | 88.89% best ungapped identity | 5 substitutions | part 18/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 322. Ungapped best parents: 321. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSITFKFL

|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_e02f5734acf3c08e6eba4cf0	212-256	B overlap 98%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	270-314	B overlap 98%	Staphylococcus aureus
UP_e09b710f80fd0bf7aa57a91	159-203	B overlap 98%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	212-256	B overlap 98%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	270-314	B overlap 98%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	73-117	B overlap 98%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	282-326	B overlap 98%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	212-256	B overlap 98%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	270-314	B overlap 98%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	282-326	B overlap 98%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	218-262	B overlap 98%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	270-314	B overlap 98%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	270-314	B overlap 98%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abda	270-314	B overlap 98%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	212-256	B overlap 98%	Staphylococcus aureus
UP_e6d99cc66a27067b7ac482cc	212-256	B overlap 98%	Staphylococcus argenteus
UP_e80088e3013d805979b62cf8	270-314	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_554

45 aa | 88.89% best ungapped identity | 5 substitutions | part 19/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 322. Ungapped best parents: 321. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSITFKFL

|||||

Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_e849e99c27614e23057d660d	270-314	B overlap 98%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	212-256	B overlap 98%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	270-314	B overlap 98%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	270-314	B overlap 98%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	212-256	B overlap 98%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	154-198	B overlap 98%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	270-314	B overlap 98%	Staphylococcus aureus
UP_f128cef13388885c81d316f6	165-209	B overlap 98%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	212-256	B overlap 98%	Staphylococcus aureus
UP_f1c8a677456a5de29a99e38e	270-314	B overlap 98%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	270-314	B overlap 98%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	270-314	B overlap 98%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	212-256	B overlap 98%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	282-326	B overlap 98%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	99-143	B overlap 98%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	212-256	B overlap 98%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	224-268	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_554

45 aa | 88.89% best ungapped identity | 5 substitutions | part 20/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 322. Ungapped best parents: 321. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSITFKFL
|||||.....|
Parent ADNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_f9c3a18f34a19fda2d789ca7	270-314	B overlap 98%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	270-314	B overlap 98%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	328-372	B overlap 98%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	224-268	B overlap 98%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	212-256	B overlap 98%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

43 aa | 88.37% best ungapped identity | 5 substitutions | part 1/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 326. Ungapped best parents: 325. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSITFKFL
|||||
Parent NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	272-314	B overlap 100%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	272-314	B overlap 100%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	272-314	B overlap 100%	Staphylococcus aureus
UP_019dd2dfa9fcd76a3ad06286	167-209	B overlap 100%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	272-314	B overlap 100%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	214-256	B overlap 100%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	214-256	B overlap 100%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	272-314	B overlap 100%	Staphylococcus aureus
UP_04faae54d75da101458d937d	272-314	B overlap 100%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	167-209	B overlap 100%	Staphylococcus aureus
UP_0558a58a6056e4177ee8a734	156-198	B overlap 100%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	214-256	B overlap 100%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	272-314	B overlap 100%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	284-326	B overlap 100%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	214-256	B overlap 100%	Staphylococcus aureus
UP_080bdc344b3e8de041e14a8b	214-256	B overlap 100%	Staphylococcus argenteus
UP_089401edee5041f7fee8922d	272-314	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_566

43 aa | 88.37% best ungapped identity | 5 substitutions | part 2/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 326. Ungapped best parents: 325. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSITFKFL
 |||.....|
Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_0b47ec347104dea3cf401212	272-314	B overlap 100%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	272-314	B overlap 100%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	272-314	B overlap 100%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	272-314	B overlap 100%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	272-314	B overlap 100%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	272-314	B overlap 100%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	330-372	B overlap 100%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	284-326	B overlap 100%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	272-314	B overlap 100%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	272-314	B overlap 100%	Staphylococcus aureus
UP_15b865d3666d14f4c1598c14	95-137	B overlap 100%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	272-314	B overlap 100%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	272-314	B overlap 100%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	272-314	B overlap 100%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	272-314	B overlap 100%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	272-314	B overlap 100%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	272-314	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_566

43 aa | 88.37% best ungapped identity | 5 substitutions | part 3/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 326. Ungapped best parents: 325. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSITFKFL
 |||||.....|
Parent NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_1abc7eb87448ff645a5298d6	214-256	B overlap 100%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	272-314	B overlap 100%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	153-195	B overlap 100%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	211-253	B overlap 100%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	214-256	B overlap 100%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	214-256	B overlap 100%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	272-314	B overlap 100%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	330-372	B overlap 100%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	272-314	B overlap 100%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	214-256	B overlap 100%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	284-326	B overlap 100%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	272-314	B overlap 100%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	272-314	B overlap 100%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	272-314	B overlap 100%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	272-314	B overlap 100%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	272-314	B overlap 100%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	272-314	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

43 aa | 88.37% best ungapped identity | 5 substitutions | part 4/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 326. Ungapped best parents: 325. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSITFKFL

|||||

Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_29421b3caa551a61fd92420	272-314	B overlap 100%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	214-256	B overlap 100%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	272-314	B overlap 100%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	504-546	B overlap 100%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	330-372	B overlap 100%	Staphylococcus aureus
UP_2bd9d8f9a1f5bb1a2e03e456	214-256	B overlap 100%	Staphylococcus aureus
UP_2def648691a179d8337edb84	168-210	B overlap 100%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	214-256	B overlap 100%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	272-314	B overlap 100%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	214-256	B overlap 100%	Staphylococcus aureus
UP_324c49ab20a20eee8d7b5738	214-256	B overlap 100%	Staphylococcus argenteus
UP_332e727aed2e33d630729c9d	272-314	B overlap 100%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	214-256	B overlap 100%	Staphylococcus aureus
UP_369376855189ded07861b56b	214-256	B overlap 100%	Staphylococcus aureus
UP_37e60ca6c449c9241b51223d	272-314	B overlap 100%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	272-314	B overlap 100%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	330-372	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

43 aa | 88.37% best ungapped identity | 5 substitutions | part 5/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 326. Ungapped best parents: 325. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSITFKFL
|||||.....|
Parent NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_3a13d753eda513cbd292f995	272-314	B overlap 100%	Staphylococcus aureus
UP_3a42c26503937de9eaf4c2e2	214-256	B overlap 100%	Staphylococcus roterodami
UP_3a6796c5a9d5c6e6a7f4b190	330-372	B overlap 100%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	214-256	B overlap 100%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	272-314	B overlap 100%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	272-314	B overlap 100%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	272-314	B overlap 100%	Staphylococcus aureus
UP_3d571252244f795c04507670	272-314	B overlap 100%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	214-256	B overlap 100%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	226-268	B overlap 100%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	68-110	B overlap 100%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	214-256	B overlap 100%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	272-314	B overlap 100%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	272-314	B overlap 100%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	272-314	B overlap 100%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	272-314	B overlap 100%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	272-314	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

43 aa | 88.37% best ungapped identity | 5 substitutions | part 6/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 326. Ungapped best parents: 325. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSITFKFL
 |||||
 Parent NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_43e1f746e535aaa2728e115e	330-372	B overlap 100%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	272-314	B overlap 100%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	214-256	B overlap 100%	Staphylococcus aureus
UP_4667ae039c0ce4ff6d65fa16	95-137	B overlap 100%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	214-256	B overlap 100%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	284-326	B overlap 100%	Staphylococcus aureus
UP_483345435ebd382942892e04	153-195	B overlap 100%	Staphylococcus argenteus
UP_493fc1e6cf2d8753094287af	214-256	B overlap 100%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	156-198	B overlap 100%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	272-314	B overlap 100%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	272-314	B overlap 100%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	446-488	B overlap 100%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	214-256	B overlap 100%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	214-256	B overlap 100%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	214-256	B overlap 100%	Staphylococcus aureus
UP_4f7ac95290874e78b8d9f0ed	95-137	B overlap 100%	Staphylococcus aureus
UP_51c0096cd463a4b89359dc12	341-383	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

43 aa | 88.37% best ungapped identity | 5 substitutions | part 7/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 326. Ungapped best parents: 325. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSITFKFL
|||||.....|
Parent NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_529b0b3dc076b8643749c136	272-314	B overlap 100%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	272-314	B overlap 100%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	272-314	B overlap 100%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	214-256	B overlap 100%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	272-314	B overlap 100%	Staphylococcus aureus
UP_5afea06ab560a525e381f6c8	214-256	B overlap 100%	Staphylococcus argenteus
UP_5bbec0493fad67c07e5cf02b	272-314	B overlap 100%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	272-314	B overlap 100%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	284-326	B overlap 100%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	214-256	B overlap 100%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	214-256	B overlap 100%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	272-314	B overlap 100%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	272-314	B overlap 100%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	330-372	B overlap 100%	Staphylococcus aureus
UP_60b825dd9a4e560b2cee9750	272-314	B overlap 100%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	272-314	B overlap 100%	Staphylococcus aureus
UP_6193b3607b8eab64acbf79f	153-195	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

43 aa | 88.37% best ungapped identity | 5 substitutions | part 8/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 326. Ungapped best parents: 325. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSITFKFL
|||||
Parent NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_620657321ae23ca343b761c0	342-384	B overlap 100%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	214-256	B overlap 100%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	272-314	B overlap 100%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	272-314	B overlap 100%	Staphylococcus aureus
UP_63bbd7d1ac5832fffe8cbd7f	211-253	B overlap 100%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	214-256	B overlap 100%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	272-314	B overlap 100%	Staphylococcus aureus
UP_654970f68b48978377243697	272-314	B overlap 100%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	214-256	B overlap 100%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	214-256	B overlap 100%	Staphylococcus aureus
UP_67b157c032f302cca570b203	342-384	B overlap 100%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	272-314	B overlap 100%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	272-314	B overlap 100%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	272-314	B overlap 100%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	272-314	B overlap 100%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	272-314	B overlap 100%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	272-314	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

43 aa | 88.37% best ungapped identity | 5 substitutions | part 9/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 326. Ungapped best parents: 325. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSITFKFL

|||||

Parent NKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_6cdfc22a5c49b1baf8e2d57e	342-384	B overlap 100%	Staphylococcus aureus
UP_6d760fbc9f250b9d80b6377	214-256	B overlap 100%	Staphylococcus argenteus
UP_6d765dcd23be695e8386b589	272-314	B overlap 100%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	272-314	B overlap 100%	Staphylococcus aureus
UP_6dc6cc8e9acff01b2b3cf5c	214-256	B overlap 100%	Staphylococcus argenteus
UP_6dde12d1b214335f1b98b297	272-314	B overlap 100%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	214-256	B overlap 100%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	272-314	B overlap 100%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	272-314	B overlap 100%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	284-326	B overlap 100%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	272-314	B overlap 100%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	272-314	B overlap 100%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	330-372	B overlap 100%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	272-314	B overlap 100%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	330-372	B overlap 100%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	211-253	B overlap 100%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	214-256	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_566

43 aa | 88.37% best ungapped identity | 5 substitutions | part 10/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 326. Ungapped best parents: 325. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSITFKFL
 |||||.....|
Parent NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_78d0100d0949dc0f0cb18a07	272-314	B overlap 100%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	272-314	B overlap 100%	Staphylococcus aureus
UP_7927bfe9a5a8cb5117de33e	446-488	B overlap 100%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	272-314	B overlap 100%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	284-326	B overlap 100%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	214-256	B overlap 100%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	214-256	B overlap 100%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	214-256	B overlap 100%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	214-256	B overlap 100%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	272-314	B overlap 100%	Staphylococcus aureus
UP_7f705628d3208506515b3404	272-314	B overlap 100%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	214-256	B overlap 100%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	272-314	B overlap 100%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	272-314	B overlap 100%	Staphylococcus aureus
UP_857b4b53ca1f3ac9d11a0570	214-256	B overlap 100%	Staphylococcus roterodami
UP_85dd3992b51e31c2bfa5968c	214-256	B overlap 100%	Staphylococcus aureus
UP_86d09985303304149d93296c	162-204	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_566

43 aa | 88.37% best ungapped identity | 5 substitutions | part 11/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 326. Ungapped best parents: 325. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSITFKFL
 |||||.....|
Parent NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_87c984f47195a756918038f8	214-256	B overlap 100%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	220-262	B overlap 100%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	272-314	B overlap 100%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	214-256	B overlap 100%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	214-256	B overlap 100%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	156-198	B overlap 100%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	214-256	B overlap 100%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	156-198	B overlap 100%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	214-256	B overlap 100%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	272-314	B overlap 100%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	272-314	B overlap 100%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	211-253	B overlap 100%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	330-372	B overlap 100%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	214-256	B overlap 100%	Staphylococcus aureus
UP_91eb16918889951219e50a73	272-314	B overlap 100%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	272-314	B overlap 100%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	330-372	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_566

43 aa | 88.37% best ungapped identity | 5 substitutions | part 12/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 326. Ungapped best parents: 325. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSITFKFL
 |||||.....|
Parent NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_921b1b7b655508c83e728a17	272-314	B overlap 100%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	214-256	B overlap 100%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	272-314	B overlap 100%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	272-314	B overlap 100%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	272-314	B overlap 100%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	272-314	B overlap 100%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	272-314	B overlap 100%	Staphylococcus aureus
UP_95e30e740b9bec939fb36b82	220-262	B overlap 100%	Staphylococcus aureus
UP_971043b6271e59644756c924	214-256	B overlap 100%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	272-314	B overlap 100%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	214-256	B overlap 100%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	272-314	B overlap 100%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	272-314	B overlap 100%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	214-256	B overlap 100%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	272-314	B overlap 100%	Staphylococcus aureus
UP_9d39a6668a25b34b2d8a3444	283-325	B overlap 100%	Staphylococcus aureus
UP_9d6ccee6db34ab44b810682d	214-256	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

43 aa | 88.37% best ungapped identity | 5 substitutions | part 13/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 326. Ungapped best parents: 325. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSITFKFL
|||||
Parent NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_9e397f6bcd504108ff1d04f	214-256	B overlap 100%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	272-314	B overlap 100%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	330-372	B overlap 100%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	214-256	B overlap 100%	Staphylococcus aureus
UP_alc16686cb18780db1e61843	272-314	B overlap 100%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	272-314	B overlap 100%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	214-256	B overlap 100%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	272-314	B overlap 100%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	272-314	B overlap 100%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	214-256	B overlap 100%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	284-326	B overlap 100%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	214-256	B overlap 100%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	272-314	B overlap 100%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	159-201	B overlap 100%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	214-256	B overlap 100%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	161-203	B overlap 100%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	272-314	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_566

43 aa | 88.37% best ungapped identity | 5 substitutions | part 14/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 326. Ungapped best parents: 325. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSITFKFL
 |||.....|
Parent NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_aa37eea4954713676f5f114e	156-198	B overlap 100%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	214-256	B overlap 100%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	284-326	B overlap 100%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	214-256	B overlap 100%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	214-256	B overlap 100%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	272-314	B overlap 100%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	330-372	B overlap 100%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	272-314	B overlap 100%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	214-256	B overlap 100%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	272-314	B overlap 100%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	214-256	B overlap 100%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	272-314	B overlap 100%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	272-314	B overlap 100%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	272-314	B overlap 100%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	284-326	B overlap 100%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	214-256	B overlap 100%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	167-209	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

43 aa | 88.37% best ungapped identity | 5 substitutions | part 15/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 326. Ungapped best parents: 325. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSITFKFL
|||||.....|
Parent NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_b14ab8cfc271781b66a785ce	272-314	B overlap 100%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	272-314	B overlap 100%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	214-256	B overlap 100%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	156-198	B overlap 100%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	272-314	B overlap 100%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	272-314	B overlap 100%	Staphylococcus aureus
UP_b448388f79d88503154c8958	272-314	B overlap 100%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	272-314	B overlap 100%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	272-314	B overlap 100%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	214-256	B overlap 100%	Staphylococcus aureus
UP_b89432f6e7437c0651852af5	153-195	B overlap 100%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	272-314	B overlap 100%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	272-314	B overlap 100%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	342-384	B overlap 100%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	272-314	B overlap 100%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	272-314	B overlap 100%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	231-273	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_566

43 aa | 88.37% best ungapped identity | 5 substitutions | part 16/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 326. Ungapped best parents: 325. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSITFKFL
 |||||.....|
Parent NKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_bd030184b54efa453dc2fdac	272-314	B overlap 100%	Staphylococcus aureus
UP_bde2fa9c31fb8faa98d74869	283-325	B overlap 100%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	272-314	B overlap 100%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	272-314	B overlap 100%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	272-314	B overlap 100%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	272-314	B overlap 100%	Staphylococcus aureus
UP_c360b4eef28e7ac3a6add6d9	68-110	B overlap 100%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	272-314	B overlap 100%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	214-256	B overlap 100%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	226-268	B overlap 100%	Staphylococcus aureus
UP_c6e58db97616169658087da4	272-314	B overlap 100%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	214-256	B overlap 100%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	214-256	B overlap 100%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	272-314	B overlap 100%	Staphylococcus aureus
UP_cc018e0aa888e81d3674855c	248-290	B overlap 100%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	272-314	B overlap 100%	Staphylococcus aureus
UP_cda3c6f0d10df8be6dc4ff46	214-256	B overlap 100%	Staphylococcus argenteus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

43 aa | 88.37% best ungapped identity | 5 substitutions | part 17/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 326. Ungapped best parents: 325. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSITFKFL
|||||
Parent NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_ce48648d81e147b208ae7f35	272-314	B overlap 100%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	272-314	B overlap 100%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	214-256	B overlap 100%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	345-387	B overlap 100%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcac	214-256	B overlap 100%	Staphylococcus aureus
UP_d2f4d68676a2244ecc95da63	101-143	B overlap 100%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	214-256	B overlap 100%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	214-256	B overlap 100%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	272-314	B overlap 100%	Staphylococcus aureus
UP_d42f3bf1007f1620dba29aac	214-256	B overlap 100%	Staphylococcus argenteus
UP_d446b7e01a0f059e086dcfed	272-314	B overlap 100%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d5b345437142d9cf807db25d	214-256	B overlap 100%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	214-256	B overlap 100%	Staphylococcus aureus
UP_db4dfda598bef7013ceb3dbc	214-256	B overlap 100%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	272-314	B overlap 100%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	330-372	B overlap 100%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	330-372	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

43 aa | 88.37% best ungapped identity | 5 substitutions | part 18/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 326. Ungapped best parents: 325. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSITFKFL
|||||.....|
Parent NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_de6cc150a0421a8de6fda7a7	272-314	B overlap 100%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbab69	272-314	B overlap 100%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	214-256	B overlap 100%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	272-314	B overlap 100%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	214-256	B overlap 100%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	272-314	B overlap 100%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	161-203	B overlap 100%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	214-256	B overlap 100%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	272-314	B overlap 100%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	75-117	B overlap 100%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	284-326	B overlap 100%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	214-256	B overlap 100%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	272-314	B overlap 100%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	284-326	B overlap 100%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	220-262	B overlap 100%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	272-314	B overlap 100%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	272-314	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

43 aa | 88.37% best ungapped identity | 5 substitutions | part 19/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 326. Ungapped best parents: 325. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSITFKFL
|||||
Parent NKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_e59ad94e67fec4f53d6abdbba	272-314	B overlap 100%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	214-256	B overlap 100%	Staphylococcus aureus
UP_e6d99cc66a27067b7ac482cc	214-256	B overlap 100%	Staphylococcus argenteus
UP_e80088e3013d805979b62cf8	272-314	B overlap 100%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	272-314	B overlap 100%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	214-256	B overlap 100%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	272-314	B overlap 100%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	272-314	B overlap 100%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	214-256	B overlap 100%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	156-198	B overlap 100%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	272-314	B overlap 100%	Staphylococcus aureus
UP_f128cef13388885c81d316f6	167-209	B overlap 100%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	214-256	B overlap 100%	Staphylococcus aureus
UP_f1c8a677456a5de29a99e38e	272-314	B overlap 100%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	272-314	B overlap 100%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	272-314	B overlap 100%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	214-256	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_566

43 aa | 88.37% best ungapped identity | 5 substitutions | part 20/20

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 5; tied parents: 326. Ungapped best parents: 325. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSITFKFL
 |||||.....|
Parent NKFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSVSKEIL

All equally best ungapped sites on this page

UP_f57ed69187f17aafd0cb1f95	284-326	B overlap 100%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	101-143	B overlap 100%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	214-256	B overlap 100%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	226-268	B overlap 100%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	272-314	B overlap 100%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	272-314	B overlap 100%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	330-372	B overlap 100%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	226-268	B overlap 100%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	214-256	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_580

58 aa | 93.10% best ungapped identity | 4 substitutions | part 1/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 39. Ungapped best parents: 39. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAYYEILNRPNLNEEERNNGFIQSLKDDRSQSANLLAEAKKLNESQAPK
|||||
Parent ADNNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_024878c1d85f08ce1a4839c7	154-211	B overlap 91%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	166-223	B overlap 91%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	154-211	B overlap 91%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	154-211	B overlap 91%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	154-211	B overlap 91%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	154-211	B overlap 91%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	154-211	B overlap 91%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	154-211	B overlap 91%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	212-269	B overlap 91%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	154-211	B overlap 91%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	154-211	B overlap 91%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	154-211	B overlap 91%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	154-211	B overlap 91%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	166-223	B overlap 91%	Staphylococcus aureus
UP_654970f68b48978377243697	154-211	B overlap 91%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	154-211	B overlap 91%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	166-223	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

58 aa | 93.10% best ungapped identity | 4 substitutions | part 2/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 39. Ungapped best parents: 39. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAYYEILNRPNLNEEERNGFIQSLKDDRSQSANLLAEAKKLNESQAPK

Parent ADNNFNKEQQNAFYIEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_6d765dcd23be695de8386b589	154-211	B overlap 91%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	154-211	B overlap 91%	Staphylococcus aureus
UP_6e049e4ca302272d62248f6	154-211	B overlap 91%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	154-211	B overlap 91%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	154-211	B overlap 91%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	93-150	B overlap 91%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	154-211	B overlap 91%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	154-211	B overlap 91%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	149-206	B overlap 91%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	154-211	B overlap 91%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	154-211	B overlap 91%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	154-211	B overlap 91%	Unresolved
UP_c05788d62510f2a026e1a1a6	154-211	B overlap 91%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	154-211	B overlap 91%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	154-211	B overlap 91%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	227-284	B overlap 91%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_580

58 aa | 93.10% best ungapped identity | 4 substitutions | part 3/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 39. Ungapped best parents: 39. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAYYEILNRPNLNEEERNNGFIQSLKDDRSQSANLLAEAKKLNESQAPK
|||||
Parent ADNNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_df5ef9df08d9fd798f955123	154-211	B overlap 91%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	154-211	B overlap 91%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	154-211	B overlap 91%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	154-211	B overlap 91%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	154-211	B overlap 91%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_582

50 aa | 92.00% best ungapped identity | 4 substitutions | part 1/4

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 58. Ungapped best parents: 58. Inclusive-database exact parents excluded from main set: 0.

Query QQNAYYEILNRPNLNEEERNGFIQSLKDDRSQSANLLAEAKKLNESQAPK
||||.|||||.|||||.|||||||.|||||||.|||||||.|||||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_024878c1d85f08ce1a4839c7	162-211	B overlap 92%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	162-211	B overlap 92%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	174-223	B overlap 92%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	162-211	B overlap 92%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	162-211	B overlap 92%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	162-211	B overlap 92%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	162-211	B overlap 92%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	162-211	B overlap 92%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	162-211	B overlap 92%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	162-211	B overlap 92%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	162-211	B overlap 92%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	220-269	B overlap 92%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	162-211	B overlap 92%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	162-211	B overlap 92%	Staphylococcus schweitzeri
UP_3a6796c5a9d5c6e6a7f4b190	220-269	B overlap 92%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	162-211	B overlap 92%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_582

50 aa | 92.00% best ungapped identity | 4 substitutions | part 2/4

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 58. Ungapped best parents: 58. Inclusive-database exact parents excluded from main set: 0.

Query QQNAYYEILNRPNLNEEERNGFIQSLKDDRSQSANLLAEAKKLNESQAPK
 ||||.|||||.|||||.|||||||.|||||||.|||||||.|||||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_45a183f1c00512726bcadecb	162-211	B overlap 92%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	162-211	B overlap 92%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	162-211	B overlap 92%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	162-211	B overlap 92%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	174-223	B overlap 92%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	232-281	B overlap 92%	Staphylococcus aureus
UP_654970f68b48978377243697	162-211	B overlap 92%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	162-211	B overlap 92%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	174-223	B overlap 92%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	162-211	B overlap 92%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	162-211	B overlap 92%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	162-211	B overlap 92%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	162-211	B overlap 92%	Staphylococcus schweitzeri
UP_74703a26fe5c31c3ed92f291	162-211	B overlap 92%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	162-211	B overlap 92%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	220-269	B overlap 92%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	101-150	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_582

50 aa | 92.00% best ungapped identity | 4 substitutions | part 3/4

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 58. Ungapped best parents: 58. Inclusive-database exact parents excluded from main set: 0.

Query QQNAYYEILNRPNLNEEERNGFIQSLKDDRSQSANLLAEAKKLNESQAPK
||||.|||||.|||||.|||||||.|||||||.|||||||.|||||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_78df64048dd12a47ebc935ef	162-211	B overlap 92%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	162-211	B overlap 92%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	157-206	B overlap 92%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	162-211	B overlap 92%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	101-150	B overlap 92%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	162-211	B overlap 92%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	162-211	B overlap 92%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	162-211	B overlap 92%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	162-211	B overlap 92%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	162-211	B overlap 92%	Unresolved
UP_c05788d62510f2a026e1a1a6	162-211	B overlap 92%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	162-211	B overlap 92%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	162-211	B overlap 92%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	162-211	B overlap 92%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	220-269	B overlap 92%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	235-284	B overlap 92%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_582

50 aa | 92.00% best ungapped identity | 4 substitutions | part 4/4

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 58. Ungapped best parents: 58. Inclusive-database exact parents excluded from main set: 0.

Query QQNAYYEILNRPNLNEEERNGFIQSLKDDRSQSANLLAEAKKLNESQAPK
 ||||.|||||.|||||.|||||||.|||||||.|||||||.|||||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_d446b7e01a0f059e086dcfed	162-211	B overlap 92%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d7a61917e251e0f799ce2cd3	162-211	B overlap 92%	Staphylococcus aureus
UP_db4dfda598bef7013ceb3dbc	162-211	B overlap 92%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	162-211	B overlap 92%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abda	162-211	B overlap 92%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	162-211	B overlap 92%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	162-211	B overlap 92%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	162-211	B overlap 92%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	162-211	B overlap 92%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	162-211	B overlap 92%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_585

56 aa | 92.86% best ungapped identity | 4 substitutions | part 1/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 39. Ungapped best parents: 39. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAYYEILNRPNLNEEERNNGFIQSLKDDRSQSANLLAEAKKLNESQAPK
|||||||.|.|||||.|||||.|||||||.|||||||.|||||||
Parent NNFNKEQQNAFYEILNMPNLNEEQRNNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_024878c1d85f08ce1a4839c7	156-211	B overlap 93%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	168-223	B overlap 93%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	156-211	B overlap 93%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	156-211	B overlap 93%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	156-211	B overlap 93%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	156-211	B overlap 93%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	156-211	B overlap 93%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	156-211	B overlap 93%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	214-269	B overlap 93%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	156-211	B overlap 93%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	156-211	B overlap 93%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	156-211	B overlap 93%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	156-211	B overlap 93%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	168-223	B overlap 93%	Staphylococcus aureus
UP_654970f68b48978377243697	156-211	B overlap 93%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	156-211	B overlap 93%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	168-223	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_585

56 aa | 92.86% best ungapped identity | 4 substitutions | part 2/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 39. Ungapped best parents: 39. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAYYEILNRPNLNEEERNNGFIQSLKDDRSQSANLLAEAKKLNESQAPK
|||||||·||||·||||·|||||||·|||||||
Parent NNFNKEQQNAFYEILNMPNLNEEQRNNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_6d765dcd23be695e8386b589	156-211	B overlap 93%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	156-211	B overlap 93%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	156-211	B overlap 93%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	156-211	B overlap 93%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	156-211	B overlap 93%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	95-150	B overlap 93%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	156-211	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	156-211	B overlap 93%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	151-206	B overlap 93%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	156-211	B overlap 93%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	156-211	B overlap 93%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	156-211	B overlap 93%	Unresolved
UP_c05788d62510f2a026e1a1a6	156-211	B overlap 93%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	156-211	B overlap 93%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	156-211	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	229-284	B overlap 93%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_585

56 aa | 92.86% best ungapped identity | 4 substitutions | part 3/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 39. Ungapped best parents: 39. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAYYEILNRPNLNEEERNGFIQSLKDDRSQSANLLAEAKKLNESQAPK

|||||||,|||,|||,|||||||,|||||||

Parent NNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_df5ef9df08d9fd798f955123	156-211	B overlap 93%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	156-211	B overlap 93%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	156-211	B overlap 93%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	156-211	B overlap 93%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	156-211	B overlap 93%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 1/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNSFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

||||| . |||||

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	212-269	B overlap 91%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	212-269	B overlap 91%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	212-269	B overlap 91%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	154-211	B overlap 91%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	212-269	B overlap 91%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	212-269	B overlap 91%	Staphylococcus aureus
UP_04faae54d75da101458d937d	212-269	B overlap 91%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	212-269	B overlap 91%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	212-269	B overlap 91%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	224-281	B overlap 91%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	212-269	B overlap 91%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	212-269	B overlap 91%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	212-269	B overlap 91%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	212-269	B overlap 91%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	212-269	B overlap 91%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	212-269	B overlap 91%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 2/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNSFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||||.||||||||

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_127db86243730a6f9df4e8bd	224-281	B overlap 91%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	212-269	B overlap 91%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	212-269	B overlap 91%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	212-269	B overlap 91%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	212-269	B overlap 91%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	212-269	B overlap 91%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	212-269	B overlap 91%	Staphylococcus aureus
UP_1be437babcd2a84ae74283a17	154-211	B overlap 91%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	212-269	B overlap 91%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	270-327	B overlap 91%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	212-269	B overlap 91%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	212-269	B overlap 91%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	212-269	B overlap 91%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	154-211	B overlap 91%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	224-281	B overlap 91%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	212-269	B overlap 91%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 3/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNSFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||||.||||||||

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_29064a9961a975f454e1d6b1	212-269	B overlap 91%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	212-269	B overlap 91%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	212-269	B overlap 91%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	386-443	B overlap 91%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	444-501	B overlap 91%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcbf72d	212-269	B overlap 91%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	154-211	B overlap 91%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	212-269	B overlap 91%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	212-269	B overlap 91%	Staphylococcus aureus
UP_34e7dec5146720f3668dfdf6	212-269	B overlap 91%	Staphylococcus schweitzeri
UP_37e60ca6c449c9241b51223d	212-269	B overlap 91%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	212-269	B overlap 91%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	270-327	B overlap 91%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	212-269	B overlap 91%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	270-327	B overlap 91%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	212-269	B overlap 91%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_587

58 aa | 98.28% best ungapped identity | 1 substitutions | part 4/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNEQNSFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK
|||||||.|||||||
Parent ADNKFNEQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_3deac7afe1d09cf6d458d16d	8-65	B overlap 91%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	154-211	B overlap 91%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	212-269	B overlap 91%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	212-269	B overlap 91%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	212-269	B overlap 91%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	212-269	B overlap 91%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	270-327	B overlap 91%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	212-269	B overlap 91%	Staphylococcus aureus
UP_45b4c3d98fbcb76b10736fd2	212-269	B overlap 91%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	224-281	B overlap 91%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	212-269	B overlap 91%	Staphylococcus aureus
UP_493fc1e6cf2d8753094287af	154-211	B overlap 91%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	212-269	B overlap 91%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	386-443	B overlap 91%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	212-269	B overlap 91%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	212-269	B overlap 91%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 5/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNSFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||||.||||||||

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_59a4d124422826b95666ef8a	212-269	B overlap 91%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	212-269	B overlap 91%	Staphylococcus aureus
UP_5c006dddff8fa9ce5cac1b28	212-269	B overlap 91%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	224-281	B overlap 91%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	212-269	B overlap 91%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	212-269	B overlap 91%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	270-327	B overlap 91%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	212-269	B overlap 91%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	282-339	B overlap 91%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	212-269	B overlap 91%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	212-269	B overlap 91%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	154-211	B overlap 91%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	212-269	B overlap 91%	Staphylococcus aureus
UP_654970f68b48978377243697	212-269	B overlap 91%	Staphylococcus aureus
UP_67b157c032f302cca570b203	224-281	B overlap 91%	Staphylococcus aureus
UP_67b157c032f302cca570b203	282-339	B overlap 91%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 6/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNSFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

|||||||.||||||||

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_682954c6a2455283ec020a0f	212-269	B overlap 91%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	212-269	B overlap 91%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	212-269	B overlap 91%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	212-269	B overlap 91%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	212-269	B overlap 91%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	212-269	B overlap 91%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	212-269	B overlap 91%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	282-339	B overlap 91%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	212-269	B overlap 91%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	212-269	B overlap 91%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	212-269	B overlap 91%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	212-269	B overlap 91%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	212-269	B overlap 91%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	224-281	B overlap 91%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	212-269	B overlap 91%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	212-269	B overlap 91%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 7/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNSFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

|||||||.||||||||

Parent ADNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_74fe9ca5325f9fb09bb22cc3	270-327	B overlap 91%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	151-208	B overlap 91%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	212-269	B overlap 91%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	212-269	B overlap 91%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	386-443	B overlap 91%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	224-281	B overlap 91%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	154-211	B overlap 91%	Staphylococcus aureus
UP_7f705628d3208506515b3404	212-269	B overlap 91%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	154-211	B overlap 91%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	212-269	B overlap 91%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	212-269	B overlap 91%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	154-211	B overlap 91%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	212-269	B overlap 91%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	160-217	B overlap 91%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	212-269	B overlap 91%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	154-211	B overlap 91%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_587

58 aa | 98.28% best ungapped identity | 1 substitutions | part 8/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNSFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

|||||||.||||||||

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_8ec48e90fd6193201e736c4a	212-269	B overlap 91%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	151-208	B overlap 91%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	270-327	B overlap 91%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	154-211	B overlap 91%	Staphylococcus aureus
UP_91eb16918889951219e50a73	212-269	B overlap 91%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	212-269	B overlap 91%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	212-269	B overlap 91%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	212-269	B overlap 91%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	212-269	B overlap 91%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	212-269	B overlap 91%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	212-269	B overlap 91%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	212-269	B overlap 91%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	212-269	B overlap 91%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	212-269	B overlap 91%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	154-211	B overlap 91%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	212-269	B overlap 91%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 9/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNSFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

|||||||.||||||||

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_a451ec5956d3ea7680faaf88	154-211	B overlap 91%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	224-281	B overlap 91%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	212-269	B overlap 91%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	99-156	B overlap 91%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	101-158	B overlap 91%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	212-269	B overlap 91%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	224-281	B overlap 91%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	270-327	B overlap 91%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	212-269	B overlap 91%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	212-269	B overlap 91%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	212-269	B overlap 91%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	212-269	B overlap 91%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	224-281	B overlap 91%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	154-211	B overlap 91%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	212-269	B overlap 91%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	212-269	B overlap 91%	Staphylococcus aureus
UP_b30e7e945ecd9f7156ff4b4	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 10/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNSFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||||.||||||||

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_b36c2f2a2fae9b56820692c7	212-269	B overlap 91%	Staphylococcus aureus
UP_b448388f79d88503154c8958	212-269	B overlap 91%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	212-269	B overlap 91%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	212-269	B overlap 91%	Unresolved
UP_b8b659f615cfbdc781f8d48e	212-269	B overlap 91%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	212-269	B overlap 91%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	282-339	B overlap 91%	Staphylococcus aureus
UP_bb4de0544c0b9e271784e86f5	212-269	B overlap 91%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	212-269	B overlap 91%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	212-269	B overlap 91%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	212-269	B overlap 91%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	212-269	B overlap 91%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	340-397	B overlap 91%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	212-269	B overlap 91%	Staphylococcus aureus
UP_c6e58db97616169658087da4	212-269	B overlap 91%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	154-211	B overlap 91%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 11/13

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNEQNSFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK
|||||||.|||||||
Parent ADNKFNEQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_cbc7bb978eddd490dd76aea4	212-269	B overlap 91%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	212-269	B overlap 91%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	212-269	B overlap 91%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	270-327	B overlap 91%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	285-342	B overlap 91%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	212-269	B overlap 91%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	212-269	B overlap 91%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d762df1fa79b331ff9b41f57	154-211	B overlap 91%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	270-327	B overlap 91%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	270-327	B overlap 91%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	212-269	B overlap 91%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbba69	212-269	B overlap 91%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	212-269	B overlap 91%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	101-158	B overlap 91%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	154-211	B overlap 91%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	212-269	B overlap 91%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	15-72	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 12/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQQNSFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_e35673697002755fd8bbfbf21	224-281	B overlap 91%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	212-269	B overlap 91%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	224-281	B overlap 91%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdbba	212-269	B overlap 91%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	212-269	B overlap 91%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	212-269	B overlap 91%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	212-269	B overlap 91%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	212-269	B overlap 91%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	212-269	B overlap 91%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	154-211	B overlap 91%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	212-269	B overlap 91%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	224-281	B overlap 91%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	41-98	B overlap 91%	Staphylococcus aureus
UP_f85095abf436c388206c5124	212-269	B overlap 91%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	212-269	B overlap 91%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	212-269	B overlap 91%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_587

58 aa | 98.28% best ungapped identity | 1 substitutions | part 13/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKEQNSFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
||||| . |||||
Parent ADNKFNKEQQAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_fc3bb560e958334c73ec96d3	270-327	B overlap 91%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	166-223	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/16

Gap-aware minimum edit distance: 1; tied parents: 260. Ungapped best parents: 260. Inclusive-database exact parents excluded from main set: 0.

All equally best ungapped sites on this page

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_588

50 aa | 98.00% best ungapped identity | 1 substitutions | part 2/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 260. Ungapped best parents: 260. Inclusive-database exact parents excluded from main set: 0.

Query QQNSFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||. |||||

Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_11ef8762e0d1f699cca1a72	278-327	B overlap 92%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	232-281	B overlap 92%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	220-269	B overlap 92%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	220-269	B overlap 92%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	220-269	B overlap 92%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	220-269	B overlap 92%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	220-269	B overlap 92%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	220-269	B overlap 92%	Staphylococcus aureus
UP_172ccc9efefc37e19236363	220-269	B overlap 92%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	220-269	B overlap 92%	Staphylococcus aureus
UP_1be437babca2a84ae74283a17	162-211	B overlap 92%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	220-269	B overlap 92%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	278-327	B overlap 92%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	220-269	B overlap 92%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	220-269	B overlap 92%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	220-269	B overlap 92%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_588

50 aa | 98.00% best ungapped identity | 1 substitutions | part 3/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 260. Ungapped best parents: 260. Inclusive-database exact parents excluded from main set: 0.

Query QQNSFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK
|||.|||||||||||||||||||||||||||||||||||||||
Parent QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_247683c13a78b78b1408cce7	232-281	B overlap 92%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	220-269	B overlap 92%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	162-211	B overlap 92%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	220-269	B overlap 92%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	220-269	B overlap 92%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	220-269	B overlap 92%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	220-269	B overlap 92%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	220-269	B overlap 92%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	394-443	B overlap 92%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	452-501	B overlap 92%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	278-327	B overlap 92%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	220-269	B overlap 92%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	162-211	B overlap 92%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	220-269	B overlap 92%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	162-211	B overlap 92%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	220-269	B overlap 92%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	220-269	B overlap 92%	Staphylococcus schweitzeri

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_588

50 aa | 98.00% best ungapped identity | 1 substitutions | part 4/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 260. Ungapped best parents: 260. Inclusive-database exact parents excluded from main set: 0.

Query QQNSFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK
|||.|||||||||||||||||||||||||||||||||||||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_37e60ca6c449c9241b51223d	220-269	B overlap 92%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	220-269	B overlap 92%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	278-327	B overlap 92%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	220-269	B overlap 92%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	278-327	B overlap 92%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	220-269	B overlap 92%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	220-269	B overlap 92%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	220-269	B overlap 92%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	16-65	B overlap 92%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	162-211	B overlap 92%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	220-269	B overlap 92%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	220-269	B overlap 92%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	220-269	B overlap 92%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	220-269	B overlap 92%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	220-269	B overlap 92%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	278-327	B overlap 92%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_588

50 aa | 98.00% best ungapped identity | 1 substitutions | part 5/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 260. Ungapped best parents: 260. Inclusive-database exact parents excluded from main set: 0.

Query QQNSFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK
|||.|||||||||||||||||||||||||||||||||||||||
Parent QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_45b4c3d98fbbc76b10736fd2	220-269	B overlap 92%	Staphylococcus aureus
UP_4667ae039c0ce4ff6d65fa16	43-92	B overlap 92%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	232-281	B overlap 92%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	220-269	B overlap 92%	Staphylococcus aureus
UP_493fc1e6cf2d8753094287af	162-211	B overlap 92%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	220-269	B overlap 92%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	220-269	B overlap 92%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	394-443	B overlap 92%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	162-211	B overlap 92%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	162-211	B overlap 92%	Staphylococcus aureus
UP_4f7ac95290874e78b8d9f0ed	43-92	B overlap 92%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	220-269	B overlap 92%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	220-269	B overlap 92%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	220-269	B overlap 92%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	162-211	B overlap 92%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	220-269	B overlap 92%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_588

50 aa | 98.00% best ungapped identity | 1 substitutions | part 6/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 260. Ungapped best parents: 260. Inclusive-database exact parents excluded from main set: 0.

Query QQNSFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK
|||.|||||||||||||||||||||||||||||||||||||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_5c006ddddf8fa9ce5cac1b28	220-269	B overlap 92%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	232-281	B overlap 92%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	162-211	B overlap 92%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	220-269	B overlap 92%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	220-269	B overlap 92%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	278-327	B overlap 92%	Staphylococcus aureus
UP_60b825dd9a4e560b2cee9750	220-269	B overlap 92%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	220-269	B overlap 92%	Staphylococcus aureus
UP_6193b3607b8eab64acbfe79f	101-150	B overlap 92%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	290-339	B overlap 92%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	162-211	B overlap 92%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	220-269	B overlap 92%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	220-269	B overlap 92%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	162-211	B overlap 92%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	220-269	B overlap 92%	Staphylococcus aureus
UP_654970f68b48978377243697	220-269	B overlap 92%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_588

50 aa | 98.00% best ungapped identity | 1 substitutions | part 7/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 260. Ungapped best parents: 260. Inclusive-database exact parents excluded from main set: 0.

Query QQNSFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK
|||.|||||||||||||||||||||||||||||||||||||||
Parent QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_67b157c032f302cca570b203	232-281	B overlap 92%	Staphylococcus aureus
UP_67b157c032f302cca570b203	290-339	B overlap 92%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	220-269	B overlap 92%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	220-269	B overlap 92%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	220-269	B overlap 92%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	220-269	B overlap 92%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	220-269	B overlap 92%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	220-269	B overlap 92%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	220-269	B overlap 92%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	220-269	B overlap 92%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	290-339	B overlap 92%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	220-269	B overlap 92%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	162-211	B overlap 92%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	220-269	B overlap 92%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	220-269	B overlap 92%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	220-269	B overlap 92%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	220-269	B overlap 92%	Staphylococcus schweitzeri

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_588

50 aa | 98.00% best ungapped identity | 1 substitutions | part 8/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 260. Ungapped best parents: 260. Inclusive-database exact parents excluded from main set: 0.

Query QQNSFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK
|||.|||||||||||||||||||||||||||||||||||||||
Parent QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_728122342f84c9b8787f4a69	232-281	B overlap 92%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	220-269	B overlap 92%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	220-269	B overlap 92%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	220-269	B overlap 92%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	278-327	B overlap 92%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	159-208	B overlap 92%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	220-269	B overlap 92%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	220-269	B overlap 92%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	220-269	B overlap 92%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	336-385	B overlap 92%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	394-443	B overlap 92%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	232-281	B overlap 92%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	162-211	B overlap 92%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	162-211	B overlap 92%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	162-211	B overlap 92%	Staphylococcus aureus
UP_7f705628d3208506515b3404	220-269	B overlap 92%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_588

50 aa | 98.00% best ungapped identity | 1 substitutions | part 9/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 260. Ungapped best parents: 260. Inclusive-database exact parents excluded from main set: 0.

Query QQNSFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK
|||.|||||||||||||||||||||||||||||||||||||||
Parent QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_8345d752509ffffcccf415a5	220-269	B overlap 92%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	220-269	B overlap 92%	Staphylococcus aureus
UP_857b4b53ca1f3ac9d11a0570	162-211	B overlap 92%	Staphylococcus roterodami
UP_85dd3992b51e31c2bfa5968c	162-211	B overlap 92%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	220-269	B overlap 92%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	168-217	B overlap 92%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	220-269	B overlap 92%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	162-211	B overlap 92%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	162-211	B overlap 92%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	162-211	B overlap 92%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	220-269	B overlap 92%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	220-269	B overlap 92%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	159-208	B overlap 92%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	278-327	B overlap 92%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	162-211	B overlap 92%	Staphylococcus aureus
UP_91eb16918889951219e50a73	220-269	B overlap 92%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_588

50 aa | 98.00% best ungapped identity | 1 substitutions | part 10/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 260. Ungapped best parents: 260. Inclusive-database exact parents excluded from main set: 0.

Query QQNSFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK
|||.|||||||||||||||||||||||||||||||||||||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_921b1b7b655508c83e728a17	220-269	B overlap 92%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	220-269	B overlap 92%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	220-269	B overlap 92%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	162-211	B overlap 92%	Staphylococcus aureus
UP_95e30e740b9bec939fb36b82	168-217	B overlap 92%	Staphylococcus aureus
UP_971043b6271e59644756c924	162-211	B overlap 92%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	220-269	B overlap 92%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	220-269	B overlap 92%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	220-269	B overlap 92%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	162-211	B overlap 92%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	220-269	B overlap 92%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	278-327	B overlap 92%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	220-269	B overlap 92%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	162-211	B overlap 92%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	220-269	B overlap 92%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	220-269	B overlap 92%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_588

50 aa | 98.00% best ungapped identity | 1 substitutions | part 11/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 260. Ungapped best parents: 260. Inclusive-database exact parents excluded from main set: 0.

Query QQNSFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK
|||.|||||||||||||||||||||||||||||||||||||||
Parent QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_a496e39d8ed9511ac38a7bed	232-281	B overlap 92%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	162-211	B overlap 92%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	220-269	B overlap 92%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	107-156	B overlap 92%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	109-158	B overlap 92%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	220-269	B overlap 92%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	232-281	B overlap 92%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	162-211	B overlap 92%	Staphylococcus aureus
UP_acc811a9219f865a4e04d8f1	43-92	B overlap 92%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	278-327	B overlap 92%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	220-269	B overlap 92%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	220-269	B overlap 92%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	162-211	B overlap 92%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	220-269	B overlap 92%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	220-269	B overlap 92%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	232-281	B overlap 92%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_588

50 aa | 98.00% best ungapped identity | 1 substitutions | part 12/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 260. Ungapped best parents: 260. Inclusive-database exact parents excluded from main set: 0.

Query QQNSFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK
|||.|||||||||||||||||||||||||||||||||||||||
Parent QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_b1b6527c392edca51eae006	220-269	B overlap 92%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	162-211	B overlap 92%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	220-269	B overlap 92%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	220-269	B overlap 92%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	220-269	B overlap 92%	Staphylococcus aureus
UP_b448388f79d88503154c8958	220-269	B overlap 92%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	220-269	B overlap 92%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	220-269	B overlap 92%	Unresolved
UP_b8b659f615cfbdc781f8d48e	220-269	B overlap 92%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	220-269	B overlap 92%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	290-339	B overlap 92%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	220-269	B overlap 92%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	220-269	B overlap 92%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	179-228	B overlap 92%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	220-269	B overlap 92%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	220-269	B overlap 92%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_588

50 aa | 98.00% best ungapped identity | 1 substitutions | part 13/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 260. Ungapped best parents: 260. Inclusive-database exact parents excluded from main set: 0.

Query QQNSFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK
|||.|||||||||||||||||||||||||||||||||||||||
Parent QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_c11da477f7461107eb6f572c	220-269	B overlap 92%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	220-269	B overlap 92%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	348-397	B overlap 92%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	220-269	B overlap 92%	Staphylococcus aureus
UP_c6e58db97616169658087da4	220-269	B overlap 92%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	162-211	B overlap 92%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	162-211	B overlap 92%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	220-269	B overlap 92%	Staphylococcus aureus
UP_ca698c2d92aaa89331dd0ba4	162-211	B overlap 92%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	220-269	B overlap 92%	Staphylococcus aureus
UP_cc018e0aa888e81d3674855c	196-245	B overlap 92%	Staphylococcus aureus
UP_cd42d745d221a99ae0b940	220-269	B overlap 92%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	220-269	B overlap 92%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	220-269	B overlap 92%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	278-327	B overlap 92%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	293-342	B overlap 92%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_588

50 aa | 98.00% best ungapped identity | 1 substitutions | part 14/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 260. Ungapped best parents: 260. Inclusive-database exact parents excluded from main set: 0.

Query QQNSFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
|||.|||||||||||||||||||||||||||||||||||||||
Parent QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_d3d0b4f2befc155510c9dc1c	220-269	B overlap 92%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	220-269	B overlap 92%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d762df1fa79b331ff9b41f57	162-211	B overlap 92%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	278-327	B overlap 92%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	278-327	B overlap 92%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	220-269	B overlap 92%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	220-269	B overlap 92%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	162-211	B overlap 92%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	220-269	B overlap 92%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	109-158	B overlap 92%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	162-211	B overlap 92%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	162-211	B overlap 92%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	220-269	B overlap 92%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	23-72	B overlap 92%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	232-281	B overlap 92%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	220-269	B overlap 92%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	232-281	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_588

50 aa | 98.00% best ungapped identity | 1 substitutions | part 15/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 260. Ungapped best parents: 260. Inclusive-database exact parents excluded from main set: 0.

Query QQNSFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK
|||.|||||||||||||||||||||||||||||||||||||||
Parent QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_e59ad94e67fec4f53d6abdba	220-269	B overlap 92%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	162-211	B overlap 92%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	162-211	B overlap 92%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	220-269	B overlap 92%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	220-269	B overlap 92%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	220-269	B overlap 92%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	220-269	B overlap 92%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	162-211	B overlap 92%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	220-269	B overlap 92%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	220-269	B overlap 92%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	162-211	B overlap 92%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	220-269	B overlap 92%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	220-269	B overlap 92%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	220-269	B overlap 92%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	162-211	B overlap 92%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	232-281	B overlap 92%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	49-98	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_588

50 aa | 98.00% best ungapped identity | 1 substitutions | part 16/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 260. Ungapped best parents: 260. Inclusive-database exact parents excluded from main set: 0.

Query QQNSFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK
|||.|||||||||||||||||||||||||||||||||||||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_f71b012850e63ea4fb4e7851	162-211	B overlap 92%	Staphylococcus aureus
UP_f85095abf436c388206c5124	220-269	B overlap 92%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	220-269	B overlap 92%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	220-269	B overlap 92%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	220-269	B overlap 92%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	278-327	B overlap 92%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	174-223	B overlap 92%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNSFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||||.|||||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	214-269	B overlap 93%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	214-269	B overlap 93%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	214-269	B overlap 93%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	156-211	B overlap 93%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	214-269	B overlap 93%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	214-269	B overlap 93%	Staphylococcus aureus
UP_04faae54d75da101458d937d	214-269	B overlap 93%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	214-269	B overlap 93%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	214-269	B overlap 93%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	226-281	B overlap 93%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	214-269	B overlap 93%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	214-269	B overlap 93%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	214-269	B overlap 93%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	214-269	B overlap 93%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	214-269	B overlap 93%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	214-269	B overlap 93%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 2/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNSFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||||.|||||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_127db86243730a6f9df4e8bd	226-281	B overlap 93%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	214-269	B overlap 93%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	214-269	B overlap 93%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	214-269	B overlap 93%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	214-269	B overlap 93%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	214-269	B overlap 93%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	214-269	B overlap 93%	Staphylococcus aureus
UP_1be437babcd2a84ae74283a17	156-211	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	214-269	B overlap 93%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	272-327	B overlap 93%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	214-269	B overlap 93%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	214-269	B overlap 93%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	214-269	B overlap 93%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	156-211	B overlap 93%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	226-281	B overlap 93%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	214-269	B overlap 93%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 3/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNSFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||||.|||||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_29064a9961a975f454e1d6b1	214-269	B overlap 93%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	214-269	B overlap 93%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	214-269	B overlap 93%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	388-443	B overlap 93%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	446-501	B overlap 93%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcbf72d	214-269	B overlap 93%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	156-211	B overlap 93%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	214-269	B overlap 93%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	214-269	B overlap 93%	Staphylococcus aureus
UP_34e7dec5146720f3668dfdf6	214-269	B overlap 93%	Staphylococcus schweitzeri
UP_37e60ca6c449c9241b51223d	214-269	B overlap 93%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	214-269	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	272-327	B overlap 93%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	214-269	B overlap 93%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	272-327	B overlap 93%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda431f7f	214-269	B overlap 93%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 4/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNSFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||||.|||||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_3deac7afe1d09cf6d458d16d	10-65	B overlap 93%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	156-211	B overlap 93%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	214-269	B overlap 93%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	214-269	B overlap 93%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	214-269	B overlap 93%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	214-269	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	272-327	B overlap 93%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	214-269	B overlap 93%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	214-269	B overlap 93%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	226-281	B overlap 93%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	214-269	B overlap 93%	Staphylococcus aureus
UP_493fc1e6cf2d8753094287af	156-211	B overlap 93%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	214-269	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	388-443	B overlap 93%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	214-269	B overlap 93%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	214-269	B overlap 93%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_589

56 aa | 98.21% best ungapped identity | 1 substitutions | part 5/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNSFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
 |||||||.|||||||
Parent NKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_59a4d124422826b95666ef8a	214-269	B overlap 93%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	214-269	B overlap 93%	Staphylococcus aureus
UP_5c006ddddf8fa9ce5cac1b28	214-269	B overlap 93%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	226-281	B overlap 93%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	214-269	B overlap 93%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	214-269	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	272-327	B overlap 93%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	214-269	B overlap 93%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	284-339	B overlap 93%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	214-269	B overlap 93%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	214-269	B overlap 93%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	156-211	B overlap 93%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	214-269	B overlap 93%	Staphylococcus aureus
UP_654970f68b48978377243697	214-269	B overlap 93%	Staphylococcus aureus
UP_67b157c032f302cca570b203	226-281	B overlap 93%	Staphylococcus aureus
UP_67b157c032f302cca570b203	284-339	B overlap 93%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_589

56 aa | 98.21% best ungapped identity | 1 substitutions | part 6/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNSFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
 |||||||·|||||||
Parent NKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_682954c6a2455283ec020a0f	214-269	B overlap 93%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	214-269	B overlap 93%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	214-269	B overlap 93%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	214-269	B overlap 93%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	214-269	B overlap 93%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	214-269	B overlap 93%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	214-269	B overlap 93%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	284-339	B overlap 93%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	214-269	B overlap 93%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	214-269	B overlap 93%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	214-269	B overlap 93%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	214-269	B overlap 93%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	214-269	B overlap 93%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	226-281	B overlap 93%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	214-269	B overlap 93%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	214-269	B overlap 93%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 7/13

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

|||||||.|||||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

UP_74fe9ca5325f9fb09bb22cc3	272-327	B overlap 93%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	153-208	B overlap 93%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	214-269	B overlap 93%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	214-269	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	388-443	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	226-281	B overlap 93%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	156-211	B overlap 93%	Staphylococcus aureus
UP_7f705628d3208506515b3404	214-269	B overlap 93%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	156-211	B overlap 93%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	214-269	B overlap 93%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	214-269	B overlap 93%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	156-211	B overlap 93%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	214-269	B overlap 93%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	162-217	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	214-269	B overlap 93%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	156-211	B overlap 93%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	214-269	B overlap 93%	Staphylococcus aureus

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_589

56 aa | 98.21% best ungapped identity | 1 substitutions | part 8/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNSFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||||.|||||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_8ec48e90fd6193201e736c4a	214-269	B overlap 93%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	153-208	B overlap 93%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	272-327	B overlap 93%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	156-211	B overlap 93%	Staphylococcus aureus
UP_91eb16918889951219e50a73	214-269	B overlap 93%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	214-269	B overlap 93%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	214-269	B overlap 93%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	214-269	B overlap 93%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	214-269	B overlap 93%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	214-269	B overlap 93%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	214-269	B overlap 93%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	214-269	B overlap 93%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	214-269	B overlap 93%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	214-269	B overlap 93%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	156-211	B overlap 93%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	214-269	B overlap 93%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 9/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNSFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||||.|||||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_a451ec5956d3ea7680faaf88	156-211	B overlap 93%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	226-281	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	214-269	B overlap 93%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	101-156	B overlap 93%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	103-158	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	214-269	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	226-281	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	272-327	B overlap 93%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	214-269	B overlap 93%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	214-269	B overlap 93%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	214-269	B overlap 93%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	214-269	B overlap 93%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	226-281	B overlap 93%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	156-211	B overlap 93%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	214-269	B overlap 93%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	214-269	B overlap 93%	Staphylococcus aureus
UP_b30e7e945ecd9f7156ff4b4	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_589

56 aa | 98.21% best ungapped identity | 1 substitutions | part 10/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNSFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||||.|||||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_b36c2f2a2fae9b56820692c7	214-269	B overlap 93%	Staphylococcus aureus
UP_b448388f79d88503154c8958	214-269	B overlap 93%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	214-269	B overlap 93%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	214-269	B overlap 93%	Unresolved
UP_b8b659f615cfbdc781f8d48e	214-269	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	214-269	B overlap 93%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	284-339	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e271784e86f5	214-269	B overlap 93%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	214-269	B overlap 93%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	214-269	B overlap 93%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	214-269	B overlap 93%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	214-269	B overlap 93%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	342-397	B overlap 93%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	214-269	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	214-269	B overlap 93%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	156-211	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_589

56 aa | 98.21% best ungapped identity | 1 substitutions | part 11/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNSFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||||.|||||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_cbc7bb978eddd490dd76aea4	214-269	B overlap 93%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	214-269	B overlap 93%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	214-269	B overlap 93%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	272-327	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	287-342	B overlap 93%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	214-269	B overlap 93%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	214-269	B overlap 93%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d762df1fa79b331ff9b41f57	156-211	B overlap 93%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	272-327	B overlap 93%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	272-327	B overlap 93%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	214-269	B overlap 93%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	214-269	B overlap 93%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	214-269	B overlap 93%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	103-158	B overlap 93%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	156-211	B overlap 93%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	214-269	B overlap 93%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	17-72	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_589

56 aa | 98.21% best ungapped identity | 1 substitutions | part 12/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKEQQNSFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||||.|||||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_e35673697002755fd8bbfb21	226-281	B overlap 93%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	214-269	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	226-281	B overlap 93%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	214-269	B overlap 93%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	214-269	B overlap 93%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	214-269	B overlap 93%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	214-269	B overlap 93%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	214-269	B overlap 93%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	214-269	B overlap 93%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	156-211	B overlap 93%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	214-269	B overlap 93%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	226-281	B overlap 93%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	43-98	B overlap 93%	Staphylococcus aureus
UP_f85095abf436c388206c5124	214-269	B overlap 93%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	214-269	B overlap 93%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	214-269	B overlap 93%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_589

56 aa | 98.21% best ungapped identity | 1 substitutions | part 13/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 0.

Query NKFNFKEQQNSFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQAPK
|||||||.|||||||
Parent NKFNFKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_fc3bb560e958334c73ec96d3	272-327	B overlap 93%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	168-223	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 1/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNDQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	212-269	B overlap 91%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	212-269	B overlap 91%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	154-211	B overlap 91%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	212-269	B overlap 91%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	212-269	B overlap 91%	Staphylococcus aureus
UP_04faae54d75da101458d937d	212-269	B overlap 91%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	212-269	B overlap 91%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	212-269	B overlap 91%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	224-281	B overlap 91%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	212-269	B overlap 91%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	212-269	B overlap 91%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	212-269	B overlap 91%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	212-269	B overlap 91%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	212-269	B overlap 91%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	212-269	B overlap 91%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	270-327	B overlap 91%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	224-281	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 2/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNDQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||||.|||||||

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_1529d2d15daae1f92fd339c3	212-269	B overlap 91%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	212-269	B overlap 91%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	212-269	B overlap 91%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	212-269	B overlap 91%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	212-269	B overlap 91%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	212-269	B overlap 91%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	154-211	B overlap 91%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	212-269	B overlap 91%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	270-327	B overlap 91%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	212-269	B overlap 91%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	212-269	B overlap 91%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	212-269	B overlap 91%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	154-211	B overlap 91%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	224-281	B overlap 91%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	212-269	B overlap 91%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	212-269	B overlap 91%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 3/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNDQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||||.|||||||

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_29421b3caa551a61fd924f20	212-269	B overlap 91%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	212-269	B overlap 91%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	386-443	B overlap 91%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	444-501	B overlap 91%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcbf72d	212-269	B overlap 91%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	154-211	B overlap 91%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	212-269	B overlap 91%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	212-269	B overlap 91%	Staphylococcus aureus
UP_34e7dec5146720f3668dfdf6	212-269	B overlap 91%	Staphylococcus schweitzeri
UP_37e60ca6c449c9241b51223d	212-269	B overlap 91%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	212-269	B overlap 91%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	270-327	B overlap 91%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	212-269	B overlap 91%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	270-327	B overlap 91%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda431f7f	212-269	B overlap 91%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	212-269	B overlap 91%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	8-65	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 4/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNDQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||||.|||||||

Parent ADNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_3fee6a180afdbfcb0846e0dd	154-211	B overlap 91%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	212-269	B overlap 91%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	212-269	B overlap 91%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	212-269	B overlap 91%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	212-269	B overlap 91%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	270-327	B overlap 91%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	212-269	B overlap 91%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	212-269	B overlap 91%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	224-281	B overlap 91%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	212-269	B overlap 91%	Staphylococcus aureus
UP_493fc1e6cf2d8753094287af	154-211	B overlap 91%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	212-269	B overlap 91%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	386-443	B overlap 91%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	212-269	B overlap 91%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	212-269	B overlap 91%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	212-269	B overlap 91%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 5/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNDQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||||.|||||||

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_5bbec0493fad67c07e5c02b	212-269	B overlap 91%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	212-269	B overlap 91%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	224-281	B overlap 91%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	212-269	B overlap 91%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	212-269	B overlap 91%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	270-327	B overlap 91%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	212-269	B overlap 91%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	282-339	B overlap 91%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	212-269	B overlap 91%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	212-269	B overlap 91%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	154-211	B overlap 91%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	212-269	B overlap 91%	Staphylococcus aureus
UP_654970f68b48978377243697	212-269	B overlap 91%	Staphylococcus aureus
UP_67b157c032f302cca570b203	224-281	B overlap 91%	Staphylococcus aureus
UP_67b157c032f302cca570b203	282-339	B overlap 91%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	212-269	B overlap 91%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 6/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNDQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||||.|||||||

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_687782ca218e6b0ad2ae44ec	212-269	B overlap 91%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	212-269	B overlap 91%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	212-269	B overlap 91%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	212-269	B overlap 91%	Staphylococcus aureus
UP_6afba783543b8f49d10ac03	212-269	B overlap 91%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	212-269	B overlap 91%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	282-339	B overlap 91%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	212-269	B overlap 91%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	212-269	B overlap 91%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	212-269	B overlap 91%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	212-269	B overlap 91%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	212-269	B overlap 91%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	224-281	B overlap 91%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	212-269	B overlap 91%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	212-269	B overlap 91%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	212-269	B overlap 91%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 7/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNDQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||||.|||||||

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_765723fc1968b55d97f0d898	151-208	B overlap 91%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	212-269	B overlap 91%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	212-269	B overlap 91%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	386-443	B overlap 91%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	224-281	B overlap 91%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	154-211	B overlap 91%	Staphylococcus aureus
UP_7f705628d3208506515b3404	212-269	B overlap 91%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	154-211	B overlap 91%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	212-269	B overlap 91%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	212-269	B overlap 91%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	154-211	B overlap 91%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	212-269	B overlap 91%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	160-217	B overlap 91%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	212-269	B overlap 91%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	154-211	B overlap 91%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	212-269	B overlap 91%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 8/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNKDQQNAFYIEILHLPNLNEEQRNFGIISLKDPPSQSANLLAEAKKLNDAPK

|||||||.|||||||

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_90b2ae6a5dc85d85fe642767	151-208	B overlap 91%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	270-327	B overlap 91%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	154-211	B overlap 91%	Staphylococcus aureus
UP_91eb16918889951219e50a73	212-269	B overlap 91%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	212-269	B overlap 91%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	212-269	B overlap 91%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	212-269	B overlap 91%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	212-269	B overlap 91%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	212-269	B overlap 91%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	212-269	B overlap 91%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	212-269	B overlap 91%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	212-269	B overlap 91%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	212-269	B overlap 91%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	154-211	B overlap 91%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	212-269	B overlap 91%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	212-269	B overlap 91%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 9/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNDQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

|||||||.|||||||

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_a496e39d8ed9511ac38a7/bed	224-281	B overlap 91%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	212-269	B overlap 91%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	99-156	B overlap 91%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	101-158	B overlap 91%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	212-269	B overlap 91%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	224-281	B overlap 91%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	270-327	B overlap 91%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	212-269	B overlap 91%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	212-269	B overlap 91%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	212-269	B overlap 91%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	212-269	B overlap 91%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	224-281	B overlap 91%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	154-211	B overlap 91%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	212-269	B overlap 91%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	212-269	B overlap 91%	Staphylococcus aureus
UP_b30e7e945ecd9f7156ff4b4	212-269	B overlap 91%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 10/13

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNDKQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK
|||||.|||||
Parent ADNKFNEQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

UP_b448388f79d88503154c8958	212-269	B overlap 91%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	212-269	B overlap 91%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	212-269	B overlap 91%	Unresolved
UP_b8b659f615cfbdc781f8d48e	212-269	B overlap 91%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	212-269	B overlap 91%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	282-339	B overlap 91%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	212-269	B overlap 91%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	212-269	B overlap 91%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	212-269	B overlap 91%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	212-269	B overlap 91%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	212-269	B overlap 91%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	212-269	B overlap 91%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	340-397	B overlap 91%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	212-269	B overlap 91%	Staphylococcus aureus
UP_c6e58db97616169658087da4	212-269	B overlap 91%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	154-211	B overlap 91%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	212-269	B overlap 91%	Staphylococcus aureus

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 98.28% best ungapped identity | 1 substitutions | part 11/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNDQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_cbc7bb978eddd490dd76aea4	212-269	B overlap 91%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	212-269	B overlap 91%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	212-269	B overlap 91%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	270-327	B overlap 91%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	285-342	B overlap 91%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	212-269	B overlap 91%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	212-269	B overlap 91%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d762df1fa79b331ff9b41f57	154-211	B overlap 91%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	270-327	B overlap 91%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	270-327	B overlap 91%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	212-269	B overlap 91%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	212-269	B overlap 91%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	212-269	B overlap 91%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	101-158	B overlap 91%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	154-211	B overlap 91%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	212-269	B overlap 91%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	15-72	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_615

58 aa | 98.28% best ungapped identity | 1 substitutions | part 12/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNKDQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
 ||||| . |||||
Parent ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_e35673697002755fd8bfbf21	224-281	B overlap 91%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	212-269	B overlap 91%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	224-281	B overlap 91%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	212-269	B overlap 91%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	212-269	B overlap 91%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	212-269	B overlap 91%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	212-269	B overlap 91%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	212-269	B overlap 91%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	212-269	B overlap 91%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	154-211	B overlap 91%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	212-269	B overlap 91%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	224-281	B overlap 91%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	41-98	B overlap 91%	Staphylococcus aureus
UP_f85095abf436c388206c5124	212-269	B overlap 91%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	212-269	B overlap 91%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	212-269	B overlap 91%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_615

58 aa | 98.28% best ungapped identity | 1 substitutions | part 13/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNKDQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
|||||.|||||
Parent ADNKFNKEQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_fc3bb560e958334c73ec96d3	270-327	B overlap 91%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	166-223	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_616

58 aa | 98.28% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 14. Ungapped best parents: 14. Inclusive-database exact parents excluded from main set: 0.

Query ADNKFNKDQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

|||||.|||||

Parent ADNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_25e7c4d9ec1239d0c3abf0f2	212-269	B overlap 91%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	212-269	B overlap 91%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	212-269	B overlap 91%	Staphylococcus aureus
UP_51c0096cd463a4b89359dc12	223-280	B overlap 91%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	212-269	B overlap 91%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	212-269	B overlap 91%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	212-269	B overlap 91%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	212-269	B overlap 91%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	212-269	B overlap 91%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	212-269	B overlap 91%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	212-269	B overlap 91%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	212-269	B overlap 91%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	154-211	B overlap 91%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_620

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 14. Ungapped best parents: 14. Inclusive-database exact parents excluded from main set: 0.

Query NKFNKDQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK
 |||||.|||||
Parent NKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_25e7c4d9ec1239d0c3abf0f2	214-269	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	214-269	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	214-269	B overlap 93%	Staphylococcus aureus
UP_51c0096cd463a4b89359dc12	225-280	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	214-269	B overlap 93%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	214-269	B overlap 93%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	214-269	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	214-269	B overlap 93%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	214-269	B overlap 93%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	214-269	B overlap 93%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	214-269	B overlap 93%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	214-269	B overlap 93%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	156-211	B overlap 93%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_621

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	214-269	B overlap 93%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	214-269	B overlap 93%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	156-211	B overlap 93%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	214-269	B overlap 93%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	214-269	B overlap 93%	Staphylococcus aureus
UP_04faae54d75da101458d937d	214-269	B overlap 93%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	214-269	B overlap 93%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	214-269	B overlap 93%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	226-281	B overlap 93%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	214-269	B overlap 93%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	214-269	B overlap 93%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	214-269	B overlap 93%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	214-269	B overlap 93%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	214-269	B overlap 93%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	214-269	B overlap 93%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	272-327	B overlap 93%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	226-281	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_621

56 aa | 98.21% best ungapped identity | 1 substitutions | part 2/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK
 |||||.|||||
Parent NKFNKEQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_1529d2d15daae1f92fd339c3	214-269	B overlap 93%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	214-269	B overlap 93%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	214-269	B overlap 93%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	214-269	B overlap 93%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	214-269	B overlap 93%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	214-269	B overlap 93%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	156-211	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	214-269	B overlap 93%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	272-327	B overlap 93%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	214-269	B overlap 93%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	214-269	B overlap 93%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	214-269	B overlap 93%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	156-211	B overlap 93%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	226-281	B overlap 93%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	214-269	B overlap 93%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	214-269	B overlap 93%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_621

56 aa | 98.21% best ungapped identity | 1 substitutions | part 3/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_29421b3caa551a61fd924f20	214-269	B overlap 93%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	214-269	B overlap 93%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	388-443	B overlap 93%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	446-501	B overlap 93%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	214-269	B overlap 93%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	156-211	B overlap 93%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	214-269	B overlap 93%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	214-269	B overlap 93%	Staphylococcus aureus
UP_34e7dec5146720f3668dfdf6	214-269	B overlap 93%	Staphylococcus schweitzeri
UP_37e60ca6c449c9241b51223d	214-269	B overlap 93%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	214-269	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	272-327	B overlap 93%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	214-269	B overlap 93%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	272-327	B overlap 93%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	214-269	B overlap 93%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	214-269	B overlap 93%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	10-65	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_621

56 aa | 98.21% best ungapped identity | 1 substitutions | part 4/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_3fee6a180afdbfcb0846e0dd	156-211	B overlap 93%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	214-269	B overlap 93%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	214-269	B overlap 93%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	214-269	B overlap 93%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	214-269	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	272-327	B overlap 93%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	214-269	B overlap 93%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	214-269	B overlap 93%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	226-281	B overlap 93%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	214-269	B overlap 93%	Staphylococcus aureus
UP_493fc1e6cf2d8753094287af	156-211	B overlap 93%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	214-269	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	388-443	B overlap 93%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	214-269	B overlap 93%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	214-269	B overlap 93%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	214-269	B overlap 93%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_621

56 aa | 98.21% best ungapped identity | 1 substitutions | part 5/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_5bbec0493fad67c07e5cf02b	214-269	B overlap 93%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	214-269	B overlap 93%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	226-281	B overlap 93%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	214-269	B overlap 93%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	214-269	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	272-327	B overlap 93%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	214-269	B overlap 93%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	284-339	B overlap 93%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	214-269	B overlap 93%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	214-269	B overlap 93%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	156-211	B overlap 93%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	214-269	B overlap 93%	Staphylococcus aureus
UP_654970f68b48978377243697	214-269	B overlap 93%	Staphylococcus aureus
UP_67b157c032f302cca570b203	226-281	B overlap 93%	Staphylococcus aureus
UP_67b157c032f302cca570b203	284-339	B overlap 93%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	214-269	B overlap 93%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_621

56 aa | 98.21% best ungapped identity | 1 substitutions | part 6/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_687782ca218e6b0ad2ae44ec	214-269	B overlap 93%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	214-269	B overlap 93%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	214-269	B overlap 93%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	214-269	B overlap 93%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	214-269	B overlap 93%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	214-269	B overlap 93%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	284-339	B overlap 93%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	214-269	B overlap 93%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	214-269	B overlap 93%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	214-269	B overlap 93%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	214-269	B overlap 93%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	214-269	B overlap 93%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	226-281	B overlap 93%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	214-269	B overlap 93%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	214-269	B overlap 93%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	214-269	B overlap 93%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_621

56 aa | 98.21% best ungapped identity | 1 substitutions | part 7/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_765723fc1968b55d97f0d898	153-208	B overlap 93%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	214-269	B overlap 93%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	214-269	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	388-443	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	226-281	B overlap 93%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	156-211	B overlap 93%	Staphylococcus aureus
UP_7f705628d3208506515b3404	214-269	B overlap 93%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	156-211	B overlap 93%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	214-269	B overlap 93%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	214-269	B overlap 93%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	156-211	B overlap 93%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	214-269	B overlap 93%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	162-217	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	214-269	B overlap 93%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	156-211	B overlap 93%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	214-269	B overlap 93%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_621

56 aa | 98.21% best ungapped identity | 1 substitutions | part 8/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK
 |||||.|||||
Parent NKFNKEQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_90b2ae6a5dc85d85fe642767	153-208	B overlap 93%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	272-327	B overlap 93%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	156-211	B overlap 93%	Staphylococcus aureus
UP_91eb16918889951219e50a73	214-269	B overlap 93%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	214-269	B overlap 93%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	214-269	B overlap 93%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	214-269	B overlap 93%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	214-269	B overlap 93%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	214-269	B overlap 93%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	214-269	B overlap 93%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	214-269	B overlap 93%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	214-269	B overlap 93%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	214-269	B overlap 93%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	156-211	B overlap 93%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	214-269	B overlap 93%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	214-269	B overlap 93%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_621

56 aa | 98.21% best ungapped identity | 1 substitutions | part 9/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_a496e39d8ed9511ac38a7bed	226-281	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	214-269	B overlap 93%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	101-156	B overlap 93%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	103-158	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	214-269	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	226-281	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	272-327	B overlap 93%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	214-269	B overlap 93%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	214-269	B overlap 93%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	214-269	B overlap 93%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	214-269	B overlap 93%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	226-281	B overlap 93%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	156-211	B overlap 93%	Staphylococcus aureus
UP_b1b6527c392edca51eae006	214-269	B overlap 93%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	214-269	B overlap 93%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	214-269	B overlap 93%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_621

56 aa | 98.21% best ungapped identity | 1 substitutions | part 10/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_b448388f79d88503154c8958	214-269	B overlap 93%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	214-269	B overlap 93%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	214-269	B overlap 93%	Unresolved
UP_b8b659f615cfbdc781f8d48e	214-269	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	214-269	B overlap 93%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	284-339	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	214-269	B overlap 93%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	214-269	B overlap 93%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	214-269	B overlap 93%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	214-269	B overlap 93%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	214-269	B overlap 93%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	214-269	B overlap 93%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	342-397	B overlap 93%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	214-269	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	214-269	B overlap 93%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	156-211	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_621

56 aa | 98.21% best ungapped identity | 1 substitutions | part 11/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_cbc7bb978eddd490dd76aea4	214-269	B overlap 93%	Staphylococcus aureus
UP_cd42d745d221a99aeeee0b940	214-269	B overlap 93%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	214-269	B overlap 93%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	272-327	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	287-342	B overlap 93%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	214-269	B overlap 93%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	214-269	B overlap 93%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d762df1fa79b331ff9b41f57	156-211	B overlap 93%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	272-327	B overlap 93%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	272-327	B overlap 93%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	214-269	B overlap 93%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	214-269	B overlap 93%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	214-269	B overlap 93%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	103-158	B overlap 93%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	156-211	B overlap 93%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	214-269	B overlap 93%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	17-72	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_621

56 aa | 98.21% best ungapped identity | 1 substitutions | part 12/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK
 |||||.|||||
Parent NKFNKEQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_e35673697002755fd8bfbf21	226-281	B overlap 93%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	214-269	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	226-281	B overlap 93%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	214-269	B overlap 93%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	214-269	B overlap 93%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	214-269	B overlap 93%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	214-269	B overlap 93%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	214-269	B overlap 93%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	214-269	B overlap 93%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	156-211	B overlap 93%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	214-269	B overlap 93%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	226-281	B overlap 93%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	43-98	B overlap 93%	Staphylococcus aureus
UP_f85095abf436c388206c5124	214-269	B overlap 93%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	214-269	B overlap 93%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	214-269	B overlap 93%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_621

56 aa | 98.21% best ungapped identity | 1 substitutions | part 13/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 204. Ungapped best parents: 204. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQNAFYIHLPLNLEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
|||||.|||||
Parent NKFNKEQQNAFYIHLPLNLEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_fc3bb560e958334c73ec96d3	272-327	B overlap 93%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	168-223	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 257. Ungapped best parents: 257. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

1. _____

Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEKKLNESQAPK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	98-153	B overlap 93%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	98-153	B overlap 93%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	98-153	B overlap 93%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	98-153	B overlap 93%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	98-153	B overlap 93%	Staphylococcus aureus
UP_04faae54d75da101458d937d	98-153	B overlap 93%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	98-153	B overlap 93%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	98-153	B overlap 93%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	98-153	B overlap 93%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	98-153	B overlap 93%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	98-153	B overlap 93%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	98-153	B overlap 93%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	98-153	B overlap 93%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	98-153	B overlap 93%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	98-153	B overlap 93%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	98-153	B overlap 93%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_634

56 aa | 98.21% best ungapped identity | 1 substitutions | part 2/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 257. Ungapped best parents: 257. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
 |.|||||
Parent NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_11ef8762e0d1f699cca11a72	98-153	B overlap 93%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	110-165	B overlap 93%	Staphylococcus aureus
UP_1320c3a44aa32eab329067c	98-153	B overlap 93%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	98-153	B overlap 93%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	98-153	B overlap 93%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	98-153	B overlap 93%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	98-153	B overlap 93%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	98-153	B overlap 93%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	98-153	B overlap 93%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	98-153	B overlap 93%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	98-153	B overlap 93%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	98-153	B overlap 93%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	98-153	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	98-153	B overlap 93%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	98-153	B overlap 93%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	98-153	B overlap 93%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_634

56 aa | 98.21% best ungapped identity | 1 substitutions | part 3/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 257. Ungapped best parents: 257. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
 |.|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_24b2d55e0b8b4fd61b242c12	98-153	B overlap 93%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	98-153	B overlap 93%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	98-153	B overlap 93%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	98-153	B overlap 93%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	98-153	B overlap 93%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	98-153	B overlap 93%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	98-153	B overlap 93%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	98-153	B overlap 93%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	98-153	B overlap 93%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	98-153	B overlap 93%	Staphylococcus aureus
UP_2def648691a179d8337edb84	52-107	B overlap 93%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	98-153	B overlap 93%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	98-153	B overlap 93%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	98-153	B overlap 93%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	98-153	B overlap 93%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	98-153	B overlap 93%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_634

56 aa | 98.21% best ungapped identity | 1 substitutions | part 4/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 257. Ungapped best parents: 257. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
 |.|||||
Parent NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_34e7dec5146720f3668dfd6	98-153	B overlap 93%	Staphylococcus schweitzeri
UP_369376855189ded07861b56b	98-153	B overlap 93%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	98-153	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	98-153	B overlap 93%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	98-153	B overlap 93%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	98-153	B overlap 93%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	98-153	B overlap 93%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	98-153	B overlap 93%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	98-153	B overlap 93%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	98-153	B overlap 93%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	98-153	B overlap 93%	Staphylococcus aureus
UP_3d571252244f795c04507670	98-153	B overlap 93%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	98-153	B overlap 93%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	110-165	B overlap 93%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	110-165	B overlap 93%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	98-153	B overlap 93%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 5/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 257. Ungapped best parents: 257. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

1. _____

Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEKKLNESQAPK

All equally best ungapped sites on this page

UP_41c651f601c919b8ee6882b1	98-153	B overlap 93%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	98-153	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	98-153	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	156-211	B overlap 93%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	98-153	B overlap 93%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	98-153	B overlap 93%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	98-153	B overlap 93%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	98-153	B overlap 93%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	110-165	B overlap 93%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	98-153	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	98-153	B overlap 93%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	98-153	B overlap 93%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	98-153	B overlap 93%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	98-153	B overlap 93%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	98-153	B overlap 93%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	98-153	B overlap 93%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_634

56 aa | 98.21% best ungapped identity | 1 substitutions | part 6/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 257. Ungapped best parents: 257. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|.|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_56ccb47e4b685b0c526ce6c7	98-153	B overlap 93%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	98-153	B overlap 93%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	98-153	B overlap 93%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	98-153	B overlap 93%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	98-153	B overlap 93%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	98-153	B overlap 93%	Staphylococcus aureus
UP_5c006ddddf8fa9ce5cac1b28	98-153	B overlap 93%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	110-165	B overlap 93%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	98-153	B overlap 93%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	98-153	B overlap 93%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	98-153	B overlap 93%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	98-153	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	98-153	B overlap 93%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	98-153	B overlap 93%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	98-153	B overlap 93%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	98-153	B overlap 93%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_634

56 aa | 98.21% best ungapped identity | 1 substitutions | part 7/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 257. Ungapped best parents: 257. Inclusive-database exact parents excluded from main set: 1.

Query NKFNDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKLNESQAPK
|.|||||
Parent NNFNDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_65d4d174e408be43b99bbdbd	98-153	B overlap 93%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	98-153	B overlap 93%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	98-153	B overlap 93%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	98-153	B overlap 93%	Staphylococcus aureus
UP_67b157c032f302cca570b203	110-165	B overlap 93%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	98-153	B overlap 93%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	98-153	B overlap 93%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	98-153	B overlap 93%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	98-153	B overlap 93%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	98-153	B overlap 93%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	98-153	B overlap 93%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	98-153	B overlap 93%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	98-153	B overlap 93%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	98-153	B overlap 93%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	98-153	B overlap 93%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	98-153	B overlap 93%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 8/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 257. Ungapped best parents: 257. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

1. _____

Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEKKLNESQAPK

All equally best ungapped sites on this page

UP_714f336b632db3af2848df0a	98-153	B overlap 93%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	110-165	B overlap 93%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	98-153	B overlap 93%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	98-153	B overlap 93%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	98-153	B overlap 93%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	98-153	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	98-153	B overlap 93%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	98-153	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	110-165	B overlap 93%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	98-153	B overlap 93%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	93-148	B overlap 93%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	98-153	B overlap 93%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	98-153	B overlap 93%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	98-153	B overlap 93%	Staphylococcus aureus
UP_7f705628d3208506515b3404	98-153	B overlap 93%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	98-153	B overlap 93%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_634

56 aa | 98.21% best ungapped identity | 1 substitutions | part 9/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 257. Ungapped best parents: 257. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
 |.|||||
Parent NNFNKDQQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_86d09985303304149d93296c	46-101	B overlap 93%	Staphylococcus aureus
UP_87c984f47195a756918038f8	98-153	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	98-153	B overlap 93%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	98-153	B overlap 93%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	98-153	B overlap 93%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	98-153	B overlap 93%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	98-153	B overlap 93%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	98-153	B overlap 93%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	98-153	B overlap 93%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	98-153	B overlap 93%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	98-153	B overlap 93%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	98-153	B overlap 93%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	98-153	B overlap 93%	Staphylococcus aureus
UP_971043b6271e59644756c924	98-153	B overlap 93%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	98-153	B overlap 93%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	98-153	B overlap 93%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_634

56 aa | 98.21% best ungapped identity | 1 substitutions | part 10/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 257. Ungapped best parents: 257. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
 |.|||||
Parent NNFNKDQQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_9f4197427ac818393ee9d5f5	98-153	B overlap 93%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	98-153	B overlap 93%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	98-153	B overlap 93%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	98-153	B overlap 93%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	98-153	B overlap 93%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	98-153	B overlap 93%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	98-153	B overlap 93%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	110-165	B overlap 93%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	98-153	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	98-153	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	98-153	B overlap 93%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	98-153	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	110-165	B overlap 93%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	98-153	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	98-153	B overlap 93%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	98-153	B overlap 93%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 11/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 257. Ungapped best parents: 257. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

1. _____

Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEKKLNESQAPK

All equally best ungapped sites on this page

UP_aec2af7cb0206c955110b821	98-153	B overlap 93%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	98-153	B overlap 93%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	98-153	B overlap 93%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	98-153	B overlap 93%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	110-165	B overlap 93%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	98-153	B overlap 93%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	98-153	B overlap 93%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	98-153	B overlap 93%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	98-153	B overlap 93%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	98-153	B overlap 93%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	98-153	B overlap 93%	Staphylococcus aureus
UP_b448388f79d88503154c8958	98-153	B overlap 93%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	98-153	B overlap 93%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	98-153	B overlap 93%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	98-153	B overlap 93%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	98-153	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_634

56 aa | 98.21% best ungapped identity | 1 substitutions | part 12/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 257. Ungapped best parents: 257. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
 |||||
Parent NKFNKDQQSAFYEILNMPNLNEEQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_bb14cd4e731365d1a25a797f	98-153	B overlap 93%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	110-165	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	98-153	B overlap 93%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	98-153	B overlap 93%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	98-153	B overlap 93%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	98-153	B overlap 93%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	98-153	B overlap 93%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	98-153	B overlap 93%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	98-153	B overlap 93%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	110-165	B overlap 93%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	110-165	B overlap 93%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	98-153	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	98-153	B overlap 93%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	98-153	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	98-153	B overlap 93%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	98-153	B overlap 93%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_634

56 aa | 98.21% best ungapped identity | 1 substitutions | part 13/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 257. Ungapped best parents: 257. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
 | · |||||
Parent NNFNKDQQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_ce48648d81e147b208ae7f35	98-153	B overlap 93%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	98-153	B overlap 93%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	98-153	B overlap 93%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	98-153	B overlap 93%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	98-153	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	110-165	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	171-226	B overlap 93%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	98-153	B overlap 93%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	98-153	B overlap 93%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	98-153	B overlap 93%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	98-153	B overlap 93%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d5b345437142d9cf807db25d	98-153	B overlap 93%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	98-153	B overlap 93%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	98-153	B overlap 93%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	98-153	B overlap 93%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	98-153	B overlap 93%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_634

56 aa | 98.21% best ungapped identity | 1 substitutions | part 14/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 257. Ungapped best parents: 257. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
 |.|||||
Parent NNFNKDQQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_de6cc150a0421a8de6fda7a7	98-153	B overlap 93%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbab69	98-153	B overlap 93%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	98-153	B overlap 93%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	98-153	B overlap 93%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	98-153	B overlap 93%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	98-153	B overlap 93%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	98-153	B overlap 93%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	98-153	B overlap 93%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	98-153	B overlap 93%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	110-165	B overlap 93%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	98-153	B overlap 93%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	98-153	B overlap 93%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	110-165	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	110-165	B overlap 93%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	98-153	B overlap 93%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	98-153	B overlap 93%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_634

56 aa | 98.21% best ungapped identity | 1 substitutions | part 15/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 257. Ungapped best parents: 257. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

1. _____

Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEKKLNESQAPK

All equally best ungapped sites on this page

UP_e6cd4f97cbff47488f070d32	98-153	B overlap 93%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	98-153	B overlap 93%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	98-153	B overlap 93%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	98-153	B overlap 93%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	98-153	B overlap 93%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	98-153	B overlap 93%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	98-153	B overlap 93%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	98-153	B overlap 93%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	98-153	B overlap 93%	Staphylococcus aureus
UP_edaaa2299783d537504a97ff	110-165	B overlap 93%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	98-153	B overlap 93%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	98-153	B overlap 93%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	98-153	B overlap 93%	Staphylococcus aureus
UP_f6c81f1ef152502d327f40dc	98-153	B overlap 93%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	98-153	B overlap 93%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	110-165	B overlap 93%	Staphylococcus aureus
UP_f85095abf436c388206c5124	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_634

56 aa | 98.21% best ungapped identity | 1 substitutions | part 16/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 257. Ungapped best parents: 257. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
 |.|||||
Parent NNFNKDQQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_fb74d89d1795b280acc5480b	98-153	B overlap 93%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	98-153	B overlap 93%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	98-153	B overlap 93%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_635

60 aa | 98.33% best ungapped identity | 1 substitutions | part 1/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 233. Ungapped best parents: 233. Inclusive-database exact parents excluded from main set: 1.

Query ADAQNKFNKDDQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
 |||||.|||||||
 Parent ADAQNNFNKDKDQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	93-152	B overlap 88%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	93-152	B overlap 88%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	93-152	B overlap 88%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	93-152	B overlap 88%	Staphylococcus aureus
UP_04faae54d75da101458d937d	93-152	B overlap 88%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	93-152	B overlap 88%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	93-152	B overlap 88%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	93-152	B overlap 88%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	93-152	B overlap 88%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	93-152	B overlap 88%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	93-152	B overlap 88%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	93-152	B overlap 88%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	93-152	B overlap 88%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	93-152	B overlap 88%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	93-152	B overlap 88%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	93-152	B overlap 88%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	105-164	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_635

60 aa | 98.33% best ungapped identity | 1 substitutions | part 2/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 233. Ungapped best parents: 233. Inclusive-database exact parents excluded from main set: 1.

Query ADAQQNKFNKDQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||.|||||||
Parent ADAQNNFNKDKQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_1320c3a44aa32eaab329067c	93-152	B overlap 88%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	93-152	B overlap 88%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	93-152	B overlap 88%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	93-152	B overlap 88%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	93-152	B overlap 88%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	93-152	B overlap 88%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	93-152	B overlap 88%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	93-152	B overlap 88%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	93-152	B overlap 88%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	93-152	B overlap 88%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	93-152	B overlap 88%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	93-152	B overlap 88%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	93-152	B overlap 88%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	93-152	B overlap 88%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	93-152	B overlap 88%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	93-152	B overlap 88%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_635

60 aa | 98.33% best ungapped identity | 1 substitutions | part 3/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 233. Ungapped best parents: 233. Inclusive-database exact parents excluded from main set: 1.

Query ADAQNKFNKDDQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
 |||||.|||||||
 Parent ADAQNNFNKDDQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_29064a9961a975f454e1d6b1	93-152	B overlap 88%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	93-152	B overlap 88%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	93-152	B overlap 88%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	93-152	B overlap 88%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	93-152	B overlap 88%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	93-152	B overlap 88%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	93-152	B overlap 88%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	93-152	B overlap 88%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	93-152	B overlap 88%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	93-152	B overlap 88%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	93-152	B overlap 88%	Staphylococcus aureus
UP_369376855189ded07861b56b	93-152	B overlap 88%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	93-152	B overlap 88%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	93-152	B overlap 88%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	93-152	B overlap 88%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	93-152	B overlap 88%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_635

60 aa | 98.33% best ungapped identity | 1 substitutions | part 4/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 233. Ungapped best parents: 233. Inclusive-database exact parents excluded from main set: 1.

Query ADAQQNKFNKDQQSIFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
 |||||.|||||||
 Parent ADAQQNNFNKDQQSIFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_3b972ecb2f3727cb6a074f03	93-152	B overlap 88%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	93-152	B overlap 88%	Staphylococcus aureus
UP_3d571252244f795c04507670	93-152	B overlap 88%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	93-152	B overlap 88%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	105-164	B overlap 88%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	93-152	B overlap 88%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	93-152	B overlap 88%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	93-152	B overlap 88%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	93-152	B overlap 88%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	93-152	B overlap 88%	Staphylococcus aureus
UP_45b4c3d98fbcb76b10736fd2	93-152	B overlap 88%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	93-152	B overlap 88%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	93-152	B overlap 88%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	93-152	B overlap 88%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	105-164	B overlap 88%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	93-152	B overlap 88%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 5/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 233. Ungapped best parents: 233. Inclusive-database exact parents excluded from main set: 1.

Query ADAQQNKFNKDQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||.|||||||
Parent ADAQNNFNKDKQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_4c1fd99d56c771d3922e9759	93-152	B overlap 88%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	93-152	B overlap 88%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	93-152	B overlap 88%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	93-152	B overlap 88%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	93-152	B overlap 88%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	93-152	B overlap 88%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	93-152	B overlap 88%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	93-152	B overlap 88%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	93-152	B overlap 88%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	93-152	B overlap 88%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	93-152	B overlap 88%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	93-152	B overlap 88%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	93-152	B overlap 88%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	105-164	B overlap 88%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	93-152	B overlap 88%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	93-152	B overlap 88%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 6/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 233. Ungapped best parents: 233. Inclusive-database exact parents excluded from main set: 1.

Query ADAQQNKFNDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||.|||||||
Parent ADAQQNNFNDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_608ceea43032113cb4d07194	93-152	B overlap 88%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	93-152	B overlap 88%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	93-152	B overlap 88%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	93-152	B overlap 88%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	93-152	B overlap 88%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	93-152	B overlap 88%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	93-152	B overlap 88%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	93-152	B overlap 88%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	93-152	B overlap 88%	Staphylococcus aureus
UP_67b157c032f302cca570b203	105-164	B overlap 88%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	93-152	B overlap 88%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	93-152	B overlap 88%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	93-152	B overlap 88%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	93-152	B overlap 88%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	93-152	B overlap 88%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	93-152	B overlap 88%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 7/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 233. Ungapped best parents: 233. Inclusive-database exact parents excluded from main set: 1.

Query ADAQQNKFNKDQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||.|||||||
Parent ADAQQNNFNKDQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_6d9da94581db0938331cd2b3	93-152	B overlap 88%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	93-152	B overlap 88%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	93-152	B overlap 88%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	93-152	B overlap 88%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	105-164	B overlap 88%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	93-152	B overlap 88%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	93-152	B overlap 88%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	93-152	B overlap 88%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	93-152	B overlap 88%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	93-152	B overlap 88%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	93-152	B overlap 88%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	105-164	B overlap 88%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	93-152	B overlap 88%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	88-147	B overlap 88%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	93-152	B overlap 88%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	93-152	B overlap 88%	Staphylococcus aureus
UP_7f705628d3208506515b3404	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 8/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 233. Ungapped best parents: 233. Inclusive-database exact parents excluded from main set: 1.

Query ADAQQNKFNKDQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||.|||||
Parent ADAQNNFNKDKQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_8345d752509ffffcccf415a5	93-152	B overlap 88%	Staphylococcus aureus
UP_86d09985303304149d93296c	41-100	B overlap 88%	Staphylococcus aureus
UP_87c984f47195a756918038f8	93-152	B overlap 88%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	93-152	B overlap 88%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	93-152	B overlap 88%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	93-152	B overlap 88%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	93-152	B overlap 88%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	93-152	B overlap 88%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	93-152	B overlap 88%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	93-152	B overlap 88%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	93-152	B overlap 88%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	93-152	B overlap 88%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	93-152	B overlap 88%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	93-152	B overlap 88%	Staphylococcus aureus
UP_971043b6271e59644756c924	93-152	B overlap 88%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	93-152	B overlap 88%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_635

60 aa | 98.33% best ungapped identity | 1 substitutions | part 9/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 233. Ungapped best parents: 233. Inclusive-database exact parents excluded from main set: 1.

Query ADAQQNKFNKDQQSIFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
 |||||.|||||||
 Parent ADAQQNNFNKDQQSIFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_9bd8f1fc33e86407f447de60	93-152	B overlap 88%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	93-152	B overlap 88%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	93-152	B overlap 88%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	93-152	B overlap 88%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	93-152	B overlap 88%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	93-152	B overlap 88%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	93-152	B overlap 88%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	105-164	B overlap 88%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	93-152	B overlap 88%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	93-152	B overlap 88%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	93-152	B overlap 88%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	93-152	B overlap 88%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	105-164	B overlap 88%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	93-152	B overlap 88%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	93-152	B overlap 88%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	93-152	B overlap 88%	Staphylococcus aureus
UP_adfdd12a6d4abde69ae98d50	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 10/14

Gap-aware minimum edit distance: 1; tied parents: 233. Ungapped best parents: 233. Inclusive-database exact parents excluded from main set: 1.

Query ADAQQNKFNKDQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||.|||||||
Parent ADAQNNFNKDKQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

UP_aec2af7cb0206c955110b821	93-152	B overlap 88%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	93-152	B overlap 88%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	93-152	B overlap 88%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	93-152	B overlap 88%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	105-164	B overlap 88%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	93-152	B overlap 88%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	93-152	B overlap 88%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	93-152	B overlap 88%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	93-152	B overlap 88%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	93-152	B overlap 88%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	93-152	B overlap 88%	Staphylococcus aureus
UP_b448388f79d88503154c8958	93-152	B overlap 88%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	93-152	B overlap 88%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	93-152	B overlap 88%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	93-152	B overlap 88%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	93-152	B overlap 88%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	93-152	B overlap 88%	Staphylococcus aureus

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_635

60 aa | 98.33% best ungapped identity | 1 substitutions | part 11/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 233. Ungapped best parents: 233. Inclusive-database exact parents excluded from main set: 1.

Query ADAQQNKFNKDQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||
Parent ADAQQNKFNKDQQSAYFEILNMPNLNEEQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_bb14cd4e731365d1a25a797f	93-152	B overlap 88%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	105-164	B overlap 88%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	93-152	B overlap 88%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	93-152	B overlap 88%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	93-152	B overlap 88%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	93-152	B overlap 88%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	105-164	B overlap 88%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	105-164	B overlap 88%	Staphylococcus aureus
UP_c66fb56937c7c7bdc71a0023	93-152	B overlap 88%	Staphylococcus aureus
UP_c6e58db97616169658087da4	93-152	B overlap 88%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	93-152	B overlap 88%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	93-152	B overlap 88%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	93-152	B overlap 88%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	93-152	B overlap 88%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	93-152	B overlap 88%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	93-152	B overlap 88%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_635

60 aa | 98.33% best ungapped identity | 1 substitutions | part 12/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 233. Ungapped best parents: 233. Inclusive-database exact parents excluded from main set: 1.

Query ADAQNKFNKDDQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
 |||||.|||||||
 Parent ADAQNNFNKDDQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_d203b9c61830b72cb7044877	105-164	B overlap 88%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	166-225	B overlap 88%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fc	93-152	B overlap 88%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	93-152	B overlap 88%	Staphylococcus aureus
UP_d3d0b4f2becf155510c9dc1c	93-152	B overlap 88%	Staphylococcus aureus
UP_d5b345437142d9cf807db25d	93-152	B overlap 88%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	93-152	B overlap 88%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	93-152	B overlap 88%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	93-152	B overlap 88%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	93-152	B overlap 88%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	93-152	B overlap 88%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	93-152	B overlap 88%	Staphylococcus aureus
UP_df25788f262b81ebd8fdba69	93-152	B overlap 88%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	93-152	B overlap 88%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	93-152	B overlap 88%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	93-152	B overlap 88%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_635

60 aa | 98.33% best ungapped identity | 1 substitutions | part 13/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 233. Ungapped best parents: 233. Inclusive-database exact parents excluded from main set: 1.

Query ADAQQNKFNDQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
 |||||.|||||
Parent ADAQNNFNKDQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_e0506bdbf4abab1678d0d248	93-152	B overlap 88%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	93-152	B overlap 88%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	93-152	B overlap 88%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	105-164	B overlap 88%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	93-152	B overlap 88%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	93-152	B overlap 88%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	105-164	B overlap 88%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	105-164	B overlap 88%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	93-152	B overlap 88%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	93-152	B overlap 88%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	93-152	B overlap 88%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	93-152	B overlap 88%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	93-152	B overlap 88%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	93-152	B overlap 88%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	93-152	B overlap 88%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	93-152	B overlap 88%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_635

60 aa | 98.33% best ungapped identity | 1 substitutions | part 14/14

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 233. Ungapped best parents: 233. Inclusive-database exact parents excluded from main set: 1.

Query ADAQQNKFNKDQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||.|||||||
Parent ADAQNNFNKDKQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_ed524523f096fabfa8f0638f	93-152	B overlap 88%	Staphylococcus aureus
UP_edaaa2299783d537504a97ff	105-164	B overlap 88%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	93-152	B overlap 88%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	93-152	B overlap 88%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	93-152	B overlap 88%	Staphylococcus aureus
UP_f6c81f1ef152502d327f40dc	93-152	B overlap 88%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	93-152	B overlap 88%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	105-164	B overlap 88%	Staphylococcus aureus
UP_f85095abf436c388206c5124	93-152	B overlap 88%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	93-152	B overlap 88%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	93-152	B overlap 88%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	93-152	B overlap 88%	Staphylococcus aureus
UP_ffc5b205486d979b47f1e25f	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 96.55% best ungapped identity | 2 substitutions | part 1/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK

|||||
Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	212-269	B overlap 91%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	212-269	B overlap 91%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	154-211	B overlap 91%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	212-269	B overlap 91%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	212-269	B overlap 91%	Staphylococcus aureus
UP_04faae54d75da101458d937d	212-269	B overlap 91%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	212-269	B overlap 91%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	212-269	B overlap 91%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	224-281	B overlap 91%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	212-269	B overlap 91%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	212-269	B overlap 91%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	212-269	B overlap 91%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	212-269	B overlap 91%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	212-269	B overlap 91%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	212-269	B overlap 91%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	270-327	B overlap 91%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	224-281	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 96.55% best ungapped identity | 2 substitutions | part 2/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK

Parent ADNKFNKEQQAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_1529d2d15daae1f92fd339c3	212-269	B overlap 91%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	212-269	B overlap 91%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	212-269	B overlap 91%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	212-269	B overlap 91%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	212-269	B overlap 91%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	212-269	B overlap 91%	Staphylococcus aureus
UP_1be437babcd2a84ae74283a17	154-211	B overlap 91%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	212-269	B overlap 91%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	270-327	B overlap 91%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	212-269	B overlap 91%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	212-269	B overlap 91%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	212-269	B overlap 91%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	154-211	B overlap 91%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	224-281	B overlap 91%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	212-269	B overlap 91%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	212-269	B overlap 91%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 96.55% best ungapped identity | 2 substitutions | part 3/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_29421b3caa551a61fd924f20	212-269	B overlap 91%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	212-269	B overlap 91%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	386-443	B overlap 91%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	444-501	B overlap 91%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcbf72d	212-269	B overlap 91%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	154-211	B overlap 91%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	212-269	B overlap 91%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	212-269	B overlap 91%	Staphylococcus aureus
UP_34e7dec5146720f3668dfdf6	212-269	B overlap 91%	Staphylococcus schweitzeri
UP_37e60ca6c449c9241b51223d	212-269	B overlap 91%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	212-269	B overlap 91%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	270-327	B overlap 91%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	212-269	B overlap 91%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	270-327	B overlap 91%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda431f7f	212-269	B overlap 91%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	212-269	B overlap 91%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	8-65	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 96.55% best ungapped identity | 2 substitutions | part 4/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_3fee6a180afdbfcb0846e0dd	154-211	B overlap 91%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	212-269	B overlap 91%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	212-269	B overlap 91%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	212-269	B overlap 91%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	212-269	B overlap 91%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	270-327	B overlap 91%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	212-269	B overlap 91%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	212-269	B overlap 91%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	224-281	B overlap 91%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	212-269	B overlap 91%	Staphylococcus aureus
UP_493fc1e6cf2d8753094287af	154-211	B overlap 91%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	212-269	B overlap 91%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	386-443	B overlap 91%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	212-269	B overlap 91%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	212-269	B overlap 91%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	212-269	B overlap 91%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_636

58 aa | 96.55% best ungapped identity | 2 substitutions | part 5/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK
 |||||...
Parent ADNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_5bbec0493fad67c07e5cf02b	212-269	B overlap 91%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	212-269	B overlap 91%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	224-281	B overlap 91%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	212-269	B overlap 91%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	212-269	B overlap 91%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	270-327	B overlap 91%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	212-269	B overlap 91%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	282-339	B overlap 91%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	212-269	B overlap 91%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	212-269	B overlap 91%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	154-211	B overlap 91%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	212-269	B overlap 91%	Staphylococcus aureus
UP_654970f68b48978377243697	212-269	B overlap 91%	Staphylococcus aureus
UP_67b157c032f302cca570b203	224-281	B overlap 91%	Staphylococcus aureus
UP_67b157c032f302cca570b203	282-339	B overlap 91%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	212-269	B overlap 91%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

58 aa | 96.55% best ungapped identity | 2 substitutions | part 6/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK

|||||

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_687782ca218e6b0ad2ae44ec	212-269	B overlap 91%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	212-269	B overlap 91%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	212-269	B overlap 91%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	212-269	B overlap 91%	Staphylococcus aureus
UP_6afba783543b8f49d10ac03	212-269	B overlap 91%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	212-269	B overlap 91%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	282-339	B overlap 91%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	212-269	B overlap 91%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	212-269	B overlap 91%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	212-269	B overlap 91%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	212-269	B overlap 91%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	212-269	B overlap 91%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	224-281	B overlap 91%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	212-269	B overlap 91%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	212-269	B overlap 91%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	212-269	B overlap 91%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 96.55% best ungapped identity | 2 substitutions | part 7/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_765723fc1968b55d97f0d898	151-208	B overlap 91%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	212-269	B overlap 91%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	212-269	B overlap 91%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	386-443	B overlap 91%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	224-281	B overlap 91%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	154-211	B overlap 91%	Staphylococcus aureus
UP_7f705628d3208506515b3404	212-269	B overlap 91%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	154-211	B overlap 91%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	212-269	B overlap 91%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	212-269	B overlap 91%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	154-211	B overlap 91%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	212-269	B overlap 91%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	160-217	B overlap 91%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	212-269	B overlap 91%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	154-211	B overlap 91%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	212-269	B overlap 91%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_636

58 aa | 96.55% best ungapped identity | 2 substitutions | part 8/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNKEQQNAFYIEILHLPNLNEEQNRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK

|||||

Parent ADNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_90b2ae6a5dc85d85fe642767	151-208	B overlap 91%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	270-327	B overlap 91%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	154-211	B overlap 91%	Staphylococcus aureus
UP_91eb16918889951219e50a73	212-269	B overlap 91%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	212-269	B overlap 91%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	212-269	B overlap 91%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	212-269	B overlap 91%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	212-269	B overlap 91%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	212-269	B overlap 91%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	212-269	B overlap 91%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	212-269	B overlap 91%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	212-269	B overlap 91%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	212-269	B overlap 91%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	154-211	B overlap 91%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	212-269	B overlap 91%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	212-269	B overlap 91%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 96.55% best ungapped identity | 2 substitutions | part 9/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK

|||||

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_a496e39d8ed9511ac38a7/bed	224-281	B overlap 91%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	212-269	B overlap 91%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	99-156	B overlap 91%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	101-158	B overlap 91%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	212-269	B overlap 91%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	224-281	B overlap 91%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	270-327	B overlap 91%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	212-269	B overlap 91%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	212-269	B overlap 91%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	212-269	B overlap 91%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	212-269	B overlap 91%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	224-281	B overlap 91%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	154-211	B overlap 91%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	212-269	B overlap 91%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	212-269	B overlap 91%	Staphylococcus aureus
UP_b30e7e945ecd9f7156ff4b4	212-269	B overlap 91%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_636

58 aa | 96.55% best ungapped identity | 2 substitutions | part 10/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNAQAPK
 |||||
Parent ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_b448388f79d88503154c8958	212-269	B overlap 91%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	212-269	B overlap 91%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	212-269	B overlap 91%	Unresolved
UP_b8b659f615cfbdc781f8d48e	212-269	B overlap 91%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	212-269	B overlap 91%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	282-339	B overlap 91%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	212-269	B overlap 91%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	212-269	B overlap 91%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	212-269	B overlap 91%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	212-269	B overlap 91%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	212-269	B overlap 91%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	340-397	B overlap 91%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	212-269	B overlap 91%	Staphylococcus aureus
UP_c6e58db97616169658087da4	212-269	B overlap 91%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	154-211	B overlap 91%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	212-269	B overlap 91%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

58 aa | 96.55% best ungapped identity | 2 substitutions | part 11/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK

|||||
Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_cd42d745d221a99aee0b940	212-269	B overlap 91%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	212-269	B overlap 91%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	270-327	B overlap 91%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	285-342	B overlap 91%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	212-269	B overlap 91%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	212-269	B overlap 91%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d762df1fa79b331ff9b41f57	154-211	B overlap 91%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	270-327	B overlap 91%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	270-327	B overlap 91%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	212-269	B overlap 91%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbba69	212-269	B overlap 91%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	212-269	B overlap 91%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	101-158	B overlap 91%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	154-211	B overlap 91%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	212-269	B overlap 91%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	15-72	B overlap 91%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	224-281	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

58 aa | 96.55% best ungapped identity | 2 substitutions | part 12/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNKEQQNAFYIEILHLPNLNEEQRNFGIISLKDPPSQSANLLAEAKKLKNAQAPK

Parent ADNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_e42b0b69f1cfc645490b75f7	212-269	B overlap 91%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	224-281	B overlap 91%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdbba	212-269	B overlap 91%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	212-269	B overlap 91%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	212-269	B overlap 91%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	212-269	B overlap 91%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	212-269	B overlap 91%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	212-269	B overlap 91%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	154-211	B overlap 91%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	212-269	B overlap 91%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	224-281	B overlap 91%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	41-98	B overlap 91%	Staphylococcus aureus
UP_f85095abf436c388206c5124	212-269	B overlap 91%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	212-269	B overlap 91%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	212-269	B overlap 91%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	212-269	B overlap 91%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_636

58 aa | 96.55% best ungapped identity | 2 substitutions | part 13/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query ADNKFNKEQQAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK
|||||
Parent ADNKFNKEQQAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_fd05961c378749cdeb3b2814 166-223 B overlap 91% Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_637

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query EQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
· |||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	43-92	B overlap 92%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	43-92	B overlap 92%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	43-92	B overlap 92%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	43-92	B overlap 92%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	43-92	B overlap 92%	Staphylococcus aureus
UP_04faae54d75da101458d937d	43-92	B overlap 92%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	43-92	B overlap 92%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	43-92	B overlap 92%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	43-92	B overlap 92%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	43-92	B overlap 92%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	43-92	B overlap 92%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	43-92	B overlap 92%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	43-92	B overlap 92%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	43-92	B overlap 92%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	43-92	B overlap 92%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	43-92	B overlap 92%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

50 aa | 98.00% best ungapped identity | 1 substitutions | part 2/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query EQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

_____.

Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_127db86243730a6f9df4e8bd	55-104	B overlap 92%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	43-92	B overlap 92%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	43-92	B overlap 92%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	43-92	B overlap 92%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	43-92	B overlap 92%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	43-92	B overlap 92%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	43-92	B overlap 92%	Staphylococcus aureus
UP_1be437babca2a84ae74283a17	43-92	B overlap 92%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	43-92	B overlap 92%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	43-92	B overlap 92%	Staphylococcus aureus
UP_1f0c143935bf9440a4d0dd38	43-92	B overlap 92%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	43-92	B overlap 92%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	43-92	B overlap 92%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	43-92	B overlap 92%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	43-92	B overlap 92%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	43-92	B overlap 92%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_637

50 aa | 98.00% best ungapped identity | 1 substitutions | part 3/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query EQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
· |||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_29064a9961a975f454e1d6b1	43-92	B overlap 92%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	43-92	B overlap 92%	Staphylococcus aureus
UP_29da8f2bf1e86de36a87930b	43-92	B overlap 92%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	43-92	B overlap 92%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	43-92	B overlap 92%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	43-92	B overlap 92%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	43-92	B overlap 92%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	43-92	B overlap 92%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	43-92	B overlap 92%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	43-92	B overlap 92%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	43-92	B overlap 92%	Staphylococcus aureus
UP_369376855189ded07861b56b	43-92	B overlap 92%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	43-92	B overlap 92%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	43-92	B overlap 92%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	43-92	B overlap 92%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	43-92	B overlap 92%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_637

50 aa | 98.00% best ungapped identity | 1 substitutions | part 4/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query EQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
· |||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_3d571252244f795c04507670	43-92	B overlap 92%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	43-92	B overlap 92%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	55-104	B overlap 92%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	43-92	B overlap 92%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	43-92	B overlap 92%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	43-92	B overlap 92%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	43-92	B overlap 92%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	43-92	B overlap 92%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	43-92	B overlap 92%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	43-92	B overlap 92%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	43-92	B overlap 92%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	43-92	B overlap 92%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	55-104	B overlap 92%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	43-92	B overlap 92%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	43-92	B overlap 92%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	43-92	B overlap 92%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_637

50 aa | 98.00% best ungapped identity | 1 substitutions | part 5/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query EQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
· |||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_4c1fd99d56c771d3922e9759	43-92	B overlap 92%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	43-92	B overlap 92%	Staphylococcus aureus
UP_4cf67d66a141116ecdb88412	55-104	B overlap 92%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	43-92	B overlap 92%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	43-92	B overlap 92%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	43-92	B overlap 92%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	43-92	B overlap 92%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	43-92	B overlap 92%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	43-92	B overlap 92%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	43-92	B overlap 92%	Staphylococcus aureus
UP_5c006ddddf8fa9ce5cac1b28	43-92	B overlap 92%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	55-104	B overlap 92%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	43-92	B overlap 92%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	43-92	B overlap 92%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	43-92	B overlap 92%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	43-92	B overlap 92%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_637

50 aa | 98.00% best ungapped identity | 1 substitutions | part 6/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query EQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
· |||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_60b825dd9a4e560b2cee9750	43-92	B overlap 92%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	55-104	B overlap 92%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	43-92	B overlap 92%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	43-92	B overlap 92%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	43-92	B overlap 92%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	43-92	B overlap 92%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	43-92	B overlap 92%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	43-92	B overlap 92%	Staphylococcus aureus
UP_67b157c032f302cca570b203	55-104	B overlap 92%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	43-92	B overlap 92%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	43-92	B overlap 92%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	43-92	B overlap 92%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	43-92	B overlap 92%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	43-92	B overlap 92%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	43-92	B overlap 92%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	55-104	B overlap 92%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_637

50 aa | 98.00% best ungapped identity | 1 substitutions | part 7/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query EQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
· |||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_6e049e4ca0302272d62248f6	43-92	B overlap 92%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	43-92	B overlap 92%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	55-104	B overlap 92%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	43-92	B overlap 92%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	43-92	B overlap 92%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	43-92	B overlap 92%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	43-92	B overlap 92%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	43-92	B overlap 92%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	43-92	B overlap 92%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	43-92	B overlap 92%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	43-92	B overlap 92%	Staphylococcus aureus
UP_79e0b1d188807716a8d270a0	43-92	B overlap 92%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	55-104	B overlap 92%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	43-92	B overlap 92%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	38-87	B overlap 92%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	43-92	B overlap 92%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_637

50 aa | 98.00% best ungapped identity | 1 substitutions | part 8/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query EQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

_____.

Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_7e1d634bed16b84ddf354b21	43-92	B overlap 92%	Staphylococcus aureus
UP_7f705628d3208506515b3404	43-92	B overlap 92%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	43-92	B overlap 92%	Staphylococcus aureus
UP_87c984f47195a756918038f8	43-92	B overlap 92%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	43-92	B overlap 92%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	43-92	B overlap 92%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	43-92	B overlap 92%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	43-92	B overlap 92%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	43-92	B overlap 92%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	43-92	B overlap 92%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	43-92	B overlap 92%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	43-92	B overlap 92%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	43-92	B overlap 92%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	43-92	B overlap 92%	Staphylococcus aureus
UP_91eb16918889951219e50a73	43-92	B overlap 92%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	43-92	B overlap 92%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_637

50 aa | 98.00% best ungapped identity | 1 substitutions | part 9/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query EQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
· |||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_9405efe3c9c1b998737ba3a9	43-92	B overlap 92%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	43-92	B overlap 92%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	43-92	B overlap 92%	Staphylococcus aureus
UP_94875a270e702e9733c65c20	43-92	B overlap 92%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	43-92	B overlap 92%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	43-92	B overlap 92%	Staphylococcus aureus
UP_971043b6271e59644756c924	43-92	B overlap 92%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	43-92	B overlap 92%	Staphylococcus aureus
UP_97e42757ac273b6b51241624	43-92	B overlap 92%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	43-92	B overlap 92%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	43-92	B overlap 92%	Staphylococcus aureus
UP_9cdee1761c3bb0284a50f196	55-104	B overlap 92%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	43-92	B overlap 92%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	43-92	B overlap 92%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	43-92	B overlap 92%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	43-92	B overlap 92%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_637

50 aa | 98.00% best ungapped identity | 1 substitutions | part 10/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query EQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
· |||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	43-92	B overlap 92%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	43-92	B overlap 92%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	43-92	B overlap 92%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	55-104	B overlap 92%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	43-92	B overlap 92%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	43-92	B overlap 92%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	43-92	B overlap 92%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	43-92	B overlap 92%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	43-92	B overlap 92%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	55-104	B overlap 92%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	43-92	B overlap 92%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	43-92	B overlap 92%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	43-92	B overlap 92%	Staphylococcus aureus
UP_ad44964a13a988ebe08c8ee1	43-92	B overlap 92%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	43-92	B overlap 92%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	43-92	B overlap 92%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_637

50 aa | 98.00% best ungapped identity | 1 substitutions | part 11/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query EQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
· |||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_aec2af7cb0206c955110b821	43-92	B overlap 92%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	43-92	B overlap 92%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	43-92	B overlap 92%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	43-92	B overlap 92%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	43-92	B overlap 92%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	55-104	B overlap 92%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	43-92	B overlap 92%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	54-103	B overlap 92%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	43-92	B overlap 92%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	43-92	B overlap 92%	Staphylococcus aureus
UP_b1b6527c392edca51eae006	43-92	B overlap 92%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	43-92	B overlap 92%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	43-92	B overlap 92%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	43-92	B overlap 92%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	43-92	B overlap 92%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	43-92	B overlap 92%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	43-92	B overlap 92%	Unresolved

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_637

50 aa | 98.00% best ungapped identity | 1 substitutions | part 12/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query EQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
· |||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_b82a3b36b8bfd9b79123fe6d	43-92	B overlap 92%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	43-92	B overlap 92%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	43-92	B overlap 92%	Staphylococcus aureus
UP_ba9a53de95075c778cf3942f	43-92	B overlap 92%	Staphylococcus aureus
UP_bb14cd4e731365d1a25a797f	43-92	B overlap 92%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	55-104	B overlap 92%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	43-92	B overlap 92%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	43-92	B overlap 92%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	43-92	B overlap 92%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	43-92	B overlap 92%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	43-92	B overlap 92%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	43-92	B overlap 92%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	55-104	B overlap 92%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	55-104	B overlap 92%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	43-92	B overlap 92%	Staphylococcus aureus
UP_c6e58db97616169658087da4	43-92	B overlap 92%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_637

50 aa | 98.00% best ungapped identity | 1 substitutions | part 13/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query EQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
· |||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_c86fdaa2621aef50129d348b	43-92	B overlap 92%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	43-92	B overlap 92%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	43-92	B overlap 92%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	43-92	B overlap 92%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	43-92	B overlap 92%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	43-92	B overlap 92%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	43-92	B overlap 92%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	55-104	B overlap 92%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	43-92	B overlap 92%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	43-92	B overlap 92%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	43-92	B overlap 92%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	43-92	B overlap 92%	Staphylococcus aureus
UP_d5b345437142d9cf807db25d	43-92	B overlap 92%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	43-92	B overlap 92%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	43-92	B overlap 92%	Staphylococcus aureus
UP_db4dfda598bef7013ceb3dbc	43-92	B overlap 92%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_637

50 aa | 98.00% best ungapped identity | 1 substitutions | part 14/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query EQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
· |||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_ddcc25ff5408d54d5c32163f	43-92	B overlap 92%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	43-92	B overlap 92%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	43-92	B overlap 92%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbab69	43-92	B overlap 92%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	43-92	B overlap 92%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	43-92	B overlap 92%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	43-92	B overlap 92%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	43-92	B overlap 92%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	43-92	B overlap 92%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	43-92	B overlap 92%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	55-104	B overlap 92%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	43-92	B overlap 92%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	43-92	B overlap 92%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	55-104	B overlap 92%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	55-104	B overlap 92%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	43-92	B overlap 92%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_637

50 aa | 98.00% best ungapped identity | 1 substitutions | part 15/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query EQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
· |||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_e69cdb9fb24f123702443be9	43-92	B overlap 92%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	43-92	B overlap 92%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	43-92	B overlap 92%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	43-92	B overlap 92%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	43-92	B overlap 92%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	43-92	B overlap 92%	Staphylococcus aureus
UP_edaaa2299783d537504a97ff	55-104	B overlap 92%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	43-92	B overlap 92%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	43-92	B overlap 92%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	43-92	B overlap 92%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	43-92	B overlap 92%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	43-92	B overlap 92%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	43-92	B overlap 92%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	43-92	B overlap 92%	Staphylococcus aureus
UP_f6c81f1ef152502d327f40dc	43-92	B overlap 92%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	43-92	B overlap 92%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	55-104	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_637

50 aa | 98.00% best ungapped identity | 1 substitutions | part 16/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query EQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK
· |||||
Parent QQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDSQAPK

All equally best ungapped sites on this page

UP_f85095abf436c388206c5124	43-92	B overlap 92%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	43-92	B overlap 92%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	43-92	B overlap 92%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	43-92	B overlap 92%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	43-92	B overlap 92%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	43-92	B overlap 92%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	43-92	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query A QHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||.|||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	37-92	B overlap 93%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	37-92	B overlap 93%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	37-92	B overlap 93%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	37-92	B overlap 93%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	37-92	B overlap 93%	Staphylococcus aureus
UP_04faae54d75da101458d937d	37-92	B overlap 93%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	37-92	B overlap 93%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	37-92	B overlap 93%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	37-92	B overlap 93%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	37-92	B overlap 93%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	37-92	B overlap 93%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	37-92	B overlap 93%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	37-92	B overlap 93%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	37-92	B overlap 93%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	37-92	B overlap 93%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	37-92	B overlap 93%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 2/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query A QHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||.|||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_127db86243730a6f9df4e8bd	49-104	B overlap 93%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	37-92	B overlap 93%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	37-92	B overlap 93%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	37-92	B overlap 93%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	37-92	B overlap 93%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	37-92	B overlap 93%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	37-92	B overlap 93%	Staphylococcus aureus
UP_1be437babca2a84ae74283a17	37-92	B overlap 93%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	37-92	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	37-92	B overlap 93%	Staphylococcus aureus
UP_1f0c143935bf9440a4d0dd38	37-92	B overlap 93%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	37-92	B overlap 93%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	37-92	B overlap 93%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	37-92	B overlap 93%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	37-92	B overlap 93%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	37-92	B overlap 93%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_638

56 aa | 98.21% best ungapped identity | 1 substitutions | part 3/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query A QHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||. . |||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_29064a9961a975f454e1d6b1	37-92	B overlap 93%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	37-92	B overlap 93%	Staphylococcus aureus
UP_29da8f2bf1e86de36a87930b	37-92	B overlap 93%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	37-92	B overlap 93%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	37-92	B overlap 93%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	37-92	B overlap 93%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	37-92	B overlap 93%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	37-92	B overlap 93%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	37-92	B overlap 93%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	37-92	B overlap 93%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	37-92	B overlap 93%	Staphylococcus aureus
UP_369376855189ded07861b56b	37-92	B overlap 93%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	37-92	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	37-92	B overlap 93%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	37-92	B overlap 93%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	37-92	B overlap 93%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_638

56 aa | 98.21% best ungapped identity | 1 substitutions | part 4/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
 ||||| . |||||
Parent AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_3d571252244f795c04507670	37-92	B overlap 93%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	37-92	B overlap 93%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	49-104	B overlap 93%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	37-92	B overlap 93%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	37-92	B overlap 93%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	37-92	B overlap 93%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	37-92	B overlap 93%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	37-92	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	37-92	B overlap 93%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	37-92	B overlap 93%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	37-92	B overlap 93%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	37-92	B overlap 93%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	49-104	B overlap 93%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	37-92	B overlap 93%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	37-92	B overlap 93%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	37-92	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 5/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||.|||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_4c1fd99d56c771d3922e9759	37-92	B overlap 93%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	37-92	B overlap 93%	Staphylococcus aureus
UP_4cf67d66a141116ecdb88412	49-104	B overlap 93%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	37-92	B overlap 93%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	37-92	B overlap 93%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	37-92	B overlap 93%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	37-92	B overlap 93%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	37-92	B overlap 93%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	37-92	B overlap 93%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	37-92	B overlap 93%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	37-92	B overlap 93%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	49-104	B overlap 93%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	37-92	B overlap 93%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	37-92	B overlap 93%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	37-92	B overlap 93%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	37-92	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_638

56 aa | 98.21% best ungapped identity | 1 substitutions | part 6/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||. |||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_60b825dd9a4e560b2cee9750	37-92	B overlap 93%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	49-104	B overlap 93%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	37-92	B overlap 93%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	37-92	B overlap 93%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	37-92	B overlap 93%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	37-92	B overlap 93%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	37-92	B overlap 93%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	37-92	B overlap 93%	Staphylococcus aureus
UP_67b157c032f302cca570b203	49-104	B overlap 93%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	37-92	B overlap 93%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	37-92	B overlap 93%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	37-92	B overlap 93%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	37-92	B overlap 93%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	37-92	B overlap 93%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	37-92	B overlap 93%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	49-104	B overlap 93%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 7/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||.|||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_6e049e4ca0302272d6248f6	37-92	B overlap 93%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	37-92	B overlap 93%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	49-104	B overlap 93%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	37-92	B overlap 93%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	37-92	B overlap 93%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	37-92	B overlap 93%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	37-92	B overlap 93%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	37-92	B overlap 93%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	37-92	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	37-92	B overlap 93%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	37-92	B overlap 93%	Staphylococcus aureus
UP_79e0b1d188807716a8d270a0	37-92	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	49-104	B overlap 93%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	37-92	B overlap 93%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	32-87	B overlap 93%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	37-92	B overlap 93%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_638

56 aa | 98.21% best ungapped identity | 1 substitutions | part 8/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||.|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_7e1d634bed16b84ddf354b21	37-92	B overlap 93%	Staphylococcus aureus
UP_7f705628d3208506515b3404	37-92	B overlap 93%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	37-92	B overlap 93%	Staphylococcus aureus
UP_87c984f47195a756918038f8	37-92	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	37-92	B overlap 93%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	37-92	B overlap 93%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	37-92	B overlap 93%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	37-92	B overlap 93%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	37-92	B overlap 93%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	37-92	B overlap 93%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	37-92	B overlap 93%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	37-92	B overlap 93%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	37-92	B overlap 93%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	37-92	B overlap 93%	Staphylococcus aureus
UP_91eb16918889951219e50a73	37-92	B overlap 93%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	37-92	B overlap 93%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 9/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||.|||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_9405efe3c9c1b998737ba3a9	37-92	B overlap 93%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	37-92	B overlap 93%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	37-92	B overlap 93%	Staphylococcus aureus
UP_94875a270e702e9733c65c20	37-92	B overlap 93%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	37-92	B overlap 93%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	37-92	B overlap 93%	Staphylococcus aureus
UP_971043b6271e59644756c924	37-92	B overlap 93%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	37-92	B overlap 93%	Staphylococcus aureus
UP_97e42757ac273b6b51241624	37-92	B overlap 93%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	37-92	B overlap 93%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	37-92	B overlap 93%	Staphylococcus aureus
UP_9cdee1761c3bb0284a50f196	49-104	B overlap 93%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	37-92	B overlap 93%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	37-92	B overlap 93%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	37-92	B overlap 93%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	37-92	B overlap 93%	Staphylococcus aureus
UP_alc16686cb18780db1e61843	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 10/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||.|||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	37-92	B overlap 93%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	37-92	B overlap 93%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	37-92	B overlap 93%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	49-104	B overlap 93%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	37-92	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	37-92	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	37-92	B overlap 93%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	37-92	B overlap 93%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	37-92	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	49-104	B overlap 93%	Staphylococcus aureus
UP_aafb3bf93e81454cf6b62ce	37-92	B overlap 93%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	37-92	B overlap 93%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	37-92	B overlap 93%	Staphylococcus aureus
UP_ad44964a13a988ebe08c8ee1	37-92	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	37-92	B overlap 93%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	37-92	B overlap 93%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_638

56 aa | 98.21% best ungapped identity | 1 substitutions | part 11/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||. . |||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_aec2af7cb0206c955110b821	37-92	B overlap 93%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	37-92	B overlap 93%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	37-92	B overlap 93%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	37-92	B overlap 93%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	37-92	B overlap 93%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	49-104	B overlap 93%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	37-92	B overlap 93%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	48-103	B overlap 93%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	37-92	B overlap 93%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	37-92	B overlap 93%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	37-92	B overlap 93%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	37-92	B overlap 93%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	37-92	B overlap 93%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	37-92	B overlap 93%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	37-92	B overlap 93%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	37-92	B overlap 93%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	37-92	B overlap 93%	Unresolved

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 12/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query A QHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||.|||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_b82a3b36b8bfd9b79123fe6d	37-92	B overlap 93%	Staphylococcus aureus
UP_b8b659f615cfdbc781f8d48e	37-92	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	37-92	B overlap 93%	Staphylococcus aureus
UP_ba9a53de95075c778cf3942f	37-92	B overlap 93%	Staphylococcus aureus
UP_bb14cd4e731365d1a25a797f	37-92	B overlap 93%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	49-104	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	37-92	B overlap 93%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	37-92	B overlap 93%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	37-92	B overlap 93%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	37-92	B overlap 93%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	37-92	B overlap 93%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	37-92	B overlap 93%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	49-104	B overlap 93%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	49-104	B overlap 93%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	37-92	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	37-92	B overlap 93%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_638

56 aa | 98.21% best ungapped identity | 1 substitutions | part 13/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||. . |||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND SQAPK

All equally best ungapped sites on this page

UP_c86fdaa2621aef50129d348b	37-92	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	37-92	B overlap 93%	Staphylococcus aureus
UP_cd42d745d221a99aeeeb0b940	37-92	B overlap 93%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	37-92	B overlap 93%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	37-92	B overlap 93%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	37-92	B overlap 93%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	37-92	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	49-104	B overlap 93%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	37-92	B overlap 93%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	37-92	B overlap 93%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	37-92	B overlap 93%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	37-92	B overlap 93%	Staphylococcus aureus
UP_d5b345437142d9cf807db25d	37-92	B overlap 93%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	37-92	B overlap 93%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	37-92	B overlap 93%	Staphylococcus aureus
UP_db4dfda598bef7013ceb3dbc	37-92	B overlap 93%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_638

56 aa | 98.21% best ungapped identity | 1 substitutions | part 14/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK
 ||||| . |||||
Parent AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_ddcc25ff5408d54d5c32163f	37-92	B overlap 93%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	37-92	B overlap 93%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	37-92	B overlap 93%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbab69	37-92	B overlap 93%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	37-92	B overlap 93%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	37-92	B overlap 93%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	37-92	B overlap 93%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	37-92	B overlap 93%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	37-92	B overlap 93%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	37-92	B overlap 93%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	49-104	B overlap 93%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	37-92	B overlap 93%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	37-92	B overlap 93%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	49-104	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	49-104	B overlap 93%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	37-92	B overlap 93%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 15/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||.|||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_e69cdb9fb24f123702443be9	37-92	B overlap 93%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	37-92	B overlap 93%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	37-92	B overlap 93%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	37-92	B overlap 93%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	37-92	B overlap 93%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	37-92	B overlap 93%	Staphylococcus aureus
UP_edaaa2299783d537504a97ff	49-104	B overlap 93%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	37-92	B overlap 93%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	37-92	B overlap 93%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	37-92	B overlap 93%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	37-92	B overlap 93%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	37-92	B overlap 93%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	37-92	B overlap 93%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	37-92	B overlap 93%	Staphylococcus aureus
UP_f6c81f1ef152502d327f40dc	37-92	B overlap 93%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	37-92	B overlap 93%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	49-104	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_638

56 aa | 98.21% best ungapped identity | 1 substitutions | part 16/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

|||||. . |||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDSQAPK

All equally best ungapped sites on this page

UP_f85095abf436c388206c5124	37-92	B overlap 93%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	37-92	B overlap 93%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	37-92	B overlap 93%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	37-92	B overlap 93%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	37-92	B overlap 93%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	37-92	B overlap 93%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	37-92	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_639

50 aa | 96.00% best ungapped identity | 2 substitutions | part 1/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 259. Ungapped best parents: 259. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLKNAQAPK
|||||
Parent QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	220-269	B overlap 92%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	220-269	B overlap 92%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	220-269	B overlap 92%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	162-211	B overlap 92%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	220-269	B overlap 92%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	220-269	B overlap 92%	Staphylococcus aureus
UP_04faae54d75da101458d937d	220-269	B overlap 92%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	220-269	B overlap 92%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	220-269	B overlap 92%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	232-281	B overlap 92%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	220-269	B overlap 92%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	220-269	B overlap 92%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	220-269	B overlap 92%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	220-269	B overlap 92%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	220-269	B overlap 92%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	220-269	B overlap 92%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	278-327	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_639

50 aa | 96.00% best ungapped identity | 2 substitutions | part 2/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 259. Ungapped best parents: 259. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLKNAQAPK
|||||
Parent QQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_127db86243730a6f9df4e8bd	232-281	B overlap 92%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	220-269	B overlap 92%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	220-269	B overlap 92%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	220-269	B overlap 92%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	220-269	B overlap 92%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	220-269	B overlap 92%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	220-269	B overlap 92%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	220-269	B overlap 92%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	220-269	B overlap 92%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	162-211	B overlap 92%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	220-269	B overlap 92%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	278-327	B overlap 92%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	220-269	B overlap 92%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	220-269	B overlap 92%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	220-269	B overlap 92%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	162-211	B overlap 92%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	232-281	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_639

50 aa | 96.00% best ungapped identity | 2 substitutions | part 3/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 259. Ungapped best parents: 259. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLKNAQAPK
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_24b2d55e0b8b4fd61b242c12	220-269	B overlap 92%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	162-211	B overlap 92%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	220-269	B overlap 92%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	220-269	B overlap 92%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	220-269	B overlap 92%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	220-269	B overlap 92%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	220-269	B overlap 92%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	394-443	B overlap 92%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	452-501	B overlap 92%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	278-327	B overlap 92%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	220-269	B overlap 92%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	162-211	B overlap 92%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	220-269	B overlap 92%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	162-211	B overlap 92%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	220-269	B overlap 92%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	220-269	B overlap 92%	Staphylococcus schweitzeri
UP_37e60ca6c449c9241b51223d	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_639

50 aa | 96.00% best ungapped identity | 2 substitutions | part 4/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 259. Ungapped best parents: 259. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_3857b73b64bcc8ece5dac794	220-269	B overlap 92%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	278-327	B overlap 92%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	220-269	B overlap 92%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	278-327	B overlap 92%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	220-269	B overlap 92%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	220-269	B overlap 92%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	220-269	B overlap 92%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	16-65	B overlap 92%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	162-211	B overlap 92%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	220-269	B overlap 92%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	220-269	B overlap 92%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	220-269	B overlap 92%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	220-269	B overlap 92%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	220-269	B overlap 92%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	278-327	B overlap 92%	Staphylococcus aureus
UP_45a183f1c00512726bcadeceb	220-269	B overlap 92%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_639

50 aa | 96.00% best ungapped identity | 2 substitutions | part 5/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 259. Ungapped best parents: 259. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLKNAQAPK
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_4667ae039c0ce4ff6d65fa16	43-92	B overlap 92%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	232-281	B overlap 92%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	220-269	B overlap 92%	Staphylococcus aureus
UP_493fc1e6cf2d8753094287af	162-211	B overlap 92%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	220-269	B overlap 92%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	220-269	B overlap 92%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	394-443	B overlap 92%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	162-211	B overlap 92%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	162-211	B overlap 92%	Staphylococcus aureus
UP_4f7ac95290874e78b8d9f0ed	43-92	B overlap 92%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	220-269	B overlap 92%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	220-269	B overlap 92%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	220-269	B overlap 92%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	162-211	B overlap 92%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	220-269	B overlap 92%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	220-269	B overlap 92%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_639

50 aa | 96.00% best ungapped identity | 2 substitutions | part 6/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 259. Ungapped best parents: 259. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLKNAQAPK
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_5c12c291e4303f0c3d8c9a01	232-281	B overlap 92%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	162-211	B overlap 92%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	220-269	B overlap 92%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	220-269	B overlap 92%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	278-327	B overlap 92%	Staphylococcus aureus
UP_60b825dd9a4e560b2cee9750	220-269	B overlap 92%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	220-269	B overlap 92%	Staphylococcus aureus
UP_6193b3607b8eab64acbfe79f	101-150	B overlap 92%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	290-339	B overlap 92%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	162-211	B overlap 92%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	220-269	B overlap 92%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	220-269	B overlap 92%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	162-211	B overlap 92%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	220-269	B overlap 92%	Staphylococcus aureus
UP_654970f68b48978377243697	220-269	B overlap 92%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	162-211	B overlap 92%	Staphylococcus aureus
UP_67b157c032f302cca570b203	232-281	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_639

50 aa | 96.00% best ungapped identity | 2 substitutions | part 7/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 259. Ungapped best parents: 259. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLKNAQAPK
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_67b157c032f302cca570b203	290-339	B overlap 92%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	220-269	B overlap 92%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	220-269	B overlap 92%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	220-269	B overlap 92%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	220-269	B overlap 92%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	220-269	B overlap 92%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	220-269	B overlap 92%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	220-269	B overlap 92%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	220-269	B overlap 92%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	290-339	B overlap 92%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	220-269	B overlap 92%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	162-211	B overlap 92%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	220-269	B overlap 92%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	220-269	B overlap 92%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	220-269	B overlap 92%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	220-269	B overlap 92%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	232-281	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_639

50 aa | 96.00% best ungapped identity | 2 substitutions | part 8/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 259. Ungapped best parents: 259. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLKNAQAPK
|||||
Parent QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_72dd9fa28dab2363ac98467e	220-269	B overlap 92%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	220-269	B overlap 92%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	220-269	B overlap 92%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	278-327	B overlap 92%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	159-208	B overlap 92%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	220-269	B overlap 92%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	220-269	B overlap 92%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	220-269	B overlap 92%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	336-385	B overlap 92%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	394-443	B overlap 92%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	232-281	B overlap 92%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	162-211	B overlap 92%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	162-211	B overlap 92%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	162-211	B overlap 92%	Staphylococcus aureus
UP_7f705628d3208506515b3404	220-269	B overlap 92%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	162-211	B overlap 92%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_639

50 aa | 96.00% best ungapped identity | 2 substitutions | part 9/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 259. Ungapped best parents: 259. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLKNAQAPK
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_8387ccb33602d357a0047d59	220-269	B overlap 92%	Staphylococcus aureus
UP_857b4b53ca1f3ac9d11a0570	162-211	B overlap 92%	Staphylococcus roterodami
UP_85dd3992b51e31c2bfa5968c	162-211	B overlap 92%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	220-269	B overlap 92%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	168-217	B overlap 92%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	220-269	B overlap 92%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	162-211	B overlap 92%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	162-211	B overlap 92%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	162-211	B overlap 92%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	220-269	B overlap 92%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	220-269	B overlap 92%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	159-208	B overlap 92%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	278-327	B overlap 92%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	162-211	B overlap 92%	Staphylococcus aureus
UP_91eb16918889951219e50a73	220-269	B overlap 92%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	220-269	B overlap 92%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_639

50 aa | 96.00% best ungapped identity | 2 substitutions | part 10/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 259. Ungapped best parents: 259. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLKNAQAPK
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAPK

All equally best ungapped sites on this page

UP_94696029669c440ee3f1e3bb	220-269	B overlap 92%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	220-269	B overlap 92%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	162-211	B overlap 92%	Staphylococcus aureus
UP_95e30e740b9bec939fb36b82	168-217	B overlap 92%	Staphylococcus aureus
UP_971043b6271e59644756c924	162-211	B overlap 92%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	220-269	B overlap 92%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	220-269	B overlap 92%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	220-269	B overlap 92%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	162-211	B overlap 92%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	220-269	B overlap 92%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	278-327	B overlap 92%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	220-269	B overlap 92%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	162-211	B overlap 92%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	220-269	B overlap 92%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	220-269	B overlap 92%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	162-211	B overlap 92%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	232-281	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_639

50 aa | 96.00% best ungapped identity | 2 substitutions | part 11/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 259. Ungapped best parents: 259. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLKNAQAPK
|||||
Parent QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_a4c8a9731fd8233e1ba12907	162-211	B overlap 92%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	220-269	B overlap 92%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	107-156	B overlap 92%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	109-158	B overlap 92%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	220-269	B overlap 92%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	232-281	B overlap 92%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	162-211	B overlap 92%	Staphylococcus aureus
UP_acc811a9219f865a4e04d8f1	43-92	B overlap 92%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	278-327	B overlap 92%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	220-269	B overlap 92%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	220-269	B overlap 92%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	162-211	B overlap 92%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	220-269	B overlap 92%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	220-269	B overlap 92%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	232-281	B overlap 92%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	162-211	B overlap 92%	Staphylococcus aureus
UP_b1b6527c392edca51eae006	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_639

50 aa | 96.00% best ungapped identity | 2 substitutions | part 12/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 259. Ungapped best parents: 259. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLKNAQAPK
|||||
Parent QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAPK

All equally best ungapped sites on this page

UP_b1ccbbc665058d4e6104b0dc	162-211	B overlap 92%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	220-269	B overlap 92%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	220-269	B overlap 92%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	220-269	B overlap 92%	Staphylococcus aureus
UP_b448388f79d88503154c8958	220-269	B overlap 92%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	220-269	B overlap 92%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	220-269	B overlap 92%	Unresolved
UP_b8b659f615cfbdc781f8d48e	220-269	B overlap 92%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	220-269	B overlap 92%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	290-339	B overlap 92%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	220-269	B overlap 92%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	220-269	B overlap 92%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	179-228	B overlap 92%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	220-269	B overlap 92%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	220-269	B overlap 92%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	220-269	B overlap 92%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_639

50 aa | 96.00% best ungapped identity | 2 substitutions | part 13/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 259. Ungapped best parents: 259. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLKNAQAPK
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAPK

All equally best ungapped sites on this page

UP_c3971c3863339abe6ae39176	220-269	B overlap 92%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	348-397	B overlap 92%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	220-269	B overlap 92%	Staphylococcus aureus
UP_c6e58db97616169658087da4	220-269	B overlap 92%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	162-211	B overlap 92%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	162-211	B overlap 92%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	220-269	B overlap 92%	Staphylococcus aureus
UP_ca698c2d92aaa89331dd0ba4	162-211	B overlap 92%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	220-269	B overlap 92%	Staphylococcus aureus
UP_cc018e0aa888e81d3674855c	196-245	B overlap 92%	Staphylococcus aureus
UP_cd42d745d221a99ae0b940	220-269	B overlap 92%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	220-269	B overlap 92%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	220-269	B overlap 92%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	278-327	B overlap 92%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	293-342	B overlap 92%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	162-211	B overlap 92%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_639

50 aa | 96.00% best ungapped identity | 2 substitutions | part 14/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 259. Ungapped best parents: 259. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK
|||||
Parent QQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_d446b7e01a0f059e086dcfed	220-269	B overlap 92%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d762df1fa79b331ff9b41f57	162-211	B overlap 92%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	278-327	B overlap 92%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	278-327	B overlap 92%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	220-269	B overlap 92%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	220-269	B overlap 92%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	162-211	B overlap 92%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	220-269	B overlap 92%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	109-158	B overlap 92%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	162-211	B overlap 92%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	162-211	B overlap 92%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	220-269	B overlap 92%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	23-72	B overlap 92%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	232-281	B overlap 92%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	220-269	B overlap 92%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	232-281	B overlap 92%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_639

50 aa | 96.00% best ungapped identity | 2 substitutions | part 15/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 259. Ungapped best parents: 259. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLKNAQAPK
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_e69cdb9fb24f123702443be9	162-211	B overlap 92%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	162-211	B overlap 92%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	220-269	B overlap 92%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	220-269	B overlap 92%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	220-269	B overlap 92%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	220-269	B overlap 92%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	162-211	B overlap 92%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	220-269	B overlap 92%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	220-269	B overlap 92%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	162-211	B overlap 92%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	220-269	B overlap 92%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	220-269	B overlap 92%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	220-269	B overlap 92%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	162-211	B overlap 92%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	232-281	B overlap 92%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	49-98	B overlap 92%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_639

50 aa | 96.00% best ungapped identity | 2 substitutions | part 16/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 259. Ungapped best parents: 259. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKLKNAQAPK
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_f85095abf436c388206c5124	220-269	B overlap 92%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	220-269	B overlap 92%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	220-269	B overlap 92%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	220-269	B overlap 92%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	278-327	B overlap 92%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	174-223	B overlap 92%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_640

56 aa | 96.43% best ungapped identity | 2 substitutions | part 1/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK
 |||||
Parent NKFNKEQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	214-269	B overlap 93%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	214-269	B overlap 93%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	156-211	B overlap 93%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	214-269	B overlap 93%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	214-269	B overlap 93%	Staphylococcus aureus
UP_04faae54d75da101458d937d	214-269	B overlap 93%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	214-269	B overlap 93%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	214-269	B overlap 93%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	226-281	B overlap 93%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	214-269	B overlap 93%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	214-269	B overlap 93%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	214-269	B overlap 93%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	214-269	B overlap 93%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	214-269	B overlap 93%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	214-269	B overlap 93%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	272-327	B overlap 93%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	226-281	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_640

56 aa | 96.43% best ungapped identity | 2 substitutions | part 2/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK
 |||||
Parent NKFNKEQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_1529d2d15daae1f92fd339c3	214-269	B overlap 93%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	214-269	B overlap 93%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	214-269	B overlap 93%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	214-269	B overlap 93%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	214-269	B overlap 93%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	214-269	B overlap 93%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	156-211	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	214-269	B overlap 93%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	272-327	B overlap 93%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	214-269	B overlap 93%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	214-269	B overlap 93%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	214-269	B overlap 93%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	156-211	B overlap 93%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	226-281	B overlap 93%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	214-269	B overlap 93%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	214-269	B overlap 93%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_640

56 aa | 96.43% best ungapped identity | 2 substitutions | part 3/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK
 |||||
Parent NKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_29421b3caa551a61fd924f20	214-269	B overlap 93%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	214-269	B overlap 93%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	388-443	B overlap 93%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	446-501	B overlap 93%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	214-269	B overlap 93%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	156-211	B overlap 93%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	214-269	B overlap 93%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	214-269	B overlap 93%	Staphylococcus aureus
UP_34e7dec5146720f3668dfdf6	214-269	B overlap 93%	Staphylococcus schweitzeri
UP_37e60ca6c449c9241b51223d	214-269	B overlap 93%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	214-269	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	272-327	B overlap 93%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	214-269	B overlap 93%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	272-327	B overlap 93%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	214-269	B overlap 93%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	214-269	B overlap 93%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	10-65	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_640

56 aa | 96.43% best ungapped identity | 2 substitutions | part 4/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK
 |||||
Parent NKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_3fee6a180afdbfcb0846e0dd	156-211	B overlap 93%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	214-269	B overlap 93%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	214-269	B overlap 93%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	214-269	B overlap 93%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	214-269	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	272-327	B overlap 93%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	214-269	B overlap 93%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	214-269	B overlap 93%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	226-281	B overlap 93%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	214-269	B overlap 93%	Staphylococcus aureus
UP_493fc1e6cf2d8753094287af	156-211	B overlap 93%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	214-269	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	388-443	B overlap 93%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	214-269	B overlap 93%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	214-269	B overlap 93%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	214-269	B overlap 93%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_640

56 aa | 96.43% best ungapped identity | 2 substitutions | part 5/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK
 |||||
Parent NKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_5bbec0493fad67c07e5cf02b	214-269	B overlap 93%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	214-269	B overlap 93%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	226-281	B overlap 93%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	214-269	B overlap 93%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	214-269	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	272-327	B overlap 93%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	214-269	B overlap 93%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	284-339	B overlap 93%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	214-269	B overlap 93%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	214-269	B overlap 93%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	156-211	B overlap 93%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	214-269	B overlap 93%	Staphylococcus aureus
UP_654970f68b48978377243697	214-269	B overlap 93%	Staphylococcus aureus
UP_67b157c032f302cca570b203	226-281	B overlap 93%	Staphylococcus aureus
UP_67b157c032f302cca570b203	284-339	B overlap 93%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	214-269	B overlap 93%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_640

56 aa | 96.43% best ungapped identity | 2 substitutions | part 6/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK
 |||||
Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_687782ca218e6b0ad2ae44ec	214-269	B overlap 93%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	214-269	B overlap 93%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	214-269	B overlap 93%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	214-269	B overlap 93%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	214-269	B overlap 93%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	214-269	B overlap 93%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	284-339	B overlap 93%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	214-269	B overlap 93%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	214-269	B overlap 93%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	214-269	B overlap 93%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	214-269	B overlap 93%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	214-269	B overlap 93%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	226-281	B overlap 93%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	214-269	B overlap 93%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	214-269	B overlap 93%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	214-269	B overlap 93%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_640

56 aa | 96.43% best ungapped identity | 2 substitutions | part 7/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK
 |||||
Parent NKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_765723fc1968b55d97f0d898	153-208	B overlap 93%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	214-269	B overlap 93%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	214-269	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	388-443	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	226-281	B overlap 93%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	156-211	B overlap 93%	Staphylococcus aureus
UP_7f705628d3208506515b3404	214-269	B overlap 93%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	156-211	B overlap 93%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	214-269	B overlap 93%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	214-269	B overlap 93%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	156-211	B overlap 93%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	214-269	B overlap 93%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	162-217	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	214-269	B overlap 93%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	156-211	B overlap 93%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	214-269	B overlap 93%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_640

56 aa | 96.43% best ungapped identity | 2 substitutions | part 8/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK
 |||||
Parent NKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_90b2ae6a5dc85d85fe642767	153-208	B overlap 93%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	272-327	B overlap 93%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	156-211	B overlap 93%	Staphylococcus aureus
UP_91eb16918889951219e50a73	214-269	B overlap 93%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	214-269	B overlap 93%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	214-269	B overlap 93%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	214-269	B overlap 93%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	214-269	B overlap 93%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	214-269	B overlap 93%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	214-269	B overlap 93%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	214-269	B overlap 93%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	214-269	B overlap 93%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	214-269	B overlap 93%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	156-211	B overlap 93%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	214-269	B overlap 93%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	214-269	B overlap 93%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_640

56 aa | 96.43% best ungapped identity | 2 substitutions | part 9/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK
 |||||
Parent NKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_a496e39d8ed9511ac38a7bed	226-281	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	214-269	B overlap 93%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	101-156	B overlap 93%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	103-158	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	214-269	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	226-281	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	272-327	B overlap 93%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	214-269	B overlap 93%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	214-269	B overlap 93%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	214-269	B overlap 93%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	214-269	B overlap 93%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	226-281	B overlap 93%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	156-211	B overlap 93%	Staphylococcus aureus
UP_b1b6527c392edca51eae006	214-269	B overlap 93%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	214-269	B overlap 93%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	214-269	B overlap 93%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_640

56 aa | 96.43% best ungapped identity | 2 substitutions | part 10/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYIHLPLNLEEQRNGFIQSLKDDPSQSANLLAEAKKLNAQAPK
 |||||||
 Parent NKFNKEQQNAFYIHLPLNLEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAPK

All equally best ungapped sites on this page

UP_b448388f79d88503154c8958	214-269	B overlap 93%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	214-269	B overlap 93%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	214-269	B overlap 93%	Unresolved
UP_b8b659f615cfbdc781f8d48e	214-269	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	214-269	B overlap 93%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	284-339	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	214-269	B overlap 93%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	214-269	B overlap 93%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	214-269	B overlap 93%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	214-269	B overlap 93%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	214-269	B overlap 93%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	342-397	B overlap 93%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	214-269	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	214-269	B overlap 93%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	156-211	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	214-269	B overlap 93%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_640

56 aa | 96.43% best ungapped identity | 2 substitutions | part 11/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK
 |||||
Parent NKFNKEQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_cd42d745d221a99aeee0b940	214-269	B overlap 93%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	214-269	B overlap 93%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	272-327	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	287-342	B overlap 93%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	214-269	B overlap 93%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	214-269	B overlap 93%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d762df1fa79b331ff9b41f57	156-211	B overlap 93%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	272-327	B overlap 93%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	272-327	B overlap 93%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	214-269	B overlap 93%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	214-269	B overlap 93%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	214-269	B overlap 93%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	103-158	B overlap 93%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	156-211	B overlap 93%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	214-269	B overlap 93%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	17-72	B overlap 93%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	226-281	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_640

56 aa | 96.43% best ungapped identity | 2 substitutions | part 12/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK
 |||||
Parent NKFNKEQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_e42b0b69f1cfc645490b75f7	214-269	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	226-281	B overlap 93%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	214-269	B overlap 93%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	214-269	B overlap 93%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	214-269	B overlap 93%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	214-269	B overlap 93%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	214-269	B overlap 93%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	214-269	B overlap 93%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	156-211	B overlap 93%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	214-269	B overlap 93%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	226-281	B overlap 93%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	43-98	B overlap 93%	Staphylococcus aureus
UP_f85095abf436c388206c5124	214-269	B overlap 93%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	214-269	B overlap 93%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	214-269	B overlap 93%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	214-269	B overlap 93%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_640

56 aa | 96.43% best ungapped identity | 2 substitutions | part 13/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNAQAPK
 |||||
Parent NKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_fd05961c378749cdeb3b2814 168-223 B overlap 93% Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_671

58 aa | 93.10% best ungapped identity | 4 substitutions | part 1/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query ISTKNNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
...|.||
Parent ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	212-269	B overlap 91%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	212-269	B overlap 91%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	154-211	B overlap 91%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	212-269	B overlap 91%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	212-269	B overlap 91%	Staphylococcus aureus
UP_04faae54d75da101458d937d	212-269	B overlap 91%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	212-269	B overlap 91%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	212-269	B overlap 91%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	224-281	B overlap 91%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	212-269	B overlap 91%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	212-269	B overlap 91%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	212-269	B overlap 91%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	212-269	B overlap 91%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	212-269	B overlap 91%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	212-269	B overlap 91%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	270-327	B overlap 91%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	224-281	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_671

58 aa | 93.10% best ungapped identity | 4 substitutions | part 2/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query ISTKNNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
...|.||
Parent ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_1529d2d15daae1f92fd339c3	212-269	B overlap 91%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	212-269	B overlap 91%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	212-269	B overlap 91%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	212-269	B overlap 91%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	212-269	B overlap 91%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	212-269	B overlap 91%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	154-211	B overlap 91%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	212-269	B overlap 91%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	270-327	B overlap 91%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	212-269	B overlap 91%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	212-269	B overlap 91%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	212-269	B overlap 91%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	154-211	B overlap 91%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	224-281	B overlap 91%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	212-269	B overlap 91%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	212-269	B overlap 91%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_671

58 aa | 93.10% best ungapped identity | 4 substitutions | part 3/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query ISTKNNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
...|.||
Parent ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_29421b3caa551a61fd924f20	212-269	B overlap 91%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	212-269	B overlap 91%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	386-443	B overlap 91%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	444-501	B overlap 91%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	212-269	B overlap 91%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	154-211	B overlap 91%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	212-269	B overlap 91%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	212-269	B overlap 91%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	212-269	B overlap 91%	Staphylococcus schweitzeri
UP_37e60ca6c449c9241b51223d	212-269	B overlap 91%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	212-269	B overlap 91%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	270-327	B overlap 91%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	212-269	B overlap 91%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	270-327	B overlap 91%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	212-269	B overlap 91%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	212-269	B overlap 91%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	8-65	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_671

58 aa | 93.10% best ungapped identity | 4 substitutions | part 4/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query ISTKNNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
...|.||
Parent ADNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_3fee6a180afdbfcb0846e0dd	154-211	B overlap 91%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	212-269	B overlap 91%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	212-269	B overlap 91%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	212-269	B overlap 91%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	212-269	B overlap 91%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	270-327	B overlap 91%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	212-269	B overlap 91%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	212-269	B overlap 91%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	224-281	B overlap 91%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	212-269	B overlap 91%	Staphylococcus aureus
UP_493fc1e6cf2d8753094287af	154-211	B overlap 91%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	212-269	B overlap 91%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	386-443	B overlap 91%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	212-269	B overlap 91%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	212-269	B overlap 91%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	212-269	B overlap 91%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_671

58 aa | 93.10% best ungapped identity | 4 substitutions | part 5/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query ISTKNNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
...|.|||
Parent ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_5bbec0493fad67c07e5cf02b	212-269	B overlap 91%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	212-269	B overlap 91%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	224-281	B overlap 91%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	212-269	B overlap 91%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	212-269	B overlap 91%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	270-327	B overlap 91%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	212-269	B overlap 91%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	282-339	B overlap 91%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	212-269	B overlap 91%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	212-269	B overlap 91%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	154-211	B overlap 91%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	212-269	B overlap 91%	Staphylococcus aureus
UP_654970f68b48978377243697	212-269	B overlap 91%	Staphylococcus aureus
UP_67b157c032f302cca570b203	224-281	B overlap 91%	Staphylococcus aureus
UP_67b157c032f302cca570b203	282-339	B overlap 91%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	212-269	B overlap 91%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_671

58 aa | 93.10% best ungapped identity | 4 substitutions | part 6/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query ISTKNNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
...|.|||
Parent ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_687782ca218e6b0ad2ae44ec	212-269	B overlap 91%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	212-269	B overlap 91%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	212-269	B overlap 91%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	212-269	B overlap 91%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	212-269	B overlap 91%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	212-269	B overlap 91%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	282-339	B overlap 91%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	212-269	B overlap 91%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	212-269	B overlap 91%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	212-269	B overlap 91%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	212-269	B overlap 91%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	212-269	B overlap 91%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	224-281	B overlap 91%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	212-269	B overlap 91%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	212-269	B overlap 91%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	212-269	B overlap 91%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_671

58 aa | 93.10% best ungapped identity | 4 substitutions | part 7/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query ISTKNNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
...|.||
Parent ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_765723fc1968b55d97f0d898	151-208	B overlap 91%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	212-269	B overlap 91%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	212-269	B overlap 91%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	386-443	B overlap 91%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	224-281	B overlap 91%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	154-211	B overlap 91%	Staphylococcus aureus
UP_7f705628d3208506515b3404	212-269	B overlap 91%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	154-211	B overlap 91%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	212-269	B overlap 91%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	212-269	B overlap 91%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	154-211	B overlap 91%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	212-269	B overlap 91%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	160-217	B overlap 91%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	212-269	B overlap 91%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	154-211	B overlap 91%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	212-269	B overlap 91%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_671

58 aa | 93.10% best ungapped identity | 4 substitutions | part 8/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query ISTKNNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
...|.|||
Parent ADNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_90b2ae6a5dc85d85fe642767	151-208	B overlap 91%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	270-327	B overlap 91%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	154-211	B overlap 91%	Staphylococcus aureus
UP_91eb16918889951219e50a73	212-269	B overlap 91%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	212-269	B overlap 91%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	212-269	B overlap 91%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	212-269	B overlap 91%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	212-269	B overlap 91%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	212-269	B overlap 91%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	212-269	B overlap 91%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	212-269	B overlap 91%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	212-269	B overlap 91%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	212-269	B overlap 91%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	154-211	B overlap 91%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	212-269	B overlap 91%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	212-269	B overlap 91%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_671

58 aa | 93.10% best ungapped identity | 4 substitutions | part 9/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query ISTKNNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
...|.||
Parent ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_a496e39d8ed9511ac38a7bed	224-281	B overlap 91%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	212-269	B overlap 91%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	99-156	B overlap 91%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	101-158	B overlap 91%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	212-269	B overlap 91%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	224-281	B overlap 91%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	270-327	B overlap 91%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	212-269	B overlap 91%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	212-269	B overlap 91%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	212-269	B overlap 91%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	212-269	B overlap 91%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	224-281	B overlap 91%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	154-211	B overlap 91%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	212-269	B overlap 91%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	212-269	B overlap 91%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	212-269	B overlap 91%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_671

58 aa | 93.10% best ungapped identity | 4 substitutions | part 10/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query ISTKNNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQAPK
...|.||
Parent ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_b448388f79d88503154c8958	212-269	B overlap 91%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	212-269	B overlap 91%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	212-269	B overlap 91%	Unresolved
UP_b8b659f615cfbdc781f8d48e	212-269	B overlap 91%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	212-269	B overlap 91%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	282-339	B overlap 91%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	212-269	B overlap 91%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	212-269	B overlap 91%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	212-269	B overlap 91%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	212-269	B overlap 91%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	212-269	B overlap 91%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	340-397	B overlap 91%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	212-269	B overlap 91%	Staphylococcus aureus
UP_c6e58db97616169658087da4	212-269	B overlap 91%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	154-211	B overlap 91%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	212-269	B overlap 91%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_671

58 aa | 93.10% best ungapped identity | 4 substitutions | part 11/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query ISTKNNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK
...|.||
Parent ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_cd42d745d221a99aeee0b940	212-269	B overlap 91%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	212-269	B overlap 91%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	270-327	B overlap 91%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	285-342	B overlap 91%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	212-269	B overlap 91%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	212-269	B overlap 91%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d762df1fa79b331ff9b41f57	154-211	B overlap 91%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	270-327	B overlap 91%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	270-327	B overlap 91%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	212-269	B overlap 91%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	212-269	B overlap 91%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	212-269	B overlap 91%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	101-158	B overlap 91%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	154-211	B overlap 91%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	212-269	B overlap 91%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	15-72	B overlap 91%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	224-281	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_671

58 aa | 93.10% best ungapped identity | 4 substitutions | part 12/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query ISTKNNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
...|.||
Parent ADNKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_e42b0b69f1cfc645490b75f7	212-269	B overlap 91%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	224-281	B overlap 91%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	212-269	B overlap 91%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	212-269	B overlap 91%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	212-269	B overlap 91%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	212-269	B overlap 91%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	212-269	B overlap 91%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	212-269	B overlap 91%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	154-211	B overlap 91%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	212-269	B overlap 91%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	224-281	B overlap 91%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	41-98	B overlap 91%	Staphylococcus aureus
UP_f85095abf436c388206c5124	212-269	B overlap 91%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	212-269	B overlap 91%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	212-269	B overlap 91%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	212-269	B overlap 91%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	270-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_671

58 aa | 93.10% best ungapped identity | 4 substitutions | part 13/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query ISTKNNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK
...|.||
Parent ADNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_fd05961c378749cdeb3b2814 166-223 B overlap 91% Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_672

56 aa | 96.43% best ungapped identity | 2 substitutions | part 1/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query TKNKKEQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
Parent NKFNKEQQNAFYIILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	214-269	B overlap 93%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	214-269	B overlap 93%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	156-211	B overlap 93%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	214-269	B overlap 93%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	214-269	B overlap 93%	Staphylococcus aureus
UP_04faae54d75da101458d937d	214-269	B overlap 93%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	214-269	B overlap 93%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	214-269	B overlap 93%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	226-281	B overlap 93%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	214-269	B overlap 93%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	214-269	B overlap 93%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	214-269	B overlap 93%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	214-269	B overlap 93%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	214-269	B overlap 93%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	214-269	B overlap 93%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	272-327	B overlap 93%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	226-281	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_672

56 aa | 96.43% best ungapped identity | 2 substitutions | part 2/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query TKNKKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_1529d2d15daae1f92fd339c3	214-269	B overlap 93%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	214-269	B overlap 93%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	214-269	B overlap 93%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	214-269	B overlap 93%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	214-269	B overlap 93%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	214-269	B overlap 93%	Staphylococcus aureus
UP_1be437bab2a84ae74283a17	156-211	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	214-269	B overlap 93%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	272-327	B overlap 93%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	214-269	B overlap 93%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	214-269	B overlap 93%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	214-269	B overlap 93%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	156-211	B overlap 93%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	226-281	B overlap 93%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	214-269	B overlap 93%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	214-269	B overlap 93%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_672

56 aa | 96.43% best ungapped identity | 2 substitutions | part 3/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query TKNKKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK
Parent NKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_29421b3caa551a61fd924f20	214-269	B overlap 93%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	214-269	B overlap 93%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	388-443	B overlap 93%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	446-501	B overlap 93%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	214-269	B overlap 93%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	156-211	B overlap 93%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	214-269	B overlap 93%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	214-269	B overlap 93%	Staphylococcus aureus
UP_34e7dec5146720f3668dfdf6	214-269	B overlap 93%	Staphylococcus schweitzeri
UP_37e60ca6c449c9241b51223d	214-269	B overlap 93%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	214-269	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	272-327	B overlap 93%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	214-269	B overlap 93%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	272-327	B overlap 93%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	214-269	B overlap 93%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	214-269	B overlap 93%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	10-65	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_672

56 aa | 96.43% best ungapped identity | 2 substitutions | part 4/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query TKNKKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
Parent NKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_3fee6a180afdbfcb0846e0dd	156-211	B overlap 93%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	214-269	B overlap 93%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	214-269	B overlap 93%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	214-269	B overlap 93%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	214-269	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	272-327	B overlap 93%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	214-269	B overlap 93%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	214-269	B overlap 93%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	226-281	B overlap 93%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	214-269	B overlap 93%	Staphylococcus aureus
UP_493fc1e6cf2d8753094287af	156-211	B overlap 93%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	214-269	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	388-443	B overlap 93%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	214-269	B overlap 93%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	214-269	B overlap 93%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	214-269	B overlap 93%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 96.43% best ungapped identity | 2 substitutions | part 5/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query TKNNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

. | . |||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_5bbec0493fad67c07e5c02b	214-269	B overlap 93%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	214-269	B overlap 93%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	226-281	B overlap 93%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	214-269	B overlap 93%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	214-269	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	272-327	B overlap 93%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	214-269	B overlap 93%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	284-339	B overlap 93%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	214-269	B overlap 93%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	214-269	B overlap 93%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	156-211	B overlap 93%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	214-269	B overlap 93%	Staphylococcus aureus
UP_654970f68b48978377243697	214-269	B overlap 93%	Staphylococcus aureus
UP_67b157c032f302cca570b203	226-281	B overlap 93%	Staphylococcus aureus
UP_67b157c032f302cca570b203	284-339	B overlap 93%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	214-269	B overlap 93%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_672

56 aa | 96.43% best ungapped identity | 2 substitutions | part 6/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query TKNKKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
Parent NKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_687782ca218e6b0ad2ae44ec	214-269	B overlap 93%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	214-269	B overlap 93%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	214-269	B overlap 93%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	214-269	B overlap 93%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	214-269	B overlap 93%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	214-269	B overlap 93%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	284-339	B overlap 93%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	214-269	B overlap 93%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	214-269	B overlap 93%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	214-269	B overlap 93%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	214-269	B overlap 93%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	214-269	B overlap 93%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	226-281	B overlap 93%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	214-269	B overlap 93%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	214-269	B overlap 93%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	214-269	B overlap 93%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_672

56 aa | 96.43% best ungapped identity | 2 substitutions | part 7/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query TKNKKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK
Parent NKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_765723fc1968b55d97f0d898	153-208	B overlap 93%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	214-269	B overlap 93%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	214-269	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	388-443	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	226-281	B overlap 93%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	156-211	B overlap 93%	Staphylococcus aureus
UP_7f705628d3208506515b3404	214-269	B overlap 93%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	156-211	B overlap 93%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	214-269	B overlap 93%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	214-269	B overlap 93%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	156-211	B overlap 93%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	214-269	B overlap 93%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	162-217	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	214-269	B overlap 93%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	156-211	B overlap 93%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	214-269	B overlap 93%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_672

56 aa | 96.43% best ungapped identity | 2 substitutions | part 8/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query TKNKKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK
Parent NKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_90b2ae6a5dc85d85fe642767	153-208	B overlap 93%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	272-327	B overlap 93%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	156-211	B overlap 93%	Staphylococcus aureus
UP_91eb16918889951219e50a73	214-269	B overlap 93%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	214-269	B overlap 93%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	214-269	B overlap 93%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	214-269	B overlap 93%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	214-269	B overlap 93%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	214-269	B overlap 93%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	214-269	B overlap 93%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	214-269	B overlap 93%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	214-269	B overlap 93%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	214-269	B overlap 93%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	156-211	B overlap 93%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	214-269	B overlap 93%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	214-269	B overlap 93%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 96.43% best ungapped identity | 2 substitutions | part 9/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query TKNNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

. | . |||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_a496e39d8ed9511ac38a7/bed	226-281	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	214-269	B overlap 93%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	101-156	B overlap 93%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	103-158	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	214-269	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	226-281	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	272-327	B overlap 93%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	214-269	B overlap 93%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	214-269	B overlap 93%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	214-269	B overlap 93%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	214-269	B overlap 93%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	226-281	B overlap 93%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	156-211	B overlap 93%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	214-269	B overlap 93%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	214-269	B overlap 93%	Staphylococcus aureus
UP_b30e7e945ecd9f7156ff4b4	214-269	B overlap 93%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

56 aa | 96.43% best ungapped identity | 2 substitutions | part 10/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query TKNNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

. | . | |||||

Parent NKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_b448388f79d88503154c8958	214-269	B overlap 93%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	214-269	B overlap 93%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	214-269	B overlap 93%	Unresolved
UP_b8b659f615cfbdc781f8d48e	214-269	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	214-269	B overlap 93%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	284-339	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	214-269	B overlap 93%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	214-269	B overlap 93%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	214-269	B overlap 93%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	214-269	B overlap 93%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	214-269	B overlap 93%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	342-397	B overlap 93%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	214-269	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	214-269	B overlap 93%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	156-211	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	214-269	B overlap 93%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_672

56 aa | 96.43% best ungapped identity | 2 substitutions | part 11/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query TKNKKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK
Parent NKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPAK

All equally best ungapped sites on this page

UP_cd42d745d221a99ae0b940	214-269	B overlap 93%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	214-269	B overlap 93%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	272-327	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	287-342	B overlap 93%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	214-269	B overlap 93%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	214-269	B overlap 93%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d762df1fa79b331ff9b41f57	156-211	B overlap 93%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	272-327	B overlap 93%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	272-327	B overlap 93%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	214-269	B overlap 93%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	214-269	B overlap 93%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	214-269	B overlap 93%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	103-158	B overlap 93%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	156-211	B overlap 93%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	214-269	B overlap 93%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	17-72	B overlap 93%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	226-281	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_672

56 aa | 96.43% best ungapped identity | 2 substitutions | part 12/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query TKNKKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
Parent NKFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_e42b0b69f1cfc645490b75f7	214-269	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	226-281	B overlap 93%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	214-269	B overlap 93%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	214-269	B overlap 93%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	214-269	B overlap 93%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	214-269	B overlap 93%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	214-269	B overlap 93%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	214-269	B overlap 93%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	156-211	B overlap 93%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	214-269	B overlap 93%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	226-281	B overlap 93%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	43-98	B overlap 93%	Staphylococcus aureus
UP_f85095abf436c388206c5124	214-269	B overlap 93%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	214-269	B overlap 93%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	214-269	B overlap 93%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	214-269	B overlap 93%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	272-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_672

56 aa | 96.43% best ungapped identity | 2 substitutions | part 13/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 213. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query TKNNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK
 ·|·|
Parent NKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_fd05961c378749cdeb3b2814 168-223 B overlap 93% Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_674

55 aa | 98.18% best ungapped identity | 1 substitutions | part 1/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query KNNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQAPK
|.|||
Parent KFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	215-269	B overlap 93%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	215-269	B overlap 93%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	157-211	B overlap 93%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	215-269	B overlap 93%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	215-269	B overlap 93%	Staphylococcus aureus
UP_04faae54d75da101458d937d	215-269	B overlap 93%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	215-269	B overlap 93%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	215-269	B overlap 93%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	227-281	B overlap 93%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	215-269	B overlap 93%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	215-269	B overlap 93%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	215-269	B overlap 93%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	215-269	B overlap 93%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	215-269	B overlap 93%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	215-269	B overlap 93%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	273-327	B overlap 93%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	227-281	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_674

55 aa | 98.18% best ungapped identity | 1 substitutions | part 2/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query KNNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQAPK
|.|||
Parent KFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_1529d2d15daae1f92fd339c3	215-269	B overlap 93%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	215-269	B overlap 93%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	215-269	B overlap 93%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	215-269	B overlap 93%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	215-269	B overlap 93%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	215-269	B overlap 93%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	157-211	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	215-269	B overlap 93%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	273-327	B overlap 93%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	215-269	B overlap 93%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	215-269	B overlap 93%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	215-269	B overlap 93%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	157-211	B overlap 93%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	227-281	B overlap 93%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	215-269	B overlap 93%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	215-269	B overlap 93%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	215-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

55 aa | 98.18% best ungapped identity | 1 substitutions | part 3/13

Gap-aware minimum edit distance: 1; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

All equally best ungapped sites on this page

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_674

55 aa | 98.18% best ungapped identity | 1 substitutions | part 4/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query KNNKEQNAFYIEILHPLNLEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
|.|||||
Parent KFNKEQNAFYIEILHPLNLEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_3fee6a180afdbfcb0846e0dd	157-211	B overlap 93%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	215-269	B overlap 93%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	215-269	B overlap 93%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	215-269	B overlap 93%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	215-269	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	273-327	B overlap 93%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	215-269	B overlap 93%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	215-269	B overlap 93%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	227-281	B overlap 93%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	215-269	B overlap 93%	Staphylococcus aureus
UP_493fc1e6cf2d8753094287af	157-211	B overlap 93%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	215-269	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	389-443	B overlap 93%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	215-269	B overlap 93%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	215-269	B overlap 93%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	215-269	B overlap 93%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	215-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_674

55 aa | 98.18% best ungapped identity | 1 substitutions | part 5/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query KNNKEQNAFYIEILHPLNLEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
|.|||||
Parent KFNKEQNAFYIEILHPLNLEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_5bbec0493fad67c07e5cf02b	215-269	B overlap 93%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	215-269	B overlap 93%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	227-281	B overlap 93%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	215-269	B overlap 93%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	215-269	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	273-327	B overlap 93%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	215-269	B overlap 93%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	285-339	B overlap 93%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	215-269	B overlap 93%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	215-269	B overlap 93%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	157-211	B overlap 93%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	215-269	B overlap 93%	Staphylococcus aureus
UP_654970f68b48978377243697	215-269	B overlap 93%	Staphylococcus aureus
UP_67b157c032f302cca570b203	227-281	B overlap 93%	Staphylococcus aureus
UP_67b157c032f302cca570b203	285-339	B overlap 93%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	215-269	B overlap 93%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	215-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_674

55 aa | 98.18% best ungapped identity | 1 substitutions | part 6/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query KNNKEQNAFYIEHLPLNLEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQAPK
| . |
Parent KFNKEQNAFYIEHLPLNLEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_687782ca218e6b0ad2ae44ec	215-269	B overlap 93%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	215-269	B overlap 93%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	215-269	B overlap 93%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	215-269	B overlap 93%	Staphylococcus aureus
UP_6afba783543b8f49d10ac03	215-269	B overlap 93%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	215-269	B overlap 93%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	285-339	B overlap 93%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	215-269	B overlap 93%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	215-269	B overlap 93%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	215-269	B overlap 93%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	215-269	B overlap 93%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	215-269	B overlap 93%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	227-281	B overlap 93%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	215-269	B overlap 93%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	215-269	B overlap 93%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	215-269	B overlap 93%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	273-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

55 aa | 98.18% best ungapped identity | 1 substitutions | part 7/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query KNNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

[illegible]

Parent KFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_765723fc1968b55d97f0d898	154-208	B overlap 93%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	215-269	B overlap 93%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	215-269	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	389-443	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	227-281	B overlap 93%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	157-211	B overlap 93%	Staphylococcus aureus
UP_7f705628d3208506515b3404	215-269	B overlap 93%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	157-211	B overlap 93%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	215-269	B overlap 93%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	215-269	B overlap 93%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	157-211	B overlap 93%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	215-269	B overlap 93%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	163-217	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	215-269	B overlap 93%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	157-211	B overlap 93%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	215-269	B overlap 93%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	215-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_674

55 aa | 98.18% best ungapped identity | 1 substitutions | part 8/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query KNNKEQNAFYIEHLPLNLEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQAPK
| . |
Parent KFNKEQNAFYIEHLPLNLEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_90b2ae6a5dc85d85fe642767	154-208	B overlap 93%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	273-327	B overlap 93%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	157-211	B overlap 93%	Staphylococcus aureus
UP_91eb16918889951219e50a73	215-269	B overlap 93%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	215-269	B overlap 93%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	215-269	B overlap 93%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	215-269	B overlap 93%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	215-269	B overlap 93%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	215-269	B overlap 93%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	215-269	B overlap 93%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	215-269	B overlap 93%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	215-269	B overlap 93%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	215-269	B overlap 93%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	157-211	B overlap 93%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	215-269	B overlap 93%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	215-269	B overlap 93%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	157-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

55 aa | 98.18% best ungapped identity | 1 substitutions | part 9/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query KNNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAQPK

|.| |

Parent KFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_a496e39d8ed9511ac38a7bed	227-281	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	215-269	B overlap 93%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	102-156	B overlap 93%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	104-158	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	215-269	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	227-281	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	273-327	B overlap 93%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	215-269	B overlap 93%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	215-269	B overlap 93%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	215-269	B overlap 93%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	215-269	B overlap 93%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	227-281	B overlap 93%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	157-211	B overlap 93%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	215-269	B overlap 93%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	215-269	B overlap 93%	Staphylococcus aureus
UP_b30e7e945ecd9f7156ff4b4	215-269	B overlap 93%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	215-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_674

55 aa | 98.18% best ungapped identity | 1 substitutions | part 10/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query KNNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQAPK
|.|||
Parent KFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_b448388f79d88503154c8958	215-269	B overlap 93%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	215-269	B overlap 93%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	215-269	B overlap 93%	Unresolved
UP_b8b659f615cfbdc781f8d48e	215-269	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	215-269	B overlap 93%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	285-339	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	215-269	B overlap 93%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	215-269	B overlap 93%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	215-269	B overlap 93%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	215-269	B overlap 93%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	215-269	B overlap 93%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	343-397	B overlap 93%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	215-269	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	215-269	B overlap 93%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	157-211	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	215-269	B overlap 93%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	215-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_674

55 aa | 98.18% best ungapped identity | 1 substitutions | part 11/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query KNNKEQNAFYIEILHPLNLEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
|.|||||
Parent KFNKEQNAFYIEILHPLNLEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_cd42d745d221a99aeee0b940	215-269	B overlap 93%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	215-269	B overlap 93%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	273-327	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	288-342	B overlap 93%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	215-269	B overlap 93%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	215-269	B overlap 93%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d762df1fa79b331ff9b41f57	157-211	B overlap 93%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	273-327	B overlap 93%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	273-327	B overlap 93%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	215-269	B overlap 93%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbba69	215-269	B overlap 93%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	215-269	B overlap 93%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	104-158	B overlap 93%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	157-211	B overlap 93%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	215-269	B overlap 93%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	18-72	B overlap 93%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	227-281	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_674

55 aa | 98.18% best ungapped identity | 1 substitutions | part 12/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query KNNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQPK
|.|||||
Parent KFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAAQPK

All equally best ungapped sites on this page

UP_e42b0b69f1cfc645490b75f7	215-269	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	227-281	B overlap 93%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	215-269	B overlap 93%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	215-269	B overlap 93%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	215-269	B overlap 93%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	215-269	B overlap 93%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	215-269	B overlap 93%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	215-269	B overlap 93%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	157-211	B overlap 93%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	215-269	B overlap 93%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	227-281	B overlap 93%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	44-98	B overlap 93%	Staphylococcus aureus
UP_f85095abf436c388206c5124	215-269	B overlap 93%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	215-269	B overlap 93%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	215-269	B overlap 93%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	215-269	B overlap 93%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	273-327	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_674

55 aa | 98.18% best ungapped identity | 1 substitutions | part 13/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 203. Ungapped best parents: 203. Inclusive-database exact parents excluded from main set: 0.

Query KNNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK
|.|||
Parent KFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDAPK

All equally best ungapped sites on this page

UP_fd05961c378749cdeb3b2814 169-223 B overlap 93% Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_675

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 9. Ungapped best parents: 9. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 |||||.|||||
Parent NKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_1320c3a44aa32eab329067c	214-269	B overlap 93%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	214-269	B overlap 93%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	272-327	B overlap 93%	Staphylococcus schweitzeri
UP_6b8d202fa3625a660a83b9c9	214-269	B overlap 93%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	272-327	B overlap 93%	Staphylococcus schweitzeri
UP_7e101fe0a0c932eb329824da	214-269	B overlap 93%	Staphylococcus aureus
UP_94875a270e702e9733c65c20	156-211	B overlap 93%	Staphylococcus aureus
UP_aafb3bf93e81454cf6b62ce	214-269	B overlap 93%	Staphylococcus aureus
UP_bb14cd4e731365d1a25a797f	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_676

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	98-153	B overlap 93%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	98-153	B overlap 93%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	98-153	B overlap 93%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	98-153	B overlap 93%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	98-153	B overlap 93%	Staphylococcus aureus
UP_04faae54d75da101458d937d	98-153	B overlap 93%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	98-153	B overlap 93%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	98-153	B overlap 93%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	98-153	B overlap 93%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	98-153	B overlap 93%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	98-153	B overlap 93%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	98-153	B overlap 93%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	98-153	B overlap 93%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	98-153	B overlap 93%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	98-153	B overlap 93%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	98-153	B overlap 93%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_676

56 aa | 98.21% best ungapped identity | 1 substitutions | part 2/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_11ef8762e0d1f699cca11a72	98-153	B overlap 93%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	110-165	B overlap 93%	Staphylococcus aureus
UP_1320c3a44aa32eab329067c	98-153	B overlap 93%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	98-153	B overlap 93%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	98-153	B overlap 93%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	98-153	B overlap 93%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	98-153	B overlap 93%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	98-153	B overlap 93%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	98-153	B overlap 93%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	98-153	B overlap 93%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	98-153	B overlap 93%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	98-153	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	98-153	B overlap 93%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	98-153	B overlap 93%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	98-153	B overlap 93%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	98-153	B overlap 93%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_676

56 aa | 98.21% best ungapped identity | 1 substitutions | part 3/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_25a25a50af6d82d022c1bc30	98-153	B overlap 93%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	98-153	B overlap 93%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	98-153	B overlap 93%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	98-153	B overlap 93%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	98-153	B overlap 93%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	98-153	B overlap 93%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	98-153	B overlap 93%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	98-153	B overlap 93%	Staphylococcus aureus
UP_2def648691a179d8337edb84	52-107	B overlap 93%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	98-153	B overlap 93%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	98-153	B overlap 93%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	98-153	B overlap 93%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	98-153	B overlap 93%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	98-153	B overlap 93%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	98-153	B overlap 93%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	98-153	B overlap 93%	Staphylococcus schweitzeri
UP_369376855189ded07861b56b	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_676

56 aa | 98.21% best ungapped identity | 1 substitutions | part 4/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_3857b73b64bcc8ece5dac794	98-153	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	98-153	B overlap 93%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	98-153	B overlap 93%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	98-153	B overlap 93%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	98-153	B overlap 93%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	98-153	B overlap 93%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	98-153	B overlap 93%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	98-153	B overlap 93%	Staphylococcus aureus
UP_3d571252244f795c04507670	98-153	B overlap 93%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	98-153	B overlap 93%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	110-165	B overlap 93%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	110-165	B overlap 93%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	98-153	B overlap 93%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	98-153	B overlap 93%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	98-153	B overlap 93%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	98-153	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_676

56 aa | 98.21% best ungapped identity | 1 substitutions | part 5/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_43e1f746e535aaa2728e115e	156-211	B overlap 93%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	98-153	B overlap 93%	Staphylococcus aureus
UP_45e4aaf3fb1330efccb2d949	98-153	B overlap 93%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	98-153	B overlap 93%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	98-153	B overlap 93%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	110-165	B overlap 93%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	98-153	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	98-153	B overlap 93%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	98-153	B overlap 93%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	98-153	B overlap 93%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	98-153	B overlap 93%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	98-153	B overlap 93%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	98-153	B overlap 93%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	98-153	B overlap 93%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	98-153	B overlap 93%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	98-153	B overlap 93%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_676

56 aa | 98.21% best ungapped identity | 1 substitutions | part 6/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_59a4d124422826b95666ef8a	98-153	B overlap 93%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	98-153	B overlap 93%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	98-153	B overlap 93%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	110-165	B overlap 93%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	98-153	B overlap 93%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	98-153	B overlap 93%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	98-153	B overlap 93%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	98-153	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	98-153	B overlap 93%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	98-153	B overlap 93%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	98-153	B overlap 93%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	98-153	B overlap 93%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	98-153	B overlap 93%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	98-153	B overlap 93%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	98-153	B overlap 93%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	98-153	B overlap 93%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_676

56 aa | 98.21% best ungapped identity | 1 substitutions | part 7/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_67b157c032f302cca570b203	110-165	B overlap 93%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	98-153	B overlap 93%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	98-153	B overlap 93%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	98-153	B overlap 93%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	98-153	B overlap 93%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	98-153	B overlap 93%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	98-153	B overlap 93%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	98-153	B overlap 93%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	98-153	B overlap 93%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	98-153	B overlap 93%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	98-153	B overlap 93%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	98-153	B overlap 93%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	98-153	B overlap 93%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	98-153	B overlap 93%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	110-165	B overlap 93%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	98-153	B overlap 93%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_676

56 aa | 98.21% best ungapped identity | 1 substitutions | part 8/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_7795fca204a5e78852cf520f	98-153	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	98-153	B overlap 93%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	98-153	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	110-165	B overlap 93%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	98-153	B overlap 93%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	93-148	B overlap 93%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	98-153	B overlap 93%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	98-153	B overlap 93%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	98-153	B overlap 93%	Staphylococcus aureus
UP_7f705628d3208506515b3404	98-153	B overlap 93%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	98-153	B overlap 93%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	98-153	B overlap 93%	Staphylococcus aureus
UP_86d09985303304149d93296c	46-101	B overlap 93%	Staphylococcus aureus
UP_87c984f47195a756918038f8	98-153	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	98-153	B overlap 93%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	98-153	B overlap 93%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_676

56 aa | 98.21% best ungapped identity | 1 substitutions | part 9/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query NNFNKKDQSAFYELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDESQAPK
|||||
Parent NNFNKKDQSAFYELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_8ebf15b38a54e71995270aa9	98-153	B overlap 93%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	98-153	B overlap 93%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	98-153	B overlap 93%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	98-153	B overlap 93%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	98-153	B overlap 93%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	98-153	B overlap 93%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	98-153	B overlap 93%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	98-153	B overlap 93%	Staphylococcus aureus
UP_971043b6271e59644756c924	98-153	B overlap 93%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	98-153	B overlap 93%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	98-153	B overlap 93%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	98-153	B overlap 93%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	98-153	B overlap 93%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	98-153	B overlap 93%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	98-153	B overlap 93%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	98-153	B overlap 93%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_676

56 aa | 98.21% best ungapped identity | 1 substitutions | part 10/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	98-153	B overlap 93%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	98-153	B overlap 93%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	110-165	B overlap 93%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	98-153	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	98-153	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	98-153	B overlap 93%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	98-153	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	110-165	B overlap 93%	Staphylococcus aureus
UP_aafb3bf93e81454cf6b62ce	98-153	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	98-153	B overlap 93%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	98-153	B overlap 93%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	98-153	B overlap 93%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	98-153	B overlap 93%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	98-153	B overlap 93%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	98-153	B overlap 93%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	98-153	B overlap 93%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	110-165	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_676

56 aa | 98.21% best ungapped identity | 1 substitutions | part 11/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDESQAPK
|||||
Parent NNFNKDQQSAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_afbcc9c98c455fb3a548a2f1	98-153	B overlap 93%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	98-153	B overlap 93%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	98-153	B overlap 93%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	98-153	B overlap 93%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	98-153	B overlap 93%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	98-153	B overlap 93%	Staphylococcus aureus
UP_b448388f79d88503154c8958	98-153	B overlap 93%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	98-153	B overlap 93%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	98-153	B overlap 93%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	98-153	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	98-153	B overlap 93%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	110-165	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	98-153	B overlap 93%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	98-153	B overlap 93%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	98-153	B overlap 93%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	98-153	B overlap 93%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_676

56 aa | 98.21% best ungapped identity | 1 substitutions | part 12/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query NNFNKDQQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDESQAPK
|||||
Parent NNFNKDQQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_c19b2cacfb0fadd8c64def21	98-153	B overlap 93%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	98-153	B overlap 93%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	110-165	B overlap 93%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	110-165	B overlap 93%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	98-153	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	98-153	B overlap 93%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	98-153	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	98-153	B overlap 93%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	98-153	B overlap 93%	Staphylococcus aureus
UP_cd42d745d221a99aeeee0b940	98-153	B overlap 93%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	98-153	B overlap 93%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	98-153	B overlap 93%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	98-153	B overlap 93%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	98-153	B overlap 93%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	98-153	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	110-165	B overlap 93%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_676

56 aa | 98.21% best ungapped identity | 1 substitutions | part 13/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_d389de07164bf1f90f2d9716	98-153	B overlap 93%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	98-153	B overlap 93%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	98-153	B overlap 93%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d7a61917e251e0f799ce2cd3	98-153	B overlap 93%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	98-153	B overlap 93%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	98-153	B overlap 93%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	98-153	B overlap 93%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	98-153	B overlap 93%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	98-153	B overlap 93%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	98-153	B overlap 93%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	98-153	B overlap 93%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	98-153	B overlap 93%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	98-153	B overlap 93%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	98-153	B overlap 93%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	98-153	B overlap 93%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	98-153	B overlap 93%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_676

56 aa | 98.21% best ungapped identity | 1 substitutions | part 14/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_e35673697002755fd8bfbf21	110-165	B overlap 93%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	98-153	B overlap 93%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	110-165	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	110-165	B overlap 93%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	98-153	B overlap 93%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	98-153	B overlap 93%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	98-153	B overlap 93%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	98-153	B overlap 93%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	98-153	B overlap 93%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	98-153	B overlap 93%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	98-153	B overlap 93%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	98-153	B overlap 93%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	98-153	B overlap 93%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	98-153	B overlap 93%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	98-153	B overlap 93%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	98-153	B overlap 93%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_676

56 aa | 98.21% best ungapped identity | 1 substitutions | part 15/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDESQAPK
|||||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_f71b012850e63ea4fb4e7851	98-153	B overlap 93%	Staphylococcus aureus
UP_f85095abf436c388206c5124	98-153	B overlap 93%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	98-153	B overlap 93%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	98-153	B overlap 93%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	98-153	B overlap 93%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_677

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLDESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLNEQAPK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	104-153	B overlap 92%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	104-153	B overlap 92%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	104-153	B overlap 92%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	104-153	B overlap 92%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	104-153	B overlap 92%	Staphylococcus aureus
UP_04faae54d75da101458d937d	104-153	B overlap 92%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	104-153	B overlap 92%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	104-153	B overlap 92%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	104-153	B overlap 92%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	104-153	B overlap 92%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	104-153	B overlap 92%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	104-153	B overlap 92%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	104-153	B overlap 92%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	104-153	B overlap 92%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	104-153	B overlap 92%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	104-153	B overlap 92%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_677

50 aa | 98.00% best ungapped identity | 1 substitutions | part 2/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLDESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLNEQAPK

All equally best ungapped sites on this page

UP_11ef8762e0d1f699cca11a72	104-153	B overlap 92%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	116-165	B overlap 92%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	104-153	B overlap 92%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	104-153	B overlap 92%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	104-153	B overlap 92%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	104-153	B overlap 92%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	104-153	B overlap 92%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	104-153	B overlap 92%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	104-153	B overlap 92%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	104-153	B overlap 92%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	104-153	B overlap 92%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	104-153	B overlap 92%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	104-153	B overlap 92%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	104-153	B overlap 92%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	104-153	B overlap 92%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	104-153	B overlap 92%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_677

50 aa | 98.00% best ungapped identity | 1 substitutions | part 3/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLDESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLNESEQAPK

All equally best ungapped sites on this page

UP_25a25a50af6d82d022c1bc30	104-153	B overlap 92%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	104-153	B overlap 92%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	104-153	B overlap 92%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	104-153	B overlap 92%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	104-153	B overlap 92%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	104-153	B overlap 92%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	104-153	B overlap 92%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	104-153	B overlap 92%	Staphylococcus aureus
UP_2def648691a179d8337edb84	58-107	B overlap 92%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	104-153	B overlap 92%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	104-153	B overlap 92%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	104-153	B overlap 92%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	104-153	B overlap 92%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	104-153	B overlap 92%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	104-153	B overlap 92%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	104-153	B overlap 92%	Staphylococcus schweitzeri
UP_369376855189ded07861b56b	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_677

50 aa | 98.00% best ungapped identity | 1 substitutions | part 4/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLDESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLNESQAPK

All equally best ungapped sites on this page

UP_3857b73b64bcc8ece5dac794	104-153	B overlap 92%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	104-153	B overlap 92%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	104-153	B overlap 92%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	104-153	B overlap 92%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	104-153	B overlap 92%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	104-153	B overlap 92%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	104-153	B overlap 92%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	104-153	B overlap 92%	Staphylococcus aureus
UP_3d571252244f795c04507670	104-153	B overlap 92%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	104-153	B overlap 92%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	116-165	B overlap 92%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	116-165	B overlap 92%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	104-153	B overlap 92%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	104-153	B overlap 92%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	104-153	B overlap 92%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	104-153	B overlap 92%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_677

50 aa | 98.00% best ungapped identity | 1 substitutions | part 5/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLDESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLNESQAPK

All equally best ungapped sites on this page

UP_43e1f746e535aaa2728e115e	162-211	B overlap 92%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	104-153	B overlap 92%	Staphylococcus aureus
UP_45e4aaf3fb1330efccb2d949	104-153	B overlap 92%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	104-153	B overlap 92%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	104-153	B overlap 92%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	116-165	B overlap 92%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	104-153	B overlap 92%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	104-153	B overlap 92%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	104-153	B overlap 92%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	104-153	B overlap 92%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	104-153	B overlap 92%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	104-153	B overlap 92%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	104-153	B overlap 92%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	104-153	B overlap 92%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	104-153	B overlap 92%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	104-153	B overlap 92%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_677

50 aa | 98.00% best ungapped identity | 1 substitutions | part 6/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLDESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLNESQAPK

All equally best ungapped sites on this page

UP_59a4d124422826b95666ef8a	104-153	B overlap 92%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	104-153	B overlap 92%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	104-153	B overlap 92%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	116-165	B overlap 92%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	104-153	B overlap 92%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	104-153	B overlap 92%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	104-153	B overlap 92%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	104-153	B overlap 92%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	104-153	B overlap 92%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	104-153	B overlap 92%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	104-153	B overlap 92%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	104-153	B overlap 92%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	104-153	B overlap 92%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	104-153	B overlap 92%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	104-153	B overlap 92%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	104-153	B overlap 92%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_677

50 aa | 98.00% best ungapped identity | 1 substitutions | part 7/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLDESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLNESQAPK

All equally best ungapped sites on this page

UP_67b157c032f302cca570b203	116-165	B overlap 92%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	104-153	B overlap 92%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	104-153	B overlap 92%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	104-153	B overlap 92%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	104-153	B overlap 92%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	104-153	B overlap 92%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	104-153	B overlap 92%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	104-153	B overlap 92%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	104-153	B overlap 92%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	104-153	B overlap 92%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	104-153	B overlap 92%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	104-153	B overlap 92%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	104-153	B overlap 92%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	104-153	B overlap 92%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	116-165	B overlap 92%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	104-153	B overlap 92%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_677

50 aa | 98.00% best ungapped identity | 1 substitutions | part 8/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLDESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLNEEQAPK

All equally best ungapped sites on this page

UP_7795fca204a5e78852cf520f	104-153	B overlap 92%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	104-153	B overlap 92%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	104-153	B overlap 92%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	116-165	B overlap 92%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	104-153	B overlap 92%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	99-148	B overlap 92%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	104-153	B overlap 92%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	104-153	B overlap 92%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	104-153	B overlap 92%	Staphylococcus aureus
UP_7f705628d3208506515b3404	104-153	B overlap 92%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	104-153	B overlap 92%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	104-153	B overlap 92%	Staphylococcus aureus
UP_86d09985303304149d93296c	52-101	B overlap 92%	Staphylococcus aureus
UP_87c984f47195a756918038f8	104-153	B overlap 92%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	104-153	B overlap 92%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	104-153	B overlap 92%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_677

50 aa | 98.00% best ungapped identity | 1 substitutions | part 9/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLDESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLNEQAPK

All equally best ungapped sites on this page

UP_8ebf15b38a54e71995270aa9	104-153	B overlap 92%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	104-153	B overlap 92%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	104-153	B overlap 92%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	104-153	B overlap 92%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	104-153	B overlap 92%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	104-153	B overlap 92%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	104-153	B overlap 92%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	104-153	B overlap 92%	Staphylococcus aureus
UP_971043b6271e59644756c924	104-153	B overlap 92%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	104-153	B overlap 92%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	104-153	B overlap 92%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	104-153	B overlap 92%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	104-153	B overlap 92%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	104-153	B overlap 92%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	104-153	B overlap 92%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	104-153	B overlap 92%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_677

50 aa | 98.00% best ungapped identity | 1 substitutions | part 10/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLDESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLNESQAPK

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	104-153	B overlap 92%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	104-153	B overlap 92%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	116-165	B overlap 92%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	104-153	B overlap 92%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	104-153	B overlap 92%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	104-153	B overlap 92%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	104-153	B overlap 92%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	116-165	B overlap 92%	Staphylococcus aureus
UP_aafb3bf93e81454cf6b62ce	104-153	B overlap 92%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	104-153	B overlap 92%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	104-153	B overlap 92%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	104-153	B overlap 92%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	104-153	B overlap 92%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	104-153	B overlap 92%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	104-153	B overlap 92%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	104-153	B overlap 92%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	116-165	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_677

50 aa | 98.00% best ungapped identity | 1 substitutions | part 11/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLDESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLNEQAPK

All equally best ungapped sites on this page

UP_afbcc9c98c455fb3a548a2f1	104-153	B overlap 92%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	104-153	B overlap 92%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	104-153	B overlap 92%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	104-153	B overlap 92%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	104-153	B overlap 92%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	104-153	B overlap 92%	Staphylococcus aureus
UP_b448388f79d88503154c8958	104-153	B overlap 92%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	104-153	B overlap 92%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	104-153	B overlap 92%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	104-153	B overlap 92%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	104-153	B overlap 92%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	116-165	B overlap 92%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	104-153	B overlap 92%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	104-153	B overlap 92%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	104-153	B overlap 92%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	104-153	B overlap 92%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_677

50 aa | 98.00% best ungapped identity | 1 substitutions | part 12/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLDESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLNESQAPK

All equally best ungapped sites on this page

UP_c19b2cacfb0fadd8c64def21	104-153	B overlap 92%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	104-153	B overlap 92%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	116-165	B overlap 92%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	116-165	B overlap 92%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	104-153	B overlap 92%	Staphylococcus aureus
UP_c6e58db97616169658087da4	104-153	B overlap 92%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	104-153	B overlap 92%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	104-153	B overlap 92%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	104-153	B overlap 92%	Staphylococcus aureus
UP_cd42d745d221a99aeeee0b940	104-153	B overlap 92%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	104-153	B overlap 92%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	104-153	B overlap 92%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	104-153	B overlap 92%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	104-153	B overlap 92%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	104-153	B overlap 92%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	116-165	B overlap 92%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_677

50 aa | 98.00% best ungapped identity | 1 substitutions | part 13/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLDESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLNEQAPK

All equally best ungapped sites on this page

UP_d389de07164bf1f90f2d9716	104-153	B overlap 92%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	104-153	B overlap 92%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	104-153	B overlap 92%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d7a61917e251e0f799ce2cd3	104-153	B overlap 92%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	104-153	B overlap 92%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	104-153	B overlap 92%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	104-153	B overlap 92%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	104-153	B overlap 92%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	104-153	B overlap 92%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	104-153	B overlap 92%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	104-153	B overlap 92%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	104-153	B overlap 92%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	104-153	B overlap 92%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	104-153	B overlap 92%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	104-153	B overlap 92%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	104-153	B overlap 92%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_677

50 aa | 98.00% best ungapped identity | 1 substitutions | part 14/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLDESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKLNESQAPK

All equally best ungapped sites on this page

UP_e35673697002755fd8bfbf21	116-165	B overlap 92%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	104-153	B overlap 92%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	116-165	B overlap 92%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	116-165	B overlap 92%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	104-153	B overlap 92%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	104-153	B overlap 92%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	104-153	B overlap 92%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	104-153	B overlap 92%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	104-153	B overlap 92%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	104-153	B overlap 92%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	104-153	B overlap 92%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	104-153	B overlap 92%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	104-153	B overlap 92%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	104-153	B overlap 92%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	104-153	B overlap 92%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	104-153	B overlap 92%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_677

50 aa | 98.00% best ungapped identity | 1 substitutions | part 15/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 2.

Query QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDESQAPK
|||||
Parent QQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_f71b012850e63ea4fb4e7851	104-153	B overlap 92%	Staphylococcus aureus
UP_f85095abf436c388206c5124	104-153	B overlap 92%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	104-153	B overlap 92%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	104-153	B overlap 92%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	104-153	B overlap 92%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	104-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_678

58 aa | 96.55% best ungapped identity | 2 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 9. Ungapped best parents: 9. Inclusive-database exact parents excluded from main set: 1.

Query AYNKFNKDQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
 |.|||||.|||
Parent ADNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_1320c3a44aa32eab329067c	212-269	B overlap 91%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	212-269	B overlap 91%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	270-327	B overlap 91%	Staphylococcus schweitzeri
UP_6b8d202fa3625a660a83b9c9	212-269	B overlap 91%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	270-327	B overlap 91%	Staphylococcus schweitzeri
UP_7e101fe0a0c932eb329824da	212-269	B overlap 91%	Staphylococcus aureus
UP_94875a270e702e9733c65c20	154-211	B overlap 91%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	212-269	B overlap 91%	Staphylococcus aureus
UP_bb14cd4e731365d1a25a797f	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 1/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 2.

Query ADAQNNFNKDKQSIFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDSEQAP
|||||
Parent ADAQNNFNKDKQSIFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	93-152	B overlap 88%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	93-152	B overlap 88%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	93-152	B overlap 88%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	93-152	B overlap 88%	Staphylococcus aureus
UP_04faae54d75da101458d937d	93-152	B overlap 88%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	93-152	B overlap 88%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	93-152	B overlap 88%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	93-152	B overlap 88%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	93-152	B overlap 88%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	93-152	B overlap 88%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	93-152	B overlap 88%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	93-152	B overlap 88%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	93-152	B overlap 88%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	93-152	B overlap 88%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	93-152	B overlap 88%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	93-152	B overlap 88%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	105-164	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_679

60 aa | 98.33% best ungapped identity | 1 substitutions | part 2/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 2.

Query ADAQNNFNKDKQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDSEQAP
|||||
Parent ADAQNNFNKDKQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_1320c3a44aa32eaab329067c	93-152	B overlap 88%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	93-152	B overlap 88%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	93-152	B overlap 88%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	93-152	B overlap 88%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	93-152	B overlap 88%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	93-152	B overlap 88%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	93-152	B overlap 88%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	93-152	B overlap 88%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	93-152	B overlap 88%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	93-152	B overlap 88%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	93-152	B overlap 88%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	93-152	B overlap 88%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	93-152	B overlap 88%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	93-152	B overlap 88%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	93-152	B overlap 88%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	93-152	B overlap 88%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 3/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 2.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDSESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_29750953a09e57a87c7dae67	93-152	B overlap 88%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	93-152	B overlap 88%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	93-152	B overlap 88%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	93-152	B overlap 88%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	93-152	B overlap 88%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	93-152	B overlap 88%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	93-152	B overlap 88%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	93-152	B overlap 88%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	93-152	B overlap 88%	Staphylococcus aureus
UP_369376855189ded07861b56b	93-152	B overlap 88%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	93-152	B overlap 88%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	93-152	B overlap 88%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	93-152	B overlap 88%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	93-152	B overlap 88%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	93-152	B overlap 88%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	93-152	B overlap 88%	Staphylococcus aureus
UP_3d571252244f795c04507670	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 4/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 2.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDSESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_3d709a118b2e3fa7ce83d3cb	93-152	B overlap 88%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	105-164	B overlap 88%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	93-152	B overlap 88%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	93-152	B overlap 88%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	93-152	B overlap 88%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	93-152	B overlap 88%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	93-152	B overlap 88%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	93-152	B overlap 88%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	93-152	B overlap 88%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	93-152	B overlap 88%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	93-152	B overlap 88%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	105-164	B overlap 88%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	93-152	B overlap 88%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	93-152	B overlap 88%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	93-152	B overlap 88%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	93-152	B overlap 88%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_679

60 aa | 98.33% best ungapped identity | 1 substitutions | part 5/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 2.

Query ADAQNNFNKDKQSAYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDSEQAP
|||||
Parent ADAQNNFNKDKQSAYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_549e2ac62132d0bd32cea7ca	93-152	B overlap 88%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	93-152	B overlap 88%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	93-152	B overlap 88%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	93-152	B overlap 88%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	93-152	B overlap 88%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	93-152	B overlap 88%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	93-152	B overlap 88%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	93-152	B overlap 88%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	93-152	B overlap 88%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	105-164	B overlap 88%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	93-152	B overlap 88%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	93-152	B overlap 88%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	93-152	B overlap 88%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	93-152	B overlap 88%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	93-152	B overlap 88%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	93-152	B overlap 88%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_679

60 aa | 98.33% best ungapped identity | 1 substitutions | part 6/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 2.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDSESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_649aef15e2ae8a296e72350f	93-152	B overlap 88%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	93-152	B overlap 88%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	93-152	B overlap 88%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	93-152	B overlap 88%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	93-152	B overlap 88%	Staphylococcus aureus
UP_67b157c032f302cca570b203	105-164	B overlap 88%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	93-152	B overlap 88%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	93-152	B overlap 88%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	93-152	B overlap 88%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	93-152	B overlap 88%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	93-152	B overlap 88%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	93-152	B overlap 88%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	93-152	B overlap 88%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	93-152	B overlap 88%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	93-152	B overlap 88%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	93-152	B overlap 88%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 7/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 2.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDSESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_728122342f84c9b8787f4a69	105-164	B overlap 88%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	93-152	B overlap 88%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	93-152	B overlap 88%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	93-152	B overlap 88%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	93-152	B overlap 88%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	93-152	B overlap 88%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	105-164	B overlap 88%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	93-152	B overlap 88%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	88-147	B overlap 88%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	93-152	B overlap 88%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	93-152	B overlap 88%	Staphylococcus aureus
UP_7f705628d3208506515b3404	93-152	B overlap 88%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	93-152	B overlap 88%	Staphylococcus aureus
UP_86d09985303304149d93296c	41-100	B overlap 88%	Staphylococcus aureus
UP_87c984f47195a756918038f8	93-152	B overlap 88%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	93-152	B overlap 88%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 8/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 2.

Query ADAQNNFNKDKQSIFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDSEQAP
|||||
Parent ADAQNNFNKDKQSIFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_88f858d06848fb1195a19f07	93-152	B overlap 88%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	93-152	B overlap 88%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	93-152	B overlap 88%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	93-152	B overlap 88%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	93-152	B overlap 88%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	93-152	B overlap 88%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	93-152	B overlap 88%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	93-152	B overlap 88%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	93-152	B overlap 88%	Staphylococcus aureus
UP_971043b6271e59644756c924	93-152	B overlap 88%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	93-152	B overlap 88%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	93-152	B overlap 88%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	93-152	B overlap 88%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	93-152	B overlap 88%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	93-152	B overlap 88%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	93-152	B overlap 88%	Staphylococcus aureus
UP_alc16686cb18780db1e61843	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 9/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 2.

Query ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDSESQAP
|||||
Parent ADAQQNNFNKDDQSSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	93-152	B overlap 88%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	93-152	B overlap 88%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	105-164	B overlap 88%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	93-152	B overlap 88%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	93-152	B overlap 88%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	93-152	B overlap 88%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	93-152	B overlap 88%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	105-164	B overlap 88%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	93-152	B overlap 88%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	93-152	B overlap 88%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	93-152	B overlap 88%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	93-152	B overlap 88%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	93-152	B overlap 88%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	93-152	B overlap 88%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	93-152	B overlap 88%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	93-152	B overlap 88%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	105-164	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_679

60 aa | 98.33% best ungapped identity | 1 substitutions | part 10/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 2.

Query ADAQNNFNKDDQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDESQAP
|||||
Parent ADAQNNFNKDDQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_afbcc9c98c455fb3a548a2f1	93-152	B overlap 88%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	93-152	B overlap 88%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	93-152	B overlap 88%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	93-152	B overlap 88%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	93-152	B overlap 88%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	93-152	B overlap 88%	Staphylococcus aureus
UP_b448388f79d88503154c8958	93-152	B overlap 88%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	93-152	B overlap 88%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	93-152	B overlap 88%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	93-152	B overlap 88%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	93-152	B overlap 88%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	105-164	B overlap 88%	Staphylococcus aureus
UP_bb4de0544c0b9e271784e86f5	93-152	B overlap 88%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	93-152	B overlap 88%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	93-152	B overlap 88%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	93-152	B overlap 88%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	105-164	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_679

60 aa | 98.33% best ungapped identity | 1 substitutions | part 11/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 2.

Query ADAQNNFNKDKQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDSEQAP
|||||
Parent ADAQNNFNKDKQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_c5e65e48f1e55f63860af521	105-164	B overlap 88%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	93-152	B overlap 88%	Staphylococcus aureus
UP_c6e58db97616169658087da4	93-152	B overlap 88%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	93-152	B overlap 88%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	93-152	B overlap 88%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	93-152	B overlap 88%	Staphylococcus aureus
UP_cd42d745d221a99aeeeb0b940	93-152	B overlap 88%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	93-152	B overlap 88%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	93-152	B overlap 88%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	93-152	B overlap 88%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	105-164	B overlap 88%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcac	93-152	B overlap 88%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	93-152	B overlap 88%	Staphylococcus aureus
UP_d3d0b4f2bafc155510c9dc1c	93-152	B overlap 88%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	93-152	B overlap 88%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	93-152	B overlap 88%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_679

60 aa | 98.33% best ungapped identity | 1 substitutions | part 12/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 2.

Query ADAQNNFNKDKQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDESQAP
|||||
Parent ADAQNNFNKDKQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_ddcc25ff5408d54d5c32163f	93-152	B overlap 88%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	93-152	B overlap 88%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	93-152	B overlap 88%	Staphylococcus aureus
UP_df25788f262b81ebd8fdba69	93-152	B overlap 88%	Staphylococcus aureus
UP_df5ef9df08d9df798f955123	93-152	B overlap 88%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	93-152	B overlap 88%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	93-152	B overlap 88%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	93-152	B overlap 88%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	93-152	B overlap 88%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	93-152	B overlap 88%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	93-152	B overlap 88%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	105-164	B overlap 88%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	93-152	B overlap 88%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	105-164	B overlap 88%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	105-164	B overlap 88%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	93-152	B overlap 88%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_679

60 aa | 98.33% best ungapped identity | 1 substitutions | part 13/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 2.

Query ADAQNNFNKDKQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLDESQAP
|||||
Parent ADAQNNFNKDKQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_e6cd4f97cbff47488f070d32	93-152	B overlap 88%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	93-152	B overlap 88%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	93-152	B overlap 88%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	93-152	B overlap 88%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	93-152	B overlap 88%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	93-152	B overlap 88%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	93-152	B overlap 88%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	93-152	B overlap 88%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	93-152	B overlap 88%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	93-152	B overlap 88%	Staphylococcus aureus
UP_f85095abf436c388206c5124	93-152	B overlap 88%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	93-152	B overlap 88%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	93-152	B overlap 88%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	93-152	B overlap 88%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_691

56 aa | 94.64% best ungapped identity | 3 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 9. Ungapped best parents: 9. Inclusive-database exact parents excluded from main set: 1.

Query NKFNKDQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSLSEEILAEAKKLNDAQAPK
 |||||.|||||
Parent NKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAQAPK

All equally best ungapped sites on this page

UP_1320c3a44aa32eab329067c	214-269	B overlap 93%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	214-269	B overlap 93%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	272-327	B overlap 93%	Staphylococcus schweitzeri
UP_6b8d202fa3625a660a83b9c9	214-269	B overlap 93%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	272-327	B overlap 93%	Staphylococcus schweitzeri
UP_7e101fe0a0c932eb329824da	214-269	B overlap 93%	Staphylococcus aureus
UP_94875a270e702e9733c65c20	156-211	B overlap 93%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	214-269	B overlap 93%	Staphylococcus aureus
UP_bb14cd4e731365d1a25a797f	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_692

50 aa | 96.00% best ungapped identity | 2 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 15. Ungapped best parents: 15. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSLSEEILAEAKKLNDAPK
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_1320c3a44aa32eab329067c	220-269	B overlap 92%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	220-269	B overlap 92%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	220-269	B overlap 92%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	220-269	B overlap 92%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	220-269	B overlap 92%	Staphylococcus aureus
UP_34e7dec5146720f3668dfdf6	278-327	B overlap 92%	Staphylococcus schweitzeri
UP_3b972ecb2f3727cb6a074f03	220-269	B overlap 92%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	220-269	B overlap 92%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	220-269	B overlap 92%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	278-327	B overlap 92%	Staphylococcus schweitzeri
UP_7e101fe0a0c932eb329824da	220-269	B overlap 92%	Staphylococcus aureus
UP_94875a270e702e9733c65c20	162-211	B overlap 92%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	220-269	B overlap 92%	Staphylococcus aureus
UP_bb14cd4e731365d1a25a797f	220-269	B overlap 92%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_693

58 aa | 93.10% best ungapped identity | 4 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 4; tied parents: 9. Ungapped best parents: 9. Inclusive-database exact parents excluded from main set: 1.

Query AYNKFNKDQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSLSEELAEAKKLNDQAQPK
 |.|||||.|||||||||||||||||||||||||.|.|||||||||||||||
Parent ADNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_1320c3a44aa32eab329067c	212-269	B overlap 91%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	212-269	B overlap 91%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	270-327	B overlap 91%	Staphylococcus schweitzeri
UP_6b8d202fa3625a660a83b9c9	212-269	B overlap 91%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	270-327	B overlap 91%	Staphylococcus schweitzeri
UP_7e101fe0a0c932eb329824da	212-269	B overlap 91%	Staphylococcus aureus
UP_94875a270e702e9733c65c20	154-211	B overlap 91%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	212-269	B overlap 91%	Staphylococcus aureus
UP_bb14cd4e731365d1a25a797f	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_694

55 aa | 98.18% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 15. Ungapped best parents: 15. Inclusive-database exact parents excluded from main set: 0.

Query KINKDQQSAFYEILNMPNLNEEQRNGFIQSLKDDPSQSTNVLGAEAKKLNESQAPK
|.|||||
Parent KFNKDQQSAFYEILNMPNLNEEQRNGFIQSLKDDPSQSTNVLGAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_16958848fed046b3709f6bd4	99-153	B overlap 93%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	99-153	B overlap 93%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	99-153	B overlap 93%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	99-153	B overlap 93%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	99-153	B overlap 93%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	99-153	B overlap 93%	Unresolved
UP_bb14cd4e731365d1a25a797f	99-153	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	172-226	B overlap 93%	Staphylococcus aureus
UP_d5b345437142d9cf807db25d	99-153	B overlap 93%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	99-153	B overlap 93%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	99-153	B overlap 93%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	99-153	B overlap 93%	Staphylococcus aureus
UP_edaaa2299783d537504a97ff	111-165	B overlap 93%	Staphylococcus aureus
UP_f6c81f1ef152502d327f40dc	99-153	B overlap 93%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	111-165	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_695

54 aa | 98.15% best ungapped identity | 1 substitutions | part 1/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 48. Ungapped best parents: 48. Inclusive-database exact parents excluded from main set: 0.

Query INKDQQSAFYEILNMPNLNEEQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
· |||||
Parent FNKDQQSAFYEILNMPNLNEEQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	100-153	B overlap 93%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	112-165	B overlap 93%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	100-153	B overlap 93%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	100-153	B overlap 93%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	100-153	B overlap 93%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	112-165	B overlap 93%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	100-153	B overlap 93%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	100-153	B overlap 93%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	100-153	B overlap 93%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	100-153	B overlap 93%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	100-153	B overlap 93%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	100-153	B overlap 93%	Staphylococcus aureus
UP_493fc1e6cf2d8753094287af	100-153	B overlap 93%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	100-153	B overlap 93%	Staphylococcus aureus
UP_51c0096cd463a4b89359dc12	111-164	B overlap 93%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	100-153	B overlap 93%	Staphylococcus aureus
UP_60b825dd9a4e560b2cee9750	100-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_695

54 aa | 98.15% best ungapped identity | 1 substitutions | part 2/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 48. Ungapped best parents: 48. Inclusive-database exact parents excluded from main set: 0.

Query INKDQQSAFYIELNMPNLNEEQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
· |||||
Parent FNKDQQSAFYIELNMPNLNEEQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_620657321ae23ca343b761c0	112-165	B overlap 93%	Staphylococcus aureus
UP_654970f68b48978377243697	100-153	B overlap 93%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	100-153	B overlap 93%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	112-165	B overlap 93%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	100-153	B overlap 93%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	100-153	B overlap 93%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	100-153	B overlap 93%	Staphylococcus aureus
UP_79e0b1d188807716a8d270a0	100-153	B overlap 93%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	100-153	B overlap 93%	Staphylococcus aureus
UP_95e30e740b9bec939fb36b82	48-101	B overlap 93%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	100-153	B overlap 93%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	100-153	B overlap 93%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	100-153	B overlap 93%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	100-153	B overlap 93%	Unresolved
UP_bb14cd4e731365d1a25a797f	100-153	B overlap 93%	Staphylococcus aureus
UP_bde2fa9c31fb8faa98d74869	111-164	B overlap 93%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	100-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_695

54 aa | 98.15% best ungapped identity | 1 substitutions | part 3/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 48. Ungapped best parents: 48. Inclusive-database exact parents excluded from main set: 0.

Query INKDQQSAFYIELNMPNLNEEQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
· |||||
Parent FNKDQQSAFYIELNMPNLNEEQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_c8395fe6773de5d93253fdb2	85-138	B overlap 93%	Staphylococcus aureus
UP_cc018e0aa888e81d3674855c	100-153	B overlap 93%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	100-153	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	173-226	B overlap 93%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	100-153	B overlap 93%	Staphylococcus aureus
UP_d5b345437142d9cf807db25d	100-153	B overlap 93%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	100-153	B overlap 93%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	100-153	B overlap 93%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	100-153	B overlap 93%	Staphylococcus aureus
UP_edaaa2299783d537504a97ff	112-165	B overlap 93%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	100-153	B overlap 93%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	100-153	B overlap 93%	Staphylococcus aureus
UP_f6c81f1ef152502d327f40dc	100-153	B overlap 93%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	112-165	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_696

58 aa | 98.28% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 5. Ungapped best parents: 5. Inclusive-database exact parents excluded from main set: 1.

Query ADNNFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK
|||||
Parent ADNNFNKEQQNAFYELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_2bb7f359bca88a778a9c4c37	212-269	B overlap 91%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	212-269	B overlap 91%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	154-211	B overlap 91%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	154-211	B overlap 91%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	212-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_697

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 10. Ungapped best parents: 10. Inclusive-database exact parents excluded from main set: 1.

Query QQNAFYEILHLPNLTTEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK
|||||
Parent QQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_1ed0edfe4cb55128c723bbc5	220-269	B overlap 92%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	220-269	B overlap 92%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	220-269	B overlap 92%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	220-269	B overlap 92%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	162-211	B overlap 92%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	232-281	B overlap 92%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	162-211	B overlap 92%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	220-269	B overlap 92%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	220-269	B overlap 92%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	220-269	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_698

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 5. Ungapped best parents: 5. Inclusive-database exact parents excluded from main set: 1.

Query NNFNKEQQNAFYIEILHLPNLTEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK
|||||
Parent NNFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_2bb7f359bca88a778a9c4c37	214-269	B overlap 93%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	214-269	B overlap 93%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	156-211	B overlap 93%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	156-211	B overlap 93%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	214-269	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_719

58 aa | 98.28% best ungapped identity | 1 substitutions | part 1/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYIELNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	154-211	B overlap 91%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	154-211	B overlap 91%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	154-211	B overlap 91%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	154-211	B overlap 91%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	154-211	B overlap 91%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	154-211	B overlap 91%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	154-211	B overlap 91%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	154-211	B overlap 91%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	154-211	B overlap 91%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	154-211	B overlap 91%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	166-223	B overlap 91%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	154-211	B overlap 91%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	154-211	B overlap 91%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	154-211	B overlap 91%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	154-211	B overlap 91%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	154-211	B overlap 91%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_719

58 aa | 98.28% best ungapped identity | 1 substitutions | part 2/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYIELNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_17a72cfa2435c90c879d4d7d	154-211	B overlap 91%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	154-211	B overlap 91%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	93-150	B overlap 91%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	154-211	B overlap 91%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	154-211	B overlap 91%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	154-211	B overlap 91%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	166-223	B overlap 91%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	154-211	B overlap 91%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	154-211	B overlap 91%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	154-211	B overlap 91%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	154-211	B overlap 91%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	154-211	B overlap 91%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	154-211	B overlap 91%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	154-211	B overlap 91%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	154-211	B overlap 91%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	154-211	B overlap 91%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_719

58 aa | 98.28% best ungapped identity | 1 substitutions | part 3/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYIELNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_4271883fc6ad1062b7fc0f1c	154-211	B overlap 91%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	154-211	B overlap 91%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	212-269	B overlap 91%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	154-211	B overlap 91%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	166-223	B overlap 91%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	154-211	B overlap 91%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	154-211	B overlap 91%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	154-211	B overlap 91%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	154-211	B overlap 91%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	328-385	B overlap 91%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	154-211	B overlap 91%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	154-211	B overlap 91%	Staphylococcus aureus
UP_5c006ddddf8fa9ce5cac1b28	154-211	B overlap 91%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	154-211	B overlap 91%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	154-211	B overlap 91%	Staphylococcus aureus
UP_60b825dd9a4e560b2cee9750	154-211	B overlap 91%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_719

58 aa | 98.28% best ungapped identity | 1 substitutions | part 4/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYIELNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_62f5b155ce6d81fb279b50da	154-211	B overlap 91%	Staphylococcus aureus
UP_63bbd7d1ac5832ffe8cbd7f	93-150	B overlap 91%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	154-211	B overlap 91%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	154-211	B overlap 91%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	154-211	B overlap 91%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	154-211	B overlap 91%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	154-211	B overlap 91%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	154-211	B overlap 91%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	154-211	B overlap 91%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	154-211	B overlap 91%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	166-223	B overlap 91%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	154-211	B overlap 91%	Staphylococcus aureus
UP_7e101fe0a0c932eb329824da	154-211	B overlap 91%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	102-159	B overlap 91%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	154-211	B overlap 91%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	154-211	B overlap 91%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_719

58 aa | 98.28% best ungapped identity | 1 substitutions | part 5/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYIELNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent ADNNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_9135ac09959d17a301bf7250	154-211	B overlap 91%	Staphylococcus aureus
UP_91eb16918889951219e50a73	154-211	B overlap 91%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	154-211	B overlap 91%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	154-211	B overlap 91%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	154-211	B overlap 91%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	154-211	B overlap 91%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	154-211	B overlap 91%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	154-211	B overlap 91%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	154-211	B overlap 91%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	154-211	B overlap 91%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	154-211	B overlap 91%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	154-211	B overlap 91%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	154-211	B overlap 91%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	154-211	B overlap 91%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	166-223	B overlap 91%	Staphylococcus aureus
UP_aafb3bf93e81454cf6b62ce	154-211	B overlap 91%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_719

58 aa | 98.28% best ungapped identity | 1 substitutions | part 6/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query ADNMFNKEQQNAFYIELNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK

|||||

Parent ADNNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_add239549e9b47b3b849d17d	154-211	B overlap 91%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	154-211	B overlap 91%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	154-211	B overlap 91%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	154-211	B overlap 91%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	154-211	B overlap 91%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	166-223	B overlap 91%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	154-211	B overlap 91%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	154-211	B overlap 91%	Staphylococcus aureus
UP_b30e7e945ecd9f7156ff4b4	154-211	B overlap 91%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	154-211	B overlap 91%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	154-211	B overlap 91%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	154-211	B overlap 91%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	166-223	B overlap 91%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	154-211	B overlap 91%	Staphylococcus aureus
UP_bde2fa9c31fb8faa98d74869	165-222	B overlap 91%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	154-211	B overlap 91%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_719

58 aa | 98.28% best ungapped identity | 1 substitutions | part 7/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query ADNNFNKEQQNAFYELNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent ADNNFNKEQQNAFYELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_c19b2cacfb0fadd8c64def21	154-211	B overlap 91%	Staphylococcus aureus
UP_c45cb0f00466c9f2a59ce3df	154-211	B overlap 91%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	282-339	B overlap 91%	Staphylococcus aureus
UP_c6e58db97616169658087da4	154-211	B overlap 91%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	154-211	B overlap 91%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	154-211	B overlap 91%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	154-211	B overlap 91%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	154-211	B overlap 91%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	154-211	B overlap 91%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	154-211	B overlap 91%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	154-211	B overlap 91%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	154-211	B overlap 91%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	154-211	B overlap 91%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	166-223	B overlap 91%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	166-223	B overlap 91%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	166-223	B overlap 91%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_719

58 aa | 98.28% best ungapped identity | 1 substitutions | part 8/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query ADNMFNKEQQNAFYIELNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK

|||||

Parent ADNNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_e572e0aad33c5ed8c26e312c	154-211	B overlap 91%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	154-211	B overlap 91%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	154-211	B overlap 91%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	154-211	B overlap 91%	Staphylococcus aureus
UP_f57ed69187f171aafd0cb1f95	166-223	B overlap 91%	Staphylococcus aureus
UP_f85095abf436c388206c5124	154-211	B overlap 91%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	154-211	B overlap 91%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	154-211	B overlap 91%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	154-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_720

50 aa | 98.00% best ungapped identity | 1 substitutions | part 1/10

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 159. Ungapped best parents: 159. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	162-211	B overlap 92%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	162-211	B overlap 92%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	162-211	B overlap 92%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	162-211	B overlap 92%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	162-211	B overlap 92%	Staphylococcus aureus
UP_04faae54d75da101458d937d	162-211	B overlap 92%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	162-211	B overlap 92%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	162-211	B overlap 92%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	162-211	B overlap 92%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	162-211	B overlap 92%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	162-211	B overlap 92%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	162-211	B overlap 92%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	162-211	B overlap 92%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	162-211	B overlap 92%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	174-223	B overlap 92%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	162-211	B overlap 92%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_720

50 aa | 98.00% best ungapped identity | 1 substitutions | part 2/10

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 159. Ungapped best parents: 159. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_15ba5cb86fd86da91d8bd88c	162-211	B overlap 92%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	162-211	B overlap 92%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	162-211	B overlap 92%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	162-211	B overlap 92%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	162-211	B overlap 92%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	162-211	B overlap 92%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	101-150	B overlap 92%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	162-211	B overlap 92%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	162-211	B overlap 92%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	162-211	B overlap 92%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	174-223	B overlap 92%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	162-211	B overlap 92%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	162-211	B overlap 92%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	162-211	B overlap 92%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	162-211	B overlap 92%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	162-211	B overlap 92%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_720

50 aa | 98.00% best ungapped identity | 1 substitutions | part 3/10

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 159. Ungapped best parents: 159. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_30ea5cdc7d72d9e463cf0607	162-211	B overlap 92%	Staphylococcus aureus
UP_37e60ca6c449c9241b51223d	162-211	B overlap 92%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	162-211	B overlap 92%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	162-211	B overlap 92%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	162-211	B overlap 92%	Staphylococcus aureus
UP_3d571252244f795c04507670	162-211	B overlap 92%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	162-211	B overlap 92%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	162-211	B overlap 92%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	162-211	B overlap 92%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	162-211	B overlap 92%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	220-269	B overlap 92%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	162-211	B overlap 92%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	174-223	B overlap 92%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	162-211	B overlap 92%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	162-211	B overlap 92%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	162-211	B overlap 92%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_720

50 aa | 98.00% best ungapped identity | 1 substitutions | part 4/10

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 159. Ungapped best parents: 159. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_4bf24ef2b76d0095dac00c3b	336-385	B overlap 92%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	162-211	B overlap 92%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	162-211	B overlap 92%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	162-211	B overlap 92%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	162-211	B overlap 92%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	174-223	B overlap 92%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	162-211	B overlap 92%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	162-211	B overlap 92%	Staphylococcus aureus
UP_60b825dd9a4e560b2cee9750	162-211	B overlap 92%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	162-211	B overlap 92%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	162-211	B overlap 92%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	162-211	B overlap 92%	Staphylococcus aureus
UP_63bbd7d1ac5832fffe8cbd7f	101-150	B overlap 92%	Staphylococcus aureus
UP_67b157c032f302cca570b203	174-223	B overlap 92%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	162-211	B overlap 92%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	162-211	B overlap 92%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_720

50 aa | 98.00% best ungapped identity | 1 substitutions | part 5/10

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 159. Ungapped best parents: 159. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_6adc3c978a0a0cde742ac48e	162-211	B overlap 92%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	162-211	B overlap 92%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	162-211	B overlap 92%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	162-211	B overlap 92%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	162-211	B overlap 92%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	162-211	B overlap 92%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	174-223	B overlap 92%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	162-211	B overlap 92%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	162-211	B overlap 92%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	162-211	B overlap 92%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	174-223	B overlap 92%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	162-211	B overlap 92%	Staphylococcus aureus
UP_7e101fe0a0c932eb329824da	162-211	B overlap 92%	Staphylococcus aureus
UP_7f705628d3208506515b3404	162-211	B overlap 92%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	162-211	B overlap 92%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	110-159	B overlap 92%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_720

50 aa | 98.00% best ungapped identity | 1 substitutions | part 6/10

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 159. Ungapped best parents: 159. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_8ebf15b38a54e71995270aa9	162-211	B overlap 92%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	162-211	B overlap 92%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	162-211	B overlap 92%	Staphylococcus aureus
UP_91eb16918889951219e50a73	162-211	B overlap 92%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	162-211	B overlap 92%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	162-211	B overlap 92%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	162-211	B overlap 92%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	162-211	B overlap 92%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	162-211	B overlap 92%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	162-211	B overlap 92%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	162-211	B overlap 92%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	162-211	B overlap 92%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	162-211	B overlap 92%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	162-211	B overlap 92%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	162-211	B overlap 92%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	162-211	B overlap 92%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_720

50 aa | 98.00% best ungapped identity | 1 substitutions | part 7/10

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 159. Ungapped best parents: 159. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_a8cfb339437e32aa42845f2c	162-211	B overlap 92%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	174-223	B overlap 92%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	162-211	B overlap 92%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	162-211	B overlap 92%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	162-211	B overlap 92%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	162-211	B overlap 92%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	162-211	B overlap 92%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	162-211	B overlap 92%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	162-211	B overlap 92%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	162-211	B overlap 92%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	174-223	B overlap 92%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	162-211	B overlap 92%	Staphylococcus aureus
UP_b1b6527c392edca51eae006	162-211	B overlap 92%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	162-211	B overlap 92%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	162-211	B overlap 92%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	162-211	B overlap 92%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_720

50 aa | 98.00% best ungapped identity | 1 substitutions | part 8/10

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 159. Ungapped best parents: 159. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_ba3dbbb1752f978426b34109	162-211	B overlap 92%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	174-223	B overlap 92%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	232-281	B overlap 92%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	162-211	B overlap 92%	Staphylococcus aureus
UP_bde2fa9c31fb8faa98d74869	173-222	B overlap 92%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	162-211	B overlap 92%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	162-211	B overlap 92%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	162-211	B overlap 92%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	162-211	B overlap 92%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	162-211	B overlap 92%	Staphylococcus aureus
UP_c45cb0f00466c9f2a59ce3df	162-211	B overlap 92%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	290-339	B overlap 92%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	406-455	B overlap 92%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	162-211	B overlap 92%	Staphylococcus aureus
UP_c6e58db97616169658087da4	162-211	B overlap 92%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	162-211	B overlap 92%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_720

50 aa | 98.00% best ungapped identity | 1 substitutions | part 9/10

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 159. Ungapped best parents: 159. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_cd8da5efd6990027122cfe46	162-211	B overlap 92%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	162-211	B overlap 92%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	162-211	B overlap 92%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	220-269	B overlap 92%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	162-211	B overlap 92%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	162-211	B overlap 92%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	162-211	B overlap 92%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	162-211	B overlap 92%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	220-269	B overlap 92%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	162-211	B overlap 92%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	162-211	B overlap 92%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	162-211	B overlap 92%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	162-211	B overlap 92%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	174-223	B overlap 92%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	174-223	B overlap 92%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	174-223	B overlap 92%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_720

50 aa | 98.00% best ungapped identity | 1 substitutions | part 10/10

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 159. Ungapped best parents: 159. Inclusive-database exact parents excluded from main set: 0.

Query QQNAFYEILNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent QQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_e572e0aad33c5ed8c26e312c	162-211	B overlap 92%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	162-211	B overlap 92%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	162-211	B overlap 92%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	162-211	B overlap 92%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	162-211	B overlap 92%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	162-211	B overlap 92%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	174-223	B overlap 92%	Staphylococcus aureus
UP_f85095abf436c388206c5124	162-211	B overlap 92%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	162-211	B overlap 92%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	162-211	B overlap 92%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	162-211	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_721

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYEILNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent NNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	156-211	B overlap 93%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	156-211	B overlap 93%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	156-211	B overlap 93%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	156-211	B overlap 93%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	156-211	B overlap 93%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	156-211	B overlap 93%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	156-211	B overlap 93%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	156-211	B overlap 93%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	156-211	B overlap 93%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	156-211	B overlap 93%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	168-223	B overlap 93%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	156-211	B overlap 93%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	156-211	B overlap 93%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	156-211	B overlap 93%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	156-211	B overlap 93%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	156-211	B overlap 93%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_721

56 aa | 98.21% best ungapped identity | 1 substitutions | part 2/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYEILNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent NNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_17a72cfa2435c90c879d4d7d	156-211	B overlap 93%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	156-211	B overlap 93%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	95-150	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	156-211	B overlap 93%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	156-211	B overlap 93%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	156-211	B overlap 93%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	168-223	B overlap 93%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	156-211	B overlap 93%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	156-211	B overlap 93%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	156-211	B overlap 93%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	156-211	B overlap 93%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	156-211	B overlap 93%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	156-211	B overlap 93%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	156-211	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	156-211	B overlap 93%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	156-211	B overlap 93%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_721

56 aa | 98.21% best ungapped identity | 1 substitutions | part 3/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYIELNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent NNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_4271883fc6ad1062b7fc0f1c	156-211	B overlap 93%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	156-211	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	214-269	B overlap 93%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	156-211	B overlap 93%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	168-223	B overlap 93%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	156-211	B overlap 93%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	156-211	B overlap 93%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	156-211	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	156-211	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	330-385	B overlap 93%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	156-211	B overlap 93%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	156-211	B overlap 93%	Staphylococcus aureus
UP_5c006ddddf8fa9ce5cac1b28	156-211	B overlap 93%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	156-211	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	156-211	B overlap 93%	Staphylococcus aureus
UP_60b825dd9a4e560b2cee9750	156-211	B overlap 93%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_721

56 aa | 98.21% best ungapped identity | 1 substitutions | part 4/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYIILNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent NNFNKEQQNAFYIILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_62f5b155ce6d81fb279b50da	156-211	B overlap 93%	Staphylococcus aureus
UP_63bbd7d1ac5832fffe8cbd7f	95-150	B overlap 93%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	156-211	B overlap 93%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	156-211	B overlap 93%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	156-211	B overlap 93%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	156-211	B overlap 93%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	156-211	B overlap 93%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	156-211	B overlap 93%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	156-211	B overlap 93%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	156-211	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	168-223	B overlap 93%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	156-211	B overlap 93%	Staphylococcus aureus
UP_7e101fe0a0c932eb329824da	156-211	B overlap 93%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	104-159	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	156-211	B overlap 93%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	156-211	B overlap 93%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_721

56 aa | 98.21% best ungapped identity | 1 substitutions | part 5/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYEILNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent NNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_9135ac09959d17a301bf7250	156-211	B overlap 93%	Staphylococcus aureus
UP_91eb16918889951219e50a73	156-211	B overlap 93%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	156-211	B overlap 93%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	156-211	B overlap 93%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	156-211	B overlap 93%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	156-211	B overlap 93%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	156-211	B overlap 93%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	156-211	B overlap 93%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	156-211	B overlap 93%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	156-211	B overlap 93%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	156-211	B overlap 93%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	156-211	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	156-211	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	156-211	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	168-223	B overlap 93%	Staphylococcus aureus
UP_aafb3bf93e81454cf6b62ce	156-211	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_721

56 aa | 98.21% best ungapped identity | 1 substitutions | part 6/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYEILNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent NNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_add239549e9b47b3b849d17d	156-211	B overlap 93%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	156-211	B overlap 93%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	156-211	B overlap 93%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	156-211	B overlap 93%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	156-211	B overlap 93%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	168-223	B overlap 93%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	156-211	B overlap 93%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	156-211	B overlap 93%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	156-211	B overlap 93%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	156-211	B overlap 93%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	156-211	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	156-211	B overlap 93%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	168-223	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	156-211	B overlap 93%	Staphylococcus aureus
UP_bde2fa9c31fb8faa98d74869	167-222	B overlap 93%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	156-211	B overlap 93%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_721

56 aa | 98.21% best ungapped identity | 1 substitutions | part 7/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYIELNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent NNFNKEQQNAFYIELNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_c19b2cacfb0fadd8c64def21	156-211	B overlap 93%	Staphylococcus aureus
UP_c45cb0f00466c9f2a59ce3df	156-211	B overlap 93%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	284-339	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	156-211	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	156-211	B overlap 93%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	156-211	B overlap 93%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	156-211	B overlap 93%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	156-211	B overlap 93%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	156-211	B overlap 93%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	156-211	B overlap 93%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	156-211	B overlap 93%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	156-211	B overlap 93%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	156-211	B overlap 93%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	168-223	B overlap 93%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	168-223	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	168-223	B overlap 93%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_721

56 aa | 98.21% best ungapped identity | 1 substitutions | part 8/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query NNFNKEQQNAFYEILNMPNLNEEQRIGFIQSLKDDPSQSANLLSEAKKLNESQAPK
|||||
Parent NNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNESQAPK

All equally best ungapped sites on this page

UP_e572e0aad33c5ed8c26e312c	156-211	B overlap 93%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	156-211	B overlap 93%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	156-211	B overlap 93%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	156-211	B overlap 93%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	168-223	B overlap 93%	Staphylococcus aureus
UP_f85095abf436c388206c5124	156-211	B overlap 93%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	156-211	B overlap 93%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	156-211	B overlap 93%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	156-211	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_734

41 aa | 97.56% best ungapped identity | 1 substitutions | part 1/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 38. Ungapped best parents: 38. Inclusive-database exact parents excluded from main set: 0.

Query YMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
· |||||
Parent NMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_03a181236a3f1dca5b3e2137	171-211	B overlap 90%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	124-164	B overlap 90%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	171-211	B overlap 90%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	171-211	B overlap 90%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	171-211	B overlap 90%	Staphylococcus aureus
UP_2def648691a179d8337edb84	125-165	B overlap 90%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	171-211	B overlap 90%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	183-223	B overlap 90%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	171-211	B overlap 90%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	171-211	B overlap 90%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	171-211	B overlap 90%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	171-211	B overlap 90%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	171-211	B overlap 90%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	171-211	B overlap 90%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	171-211	B overlap 90%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	229-269	B overlap 90%	Staphylococcus aureus
UP_87c984f47195a756918038f8	171-211	B overlap 90%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_734

41 aa | 97.56% best ungapped identity | 1 substitutions | part 2/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 38. Ungapped best parents: 38. Inclusive-database exact parents excluded from main set: 0.

Query YMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
· |||||
Parent NMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_8a0d361bf55f0370abed901b	113-153	B overlap 90%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	171-211	B overlap 90%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	229-269	B overlap 90%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	171-211	B overlap 90%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	171-211	B overlap 90%	Staphylococcus aureus
UP_b89432f6e7437c0651852af5	110-150	B overlap 90%	Staphylococcus aureus
UP_bb14cd4e731365d1a25a797f	171-211	B overlap 90%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	171-211	B overlap 90%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	171-211	B overlap 90%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	183-223	B overlap 90%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	171-211	B overlap 90%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	171-211	B overlap 90%	Staphylococcus aureus
UP_d5b345437142d9cf807db25d	171-211	B overlap 90%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	171-211	B overlap 90%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	229-269	B overlap 90%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	171-211	B overlap 90%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	113-153	B overlap 90%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_734

41 aa | 97.56% best ungapped identity | 1 substitutions | part 3/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 38. Ungapped best parents: 38. Inclusive-database exact parents excluded from main set: 0.

Query YMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK
· |||||
Parent NMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_f1910f03b2defa2d1d01fb4d	171-211	B overlap 90%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	171-211	B overlap 90%	Staphylococcus aureus
UP_f6c81f1ef152502d327f40dc	171-211	B overlap 90%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	183-223	B overlap 90%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_773

60 aa | 95.00% best ungapped identity | 3 substitutions | part 1/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query DKRYNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
Parent PKADNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	268-327	B overlap 88%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	268-327	B overlap 88%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	268-327	B overlap 88%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	268-327	B overlap 88%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	210-269	B overlap 88%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	210-269	B overlap 88%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	268-327	B overlap 88%	Staphylococcus aureus
UP_04faae54d75da101458d937d	268-327	B overlap 88%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	163-222	B overlap 88%	Staphylococcus aureus
UP_0558a58a6056e4177ee8a734	152-211	B overlap 88%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	210-269	B overlap 88%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	268-327	B overlap 88%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	280-339	B overlap 88%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	210-269	B overlap 88%	Staphylococcus aureus
UP_080bdc344b3e8de041e14a8b	210-269	B overlap 88%	Staphylococcus argenteus
UP_0b47ec347104dea3cf401212	268-327	B overlap 88%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	268-327	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_773

60 aa | 95.00% best ungapped identity | 3 substitutions | part 2/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query DKRYNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
Parent PKADNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_0c80c9392f03dca56d811fa2	268-327	B overlap 88%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	268-327	B overlap 88%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	268-327	B overlap 88%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	268-327	B overlap 88%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	326-385	B overlap 88%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	280-339	B overlap 88%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	268-327	B overlap 88%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	268-327	B overlap 88%	Staphylococcus aureus
UP_15b865d3666d14f4c1598c14	91-150	B overlap 88%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	268-327	B overlap 88%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	268-327	B overlap 88%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	268-327	B overlap 88%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	268-327	B overlap 88%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	268-327	B overlap 88%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	268-327	B overlap 88%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	210-269	B overlap 88%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	268-327	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_773

60 aa | 95.00% best ungapped identity | 3 substitutions | part 3/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query DKRYNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
Parent PKADNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_1b50a5126b16c8571f3dbf16	207-266	B overlap 88%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	210-269	B overlap 88%	Staphylococcus aureus
UP_1c369039d2aa8fce7e14fc8	210-269	B overlap 88%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	268-327	B overlap 88%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	326-385	B overlap 88%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	268-327	B overlap 88%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	210-269	B overlap 88%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	280-339	B overlap 88%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	268-327	B overlap 88%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	268-327	B overlap 88%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	268-327	B overlap 88%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	268-327	B overlap 88%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	268-327	B overlap 88%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	268-327	B overlap 88%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	268-327	B overlap 88%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	210-269	B overlap 88%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	268-327	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_773

60 aa | 95.00% best ungapped identity | 3 substitutions | part 4/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query DKRYNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
Parent PKADNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_2b9173d33011444e5c5e2f14	500-559	B overlap 88%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	326-385	B overlap 88%	Staphylococcus aureus
UP_2bd9d8f9a1f5bb1a2e03e456	210-269	B overlap 88%	Staphylococcus aureus
UP_2def648691a179d8337edb84	164-223	B overlap 88%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	210-269	B overlap 88%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	268-327	B overlap 88%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	210-269	B overlap 88%	Staphylococcus aureus
UP_324c49ab20a20eee8d7b5738	210-269	B overlap 88%	Staphylococcus argenteus
UP_332e727aed2e33d630729c9d	268-327	B overlap 88%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	210-269	B overlap 88%	Staphylococcus aureus
UP_369376855189ded07861b56b	210-269	B overlap 88%	Staphylococcus aureus
UP_37e60ca6c449c9241b51223d	268-327	B overlap 88%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	268-327	B overlap 88%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	326-385	B overlap 88%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	268-327	B overlap 88%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	326-385	B overlap 88%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	210-269	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_773

60 aa | 95.00% best ungapped identity | 3 substitutions | part 5/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query DKRYNKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
Parent PKADNKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_3c32faf6872b0a8e85bf68be	268-327	B overlap 88%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	268-327	B overlap 88%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	268-327	B overlap 88%	Staphylococcus aureus
UP_3d571252244f795c04507670	268-327	B overlap 88%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	210-269	B overlap 88%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	222-281	B overlap 88%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	64-123	B overlap 88%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	210-269	B overlap 88%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	268-327	B overlap 88%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	268-327	B overlap 88%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	268-327	B overlap 88%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	268-327	B overlap 88%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	268-327	B overlap 88%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	326-385	B overlap 88%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	268-327	B overlap 88%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	210-269	B overlap 88%	Staphylococcus aureus
UP_4667ae039c0ce4ff6d65fa16	91-150	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_773

60 aa | 95.00% best ungapped identity | 3 substitutions | part 6/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query DKRYNKFNFKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILA EAKKLND A QAPK
 .|.|||
 Parent PKADNKFNFKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILA EAKKLND A QAPK

All equally best ungapped sites on this page

UP_46cd879e24623ead35e04d06	210-269	B overlap 88%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	280-339	B overlap 88%	Staphylococcus aureus
UP_483345435ebd382942892e04	149-208	B overlap 88%	Staphylococcus argenteus
UP_493fc1e6cf2d8753094287af	210-269	B overlap 88%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	152-211	B overlap 88%	Staphylococcus aureus
UP_4a99a68bca225a34c1ac63f	268-327	B overlap 88%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	442-501	B overlap 88%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	210-269	B overlap 88%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	210-269	B overlap 88%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	210-269	B overlap 88%	Staphylococcus aureus
UP_4f7ac95290874e78b8d9f0ed	91-150	B overlap 88%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	268-327	B overlap 88%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	268-327	B overlap 88%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	268-327	B overlap 88%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	210-269	B overlap 88%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	268-327	B overlap 88%	Staphylococcus aureus
UP_5afea06ab560a525e381fc8	210-269	B overlap 88%	Staphylococcus argenteus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_773

60 aa | 95.00% best ungapped identity | 3 substitutions | part 7/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query DKRYNKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
Parent PKADNKFNKEQQNAFYIELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_5bbec0493fad67c07e5cf02b	268-327	B overlap 88%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	268-327	B overlap 88%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	280-339	B overlap 88%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	210-269	B overlap 88%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	210-269	B overlap 88%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	268-327	B overlap 88%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	268-327	B overlap 88%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	326-385	B overlap 88%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	268-327	B overlap 88%	Staphylococcus aureus
UP_6193b3607b8eab64acbfe79f	149-208	B overlap 88%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	338-397	B overlap 88%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	210-269	B overlap 88%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	268-327	B overlap 88%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	268-327	B overlap 88%	Staphylococcus aureus
UP_63bbd7d1ac5832ffe8cbd7f	207-266	B overlap 88%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	210-269	B overlap 88%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	268-327	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_773

60 aa | 95.00% best ungapped identity | 3 substitutions | part 8/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query DKRYNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
Parent PKADNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_654970f68b48978377243697	268-327	B overlap 88%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	210-269	B overlap 88%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	210-269	B overlap 88%	Staphylococcus aureus
UP_67b157c032f302cca570b203	338-397	B overlap 88%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	268-327	B overlap 88%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	268-327	B overlap 88%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	268-327	B overlap 88%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	268-327	B overlap 88%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	268-327	B overlap 88%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	268-327	B overlap 88%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	338-397	B overlap 88%	Staphylococcus aureus
UP_6d760fbcf9f250b9d80b6377	210-269	B overlap 88%	Staphylococcus argenteus
UP_6d765dcd23be695e8386b589	268-327	B overlap 88%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	268-327	B overlap 88%	Staphylococcus aureus
UP_6dc6cc8e9acff01b2bc3cf5c	210-269	B overlap 88%	Staphylococcus argenteus
UP_6dde12d1b214335f1b98b297	268-327	B overlap 88%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	268-327	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_773

60 aa | 95.00% best ungapped identity | 3 substitutions | part 9/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query DKRYNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
Parent PKADNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_6eb5ab0c8436b449ad83a5f5	268-327	B overlap 88%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	280-339	B overlap 88%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	268-327	B overlap 88%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	268-327	B overlap 88%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	326-385	B overlap 88%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	268-327	B overlap 88%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	326-385	B overlap 88%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	207-266	B overlap 88%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	210-269	B overlap 88%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	268-327	B overlap 88%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	268-327	B overlap 88%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	442-501	B overlap 88%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	268-327	B overlap 88%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	280-339	B overlap 88%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	210-269	B overlap 88%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	210-269	B overlap 88%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	210-269	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_773

60 aa | 95.00% best ungapped identity | 3 substitutions | part 10/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query DKRYNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
Parent PKADNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_7e1d634bed16b84ddf354b21	210-269	B overlap 88%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	268-327	B overlap 88%	Staphylococcus aureus
UP_7f705628d3208506515b3404	268-327	B overlap 88%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	210-269	B overlap 88%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	268-327	B overlap 88%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	268-327	B overlap 88%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	210-269	B overlap 88%	Staphylococcus aureus
UP_86d09985303304149d93296c	158-217	B overlap 88%	Staphylococcus aureus
UP_87c984f47195a756918038f8	210-269	B overlap 88%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	216-275	B overlap 88%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	268-327	B overlap 88%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	210-269	B overlap 88%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	210-269	B overlap 88%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	152-211	B overlap 88%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	210-269	B overlap 88%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	210-269	B overlap 88%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	268-327	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_773

60 aa | 95.00% best ungapped identity | 3 substitutions | part 11/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query DKRYNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
Parent PKADNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_8ec48e90fd6193201e736c4a	268-327	B overlap 88%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	207-266	B overlap 88%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	326-385	B overlap 88%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	210-269	B overlap 88%	Staphylococcus aureus
UP_91eb16918889951219e50a73	268-327	B overlap 88%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	268-327	B overlap 88%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	326-385	B overlap 88%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	268-327	B overlap 88%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	268-327	B overlap 88%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	268-327	B overlap 88%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	268-327	B overlap 88%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	268-327	B overlap 88%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	268-327	B overlap 88%	Staphylococcus aureus
UP_95e30e740b9bec939fb36b82	216-275	B overlap 88%	Staphylococcus aureus
UP_971043b6271e59644756c924	210-269	B overlap 88%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	268-327	B overlap 88%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	268-327	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_773

60 aa | 95.00% best ungapped identity | 3 substitutions | part 12/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query DKRYNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
Parent PKADNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_9819abf61294ca7e009f396c	268-327	B overlap 88%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	210-269	B overlap 88%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	268-327	B overlap 88%	Staphylococcus aureus
UP_9d6ccee6db34ab44b810682d	210-269	B overlap 88%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	210-269	B overlap 88%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	268-327	B overlap 88%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	326-385	B overlap 88%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	210-269	B overlap 88%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	268-327	B overlap 88%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	268-327	B overlap 88%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	210-269	B overlap 88%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	268-327	B overlap 88%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	268-327	B overlap 88%	Staphylococcus aureus
UP_a451ec5956d3ea7680faf88	210-269	B overlap 88%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	280-339	B overlap 88%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	210-269	B overlap 88%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	268-327	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_773

60 aa | 95.00% best ungapped identity | 3 substitutions | part 13/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query DKRYNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
Parent PKADNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_a67d8ed9efe67a0be3b461af	155-214	B overlap 88%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	210-269	B overlap 88%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	157-216	B overlap 88%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	268-327	B overlap 88%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	152-211	B overlap 88%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	210-269	B overlap 88%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	280-339	B overlap 88%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	210-269	B overlap 88%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	210-269	B overlap 88%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	268-327	B overlap 88%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	326-385	B overlap 88%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	268-327	B overlap 88%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	210-269	B overlap 88%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	268-327	B overlap 88%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	210-269	B overlap 88%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	268-327	B overlap 88%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	268-327	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_773

60 aa | 95.00% best ungapped identity | 3 substitutions | part 14/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query DKRYNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
Parent PKADNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_aef0cd1f96e996ad96a2b979	268-327	B overlap 88%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	280-339	B overlap 88%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	210-269	B overlap 88%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	163-222	B overlap 88%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	268-327	B overlap 88%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	268-327	B overlap 88%	Staphylococcus aureus
UP_b1ccbcb665058d4e6104b0dc	210-269	B overlap 88%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	152-211	B overlap 88%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	268-327	B overlap 88%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	268-327	B overlap 88%	Staphylococcus aureus
UP_b448388f79d88503154c8958	268-327	B overlap 88%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	268-327	B overlap 88%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	268-327	B overlap 88%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	210-269	B overlap 88%	Staphylococcus aureus
UP_b89432f6e7437c0651852af5	149-208	B overlap 88%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	268-327	B overlap 88%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	268-327	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_773

60 aa | 95.00% best ungapped identity | 3 substitutions | part 15/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query DKRYNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
Parent PKADNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_bb1a05adfa3439ea88c6734c	338-397	B overlap 88%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	268-327	B overlap 88%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	268-327	B overlap 88%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	227-286	B overlap 88%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	268-327	B overlap 88%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	268-327	B overlap 88%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	268-327	B overlap 88%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	268-327	B overlap 88%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	268-327	B overlap 88%	Staphylococcus aureus
UP_c360b4eef28e7ac3a6add6d9	64-123	B overlap 88%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	268-327	B overlap 88%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	210-269	B overlap 88%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	222-281	B overlap 88%	Staphylococcus aureus
UP_c6e58db97616169658087da4	268-327	B overlap 88%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	210-269	B overlap 88%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	210-269	B overlap 88%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	268-327	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

60 aa | 95.00% best ungapped identity | 3 substitutions | part 16/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query DKRYNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKELAEAKKLNDAAQAPK
 .|.||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| ||||| |||||
 Parent PKADNKFNFKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKELAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_cc018e0aa888e81d3674855c	244-303	B overlap 88%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	268-327	B overlap 88%	Staphylococcus aureus
UP_cda3c6f0d10df8be6dc4ff46	210-269	B overlap 88%	Staphylococcus argenteus
UP_ce48648d81e147b208ae7f35	268-327	B overlap 88%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	268-327	B overlap 88%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	210-269	B overlap 88%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	341-400	B overlap 88%	Staphylococcus aureus
UP_d2f4d68676a2244ecc95da63	97-156	B overlap 88%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	210-269	B overlap 88%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	210-269	B overlap 88%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	268-327	B overlap 88%	Staphylococcus aureus
UP_d42f3bf1007f1620dba29aac	210-269	B overlap 88%	Staphylococcus argenteus
UP_d446b7e01a0f059e086dcfed	268-327	B overlap 88%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d5b345437142d9cf807db25d	210-269	B overlap 88%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	210-269	B overlap 88%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	268-327	B overlap 88%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	326-385	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_773

60 aa | 95.00% best ungapped identity | 3 substitutions | part 17/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query DKRYNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
|. . |||
Parent PKADNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_de03166de512b68a9e6934b6	326-385	B overlap 88%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	268-327	B overlap 88%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	268-327	B overlap 88%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	210-269	B overlap 88%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	268-327	B overlap 88%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	210-269	B overlap 88%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	268-327	B overlap 88%	Staphylococcus aureus
UP_e09b710f80dfd0bf7aa57a91	157-216	B overlap 88%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	210-269	B overlap 88%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	268-327	B overlap 88%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	71-130	B overlap 88%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	280-339	B overlap 88%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	210-269	B overlap 88%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	268-327	B overlap 88%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	280-339	B overlap 88%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	216-275	B overlap 88%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	268-327	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_773

60 aa | 95.00% best ungapped identity | 3 substitutions | part 18/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query DKRYNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
Parent PKADNKFNKEQQNAFYELHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_e572e0aad33c5ed8c26e312c	268-327	B overlap 88%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	268-327	B overlap 88%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	210-269	B overlap 88%	Staphylococcus aureus
UP_e6d99cc66a27067b7ac482cc	210-269	B overlap 88%	Staphylococcus argenteus
UP_e80088e3013d805979b62cf8	268-327	B overlap 88%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	268-327	B overlap 88%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	210-269	B overlap 88%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	268-327	B overlap 88%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	268-327	B overlap 88%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	210-269	B overlap 88%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	152-211	B overlap 88%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	268-327	B overlap 88%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	210-269	B overlap 88%	Staphylococcus aureus
UP_f1c8a677456a5de29a99e38e	268-327	B overlap 88%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	268-327	B overlap 88%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	268-327	B overlap 88%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	210-269	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_773

60 aa | 95.00% best ungapped identity | 3 substitutions | part 19/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 3; tied parents: 312. Ungapped best parents: 312. Inclusive-database exact parents excluded from main set: 0.

Query DKRYNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILA EAKKLND A QAPK
.
Parent PKADNKFNFKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILA EAKKLND A QAPK

All equally best ungapped sites on this page

UP_f57ed69187f17aafd0cb1f95	280-339	B overlap 88%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	97-156	B overlap 88%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	210-269	B overlap 88%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	222-281	B overlap 88%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	268-327	B overlap 88%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	268-327	B overlap 88%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	326-385	B overlap 88%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	222-281	B overlap 88%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	210-269	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_785

53 aa | 98.11% best ungapped identity | 1 substitutions | part 1/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 33. Ungapped best parents: 33. Inclusive-database exact parents excluded from main set: 0.

Query NNYVRDQQKAFYQVLHLKGITEEQRNQYIKTLREHPERAQEVFSESLKDSKNP
||||.|||||
Parent NNYVTDQQKAFYQVLHLKGITEEQRNQYIKTLREHPERAQEVFSESLKDSKNP

All equally best ungapped sites on this page

UP_080b54fa3b40257f81d40227	45-97	B overlap 94%	Staphylococcus aureus
UP_0844823474fe482f619d596c	45-97	B overlap 94%	Staphylococcus aureus
UP_09e93a100ab0592113819de2	45-97	B overlap 94%	Staphylococcus aureus
UP_1abd0d78b674a80bd316dc43	45-97	B overlap 94%	Staphylococcus aureus
UP_1cce06b3c353b5db65949ed7	45-97	B overlap 94%	Staphylococcus aureus
UP_287ac0aa87234d989b77626d	45-97	B overlap 94%	Staphylococcus aureus
UP_3326ba85d4fb68f0db74dad3	45-97	B overlap 94%	Staphylococcus aureus
UP_3e90765a890b23e10914f4cb	45-97	B overlap 94%	Staphylococcus aureus
UP_3f9417cbbf4df334bd68565d	45-97	B overlap 94%	Staphylococcus aureus
UP_40d63737a50ca72a469dfb0a	45-97	B overlap 94%	Staphylococcus aureus; Staphylococcus warneri
UP_4260a2938df5eb4d4af340bb	45-97	B overlap 94%	Staphylococcus argenteus
UP_647b77d4dd80634487cff0e3	45-97	B overlap 94%	Staphylococcus argenteus
UP_674da628829daa8068ae47a8	45-97	B overlap 94%	Staphylococcus aureus
UP_6946c085a2332718e620f864	45-97	B overlap 94%	Staphylococcus aureus
UP_6e589309e46ae0b64b4ed832	45-97	B overlap 94%	Staphylococcus aureus
UP_759e29dc7eea7a81097c5a1c	45-97	B overlap 94%	Staphylococcus argenteus
UP_77eb74d884e15b13edfd328c	45-97	B overlap 94%	Staphylococcus aureus; Staphylococcus schleiferi

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_785

53 aa | 98.11% best ungapped identity | 1 substitutions | part 2/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 33. Ungapped best parents: 33. Inclusive-database exact parents excluded from main set: 0.

Query NNYVRDQQKAFYQVLHLKGITEEQRNQYIKTLREHPERAQEVFSESLKDSKNP
||||.|||||
Parent NNYVTDQQKAFYQVLHLKGITEEQRNQYIKTLREHPERAQEVFSESLKDSKNP

All equally best ungapped sites on this page

UP_8bdb895ddacecf7f76282273	45-97	B overlap 94%	Staphylococcus aureus
UP_969662182f97cf9a6b1e4d38	45-97	B overlap 94%	Staphylococcus aureus
UP_a5a6b593992bf821624c7c64	45-97	B overlap 94%	Staphylococcus aureus
UP_a79947cba0eba2594b4e582b	45-97	B overlap 94%	Staphylococcus aureus
UP_bd9b9fdc5d782598991d6e39	45-97	B overlap 94%	Staphylococcus aureus
UP_beb0504f56238eb96fe95d4f	45-97	B overlap 94%	Staphylococcus aureus
UP_bf06f5837e0482af14fd6e61	45-97	B overlap 94%	Staphylococcus aureus
UP_c26231b9c3c86dc14805f6a4	45-97	B overlap 94%	Staphylococcus aureus
UP_c2725186bd2cc7a5a9bc7d20	45-97	B overlap 94%	Staphylococcus aureus
UP_ce0c61d648c5df0d488bba2e	45-97	B overlap 94%	Staphylococcus argenteus; Staphylococcus aureus
UP_d6915aab6d24397af8087a3b	45-97	B overlap 94%	Staphylococcus aureus; Staphylococcus epidermidis
UP_e1174f8dc5a56c37c40fa224	45-97	B overlap 94%	Staphylococcus aureus
UP_e266103de7716a90218fcb4a	45-97	B overlap 94%	Staphylococcus aureus; Staphylococcus epidermidis
UP_f4fb59eba6cb6b63e737ffea	45-97	B overlap 94%	Staphylococcus aureus
UP_f7660cd8b89bde52b15f1df3	45-97	B overlap 94%	Staphylococcus aureus
UP_f8688bb3e1f4e498e85a7696	45-97	B overlap 94%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_795

56 aa | 98.21% best ungapped identity | 1 substitutions | part 1/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query NNFDKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||.|||
Parent NNFNKKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	98-153	B overlap 93%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	98-153	B overlap 93%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	98-153	B overlap 93%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	98-153	B overlap 93%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	98-153	B overlap 93%	Staphylococcus aureus
UP_04faae54d75da101458d937d	98-153	B overlap 93%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	98-153	B overlap 93%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	98-153	B overlap 93%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	98-153	B overlap 93%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	98-153	B overlap 93%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	98-153	B overlap 93%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	98-153	B overlap 93%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	98-153	B overlap 93%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	98-153	B overlap 93%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	98-153	B overlap 93%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	98-153	B overlap 93%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_795

56 aa | 98.21% best ungapped identity | 1 substitutions | part 2/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query NNFDKDQQSIFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||.|||
Parent NNFNKKDQQSIFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_11ef8762e0d1f699cca11a72	98-153	B overlap 93%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	110-165	B overlap 93%	Staphylococcus aureus
UP_1320c3a44aa32eab329067c	98-153	B overlap 93%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	98-153	B overlap 93%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	98-153	B overlap 93%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	98-153	B overlap 93%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	98-153	B overlap 93%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	98-153	B overlap 93%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	98-153	B overlap 93%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	98-153	B overlap 93%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	98-153	B overlap 93%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	98-153	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	98-153	B overlap 93%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	98-153	B overlap 93%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	98-153	B overlap 93%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	98-153	B overlap 93%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_795

56 aa | 98.21% best ungapped identity | 1 substitutions | part 3/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query NNFDKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||.|||
Parent NNFNKKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_25a25a50af6d82d022c1bc30	98-153	B overlap 93%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	98-153	B overlap 93%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	98-153	B overlap 93%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	98-153	B overlap 93%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	98-153	B overlap 93%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	98-153	B overlap 93%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	98-153	B overlap 93%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	98-153	B overlap 93%	Staphylococcus aureus
UP_2def648691a179d8337edb84	52-107	B overlap 93%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	98-153	B overlap 93%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	98-153	B overlap 93%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	98-153	B overlap 93%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	98-153	B overlap 93%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	98-153	B overlap 93%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	98-153	B overlap 93%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	98-153	B overlap 93%	Staphylococcus schweitzeri
UP_369376855189ded07861b56b	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_795

56 aa | 98.21% best ungapped identity | 1 substitutions | part 4/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query NNFDKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||.|||
Parent NNFNKKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_3857b73b64bcc8ece5dac794	98-153	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	98-153	B overlap 93%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	98-153	B overlap 93%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	98-153	B overlap 93%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	98-153	B overlap 93%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	98-153	B overlap 93%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	98-153	B overlap 93%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	98-153	B overlap 93%	Staphylococcus aureus
UP_3d571252244f795c04507670	98-153	B overlap 93%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	98-153	B overlap 93%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	110-165	B overlap 93%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	110-165	B overlap 93%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	98-153	B overlap 93%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	98-153	B overlap 93%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	98-153	B overlap 93%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	98-153	B overlap 93%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_795

56 aa | 98.21% best ungapped identity | 1 substitutions | part 5/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query NNFDKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||.|||
Parent NNFNKKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_43e1f746e535aaa2728e115e	156-211	B overlap 93%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	98-153	B overlap 93%	Staphylococcus aureus
UP_45e4aaf3fb1330efccb2d949	98-153	B overlap 93%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	98-153	B overlap 93%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	98-153	B overlap 93%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	110-165	B overlap 93%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	98-153	B overlap 93%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	98-153	B overlap 93%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	98-153	B overlap 93%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	98-153	B overlap 93%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	98-153	B overlap 93%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	98-153	B overlap 93%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	98-153	B overlap 93%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	98-153	B overlap 93%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	98-153	B overlap 93%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	98-153	B overlap 93%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_795

56 aa | 98.21% best ungapped identity | 1 substitutions | part 6/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query NNFDKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||.|||
Parent NNFNKKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_59a4d124422826b95666ef8a	98-153	B overlap 93%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	98-153	B overlap 93%	Staphylococcus aureus
UP_5c006ddddf8fa9ce5cac1b28	98-153	B overlap 93%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	110-165	B overlap 93%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	98-153	B overlap 93%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	98-153	B overlap 93%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	98-153	B overlap 93%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	98-153	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	98-153	B overlap 93%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	98-153	B overlap 93%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	98-153	B overlap 93%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	98-153	B overlap 93%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	98-153	B overlap 93%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	98-153	B overlap 93%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	98-153	B overlap 93%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	98-153	B overlap 93%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_795

56 aa | 98.21% best ungapped identity | 1 substitutions | part 7/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query NNFQDKQSQSAFYELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||.|||
Parent NNFQDKQSQSAFYELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_67b157c032f302cca570b203	110-165	B overlap 93%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	98-153	B overlap 93%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	98-153	B overlap 93%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	98-153	B overlap 93%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	98-153	B overlap 93%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	98-153	B overlap 93%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	98-153	B overlap 93%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	98-153	B overlap 93%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	98-153	B overlap 93%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	98-153	B overlap 93%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	98-153	B overlap 93%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	98-153	B overlap 93%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	98-153	B overlap 93%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	98-153	B overlap 93%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	110-165	B overlap 93%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	98-153	B overlap 93%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_795

56 aa | 98.21% best ungapped identity | 1 substitutions | part 8/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query NNFDKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||.|||
Parent NNFNKKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_7795fca204a5e78852cf520f	98-153	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	98-153	B overlap 93%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	98-153	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	110-165	B overlap 93%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	98-153	B overlap 93%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	93-148	B overlap 93%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	98-153	B overlap 93%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	98-153	B overlap 93%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	98-153	B overlap 93%	Staphylococcus aureus
UP_7f705628d3208506515b3404	98-153	B overlap 93%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	98-153	B overlap 93%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	98-153	B overlap 93%	Staphylococcus aureus
UP_86d09985303304149d93296c	46-101	B overlap 93%	Staphylococcus aureus
UP_87c984f47195a756918038f8	98-153	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	98-153	B overlap 93%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	98-153	B overlap 93%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

56 aa | 98.21% best ungapped identity | 1 substitutions | part 9/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query NNFDKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

|||.|||||

Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEKKLNESQAPK

All equally best ungapped sites on this page

UP_8ebf15b38a54e71995270aa9	98-153	B overlap 93%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	98-153	B overlap 93%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	98-153	B overlap 93%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	98-153	B overlap 93%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	98-153	B overlap 93%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	98-153	B overlap 93%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	98-153	B overlap 93%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	98-153	B overlap 93%	Staphylococcus aureus
UP_971043b6271e59644756c924	98-153	B overlap 93%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	98-153	B overlap 93%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	98-153	B overlap 93%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	98-153	B overlap 93%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	98-153	B overlap 93%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	98-153	B overlap 93%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	98-153	B overlap 93%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	98-153	B overlap 93%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_795

56 aa | 98.21% best ungapped identity | 1 substitutions | part 10/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query NNFDKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||.|||
Parent NNFNKKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	98-153	B overlap 93%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	98-153	B overlap 93%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	110-165	B overlap 93%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	98-153	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	98-153	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	98-153	B overlap 93%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	98-153	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	110-165	B overlap 93%	Staphylococcus aureus
UP_aafb3bf93e81454cf6b62ce	98-153	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	98-153	B overlap 93%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	98-153	B overlap 93%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	98-153	B overlap 93%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	98-153	B overlap 93%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	98-153	B overlap 93%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	98-153	B overlap 93%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	98-153	B overlap 93%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	110-165	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_795

56 aa | 98.21% best ungapped identity | 1 substitutions | part 11/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query NNFDKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

|||||.|||||||

Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEKKLNESQAPK

All equally best ungapped sites on this page

UP_afbcc9c98c455fb3a548a2f1	98-153	B overlap 93%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	98-153	B overlap 93%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	98-153	B overlap 93%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	98-153	B overlap 93%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	98-153	B overlap 93%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	98-153	B overlap 93%	Staphylococcus aureus
UP_b448388f79d88503154c8958	98-153	B overlap 93%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	98-153	B overlap 93%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	98-153	B overlap 93%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	98-153	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	98-153	B overlap 93%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	110-165	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	98-153	B overlap 93%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	98-153	B overlap 93%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	98-153	B overlap 93%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	98-153	B overlap 93%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_795

56 aa | 98.21% best ungapped identity | 1 substitutions | part 12/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query NNFDKDQQSFAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||.|||
Parent NNFNKKDQQSFAFYIILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_c19b2cacfb0fadd8c64def21	98-153	B overlap 93%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	98-153	B overlap 93%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	110-165	B overlap 93%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	110-165	B overlap 93%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	98-153	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	98-153	B overlap 93%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	98-153	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	98-153	B overlap 93%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	98-153	B overlap 93%	Staphylococcus aureus
UP_cd42d745d221a99aeeee0b940	98-153	B overlap 93%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	98-153	B overlap 93%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	98-153	B overlap 93%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	98-153	B overlap 93%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	98-153	B overlap 93%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	98-153	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	110-165	B overlap 93%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_795

56 aa | 98.21% best ungapped identity | 1 substitutions | part 13/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query NNFDKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||.|||
Parent NNFNKKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_d389de07164bf1f90f2d9716	98-153	B overlap 93%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	98-153	B overlap 93%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	98-153	B overlap 93%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d7a61917e251e0f799ce2cd3	98-153	B overlap 93%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	98-153	B overlap 93%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	98-153	B overlap 93%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	98-153	B overlap 93%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	98-153	B overlap 93%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	98-153	B overlap 93%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	98-153	B overlap 93%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	98-153	B overlap 93%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	98-153	B overlap 93%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	98-153	B overlap 93%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	98-153	B overlap 93%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	98-153	B overlap 93%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	98-153	B overlap 93%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_795

56 aa | 98.21% best ungapped identity | 1 substitutions | part 14/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query NNFDKDQQSFAFYELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||.|||
Parent NNFNKKDQQSFAFYELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_e35673697002755fd8bfbf21	110-165	B overlap 93%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	98-153	B overlap 93%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	110-165	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	110-165	B overlap 93%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	98-153	B overlap 93%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	98-153	B overlap 93%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	98-153	B overlap 93%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	98-153	B overlap 93%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	98-153	B overlap 93%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	98-153	B overlap 93%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	98-153	B overlap 93%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	98-153	B overlap 93%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	98-153	B overlap 93%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	98-153	B overlap 93%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	98-153	B overlap 93%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	98-153	B overlap 93%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_795

56 aa | 98.21% best ungapped identity | 1 substitutions | part 15/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query NNFDKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
|||.|||
Parent NNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_f71b012850e63ea4fb4e7851	98-153	B overlap 93%	Staphylococcus aureus
UP_f85095abf436c388206c5124	98-153	B overlap 93%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	98-153	B overlap 93%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	98-153	B overlap 93%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	98-153	B overlap 93%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	98-153	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_797

53 aa | 98.11% best ungapped identity | 1 substitutions | part 1/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query DDKDQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
 .|
 Parent NKDQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	101-153	B overlap 92%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	101-153	B overlap 92%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	101-153	B overlap 92%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	101-153	B overlap 92%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	101-153	B overlap 92%	Staphylococcus aureus
UP_04faae54d75da101458d937d	101-153	B overlap 92%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	101-153	B overlap 92%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	101-153	B overlap 92%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	101-153	B overlap 92%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	101-153	B overlap 92%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	101-153	B overlap 92%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	101-153	B overlap 92%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	101-153	B overlap 92%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	101-153	B overlap 92%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	101-153	B overlap 92%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	101-153	B overlap 92%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	101-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_797

53 aa | 98.11% best ungapped identity | 1 substitutions | part 2/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query DKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
· |||||
Parent NKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_11ef8762e0d1f699cca11a72	101-153	B overlap 92%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	113-165	B overlap 92%	Staphylococcus aureus
UP_1320c3a44aa32eab329067c	101-153	B overlap 92%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	101-153	B overlap 92%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	101-153	B overlap 92%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	101-153	B overlap 92%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	101-153	B overlap 92%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	101-153	B overlap 92%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	101-153	B overlap 92%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	101-153	B overlap 92%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	101-153	B overlap 92%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	101-153	B overlap 92%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	101-153	B overlap 92%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	101-153	B overlap 92%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	101-153	B overlap 92%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	101-153	B overlap 92%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	101-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_797

53 aa | 98.11% best ungapped identity | 1 substitutions | part 3/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query DKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
· |||||
Parent NKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_25a25a50af6d82d022c1bc30	101-153	B overlap 92%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	101-153	B overlap 92%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	101-153	B overlap 92%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	101-153	B overlap 92%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	101-153	B overlap 92%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	101-153	B overlap 92%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	101-153	B overlap 92%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	101-153	B overlap 92%	Staphylococcus aureus
UP_2def648691a179d8337edb84	55-107	B overlap 92%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	101-153	B overlap 92%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	101-153	B overlap 92%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	101-153	B overlap 92%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	101-153	B overlap 92%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	101-153	B overlap 92%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	101-153	B overlap 92%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	101-153	B overlap 92%	Staphylococcus schweitzeri
UP_369376855189ded07861b56b	101-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_797

53 aa | 98.11% best ungapped identity | 1 substitutions | part 4/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query DDKDQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
 .|
 Parent NKDQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_3857b73b64bcc8ece5dac794	101-153	B overlap 92%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	101-153	B overlap 92%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	101-153	B overlap 92%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	101-153	B overlap 92%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	101-153	B overlap 92%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	101-153	B overlap 92%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	101-153	B overlap 92%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	101-153	B overlap 92%	Staphylococcus aureus
UP_3d571252244f795c04507670	101-153	B overlap 92%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	101-153	B overlap 92%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	113-165	B overlap 92%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	113-165	B overlap 92%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	101-153	B overlap 92%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	101-153	B overlap 92%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	101-153	B overlap 92%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	101-153	B overlap 92%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	101-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_797

53 aa | 98.11% best ungapped identity | 1 substitutions | part 5/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query DKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
· |||||
Parent NKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_43e1f746e535aaa2728e115e	159-211	B overlap 92%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	101-153	B overlap 92%	Staphylococcus aureus
UP_45e4aaf3fb1330efccb2d949	101-153	B overlap 92%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	101-153	B overlap 92%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	101-153	B overlap 92%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	113-165	B overlap 92%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	101-153	B overlap 92%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	101-153	B overlap 92%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	101-153	B overlap 92%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	101-153	B overlap 92%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	101-153	B overlap 92%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	101-153	B overlap 92%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	101-153	B overlap 92%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	101-153	B overlap 92%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	101-153	B overlap 92%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	101-153	B overlap 92%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	101-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

53 aa | 98.11% best ungapped identity | 1 substitutions | part 6/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query DKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEKKLNESQAPK

Parent NKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEKKLNESQAPK

All equally best ungapped sites on this page

UP_59a4d124422826b95666ef8a	101-153	B overlap 92%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	101-153	B overlap 92%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	101-153	B overlap 92%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	113-165	B overlap 92%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	101-153	B overlap 92%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	101-153	B overlap 92%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	101-153	B overlap 92%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	101-153	B overlap 92%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	101-153	B overlap 92%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	101-153	B overlap 92%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	101-153	B overlap 92%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	101-153	B overlap 92%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	101-153	B overlap 92%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	101-153	B overlap 92%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	101-153	B overlap 92%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	101-153	B overlap 92%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	101-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_797

53 aa | 98.11% best ungapped identity | 1 substitutions | part 7/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query DKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

Parent NKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEKKLNESQAPK

All equally best ungapped sites on this page

UP_67b157c032f302cca570b203	113-165	B overlap 92%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	101-153	B overlap 92%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	101-153	B overlap 92%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	101-153	B overlap 92%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6bfc4	101-153	B overlap 92%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	101-153	B overlap 92%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	101-153	B overlap 92%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	101-153	B overlap 92%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	101-153	B overlap 92%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	101-153	B overlap 92%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	101-153	B overlap 92%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	101-153	B overlap 92%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	101-153	B overlap 92%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	101-153	B overlap 92%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	113-165	B overlap 92%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	101-153	B overlap 92%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	101-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_797

53 aa | 98.11% best ungapped identity | 1 substitutions | part 8/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query DKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
· |||||
Parent NKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_7795fca204a5e78852cf520f	101-153	B overlap 92%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	101-153	B overlap 92%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	101-153	B overlap 92%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	113-165	B overlap 92%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	101-153	B overlap 92%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	96-148	B overlap 92%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	101-153	B overlap 92%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	101-153	B overlap 92%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	101-153	B overlap 92%	Staphylococcus aureus
UP_7f705628d3208506515b3404	101-153	B overlap 92%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	101-153	B overlap 92%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	101-153	B overlap 92%	Staphylococcus aureus
UP_86d09985303304149d93296c	49-101	B overlap 92%	Staphylococcus aureus
UP_87c984f47195a756918038f8	101-153	B overlap 92%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	101-153	B overlap 92%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	101-153	B overlap 92%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	101-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_797

53 aa | 98.11% best ungapped identity | 1 substitutions | part 9/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query DKDQQSAYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKLNESQAPK
 .|
 Parent NKDQQSAYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_8ebf15b38a54e71995270aa9	101-153	B overlap 92%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	101-153	B overlap 92%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	101-153	B overlap 92%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	101-153	B overlap 92%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	101-153	B overlap 92%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	101-153	B overlap 92%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	101-153	B overlap 92%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	101-153	B overlap 92%	Staphylococcus aureus
UP_971043b6271e59644756c924	101-153	B overlap 92%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	101-153	B overlap 92%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	101-153	B overlap 92%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	101-153	B overlap 92%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	101-153	B overlap 92%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	101-153	B overlap 92%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	101-153	B overlap 92%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	101-153	B overlap 92%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	101-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_797

53 aa | 98.11% best ungapped identity | 1 substitutions | part 10/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query DKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

Parent NKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	101-153	B overlap 92%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	101-153	B overlap 92%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	113-165	B overlap 92%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	101-153	B overlap 92%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	101-153	B overlap 92%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	101-153	B overlap 92%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	101-153	B overlap 92%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	113-165	B overlap 92%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	101-153	B overlap 92%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	101-153	B overlap 92%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	101-153	B overlap 92%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	101-153	B overlap 92%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	101-153	B overlap 92%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	101-153	B overlap 92%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	101-153	B overlap 92%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	101-153	B overlap 92%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	113-165	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_797

53 aa | 98.11% best ungapped identity | 1 substitutions | part 11/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query DKDQQSAYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKLNESQAPK
 .| |||||
 Parent NKDQQSAYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEAKKLNESQAPK

All equally best ungapped sites on this page

UP_afbcc9c98c455fb3a548a2f1	101-153	B overlap 92%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	101-153	B overlap 92%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	101-153	B overlap 92%	Staphylococcus aureus
UP_b1ccbcb665058d4e6104b0dc	101-153	B overlap 92%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	101-153	B overlap 92%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	101-153	B overlap 92%	Staphylococcus aureus
UP_b448388f79d88503154c8958	101-153	B overlap 92%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	101-153	B overlap 92%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	101-153	B overlap 92%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	101-153	B overlap 92%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	101-153	B overlap 92%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	113-165	B overlap 92%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	101-153	B overlap 92%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	101-153	B overlap 92%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	101-153	B overlap 92%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	101-153	B overlap 92%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	101-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_797

53 aa | 98.11% best ungapped identity | 1 substitutions | part 12/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query DKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

Parent NKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGAEKKLNESQAPK

All equally best ungapped sites on this page

UP_c19b2cacfb0fadd8c64def21	101-153	B overlap 92%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	101-153	B overlap 92%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	113-165	B overlap 92%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	113-165	B overlap 92%	Staphylococcus aureus
UP_c66fb56937c7c7bdc71a0023	101-153	B overlap 92%	Staphylococcus aureus
UP_c6e58db97616169658087da4	101-153	B overlap 92%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	101-153	B overlap 92%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	101-153	B overlap 92%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	101-153	B overlap 92%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	101-153	B overlap 92%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	101-153	B overlap 92%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	101-153	B overlap 92%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	101-153	B overlap 92%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	101-153	B overlap 92%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	101-153	B overlap 92%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	113-165	B overlap 92%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	101-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_797

53 aa | 98.11% best ungapped identity | 1 substitutions | part 13/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query DKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
· |||||
Parent NKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_d389de07164bf1f90f2d9716	101-153	B overlap 92%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	101-153	B overlap 92%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	101-153	B overlap 92%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d7a61917e251e0f799ce2cd3	101-153	B overlap 92%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	101-153	B overlap 92%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	101-153	B overlap 92%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	101-153	B overlap 92%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	101-153	B overlap 92%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	101-153	B overlap 92%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	101-153	B overlap 92%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	101-153	B overlap 92%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	101-153	B overlap 92%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	101-153	B overlap 92%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	101-153	B overlap 92%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	101-153	B overlap 92%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	101-153	B overlap 92%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	101-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_797

53 aa | 98.11% best ungapped identity | 1 substitutions | part 14/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query DKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
· |||||
Parent NKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_e35673697002755fd8bfbf21	113-165	B overlap 92%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	101-153	B overlap 92%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	113-165	B overlap 92%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	113-165	B overlap 92%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	101-153	B overlap 92%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	101-153	B overlap 92%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	101-153	B overlap 92%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	101-153	B overlap 92%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	101-153	B overlap 92%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	101-153	B overlap 92%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	101-153	B overlap 92%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	101-153	B overlap 92%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	101-153	B overlap 92%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	101-153	B overlap 92%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	101-153	B overlap 92%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	101-153	B overlap 92%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	101-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_797

53 aa | 98.11% best ungapped identity | 1 substitutions | part 15/15

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 243. Ungapped best parents: 243. Inclusive-database exact parents excluded from main set: 1.

Query DKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK
· |||||
Parent NKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAPK

All equally best ungapped sites on this page

UP_f71b012850e63ea4fb4e7851	101-153	B overlap 92%	Staphylococcus aureus
UP_f85095abf436c388206c5124	101-153	B overlap 92%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	101-153	B overlap 92%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	101-153	B overlap 92%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	101-153	B overlap 92%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	101-153	B overlap 92%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 1/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 1.

Query ADAQQNNFNDKQDSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
 ||||| . |||||
 Parent ADAQQNNFNKQDSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	93-152	B overlap 88%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	93-152	B overlap 88%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	93-152	B overlap 88%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	93-152	B overlap 88%	Staphylococcus aureus
UP_04faae54d75da101458d937d	93-152	B overlap 88%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	93-152	B overlap 88%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	93-152	B overlap 88%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	93-152	B overlap 88%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	93-152	B overlap 88%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	93-152	B overlap 88%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	93-152	B overlap 88%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	93-152	B overlap 88%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	93-152	B overlap 88%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	93-152	B overlap 88%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	93-152	B overlap 88%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	93-152	B overlap 88%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	105-164	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_799

60 aa | 98.33% best ungapped identity | 1 substitutions | part 2/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 1.

Query ADAQNNFDDKQQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||.|||||
Parent ADAQNNFNKDKQSAFYIEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_1320c3a44aa32eaab329067c	93-152	B overlap 88%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	93-152	B overlap 88%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	93-152	B overlap 88%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	93-152	B overlap 88%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	93-152	B overlap 88%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	93-152	B overlap 88%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	93-152	B overlap 88%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	93-152	B overlap 88%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	93-152	B overlap 88%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	93-152	B overlap 88%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	93-152	B overlap 88%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	93-152	B overlap 88%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	93-152	B overlap 88%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	93-152	B overlap 88%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	93-152	B overlap 88%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	93-152	B overlap 88%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 3/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 1.

Query ADAQNNFNDKQDSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
 |||||.||
 Parent ADAQNNFNDKQDSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_29750953a09e57a87c7dae67	93-152	B overlap 88%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	93-152	B overlap 88%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	93-152	B overlap 88%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	93-152	B overlap 88%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	93-152	B overlap 88%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	93-152	B overlap 88%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	93-152	B overlap 88%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	93-152	B overlap 88%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	93-152	B overlap 88%	Staphylococcus aureus
UP_369376855189ded07861b56b	93-152	B overlap 88%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	93-152	B overlap 88%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	93-152	B overlap 88%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	93-152	B overlap 88%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	93-152	B overlap 88%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	93-152	B overlap 88%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	93-152	B overlap 88%	Staphylococcus aureus
UP_3d571252244f795c04507670	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 4/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 1.

Query ADAQQNNFNDKQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
 |||||.|||
 Parent ADAQQNNFNKQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_3d709a118b2e3fa7ce83d3cb	93-152	B overlap 88%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	105-164	B overlap 88%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	93-152	B overlap 88%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	93-152	B overlap 88%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	93-152	B overlap 88%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	93-152	B overlap 88%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	93-152	B overlap 88%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	93-152	B overlap 88%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	93-152	B overlap 88%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	93-152	B overlap 88%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	93-152	B overlap 88%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	105-164	B overlap 88%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	93-152	B overlap 88%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	93-152	B overlap 88%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	93-152	B overlap 88%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	93-152	B overlap 88%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 5/13

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 1.

Parent ADAQQNNFNKDQQSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

UP_549e2ac62132d0bd32cea7ca	93-152	B overlap 88%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	93-152	B overlap 88%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	93-152	B overlap 88%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	93-152	B overlap 88%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	93-152	B overlap 88%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	93-152	B overlap 88%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	93-152	B overlap 88%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	93-152	B overlap 88%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	93-152	B overlap 88%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	105-164	B overlap 88%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	93-152	B overlap 88%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	93-152	B overlap 88%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	93-152	B overlap 88%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	93-152	B overlap 88%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	93-152	B overlap 88%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	93-152	B overlap 88%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	93-152	B overlap 88%	Staphylococcus aureus

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 6/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 1.

Query ADAQQNNFDDKQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
 |||||.|||
 Parent ADAQQNNFNKDDQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_649aef15e2ae8a296e72350f	93-152	B overlap 88%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	93-152	B overlap 88%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	93-152	B overlap 88%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	93-152	B overlap 88%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	93-152	B overlap 88%	Staphylococcus aureus
UP_67b157c032f302cca570b203	105-164	B overlap 88%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	93-152	B overlap 88%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	93-152	B overlap 88%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	93-152	B overlap 88%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	93-152	B overlap 88%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	93-152	B overlap 88%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	93-152	B overlap 88%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	93-152	B overlap 88%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	93-152	B overlap 88%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	93-152	B overlap 88%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	93-152	B overlap 88%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 7/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 1.

Query ADAQQNNFDDKQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
 |||||.||
 Parent ADAQQNNFNKDDQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_728122342f84c9b8787f4a69	105-164	B overlap 88%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	93-152	B overlap 88%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	93-152	B overlap 88%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	93-152	B overlap 88%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	93-152	B overlap 88%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	93-152	B overlap 88%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	105-164	B overlap 88%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	93-152	B overlap 88%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	88-147	B overlap 88%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	93-152	B overlap 88%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	93-152	B overlap 88%	Staphylococcus aureus
UP_7f705628d3208506515b3404	93-152	B overlap 88%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	93-152	B overlap 88%	Staphylococcus aureus
UP_86d09985303304149d93296c	41-100	B overlap 88%	Staphylococcus aureus
UP_87c984f47195a756918038f8	93-152	B overlap 88%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	93-152	B overlap 88%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_799

60 aa | 98.33% best ungapped identity | 1 substitutions | part 8/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 1.

Query ADAQQNNFDDKQQSAYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||.|||||||
Parent ADAQQNNFNKDQQSAYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_88f858d06848fb1195a19f07	93-152	B overlap 88%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	93-152	B overlap 88%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	93-152	B overlap 88%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	93-152	B overlap 88%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	93-152	B overlap 88%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	93-152	B overlap 88%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	93-152	B overlap 88%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	93-152	B overlap 88%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	93-152	B overlap 88%	Staphylococcus aureus
UP_971043b6271e59644756c924	93-152	B overlap 88%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	93-152	B overlap 88%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	93-152	B overlap 88%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	93-152	B overlap 88%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	93-152	B overlap 88%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	93-152	B overlap 88%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	93-152	B overlap 88%	Staphylococcus aureus
UP_alc16686cb18780db1e61843	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

60 aa | 98.33% best ungapped identity | 1 substitutions | part 9/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 1.

Query ADAQQNNFDDKQQSAYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
|||||.|||||||
Parent ADAQQNNFNKDDQQSAYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	93-152	B overlap 88%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	93-152	B overlap 88%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	105-164	B overlap 88%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	93-152	B overlap 88%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	93-152	B overlap 88%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	93-152	B overlap 88%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	93-152	B overlap 88%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	105-164	B overlap 88%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	93-152	B overlap 88%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	93-152	B overlap 88%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	93-152	B overlap 88%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	93-152	B overlap 88%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	93-152	B overlap 88%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	93-152	B overlap 88%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	93-152	B overlap 88%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	93-152	B overlap 88%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	105-164	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_799

60 aa | 98.33% best ungapped identity | 1 substitutions | part 10/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 1.

Query ADAQNNFNDKQDSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
 |||||.||||||||
 Parent ADAQNNFNDKQDSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_afbcc9c98c455fb3a548a2f1	93-152	B overlap 88%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	93-152	B overlap 88%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	93-152	B overlap 88%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	93-152	B overlap 88%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	93-152	B overlap 88%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	93-152	B overlap 88%	Staphylococcus aureus
UP_b448388f79d88503154c8958	93-152	B overlap 88%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	93-152	B overlap 88%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	93-152	B overlap 88%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	93-152	B overlap 88%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	93-152	B overlap 88%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	105-164	B overlap 88%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	93-152	B overlap 88%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	93-152	B overlap 88%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	93-152	B overlap 88%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	93-152	B overlap 88%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	105-164	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_799

60 aa | 98.33% best ungapped identity | 1 substitutions | part 11/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 1.

Query ADAQQNNFNDKQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
 |||||.||
 Parent ADAQQNNFNKQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_c5e65e48f1e55f63860af521	105-164	B overlap 88%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	93-152	B overlap 88%	Staphylococcus aureus
UP_c6e58db97616169658087da4	93-152	B overlap 88%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	93-152	B overlap 88%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	93-152	B overlap 88%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	93-152	B overlap 88%	Staphylococcus aureus
UP_cd42d745d221a99aeeeb0b940	93-152	B overlap 88%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	93-152	B overlap 88%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	93-152	B overlap 88%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	93-152	B overlap 88%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	105-164	B overlap 88%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcac	93-152	B overlap 88%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	93-152	B overlap 88%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	93-152	B overlap 88%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	93-152	B overlap 88%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	93-152	B overlap 88%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_799

60 aa | 98.33% best ungapped identity | 1 substitutions | part 12/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 1.

Query ADAQQNNFNDKQDSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
 |||||.||||||||
 Parent ADAQQNNFNKQDSAFYEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_ddcc25ff5408d54d5c32163f	93-152	B overlap 88%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	93-152	B overlap 88%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	93-152	B overlap 88%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbab69	93-152	B overlap 88%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	93-152	B overlap 88%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	93-152	B overlap 88%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	93-152	B overlap 88%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	93-152	B overlap 88%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	93-152	B overlap 88%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	93-152	B overlap 88%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	93-152	B overlap 88%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	105-164	B overlap 88%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	93-152	B overlap 88%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	105-164	B overlap 88%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	105-164	B overlap 88%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	93-152	B overlap 88%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_799

60 aa | 98.33% best ungapped identity | 1 substitutions | part 13/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 219. Ungapped best parents: 219. Inclusive-database exact parents excluded from main set: 1.

Query ADAQQNNFDDKQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP
 |||||.|||
 Parent ADAQQNNFNKDDQQSAYFEILNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNESQAP

All equally best ungapped sites on this page

UP_e6cd4f97cbff47488f070d32	93-152	B overlap 88%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	93-152	B overlap 88%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	93-152	B overlap 88%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	93-152	B overlap 88%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	93-152	B overlap 88%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	93-152	B overlap 88%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	93-152	B overlap 88%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	93-152	B overlap 88%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	93-152	B overlap 88%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	93-152	B overlap 88%	Staphylococcus aureus
UP_f85095abf436c388206c5124	93-152	B overlap 88%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	93-152	B overlap 88%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	93-152	B overlap 88%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	93-152	B overlap 88%	Staphylococcus aureus
UP_ffc5b205486d979b47f1e25f	93-152	B overlap 88%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_816

45 aa | 97.78% best ungapped identity | 1 substitutions | part 1/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDAPK
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	283-327	B overlap 91%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	283-327	B overlap 91%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	283-327	B overlap 91%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	283-327	B overlap 91%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	225-269	B overlap 91%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	225-269	B overlap 91%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	283-327	B overlap 91%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	283-327	B overlap 91%	Staphylococcus aureus
UP_04faae54d75da101458d937d	283-327	B overlap 91%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	178-222	B overlap 91%	Staphylococcus aureus
UP_0558a58a6056e4177ee8a734	167-211	B overlap 91%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	283-327	B overlap 91%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	225-269	B overlap 91%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	283-327	B overlap 91%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	295-339	B overlap 91%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	167-211	B overlap 91%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	225-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

45 aa | 97.78% best ungapped identity | 1 substitutions | part 2/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDAAQAPK
|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_080bdc344b3e8de041e14a8b	225-269	B overlap 91%	<i>Staphylococcus argenteus</i>
UP_0927b06f2227da558be634a6	167-211	B overlap 91%	<i>Staphylococcus aureus</i>
UP_0b47ec347104dea3cf401212	283-327	B overlap 91%	<i>Staphylococcus aureus</i>
UP_0b60d796a68d3045e93b134e	283-327	B overlap 91%	<i>Staphylococcus aureus</i>
UP_0c80c9392f03dca56d811fa2	283-327	B overlap 91%	<i>Staphylococcus aureus</i>
UP_0cc89752f503c11658a4c8e1	283-327	B overlap 91%	<i>Staphylococcus aureus</i>
UP_0e50e0f21a33ab0ea0d484e0	283-327	B overlap 91%	<i>Staphylococcus aureus</i>
UP_10f4f6cd64b765a00fca2bc0	283-327	B overlap 91%	<i>Staphylococcus aureus</i>
UP_11ef8762e0d1f699cca11a72	341-385	B overlap 91%	<i>Staphylococcus aureus</i>
UP_127db86243730a6f9df4e8bd	295-339	B overlap 91%	<i>Staphylococcus aureus</i>
UP_13ccf6af01357064a43132ca	283-327	B overlap 91%	<i>Staphylococcus aureus</i>
UP_1529d2d15daae1f92fd339c3	283-327	B overlap 91%	<i>Staphylococcus aureus</i>
UP_15b865d3666d14f4c1598c14	106-150	B overlap 91%	<i>Staphylococcus aureus</i>
UP_15ba5cb86fd86da91d8bd88c	283-327	B overlap 91%	<i>Staphylococcus aureus</i>
UP_1678712e643cf888f6cadf62	283-327	B overlap 91%	<i>Staphylococcus aureus</i>
UP_16958848fed046b3709f6bd4	283-327	B overlap 91%	<i>Staphylococcus aureus</i>
UP_171c514ceeeab0855461d73b	283-327	B overlap 91%	<i>Staphylococcus aureus</i>

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_816

45 aa | 97.78% best ungapped identity | 1 substitutions | part 3/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDAPK
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_172cccb9efefc37e19236363	283-327	B overlap 91%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	283-327	B overlap 91%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	225-269	B overlap 91%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	283-327	B overlap 91%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	222-266	B overlap 91%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	225-269	B overlap 91%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	225-269	B overlap 91%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	283-327	B overlap 91%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	341-385	B overlap 91%	Staphylococcus aureus
UP_2048573278606fc387b40165	8-52	B overlap 91%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	283-327	B overlap 91%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	225-269	B overlap 91%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	295-339	B overlap 91%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	283-327	B overlap 91%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	283-327	B overlap 91%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	283-327	B overlap 91%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_816

45 aa | 97.78% best ungapped identity | 1 substitutions | part 4/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDAPK
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_27f29e3fac76766f4af636e5	283-327	B overlap 91%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	283-327	B overlap 91%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	283-327	B overlap 91%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	283-327	B overlap 91%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	167-211	B overlap 91%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	225-269	B overlap 91%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	283-327	B overlap 91%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	515-559	B overlap 91%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	341-385	B overlap 91%	Staphylococcus aureus
UP_2bd9d8f9a1f5bb1a2e03e456	225-269	B overlap 91%	Staphylococcus aureus
UP_2def648691a179d8337edb84	179-223	B overlap 91%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	225-269	B overlap 91%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	283-327	B overlap 91%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	225-269	B overlap 91%	Staphylococcus aureus
UP_324c49ab20a20eee8d7b5738	225-269	B overlap 91%	Staphylococcus argenteus
UP_332e727aed2e33d630729c9d	283-327	B overlap 91%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	225-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_816

45 aa | 97.78% best ungapped identity | 1 substitutions | part 5/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDQAQPK
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_369376855189ded07861b56b	225-269	B overlap 91%	Staphylococcus aureus
UP_37e60ca6c449c9241b51223d	283-327	B overlap 91%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	283-327	B overlap 91%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	341-385	B overlap 91%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	283-327	B overlap 91%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	341-385	B overlap 91%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	225-269	B overlap 91%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	283-327	B overlap 91%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	283-327	B overlap 91%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	283-327	B overlap 91%	Staphylococcus aureus
UP_3d571252244f795c04507670	283-327	B overlap 91%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	225-269	B overlap 91%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	237-281	B overlap 91%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	79-123	B overlap 91%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	225-269	B overlap 91%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	283-327	B overlap 91%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_816

45 aa | 97.78% best ungapped identity | 1 substitutions | part 6/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDAPK
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_41c651f601c919b8ee6882b1	283-327	B overlap 91%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	283-327	B overlap 91%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	283-327	B overlap 91%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	341-385	B overlap 91%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	283-327	B overlap 91%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	283-327	B overlap 91%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	225-269	B overlap 91%	Staphylococcus aureus
UP_4667ae039c0ce4ff6d65fa16	106-150	B overlap 91%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	225-269	B overlap 91%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	295-339	B overlap 91%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	283-327	B overlap 91%	Staphylococcus aureus
UP_483345435ebd382942892e04	164-208	B overlap 91%	Staphylococcus argenteus
UP_493fc1e6cf2d8753094287af	225-269	B overlap 91%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	167-211	B overlap 91%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	283-327	B overlap 91%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	457-501	B overlap 91%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	225-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_816

45 aa | 97.78% best ungapped identity | 1 substitutions | part 7/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDAPK
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_4ceeb2195c19bf40231b07fa	225-269	B overlap 91%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	225-269	B overlap 91%	Staphylococcus aureus
UP_4f7ac95290874e78b8d9f0ed	106-150	B overlap 91%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	283-327	B overlap 91%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	283-327	B overlap 91%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	283-327	B overlap 91%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	225-269	B overlap 91%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	283-327	B overlap 91%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	283-327	B overlap 91%	Staphylococcus aureus
UP_5afea06ab560a525e381f6c8	225-269	B overlap 91%	Staphylococcus argenteus
UP_5bbec0493fad67c07e5cf02b	283-327	B overlap 91%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	283-327	B overlap 91%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	295-339	B overlap 91%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	225-269	B overlap 91%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	225-269	B overlap 91%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	283-327	B overlap 91%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_816

45 aa | 97.78% best ungapped identity | 1 substitutions | part 8/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDAPK
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_60b271b0316c17b99e44dff0	341-385	B overlap 91%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	283-327	B overlap 91%	Staphylococcus aureus
UP_6193b3607b8eab64acbf79f	164-208	B overlap 91%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	353-397	B overlap 91%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	225-269	B overlap 91%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	283-327	B overlap 91%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	283-327	B overlap 91%	Staphylococcus aureus
UP_63bbd7d1ac5832ffe8cbd7f	222-266	B overlap 91%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	225-269	B overlap 91%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	283-327	B overlap 91%	Staphylococcus aureus
UP_654970f68b48978377243697	283-327	B overlap 91%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	225-269	B overlap 91%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	225-269	B overlap 91%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	225-269	B overlap 91%	Staphylococcus aureus
UP_67b157c032f302cca570b203	353-397	B overlap 91%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	283-327	B overlap 91%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_816

45 aa | 97.78% best ungapped identity | 1 substitutions | part 9/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDAPK
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_69110bf3c572e891b42e16a0	283-327	B overlap 91%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	283-327	B overlap 91%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	283-327	B overlap 91%	Staphylococcus aureus
UP_6afba783543b8f49d10ac03	283-327	B overlap 91%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	283-327	B overlap 91%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	353-397	B overlap 91%	Staphylococcus aureus
UP_6d760fbc9f250b9d80b6377	225-269	B overlap 91%	Staphylococcus argenteus
UP_6d765dcd23be695e8386b589	283-327	B overlap 91%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	225-269	B overlap 91%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	283-327	B overlap 91%	Staphylococcus aureus
UP_6dc6cc8e9acff01b2bc3cf5c	225-269	B overlap 91%	Staphylococcus argenteus
UP_6dde12d1b214335f1b98b297	283-327	B overlap 91%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	283-327	B overlap 91%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	283-327	B overlap 91%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	283-327	B overlap 91%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	295-339	B overlap 91%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_816

45 aa | 97.78% best ungapped identity | 1 substitutions | part 10/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDAPK
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_74703a26fe5c31c3ed92f291	283-327	B overlap 91%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	341-385	B overlap 91%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	283-327	B overlap 91%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	341-385	B overlap 91%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	222-266	B overlap 91%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	225-269	B overlap 91%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	283-327	B overlap 91%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	283-327	B overlap 91%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	283-327	B overlap 91%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	457-501	B overlap 91%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	283-327	B overlap 91%	Staphylococcus aureus
UP_79e0b1d188807716a8d270a0	167-211	B overlap 91%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	295-339	B overlap 91%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	225-269	B overlap 91%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	220-264	B overlap 91%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	225-269	B overlap 91%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	225-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_816

45 aa | 97.78% best ungapped identity | 1 substitutions | part 11/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDQAQPK
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_7d479adc0e68c632662d57f1	242-286	B overlap 91%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	225-269	B overlap 91%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	283-327	B overlap 91%	Staphylococcus aureus
UP_7f705628d3208506515b3404	283-327	B overlap 91%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	225-269	B overlap 91%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	283-327	B overlap 91%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	283-327	B overlap 91%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	225-269	B overlap 91%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	283-327	B overlap 91%	Staphylococcus aureus
UP_86d09985303304149d93296c	173-217	B overlap 91%	Staphylococcus aureus
UP_87c984f47195a756918038f8	225-269	B overlap 91%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	231-275	B overlap 91%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	283-327	B overlap 91%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	471-515	B overlap 91%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	225-269	B overlap 91%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	225-269	B overlap 91%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	167-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_816

45 aa | 97.78% best ungapped identity | 1 substitutions | part 12/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDAPK
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_8b309cd32d7ae555f36ba5ea	225-269	B overlap 91%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	225-269	B overlap 91%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	283-327	B overlap 91%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	283-327	B overlap 91%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	222-266	B overlap 91%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	341-385	B overlap 91%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	225-269	B overlap 91%	Staphylococcus aureus
UP_91eb16918889951219e50a73	283-327	B overlap 91%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	283-327	B overlap 91%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	341-385	B overlap 91%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	283-327	B overlap 91%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	283-327	B overlap 91%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	283-327	B overlap 91%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	283-327	B overlap 91%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	283-327	B overlap 91%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	283-327	B overlap 91%	Staphylococcus aureus
UP_95e30e740b9bec939fb36b82	231-275	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_816

45 aa | 97.78% best ungapped identity | 1 substitutions | part 13/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDAPK
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_971043b6271e59644756c924	225-269	B overlap 91%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	283-327	B overlap 91%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	283-327	B overlap 91%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	283-327	B overlap 91%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	225-269	B overlap 91%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	283-327	B overlap 91%	Staphylococcus aureus
UP_9d6ccee6db34ab44b810682d	225-269	B overlap 91%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	225-269	B overlap 91%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	283-327	B overlap 91%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	341-385	B overlap 91%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	225-269	B overlap 91%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	283-327	B overlap 91%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	283-327	B overlap 91%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	225-269	B overlap 91%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	283-327	B overlap 91%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	283-327	B overlap 91%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	225-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_816

45 aa | 97.78% best ungapped identity | 1 substitutions | part 14/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDQAQPK
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_a496e39d8ed9511ac38a7bed	295-339	B overlap 91%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	225-269	B overlap 91%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	283-327	B overlap 91%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	170-214	B overlap 91%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	225-269	B overlap 91%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	172-216	B overlap 91%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	283-327	B overlap 91%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	167-211	B overlap 91%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	167-211	B overlap 91%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	225-269	B overlap 91%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	295-339	B overlap 91%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	225-269	B overlap 91%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	225-269	B overlap 91%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	283-327	B overlap 91%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	341-385	B overlap 91%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	283-327	B overlap 91%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_816

45 aa | 97.78% best ungapped identity | 1 substitutions | part 15/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDQAQPK
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_adfdd12a6d4abde69ea98d50	225-269	B overlap 91%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	283-327	B overlap 91%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	225-269	B overlap 91%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	283-327	B overlap 91%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	283-327	B overlap 91%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	283-327	B overlap 91%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	295-339	B overlap 91%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	225-269	B overlap 91%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	178-222	B overlap 91%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	283-327	B overlap 91%	Staphylococcus aureus
UP_b1b6527c392edca51eae006	283-327	B overlap 91%	Staphylococcus aureus
UP_b1ccb6c665058d4e6104b0dc	225-269	B overlap 91%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	167-211	B overlap 91%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	283-327	B overlap 91%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	283-327	B overlap 91%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	283-327	B overlap 91%	Staphylococcus aureus
UP_b448388f79d88503154c8958	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_816

45 aa | 97.78% best ungapped identity | 1 substitutions | part 16/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDAPK
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_b54736db19c8850e9f6b13b1	283-327	B overlap 91%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	283-327	B overlap 91%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	225-269	B overlap 91%	Staphylococcus aureus
UP_b89432f6e7437c0651852af5	164-208	B overlap 91%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	283-327	B overlap 91%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	283-327	B overlap 91%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	353-397	B overlap 91%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	283-327	B overlap 91%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	283-327	B overlap 91%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	242-286	B overlap 91%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	283-327	B overlap 91%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	283-327	B overlap 91%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	283-327	B overlap 91%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	283-327	B overlap 91%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	283-327	B overlap 91%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	283-327	B overlap 91%	Staphylococcus aureus
UP_c360b4eef28e7ac3a6add6d9	79-123	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_816

45 aa | 97.78% best ungapped identity | 1 substitutions | part 17/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDQAQPK
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_c3971c3863339abe6ae39176	283-327	B overlap 91%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	225-269	B overlap 91%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	237-281	B overlap 91%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	283-327	B overlap 91%	Staphylococcus aureus
UP_c6e58db97616169658087da4	283-327	B overlap 91%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	225-269	B overlap 91%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	225-269	B overlap 91%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	225-269	B overlap 91%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	283-327	B overlap 91%	Staphylococcus aureus
UP_ca698c2d92aaa89331dd0ba4	225-269	B overlap 91%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	283-327	B overlap 91%	Staphylococcus aureus
UP_cc018e0aa888e81d3674855c	259-303	B overlap 91%	Staphylococcus aureus
UP_cd42d745d221a99ae0b940	283-327	B overlap 91%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	283-327	B overlap 91%	Staphylococcus aureus
UP_cda3c6f0d10df8be6dc4ff46	225-269	B overlap 91%	Staphylococcus argenteus
UP_ce48648d81e147b208ae7f35	283-327	B overlap 91%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_816

45 aa | 97.78% best ungapped identity | 1 substitutions | part 18/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDAPK
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_cfedaa72f01f43f853011c47	225-269	B overlap 91%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	341-385	B overlap 91%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	225-269	B overlap 91%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	356-400	B overlap 91%	Staphylococcus aureus
UP_d2f4d68676a2244ecc95da63	112-156	B overlap 91%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	225-269	B overlap 91%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	225-269	B overlap 91%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	283-327	B overlap 91%	Staphylococcus aureus
UP_d42f3bf1007f1620dba29aac	225-269	B overlap 91%	Staphylococcus argenteus
UP_d446b7e01a0f059e086dcfed	283-327	B overlap 91%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d5b345437142d9cf807db25d	225-269	B overlap 91%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	225-269	B overlap 91%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	283-327	B overlap 91%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	283-327	B overlap 91%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	341-385	B overlap 91%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	341-385	B overlap 91%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_816

45 aa | 97.78% best ungapped identity | 1 substitutions | part 19/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDQAQPK
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_df25788f262b81ebd8fdb69	283-327	B overlap 91%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	225-269	B overlap 91%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	225-269	B overlap 91%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	283-327	B overlap 91%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	225-269	B overlap 91%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	283-327	B overlap 91%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	172-216	B overlap 91%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	225-269	B overlap 91%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	283-327	B overlap 91%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	86-130	B overlap 91%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	295-339	B overlap 91%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	225-269	B overlap 91%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	283-327	B overlap 91%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	295-339	B overlap 91%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	231-275	B overlap 91%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	283-327	B overlap 91%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_816

45 aa | 97.78% best ungapped identity | 1 substitutions | part 20/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDAPK
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_e59ad94e67fec4f53d6abdba	283-327	B overlap 91%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	225-269	B overlap 91%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	225-269	B overlap 91%	Staphylococcus aureus
UP_e6d99cc66a27067b7ac482cc	225-269	B overlap 91%	Staphylococcus argenteus
UP_e75719246134c49f59f96f37	242-286	B overlap 91%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	283-327	B overlap 91%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	283-327	B overlap 91%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	283-327	B overlap 91%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	283-327	B overlap 91%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	225-269	B overlap 91%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	283-327	B overlap 91%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	283-327	B overlap 91%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	225-269	B overlap 91%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	167-211	B overlap 91%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	283-327	B overlap 91%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	225-269	B overlap 91%	Staphylococcus aureus
UP_f1c8a677456a5de29a99e38e	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_816

45 aa | 97.78% best ungapped identity | 1 substitutions | part 21/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDAPK
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_f2fb3f19cc2124c827a1911c	283-327	B overlap 91%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	283-327	B overlap 91%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	225-269	B overlap 91%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	295-339	B overlap 91%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	112-156	B overlap 91%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	225-269	B overlap 91%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	237-281	B overlap 91%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	283-327	B overlap 91%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	283-327	B overlap 91%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	341-385	B overlap 91%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	237-281	B overlap 91%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	225-269	B overlap 91%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_817

45 aa | 97.78% best ungapped identity | 1 substitutions | part 1/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	283-327	B overlap 91%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	283-327	B overlap 91%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	283-327	B overlap 91%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	283-327	B overlap 91%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	225-269	B overlap 91%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	225-269	B overlap 91%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	283-327	B overlap 91%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	283-327	B overlap 91%	Staphylococcus aureus
UP_04faae54d75da101458d937d	283-327	B overlap 91%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	178-222	B overlap 91%	Staphylococcus aureus
UP_0558a58a6056e4177ee8a734	167-211	B overlap 91%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	283-327	B overlap 91%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	225-269	B overlap 91%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	283-327	B overlap 91%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	295-339	B overlap 91%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	167-211	B overlap 91%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	225-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_817

45 aa | 97.78% best ungapped identity | 1 substitutions | part 2/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK
||||·|
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_080bdc344b3e8de041e14a8b	225-269	B overlap 91%	Staphylococcus argenteus
UP_0927b06f2227da558be634a6	167-211	B overlap 91%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	283-327	B overlap 91%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	283-327	B overlap 91%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	283-327	B overlap 91%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	283-327	B overlap 91%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	283-327	B overlap 91%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	283-327	B overlap 91%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	341-385	B overlap 91%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	295-339	B overlap 91%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	283-327	B overlap 91%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	283-327	B overlap 91%	Staphylococcus aureus
UP_15b865d3666d14f4c1598c14	106-150	B overlap 91%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	283-327	B overlap 91%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	283-327	B overlap 91%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	283-327	B overlap 91%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_817

45 aa | 97.78% best ungapped identity | 1 substitutions | part 3/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_172cccb9efefc37e19236363	283-327	B overlap 91%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	283-327	B overlap 91%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	225-269	B overlap 91%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	283-327	B overlap 91%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	222-266	B overlap 91%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	225-269	B overlap 91%	Staphylococcus aureus
UP_1c369039d2aa8fce7e14fc8	225-269	B overlap 91%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	283-327	B overlap 91%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	341-385	B overlap 91%	Staphylococcus aureus
UP_2048573278606fc387b40165	8-52	B overlap 91%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	283-327	B overlap 91%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	225-269	B overlap 91%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	295-339	B overlap 91%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	283-327	B overlap 91%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	283-327	B overlap 91%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	283-327	B overlap 91%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_817

45 aa | 97.78% best ungapped identity | 1 substitutions | part 4/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_27f29e3fac76766f4af636e5	283-327	B overlap 91%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	283-327	B overlap 91%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	283-327	B overlap 91%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	283-327	B overlap 91%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	167-211	B overlap 91%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	225-269	B overlap 91%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	283-327	B overlap 91%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	515-559	B overlap 91%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	341-385	B overlap 91%	Staphylococcus aureus
UP_2bd9d8f9a1f5bb1a2e03e456	225-269	B overlap 91%	Staphylococcus aureus
UP_2def648691a179d8337edb84	179-223	B overlap 91%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	225-269	B overlap 91%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	283-327	B overlap 91%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	225-269	B overlap 91%	Staphylococcus aureus
UP_324c49ab20a20eee8d7b5738	225-269	B overlap 91%	Staphylococcus argenteus
UP_332e727aed2e33d630729c9d	283-327	B overlap 91%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	225-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_817

45 aa | 97.78% best ungapped identity | 1 substitutions | part 5/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_369376855189ded07861b56b	225-269	B overlap 91%	Staphylococcus aureus
UP_37e60ca6c449c9241b51223d	283-327	B overlap 91%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	283-327	B overlap 91%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	341-385	B overlap 91%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	283-327	B overlap 91%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	341-385	B overlap 91%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	225-269	B overlap 91%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	283-327	B overlap 91%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	283-327	B overlap 91%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	283-327	B overlap 91%	Staphylococcus aureus
UP_3d571252244f795c04507670	283-327	B overlap 91%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	225-269	B overlap 91%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	237-281	B overlap 91%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	79-123	B overlap 91%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	225-269	B overlap 91%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	283-327	B overlap 91%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_817

45 aa | 97.78% best ungapped identity | 1 substitutions | part 6/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_41c651f601c919b8ee6882b1	283-327	B overlap 91%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	283-327	B overlap 91%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	283-327	B overlap 91%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	341-385	B overlap 91%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	283-327	B overlap 91%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	283-327	B overlap 91%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	225-269	B overlap 91%	Staphylococcus aureus
UP_4667ae039c0ce4ff6d65fa16	106-150	B overlap 91%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	225-269	B overlap 91%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	295-339	B overlap 91%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	283-327	B overlap 91%	Staphylococcus aureus
UP_483345435ebd382942892e04	164-208	B overlap 91%	Staphylococcus argenteus
UP_493fc1e6cf2d8753094287af	225-269	B overlap 91%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	167-211	B overlap 91%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	283-327	B overlap 91%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	457-501	B overlap 91%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	225-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_817

45 aa | 97.78% best ungapped identity | 1 substitutions | part 7/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_4ceeb2195c19bf40231b07fa	225-269	B overlap 91%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	225-269	B overlap 91%	Staphylococcus aureus
UP_4f7ac95290874e78b8d9f0ed	106-150	B overlap 91%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	283-327	B overlap 91%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	283-327	B overlap 91%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	283-327	B overlap 91%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	225-269	B overlap 91%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	283-327	B overlap 91%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	283-327	B overlap 91%	Staphylococcus aureus
UP_5afea06ab560a525e381f6c8	225-269	B overlap 91%	Staphylococcus argenteus
UP_5bbec0493fad67c07e5cf02b	283-327	B overlap 91%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	283-327	B overlap 91%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	295-339	B overlap 91%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	225-269	B overlap 91%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	225-269	B overlap 91%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	283-327	B overlap 91%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_817

45 aa | 97.78% best ungapped identity | 1 substitutions | part 8/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK
||||·|
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_60b271b0316c17b99e44dff0	341-385	B overlap 91%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	283-327	B overlap 91%	Staphylococcus aureus
UP_6193b3607b8eab64acbf79f	164-208	B overlap 91%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	353-397	B overlap 91%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	225-269	B overlap 91%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	283-327	B overlap 91%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	283-327	B overlap 91%	Staphylococcus aureus
UP_63bbd7d1ac5832ffe8cbd7f	222-266	B overlap 91%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	225-269	B overlap 91%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	283-327	B overlap 91%	Staphylococcus aureus
UP_654970f68b48978377243697	283-327	B overlap 91%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	225-269	B overlap 91%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	225-269	B overlap 91%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	225-269	B overlap 91%	Staphylococcus aureus
UP_67b157c032f302cca570b203	353-397	B overlap 91%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	283-327	B overlap 91%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_817

45 aa | 97.78% best ungapped identity | 1 substitutions | part 9/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

|||||.|||||||

Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_69110bf3c572e891b42e16a0	283-327	B overlap 91%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	283-327	B overlap 91%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	283-327	B overlap 91%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	283-327	B overlap 91%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	283-327	B overlap 91%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	353-397	B overlap 91%	Staphylococcus aureus
UP_6d760fbc9f250b9d80b6377	225-269	B overlap 91%	Staphylococcus argenteus
UP_6d765dcd23be695e8386b589	283-327	B overlap 91%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	225-269	B overlap 91%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	283-327	B overlap 91%	Staphylococcus aureus
UP_6dc6cc8e9acff01b2bc3cf5c	225-269	B overlap 91%	Staphylococcus argenteus
UP_6dde12d1b214335f1b98b297	283-327	B overlap 91%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	283-327	B overlap 91%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	283-327	B overlap 91%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	283-327	B overlap 91%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	295-339	B overlap 91%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_817

45 aa | 97.78% best ungapped identity | 1 substitutions | part 10/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_74703a26fe5c31c3ed92f291	283-327	B overlap 91%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	341-385	B overlap 91%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	283-327	B overlap 91%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	341-385	B overlap 91%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	222-266	B overlap 91%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	225-269	B overlap 91%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	283-327	B overlap 91%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	283-327	B overlap 91%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	283-327	B overlap 91%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	457-501	B overlap 91%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	283-327	B overlap 91%	Staphylococcus aureus
UP_79e0b1d188807716a8d270a0	167-211	B overlap 91%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	295-339	B overlap 91%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	225-269	B overlap 91%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	220-264	B overlap 91%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	225-269	B overlap 91%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	225-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_817

45 aa | 97.78% best ungapped identity | 1 substitutions | part 11/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_7d479adc0e68c632662d57f1	242-286	B overlap 91%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	225-269	B overlap 91%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	283-327	B overlap 91%	Staphylococcus aureus
UP_7f705628d3208506515b3404	283-327	B overlap 91%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	225-269	B overlap 91%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	283-327	B overlap 91%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	283-327	B overlap 91%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	225-269	B overlap 91%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	283-327	B overlap 91%	Staphylococcus aureus
UP_86d09985303304149d93296c	173-217	B overlap 91%	Staphylococcus aureus
UP_87c984f47195a756918038f8	225-269	B overlap 91%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	231-275	B overlap 91%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	283-327	B overlap 91%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	471-515	B overlap 91%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	225-269	B overlap 91%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	225-269	B overlap 91%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	167-211	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_817

45 aa | 97.78% best ungapped identity | 1 substitutions | part 12/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_8b309cd32d7ae555f36ba5ea	225-269	B overlap 91%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	225-269	B overlap 91%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	283-327	B overlap 91%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	283-327	B overlap 91%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	222-266	B overlap 91%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	341-385	B overlap 91%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	225-269	B overlap 91%	Staphylococcus aureus
UP_91eb16918889951219e50a73	283-327	B overlap 91%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	283-327	B overlap 91%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	341-385	B overlap 91%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	283-327	B overlap 91%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	283-327	B overlap 91%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	283-327	B overlap 91%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	283-327	B overlap 91%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	283-327	B overlap 91%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	283-327	B overlap 91%	Staphylococcus aureus
UP_95e30e740b9bec939fb36b82	231-275	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_817

45 aa | 97.78% best ungapped identity | 1 substitutions | part 13/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAQAPK
|||||.|||||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_971043b6271e59644756c924	225-269	B overlap 91%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	283-327	B overlap 91%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	283-327	B overlap 91%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	283-327	B overlap 91%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	225-269	B overlap 91%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	283-327	B overlap 91%	Staphylococcus aureus
UP_9d6ccee6db34ab44b810682d	225-269	B overlap 91%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	225-269	B overlap 91%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	283-327	B overlap 91%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	341-385	B overlap 91%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	225-269	B overlap 91%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	283-327	B overlap 91%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	283-327	B overlap 91%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	225-269	B overlap 91%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	283-327	B overlap 91%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	283-327	B overlap 91%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	225-269	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_817

45 aa | 97.78% best ungapped identity | 1 substitutions | part 14/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
||||.|||||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_a496e39d8ed9511ac38a7bed	295-339	B overlap 91%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	225-269	B overlap 91%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	283-327	B overlap 91%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	170-214	B overlap 91%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	225-269	B overlap 91%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	172-216	B overlap 91%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	283-327	B overlap 91%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	167-211	B overlap 91%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	167-211	B overlap 91%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	225-269	B overlap 91%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	295-339	B overlap 91%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	225-269	B overlap 91%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	225-269	B overlap 91%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	283-327	B overlap 91%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	341-385	B overlap 91%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	283-327	B overlap 91%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_817

45 aa | 97.78% best ungapped identity | 1 substitutions | part 15/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_adfdd12a6d4abde69ea98d50	225-269	B overlap 91%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	283-327	B overlap 91%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	225-269	B overlap 91%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	283-327	B overlap 91%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	283-327	B overlap 91%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	283-327	B overlap 91%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	295-339	B overlap 91%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	225-269	B overlap 91%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	178-222	B overlap 91%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	283-327	B overlap 91%	Staphylococcus aureus
UP_b1b6527c392edca51eae006	283-327	B overlap 91%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	225-269	B overlap 91%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	167-211	B overlap 91%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	283-327	B overlap 91%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	283-327	B overlap 91%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	283-327	B overlap 91%	Staphylococcus aureus
UP_b448388f79d88503154c8958	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

45 aa | 97.78% best ungapped identity | 1 substitutions | part 16/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAQAPK
|||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_b54736db19c8850e9f6b13b1	283-327	B overlap 91%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	283-327	B overlap 91%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	225-269	B overlap 91%	Staphylococcus aureus
UP_b89432f6e7437c0651852af5	164-208	B overlap 91%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	283-327	B overlap 91%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	283-327	B overlap 91%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	353-397	B overlap 91%	Staphylococcus aureus
UP_bb4de0544c0b9e271784e86f5	283-327	B overlap 91%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	283-327	B overlap 91%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	242-286	B overlap 91%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	283-327	B overlap 91%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	283-327	B overlap 91%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	283-327	B overlap 91%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	283-327	B overlap 91%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	283-327	B overlap 91%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	283-327	B overlap 91%	Staphylococcus aureus
UP_c360b4eef28e7ac3a6add6d9	79-123	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_817

45 aa | 97.78% best ungapped identity | 1 substitutions | part 17/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILQPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAQAPK
|||||.|||||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_c3971c3863339abe6ae39176	283-327	B overlap 91%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	225-269	B overlap 91%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	237-281	B overlap 91%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	283-327	B overlap 91%	Staphylococcus aureus
UP_c6e58db97616169658087da4	283-327	B overlap 91%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	225-269	B overlap 91%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	225-269	B overlap 91%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	225-269	B overlap 91%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	283-327	B overlap 91%	Staphylococcus aureus
UP_ca698c2d92aaa89331dd0ba4	225-269	B overlap 91%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	283-327	B overlap 91%	Staphylococcus aureus
UP_cc018e0aa888e81d3674855c	259-303	B overlap 91%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	283-327	B overlap 91%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	283-327	B overlap 91%	Staphylococcus aureus
UP_cda3c6f0d10df8be6dc4ff46	225-269	B overlap 91%	Staphylococcus argenteus
UP_ce48648d81e147b208ae7f35	283-327	B overlap 91%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_817

45 aa | 97.78% best ungapped identity | 1 substitutions | part 18/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_cfedaa72f01f43f853011c47	225-269	B overlap 91%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	341-385	B overlap 91%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	225-269	B overlap 91%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	356-400	B overlap 91%	Staphylococcus aureus
UP_d2f4d68676a2244ecc95da63	112-156	B overlap 91%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	225-269	B overlap 91%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	225-269	B overlap 91%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	283-327	B overlap 91%	Staphylococcus aureus
UP_d42f3bf1007f1620dba29aac	225-269	B overlap 91%	Staphylococcus argenteus
UP_d446b7e01a0f059e086dcfed	283-327	B overlap 91%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d5b345437142d9cf807db25d	225-269	B overlap 91%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	225-269	B overlap 91%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	283-327	B overlap 91%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	283-327	B overlap 91%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	341-385	B overlap 91%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	341-385	B overlap 91%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_817

45 aa | 97.78% best ungapped identity | 1 substitutions | part 19/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDQAQPK

All equally best ungapped sites on this page

UP_df25788f262b81ebd8fdb69	283-327	B overlap 91%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	225-269	B overlap 91%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	225-269	B overlap 91%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	283-327	B overlap 91%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	225-269	B overlap 91%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	283-327	B overlap 91%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	172-216	B overlap 91%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	225-269	B overlap 91%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	283-327	B overlap 91%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	86-130	B overlap 91%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	295-339	B overlap 91%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	225-269	B overlap 91%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	283-327	B overlap 91%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	295-339	B overlap 91%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	231-275	B overlap 91%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	283-327	B overlap 91%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_817

45 aa | 97.78% best ungapped identity | 1 substitutions | part 20/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPK

All equally best ungapped sites on this page

UP_e59ad94e67fec4f53d6abdba	283-327	B overlap 91%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	225-269	B overlap 91%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	225-269	B overlap 91%	Staphylococcus aureus
UP_e6d99cc66a27067b7ac482cc	225-269	B overlap 91%	Staphylococcus argenteus
UP_e75719246134c49f59f96f37	242-286	B overlap 91%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	283-327	B overlap 91%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	283-327	B overlap 91%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	283-327	B overlap 91%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	283-327	B overlap 91%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	225-269	B overlap 91%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	283-327	B overlap 91%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	283-327	B overlap 91%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	225-269	B overlap 91%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	167-211	B overlap 91%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	283-327	B overlap 91%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	225-269	B overlap 91%	Staphylococcus aureus
UP_f1c8a677456a5de29a99e38e	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_817

45 aa | 97.78% best ungapped identity | 1 substitutions | part 21/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 349. Ungapped best parents: 349. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAQAPK
|||||.|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAQAPK

All equally best ungapped sites on this page

UP_f2fb3f19cc2124c827a1911c	283-327	B overlap 91%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	283-327	B overlap 91%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	225-269	B overlap 91%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	295-339	B overlap 91%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	112-156	B overlap 91%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	225-269	B overlap 91%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	237-281	B overlap 91%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	283-327	B overlap 91%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	283-327	B overlap 91%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	341-385	B overlap 91%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	237-281	B overlap 91%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	225-269	B overlap 91%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	283-327	B overlap 91%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

44 aa | 95.45% best ungapped identity | 2 substitutions | part 1/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPPP

|||||

Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAQP

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	283-326	B overlap 93%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	283-326	B overlap 93%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	283-326	B overlap 93%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	283-326	B overlap 93%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	225-268	B overlap 93%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	225-268	B overlap 93%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	283-326	B overlap 93%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	283-326	B overlap 93%	Staphylococcus aureus
UP_04faae54d75da101458d937d	283-326	B overlap 93%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	178-221	B overlap 93%	Staphylococcus aureus
UP_0558a58a6056e4177ee8a734	167-210	B overlap 93%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	283-326	B overlap 93%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	225-268	B overlap 93%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	283-326	B overlap 93%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	295-338	B overlap 93%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	167-210	B overlap 93%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	225-268	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_819

44 aa | 95.45% best ungapped identity | 2 substitutions | part 2/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAPP
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAQAP

All equally best ungapped sites on this page

UP_080bdc344b3e8de041e14a8b	225-268	B overlap 93%	<i>Staphylococcus argenteus</i>
UP_0927b06f2227da558be634a6	167-210	B overlap 93%	<i>Staphylococcus aureus</i>
UP_0b47ec347104dea3cf401212	283-326	B overlap 93%	<i>Staphylococcus aureus</i>
UP_0b60d796a68d3045e93b134e	283-326	B overlap 93%	<i>Staphylococcus aureus</i>
UP_0c80c9392f03dca56d811fa2	283-326	B overlap 93%	<i>Staphylococcus aureus</i>
UP_0cc89752f503c11658a4c8e1	283-326	B overlap 93%	<i>Staphylococcus aureus</i>
UP_0e50e0f21a33ab0ea0d484e0	283-326	B overlap 93%	<i>Staphylococcus aureus</i>
UP_10f4f6cd64b765a00fca2bc0	283-326	B overlap 93%	<i>Staphylococcus aureus</i>
UP_11ef8762e0d1f699cca11a72	341-384	B overlap 93%	<i>Staphylococcus aureus</i>
UP_127db86243730a6f9df4e8bd	295-338	B overlap 93%	<i>Staphylococcus aureus</i>
UP_13ccf6af01357064a43132ca	283-326	B overlap 93%	<i>Staphylococcus aureus</i>
UP_1529d2d15daae1f92fd339c3	283-326	B overlap 93%	<i>Staphylococcus aureus</i>
UP_15b865d3666d14f4c1598c14	106-149	B overlap 93%	<i>Staphylococcus aureus</i>
UP_15ba5cb86fd86da91d8bd88c	283-326	B overlap 93%	<i>Staphylococcus aureus</i>
UP_1678712e643cf888f6cadf62	283-326	B overlap 93%	<i>Staphylococcus aureus</i>
UP_1695884fed046b3709f6bd4	283-326	B overlap 93%	<i>Staphylococcus aureus</i>
UP_171c514ceeeab0855461d73b	283-326	B overlap 93%	<i>Staphylococcus aureus</i>

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

44 aa | 95.45% best ungapped identity | 2 substitutions | part 3/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPPP

|||||

Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAP

All equally best ungapped sites on this page

UP_172cccb9efefc37e19236363	283-326	B overlap 93%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	283-326	B overlap 93%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	225-268	B overlap 93%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	283-326	B overlap 93%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	222-265	B overlap 93%	Staphylococcus aureus
UP_1be437bab2a84ae74283a17	225-268	B overlap 93%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	225-268	B overlap 93%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	283-326	B overlap 93%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	341-384	B overlap 93%	Staphylococcus aureus
UP_2048573278606fc387b40165	8-51	B overlap 93%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	283-326	B overlap 93%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	225-268	B overlap 93%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	295-338	B overlap 93%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	283-326	B overlap 93%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	283-326	B overlap 93%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	283-326	B overlap 93%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	283-326	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

44 aa | 95.45% best ungapped identity | 2 substitutions | part 4/21

Gap-aware minimum edit distance: 2; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

All equally best ungapped sites on this page

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

44 aa | 95.45% best ungapped identity | 2 substitutions | part 5/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPPP

|||||

Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAP

All equally best ungapped sites on this page

UP_369376855189ded07861b56b	225-268	B overlap 93%	Staphylococcus aureus
UP_37e60ca6c449c9241b51223d	283-326	B overlap 93%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	283-326	B overlap 93%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	341-384	B overlap 93%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	283-326	B overlap 93%	Staphylococcus aureus
UP_3a42c26503937de9eaf4c2e2	225-268	B overlap 93%	Staphylococcus roterodami
UP_3a6796c5a9d5c6e6a7f4b190	341-384	B overlap 93%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	225-268	B overlap 93%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	283-326	B overlap 93%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	283-326	B overlap 93%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	283-326	B overlap 93%	Staphylococcus aureus
UP_3d571252244f795c04507670	283-326	B overlap 93%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	225-268	B overlap 93%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	237-280	B overlap 93%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	79-122	B overlap 93%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	225-268	B overlap 93%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	283-326	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

44 aa | 95.45% best ungapped identity | 2 substitutions | part 6/21

Gap-aware minimum edit distance: 2; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAP

UP_41aeab70450d9496fad47692	283-326	B overlap 93%	<i>Staphylococcus aureus</i>
UP_41c651f601c919b8ee6882b1	283-326	B overlap 93%	<i>Staphylococcus aureus</i>
UP_4271883fc6ad1062b7fc0f1c	283-326	B overlap 93%	<i>Staphylococcus aureus</i>
UP_42c6d0abd3e7d4da6ec47e2d	283-326	B overlap 93%	<i>Staphylococcus aureus</i>
UP_43e1f746e535aaa2728e115e	341-384	B overlap 93%	<i>Staphylococcus aureus</i>
UP_45a183f1c00512726bcadecb	283-326	B overlap 93%	<i>Staphylococcus aureus</i>
UP_45b4c3d98fbbc76b10736fd2	283-326	B overlap 93%	<i>Staphylococcus aureus</i>
UP_45e4aaf3fb1330efcbb2d949	225-268	B overlap 93%	<i>Staphylococcus aureus</i>
UP_4667ae039c0ce4ff6d65fa16	106-149	B overlap 93%	<i>Staphylococcus aureus</i>
UP_46cd879e24623ead35e04d06	225-268	B overlap 93%	<i>Staphylococcus aureus</i>
UP_4804812c0737255bc0231c5e	295-338	B overlap 93%	<i>Staphylococcus aureus</i>
UP_481a5fae25af35aa7dee4cbb	283-326	B overlap 93%	<i>Staphylococcus aureus</i>
UP_483345435ebd382942892e04	164-207	B overlap 93%	<i>Staphylococcus argenteus</i>
UP_493fc1e6cf2d8753094287af	225-268	B overlap 93%	<i>Staphylococcus aureus</i>
UP_49c97426f3be57d31141a0ac	167-210	B overlap 93%	<i>Staphylococcus aureus</i>
UP_4a99a68bca225a34c1acf63f	283-326	B overlap 93%	<i>Staphylococcus aureus</i>
UP_4bf24ef2b76d0095dac00c3b	457-500	B overlap 93%	<i>Staphylococcus aureus</i>

Database-supported natural full length; sequence identity is not experimental binding validation.

44 aa | 95.45% best ungapped identity | 2 substitutions | part 7/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPPP

|||||

Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAP

All equally best ungapped sites on this page

UP_4c1fd99d56c771d3922e9759	225-268	B overlap 93%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	225-268	B overlap 93%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	225-268	B overlap 93%	Staphylococcus aureus
UP_4f7ac95290874e78b8d9f0ed	106-149	B overlap 93%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	283-326	B overlap 93%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	283-326	B overlap 93%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	283-326	B overlap 93%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	225-268	B overlap 93%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	283-326	B overlap 93%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	283-326	B overlap 93%	Staphylococcus aureus
UP_5afea06ab560a525e381f6c8	225-268	B overlap 93%	Staphylococcus argenteus
UP_5bbec0493fad67c07e5cf02b	283-326	B overlap 93%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	283-326	B overlap 93%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	295-338	B overlap 93%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	225-268	B overlap 93%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	225-268	B overlap 93%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	283-326	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_819

44 aa | 95.45% best ungapped identity | 2 substitutions | part 8/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPPP
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAAQAP

All equally best ungapped sites on this page

UP_608ceea43032113cb4d07194	283-326	B overlap 93%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	341-384	B overlap 93%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	283-326	B overlap 93%	Staphylococcus aureus
UP_6193b3607b8eab64acbfe79f	164-207	B overlap 93%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	353-396	B overlap 93%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	225-268	B overlap 93%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	283-326	B overlap 93%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	283-326	B overlap 93%	Staphylococcus aureus
UP_63bbd7d1ac5832fffe8cbd7f	222-265	B overlap 93%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	225-268	B overlap 93%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	283-326	B overlap 93%	Staphylococcus aureus
UP_654970f68b48978377243697	283-326	B overlap 93%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	225-268	B overlap 93%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	225-268	B overlap 93%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	225-268	B overlap 93%	Staphylococcus aureus
UP_67b157c032f302cca570b203	353-396	B overlap 93%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	283-326	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

44 aa | 95.45% best ungapped identity | 2 substitutions | part 9/21

Gap-aware minimum edit distance: 2; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

All equally best ungapped sites on this page

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_819

44 aa | 95.45% best ungapped identity | 2 substitutions | part 10/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPP
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAP

All equally best ungapped sites on this page

UP_72dd9fa28dab2363ac98467e	283-326	B overlap 93%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	283-326	B overlap 93%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	341-384	B overlap 93%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	283-326	B overlap 93%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	341-384	B overlap 93%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	222-265	B overlap 93%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	225-268	B overlap 93%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	283-326	B overlap 93%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	283-326	B overlap 93%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	283-326	B overlap 93%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	457-500	B overlap 93%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	283-326	B overlap 93%	Staphylococcus aureus
UP_79e0b1d188807716a8d270a0	167-210	B overlap 93%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	295-338	B overlap 93%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	225-268	B overlap 93%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	220-263	B overlap 93%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	225-268	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_819

44 aa | 95.45% best ungapped identity | 2 substitutions | part 11/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPP
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAP

All equally best ungapped sites on this page

UP_7c5c19f3391cae5013f8808e	225-268	B overlap 93%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	242-285	B overlap 93%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	225-268	B overlap 93%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	283-326	B overlap 93%	Staphylococcus aureus
UP_7f705628d3208506515b3404	283-326	B overlap 93%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	225-268	B overlap 93%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	283-326	B overlap 93%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	283-326	B overlap 93%	Staphylococcus aureus
UP_857b4b53ca1f3ac9d11a0570	225-268	B overlap 93%	Staphylococcus roterodami
UP_85dd3992b51e31c2bfa5968c	225-268	B overlap 93%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	283-326	B overlap 93%	Staphylococcus aureus
UP_86d09985303304149d93296c	173-216	B overlap 93%	Staphylococcus aureus
UP_87c984f47195a756918038f8	225-268	B overlap 93%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	231-274	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	283-326	B overlap 93%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	471-514	B overlap 93%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	225-268	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

44 aa | 95.45% best ungapped identity | 2 substitutions | part 12/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPPP

|||||

Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAQAP

All equally best ungapped sites on this page

UP_88f858d06848fb1195a19f07	225-268	B overlap 93%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	167-210	B overlap 93%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	225-268	B overlap 93%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	225-268	B overlap 93%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	283-326	B overlap 93%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	283-326	B overlap 93%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	222-265	B overlap 93%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	341-384	B overlap 93%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	225-268	B overlap 93%	Staphylococcus aureus
UP_91eb16918889951219e50a73	283-326	B overlap 93%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	283-326	B overlap 93%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	341-384	B overlap 93%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	283-326	B overlap 93%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	283-326	B overlap 93%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	283-326	B overlap 93%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	283-326	B overlap 93%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	283-326	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_819

44 aa | 95.45% best ungapped identity | 2 substitutions | part 13/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPP
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAP

All equally best ungapped sites on this page

UP_950ac899ed983d043130a8ab	283-326	B overlap 93%	Staphylococcus aureus
UP_95e30e740b9bec939fb36b82	231-274	B overlap 93%	Staphylococcus aureus
UP_971043b6271e59644756c924	225-268	B overlap 93%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	283-326	B overlap 93%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	283-326	B overlap 93%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	283-326	B overlap 93%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	225-268	B overlap 93%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	283-326	B overlap 93%	Staphylococcus aureus
UP_9d6ccce6db34ab44b810682d	225-268	B overlap 93%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	225-268	B overlap 93%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	283-326	B overlap 93%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	341-384	B overlap 93%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	225-268	B overlap 93%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	283-326	B overlap 93%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	283-326	B overlap 93%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	225-268	B overlap 93%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	283-326	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_819

44 aa | 95.45% best ungapped identity | 2 substitutions | part 14/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPPP

|||||

Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAP

All equally best ungapped sites on this page

UP_a4501f73cdc29a8f8c35da9e	283-326	B overlap 93%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	225-268	B overlap 93%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	295-338	B overlap 93%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	225-268	B overlap 93%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	283-326	B overlap 93%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	170-213	B overlap 93%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	225-268	B overlap 93%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	172-215	B overlap 93%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	283-326	B overlap 93%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	167-210	B overlap 93%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	167-210	B overlap 93%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	225-268	B overlap 93%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	295-338	B overlap 93%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	225-268	B overlap 93%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	225-268	B overlap 93%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	283-326	B overlap 93%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	341-384	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

44 aa | 95.45% best ungapped identity | 2 substitutions | part 15/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPPP

|||||

Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAP

All equally best ungapped sites on this page

UP_add239549e9b47b3b849d17d	283-326	B overlap 93%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	283-326	B overlap 93%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	225-268	B overlap 93%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	283-326	B overlap 93%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	225-268	B overlap 93%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	283-326	B overlap 93%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	283-326	B overlap 93%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	283-326	B overlap 93%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	295-338	B overlap 93%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	225-268	B overlap 93%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	178-221	B overlap 93%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	283-326	B overlap 93%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	283-326	B overlap 93%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	225-268	B overlap 93%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	167-210	B overlap 93%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	283-326	B overlap 93%	Staphylococcus aureus
UP_b30e7e945ecd9f7156ff4b4	283-326	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

44 aa | 95.45% best ungapped identity | 2 substitutions | part 16/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPPP

|||||

Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAP

All equally best ungapped sites on this page

UP_b36c2f2a2fae9b56820692c7	283-326	B overlap 93%	Staphylococcus aureus
UP_b448388f79d88503154c8958	283-326	B overlap 93%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	283-326	B overlap 93%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	283-326	B overlap 93%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	225-268	B overlap 93%	Staphylococcus aureus
UP_b89432f6e7437c0651852af5	164-207	B overlap 93%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	283-326	B overlap 93%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	283-326	B overlap 93%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	353-396	B overlap 93%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	283-326	B overlap 93%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	283-326	B overlap 93%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	242-285	B overlap 93%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	283-326	B overlap 93%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	283-326	B overlap 93%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	283-326	B overlap 93%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	283-326	B overlap 93%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	283-326	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_819

44 aa | 95.45% best ungapped identity | 2 substitutions | part 17/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPPP

|||||

Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAQAP

All equally best ungapped sites on this page

UP_c19b2cacfb0fadd8c64def21	283-326	B overlap 93%	Staphylococcus aureus
UP_c360b4eef28e7ac3a6add6d9	79-122	B overlap 93%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	283-326	B overlap 93%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	225-268	B overlap 93%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	237-280	B overlap 93%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	283-326	B overlap 93%	Staphylococcus aureus
UP_c6e58db97616169658087da4	283-326	B overlap 93%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	225-268	B overlap 93%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	225-268	B overlap 93%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	225-268	B overlap 93%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	283-326	B overlap 93%	Staphylococcus aureus
UP_ca698c2d92aaa89331dd0ba4	225-268	B overlap 93%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	283-326	B overlap 93%	Staphylococcus aureus
UP_cc018e0aa888e81d3674855c	259-302	B overlap 93%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	283-326	B overlap 93%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	283-326	B overlap 93%	Staphylococcus aureus
UP_cda3c6f0d10df8be6dc4ff46	225-268	B overlap 93%	Staphylococcus argenteus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

44 aa | 95.45% best ungapped identity | 2 substitutions | part 18/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPPP

|||||

Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAP

All equally best ungapped sites on this page

UP_ce48648d81e147b208ae7f35	283-326	B overlap 93%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	283-326	B overlap 93%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	225-268	B overlap 93%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	341-384	B overlap 93%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	225-268	B overlap 93%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	356-399	B overlap 93%	Staphylococcus aureus
UP_d2f4d68676a2244ecc95da63	112-155	B overlap 93%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	225-268	B overlap 93%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	225-268	B overlap 93%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	283-326	B overlap 93%	Staphylococcus aureus
UP_d42f3bf1007f1620dba29aac	225-268	B overlap 93%	Staphylococcus argenteus
UP_d446b7e01a0f059e086dcfed	283-326	B overlap 93%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d5b345437142d9cf807db25d	225-268	B overlap 93%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	225-268	B overlap 93%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	283-326	B overlap 93%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	283-326	B overlap 93%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	341-384	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

44 aa | 95.45% best ungapped identity | 2 substitutions | part 19/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPPP

|||||

Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAP

All equally best ungapped sites on this page

UP_de03166de512b68a9e6934b6	341-384	B overlap 93%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	283-326	B overlap 93%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbab69	283-326	B overlap 93%	Staphylococcus aureus
UP_df5ef9df08d9df798f955123	225-268	B overlap 93%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	225-268	B overlap 93%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	283-326	B overlap 93%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	225-268	B overlap 93%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	283-326	B overlap 93%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	172-215	B overlap 93%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	225-268	B overlap 93%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	283-326	B overlap 93%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	86-129	B overlap 93%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	295-338	B overlap 93%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	225-268	B overlap 93%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	283-326	B overlap 93%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	295-338	B overlap 93%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	231-274	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_819

44 aa | 95.45% best ungapped identity | 2 substitutions | part 20/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPPP

|||||

Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAP

All equally best ungapped sites on this page

UP_e558dfe41e35627210d8d204	283-326	B overlap 93%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	283-326	B overlap 93%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdbba	283-326	B overlap 93%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	225-268	B overlap 93%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	225-268	B overlap 93%	Staphylococcus aureus
UP_e6d99cc66a27067b7ac482cc	225-268	B overlap 93%	Staphylococcus argenteus
UP_e75719246134c49f59f96f37	242-285	B overlap 93%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	283-326	B overlap 93%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	283-326	B overlap 93%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	283-326	B overlap 93%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	283-326	B overlap 93%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	225-268	B overlap 93%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	283-326	B overlap 93%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	283-326	B overlap 93%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	225-268	B overlap 93%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	167-210	B overlap 93%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	283-326	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

44 aa | 95.45% best ungapped identity | 2 substitutions | part 21/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAPPP

|||||

Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAQAP

All equally best ungapped sites on this page

UP_f1910f03b2defa2d1d01fb4d	225-268	B overlap 93%	Staphylococcus aureus
UP_f1c8a677456a5de29a99e38e	283-326	B overlap 93%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	283-326	B overlap 93%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	283-326	B overlap 93%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	225-268	B overlap 93%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	295-338	B overlap 93%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	112-155	B overlap 93%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	225-268	B overlap 93%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	237-280	B overlap 93%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	283-326	B overlap 93%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	283-326	B overlap 93%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	341-384	B overlap 93%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	237-280	B overlap 93%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	225-268	B overlap 93%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	283-326	B overlap 93%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_850

52 aa | 98.08% best ungapped identity | 1 substitutions | part 1/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 269. Ungapped best parents: 269. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNES

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	37-88	B overlap 100%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	37-88	B overlap 100%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	37-88	B overlap 100%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	37-88	B overlap 100%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	37-88	B overlap 100%	Staphylococcus aureus
UP_04faae54d75da101458d937d	37-88	B overlap 100%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	37-88	B overlap 100%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	37-88	B overlap 100%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	37-88	B overlap 100%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	37-88	B overlap 100%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	37-88	B overlap 100%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	37-88	B overlap 100%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	37-88	B overlap 100%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	37-88	B overlap 100%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	37-88	B overlap 100%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	37-88	B overlap 100%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_850

52 aa | 98.08% best ungapped identity | 1 substitutions | part 2/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 269. Ungapped best parents: 269. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNES

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_127db86243730a6f9df4e8bd	49-100	B overlap 100%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	37-88	B overlap 100%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	37-88	B overlap 100%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	37-88	B overlap 100%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	37-88	B overlap 100%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	37-88	B overlap 100%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	37-88	B overlap 100%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	37-88	B overlap 100%	Staphylococcus aureus
UP_1be437babcc2a84ae74283a17	37-88	B overlap 100%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	37-88	B overlap 100%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	37-88	B overlap 100%	Staphylococcus aureus
UP_1f0c143935bf9440a4d0dd38	37-88	B overlap 100%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	37-88	B overlap 100%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	37-88	B overlap 100%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	37-88	B overlap 100%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	37-88	B overlap 100%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_850

52 aa | 98.08% best ungapped identity | 1 substitutions | part 3/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 269. Ungapped best parents: 269. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNES

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDS

All equally best ungapped sites on this page

UP_27535d7a22973790e02141b6	37-88	B overlap 100%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	37-88	B overlap 100%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	37-88	B overlap 100%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	37-88	B overlap 100%	Staphylococcus aureus
UP_29da8f2bf1e86de36a87930b	37-88	B overlap 100%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	37-88	B overlap 100%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	37-88	B overlap 100%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	37-88	B overlap 100%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	37-88	B overlap 100%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	37-88	B overlap 100%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	37-88	B overlap 100%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	37-88	B overlap 100%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	37-88	B overlap 100%	Staphylococcus aureus
UP_369376855189ded07861b56b	37-88	B overlap 100%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	37-88	B overlap 100%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	37-88	B overlap 100%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_850

52 aa | 98.08% best ungapped identity | 1 substitutions | part 4/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 269. Ungapped best parents: 269. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNES

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_3b5d00aa43f6f726e74f8c5b	37-88	B overlap 100%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	37-88	B overlap 100%	Staphylococcus aureus
UP_3d571252244f795c04507670	37-88	B overlap 100%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	37-88	B overlap 100%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	49-100	B overlap 100%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	37-88	B overlap 100%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	37-88	B overlap 100%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	37-88	B overlap 100%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	37-88	B overlap 100%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	37-88	B overlap 100%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	37-88	B overlap 100%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	37-88	B overlap 100%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	37-88	B overlap 100%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	37-88	B overlap 100%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	49-100	B overlap 100%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	37-88	B overlap 100%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_850

52 aa | 98.08% best ungapped identity | 1 substitutions | part 5/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 269. Ungapped best parents: 269. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNES

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_4bada09eb771680e18bd9d98	37-88	B overlap 100%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	37-88	B overlap 100%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	37-88	B overlap 100%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	37-88	B overlap 100%	Staphylococcus aureus
UP_4cf67d66a141116ecdb88412	49-100	B overlap 100%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	37-88	B overlap 100%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	37-88	B overlap 100%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	37-88	B overlap 100%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	37-88	B overlap 100%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	37-88	B overlap 100%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	37-88	B overlap 100%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	37-88	B overlap 100%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	37-88	B overlap 100%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	49-100	B overlap 100%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	37-88	B overlap 100%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	37-88	B overlap 100%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_850

52 aa | 98.08% best ungapped identity | 1 substitutions | part 6/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 269. Ungapped best parents: 269. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNES

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_608ceea43032113cb4d07194	37-88	B overlap 100%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	37-88	B overlap 100%	Staphylococcus aureus
UP_60b825dd9a4e560b2cee9750	37-88	B overlap 100%	Staphylococcus aureus
UP_6193b3607b8eab64acbf79f	37-88	B overlap 100%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	49-100	B overlap 100%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	37-88	B overlap 100%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	37-88	B overlap 100%	Staphylococcus aureus
UP_63bbd7d1ac5832fffe8cbd7f	37-88	B overlap 100%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	37-88	B overlap 100%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	37-88	B overlap 100%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	37-88	B overlap 100%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	37-88	B overlap 100%	Staphylococcus aureus
UP_67b157c032f302cca570b203	49-100	B overlap 100%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	37-88	B overlap 100%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	37-88	B overlap 100%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6bfc4	37-88	B overlap 100%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_850

52 aa | 98.08% best ungapped identity | 1 substitutions | part 7/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 269. Ungapped best parents: 269. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNES

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_6b8d202fa3625a660a83b9c9	37-88	B overlap 100%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	37-88	B overlap 100%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	49-100	B overlap 100%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	37-88	B overlap 100%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	37-88	B overlap 100%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	37-88	B overlap 100%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	49-100	B overlap 100%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	37-88	B overlap 100%	Staphylococcus aureus
UP_74703a26fe531c3ed92f291	37-88	B overlap 100%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	37-88	B overlap 100%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	37-88	B overlap 100%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	37-88	B overlap 100%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	37-88	B overlap 100%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	37-88	B overlap 100%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	37-88	B overlap 100%	Staphylococcus aureus
UP_79e0b1d188807716a8d270a0	37-88	B overlap 100%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	49-100	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_850

52 aa | 98.08% best ungapped identity | 1 substitutions | part 8/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 269. Ungapped best parents: 269. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNES

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDS

All equally best ungapped sites on this page

UP_7b0dab3685caa82d4893fd26	37-88	B overlap 100%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	32-83	B overlap 100%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	37-88	B overlap 100%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	37-88	B overlap 100%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	37-88	B overlap 100%	Staphylococcus aureus
UP_7f705628d3208506515b3404	37-88	B overlap 100%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	37-88	B overlap 100%	Staphylococcus aureus
UP_87c984f47195a756918038f8	37-88	B overlap 100%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	37-88	B overlap 100%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	37-88	B overlap 100%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	37-88	B overlap 100%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	37-88	B overlap 100%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	37-88	B overlap 100%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	37-88	B overlap 100%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	37-88	B overlap 100%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	37-88	B overlap 100%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_850

52 aa | 98.08% best ungapped identity | 1 substitutions | part 9/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 269. Ungapped best parents: 269. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNES

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDS

All equally best ungapped sites on this page

UP_918e6ea85b2345fa36a39d6e	37-88	B overlap 100%	Staphylococcus aureus
UP_91eb16918889951219e50a73	37-88	B overlap 100%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	37-88	B overlap 100%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	37-88	B overlap 100%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	37-88	B overlap 100%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	37-88	B overlap 100%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	37-88	B overlap 100%	Staphylococcus aureus
UP_94875a270e702e9733c65c20	37-88	B overlap 100%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	37-88	B overlap 100%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	37-88	B overlap 100%	Staphylococcus aureus
UP_971043b6271e59644756c924	37-88	B overlap 100%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	37-88	B overlap 100%	Staphylococcus aureus
UP_97e42757ac273b6b51241624	37-88	B overlap 100%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	37-88	B overlap 100%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	37-88	B overlap 100%	Staphylococcus aureus
UP_9cdee1761c3bb0284a50f196	49-100	B overlap 100%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_850

52 aa | 98.08% best ungapped identity | 1 substitutions | part 10/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 269. Ungapped best parents: 269. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNES

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_9f4197427ac818393ee9d5f5	37-88	B overlap 100%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	37-88	B overlap 100%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	37-88	B overlap 100%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	37-88	B overlap 100%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	37-88	B overlap 100%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	37-88	B overlap 100%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	37-88	B overlap 100%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	49-100	B overlap 100%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	37-88	B overlap 100%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	37-88	B overlap 100%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	37-88	B overlap 100%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	37-88	B overlap 100%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	37-88	B overlap 100%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	49-100	B overlap 100%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	37-88	B overlap 100%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	37-88	B overlap 100%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_850

52 aa | 98.08% best ungapped identity | 1 substitutions | part 11/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 269. Ungapped best parents: 269. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNES

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_ad44964a13a988ebe08c8ee1	37-88	B overlap 100%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	37-88	B overlap 100%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	37-88	B overlap 100%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	37-88	B overlap 100%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	37-88	B overlap 100%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	37-88	B overlap 100%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	37-88	B overlap 100%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	37-88	B overlap 100%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	37-88	B overlap 100%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	49-100	B overlap 100%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	37-88	B overlap 100%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	48-99	B overlap 100%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	37-88	B overlap 100%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	37-88	B overlap 100%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	37-88	B overlap 100%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	37-88	B overlap 100%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_850

52 aa | 98.08% best ungapped identity | 1 substitutions | part 12/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 269. Ungapped best parents: 269. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNES

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDS

All equally best ungapped sites on this page

UP_b2ccff34639295d64dc25841	37-88	B overlap 100%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	37-88	B overlap 100%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	37-88	B overlap 100%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	37-88	B overlap 100%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	37-88	B overlap 100%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	37-88	B overlap 100%	Staphylococcus aureus
UP_b918b28f2eebd219cf84d3d5	37-88	B overlap 100%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	37-88	B overlap 100%	Staphylococcus aureus
UP_ba9a53de95075c778cf3942f	37-88	B overlap 100%	Staphylococcus aureus
UP_bb14cd4e731365d1a25a797f	37-88	B overlap 100%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	49-100	B overlap 100%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	37-88	B overlap 100%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	37-88	B overlap 100%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	37-88	B overlap 100%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	37-88	B overlap 100%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	37-88	B overlap 100%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_850

52 aa | 98.08% best ungapped identity | 1 substitutions | part 13/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 269. Ungapped best parents: 269. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNES

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_c52c098706d885752d27c2ba	49-100	B overlap 100%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	49-100	B overlap 100%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	37-88	B overlap 100%	Staphylococcus aureus
UP_c6e58db97616169658087da4	37-88	B overlap 100%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	37-88	B overlap 100%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	37-88	B overlap 100%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	37-88	B overlap 100%	Staphylococcus aureus
UP_ca698c2d92aaa89331dd0ba4	37-88	B overlap 100%	Staphylococcus aureus
UP_cd42d745d221a99aee0b940	37-88	B overlap 100%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	37-88	B overlap 100%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	37-88	B overlap 100%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	37-88	B overlap 100%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	37-88	B overlap 100%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	49-100	B overlap 100%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcaf	37-88	B overlap 100%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	37-88	B overlap 100%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

52 aa | 98.08% best ungapped identity | 1 substitutions | part 14/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 269. Ungapped best parents: 269. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNES

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDS

All equally best ungapped sites on this page

UP_d3d0b4f2becf155510c9dc1c	37-88	B overlap 100%	Staphylococcus aureus
UP_d5b345437142d9cf807db25d	37-88	B overlap 100%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	37-88	B overlap 100%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	37-88	B overlap 100%	Staphylococcus aureus
UP_db4dfda598bef7013ceb3dbc	37-88	B overlap 100%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	37-88	B overlap 100%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	37-88	B overlap 100%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	37-88	B overlap 100%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	37-88	B overlap 100%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	37-88	B overlap 100%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	37-88	B overlap 100%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	37-88	B overlap 100%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	37-88	B overlap 100%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	37-88	B overlap 100%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	37-88	B overlap 100%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	37-88	B overlap 100%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	49-100	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_850

52 aa | 98.08% best ungapped identity | 1 substitutions | part 15/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 269. Ungapped best parents: 269. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNES
 |||
Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND

All equally best ungapped sites on this page

UP_e3dd7e577c60c3c21e166c45	37-88	B overlap 100%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	37-88	B overlap 100%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	49-100	B overlap 100%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	49-100	B overlap 100%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	37-88	B overlap 100%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	37-88	B overlap 100%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	37-88	B overlap 100%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	37-88	B overlap 100%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	37-88	B overlap 100%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	37-88	B overlap 100%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	37-88	B overlap 100%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	37-88	B overlap 100%	Staphylococcus aureus
UP_edaaa2299783d537504a97ff	49-100	B overlap 100%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	37-88	B overlap 100%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	37-88	B overlap 100%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	37-88	B overlap 100%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_850

52 aa | 98.08% best ungapped identity | 1 substitutions | part 16/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 269. Ungapped best parents: 269. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNES

|||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDS

All equally best ungapped sites on this page

UP_f378f6d5351f987fc65d7f50	37-88	B overlap 100%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	37-88	B overlap 100%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	37-88	B overlap 100%	Staphylococcus aureus
UP_f69acd750e3670602a6de2f6	49-100	B overlap 100%	Staphylococcus aureus
UP_f6c81f1ef152502d327f40dc	37-88	B overlap 100%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	37-88	B overlap 100%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	49-100	B overlap 100%	Staphylococcus aureus
UP_f85095abf436c388206c5124	37-88	B overlap 100%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	37-88	B overlap 100%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	37-88	B overlap 100%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	37-88	B overlap 100%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	37-88	B overlap 100%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	37-88	B overlap 100%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_851

53 aa | 98.11% best ungapped identity | 1 substitutions | part 1/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query DNNFNKEQNTFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNES

||||| . |||||

Parent DNNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNES

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	155-207	B overlap 100%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	155-207	B overlap 100%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	155-207	B overlap 100%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	155-207	B overlap 100%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	155-207	B overlap 100%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	155-207	B overlap 100%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	155-207	B overlap 100%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	155-207	B overlap 100%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	155-207	B overlap 100%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	155-207	B overlap 100%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	167-219	B overlap 100%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	155-207	B overlap 100%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	155-207	B overlap 100%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	155-207	B overlap 100%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	155-207	B overlap 100%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	155-207	B overlap 100%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	155-207	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_851

53 aa | 98.11% best ungapped identity | 1 substitutions | part 2/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query DNNFNKEQNTFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNES

||||| . |||||

Parent DNNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNES

All equally best ungapped sites on this page

UP_17a72cfa2435c90c879d4d7d	155-207	B overlap 100%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	155-207	B overlap 100%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	94-146	B overlap 100%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	155-207	B overlap 100%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	155-207	B overlap 100%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	155-207	B overlap 100%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	167-219	B overlap 100%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	155-207	B overlap 100%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	155-207	B overlap 100%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	155-207	B overlap 100%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	155-207	B overlap 100%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcbf72d	155-207	B overlap 100%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	155-207	B overlap 100%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	155-207	B overlap 100%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	155-207	B overlap 100%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	155-207	B overlap 100%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	155-207	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_851

53 aa | 98.11% best ungapped identity | 1 substitutions | part 3/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query DNNFNKEQNTFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNES

||||| . |||||

Parent DNNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNES

All equally best ungapped sites on this page

UP_4271883fc6ad1062b7fc0f1c	155-207	B overlap 100%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	155-207	B overlap 100%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	213-265	B overlap 100%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	155-207	B overlap 100%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	167-219	B overlap 100%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	155-207	B overlap 100%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	155-207	B overlap 100%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	155-207	B overlap 100%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	155-207	B overlap 100%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	329-381	B overlap 100%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	155-207	B overlap 100%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	155-207	B overlap 100%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	155-207	B overlap 100%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	155-207	B overlap 100%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	155-207	B overlap 100%	Staphylococcus aureus
UP_60b825dd9a4e560b2cee9750	155-207	B overlap 100%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	155-207	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_851

53 aa | 98.11% best ungapped identity | 1 substitutions | part 4/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query DNNFNKEQQNTFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNES

||||| . |||||

Parent DNNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNES

All equally best ungapped sites on this page

UP_62f5b155ce6d81fb279b50da	155-207	B overlap 100%	Staphylococcus aureus
UP_63bbd7d1ac5832fffe8cbd7f	94-146	B overlap 100%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	155-207	B overlap 100%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	155-207	B overlap 100%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6bfc4	155-207	B overlap 100%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	155-207	B overlap 100%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	155-207	B overlap 100%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	155-207	B overlap 100%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	155-207	B overlap 100%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	155-207	B overlap 100%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	167-219	B overlap 100%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	155-207	B overlap 100%	Staphylococcus aureus
UP_7e101fe0a0c932eb329824da	155-207	B overlap 100%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	103-155	B overlap 100%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	155-207	B overlap 100%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	155-207	B overlap 100%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	155-207	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

53 aa | 98.11% best ungapped identity | 1 substitutions | part 5/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query DNNFNKEQNTFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNES

||||| . |||||

Parent DNNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNES

All equally best ungapped sites on this page

UP_9135ac09959d17a301bf7250	155-207	B overlap 100%	Staphylococcus aureus
UP_91eb16918889951219e50a73	155-207	B overlap 100%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	155-207	B overlap 100%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	155-207	B overlap 100%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	155-207	B overlap 100%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	155-207	B overlap 100%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	155-207	B overlap 100%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	155-207	B overlap 100%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	155-207	B overlap 100%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	155-207	B overlap 100%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	155-207	B overlap 100%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	155-207	B overlap 100%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	155-207	B overlap 100%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	155-207	B overlap 100%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	167-219	B overlap 100%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	155-207	B overlap 100%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	155-207	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

53 aa | 98.11% best ungapped identity | 1 substitutions | part 6/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query DNNFNKEQQNTFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNES

||||||| . |||||||

Parent DNNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNES

All equally best ungapped sites on this page

UP_add239549e9b47b3b849d17d	155-207	B overlap 100%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	155-207	B overlap 100%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	155-207	B overlap 100%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	155-207	B overlap 100%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	155-207	B overlap 100%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	167-219	B overlap 100%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	155-207	B overlap 100%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	155-207	B overlap 100%	Staphylococcus aureus
UP_b30e7e945ecd9f7156ff4b4	155-207	B overlap 100%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	155-207	B overlap 100%	Staphylococcus aureus
UP_b82a3b36b8bfd9b79123fe6d	155-207	B overlap 100%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	155-207	B overlap 100%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	167-219	B overlap 100%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	155-207	B overlap 100%	Staphylococcus aureus
UP_bde2fa9c31fb8faa98d74869	166-218	B overlap 100%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	155-207	B overlap 100%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	155-207	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

53 aa | 98.11% best ungapped identity | 1 substitutions | part 7/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query DNNFNKEQQNTFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNES

||||||| . |||||

Parent DNNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNES

All equally best ungapped sites on this page

UP_c19b2cacfb0fadd8c64def21	155-207	B overlap 100%	Staphylococcus aureus
UP_c45cb0f00466c9f2a59ce3df	155-207	B overlap 100%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	283-335	B overlap 100%	Staphylococcus aureus
UP_c6e58db97616169658087da4	155-207	B overlap 100%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	155-207	B overlap 100%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	155-207	B overlap 100%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	155-207	B overlap 100%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	155-207	B overlap 100%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	155-207	B overlap 100%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	155-207	B overlap 100%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	155-207	B overlap 100%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	155-207	B overlap 100%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	155-207	B overlap 100%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	167-219	B overlap 100%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	167-219	B overlap 100%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	167-219	B overlap 100%	Staphylococcus aureus
UP_e558dfe41e35627210d8d204	155-207	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_851

53 aa | 98.11% best ungapped identity | 1 substitutions | part 8/8

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 127. Ungapped best parents: 127. Inclusive-database exact parents excluded from main set: 0.

Query DNNFNKEQQNTFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNES

||||| . |||||

Parent DNNFNKEQQNAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNES

All equally best ungapped sites on this page

UP_e572e0aad33c5ed8c26e312c	155-207	B overlap 100%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	155-207	B overlap 100%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	155-207	B overlap 100%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	155-207	B overlap 100%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	167-219	B overlap 100%	Staphylococcus aureus
UP_f85095abf436c388206c5124	155-207	B overlap 100%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	155-207	B overlap 100%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	155-207	B overlap 100%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	155-207	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_856

51 aa | 98.04% best ungapped identity | 1 substitutions | part 1/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query QHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND
Parent QHDEAQNNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	38-88	B overlap 100%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	38-88	B overlap 100%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	38-88	B overlap 100%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	38-88	B overlap 100%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	38-88	B overlap 100%	Staphylococcus aureus
UP_04faae54d75da101458d937d	38-88	B overlap 100%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	38-88	B overlap 100%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	38-88	B overlap 100%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	38-88	B overlap 100%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	38-88	B overlap 100%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	38-88	B overlap 100%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	38-88	B overlap 100%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	38-88	B overlap 100%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	38-88	B overlap 100%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	38-88	B overlap 100%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	38-88	B overlap 100%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	38-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_856

51 aa | 98.04% best ungapped identity | 1 substitutions | part 2/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query QHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND
Parent QHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND

All equally best ungapped sites on this page

UP_127db86243730a6f9df4e8bd	50-100	B overlap 100%	Staphylococcus aureus
UP_1320c3a44aa32eab329067c	38-88	B overlap 100%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	38-88	B overlap 100%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	38-88	B overlap 100%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	38-88	B overlap 100%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	38-88	B overlap 100%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	38-88	B overlap 100%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	38-88	B overlap 100%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	38-88	B overlap 100%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	38-88	B overlap 100%	Staphylococcus aureus
UP_1f0c143935bf9440a4d0dd38	38-88	B overlap 100%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	38-88	B overlap 100%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	38-88	B overlap 100%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	38-88	B overlap 100%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	38-88	B overlap 100%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	38-88	B overlap 100%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	38-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

51 aa | 98.04% best ungapped identity | 1 substitutions | part 3/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query QHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND

|||||.|||

Parent QHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_29064a9961a975f454e1d6b1	38-88	B overlap 100%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	38-88	B overlap 100%	Staphylococcus aureus
UP_29da8f2bf1e86de36a87930b	38-88	B overlap 100%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	38-88	B overlap 100%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	38-88	B overlap 100%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	38-88	B overlap 100%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	38-88	B overlap 100%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	38-88	B overlap 100%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	38-88	B overlap 100%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	38-88	B overlap 100%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	38-88	B overlap 100%	Staphylococcus aureus
UP_369376855189ded07861b56b	38-88	B overlap 100%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	38-88	B overlap 100%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	38-88	B overlap 100%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	38-88	B overlap 100%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	38-88	B overlap 100%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	38-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

51 aa | 98.04% best ungapped identity | 1 substitutions | part 4/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query QHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND

|||||.|||

Parent QHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_3d571252244f795c04507670	38-88	B overlap 100%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	38-88	B overlap 100%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	50-100	B overlap 100%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	38-88	B overlap 100%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	38-88	B overlap 100%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	38-88	B overlap 100%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	38-88	B overlap 100%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	38-88	B overlap 100%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	38-88	B overlap 100%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	38-88	B overlap 100%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	38-88	B overlap 100%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	38-88	B overlap 100%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	50-100	B overlap 100%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	38-88	B overlap 100%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	38-88	B overlap 100%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	38-88	B overlap 100%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	38-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_856

51 aa | 98.04% best ungapped identity | 1 substitutions | part 5/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query QHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND
Parent QHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND

All equally best ungapped sites on this page

UP_4c1fd99d56c771d3922e9759	38-88	B overlap 100%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	38-88	B overlap 100%	Staphylococcus aureus
UP_4cf67d66a141116ecdb88412	50-100	B overlap 100%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	38-88	B overlap 100%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	38-88	B overlap 100%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	38-88	B overlap 100%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	38-88	B overlap 100%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	38-88	B overlap 100%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	38-88	B overlap 100%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	38-88	B overlap 100%	Staphylococcus aureus
UP_5c006ddddf8fa9ce5cac1b28	38-88	B overlap 100%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	50-100	B overlap 100%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	38-88	B overlap 100%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	38-88	B overlap 100%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	38-88	B overlap 100%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	38-88	B overlap 100%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	38-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_856

51 aa | 98.04% best ungapped identity | 1 substitutions | part 6/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query QHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDS

|||||.|||

Parent QHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_60b825dd9a4e560b2cee9750	38-88	B overlap 100%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	50-100	B overlap 100%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	38-88	B overlap 100%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	38-88	B overlap 100%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	38-88	B overlap 100%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	38-88	B overlap 100%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	38-88	B overlap 100%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	38-88	B overlap 100%	Staphylococcus aureus
UP_67b157c032f302cca570b203	50-100	B overlap 100%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	38-88	B overlap 100%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	38-88	B overlap 100%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	38-88	B overlap 100%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	38-88	B overlap 100%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	38-88	B overlap 100%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	38-88	B overlap 100%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	50-100	B overlap 100%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	38-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

51 aa | 98.04% best ungapped identity | 1 substitutions | part 7/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query QHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDS

|||||.|||

Parent QHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_6e049e4ca0302272d62248f6	38-88	B overlap 100%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	38-88	B overlap 100%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	50-100	B overlap 100%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	38-88	B overlap 100%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	38-88	B overlap 100%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	38-88	B overlap 100%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	38-88	B overlap 100%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	38-88	B overlap 100%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	38-88	B overlap 100%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	38-88	B overlap 100%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	38-88	B overlap 100%	Staphylococcus aureus
UP_79e0b1d188807716a8d270a0	38-88	B overlap 100%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	50-100	B overlap 100%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	38-88	B overlap 100%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	33-83	B overlap 100%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	38-88	B overlap 100%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	38-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_856

51 aa | 98.04% best ungapped identity | 1 substitutions | part 8/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query QHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDS

|||||.|||

Parent QHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_7e1d634bed16b84ddf354b21	38-88	B overlap 100%	Staphylococcus aureus
UP_7f705628d3208506515b3404	38-88	B overlap 100%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	38-88	B overlap 100%	Staphylococcus aureus
UP_87c984f47195a756918038f8	38-88	B overlap 100%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	38-88	B overlap 100%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	38-88	B overlap 100%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	38-88	B overlap 100%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	38-88	B overlap 100%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	38-88	B overlap 100%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	38-88	B overlap 100%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	38-88	B overlap 100%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	38-88	B overlap 100%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	38-88	B overlap 100%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	38-88	B overlap 100%	Staphylococcus aureus
UP_91eb16918889951219e50a73	38-88	B overlap 100%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	38-88	B overlap 100%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	38-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_856

51 aa | 98.04% best ungapped identity | 1 substitutions | part 9/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query QHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNS

|||||.|||

Parent QHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_9405efe3c9c1b998737ba3a9	38-88	B overlap 100%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	38-88	B overlap 100%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	38-88	B overlap 100%	Staphylococcus aureus
UP_94875a270e702e9733c65c20	38-88	B overlap 100%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	38-88	B overlap 100%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	38-88	B overlap 100%	Staphylococcus aureus
UP_971043b6271e59644756c924	38-88	B overlap 100%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	38-88	B overlap 100%	Staphylococcus aureus
UP_97e42757ac273b6b51241624	38-88	B overlap 100%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	38-88	B overlap 100%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	38-88	B overlap 100%	Staphylococcus aureus
UP_9cdee1761c3bb0284a50f196	50-100	B overlap 100%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	38-88	B overlap 100%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	38-88	B overlap 100%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	38-88	B overlap 100%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	38-88	B overlap 100%	Staphylococcus aureus
UP_alc16686cb18780db1e61843	38-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_856

51 aa | 98.04% best ungapped identity | 1 substitutions | part 10/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query QHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND
Parent QHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	38-88	B overlap 100%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	38-88	B overlap 100%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	38-88	B overlap 100%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	50-100	B overlap 100%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	38-88	B overlap 100%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	38-88	B overlap 100%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	38-88	B overlap 100%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	38-88	B overlap 100%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	38-88	B overlap 100%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	50-100	B overlap 100%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	38-88	B overlap 100%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	38-88	B overlap 100%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	38-88	B overlap 100%	Staphylococcus aureus
UP_ad44964a13a988ebe08c8ee1	38-88	B overlap 100%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	38-88	B overlap 100%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	38-88	B overlap 100%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	38-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_856

51 aa | 98.04% best ungapped identity | 1 substitutions | part 11/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query QHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNS

|||||.|||

Parent QHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_aec2af7cb0206c955110b821	38-88	B overlap 100%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	38-88	B overlap 100%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	38-88	B overlap 100%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	38-88	B overlap 100%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	38-88	B overlap 100%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	50-100	B overlap 100%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	38-88	B overlap 100%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	49-99	B overlap 100%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	38-88	B overlap 100%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	38-88	B overlap 100%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	38-88	B overlap 100%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	38-88	B overlap 100%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	38-88	B overlap 100%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	38-88	B overlap 100%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	38-88	B overlap 100%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	38-88	B overlap 100%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	38-88	B overlap 100%	Unresolved

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_856

51 aa | 98.04% best ungapped identity | 1 substitutions | part 12/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query QHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNS

|||||.|||

Parent QHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDS

All equally best ungapped sites on this page

UP_b82a3b36b8bfd9b79123fe6d	38-88	B overlap 100%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	38-88	B overlap 100%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	38-88	B overlap 100%	Staphylococcus aureus
UP_ba9a53de95075c778cf3942f	38-88	B overlap 100%	Staphylococcus aureus
UP_bb14cd4e731365d1a25a797f	38-88	B overlap 100%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	50-100	B overlap 100%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	38-88	B overlap 100%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	38-88	B overlap 100%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	38-88	B overlap 100%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	38-88	B overlap 100%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	38-88	B overlap 100%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	38-88	B overlap 100%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	50-100	B overlap 100%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	50-100	B overlap 100%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	38-88	B overlap 100%	Staphylococcus aureus
UP_c6e58db97616169658087da4	38-88	B overlap 100%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	38-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_856

51 aa | 98.04% best ungapped identity | 1 substitutions | part 13/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query QHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND
Parent QHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND

All equally best ungapped sites on this page

UP_c86fdaa2621aef50129d348b	38-88	B overlap 100%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	38-88	B overlap 100%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	38-88	B overlap 100%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	38-88	B overlap 100%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	38-88	B overlap 100%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	38-88	B overlap 100%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	38-88	B overlap 100%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	50-100	B overlap 100%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	38-88	B overlap 100%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	38-88	B overlap 100%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	38-88	B overlap 100%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	38-88	B overlap 100%	Staphylococcus aureus
UP_d5b345437142d9cf807db25d	38-88	B overlap 100%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	38-88	B overlap 100%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	38-88	B overlap 100%	Staphylococcus aureus
UP_db4dfda598bef7013ceb3dbc	38-88	B overlap 100%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	38-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

51 aa | 98.04% best ungapped identity | 1 substitutions | part 14/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query QHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLNDS

|||||.|||

Parent QHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_ddcc25ff5408d54d5c32163f	38-88	B overlap 100%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	38-88	B overlap 100%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	38-88	B overlap 100%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbab69	38-88	B overlap 100%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	38-88	B overlap 100%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	38-88	B overlap 100%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	38-88	B overlap 100%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	38-88	B overlap 100%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	38-88	B overlap 100%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	38-88	B overlap 100%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	50-100	B overlap 100%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	38-88	B overlap 100%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	38-88	B overlap 100%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	50-100	B overlap 100%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	50-100	B overlap 100%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	38-88	B overlap 100%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	38-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_856

51 aa | 98.04% best ungapped identity | 1 substitutions | part 15/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query QHDEAEQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND
Parent QHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND

All equally best ungapped sites on this page

UP_e69cdb9fb24f123702443be9	38-88	B overlap 100%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	38-88	B overlap 100%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	38-88	B overlap 100%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	38-88	B overlap 100%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	38-88	B overlap 100%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	38-88	B overlap 100%	Staphylococcus aureus
UP_edaaa2299783d537504a97ff	50-100	B overlap 100%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	38-88	B overlap 100%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	38-88	B overlap 100%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	38-88	B overlap 100%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	38-88	B overlap 100%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	38-88	B overlap 100%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	38-88	B overlap 100%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	38-88	B overlap 100%	Staphylococcus aureus
UP_f69acd750e3670602a6de2f6	50-100	B overlap 100%	Staphylococcus aureus
UP_f6c81f1ef152502d327f40dc	38-88	B overlap 100%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	38-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_856

51 aa | 98.04% best ungapped identity | 1 substitutions | part 16/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query QHDEAEQNAFYQLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS
| | | | . |
Parent QHDEAQNAFYQLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_f7ff8e7a025b9d0597c8c149	50-100	B overlap 100%	Staphylococcus aureus
UP_f85095abf436c388206c5124	38-88	B overlap 100%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	38-88	B overlap 100%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	38-88	B overlap 100%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	38-88	B overlap 100%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	38-88	B overlap 100%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	38-88	B overlap 100%	Staphylococcus aureus
UP_ffc5b205486d979b47f1e25f	38-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

53 aa | 96.23% best ungapped identity | 2 substitutions | part 1/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 210. Ungapped best parents: 207. Inclusive-database exact parents excluded from main set: 1.

Query DNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNA

|||||

Parent DNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLND

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	213-265	B overlap 100%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	213-265	B overlap 100%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	155-207	B overlap 100%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	213-265	B overlap 100%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	213-265	B overlap 100%	Staphylococcus aureus
UP_04faae54d75da101458d937d	213-265	B overlap 100%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	213-265	B overlap 100%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	213-265	B overlap 100%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	225-277	B overlap 100%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	213-265	B overlap 100%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	213-265	B overlap 100%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	213-265	B overlap 100%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	213-265	B overlap 100%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	213-265	B overlap 100%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	213-265	B overlap 100%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	271-323	B overlap 100%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	225-277	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

53 aa | 96.23% best ungapped identity | 2 substitutions | part 2/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 210. Ungapped best parents: 207. Inclusive-database exact parents excluded from main set: 1.

Query DNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNA

|||||

Parent DNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLND

All equally best ungapped sites on this page

UP_1529d2d15daae1f92fd339c3	213-265	B overlap 100%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	213-265	B overlap 100%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	213-265	B overlap 100%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	213-265	B overlap 100%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	213-265	B overlap 100%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	213-265	B overlap 100%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	155-207	B overlap 100%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	213-265	B overlap 100%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	271-323	B overlap 100%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	213-265	B overlap 100%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	213-265	B overlap 100%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	213-265	B overlap 100%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	155-207	B overlap 100%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	225-277	B overlap 100%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	213-265	B overlap 100%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	213-265	B overlap 100%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	213-265	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_857

53 aa | 96.23% best ungapped identity | 2 substitutions | part 3/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 210. Ungapped best parents: 207. Inclusive-database exact parents excluded from main set: 1.

Query DNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNA
|||||
Parent DNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDA

All equally best ungapped sites on this page

UP_29421b3caa551a61fd924f20	213-265	B overlap 100%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	213-265	B overlap 100%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	387-439	B overlap 100%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	445-497	B overlap 100%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcbf72d	213-265	B overlap 100%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	155-207	B overlap 100%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	213-265	B overlap 100%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	213-265	B overlap 100%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	213-265	B overlap 100%	Staphylococcus schweitzeri
UP_37e60ca6c449c9241b51223d	213-265	B overlap 100%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	213-265	B overlap 100%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	271-323	B overlap 100%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	213-265	B overlap 100%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	271-323	B overlap 100%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	213-265	B overlap 100%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	213-265	B overlap 100%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	9-61	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_857

53 aa | 96.23% best ungapped identity | 2 substitutions | part 4/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 210. Ungapped best parents: 207. Inclusive-database exact parents excluded from main set: 1.

Query DNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNA
|||||
Parent DNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDA

All equally best ungapped sites on this page

UP_3fee6a180afdbfcb08460dd	155-207	B overlap 100%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	213-265	B overlap 100%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	213-265	B overlap 100%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	213-265	B overlap 100%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	213-265	B overlap 100%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	271-323	B overlap 100%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	213-265	B overlap 100%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	213-265	B overlap 100%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	225-277	B overlap 100%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	213-265	B overlap 100%	Staphylococcus aureus
UP_493fc1e6cf2d8753094287af	155-207	B overlap 100%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	213-265	B overlap 100%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	387-439	B overlap 100%	Staphylococcus aureus
UP_51c0096cd463a4b89359dc12	282-334	B overlap 100%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	213-265	B overlap 100%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	213-265	B overlap 100%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	213-265	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_857

53 aa | 96.23% best ungapped identity | 2 substitutions | part 5/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 210. Ungapped best parents: 207. Inclusive-database exact parents excluded from main set: 1.

Query DNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNA
|||||.....
Parent DNKFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDA

All equally best ungapped sites on this page

UP_59a4d124422826b95666ef8a	213-265	B overlap 100%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	213-265	B overlap 100%	Staphylococcus aureus
UP_5c006ddddf8fa9ce5cac1b28	213-265	B overlap 100%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	225-277	B overlap 100%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	213-265	B overlap 100%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	213-265	B overlap 100%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	271-323	B overlap 100%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	213-265	B overlap 100%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	283-335	B overlap 100%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	213-265	B overlap 100%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	213-265	B overlap 100%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	155-207	B overlap 100%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	213-265	B overlap 100%	Staphylococcus aureus
UP_654970f68b48978377243697	213-265	B overlap 100%	Staphylococcus aureus
UP_67b157c032f302cca570b203	225-277	B overlap 100%	Staphylococcus aureus
UP_67b157c032f302cca570b203	283-335	B overlap 100%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	213-265	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

53 aa | 96.23% best ungapped identity | 2 substitutions | part 6/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 210. Ungapped best parents: 207. Inclusive-database exact parents excluded from main set: 1.

Query DNKFNKEQQNAFYIEIHLPLNLEEQRNGFIQSLKDDPSQSANLLAEAKKLKNA
|||||
Parent DNKFNKEQQNAFYIEIHLPLNLEEQRNGFIQSLKDDPSQSANLLAEAKKLNDA

All equally best ungapped sites on this page

UP_682954c6a2455283ec020a0f	213-265	B overlap 100%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	213-265	B overlap 100%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	213-265	B overlap 100%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6bfc4	213-265	B overlap 100%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	213-265	B overlap 100%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	213-265	B overlap 100%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	213-265	B overlap 100%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	283-335	B overlap 100%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	213-265	B overlap 100%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	213-265	B overlap 100%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	213-265	B overlap 100%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	213-265	B overlap 100%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	213-265	B overlap 100%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	225-277	B overlap 100%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	213-265	B overlap 100%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	213-265	B overlap 100%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	213-265	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

53 aa | 96.23% best ungapped identity | 2 substitutions | part 7/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 210. Ungapped best parents: 207. Inclusive-database exact parents excluded from main set: 1.

Query DNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNA

|||||

Parent DNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLND

All equally best ungapped sites on this page

UP_74fe9ca5325f9fb09bb22cc3	271-323	B overlap 100%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	152-204	B overlap 100%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	213-265	B overlap 100%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	213-265	B overlap 100%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	387-439	B overlap 100%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	213-265	B overlap 100%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	225-277	B overlap 100%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	155-207	B overlap 100%	Staphylococcus aureus
UP_7f705628d3208506515b3404	213-265	B overlap 100%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	155-207	B overlap 100%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	213-265	B overlap 100%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	213-265	B overlap 100%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	155-207	B overlap 100%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	213-265	B overlap 100%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	161-213	B overlap 100%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	213-265	B overlap 100%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	155-207	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_857

53 aa | 96.23% best ungapped identity | 2 substitutions | part 8/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 210. Ungapped best parents: 207. Inclusive-database exact parents excluded from main set: 1.

Query DNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNA
 |||..|
 Parent DNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDA

All equally best ungapped sites on this page

UP_8ebf15b38a54e71995270aa9	213-265	B overlap 100%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	213-265	B overlap 100%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	152-204	B overlap 100%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	271-323	B overlap 100%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	155-207	B overlap 100%	Staphylococcus aureus
UP_91eb16918889951219e50a73	213-265	B overlap 100%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	213-265	B overlap 100%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	213-265	B overlap 100%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	213-265	B overlap 100%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	213-265	B overlap 100%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	213-265	B overlap 100%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	213-265	B overlap 100%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	213-265	B overlap 100%	Staphylococcus aureus
UP_9d39a6668a25b34b2d8a3444	224-276	B overlap 100%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	213-265	B overlap 100%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	213-265	B overlap 100%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	155-207	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_857

53 aa | 96.23% best ungapped identity | 2 substitutions | part 9/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 210. Ungapped best parents: 207. Inclusive-database exact parents excluded from main set: 1.

Query DNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNA

|||||

Parent DNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLND

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	213-265	B overlap 100%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	213-265	B overlap 100%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	155-207	B overlap 100%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	225-277	B overlap 100%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	213-265	B overlap 100%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	100-152	B overlap 100%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	102-154	B overlap 100%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	213-265	B overlap 100%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	225-277	B overlap 100%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	271-323	B overlap 100%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	213-265	B overlap 100%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	213-265	B overlap 100%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	213-265	B overlap 100%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	213-265	B overlap 100%	Staphylococcus aureus
UP_afb75170ffdc07dea602f56	225-277	B overlap 100%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	155-207	B overlap 100%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	213-265	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_857

53 aa | 96.23% best ungapped identity | 2 substitutions | part 10/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 210. Ungapped best parents: 207. Inclusive-database exact parents excluded from main set: 1.

Query DNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNA
|||||
Parent DNKFNKEQQNAFYIEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLND

All equally best ungapped sites on this page

UP_b2ccff34639295d64dc25841	213-265	B overlap 100%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	213-265	B overlap 100%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	213-265	B overlap 100%	Staphylococcus aureus
UP_b448388f79d88503154c8958	213-265	B overlap 100%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	213-265	B overlap 100%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	213-265	B overlap 100%	Unresolved
UP_b8b659f615cfbdc781f8d48e	213-265	B overlap 100%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	213-265	B overlap 100%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	283-335	B overlap 100%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	213-265	B overlap 100%	Staphylococcus aureus
UP_bde2fa9c31fb8faa98d74869	224-276	B overlap 100%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	213-265	B overlap 100%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	213-265	B overlap 100%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	213-265	B overlap 100%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	213-265	B overlap 100%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	341-393	B overlap 100%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	213-265	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_857

53 aa | 96.23% best ungapped identity | 2 substitutions | part 11/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 210. Ungapped best parents: 207. Inclusive-database exact parents excluded from main set: 1.

Query DNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNA
 |||||
 Parent DNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDA

All equally best ungapped sites on this page

UP_c6e58db97616169658087da4	213-265	B overlap 100%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	155-207	B overlap 100%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	213-265	B overlap 100%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	213-265	B overlap 100%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	213-265	B overlap 100%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	213-265	B overlap 100%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	271-323	B overlap 100%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	286-338	B overlap 100%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	213-265	B overlap 100%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	213-265	B overlap 100%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d762df1fa79b331ff9b41f57	155-207	B overlap 100%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	271-323	B overlap 100%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	271-323	B overlap 100%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	213-265	B overlap 100%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbba69	213-265	B overlap 100%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	213-265	B overlap 100%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	102-154	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_857

53 aa | 96.23% best ungapped identity | 2 substitutions | part 12/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 210. Ungapped best parents: 207. Inclusive-database exact parents excluded from main set: 1.

Query DNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNA

|||||

Parent DNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLND

All equally best ungapped sites on this page

UP_e1e023b5668d464f58d5479a	155-207	B overlap 100%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	213-265	B overlap 100%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	16-68	B overlap 100%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	225-277	B overlap 100%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	213-265	B overlap 100%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	225-277	B overlap 100%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	213-265	B overlap 100%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	213-265	B overlap 100%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	213-265	B overlap 100%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	213-265	B overlap 100%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	213-265	B overlap 100%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	213-265	B overlap 100%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	155-207	B overlap 100%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	213-265	B overlap 100%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	225-277	B overlap 100%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	42-94	B overlap 100%	Staphylococcus aureus
UP_f85095abf436c388206c5124	213-265	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_857

53 aa | 96.23% best ungapped identity | 2 substitutions | part 13/13

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 210. Ungapped best parents: 207. Inclusive-database exact parents excluded from main set: 1.

Query DNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLKNA
|||||.....
Parent DNKFNKEQQNAFYEILHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDA

All equally best ungapped sites on this page

UP_f9c3a18f34a19fda2d789ca7	213-265	B overlap 100%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	213-265	B overlap 100%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	213-265	B overlap 100%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	271-323	B overlap 100%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	167-219	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_858

47 aa | 97.87% best ungapped identity | 1 substitutions | part 1/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query ALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND
|.|||||
Parent AQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	42-88	B overlap 100%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	42-88	B overlap 100%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	42-88	B overlap 100%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	42-88	B overlap 100%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	42-88	B overlap 100%	Staphylococcus aureus
UP_04faae54d75da101458d937d	42-88	B overlap 100%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	42-88	B overlap 100%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	42-88	B overlap 100%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	42-88	B overlap 100%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	42-88	B overlap 100%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	42-88	B overlap 100%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	42-88	B overlap 100%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	42-88	B overlap 100%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	42-88	B overlap 100%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	42-88	B overlap 100%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	42-88	B overlap 100%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	42-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_858

47 aa | 97.87% best ungapped identity | 1 substitutions | part 2/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query ALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS
|.|||||
Parent AQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_127db86243730a6f9df4e8bd	54-100	B overlap 100%	Staphylococcus aureus
UP_1320c3a44aa32eaab329067c	42-88	B overlap 100%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	42-88	B overlap 100%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	42-88	B overlap 100%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	42-88	B overlap 100%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	42-88	B overlap 100%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	42-88	B overlap 100%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	42-88	B overlap 100%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	42-88	B overlap 100%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	42-88	B overlap 100%	Staphylococcus aureus
UP_1f0c143935bf9440a4d0dd38	42-88	B overlap 100%	Staphylococcus aureus
UP_1f773bb4ed791b226ff7e13e	42-88	B overlap 100%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	42-88	B overlap 100%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	42-88	B overlap 100%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	42-88	B overlap 100%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	42-88	B overlap 100%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	42-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_858

47 aa | 97.87% best ungapped identity | 1 substitutions | part 3/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query ALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS
|.|||||
Parent AQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_29064a9961a975f454e1d6b1	42-88	B overlap 100%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	42-88	B overlap 100%	Staphylococcus aureus
UP_29da8f2bf1e86de36a87930b	42-88	B overlap 100%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	42-88	B overlap 100%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	42-88	B overlap 100%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	42-88	B overlap 100%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	42-88	B overlap 100%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	42-88	B overlap 100%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	42-88	B overlap 100%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	42-88	B overlap 100%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	42-88	B overlap 100%	Staphylococcus aureus
UP_369376855189ded07861b56b	42-88	B overlap 100%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	42-88	B overlap 100%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	42-88	B overlap 100%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	42-88	B overlap 100%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	42-88	B overlap 100%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	42-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_858

47 aa | 97.87% best ungapped identity | 1 substitutions | part 4/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query ALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS
|.|||||
Parent AQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_3d571252244f795c04507670	42-88	B overlap 100%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	42-88	B overlap 100%	Staphylococcus aureus
UP_3f26f99ebf611c2aaaa31a38	54-100	B overlap 100%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	42-88	B overlap 100%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	42-88	B overlap 100%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	42-88	B overlap 100%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	42-88	B overlap 100%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	42-88	B overlap 100%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	42-88	B overlap 100%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	42-88	B overlap 100%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	42-88	B overlap 100%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	42-88	B overlap 100%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	54-100	B overlap 100%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	42-88	B overlap 100%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	42-88	B overlap 100%	Staphylococcus aureus
UP_4bada09eb771680e18bd9d98	42-88	B overlap 100%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	42-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_858

47 aa | 97.87% best ungapped identity | 1 substitutions | part 5/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query ALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS
|.|||||
Parent AQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_4c1fd99d56c771d3922e9759	42-88	B overlap 100%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	42-88	B overlap 100%	Staphylococcus aureus
UP_4cf67d66a141116ecdb88412	54-100	B overlap 100%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	42-88	B overlap 100%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	42-88	B overlap 100%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	42-88	B overlap 100%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	42-88	B overlap 100%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	42-88	B overlap 100%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	42-88	B overlap 100%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	42-88	B overlap 100%	Staphylococcus aureus
UP_5c006ddddf8fa9ce5cac1b28	42-88	B overlap 100%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	54-100	B overlap 100%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	42-88	B overlap 100%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	42-88	B overlap 100%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	42-88	B overlap 100%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	42-88	B overlap 100%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	42-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_858

47 aa | 97.87% best ungapped identity | 1 substitutions | part 6/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query ALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS
|.|||||
Parent AQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_60b825dd9a4e560b2cee9750	42-88	B overlap 100%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	54-100	B overlap 100%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	42-88	B overlap 100%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	42-88	B overlap 100%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	42-88	B overlap 100%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	42-88	B overlap 100%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	42-88	B overlap 100%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	42-88	B overlap 100%	Staphylococcus aureus
UP_67b157c032f302cca570b203	54-100	B overlap 100%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	42-88	B overlap 100%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	42-88	B overlap 100%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	42-88	B overlap 100%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	42-88	B overlap 100%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	42-88	B overlap 100%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	42-88	B overlap 100%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	54-100	B overlap 100%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	42-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_858

47 aa | 97.87% best ungapped identity | 1 substitutions | part 7/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query ALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS
|.|||||
Parent AQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_6e049e4ca0302272d62248f6	42-88	B overlap 100%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	42-88	B overlap 100%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	54-100	B overlap 100%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	42-88	B overlap 100%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	42-88	B overlap 100%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	42-88	B overlap 100%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	42-88	B overlap 100%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	42-88	B overlap 100%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	42-88	B overlap 100%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	42-88	B overlap 100%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	42-88	B overlap 100%	Staphylococcus aureus
UP_79e0b1d188807716a8d270a0	42-88	B overlap 100%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	54-100	B overlap 100%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	42-88	B overlap 100%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	37-83	B overlap 100%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	42-88	B overlap 100%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	42-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_858

47 aa | 97.87% best ungapped identity | 1 substitutions | part 8/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query ALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS
|.|||||
Parent AQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_7e1d634bed16b84ddf354b21	42-88	B overlap 100%	Staphylococcus aureus
UP_7f705628d3208506515b3404	42-88	B overlap 100%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	42-88	B overlap 100%	Staphylococcus aureus
UP_87c984f47195a756918038f8	42-88	B overlap 100%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	42-88	B overlap 100%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	42-88	B overlap 100%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	42-88	B overlap 100%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	42-88	B overlap 100%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	42-88	B overlap 100%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	42-88	B overlap 100%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	42-88	B overlap 100%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	42-88	B overlap 100%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	42-88	B overlap 100%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	42-88	B overlap 100%	Staphylococcus aureus
UP_91eb16918889951219e50a73	42-88	B overlap 100%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	42-88	B overlap 100%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	42-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_858

47 aa | 97.87% best ungapped identity | 1 substitutions | part 9/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query ALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS
|.|||||||||||||||||||||||||||||||||||||
Parent AQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_9405efe3c9c1b998737ba3a9	42-88	B overlap 100%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	42-88	B overlap 100%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	42-88	B overlap 100%	Staphylococcus aureus
UP_94875a270e702e9733c65c20	42-88	B overlap 100%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	42-88	B overlap 100%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	42-88	B overlap 100%	Staphylococcus aureus
UP_971043b6271e59644756c924	42-88	B overlap 100%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	42-88	B overlap 100%	Staphylococcus aureus
UP_97e42757ac273b6b51241624	42-88	B overlap 100%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	42-88	B overlap 100%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	42-88	B overlap 100%	Staphylococcus aureus
UP_9cdee1761c3bb0284a50f196	54-100	B overlap 100%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	42-88	B overlap 100%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	42-88	B overlap 100%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	42-88	B overlap 100%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	42-88	B overlap 100%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	42-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_858

47 aa | 97.87% best ungapped identity | 1 substitutions | part 10/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query ALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND
|.|||||
Parent AQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQKLND

All equally best ungapped sites on this page

UP_a40d4a749c88c3df5ae0964e	42-88	B overlap 100%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	42-88	B overlap 100%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	42-88	B overlap 100%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	54-100	B overlap 100%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	42-88	B overlap 100%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	42-88	B overlap 100%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	42-88	B overlap 100%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	42-88	B overlap 100%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	42-88	B overlap 100%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	54-100	B overlap 100%	Staphylococcus aureus
UP_aafbd3bf93e81454cf6b62ce	42-88	B overlap 100%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	42-88	B overlap 100%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	42-88	B overlap 100%	Staphylococcus aureus
UP_ad44964a13a988ebe08c8ee1	42-88	B overlap 100%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	42-88	B overlap 100%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	42-88	B overlap 100%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	42-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_858

47 aa | 97.87% best ungapped identity | 1 substitutions | part 11/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query ALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS
|.|||||
Parent AQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_aec2af7cb0206c955110b821	42-88	B overlap 100%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	42-88	B overlap 100%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	42-88	B overlap 100%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	42-88	B overlap 100%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	42-88	B overlap 100%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	54-100	B overlap 100%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	42-88	B overlap 100%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	53-99	B overlap 100%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	42-88	B overlap 100%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	42-88	B overlap 100%	Staphylococcus aureus
UP_b1b6527c392edca51eae006	42-88	B overlap 100%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	42-88	B overlap 100%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	42-88	B overlap 100%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	42-88	B overlap 100%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	42-88	B overlap 100%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	42-88	B overlap 100%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	42-88	B overlap 100%	Unresolved

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_858

47 aa | 97.87% best ungapped identity | 1 substitutions | part 12/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query ALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS
|.|||||
Parent AQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_b82a3b36b8bfd9b79123fe6d	42-88	B overlap 100%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	42-88	B overlap 100%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	42-88	B overlap 100%	Staphylococcus aureus
UP_ba9a53de95075c778cf3942f	42-88	B overlap 100%	Staphylococcus aureus
UP_bb14cd4e731365d1a25a797f	42-88	B overlap 100%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	54-100	B overlap 100%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	42-88	B overlap 100%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	42-88	B overlap 100%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	42-88	B overlap 100%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	42-88	B overlap 100%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	42-88	B overlap 100%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	42-88	B overlap 100%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	54-100	B overlap 100%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	54-100	B overlap 100%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	42-88	B overlap 100%	Staphylococcus aureus
UP_c6e58db97616169658087da4	42-88	B overlap 100%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	42-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_858

47 aa | 97.87% best ungapped identity | 1 substitutions | part 13/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query ALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS
|.|||||
Parent AQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_c86fdaa2621aef50129d348b	42-88	B overlap 100%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	42-88	B overlap 100%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	42-88	B overlap 100%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	42-88	B overlap 100%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	42-88	B overlap 100%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	42-88	B overlap 100%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	42-88	B overlap 100%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	54-100	B overlap 100%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	42-88	B overlap 100%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	42-88	B overlap 100%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	42-88	B overlap 100%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	42-88	B overlap 100%	Staphylococcus aureus
UP_d5b345437142d9cf807db25d	42-88	B overlap 100%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	42-88	B overlap 100%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	42-88	B overlap 100%	Staphylococcus aureus
UP_db4dfda598bef7013ceb3dbc	42-88	B overlap 100%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	42-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_858

47 aa | 97.87% best ungapped identity | 1 substitutions | part 14/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query ALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS
|.|||||
Parent AQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_ddcc25ff5408d54d5c32163f	42-88	B overlap 100%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	42-88	B overlap 100%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	42-88	B overlap 100%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbab69	42-88	B overlap 100%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	42-88	B overlap 100%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	42-88	B overlap 100%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	42-88	B overlap 100%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	42-88	B overlap 100%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	42-88	B overlap 100%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	42-88	B overlap 100%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	54-100	B overlap 100%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	42-88	B overlap 100%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	42-88	B overlap 100%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	54-100	B overlap 100%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	54-100	B overlap 100%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	42-88	B overlap 100%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	42-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_858

47 aa | 97.87% best ungapped identity | 1 substitutions | part 15/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query ALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS
|.|||||
Parent AQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_e69cdb9fb24f123702443be9	42-88	B overlap 100%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	42-88	B overlap 100%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	42-88	B overlap 100%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	42-88	B overlap 100%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	42-88	B overlap 100%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	42-88	B overlap 100%	Staphylococcus aureus
UP_edaaa2299783d537504a97ff	54-100	B overlap 100%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	42-88	B overlap 100%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	42-88	B overlap 100%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	42-88	B overlap 100%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	42-88	B overlap 100%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	42-88	B overlap 100%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	42-88	B overlap 100%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	42-88	B overlap 100%	Staphylococcus aureus
UP_f69acd750e3670602a6de2f6	54-100	B overlap 100%	Staphylococcus aureus
UP_f6c81f1ef152502d327f40dc	42-88	B overlap 100%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	42-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_858

47 aa | 97.87% best ungapped identity | 1 substitutions | part 16/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 263. Ungapped best parents: 263. Inclusive-database exact parents excluded from main set: 1.

Query ALQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS
|.|||||
Parent AQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAQLNDS

All equally best ungapped sites on this page

UP_f7ff8e7a025b9d0597c8c149	54-100	B overlap 100%	Staphylococcus aureus
UP_f85095abf436c388206c5124	42-88	B overlap 100%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	42-88	B overlap 100%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	42-88	B overlap 100%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	42-88	B overlap 100%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	42-88	B overlap 100%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	42-88	B overlap 100%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	42-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_864

53 aa | 98.11% best ungapped identity | 1 substitutions | part 1/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 41. Ungapped best parents: 41. Inclusive-database exact parents excluded from main set: 1.

Query DNNFNKDQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDA
|||||.|||||||||||||||||||||||||||||||||||||
Parent DNNFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDA

All equally best ungapped sites on this page

UP_171c514ceeeab0855461d73b	213-265	B overlap 100%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	213-265	B overlap 100%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	155-207	B overlap 100%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	271-323	B overlap 100%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	155-207	B overlap 100%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	213-265	B overlap 100%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	155-207	B overlap 100%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	155-207	B overlap 100%	Staphylococcus aureus
UP_51c0096cd463a4b89359dc12	166-218	B overlap 100%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	155-207	B overlap 100%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	155-207	B overlap 100%	Staphylococcus aureus
UP_6193b3607b8eab64acbfe79f	94-146	B overlap 100%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	155-207	B overlap 100%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	155-207	B overlap 100%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	155-207	B overlap 100%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	329-381	B overlap 100%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	155-207	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_864

53 aa | 98.11% best ungapped identity | 1 substitutions | part 2/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 41. Ungapped best parents: 41. Inclusive-database exact parents excluded from main set: 1.

Query DNNFNKDQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDA
|||||.|||||
Parent DNNFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDA

All equally best ungapped sites on this page

UP_7c5c19f3391cae5013f8808e	155-207	B overlap 100%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	155-207	B overlap 100%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	155-207	B overlap 100%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	155-207	B overlap 100%	Staphylococcus aureus
UP_971043b6271e59644756c924	155-207	B overlap 100%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	155-207	B overlap 100%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	271-323	B overlap 100%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	155-207	B overlap 100%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	155-207	B overlap 100%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	155-207	B overlap 100%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	155-207	B overlap 100%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	213-265	B overlap 100%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	155-207	B overlap 100%	Staphylococcus aureus
UP_ca698c2d92aaa89331dd0ba4	155-207	B overlap 100%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	155-207	B overlap 100%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	155-207	B overlap 100%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	155-207	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_864

53 aa | 98.11% best ungapped identity | 1 substitutions | part 3/3

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 41. Ungapped best parents: 41. Inclusive-database exact parents excluded from main set: 1.

Query DNNFNKDQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDA
|||||.|||||||||||||||||||||||||||||||||||||||
Parent DNNFNKEQQNAFYIELHLPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNDA

All equally best ungapped sites on this page

UP_e69cdb9fb24f123702443be9	155-207	B overlap 100%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	155-207	B overlap 100%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	213-265	B overlap 100%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	155-207	B overlap 100%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	155-207	B overlap 100%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	155-207	B overlap 100%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	155-207	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_865

53 aa | 98.11% best ungapped identity | 1 substitutions | part 1/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query QNKFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES
||·|
Parent QNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES

All equally best ungapped sites on this page

UP_00cff31cc9471abe8fe90176	97-149	B overlap 100%	Staphylococcus aureus
UP_024878c1d85f08ce1a4839c7	97-149	B overlap 100%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	97-149	B overlap 100%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	97-149	B overlap 100%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	97-149	B overlap 100%	Staphylococcus aureus
UP_04faae54d75da101458d937d	97-149	B overlap 100%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	97-149	B overlap 100%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	97-149	B overlap 100%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	97-149	B overlap 100%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	97-149	B overlap 100%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	97-149	B overlap 100%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	97-149	B overlap 100%	Staphylococcus aureus
UP_0927b06f2227da558be634a6	97-149	B overlap 100%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	97-149	B overlap 100%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	97-149	B overlap 100%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	97-149	B overlap 100%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	97-149	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_865

53 aa | 98.11% best ungapped identity | 1 substitutions | part 2/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query QNKFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES
||·|
Parent QNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES

All equally best ungapped sites on this page

UP_0e50e0f21a33ab0ea0d484e0	97-149	B overlap 100%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	97-149	B overlap 100%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	97-149	B overlap 100%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	109-161	B overlap 100%	Staphylococcus aureus
UP_1320c3a44aa32eab329067c	97-149	B overlap 100%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	97-149	B overlap 100%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	97-149	B overlap 100%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	97-149	B overlap 100%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	97-149	B overlap 100%	Staphylococcus aureus
UP_16dfa86dc940fa58ca21b22b	97-149	B overlap 100%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	97-149	B overlap 100%	Staphylococcus aureus
UP_17525f286aea9a272c4eff5e	97-149	B overlap 100%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	97-149	B overlap 100%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	97-149	B overlap 100%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	97-149	B overlap 100%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	97-149	B overlap 100%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	97-149	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_865

53 aa | 98.11% best ungapped identity | 1 substitutions | part 3/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query QNKFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES
||·|
Parent QNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES

All equally best ungapped sites on this page

UP_1f773bb4ed791b226ff7e13e	97-149	B overlap 100%	Staphylococcus aureus
UP_201e46d02269b0e88abd0484	97-149	B overlap 100%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	97-149	B overlap 100%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	97-149	B overlap 100%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	97-149	B overlap 100%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	97-149	B overlap 100%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	97-149	B overlap 100%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	97-149	B overlap 100%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	97-149	B overlap 100%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	97-149	B overlap 100%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	97-149	B overlap 100%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	97-149	B overlap 100%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	97-149	B overlap 100%	Staphylococcus aureus
UP_2def648691a179d8337edb84	51-103	B overlap 100%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	97-149	B overlap 100%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	97-149	B overlap 100%	Staphylococcus aureus
UP_30ea5cdc7d72d9e463cf0607	97-149	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_865

53 aa | 98.11% best ungapped identity | 1 substitutions | part 4/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query QNKFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES
||·|
Parent QNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES

All equally best ungapped sites on this page

UP_31555b40cf749cea57f4e6e1	97-149	B overlap 100%	Staphylococcus aureus
UP_332e727aed2e33d630729c9d	97-149	B overlap 100%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	97-149	B overlap 100%	Staphylococcus aureus
UP_34e7dec5146720f3668dfd6	97-149	B overlap 100%	Staphylococcus schweitzeri
UP_369376855189ded07861b56b	97-149	B overlap 100%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	97-149	B overlap 100%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	97-149	B overlap 100%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	97-149	B overlap 100%	Staphylococcus aureus
UP_3a6796c5a9d5c6e6a7f4b190	97-149	B overlap 100%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	97-149	B overlap 100%	Staphylococcus aureus
UP_3b972ecb2f3727cb6a074f03	97-149	B overlap 100%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	97-149	B overlap 100%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	97-149	B overlap 100%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	97-149	B overlap 100%	Staphylococcus aureus
UP_3d571252244f795c04507670	97-149	B overlap 100%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	97-149	B overlap 100%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	109-161	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_865

53 aa | 98.11% best ungapped identity | 1 substitutions | part 5/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query QNKFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES
||·|
Parent QNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES

All equally best ungapped sites on this page

UP_3f26f99ebf611c2aaaa31a38	109-161	B overlap 100%	Staphylococcus aureus
UP_4092b39cd30599da95ab0473	97-149	B overlap 100%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	97-149	B overlap 100%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	97-149	B overlap 100%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	97-149	B overlap 100%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	97-149	B overlap 100%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	97-149	B overlap 100%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	97-149	B overlap 100%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	97-149	B overlap 100%	Staphylococcus aureus
UP_4708f8d149c30a85327d2cf2	97-149	B overlap 100%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	109-161	B overlap 100%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	97-149	B overlap 100%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	97-149	B overlap 100%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	97-149	B overlap 100%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	97-149	B overlap 100%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	97-149	B overlap 100%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	97-149	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_865

53 aa | 98.11% best ungapped identity | 1 substitutions | part 6/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query QNKFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES
||·|
Parent QNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES

All equally best ungapped sites on this page

UP_549e2ac62132d0bd32cea7ca	97-149	B overlap 100%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	97-149	B overlap 100%	Staphylococcus aureus
UP_56ccb47e4b685b0c526ce6c7	97-149	B overlap 100%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	97-149	B overlap 100%	Staphylococcus aureus
UP_579deb24f0776e018b2e8970	97-149	B overlap 100%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	97-149	B overlap 100%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	97-149	B overlap 100%	Staphylococcus aureus
UP_5bbec0493fad67c07e5cf02b	97-149	B overlap 100%	Staphylococcus aureus
UP_5c006ddddf8fa9ce5cac1b28	97-149	B overlap 100%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	109-161	B overlap 100%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	97-149	B overlap 100%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	97-149	B overlap 100%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	97-149	B overlap 100%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	97-149	B overlap 100%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	97-149	B overlap 100%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	97-149	B overlap 100%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	97-149	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_865

53 aa | 98.11% best ungapped identity | 1 substitutions | part 7/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query QNKFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES
||·|
Parent QNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES

All equally best ungapped sites on this page

UP_62f5b155ce6d81fb279b50da	97-149	B overlap 100%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	97-149	B overlap 100%	Staphylococcus aureus
UP_65d4d174e408be43b99bdbdd	97-149	B overlap 100%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	97-149	B overlap 100%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	97-149	B overlap 100%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	97-149	B overlap 100%	Staphylococcus aureus
UP_67b157c032f302cca570b203	109-161	B overlap 100%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	97-149	B overlap 100%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	97-149	B overlap 100%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	97-149	B overlap 100%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	97-149	B overlap 100%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	97-149	B overlap 100%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	97-149	B overlap 100%	Staphylococcus aureus
UP_6b8d202fa3625a660a83b9c9	97-149	B overlap 100%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	97-149	B overlap 100%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	97-149	B overlap 100%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	97-149	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_865

53 aa | 98.11% best ungapped identity | 1 substitutions | part 8/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query QNKFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES
||·|
Parent QNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES

All equally best ungapped sites on this page

UP_6e5bbda7608529fb49505998	97-149	B overlap 100%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	97-149	B overlap 100%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	97-149	B overlap 100%	Staphylococcus schweitzeri
UP_728122342f84c9b8787f4a69	109-161	B overlap 100%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	97-149	B overlap 100%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	97-149	B overlap 100%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	97-149	B overlap 100%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	97-149	B overlap 100%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	97-149	B overlap 100%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	97-149	B overlap 100%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	109-161	B overlap 100%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	97-149	B overlap 100%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	92-144	B overlap 100%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	97-149	B overlap 100%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	97-149	B overlap 100%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	97-149	B overlap 100%	Staphylococcus aureus
UP_7f705628d3208506515b3404	97-149	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_865

53 aa | 98.11% best ungapped identity | 1 substitutions | part 9/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query QNKFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES
||·|
Parent QNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES

All equally best ungapped sites on this page

UP_8345d752509ffffcccf415a5	97-149	B overlap 100%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	97-149	B overlap 100%	Staphylococcus aureus
UP_86d09985303304149d93296c	45-97	B overlap 100%	Staphylococcus aureus
UP_87c984f47195a756918038f8	97-149	B overlap 100%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	97-149	B overlap 100%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	97-149	B overlap 100%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	97-149	B overlap 100%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	97-149	B overlap 100%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	97-149	B overlap 100%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	97-149	B overlap 100%	Staphylococcus aureus
UP_92c2016d0a6d348ed68d0735	97-149	B overlap 100%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	97-149	B overlap 100%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	97-149	B overlap 100%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	97-149	B overlap 100%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	97-149	B overlap 100%	Staphylococcus aureus
UP_971043b6271e59644756c924	97-149	B overlap 100%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	97-149	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_865

53 aa | 98.11% best ungapped identity | 1 substitutions | part 10/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query QNKFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES
||·|
Parent QNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES

All equally best ungapped sites on this page

UP_9819abf61294ca7e009f396c	97-149	B overlap 100%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	97-149	B overlap 100%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	97-149	B overlap 100%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	97-149	B overlap 100%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	97-149	B overlap 100%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	97-149	B overlap 100%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	97-149	B overlap 100%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	97-149	B overlap 100%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	97-149	B overlap 100%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	109-161	B overlap 100%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	97-149	B overlap 100%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	97-149	B overlap 100%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	97-149	B overlap 100%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	97-149	B overlap 100%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	109-161	B overlap 100%	Staphylococcus aureus
UP_aafb3bf93e81454cf6b62ce	97-149	B overlap 100%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	97-149	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_865

53 aa | 98.11% best ungapped identity | 1 substitutions | part 11/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query QNKFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES
||·|
Parent QNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES

All equally best ungapped sites on this page

UP_add239549e9b47b3b849d17d	97-149	B overlap 100%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	97-149	B overlap 100%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	97-149	B overlap 100%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	97-149	B overlap 100%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	97-149	B overlap 100%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	97-149	B overlap 100%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	109-161	B overlap 100%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	97-149	B overlap 100%	Staphylococcus aureus
UP_b0fc979ac811e6e023eb62c8	97-149	B overlap 100%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	97-149	B overlap 100%	Staphylococcus aureus
UP_b1ccbcb665058d4e6104b0dc	97-149	B overlap 100%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	97-149	B overlap 100%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	97-149	B overlap 100%	Staphylococcus aureus
UP_b448388f79d88503154c8958	97-149	B overlap 100%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	97-149	B overlap 100%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	97-149	B overlap 100%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	97-149	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_865

53 aa | 98.11% best ungapped identity | 1 substitutions | part 12/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query QNKFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES
||·|
Parent QNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES

All equally best ungapped sites on this page

UP_b8b659f615cfbdc781f8d48e	97-149	B overlap 100%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	97-149	B overlap 100%	Staphylococcus aureus
UP_bb14cd4e731365d1a25a797f	97-149	B overlap 100%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	109-161	B overlap 100%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	97-149	B overlap 100%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	97-149	B overlap 100%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	97-149	B overlap 100%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	97-149	B overlap 100%	Staphylococcus aureus
UP_c11da477f7461107eb6f572c	97-149	B overlap 100%	Staphylococcus aureus
UP_c19b2cacfb0fadd8c64def21	97-149	B overlap 100%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	97-149	B overlap 100%	Staphylococcus aureus
UP_c45cb0f00466c9f2a59ce3df	97-149	B overlap 100%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	109-161	B overlap 100%	Staphylococcus aureus
UP_c5e65e48f1e55f63860af521	109-161	B overlap 100%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	97-149	B overlap 100%	Staphylococcus aureus
UP_c6e58db97616169658087da4	97-149	B overlap 100%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	97-149	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_865

53 aa | 98.11% best ungapped identity | 1 substitutions | part 13/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query QNKFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES
||·|
Parent QNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES

All equally best ungapped sites on this page

UP_ca2557d80a4a8e1b64e5d716	97-149	B overlap 100%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	97-149	B overlap 100%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	97-149	B overlap 100%	Staphylococcus aureus
UP_ce48648d81e147b208ae7f35	97-149	B overlap 100%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	97-149	B overlap 100%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	97-149	B overlap 100%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	97-149	B overlap 100%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	97-149	B overlap 100%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	109-161	B overlap 100%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	170-222	B overlap 100%	Staphylococcus aureus
UP_d223a6816455dd8ee2c4fcf	97-149	B overlap 100%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	97-149	B overlap 100%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	97-149	B overlap 100%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	97-149	B overlap 100%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d5b345437142d9cf807db25d	97-149	B overlap 100%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	97-149	B overlap 100%	Staphylococcus aureus
UP_d94eeaf41af52b90e3edd2a7	97-149	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_865

53 aa | 98.11% best ungapped identity | 1 substitutions | part 14/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query QNKFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES
||·|
Parent QNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES

All equally best ungapped sites on this page

UP_dc8311c36f77892ca9e35f2e	97-149	B overlap 100%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	97-149	B overlap 100%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	97-149	B overlap 100%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	97-149	B overlap 100%	Staphylococcus aureus
UP_df25788f262b81ebd8fdb69	97-149	B overlap 100%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	97-149	B overlap 100%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	97-149	B overlap 100%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	97-149	B overlap 100%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	97-149	B overlap 100%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	97-149	B overlap 100%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	97-149	B overlap 100%	Staphylococcus aureus
UP_e209bb92e764aa1d81ca9fbc	97-149	B overlap 100%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	97-149	B overlap 100%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	109-161	B overlap 100%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	97-149	B overlap 100%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	97-149	B overlap 100%	Staphylococcus aureus
UP_e4416bec7da11378a24f1c9b	109-161	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_865

53 aa | 98.11% best ungapped identity | 1 substitutions | part 15/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query QNKFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES
||·|
Parent QNNFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES

All equally best ungapped sites on this page

UP_e4da3108009e6d244f99a114	109-161	B overlap 100%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	97-149	B overlap 100%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	97-149	B overlap 100%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	97-149	B overlap 100%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	97-149	B overlap 100%	Staphylococcus aureus
UP_e75719246134c49f59f96f37	97-149	B overlap 100%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	97-149	B overlap 100%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	97-149	B overlap 100%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	97-149	B overlap 100%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	97-149	B overlap 100%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	97-149	B overlap 100%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	97-149	B overlap 100%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	97-149	B overlap 100%	Staphylococcus aureus
UP_edaaa2299783d537504a97ff	109-161	B overlap 100%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	97-149	B overlap 100%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	97-149	B overlap 100%	Staphylococcus aureus
UP_f4f5a68a6a412f59f5b57652	97-149	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_865

53 aa | 98.11% best ungapped identity | 1 substitutions | part 16/16

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 262. Ungapped best parents: 262. Inclusive-database exact parents excluded from main set: 1.

Query QNKFNKDQQSAFYIELNMPNLNEAQRNGFIQSLKDDPSQSTNVLGEAKKLNES
|||||
Parent QNKFNKDQQSAFYIELNMPNLNEEQRNGFIQSLKDDPSQSTNVLGEAKKLNES

All equally best ungapped sites on this page

UP_f6c81f1ef152502d327f40dc	97-149	B overlap 100%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	97-149	B overlap 100%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	109-161	B overlap 100%	Staphylococcus aureus
UP_f85095abf436c388206c5124	97-149	B overlap 100%	Staphylococcus aureus
UP_fb74d89d1795b280acc5480b	97-149	B overlap 100%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	97-149	B overlap 100%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	97-149	B overlap 100%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	97-149	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_873

53 aa | 98.11% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 7. Ungapped best parents: 7. Inclusive-database exact parents excluded from main set: 4.

Query QNKFNKDRQSAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNES

|||||.|||||

Parent QNKFNKDQQSAFYEILNMPNLNEEQRNGFIQSLKDDPSQSANLLAEAKKLNES

All equally best ungapped sites on this page

UP_03f0f7456ad3ed419cc4e4e6	97-149	B overlap 100%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	97-149	B overlap 100%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	97-149	B overlap 100%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	97-149	B overlap 100%	Staphylococcus aureus
UP_97e42757ac273b6b51241624	97-149	B overlap 100%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	97-149	B overlap 100%	Staphylococcus aureus
UP_e1e023b5668d464f58d5479a	97-149	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_879

52 aa | 98.08% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 1. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 1.

Query AQHNEAQQNAFYQVLNMPNLNEEQRNGFIQSLKDDPSQSNLLGEAQLNDS
 |||||
 Parent AQHNEAQQNAFYQILNMPNLNEEQRNGFIQSLKDDPSQSNLLGEAQLNDS

All equally best ungapped sites on this page

UP_483345435ebd382942892e04	37-88	B overlap 100%	Staphylococcus argenteus
-----------------------------	-------	----------------	--------------------------

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_880

52 aa | 96.15% best ungapped identity | 2 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 7. Ungapped best parents: 7. Inclusive-database exact parents excluded from main set: 2.

Query AQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANLLSEAKKLNES

||||| . . |||||

Parent AQHDEAQQNAFYQVLNMPNLNEEQRNGFIQSLKDDPSQSANLLSEAKKLNES

All equally best ungapped sites on this page

UP_158b282e8b4d77a02a00c02d	37-88	B overlap 100%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	37-88	B overlap 100%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	37-88	B overlap 100%	Staphylococcus aureus
UP_6193b3607b8eab64acbf79f	37-88	B overlap 100%	Staphylococcus aureus
UP_63bbd7d1ac5832ffe8cbd7f	37-88	B overlap 100%	Staphylococcus aureus
UP_b918b28f2eebd219cf84d3d5	37-88	B overlap 100%	Staphylococcus aureus
UP_ca698c2d92aaa89331dd0ba4	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_896

41 aa | 97.56% best ungapped identity | 1 substitutions | part 1/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	283-323	B overlap 100%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	283-323	B overlap 100%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	283-323	B overlap 100%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	283-323	B overlap 100%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	225-265	B overlap 100%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	225-265	B overlap 100%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	283-323	B overlap 100%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	283-323	B overlap 100%	Staphylococcus aureus
UP_04faae54d75da101458d937d	283-323	B overlap 100%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	178-218	B overlap 100%	Staphylococcus aureus
UP_0558a58a6056e4177ee8a734	167-207	B overlap 100%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	283-323	B overlap 100%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	225-265	B overlap 100%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	283-323	B overlap 100%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	295-335	B overlap 100%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	167-207	B overlap 100%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	225-265	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_896

41 aa | 97.56% best ungapped identity | 1 substitutions | part 2/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
||||·|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_080bdc344b3e8de041e14a8b	225-265	B overlap 100%	Staphylococcus argenteus
UP_0927b06f2227da558be634a6	167-207	B overlap 100%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	283-323	B overlap 100%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	283-323	B overlap 100%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	283-323	B overlap 100%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	283-323	B overlap 100%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	283-323	B overlap 100%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	283-323	B overlap 100%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	341-381	B overlap 100%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	295-335	B overlap 100%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	283-323	B overlap 100%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	283-323	B overlap 100%	Staphylococcus aureus
UP_15b865d3666d14f4c1598c14	106-146	B overlap 100%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	283-323	B overlap 100%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	283-323	B overlap 100%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	283-323	B overlap 100%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	283-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_896

41 aa | 97.56% best ungapped identity | 1 substitutions | part 3/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_172cccb9efefc37e19236363	283-323	B overlap 100%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	283-323	B overlap 100%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	225-265	B overlap 100%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	283-323	B overlap 100%	Staphylococcus aureus
UP_1b50a5126b16c8571f3dbf16	222-262	B overlap 100%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	225-265	B overlap 100%	Staphylococcus aureus
UP_1c369039d2aa8fcfe7e14fc8	225-265	B overlap 100%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	283-323	B overlap 100%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	341-381	B overlap 100%	Staphylococcus aureus
UP_2048573278606fc387b40165	8-48	B overlap 100%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	283-323	B overlap 100%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	225-265	B overlap 100%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	295-335	B overlap 100%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	283-323	B overlap 100%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	283-323	B overlap 100%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	283-323	B overlap 100%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	283-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

41 aa | 97.56% best ungapped identity | 1 substitutions | part 4/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND
 |||.|||||||
 Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND

All equally best ungapped sites on this page

UP_27f29e3fac76766f4af636e5	283-323	B overlap 100%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	283-323	B overlap 100%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	283-323	B overlap 100%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	283-323	B overlap 100%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	167-207	B overlap 100%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	225-265	B overlap 100%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	283-323	B overlap 100%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	515-555	B overlap 100%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	341-381	B overlap 100%	Staphylococcus aureus
UP_2bd9d8f9a1f5bb1a2e03e456	225-265	B overlap 100%	Staphylococcus aureus
UP_2def648691a179d8337edb84	179-219	B overlap 100%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	225-265	B overlap 100%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	283-323	B overlap 100%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	225-265	B overlap 100%	Staphylococcus aureus
UP_324c49ab20a20eee8d7b5738	225-265	B overlap 100%	Staphylococcus argenteus
UP_332e727aed2e33d630729c9d	283-323	B overlap 100%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	225-265	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_896

41 aa | 97.56% best ungapped identity | 1 substitutions | part 5/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_369376855189ded07861b56b	225-265	B overlap 100%	Staphylococcus aureus
UP_37e60ca6c449c9241b51223d	283-323	B overlap 100%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	283-323	B overlap 100%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	341-381	B overlap 100%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	283-323	B overlap 100%	Staphylococcus aureus
UP_3a42c26503937de9eaf4c2e2	225-265	B overlap 100%	Staphylococcus roterodami
UP_3a6796c5a9d5c6e6a7f4b190	341-381	B overlap 100%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	225-265	B overlap 100%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	283-323	B overlap 100%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	283-323	B overlap 100%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	283-323	B overlap 100%	Staphylococcus aureus
UP_3d571252244f795c04507670	283-323	B overlap 100%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	225-265	B overlap 100%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	237-277	B overlap 100%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	79-119	B overlap 100%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	225-265	B overlap 100%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	283-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

41 aa | 97.56% best ungapped identity | 1 substitutions | part 6/21

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

All equally best ungapped sites on this page

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_896

41 aa | 97.56% best ungapped identity | 1 substitutions | part 7/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND
 |||.|||||||||||||||||||||||||||
 Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND

All equally best ungapped sites on this page

UP_4c1fd99d56c771d3922e9759	225-265	B overlap 100%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	225-265	B overlap 100%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	225-265	B overlap 100%	Staphylococcus aureus
UP_4f7ac95290874e78b8d9f0ed	106-146	B overlap 100%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	283-323	B overlap 100%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	283-323	B overlap 100%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	283-323	B overlap 100%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	225-265	B overlap 100%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	283-323	B overlap 100%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	283-323	B overlap 100%	Staphylococcus aureus
UP_5afea06ab560a525e381f6c8	225-265	B overlap 100%	Staphylococcus argenteus
UP_5bbec0493fad67c07e5cf02b	283-323	B overlap 100%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	283-323	B overlap 100%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	295-335	B overlap 100%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	225-265	B overlap 100%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	225-265	B overlap 100%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	283-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_896

41 aa | 97.56% best ungapped identity | 1 substitutions | part 8/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_608ceea43032113cb4d07194	283-323	B overlap 100%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	341-381	B overlap 100%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	283-323	B overlap 100%	Staphylococcus aureus
UP_6193b3607b8eab64acbfe79f	164-204	B overlap 100%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	353-393	B overlap 100%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	225-265	B overlap 100%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	283-323	B overlap 100%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	283-323	B overlap 100%	Staphylococcus aureus
UP_63bbd7d1ac5832ffe8cbd7f	222-262	B overlap 100%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	225-265	B overlap 100%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	283-323	B overlap 100%	Staphylococcus aureus
UP_654970f68b48978377243697	283-323	B overlap 100%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	225-265	B overlap 100%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	225-265	B overlap 100%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	225-265	B overlap 100%	Staphylococcus aureus
UP_67b157c032f302cca570b203	353-393	B overlap 100%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	283-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_896

41 aa | 97.56% best ungapped identity | 1 substitutions | part 9/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
||||·|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_687782ca218e6b0ad2ae44ec	283-323	B overlap 100%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	283-323	B overlap 100%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	283-323	B overlap 100%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	283-323	B overlap 100%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	283-323	B overlap 100%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	283-323	B overlap 100%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	353-393	B overlap 100%	Staphylococcus aureus
UP_6d760fbcf9f250b9d80b6377	225-265	B overlap 100%	Staphylococcus argenteus
UP_6d765dcd23be695e8386b589	283-323	B overlap 100%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	225-265	B overlap 100%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	283-323	B overlap 100%	Staphylococcus aureus
UP_6dc6cc8e9acff01b2bc3cf5c	225-265	B overlap 100%	Staphylococcus argenteus
UP_6dde12d1b214335f1b98b297	283-323	B overlap 100%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	283-323	B overlap 100%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	283-323	B overlap 100%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	283-323	B overlap 100%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	295-335	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

41 aa | 97.56% best ungapped identity | 1 substitutions | part 10/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND
 |||.|||||
 Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND

All equally best ungapped sites on this page

UP_72dd9fa28dab2363ac98467e	283-323	B overlap 100%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	283-323	B overlap 100%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	341-381	B overlap 100%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	283-323	B overlap 100%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	341-381	B overlap 100%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	222-262	B overlap 100%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	225-265	B overlap 100%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	283-323	B overlap 100%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	283-323	B overlap 100%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	283-323	B overlap 100%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	457-497	B overlap 100%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	283-323	B overlap 100%	Staphylococcus aureus
UP_79e0b1d188807716a8d270a0	167-207	B overlap 100%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	295-335	B overlap 100%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	225-265	B overlap 100%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	220-260	B overlap 100%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	225-265	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_896

41 aa | 97.56% best ungapped identity | 1 substitutions | part 11/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_7c5c19f3391cae5013f8808e	225-265	B overlap 100%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	242-282	B overlap 100%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	225-265	B overlap 100%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	283-323	B overlap 100%	Staphylococcus aureus
UP_7f705628d3208506515b3404	283-323	B overlap 100%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	225-265	B overlap 100%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	283-323	B overlap 100%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	283-323	B overlap 100%	Staphylococcus aureus
UP_857b4b53ca1f3ac9d11a0570	225-265	B overlap 100%	Staphylococcus roterodami
UP_85dd3992b51e31c2bfa5968c	225-265	B overlap 100%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	283-323	B overlap 100%	Staphylococcus aureus
UP_86d09985303304149d93296c	173-213	B overlap 100%	Staphylococcus aureus
UP_87c984f47195a756918038f8	225-265	B overlap 100%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	231-271	B overlap 100%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	283-323	B overlap 100%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	471-511	B overlap 100%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	225-265	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_896

41 aa | 97.56% best ungapped identity | 1 substitutions | part 12/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_88f858d06848fb1195a19f07	225-265	B overlap 100%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	167-207	B overlap 100%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	225-265	B overlap 100%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	225-265	B overlap 100%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	283-323	B overlap 100%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	283-323	B overlap 100%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	222-262	B overlap 100%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	341-381	B overlap 100%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	225-265	B overlap 100%	Staphylococcus aureus
UP_91eb16918889951219e50a73	283-323	B overlap 100%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	283-323	B overlap 100%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	341-381	B overlap 100%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	283-323	B overlap 100%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	283-323	B overlap 100%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	283-323	B overlap 100%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	283-323	B overlap 100%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	283-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_896

41 aa | 97.56% best ungapped identity | 1 substitutions | part 13/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_950ac899ed983d043130a8ab	283-323	B overlap 100%	Staphylococcus aureus
UP_95e30e740b9bec939fb36b82	231-271	B overlap 100%	Staphylococcus aureus
UP_971043b6271e59644756c924	225-265	B overlap 100%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	283-323	B overlap 100%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	283-323	B overlap 100%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	283-323	B overlap 100%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	225-265	B overlap 100%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	283-323	B overlap 100%	Staphylococcus aureus
UP_9d6ccee6db34ab44b810682d	225-265	B overlap 100%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	225-265	B overlap 100%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	283-323	B overlap 100%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	341-381	B overlap 100%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	225-265	B overlap 100%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	283-323	B overlap 100%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	283-323	B overlap 100%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	225-265	B overlap 100%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	283-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_896

41 aa | 97.56% best ungapped identity | 1 substitutions | part 14/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_a4501f73cdc29a8f8c35da9e	283-323	B overlap 100%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	225-265	B overlap 100%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	295-335	B overlap 100%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	225-265	B overlap 100%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	283-323	B overlap 100%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	170-210	B overlap 100%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	225-265	B overlap 100%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	172-212	B overlap 100%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	283-323	B overlap 100%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	167-207	B overlap 100%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	167-207	B overlap 100%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	225-265	B overlap 100%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	295-335	B overlap 100%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	225-265	B overlap 100%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	225-265	B overlap 100%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	283-323	B overlap 100%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	341-381	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_896

41 aa | 97.56% best ungapped identity | 1 substitutions | part 15/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
||||.|||||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_add239549e9b47b3b849d17d	283-323	B overlap 100%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	283-323	B overlap 100%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	225-265	B overlap 100%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	283-323	B overlap 100%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	225-265	B overlap 100%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	283-323	B overlap 100%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	283-323	B overlap 100%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	283-323	B overlap 100%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	295-335	B overlap 100%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	225-265	B overlap 100%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	178-218	B overlap 100%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	283-323	B overlap 100%	Staphylococcus aureus
UP_b1b6527c392edca51eae006	283-323	B overlap 100%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	225-265	B overlap 100%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	167-207	B overlap 100%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	283-323	B overlap 100%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	283-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_896

41 aa | 97.56% best ungapped identity | 1 substitutions | part 16/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
||||·|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_b36c2f2a2fae9b56820692c7	283-323	B overlap 100%	Staphylococcus aureus
UP_b448388f79d88503154c8958	283-323	B overlap 100%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	283-323	B overlap 100%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	283-323	B overlap 100%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	225-265	B overlap 100%	Staphylococcus aureus
UP_b89432f6e7437c0651852af5	164-204	B overlap 100%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	283-323	B overlap 100%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	283-323	B overlap 100%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	353-393	B overlap 100%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	283-323	B overlap 100%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	283-323	B overlap 100%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	242-282	B overlap 100%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	283-323	B overlap 100%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	283-323	B overlap 100%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	283-323	B overlap 100%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	283-323	B overlap 100%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	283-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_896

41 aa | 97.56% best ungapped identity | 1 substitutions | part 17/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_c19b2cacfb0fadd8c64def21	283-323	B overlap 100%	Staphylococcus aureus
UP_c360b4eef28e7ac3a6add6d9	79-119	B overlap 100%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	283-323	B overlap 100%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	225-265	B overlap 100%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	237-277	B overlap 100%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	283-323	B overlap 100%	Staphylococcus aureus
UP_c6e58db97616169658087da4	283-323	B overlap 100%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	225-265	B overlap 100%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	225-265	B overlap 100%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	225-265	B overlap 100%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	283-323	B overlap 100%	Staphylococcus aureus
UP_ca698c2d92aaa89331dd0ba4	225-265	B overlap 100%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	283-323	B overlap 100%	Staphylococcus aureus
UP_cc018e0aa888e81d3674855c	259-299	B overlap 100%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	283-323	B overlap 100%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	283-323	B overlap 100%	Staphylococcus aureus
UP_cda3c6f0d10df8be6dc4ff46	225-265	B overlap 100%	Staphylococcus argenteus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_896

41 aa | 97.56% best ungapped identity | 1 substitutions | part 18/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_ce48648d81e147b208ae7f35	283-323	B overlap 100%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	283-323	B overlap 100%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	225-265	B overlap 100%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	341-381	B overlap 100%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	225-265	B overlap 100%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	356-396	B overlap 100%	Staphylococcus aureus
UP_d2f4d68676a2244ecc95da63	112-152	B overlap 100%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	225-265	B overlap 100%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	225-265	B overlap 100%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	283-323	B overlap 100%	Staphylococcus aureus
UP_d42f3bf1007f1620dba29aac	225-265	B overlap 100%	Staphylococcus argenteus
UP_d446b7e01a0f059e086dcfed	283-323	B overlap 100%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d5b345437142d9cf807db25d	225-265	B overlap 100%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	225-265	B overlap 100%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	283-323	B overlap 100%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	283-323	B overlap 100%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	341-381	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

41 aa | 97.56% best ungapped identity | 1 substitutions | part 19/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND
 |||.|||||||
 Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND

All equally best ungapped sites on this page

UP_de03166de512b68a9e6934b6	341-381	B overlap 100%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	283-323	B overlap 100%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbba69	283-323	B overlap 100%	Staphylococcus aureus
UP_df5ef9df08d9df798f955123	225-265	B overlap 100%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	225-265	B overlap 100%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	283-323	B overlap 100%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	225-265	B overlap 100%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	283-323	B overlap 100%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	172-212	B overlap 100%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	225-265	B overlap 100%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	283-323	B overlap 100%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	86-126	B overlap 100%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	295-335	B overlap 100%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	225-265	B overlap 100%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	283-323	B overlap 100%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	295-335	B overlap 100%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	231-271	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_896

41 aa | 97.56% best ungapped identity | 1 substitutions | part 20/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
||||.|||||
Parent YEILHLPNLTTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_e558dfe41e35627210d8d204	283-323	B overlap 100%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	283-323	B overlap 100%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	283-323	B overlap 100%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	225-265	B overlap 100%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	225-265	B overlap 100%	Staphylococcus aureus
UP_e6d99cc66a27067b7ac482cc	225-265	B overlap 100%	Staphylococcus argenteus
UP_e75719246134c49f59f96f37	242-282	B overlap 100%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	283-323	B overlap 100%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	283-323	B overlap 100%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	283-323	B overlap 100%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	283-323	B overlap 100%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	225-265	B overlap 100%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	283-323	B overlap 100%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	283-323	B overlap 100%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	225-265	B overlap 100%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	167-207	B overlap 100%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	283-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_896

41 aa | 97.56% best ungapped identity | 1 substitutions | part 21/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILQLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND
 |||.|||||||||||||||||||||||||||
 Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND

All equally best ungapped sites on this page

UP_f1910f03b2defa2d1d01fb4d	225-265	B overlap 100%	Staphylococcus aureus
UP_f1c8a677456a5de29a99e38e	283-323	B overlap 100%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	283-323	B overlap 100%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	283-323	B overlap 100%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	225-265	B overlap 100%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	295-335	B overlap 100%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	112-152	B overlap 100%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	225-265	B overlap 100%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	237-277	B overlap 100%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	283-323	B overlap 100%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	283-323	B overlap 100%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	341-381	B overlap 100%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	237-277	B overlap 100%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	225-265	B overlap 100%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	283-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_897

41 aa | 97.56% best ungapped identity | 1 substitutions | part 1/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLND
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	283-323	B overlap 100%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	283-323	B overlap 100%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	283-323	B overlap 100%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	283-323	B overlap 100%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	225-265	B overlap 100%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	225-265	B overlap 100%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	283-323	B overlap 100%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	283-323	B overlap 100%	Staphylococcus aureus
UP_04faae54d75da101458d937d	283-323	B overlap 100%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	178-218	B overlap 100%	Staphylococcus aureus
UP_0558a58a6056e4177ee8a734	167-207	B overlap 100%	Staphylococcus aureus
UP_05759fc9c146d4b6e4c1f05b	283-323	B overlap 100%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	225-265	B overlap 100%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	283-323	B overlap 100%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	295-335	B overlap 100%	Staphylococcus aureus
UP_0782fa801558ea94eb654506	167-207	B overlap 100%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	225-265	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_897

41 aa | 97.56% best ungapped identity | 1 substitutions | part 2/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_080bdc344b3e8de041e14a8b	225-265	B overlap 100%	Staphylococcus argenteus
UP_0927b06f2227da558be634a6	167-207	B overlap 100%	Staphylococcus aureus
UP_0b47ec347104dea3cf401212	283-323	B overlap 100%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	283-323	B overlap 100%	Staphylococcus aureus
UP_0c80c9392f03dca56d811fa2	283-323	B overlap 100%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	283-323	B overlap 100%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	283-323	B overlap 100%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	283-323	B overlap 100%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	341-381	B overlap 100%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	295-335	B overlap 100%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	283-323	B overlap 100%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	283-323	B overlap 100%	Staphylococcus aureus
UP_15b865d3666d14f4c1598c14	106-146	B overlap 100%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	283-323	B overlap 100%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	283-323	B overlap 100%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	283-323	B overlap 100%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	283-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

41 aa | 97.56% best ungapped identity | 1 substitutions | part 3/21

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

All equally best ungapped sites on this page

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_897

41 aa | 97.56% best ungapped identity | 1 substitutions | part 4/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_27f29e3fac76766f4af636e5	283-323	B overlap 100%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	283-323	B overlap 100%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	283-323	B overlap 100%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	283-323	B overlap 100%	Staphylococcus aureus
UP_29750953a09e57a87c7dae67	167-207	B overlap 100%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	225-265	B overlap 100%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	283-323	B overlap 100%	Staphylococcus aureus
UP_2b9173d33011444e5c5e2f14	515-555	B overlap 100%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	341-381	B overlap 100%	Staphylococcus aureus
UP_2bd9d8f9a1f5bb1a2e03e456	225-265	B overlap 100%	Staphylococcus aureus
UP_2def648691a179d8337edb84	179-219	B overlap 100%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	225-265	B overlap 100%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	283-323	B overlap 100%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	225-265	B overlap 100%	Staphylococcus aureus
UP_324c49ab20a20eee8d7b5738	225-265	B overlap 100%	Staphylococcus argenteus
UP_332e727aed2e33d630729c9d	283-323	B overlap 100%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	225-265	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

41 aa | 97.56% best ungapped identity | 1 substitutions | part 5/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLND
 |||
 Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND

All equally best ungapped sites on this page

UP_369376855189ded07861b56b	225-265	B overlap 100%	Staphylococcus aureus
UP_37e60ca6c449c9241b51223d	283-323	B overlap 100%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	283-323	B overlap 100%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	341-381	B overlap 100%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	283-323	B overlap 100%	Staphylococcus aureus
UP_3a42c26503937de9eaf4c2e2	225-265	B overlap 100%	Staphylococcus roterodami
UP_3a6796c5a9d5c6e6a7f4b190	341-381	B overlap 100%	Staphylococcus aureus
UP_3b5d00aa43f6f726e74f8c5b	225-265	B overlap 100%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	283-323	B overlap 100%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	283-323	B overlap 100%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	283-323	B overlap 100%	Staphylococcus aureus
UP_3d571252244f795c04507670	283-323	B overlap 100%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	225-265	B overlap 100%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	237-277	B overlap 100%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	79-119	B overlap 100%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	225-265	B overlap 100%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	283-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_897

41 aa | 97.56% best ungapped identity | 1 substitutions | part 6/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_41aeab70450d9496fad47692	283-323	B overlap 100%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	283-323	B overlap 100%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	283-323	B overlap 100%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	283-323	B overlap 100%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	341-381	B overlap 100%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	283-323	B overlap 100%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	283-323	B overlap 100%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	225-265	B overlap 100%	Staphylococcus aureus
UP_4667ae039c0ce4ff6d65fa16	106-146	B overlap 100%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	225-265	B overlap 100%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	295-335	B overlap 100%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	283-323	B overlap 100%	Staphylococcus aureus
UP_483345435ebd382942892e04	164-204	B overlap 100%	Staphylococcus argenteus
UP_493fc1e6cf2d8753094287af	225-265	B overlap 100%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	167-207	B overlap 100%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	283-323	B overlap 100%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	457-497	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_897

41 aa | 97.56% best ungapped identity | 1 substitutions | part 7/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLND
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND

All equally best ungapped sites on this page

UP_4c1fd99d56c771d3922e9759	225-265	B overlap 100%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	225-265	B overlap 100%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	225-265	B overlap 100%	Staphylococcus aureus
UP_4f7ac95290874e78b8d9f0ed	106-146	B overlap 100%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	283-323	B overlap 100%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	283-323	B overlap 100%	Staphylococcus aureus
UP_549e2ac62132d0bd32cea7ca	283-323	B overlap 100%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	225-265	B overlap 100%	Staphylococcus aureus
UP_57c484d3c98d3e56a9e8ec19	283-323	B overlap 100%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	283-323	B overlap 100%	Staphylococcus aureus
UP_5afea06ab560a525e381f6c8	225-265	B overlap 100%	Staphylococcus argenteus
UP_5bbec0493fad67c07e5cf02b	283-323	B overlap 100%	Staphylococcus aureus
UP_5c006ddddf8fa9ce5cac1b28	283-323	B overlap 100%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	295-335	B overlap 100%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	225-265	B overlap 100%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	225-265	B overlap 100%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	283-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_897

41 aa | 97.56% best ungapped identity | 1 substitutions | part 8/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_608ceea43032113cb4d07194	283-323	B overlap 100%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	341-381	B overlap 100%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	283-323	B overlap 100%	Staphylococcus aureus
UP_6193b3607b8eab64acbfe79f	164-204	B overlap 100%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	353-393	B overlap 100%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	225-265	B overlap 100%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	283-323	B overlap 100%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	283-323	B overlap 100%	Staphylococcus aureus
UP_63bbd7d1ac5832ffe8cbd7f	222-262	B overlap 100%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	225-265	B overlap 100%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	283-323	B overlap 100%	Staphylococcus aureus
UP_654970f68b48978377243697	283-323	B overlap 100%	Staphylococcus aureus
UP_65e146a1b116723a43999d3c	225-265	B overlap 100%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	225-265	B overlap 100%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	225-265	B overlap 100%	Staphylococcus aureus
UP_67b157c032f302cca570b203	353-393	B overlap 100%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	283-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_897

41 aa | 97.56% best ungapped identity | 1 substitutions | part 9/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_687782ca218e6b0ad2ae44ec	283-323	B overlap 100%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	283-323	B overlap 100%	Staphylococcus aureus
UP_6a0f7e403b1f461cbbb6fbc4	283-323	B overlap 100%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	283-323	B overlap 100%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	283-323	B overlap 100%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	283-323	B overlap 100%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	353-393	B overlap 100%	Staphylococcus aureus
UP_6d760fbcf9f250b9d80b6377	225-265	B overlap 100%	Staphylococcus argenteus
UP_6d765dcd23be695e8386b589	283-323	B overlap 100%	Staphylococcus aureus
UP_6d9da94581db0938331cd2b3	225-265	B overlap 100%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	283-323	B overlap 100%	Staphylococcus aureus
UP_6dc6cc8e9acff01b2bc3cf5c	225-265	B overlap 100%	Staphylococcus argenteus
UP_6dde12d1b214335f1b98b297	283-323	B overlap 100%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	283-323	B overlap 100%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	283-323	B overlap 100%	Staphylococcus aureus
UP_6eb5ab0c8436b449ad83a5f5	283-323	B overlap 100%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	295-335	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_897

41 aa | 97.56% best ungapped identity | 1 substitutions | part 10/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLND
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND

All equally best ungapped sites on this page

UP_72dd9fa28dab2363ac98467e	283-323	B overlap 100%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	283-323	B overlap 100%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	341-381	B overlap 100%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	283-323	B overlap 100%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	341-381	B overlap 100%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	222-262	B overlap 100%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	225-265	B overlap 100%	Staphylococcus aureus
UP_78cb36d5406f2cb3ba9cc181	283-323	B overlap 100%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	283-323	B overlap 100%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	283-323	B overlap 100%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	457-497	B overlap 100%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	283-323	B overlap 100%	Staphylococcus aureus
UP_79e0b1d188807716a8d270a0	167-207	B overlap 100%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	295-335	B overlap 100%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	225-265	B overlap 100%	Staphylococcus aureus
UP_7b396004f533ff0066241ed7	220-260	B overlap 100%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	225-265	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_897

41 aa | 97.56% best ungapped identity | 1 substitutions | part 11/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_7c5c19f3391cae5013f8808e	225-265	B overlap 100%	Staphylococcus aureus
UP_7d479adc0e68c632662d57f1	242-282	B overlap 100%	Staphylococcus aureus
UP_7e1d634bed16b84ddf354b21	225-265	B overlap 100%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	283-323	B overlap 100%	Staphylococcus aureus
UP_7f705628d3208506515b3404	283-323	B overlap 100%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	225-265	B overlap 100%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	283-323	B overlap 100%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	283-323	B overlap 100%	Staphylococcus aureus
UP_857b4b53ca1f3ac9d11a0570	225-265	B overlap 100%	Staphylococcus roterodami
UP_85dd3992b51e31c2bfa5968c	225-265	B overlap 100%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	283-323	B overlap 100%	Staphylococcus aureus
UP_86d09985303304149d93296c	173-213	B overlap 100%	Staphylococcus aureus
UP_87c984f47195a756918038f8	225-265	B overlap 100%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	231-271	B overlap 100%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	283-323	B overlap 100%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	471-511	B overlap 100%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	225-265	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_897

41 aa | 97.56% best ungapped identity | 1 substitutions | part 12/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_88f858d06848fb1195a19f07	225-265	B overlap 100%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	167-207	B overlap 100%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	225-265	B overlap 100%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	225-265	B overlap 100%	Staphylococcus aureus
UP_8ebf15b38a54e71995270aa9	283-323	B overlap 100%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	283-323	B overlap 100%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	222-262	B overlap 100%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	341-381	B overlap 100%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	225-265	B overlap 100%	Staphylococcus aureus
UP_91eb16918889951219e50a73	283-323	B overlap 100%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	283-323	B overlap 100%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	341-381	B overlap 100%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	283-323	B overlap 100%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	283-323	B overlap 100%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	283-323	B overlap 100%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	283-323	B overlap 100%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	283-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_897

41 aa | 97.56% best ungapped identity | 1 substitutions | part 13/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLND
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND

All equally best ungapped sites on this page

UP_950ac899ed983d043130a8ab	283-323	B overlap 100%	Staphylococcus aureus
UP_95e30e740b9bec939fb36b82	231-271	B overlap 100%	Staphylococcus aureus
UP_971043b6271e59644756c924	225-265	B overlap 100%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	283-323	B overlap 100%	Staphylococcus aureus
UP_97f0a7f803bf14863e2afac5	283-323	B overlap 100%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	283-323	B overlap 100%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	225-265	B overlap 100%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	283-323	B overlap 100%	Staphylococcus aureus
UP_9d6ccee6db34ab44b810682d	225-265	B overlap 100%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	225-265	B overlap 100%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	283-323	B overlap 100%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	341-381	B overlap 100%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	225-265	B overlap 100%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	283-323	B overlap 100%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	283-323	B overlap 100%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	225-265	B overlap 100%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	283-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_897

41 aa | 97.56% best ungapped identity | 1 substitutions | part 14/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLND
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND

All equally best ungapped sites on this page

UP_a4501f73cdc29a8f8c35da9e	283-323	B overlap 100%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	225-265	B overlap 100%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	295-335	B overlap 100%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	225-265	B overlap 100%	Staphylococcus aureus
UP_a63805e85e5aef46e95e985a	283-323	B overlap 100%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	170-210	B overlap 100%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	225-265	B overlap 100%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	172-212	B overlap 100%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	283-323	B overlap 100%	Staphylococcus aureus
UP_a9a7d6d01c7f41bbd8cd14f9	167-207	B overlap 100%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	167-207	B overlap 100%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	225-265	B overlap 100%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	295-335	B overlap 100%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	225-265	B overlap 100%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	225-265	B overlap 100%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	283-323	B overlap 100%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	341-381	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_897

41 aa | 97.56% best ungapped identity | 1 substitutions | part 15/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_add239549e9b47b3b849d17d	283-323	B overlap 100%	Staphylococcus aureus
UP_ade79f7d868ba2e8ccab475c	283-323	B overlap 100%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	225-265	B overlap 100%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	283-323	B overlap 100%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	225-265	B overlap 100%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	283-323	B overlap 100%	Staphylococcus aureus
UP_aeef4a2afc83331be02cf5f3	283-323	B overlap 100%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	283-323	B overlap 100%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	295-335	B overlap 100%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	225-265	B overlap 100%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	178-218	B overlap 100%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	283-323	B overlap 100%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	283-323	B overlap 100%	Staphylococcus aureus
UP_b1ccbbc665058d4e6104b0dc	225-265	B overlap 100%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	167-207	B overlap 100%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	283-323	B overlap 100%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	283-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_897

41 aa | 97.56% best ungapped identity | 1 substitutions | part 16/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_b36c2f2a2fae9b56820692c7	283-323	B overlap 100%	Staphylococcus aureus
UP_b448388f79d88503154c8958	283-323	B overlap 100%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	283-323	B overlap 100%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	283-323	B overlap 100%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	225-265	B overlap 100%	Staphylococcus aureus
UP_b89432f6e7437c0651852af5	164-204	B overlap 100%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	283-323	B overlap 100%	Staphylococcus aureus
UP_ba3dbbb1752f978426b34109	283-323	B overlap 100%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	353-393	B overlap 100%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	283-323	B overlap 100%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	283-323	B overlap 100%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	242-282	B overlap 100%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	283-323	B overlap 100%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	283-323	B overlap 100%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	283-323	B overlap 100%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	283-323	B overlap 100%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	283-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_897

41 aa | 97.56% best ungapped identity | 1 substitutions | part 17/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_c19b2cacfb0fadd8c64def21	283-323	B overlap 100%	Staphylococcus aureus
UP_c360b4eef28e7ac3a6add6d9	79-119	B overlap 100%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	283-323	B overlap 100%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	225-265	B overlap 100%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	237-277	B overlap 100%	Staphylococcus aureus
UP_c66fb56937c7c7bcd71a0023	283-323	B overlap 100%	Staphylococcus aureus
UP_c6e58db97616169658087da4	283-323	B overlap 100%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	225-265	B overlap 100%	Staphylococcus aureus
UP_c79f344ebf136f2f2c30c04a	225-265	B overlap 100%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	225-265	B overlap 100%	Staphylococcus aureus
UP_ca2557d80a4a8e1b64e5d716	283-323	B overlap 100%	Staphylococcus aureus
UP_ca698c2d92aaa89331dd0ba4	225-265	B overlap 100%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	283-323	B overlap 100%	Staphylococcus aureus
UP_cc018e0aa888e81d3674855c	259-299	B overlap 100%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	283-323	B overlap 100%	Staphylococcus aureus
UP_cd8da5efd6990027122cfe46	283-323	B overlap 100%	Staphylococcus aureus
UP_cda3c6f0d10df8be6dc4ff46	225-265	B overlap 100%	Staphylococcus argenteus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_897

41 aa | 97.56% best ungapped identity | 1 substitutions | part 18/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_ce48648d81e147b208ae7f35	283-323	B overlap 100%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	283-323	B overlap 100%	Staphylococcus aureus
UP_cfedaa72f01f43f853011c47	225-265	B overlap 100%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	341-381	B overlap 100%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	225-265	B overlap 100%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	356-396	B overlap 100%	Staphylococcus aureus
UP_d2f4d68676a2244ecc95da63	112-152	B overlap 100%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	225-265	B overlap 100%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	225-265	B overlap 100%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	283-323	B overlap 100%	Staphylococcus aureus
UP_d42f3bf1007f1620dba29aac	225-265	B overlap 100%	Staphylococcus argenteus
UP_d446b7e01a0f059e086dcfed	283-323	B overlap 100%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d5b345437142d9cf807db25d	225-265	B overlap 100%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	225-265	B overlap 100%	Staphylococcus aureus
UP_d7a61917e251e0f799ce2cd3	283-323	B overlap 100%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	283-323	B overlap 100%	Staphylococcus aureus
UP_ddcc25ff5408d54d5c32163f	341-381	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_897

41 aa | 97.56% best ungapped identity | 1 substitutions | part 19/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_de03166de512b68a9e6934b6	341-381	B overlap 100%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	283-323	B overlap 100%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbab69	283-323	B overlap 100%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	225-265	B overlap 100%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	225-265	B overlap 100%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	283-323	B overlap 100%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	225-265	B overlap 100%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	283-323	B overlap 100%	Staphylococcus aureus
UP_e09b710f80fd0bf7aa57a91	172-212	B overlap 100%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	225-265	B overlap 100%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	283-323	B overlap 100%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	86-126	B overlap 100%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	295-335	B overlap 100%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	225-265	B overlap 100%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	283-323	B overlap 100%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	295-335	B overlap 100%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	231-271	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_897

41 aa | 97.56% best ungapped identity | 1 substitutions | part 20/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLND
 |||
 Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND

All equally best ungapped sites on this page

UP_e558dfe41e35627210d8d204	283-323	B overlap 100%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	283-323	B overlap 100%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	283-323	B overlap 100%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	225-265	B overlap 100%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	225-265	B overlap 100%	Staphylococcus aureus
UP_e6d99cc66a27067b7ac482cc	225-265	B overlap 100%	Staphylococcus argenteus
UP_e75719246134c49f59f96f37	242-282	B overlap 100%	Staphylococcus aureus
UP_e80088e3013d805979b62cf8	283-323	B overlap 100%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	283-323	B overlap 100%	Staphylococcus aureus
UP_e8660c08c415ba34c1abb89c	283-323	B overlap 100%	Staphylococcus aureus
UP_e990d8034fb39b39c030fd87	283-323	B overlap 100%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	225-265	B overlap 100%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	283-323	B overlap 100%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	283-323	B overlap 100%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	225-265	B overlap 100%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	167-207	B overlap 100%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	283-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_897

41 aa | 97.56% best ungapped identity | 1 substitutions | part 21/21

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 351. Ungapped best parents: 351. Inclusive-database exact parents excluded from main set: 1.

Query YEILHLPNLTEEQRNGVIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent YEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_f1910f03b2defa2d1d01fb4d	225-265	B overlap 100%	Staphylococcus aureus
UP_f1c8a677456a5de29a99e38e	283-323	B overlap 100%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	283-323	B overlap 100%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	283-323	B overlap 100%	Staphylococcus aureus
UP_f3f516963b9fff79fee15396	225-265	B overlap 100%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	295-335	B overlap 100%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	112-152	B overlap 100%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	225-265	B overlap 100%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	237-277	B overlap 100%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	283-323	B overlap 100%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	283-323	B overlap 100%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	341-381	B overlap 100%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	237-277	B overlap 100%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	225-265	B overlap 100%	Staphylococcus aureus
UP_ffc5b205486d979b4f71e25f	283-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

52 aa | 98.08% best ungapped identity | 1 substitutions | part 1/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 92. Ungapped best parents: 92. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEDQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND

|||||.|||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND

All equally best ungapped sites on this page

UP_019dd2dfa9fcd76a3ad06286	48-99	B overlap 100%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	37-88	B overlap 100%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	37-88	B overlap 100%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	37-88	B overlap 100%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	48-99	B overlap 100%	Staphylococcus aureus
UP_0558a58a6056e4177ee8a734	37-88	B overlap 100%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	37-88	B overlap 100%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	37-88	B overlap 100%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	37-88	B overlap 100%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	37-88	B overlap 100%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	37-88	B overlap 100%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	37-88	B overlap 100%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	37-88	B overlap 100%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	37-88	B overlap 100%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	37-88	B overlap 100%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	49-100	B overlap 100%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

52 aa | 98.08% best ungapped identity | 1 substitutions | part 2/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 92. Ungapped best parents: 92. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEDQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNS

|||||.|||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND

All equally best ungapped sites on this page

UP_25a25a50af6d82d022c1b30	37-88	B overlap 100%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	37-88	B overlap 100%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	37-88	B overlap 100%	Staphylococcus aureus
UP_2bd9d8f9a1f5bb1a2e03e456	37-88	B overlap 100%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	37-88	B overlap 100%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	37-88	B overlap 100%	Staphylococcus aureus
UP_34e7dec5146720f3668d8dfd6	37-88	B overlap 100%	Staphylococcus schweitzeri
UP_37e60ca6c449c9241b51223d	37-88	B overlap 100%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	37-88	B overlap 100%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	37-88	B overlap 100%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	49-100	B overlap 100%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	37-88	B overlap 100%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	37-88	B overlap 100%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	37-88	B overlap 100%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	37-88	B overlap 100%	Staphylococcus aureus
UP_493fc1e6cf2d8753094287af	37-88	B overlap 100%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_931

52 aa | 98.08% best ungapped identity | 1 substitutions | part 3/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 92. Ungapped best parents: 92. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEDQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND

|||||. | |||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNS

All equally best ungapped sites on this page

UP_51c0096cd463a4b89359dc12	48-99	B overlap 100%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	37-88	B overlap 100%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	37-88	B overlap 100%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	37-88	B overlap 100%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	37-88	B overlap 100%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	37-88	B overlap 100%	Staphylococcus aureus
UP_654970f68b48978377243697	37-88	B overlap 100%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	37-88	B overlap 100%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	37-88	B overlap 100%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	37-88	B overlap 100%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	37-88	B overlap 100%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	37-88	B overlap 100%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	37-88	B overlap 100%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	37-88	B overlap 100%	Staphylococcus schweitzeri
UP_78d0100d0949dc0f0cb18a07	37-88	B overlap 100%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	37-88	B overlap 100%	Staphylococcus aureus
UP_7e101fe0a0c932eb329824da	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_931

52 aa | 98.08% best ungapped identity | 1 substitutions | part 4/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 92. Ungapped best parents: 92. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEDQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND\$
 |||||.|||||
Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND\$

All equally best ungapped sites on this page

UP_7f4311fb31c09bcc2207ac80	37-88	B overlap 100%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	37-88	B overlap 100%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	37-88	B overlap 100%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	37-88	B overlap 100%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	37-88	B overlap 100%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	37-88	B overlap 100%	Staphylococcus aureus
UP_9d39a6668a25b34b2d8a3444	48-99	B overlap 100%	Staphylococcus aureus
UP_9d6ccee6db34ab44b810682d	37-88	B overlap 100%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	37-88	B overlap 100%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	37-88	B overlap 100%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	37-88	B overlap 100%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	37-88	B overlap 100%	Staphylococcus aureus
UP_ba9164430963a14567ce2a70	49-100	B overlap 100%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	37-88	B overlap 100%	Staphylococcus aureus
UP_bde2fa9c31fb8faa98d74869	48-99	B overlap 100%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	37-88	B overlap 100%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

52 aa | 98.08% best ungapped identity | 1 substitutions | part 5/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 92. Ungapped best parents: 92. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEDQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND

|||||.|||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND

All equally best ungapped sites on this page

UP_be959ce6ef2dd96b1e1c54e2	37-88	B overlap 100%	Staphylococcus aureus
UP_c111755f4dc3716c70d4a25d	48-99	B overlap 100%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	37-88	B overlap 100%	Staphylococcus aureus
UP_c45cb0f00466c9f2a59ce3df	37-88	B overlap 100%	Staphylococcus aureus
UP_c8395fe6773de5d93253fdb2	22-73	B overlap 100%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	37-88	B overlap 100%	Staphylococcus aureus
UP_cc018e0aa888e81d3674855c	37-88	B overlap 100%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	37-88	B overlap 100%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	37-88	B overlap 100%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	37-88	B overlap 100%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d7a61917e251e0f799ce2cd3	37-88	B overlap 100%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	37-88	B overlap 100%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	37-88	B overlap 100%	Staphylococcus aureus
UP_e209bb92e764aa1d81ca9fbc	37-88	B overlap 100%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	43-94	B overlap 100%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	37-88	B overlap 100%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_931

52 aa | 98.08% best ungapped identity | 1 substitutions | part 6/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 92. Ungapped best parents: 92. Inclusive-database exact parents excluded from main set: 1.

Query AQHDEDQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND

|||||.|||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND

All equally best ungapped sites on this page

UP_e98c9e5a5c44c596ea9c499e	37-88	B overlap 100%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	37-88	B overlap 100%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	37-88	B overlap 100%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	37-88	B overlap 100%	Staphylococcus aureus
UP_f128cef13388885c81d316f6	48-99	B overlap 100%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	49-100	B overlap 100%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	49-100	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_935

51 aa | 98.04% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 2. Ungapped best parents: 2. Inclusive-database exact parents excluded from main set: 0.

Query QNNYVTDQQKAFYQVLHLKGIAEEQRDQYIKTLREHPERAQEVFSESCLKDS
|||||
Parent QNNYVTDQQKAFYQVLHLKGITEEQRDQYIKTLREHPERAQEVFSESCLKDS

All equally best ungapped sites on this page

UP_4a81fa9fba5be38d6dab4905	44-94	B overlap 100%	Staphylococcus roterodami
UP_f3b6261229d64de24de2a5ff	44-94	B overlap 100%	Staphylococcus schweitzeri

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_957

52 aa | 98.08% best ungapped identity | 1 substitutions | part 1/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 93. Ungapped best parents: 93. Inclusive-database exact parents excluded from main set: 0.

Query TQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND

• |||||

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLNS

All equally best ungapped sites on this page

UP_019dd2dfa9fcd76a3ad06286	48-99	B overlap 100%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	37-88	B overlap 100%	Staphylococcus aureus
UP_03f4e53ef85ba4ca9e703c99	37-88	B overlap 100%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	37-88	B overlap 100%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	48-99	B overlap 100%	Staphylococcus aureus
UP_0558a58a6056e4177ee8a734	37-88	B overlap 100%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	37-88	B overlap 100%	Staphylococcus aureus
UP_089401edee5041f7fee8922d	37-88	B overlap 100%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	37-88	B overlap 100%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	37-88	B overlap 100%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	37-88	B overlap 100%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	37-88	B overlap 100%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	37-88	B overlap 100%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	37-88	B overlap 100%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	37-88	B overlap 100%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	49-100	B overlap 100%	Staphylococcus aureus
UP_24b2d55e0b8b4fd61b242c12	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_957

52 aa | 98.08% best ungapped identity | 1 substitutions | part 2/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 93. Ungapped best parents: 93. Inclusive-database exact parents excluded from main set: 0.

Query TQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND

All equally best ungapped sites on this page

UP_25a25a50af6d82d022c1b30	37-88	B overlap 100%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	37-88	B overlap 100%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	37-88	B overlap 100%	Staphylococcus aureus
UP_2bd9d8f9a1f5bb1a2e03e456	37-88	B overlap 100%	Staphylococcus aureus
UP_2daa6ae7aebad8c6abcfb72d	37-88	B overlap 100%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	37-88	B overlap 100%	Staphylococcus aureus
UP_34e7dec5146720f3668dffd6	37-88	B overlap 100%	Staphylococcus schweitzeri
UP_37e60ca6c449c9241b51223d	37-88	B overlap 100%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	37-88	B overlap 100%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	37-88	B overlap 100%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	37-88	B overlap 98%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	49-100	B overlap 100%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	37-88	B overlap 100%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	37-88	B overlap 100%	Staphylococcus aureus
UP_45b4c3d98fbbc76b10736fd2	37-88	B overlap 100%	Staphylococcus aureus
UP_481a5fae25af35aa7dee4cbb	37-88	B overlap 100%	Staphylococcus aureus
UP_493fc1e6cf2d8753094287af	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_957

52 aa | 98.08% best ungapped identity | 1 substitutions | part 3/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 93. Ungapped best parents: 93. Inclusive-database exact parents excluded from main set: 0.

Query TQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND\$
· |||||
Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND\$

All equally best ungapped sites on this page

UP_4d54854232b36178c273fc82	37-88	B overlap 100%	Staphylococcus aureus
UP_51c0096cd463a4b89359dc12	48-99	B overlap 100%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	37-88	B overlap 100%	Staphylococcus aureus
UP_550734204abcdeb4f1f5bb24	37-88	B overlap 100%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	37-88	B overlap 100%	Staphylococcus aureus
UP_61652e3147744691d1e5a8bd	37-88	B overlap 100%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	37-88	B overlap 100%	Staphylococcus aureus
UP_654970f68b48978377243697	37-88	B overlap 100%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	37-88	B overlap 100%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	37-88	B overlap 100%	Staphylococcus aureus
UP_682954c6a2455283ec020a0f	37-88	B overlap 100%	Staphylococcus aureus
UP_6d765dcd23be695e8386b589	37-88	B overlap 100%	Staphylococcus aureus
UP_6dde12d1b214335f1b98b297	37-88	B overlap 100%	Staphylococcus aureus
UP_6e5bbda7608529fb49505998	37-88	B overlap 100%	Staphylococcus aureus
UP_714f336b632db3af2848df0a	37-88	B overlap 100%	Staphylococcus schweitzeri
UP_78d0100d0949dc0f0cb18a07	37-88	B overlap 100%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_957

52 aa | 98.08% best ungapped identity | 1 substitutions | part 4/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 93. Ungapped best parents: 93. Inclusive-database exact parents excluded from main set: 0.

Query TQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND\$
· |||||
Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND\$

All equally best ungapped sites on this page

UP_7e101fe0a0c932eb329824da	37-88	B overlap 100%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	37-88	B overlap 100%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	37-88	B overlap 100%	Staphylococcus aureus
UP_85dd3992b51e31c2bfa5968c	37-88	B overlap 100%	Staphylococcus aureus
UP_8669acd6343173d377af9eeb	37-88	B overlap 100%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	37-88	B overlap 100%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	37-88	B overlap 100%	Staphylococcus aureus
UP_9d39a6668a25b34b2d8a3444	48-99	B overlap 100%	Staphylococcus aureus
UP_9d6ccee6db34ab44b810682d	37-88	B overlap 100%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	37-88	B overlap 100%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	37-88	B overlap 100%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	37-88	B overlap 100%	Staphylococcus aureus
UP_b30e7e945ecdd9f7156ff4b4	37-88	B overlap 100%	Staphylococcus aureus
UP_ba9164430963a14567ce2a70	49-100	B overlap 100%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	37-88	B overlap 100%	Staphylococcus aureus
UP_bde2fa9c31fb8faa98d74869	48-99	B overlap 100%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_957

52 aa | 98.08% best ungapped identity | 1 substitutions | part 5/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 93. Ungapped best parents: 93. Inclusive-database exact parents excluded from main set: 0.

Query TQHDEAQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND

.....

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND

All equally best ungapped sites on this page

UP_be60757ef48778b0359b0d48	37-88	B overlap 100%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	37-88	B overlap 100%	Staphylococcus aureus
UP_c111755f4dc3716c70d4a25d	48-99	B overlap 100%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	37-88	B overlap 100%	Staphylococcus aureus
UP_c45cb0f00466c9f2a59ce3df	37-88	B overlap 100%	Staphylococcus aureus
UP_c8395fe6773de5d93253fdb2	22-73	B overlap 100%	Staphylococcus aureus
UP_cbc7bb978eddd490dd76aea4	37-88	B overlap 100%	Staphylococcus aureus
UP_cc018e0aa888e81d3674855c	37-88	B overlap 100%	Staphylococcus aureus
UP_d029c5e7d71dbf147ea7f9c6	37-88	B overlap 100%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	37-88	B overlap 100%	Staphylococcus aureus
UP_d446b7e01a0f059e086dcfed	37-88	B overlap 100%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d7a61917e251e0f799ce2cd3	37-88	B overlap 100%	Staphylococcus aureus
UP_df5ef9df08d9fd798f955123	37-88	B overlap 100%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	37-88	B overlap 100%	Staphylococcus aureus
UP_e209bb92e764aa1d81ca9fbc	37-88	B overlap 100%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	43-94	B overlap 100%	Staphylococcus aureus
UP_e6cd4f97cbff47488f070d32	37-88	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_957

52 aa | 98.08% best ungapped identity | 1 substitutions | part 6/6

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 93. Ungapped best parents: 93. Inclusive-database exact parents excluded from main set: 0.

Query TQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND

Parent AQHDEAQQNAFYQVLNMPNLNADQRNGFIQSLKDDPSQSANVLGEAKKLND

All equally best ungapped sites on this page

UP_e849e99c27614e23057d660d	37-88	B overlap 100%	Staphylococcus aureus
UP_e98c9e5a5c44c596ea9c499e	37-88	B overlap 100%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	37-88	B overlap 100%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	37-88	B overlap 100%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	37-88	B overlap 100%	Staphylococcus aureus
UP_f128cef13388885c81d316f6	48-99	B overlap 100%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	49-100	B overlap 100%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	49-100	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_959

53 aa | 98.11% best ungapped identity | 1 substitutions | part 1/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 313. Ungapped best parents: 313. Inclusive-database exact parents excluded from main set: 0.

Query DNKFNKEQQNAFYEILYLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent DNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_00cd3bb9647178b4a3e50d84	271-323	B overlap 100%	Staphylococcus aureus
UP_00cff31cc9471abe8fe90176	271-323	B overlap 100%	Staphylococcus aureus
UP_0116d58ecf7de0d927e8f882	271-323	B overlap 100%	Staphylococcus aureus
UP_02f54e888776d3d52fe75c98	271-323	B overlap 100%	Staphylococcus aureus
UP_03a181236a3f1dca5b3e2137	213-265	B overlap 100%	Staphylococcus aureus
UP_03f0f7456ad3ed419cc4e4e6	213-265	B overlap 100%	Staphylococcus aureus
UP_042e0e654fa768f3dd814611	271-323	B overlap 100%	Staphylococcus aureus
UP_04faae54d75da101458d937d	271-323	B overlap 100%	Staphylococcus aureus
UP_051a160b2cc1e98b0cafeec5	166-218	B overlap 100%	Staphylococcus aureus
UP_0558a58a6056e4177ee8a734	155-207	B overlap 100%	Staphylococcus aureus
UP_06621ea40b1a8673bed8b999	213-265	B overlap 100%	Staphylococcus aureus
UP_069ddad137c106406bd4638b	271-323	B overlap 100%	Staphylococcus aureus
UP_07224ee582f0d6740c42ce5e	283-335	B overlap 100%	Staphylococcus aureus
UP_07e769ff4c32a32d4a66dfbb	213-265	B overlap 100%	Staphylococcus aureus
UP_080bdc344b3e8de041e14a8b	213-265	B overlap 100%	Staphylococcus argenteus
UP_0b47ec347104dea3cf401212	271-323	B overlap 100%	Staphylococcus aureus
UP_0b60d796a68d3045e93b134e	271-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_959

53 aa | 98.11% best ungapped identity | 1 substitutions | part 2/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 313. Ungapped best parents: 313. Inclusive-database exact parents excluded from main set: 0.

Query DNKFNKEQQNAFYIILYLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND
Parent DNKFNKEQQNAFYIILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND

All equally best ungapped sites on this page

UP_0c80c9392f03dca56d811fa2	271-323	B overlap 100%	Staphylococcus aureus
UP_0cc89752f503c11658a4c8e1	271-323	B overlap 100%	Staphylococcus aureus
UP_0e50e0f21a33ab0ea0d484e0	271-323	B overlap 100%	Staphylococcus aureus
UP_10f4f6cd64b765a00fca2bc0	271-323	B overlap 100%	Staphylococcus aureus
UP_11ef8762e0d1f699cca11a72	329-381	B overlap 100%	Staphylococcus aureus
UP_127db86243730a6f9df4e8bd	283-335	B overlap 100%	Staphylococcus aureus
UP_13ccf6af01357064a43132ca	271-323	B overlap 100%	Staphylococcus aureus
UP_1529d2d15daae1f92fd339c3	271-323	B overlap 100%	Staphylococcus aureus
UP_15b865d3666d14f4c1598c14	94-146	B overlap 100%	Staphylococcus aureus
UP_15ba5cb86fd86da91d8bd88c	271-323	B overlap 100%	Staphylococcus aureus
UP_1678712e643cf888f6cadf62	271-323	B overlap 100%	Staphylococcus aureus
UP_16958848fed046b3709f6bd4	271-323	B overlap 100%	Staphylococcus aureus
UP_171c514ceeeab0855461d73b	271-323	B overlap 100%	Staphylococcus aureus
UP_172cccb9efefc37e19236363	271-323	B overlap 100%	Staphylococcus aureus
UP_17a72cfa2435c90c879d4d7d	271-323	B overlap 100%	Staphylococcus aureus
UP_1abc7eb87448ff645a5298d6	213-265	B overlap 100%	Staphylococcus aureus
UP_1af3f428c2406cefee44c2eb	271-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_959

53 aa | 98.11% best ungapped identity | 1 substitutions | part 3/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 313. Ungapped best parents: 313. Inclusive-database exact parents excluded from main set: 0.

Query DNKFNKEQQNAFYEILYLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent DNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_1b50a5126b16c8571f3dbf16	210-262	B overlap 100%	Staphylococcus aureus
UP_1be437babc2a84ae74283a17	213-265	B overlap 100%	Staphylococcus aureus
UP_1c369039d2aa8fce7e14fc8	213-265	B overlap 100%	Staphylococcus aureus
UP_1ce95e93b91bf29b16fb1485	271-323	B overlap 100%	Staphylococcus aureus
UP_1ed0edfe4cb55128c723bbc5	329-381	B overlap 100%	Staphylococcus aureus
UP_233e6112055109f5fab310a6	271-323	B overlap 100%	Staphylococcus aureus
UP_23ad0d4e8e61e8e5964b80b0	213-265	B overlap 100%	Staphylococcus aureus
UP_247683c13a78b78b1408cce7	283-335	B overlap 100%	Staphylococcus aureus
UP_25a25a50af6d82d022c1bc30	271-323	B overlap 100%	Staphylococcus aureus
UP_25e7c4d9ec1239d0c3abf0f2	271-323	B overlap 100%	Staphylococcus aureus
UP_27535d7a22973790e02141b6	271-323	B overlap 100%	Staphylococcus aureus
UP_27f29e3fac76766f4af636e5	271-323	B overlap 100%	Staphylococcus aureus
UP_2875183729a0466273c1e3c1	271-323	B overlap 100%	Staphylococcus aureus
UP_29064a9961a975f454e1d6b1	271-323	B overlap 100%	Staphylococcus aureus
UP_29421b3caa551a61fd924f20	271-323	B overlap 100%	Staphylococcus aureus
UP_2ac045a2322e0b0e1176152a	213-265	B overlap 100%	Staphylococcus aureus
UP_2ade19b88ac9579247264aae	271-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_959

53 aa | 98.11% best ungapped identity | 1 substitutions | part 4/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 313. Ungapped best parents: 313. Inclusive-database exact parents excluded from main set: 0.

Query DNKFNKEQQNAFYEILYLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent DNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_2b9173d33011444e5c5e2f14	503-555	B overlap 100%	Staphylococcus aureus
UP_2bb7f359bca88a778a9c4c37	329-381	B overlap 100%	Staphylococcus aureus
UP_2bd9d8f9a1f5bb1a2e03e456	213-265	B overlap 100%	Staphylococcus aureus
UP_2def648691a179d8337edb84	167-219	B overlap 100%	Staphylococcus aureus
UP_2e3aa9956e9a8dc6c5eca313	213-265	B overlap 100%	Staphylococcus aureus
UP_2fb2339a87ce17a13c731c8b	271-323	B overlap 100%	Staphylococcus aureus
UP_31555b40cf749cea57f4e6e1	213-265	B overlap 100%	Staphylococcus aureus
UP_324c49ab20a20eee8d7b5738	213-265	B overlap 100%	Staphylococcus argenteus
UP_332e727aed2e33d630729c9d	271-323	B overlap 100%	Staphylococcus aureus
UP_3456f73a2a2eb213ca04e768	213-265	B overlap 100%	Staphylococcus aureus
UP_369376855189ded07861b56b	213-265	B overlap 100%	Staphylococcus aureus
UP_37e60ca6c449c9241b51223d	271-323	B overlap 100%	Staphylococcus aureus
UP_3857b73b64bcc8ece5dac794	271-323	B overlap 100%	Staphylococcus aureus
UP_38c4dc61cd0e5be23ba4a40a	329-381	B overlap 100%	Staphylococcus aureus
UP_3a13d753eda513cbd292f995	271-323	B overlap 100%	Staphylococcus aureus
UP_3a42c26503937de9eaf4c2e2	213-265	B overlap 100%	Staphylococcus roterodami
UP_3a6796c5a9d5c6e6a7f4b190	329-381	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_959

53 aa | 98.11% best ungapped identity | 1 substitutions | part 5/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 313. Ungapped best parents: 313. Inclusive-database exact parents excluded from main set: 0.

Query DNKFNKEQQNAFYEILYLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAA
|||||
Parent DNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAA

All equally best ungapped sites on this page

UP_3b5d00aa43f6f726e74f8c5b	213-265	B overlap 100%	Staphylococcus aureus
UP_3c32faf6872b0a8e85bf68be	271-323	B overlap 100%	Staphylococcus aureus
UP_3c8c17cdc14c1efbda4317f7	271-323	B overlap 100%	Staphylococcus aureus
UP_3d2614779048da187db5a7df	271-323	B overlap 100%	Staphylococcus aureus
UP_3d571252244f795c04507670	271-323	B overlap 100%	Staphylococcus aureus
UP_3d709a118b2e3fa7ce83d3cb	213-265	B overlap 100%	Staphylococcus aureus
UP_3dcc88afac45ff01dc644ca6	225-277	B overlap 100%	Staphylococcus aureus
UP_3deac7afe1d09cf6d458d16d	67-119	B overlap 100%	Staphylococcus aureus
UP_3fee6a180afdbfcb0846e0dd	213-265	B overlap 100%	Staphylococcus aureus
UP_413f984d04fff30bbefc9086	271-323	B overlap 100%	Staphylococcus aureus
UP_41aeab70450d9496fad47692	271-323	B overlap 100%	Staphylococcus aureus
UP_41c651f601c919b8ee6882b1	271-323	B overlap 100%	Staphylococcus aureus
UP_4271883fc6ad1062b7fc0f1c	271-323	B overlap 100%	Staphylococcus aureus
UP_42c6d0abd3e7d4da6ec47e2d	271-323	B overlap 100%	Staphylococcus aureus
UP_43e1f746e535aaa2728e115e	329-381	B overlap 100%	Staphylococcus aureus
UP_45a183f1c00512726bcadecb	271-323	B overlap 100%	Staphylococcus aureus
UP_45e4aaf3fb1330efcbb2d949	213-265	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_959

53 aa | 98.11% best ungapped identity | 1 substitutions | part 6/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 313. Ungapped best parents: 313. Inclusive-database exact parents excluded from main set: 0.

Query DNKFNKEQQNAFYIILYLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent DNKFNKEQQNAFYIILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_4667ae039c0ce4ff6d65fa16	94-146	B overlap 100%	Staphylococcus aureus
UP_46cd879e24623ead35e04d06	213-265	B overlap 100%	Staphylococcus aureus
UP_4804812c0737255bc0231c5e	283-335	B overlap 100%	Staphylococcus aureus
UP_483345435ebd382942892e04	152-204	B overlap 100%	Staphylococcus argenteus
UP_493fc1e6cf2d8753094287af	213-265	B overlap 100%	Staphylococcus aureus
UP_49c97426f3be57d31141a0ac	155-207	B overlap 100%	Staphylococcus aureus
UP_4a99a68bca225a34c1acf63f	271-323	B overlap 100%	Staphylococcus aureus
UP_4bf24ef2b76d0095dac00c3b	445-497	B overlap 100%	Staphylococcus aureus
UP_4c1fd99d56c771d3922e9759	213-265	B overlap 100%	Staphylococcus aureus
UP_4ceeb2195c19bf40231b07fa	213-265	B overlap 100%	Staphylococcus aureus
UP_4d54854232b36178c273fc82	213-265	B overlap 100%	Staphylococcus aureus
UP_4f7ac95290874e78b8d9f0ed	94-146	B overlap 100%	Staphylococcus aureus
UP_529b0b3dc076b8643749c136	271-323	B overlap 100%	Staphylococcus aureus
UP_53bda1e019bb6333499b4959	271-323	B overlap 100%	Staphylococcus aureus
UP_5797f74530edb6dca240d934	213-265	B overlap 100%	Staphylococcus aureus
UP_59a4d124422826b95666ef8a	271-323	B overlap 100%	Staphylococcus aureus
UP_5afea06ab560a525e381f6c8	213-265	B overlap 100%	Staphylococcus argenteus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_959

53 aa | 98.11% best ungapped identity | 1 substitutions | part 7/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 313. Ungapped best parents: 313. Inclusive-database exact parents excluded from main set: 0.

Query DNKFNKEQQNAFYEILYLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent DNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_5bbec0493fad67c07e5cf02b	271-323	B overlap 100%	Staphylococcus aureus
UP_5c006dddf8fa9ce5cac1b28	271-323	B overlap 100%	Staphylococcus aureus
UP_5c12c291e4303f0c3d8c9a01	283-335	B overlap 100%	Staphylococcus aureus
UP_5c79f37096e7b6a91cf6a35b	213-265	B overlap 100%	Staphylococcus aureus
UP_5d11bada277abae4eaf31121	213-265	B overlap 100%	Staphylococcus aureus
UP_603c7e419e9551450ddc81d0	271-323	B overlap 100%	Staphylococcus aureus
UP_608ceea43032113cb4d07194	271-323	B overlap 100%	Staphylococcus aureus
UP_60b271b0316c17b99e44dff0	329-381	B overlap 100%	Staphylococcus aureus
UP_611b20af5be0fe34429e6e36	271-323	B overlap 100%	Staphylococcus aureus
UP_6193b3607b8eab64acbfe79f	152-204	B overlap 100%	Staphylococcus aureus
UP_620657321ae23ca343b761c0	341-393	B overlap 100%	Staphylococcus aureus
UP_6281f86929c3235deb35418e	213-265	B overlap 100%	Staphylococcus aureus
UP_62b79e5e20fa73c10c860c74	271-323	B overlap 100%	Staphylococcus aureus
UP_62f5b155ce6d81fb279b50da	271-323	B overlap 100%	Staphylococcus aureus
UP_63bbd7d1ac5832ffe8cbd7f	210-262	B overlap 100%	Staphylococcus aureus
UP_64583860a78b7b243875bb2d	213-265	B overlap 100%	Staphylococcus aureus
UP_649aef15e2ae8a296e72350f	271-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_959

53 aa | 98.11% best ungapped identity | 1 substitutions | part 8/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 313. Ungapped best parents: 313. Inclusive-database exact parents excluded from main set: 0.

Query DNKFNKEQQNAFYEILYLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent DNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_654970f68b48978377243697	271-323	B overlap 100%	Staphylococcus aureus
UP_65e67af9c2504be8420670b1	213-265	B overlap 100%	Staphylococcus aureus
UP_66f5e2adf96bd54c184bdb76	213-265	B overlap 100%	Staphylococcus aureus
UP_67b157c032f302cca570b203	341-393	B overlap 100%	Staphylococcus aureus
UP_67ec69e18054645a52c97d7d	271-323	B overlap 100%	Staphylococcus aureus
UP_687782ca218e6b0ad2ae44ec	271-323	B overlap 100%	Staphylococcus aureus
UP_69110bf3c572e891b42e16a0	271-323	B overlap 100%	Staphylococcus aureus
UP_6adc3c978a0a0cde742ac48e	271-323	B overlap 100%	Staphylococcus aureus
UP_6afbaf783543b8f49d10ac03	271-323	B overlap 100%	Staphylococcus aureus
UP_6c62710e758211acf2afb806	271-323	B overlap 100%	Staphylococcus aureus
UP_6cdfc22a5c49b1baf8e2d57e	341-393	B overlap 100%	Staphylococcus aureus
UP_6d760fbcf9f250b9d80b6377	213-265	B overlap 100%	Staphylococcus argenteus
UP_6d765dcd23be695e8386b589	271-323	B overlap 100%	Staphylococcus aureus
UP_6da8fc4aa58d4301cb08006e	271-323	B overlap 100%	Staphylococcus aureus
UP_6dc6cc8e9acff01b2bc3cf5c	213-265	B overlap 100%	Staphylococcus argenteus
UP_6dde12d1b214335f1b98b297	271-323	B overlap 100%	Staphylococcus aureus
UP_6e049e4ca0302272d62248f6	271-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_959

53 aa | 98.11% best ungapped identity | 1 substitutions | part 9/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 313. Ungapped best parents: 313. Inclusive-database exact parents excluded from main set: 0.

Query DNKFNKEQQNAFYIILYLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND
Parent DNKFNKEQQNAFYIILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND

All equally best ungapped sites on this page

UP_6eb5ab0c8436b449ad83a5f5	271-323	B overlap 100%	Staphylococcus aureus
UP_728122342f84c9b8787f4a69	283-335	B overlap 100%	Staphylococcus aureus
UP_72dd9fa28dab2363ac98467e	271-323	B overlap 100%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	271-323	B overlap 100%	Staphylococcus aureus
UP_74703a26fe5c31c3ed92f291	329-381	B overlap 100%	Staphylococcus aureus
UP_74b2aa306fe651ea390af003	271-323	B overlap 100%	Staphylococcus aureus
UP_74fe9ca5325f9fb09bb22cc3	329-381	B overlap 100%	Staphylococcus aureus
UP_765723fc1968b55d97f0d898	210-262	B overlap 100%	Staphylococcus aureus
UP_7795fca204a5e78852cf520f	213-265	B overlap 100%	Staphylococcus aureus
UP_78d0100d0949dc0f0cb18a07	271-323	B overlap 100%	Staphylococcus aureus
UP_78df64048dd12a47ebc935ef	271-323	B overlap 100%	Staphylococcus aureus
UP_7927bfde9a5a8cb5117de33e	445-497	B overlap 100%	Staphylococcus aureus
UP_79d5a456d06c11f134b82a70	271-323	B overlap 100%	Staphylococcus aureus
UP_7a7f77ea2018694299d01526	283-335	B overlap 100%	Staphylococcus aureus
UP_7b0dab3685caa82d4893fd26	213-265	B overlap 100%	Staphylococcus aureus
UP_7c356e4bb818e50881bc623e	213-265	B overlap 100%	Staphylococcus aureus
UP_7c5c19f3391cae5013f8808e	213-265	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_959

53 aa | 98.11% best ungapped identity | 1 substitutions | part 10/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 313. Ungapped best parents: 313. Inclusive-database exact parents excluded from main set: 0.

Query DNKFNKEQQNAFYEILYLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent DNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_7e1d634bed16b84ddf354b21	213-265	B overlap 100%	Staphylococcus aureus
UP_7f4311fb31c09bcc2207ac80	271-323	B overlap 100%	Staphylococcus aureus
UP_7f705628d3208506515b3404	271-323	B overlap 100%	Staphylococcus aureus
UP_8330a928b0e7d73b8a1f55c6	213-265	B overlap 100%	Staphylococcus aureus
UP_8345d752509ffffcccf415a5	271-323	B overlap 100%	Staphylococcus aureus
UP_8387ccb33602d357a0047d59	271-323	B overlap 100%	Staphylococcus aureus
UP_857b4b53ca1f3ac9d11a0570	213-265	B overlap 100%	Staphylococcus roterodami
UP_85dd3992b51e31c2bfa5968c	213-265	B overlap 100%	Staphylococcus aureus
UP_86d09985303304149d93296c	161-213	B overlap 100%	Staphylococcus aureus
UP_87c984f47195a756918038f8	213-265	B overlap 100%	Staphylococcus aureus
UP_87d28524a66281b6bb26bf59	219-271	B overlap 100%	Staphylococcus aureus
UP_880b0305912327d2b0fa85b9	271-323	B overlap 100%	Staphylococcus aureus
UP_881bbe01144ac1c1eb0bfe37	213-265	B overlap 100%	Staphylococcus aureus
UP_88f858d06848fb1195a19f07	213-265	B overlap 100%	Staphylococcus aureus
UP_8a0d361bf55f0370abed901b	155-207	B overlap 100%	Staphylococcus aureus
UP_8b309cd32d7ae555f36ba5ea	213-265	B overlap 100%	Staphylococcus aureus
UP_8c4f151ceee80c782e29e6c8	213-265	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_959

53 aa | 98.11% best ungapped identity | 1 substitutions | part 11/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 313. Ungapped best parents: 313. Inclusive-database exact parents excluded from main set: 0.

Query DNKFNKEQQNAFYIILYLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent DNKFNKEQQNAFYIILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_8ebf15b38a54e71995270aa9	271-323	B overlap 100%	Staphylococcus aureus
UP_8ec48e90fd6193201e736c4a	271-323	B overlap 100%	Staphylococcus aureus
UP_90b2ae6a5dc85d85fe642767	210-262	B overlap 100%	Staphylococcus aureus
UP_9135ac09959d17a301bf7250	329-381	B overlap 100%	Staphylococcus aureus
UP_918e6ea85b2345fa36a39d6e	213-265	B overlap 100%	Staphylococcus aureus
UP_91eb16918889951219e50a73	271-323	B overlap 100%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	271-323	B overlap 100%	Staphylococcus aureus
UP_91fa280e66b50135c2abc59a	329-381	B overlap 100%	Staphylococcus aureus
UP_921b1b7b655508c83e728a17	271-323	B overlap 100%	Staphylococcus aureus
UP_9405efe3c9c1b998737ba3a9	271-323	B overlap 100%	Staphylococcus aureus
UP_9440c84eb3c5a65c15335c6a	271-323	B overlap 100%	Staphylococcus aureus
UP_94696029669c440ee3f1e3bb	271-323	B overlap 100%	Staphylococcus aureus
UP_94cef63d0d2b1cf0fa388d8a	271-323	B overlap 100%	Staphylococcus aureus
UP_950ac899ed983d043130a8ab	271-323	B overlap 100%	Staphylococcus aureus
UP_95e30e740b9bec939fb36b82	219-271	B overlap 100%	Staphylococcus aureus
UP_971043b6271e59644756c924	213-265	B overlap 100%	Staphylococcus aureus
UP_9755ec8ce599724ad5ad1320	271-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_959

53 aa | 98.11% best ungapped identity | 1 substitutions | part 12/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 313. Ungapped best parents: 313. Inclusive-database exact parents excluded from main set: 0.

Query DNKFNKEQQNAFYIILYLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent DNKFNKEQQNAFYIILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_97f0a7f803bf14863e2afac5	271-323	B overlap 100%	Staphylococcus aureus
UP_9819abf61294ca7e009f396c	271-323	B overlap 100%	Staphylococcus aureus
UP_9adc60b79cb57bb40c8e8642	213-265	B overlap 100%	Staphylococcus aureus
UP_9bd8f1fc33e86407f447de60	271-323	B overlap 100%	Staphylococcus aureus
UP_9d6ccee6db34ab44b810682d	213-265	B overlap 100%	Staphylococcus aureus
UP_9e397f6bcfd504108ff1d04f	213-265	B overlap 100%	Staphylococcus aureus
UP_9f4197427ac818393ee9d5f5	271-323	B overlap 100%	Staphylococcus aureus
UP_a0aa8aa9b9e13091daa307ec	329-381	B overlap 100%	Staphylococcus aureus
UP_a1447992e95160a52554a1a5	213-265	B overlap 100%	Staphylococcus aureus
UP_a1c16686cb18780db1e61843	271-323	B overlap 100%	Staphylococcus aureus
UP_a1eb47e3af67406e5c2bcdde	271-323	B overlap 100%	Staphylococcus aureus
UP_a333e660243449b3b94ec39b	213-265	B overlap 100%	Staphylococcus aureus
UP_a40d4a749c88c3df5ae0964e	271-323	B overlap 100%	Staphylococcus aureus
UP_a4501f73cdc29a8f8c35da9e	271-323	B overlap 100%	Staphylococcus aureus
UP_a451ec5956d3ea7680faaf88	213-265	B overlap 100%	Staphylococcus aureus
UP_a496e39d8ed9511ac38a7bed	283-335	B overlap 100%	Staphylococcus aureus
UP_a4c8a9731fd8233e1ba12907	213-265	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_959

53 aa | 98.11% best ungapped identity | 1 substitutions | part 13/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 313. Ungapped best parents: 313. Inclusive-database exact parents excluded from main set: 0.

Query DNKFNKEQQNAFYEILYLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND
Parent DNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND

All equally best ungapped sites on this page

UP_a63805e85e5aef46e95e985a	271-323	B overlap 100%	Staphylococcus aureus
UP_a67d8ed9efe67a0be3b461af	158-210	B overlap 100%	Staphylococcus aureus
UP_a723056ec1193395f2f856e1	213-265	B overlap 100%	Staphylococcus aureus
UP_a7e781376ecc70df809fd7f5	160-212	B overlap 100%	Staphylococcus aureus
UP_a8cfb339437e32aa42845f2c	271-323	B overlap 100%	Staphylococcus aureus
UP_aa37eea4954713676f5f114e	155-207	B overlap 100%	Staphylococcus aureus
UP_aa52474f7c6b372f050761c5	213-265	B overlap 100%	Staphylococcus aureus
UP_aa8fa5fea3755868ae9435b3	283-335	B overlap 100%	Staphylococcus aureus
UP_ac0aaf7c96b96bca19d3741a	213-265	B overlap 100%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	213-265	B overlap 100%	Staphylococcus aureus
UP_ad211ea43b6f24a390f72420	271-323	B overlap 100%	Staphylococcus aureus
UP_adcaec5a328620a047008dd5	329-381	B overlap 100%	Staphylococcus aureus
UP_add239549e9b47b3b849d17d	271-323	B overlap 100%	Staphylococcus aureus
UP_adfdd12a6d4abde69ea98d50	213-265	B overlap 100%	Staphylococcus aureus
UP_aec2af7cb0206c955110b821	271-323	B overlap 100%	Staphylococcus aureus
UP_aedcefcfadeadd2d1692907b	213-265	B overlap 100%	Staphylococcus aureus
UP_aee08f761b3d229c16e5c17c	271-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_959

53 aa | 98.11% best ungapped identity | 1 substitutions | part 14/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 313. Ungapped best parents: 313. Inclusive-database exact parents excluded from main set: 0.

Query DNKFNKEQQNAFYIILYLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent DNKFNKEQQNAFYIILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_aeef4a2afc83331be02cf5f3	271-323	B overlap 100%	Staphylococcus aureus
UP_aef0cd1f96e996ad96a2b979	271-323	B overlap 100%	Staphylococcus aureus
UP_afb75170fffdc07dea602f56	283-335	B overlap 100%	Staphylococcus aureus
UP_afbcc9c98c455fb3a548a2f1	213-265	B overlap 100%	Staphylococcus aureus
UP_b077b316092e7c7856d1caa8	166-218	B overlap 100%	Staphylococcus aureus
UP_b14ab8cfc271781b66a785ce	271-323	B overlap 100%	Staphylococcus aureus
UP_b1b6527c392edca51eaed006	271-323	B overlap 100%	Staphylococcus aureus
UP_b1ccb6c665058d4e6104b0dc	213-265	B overlap 100%	Staphylococcus aureus
UP_b27db0f8518dba41806f547c	155-207	B overlap 100%	Staphylococcus aureus
UP_b2ccff34639295d64dc25841	271-323	B overlap 100%	Staphylococcus aureus
UP_b36c2f2a2fae9b56820692c7	271-323	B overlap 100%	Staphylococcus aureus
UP_b448388f79d88503154c8958	271-323	B overlap 100%	Staphylococcus aureus
UP_b54736db19c8850e9f6b13b1	271-323	B overlap 100%	Staphylococcus aureus
UP_b6e4af4642c11f9cbf3740d3	271-323	B overlap 100%	Unresolved
UP_b82a3b36b8bfd9b79123fe6d	213-265	B overlap 100%	Staphylococcus aureus
UP_b89432f6e7437c0651852af5	152-204	B overlap 100%	Staphylococcus aureus
UP_b8b659f615cfbdc781f8d48e	271-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_959

53 aa | 98.11% best ungapped identity | 1 substitutions | part 15/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 313. Ungapped best parents: 313. Inclusive-database exact parents excluded from main set: 0.

Query DNKFNKEQQNAFYEILYLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAA
|||||
Parent DNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAA

All equally best ungapped sites on this page

UP_ba3dbbb1752f978426b34109	271-323	B overlap 100%	Staphylococcus aureus
UP_bb1a05adfa3439ea88c6734c	341-393	B overlap 100%	Staphylococcus aureus
UP_bb4de0544c0b9e27184e86f5	271-323	B overlap 100%	Staphylococcus aureus
UP_bbbe3db3c1b8d6d4b9a21e46	271-323	B overlap 100%	Staphylococcus aureus
UP_bc76cec8b7ea5b2a65aa6e64	230-282	B overlap 100%	Staphylococcus aureus
UP_bd030184b54efa453dc2fdac	271-323	B overlap 100%	Staphylococcus aureus
UP_be1cc533e7614313bdd04120	271-323	B overlap 100%	Staphylococcus aureus
UP_be60757ef48778b0359b0d48	271-323	B overlap 100%	Staphylococcus aureus
UP_be959ce6ef2dd96b1e1c54e2	271-323	B overlap 100%	Staphylococcus aureus
UP_c05788d62510f2a026e1a1a6	271-323	B overlap 100%	Staphylococcus aureus
UP_c360b4eef28e7ac3a6add6d9	67-119	B overlap 100%	Staphylococcus aureus
UP_c3971c3863339abe6ae39176	271-323	B overlap 100%	Staphylococcus aureus
UP_c40d531a16b989c02c2265b1	213-265	B overlap 100%	Staphylococcus aureus
UP_c52c098706d885752d27c2ba	225-277	B overlap 100%	Staphylococcus aureus
UP_c6e58db97616169658087da4	271-323	B overlap 100%	Staphylococcus aureus
UP_c70b93d4a66fc12e2077f819	213-265	B overlap 100%	Staphylococcus aureus
UP_c86fdaa2621aef50129d348b	213-265	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_959

53 aa | 98.11% best ungapped identity | 1 substitutions | part 16/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 313. Ungapped best parents: 313. Inclusive-database exact parents excluded from main set: 0.

Query DNKFNKEQQNAFYEILYLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent DNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_ca2557d80a4a8e1b64e5d716	271-323	B overlap 100%	Staphylococcus aureus
UP_cc018e0aa888e81d3674855c	247-299	B overlap 100%	Staphylococcus aureus
UP_cd42d745d221a99aeee0b940	271-323	B overlap 100%	Staphylococcus aureus
UP_cda3c6f0d10df8be6dc4ff46	213-265	B overlap 100%	Staphylococcus argenteus
UP_ce48648d81e147b208ae7f35	271-323	B overlap 100%	Staphylococcus aureus
UP_ceafb3615a67fa65305988b2	271-323	B overlap 100%	Staphylococcus aureus
UP_d045774009150648cbe0c06c	213-265	B overlap 100%	Staphylococcus aureus
UP_d203b9c61830b72cb7044877	344-396	B overlap 100%	Staphylococcus aureus
UP_d2f4d68676a2244ecc95da63	100-152	B overlap 100%	Staphylococcus aureus
UP_d35e911d0b0ab9ff0acc080b	213-265	B overlap 100%	Staphylococcus aureus
UP_d389de07164bf1f90f2d9716	213-265	B overlap 100%	Staphylococcus aureus
UP_d3d0b4f2befc155510c9dc1c	271-323	B overlap 100%	Staphylococcus aureus
UP_d42f3bf1007f1620dba29aac	213-265	B overlap 100%	Staphylococcus argenteus
UP_d446b7e01a0f059e086dcfed	271-323	B overlap 100%	Staphylococcus aureus; Staphylococcus haemolyticus
UP_d5b345437142d9cf807db25d	213-265	B overlap 100%	Staphylococcus aureus
UP_d762df1fa79b331ff9b41f57	213-265	B overlap 100%	Staphylococcus aureus
UP_dc8311c36f77892ca9e35f2e	271-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_959

53 aa | 98.11% best ungapped identity | 1 substitutions | part 17/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 313. Ungapped best parents: 313. Inclusive-database exact parents excluded from main set: 0.

Query DNKFNKEQQNAFYIILYLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA
|||||
Parent DNKFNKEQQNAFYIILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDA

All equally best ungapped sites on this page

UP_ddcc25ff5408d54d5c32163f	329-381	B overlap 100%	Staphylococcus aureus
UP_de03166de512b68a9e6934b6	329-381	B overlap 100%	Staphylococcus aureus
UP_de6cc150a0421a8de6fda7a7	271-323	B overlap 100%	Staphylococcus aureus
UP_df25788f262b81ebd8fdbab69	271-323	B overlap 100%	Staphylococcus aureus
UP_dfb80e6d05156a5410607df9	213-265	B overlap 100%	Staphylococcus aureus
UP_dfc482d6b3d9bfc6b950e923	271-323	B overlap 100%	Staphylococcus aureus
UP_e02f5734acf3c08e6eba4cf0	213-265	B overlap 100%	Staphylococcus aureus
UP_e0506bdbf4abab1678d0d248	271-323	B overlap 100%	Staphylococcus aureus
UP_e09b710f80fdf0bf7aa57a91	160-212	B overlap 100%	Staphylococcus aureus
UP_e1f4e35e8295884b03f02780	213-265	B overlap 100%	Staphylococcus aureus
UP_e2e00bac98d8098c0fd26bc9	271-323	B overlap 100%	Staphylococcus aureus
UP_e340a7abf7d09c2f6252afa5	74-126	B overlap 100%	Staphylococcus aureus
UP_e35673697002755fd8bfbf21	283-335	B overlap 100%	Staphylococcus aureus
UP_e3dd7e577c60c3c21e166c45	213-265	B overlap 100%	Staphylococcus aureus
UP_e42b0b69f1cfc645490b75f7	271-323	B overlap 100%	Staphylococcus aureus
UP_e4da3108009e6d244f99a114	283-335	B overlap 100%	Staphylococcus aureus
UP_e5336800d5e13b2949c419cd	219-271	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_959

53 aa | 98.11% best ungapped identity | 1 substitutions | part 18/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 313. Ungapped best parents: 313. Inclusive-database exact parents excluded from main set: 0.

Query DNKFNKEQQNAFYEILYLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAA
|||||
Parent DNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLNDAA

All equally best ungapped sites on this page

UP_e558dfe41e35627210d8d204	271-323	B overlap 100%	Staphylococcus aureus
UP_e572e0aad33c5ed8c26e312c	271-323	B overlap 100%	Staphylococcus aureus
UP_e59ad94e67fec4f53d6abdba	271-323	B overlap 100%	Staphylococcus aureus
UP_e69cdb9fb24f123702443be9	213-265	B overlap 100%	Staphylococcus aureus
UP_e6d99cc66a27067b7ac482cc	213-265	B overlap 100%	Staphylococcus argenteus
UP_e80088e3013d805979b62cf8	271-323	B overlap 100%	Staphylococcus aureus
UP_e849e99c27614e23057d660d	271-323	B overlap 100%	Staphylococcus aureus
UP_ea012705a9166c64ba3f1fa8	213-265	B overlap 100%	Staphylococcus aureus
UP_ed26a55337c0d97f2e32704b	271-323	B overlap 100%	Staphylococcus aureus
UP_ed524523f096fabfa8f0638f	271-323	B overlap 100%	Staphylococcus aureus
UP_ed69ce42790ce3e1433d3850	213-265	B overlap 100%	Staphylococcus aureus
UP_edf4f440be964be8321c5ce9	155-207	B overlap 100%	Staphylococcus aureus
UP_ef9013d93931de4c8bfa2978	271-323	B overlap 100%	Staphylococcus aureus
UP_f1910f03b2defa2d1d01fb4d	213-265	B overlap 100%	Staphylococcus aureus
UP_f1c8a677456a5de29a99e38e	271-323	B overlap 100%	Staphylococcus aureus
UP_f2fb3f19cc2124c827a1911c	271-323	B overlap 100%	Staphylococcus aureus
UP_f378f6d5351f987fc65d7f50	271-323	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_959

53 aa | 98.11% best ungapped identity | 1 substitutions | part 19/19

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 313. Ungapped best parents: 313. Inclusive-database exact parents excluded from main set: 0.

Query DNKFNKEQQNAFYEILYLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND
Parent DNKFNKEQQNAFYEILHLPNLTEEQRNGFIQSLKDDPSVSKEILAEAKKLND

All equally best ungapped sites on this page

UP_f3f516963b9fff79fee15396	213-265	B overlap 100%	Staphylococcus aureus
UP_f57ed69187f17aafd0cb1f95	283-335	B overlap 100%	Staphylococcus aureus
UP_f5b1ec8305a1724d2e262e6d	100-152	B overlap 100%	Staphylococcus aureus
UP_f71b012850e63ea4fb4e7851	213-265	B overlap 100%	Staphylococcus aureus
UP_f7ff8e7a025b9d0597c8c149	225-277	B overlap 100%	Staphylococcus aureus
UP_f9c3a18f34a19fda2d789ca7	271-323	B overlap 100%	Staphylococcus aureus
UP_fbc28e3b3f2a651097c5f286	271-323	B overlap 100%	Staphylococcus aureus
UP_fc3bb560e958334c73ec96d3	329-381	B overlap 100%	Staphylococcus aureus
UP_fd05961c378749cdeb3b2814	225-277	B overlap 100%	Staphylococcus aureus
UP_fe4ada16447ee138108e36d8	213-265	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

53 aa | 98.11% best ungapped identity | 1 substitutions | part 1/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 25. Ungapped best parents: 25. Inclusive-database exact parents excluded from main set: 0.

Query NPDRRVAQQNAFYNLKNDNLTEQEKNNYLAQIKENPDRSQVWVESVQSSKA

|||||

Parent NPDRRVAQQNAFYNVLKNDNLTEQEKNYYIAQIKENPDRSQVWVESVQSSKA

All equally best ungapped sites on this page

UP_09e93a100ab0592113819de2	96-148	B overlap 100%	Staphylococcus aureus
UP_152d33cc33b79e6f134c81c4	96-148	B overlap 100%	Staphylococcus aureus
UP_1abd0d78b674a80bd316dc43	96-148	B overlap 100%	Staphylococcus aureus
UP_1cce06b3c353b5db65949ed7	96-148	B overlap 100%	Staphylococcus aureus
UP_287ac0aa87234d989b77626d	96-148	B overlap 100%	Staphylococcus aureus
UP_3f9417cbbf4df334bd68565d	96-148	B overlap 100%	Staphylococcus aureus
UP_40d63737a50ca72a469dfb0a	96-148	B overlap 100%	Staphylococcus aureus; Staphylococcus warneri
UP_674da628829daa8068ae47a8	96-148	B overlap 100%	Staphylococcus aureus
UP_77eb74d884e15b13edfd328c	96-148	B overlap 100%	Staphylococcus aureus; Staphylococcus schleiferi
UP_8bdb895ddacecf7f76282273	96-148	B overlap 100%	Staphylococcus aureus
UP_91d5ad82c5e786d07861dbb8	96-148	B overlap 100%	Staphylococcus aureus
UP_969662182f97cf9a6b1e4d38	96-148	B overlap 100%	Staphylococcus aureus
UP_a5a6b593992bf821624c7c64	96-148	B overlap 100%	Staphylococcus aureus
UP_a79947cba0eba2594b4e582b	96-148	B overlap 100%	Staphylococcus aureus
UP_b6db1fa0cd0dfe0df5fb8b1b	96-148	B overlap 100%	Staphylococcus aureus
UP_bd9b9fdc5d782598991d6e39	96-148	B overlap 100%	Staphylococcus aureus
UP_bf06f5837e0482af14fd6e61	96-148	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_960

53 aa | 98.11% best ungapped identity | 1 substitutions | part 2/2

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 25. Ungapped best parents: 25. Inclusive-database exact parents excluded from main set: 0.

Query NPDRRVAQQNAFYNVLKNDNLTEQEKNNYLAQIKENPDRSQVWVESVQSSKA
|||||
Parent NPDRRVAQQNAFYNVLKNDNLTEQEKNNYIAQIKENPDRSQVWVESVQSSKA

All equally best ungapped sites on this page

UP_c26231b9c3c86dc14805f6a4	96-148	B overlap 100%	Staphylococcus aureus
UP_c2725186bd2cc7a5a9bc7d20	96-148	B overlap 100%	Staphylococcus aureus
UP_d6915aab6d24397af8087a3b	96-148	B overlap 100%	Staphylococcus aureus; Staphylococcus epidermidis
UP_e1174f8dc5a56c37c40fa224	96-148	B overlap 100%	Staphylococcus aureus
UP_e266103de7716a90218fcb4a	96-148	B overlap 100%	Staphylococcus aureus; Staphylococcus epidermidis
UP_ed4bca3d5277711ae0fcb88e	96-148	B overlap 100%	Staphylococcus aureus
UP_f4fb59eba6cb6b63e737ffea	96-148	B overlap 100%	Staphylococcus aureus
UP_f8688bb3e1f4e498e85a7696	96-148	B overlap 100%	Staphylococcus aureus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_963

47 aa | 97.87% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 1. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 0.

Query QERRVGQQNAYYTILKNNKLTEAEKNNYIAQLKQNPDKSQEIWYQSL
 ||||| ·|||||
Parent QERRVGQQNAYYSILKNNKLTEAEKNNYIAQLKQNPDKSQEIWYQSL

All equally best ungapped sites on this page

UP_43b5b01c7722e2c83a954f8b 94-140 B overlap 100% Staphylococcus agnetis

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_964

47 aa | 95.74% best ungapped identity | 2 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 2; tied parents: 1. Ungapped best parents: 1. Inclusive-database exact parents excluded from main set: 0.

Query VDDAQRAYYKVLHLEGLTNEQRSNYVQQLHNNPGSAQEVFSESIKDS

|||||

Parent VDDAQRAYYKVLHLEGLTNEQRSNYIQKLHNNPGSAQEVFSESIKDS

All equally best ungapped sites on this page

UP_c4cf87f7eaaffbd27084adce

45-91

B overlap 100%

Staphylococcus agnetis

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | IgG_binder_966

46 aa | 97.83% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 3. Ungapped best parents: 3. Inclusive-database exact parents excluded from main set: 0.

Query TGQQQAFYELLKMDNLTEQRKNDYIDTIKVNAQASQEVFASAIKEN
|||||
Parent TGQQQAFYELLKMDNLTEQRKNDYIDTIKVNPQASQEVFASAIKEN

All equally best ungapped sites on this page

UP_71215e7e60e44f0f4f99a216	57-102	B overlap 100%	Staphylococcus carnosus
UP_9e52374c9a68d835e0170692	57-102	B overlap 100%	Staphylococcus carnosus
UP_fdef8aaf88306814fbf5bbd4	26-71	B overlap 100%	Staphylococcus carnosus

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Partial atlas | IgG_binder_967

49 aa | 97.96% best ungapped identity | 1 substitutions | part 1/1

No exact main-set parent. Closest sequence resemblance is a hypothesis, not a confirmed parent assignment.

Gap-aware minimum edit distance: 1; tied parents: 4. Ungapped best parents: 4. Inclusive-database exact parents excluded from main set: 0.

Query NPDRRLAQRNAYFEIIHNPKLSSQERERYIGQLIENPDHSQLIWIESNR

|||||

Parent NPDRRLAQRNAYFEIIHNPKLSSQERERYIGQLIENPDHSQQIWIESNR

All equally best ungapped sites on this page

UP_4fb36a69fdb6c5c35fa4149e	113-161	B overlap 100%	Staphylococcus chromogenes
UP_68a868885a91da628c6ee235	113-161	B overlap 100%	Staphylococcus chromogenes
UP_8df4d8c288eaf05564eb2aed	113-161	B overlap 100%	Staphylococcus chromogenes
UP_949cf2953aa72373517369bd	121-169	B overlap 100%	Staphylococcus chromogenes

All ties and complete alignments are retained in the accompanying TSV/database. Substitution bins exclude indels.

Database-supported natural full length; sequence identity is not experimental binding validation.

Partial atlas | binder index

Every eligible nonexact query and all equally best ungapped parent sites are included.

IgG_binder_37	1
IgG_binder_40	2
IgG_binder_43	3
IgG_binder_44	4
IgG_binder_69	5
IgG_binder_74	6
IgG_binder_83	7
IgG_binder_84	8
IgG_binder_85	9
IgG_binder_98	10
IgG_binder_99	11
IgG_binder_100	12
IgG_binder_101	13
IgG_binder_102	14
IgG_binder_103	15
IgG_binder_104	16
IgG_binder_105	17
IgG_binder_106	18-19
IgG_binder_108	20
IgG_binder_124	21
IgG_binder_131	22-23
IgG_binder_132	24-25
IgG_binder_145	26-27
IgG_binder_147	28
IgG_binder_148	29
IgG_binder_170	30-31
IgG_binder_179	32-50
IgG_binder_180	51-69
IgG_binder_193	70
IgG_binder_201	71

Partial atlas | binder index

Every eligible nonexact query and all equally best ungapped parent sites are included.

IgG_binder_203	72
IgG_binder_224	73
IgG_binder_225	74
IgG_binder_263	75
IgG_binder_264	76
IgG_binder_294	77
IgG_binder_295	78
IgG_binder_298	79
IgG_binder_299	80
IgG_binder_300	81
IgG_binder_308	82-83
IgG_binder_315	84
IgG_binder_316	85
IgG_binder_318	86
IgG_binder_320	87-101
IgG_binder_321	102-116
IgG_binder_322	117-129
IgG_binder_324	130-144
IgG_binder_325	145-160
IgG_binder_329	161-175
IgG_binder_331	176-191
IgG_binder_335	192-204
IgG_binder_349	205-219
IgG_binder_350	220-234
IgG_binder_351	235-247
IgG_binder_353	248-268
IgG_binder_354	269-287
IgG_binder_360	288
IgG_binder_362	289
IgG_binder_363	290-302

Partial atlas | binder index

Every eligible nonexact query and all equally best ungapped parent sites are included.

IgG_binder_364	303
IgG_binder_372	304
IgG_binder_374	305
IgG_binder_376	306
IgG_binder_379	307
IgG_binder_380	308-324
IgG_binder_383	325
IgG_binder_389	326
IgG_binder_392	327
IgG_binder_394	328
IgG_binder_395	329-341
IgG_binder_399	342-357
IgG_binder_400	358-373
IgG_binder_401	374-389
IgG_binder_402	390
IgG_binder_407	391-394
IgG_binder_409	395
IgG_binder_416	396-403
IgG_binder_417	404-412
IgG_binder_418	413-420
IgG_binder_423	421-436
IgG_binder_424	437-438
IgG_binder_425	439-454
IgG_binder_440	455-469
IgG_binder_444	470-477
IgG_binder_445	478-487
IgG_binder_446	488-495
IgG_binder_449	496-497
IgG_binder_453	498-500
IgG_binder_454	501-504

Partial atlas | binder index

Every eligible nonexact query and all equally best ungapped parent sites are included.

IgG_binder_455	505-507
IgG_binder_456	508
IgG_binder_457	509
IgG_binder_458	510
IgG_binder_459	511
IgG_binder_460	512-526
IgG_binder_461	527-541
IgG_binder_462	542-555
IgG_binder_488	556
IgG_binder_490	557
IgG_binder_497	558-563
IgG_binder_498	564-569
IgG_binder_502	570-582
IgG_binder_503	583-585
IgG_binder_504	586-588
IgG_binder_505	589-603
IgG_binder_506	604-618
IgG_binder_507	619-620
IgG_binder_514	621-639
IgG_binder_515	640-658
IgG_binder_543	659-664
IgG_binder_544	665-670
IgG_binder_547	671
IgG_binder_548	672
IgG_binder_549	673
IgG_binder_554	674-693
IgG_binder_566	694-713
IgG_binder_580	714-716
IgG_binder_582	717-720
IgG_binder_585	721-723

Partial atlas | binder index

Every eligible nonexact query and all equally best ungapped parent sites are included.

IgG_binder_587	724-736
IgG_binder_588	737-752
IgG_binder_589	753-765
IgG_binder_615	766-778
IgG_binder_616	779
IgG_binder_620	780
IgG_binder_621	781-793
IgG_binder_634	794-809
IgG_binder_635	810-823
IgG_binder_636	824-836
IgG_binder_637	837-852
IgG_binder_638	853-868
IgG_binder_639	869-884
IgG_binder_640	885-897
IgG_binder_671	898-910
IgG_binder_672	911-923
IgG_binder_674	924-936
IgG_binder_675	937
IgG_binder_676	938-952
IgG_binder_677	953-967
IgG_binder_678	968
IgG_binder_679	969-981
IgG_binder_691	982
IgG_binder_692	983
IgG_binder_693	984
IgG_binder_694	985
IgG_binder_695	986-988
IgG_binder_696	989
IgG_binder_697	990
IgG_binder_698	991

Partial atlas | binder index

Every eligible nonexact query and all equally best ungapped parent sites are included.

IgG_binder_719	992-999
IgG_binder_720	1000-1009
IgG_binder_721	1010-1017
IgG_binder_734	1018-1020
IgG_binder_773	1021-1039
IgG_binder_785	1040-1041
IgG_binder_795	1042-1056
IgG_binder_797	1057-1071
IgG_binder_799	1072-1084
IgG_binder_816	1085-1105
IgG_binder_817	1106-1126
IgG_binder_819	1127-1147
IgG_binder_850	1148-1163
IgG_binder_851	1164-1171
IgG_binder_856	1172-1187
IgG_binder_857	1188-1200
IgG_binder_858	1201-1216
IgG_binder_864	1217-1219
IgG_binder_865	1220-1235
IgG_binder_873	1236
IgG_binder_879	1237
IgG_binder_880	1238
IgG_binder_896	1239-1259
IgG_binder_897	1260-1280
IgG_binder_931	1281-1286
IgG_binder_935	1287
IgG_binder_957	1288-1293
IgG_binder_959	1294-1312
IgG_binder_960	1313-1314
IgG_binder_963	1315

Partial atlas | binder index

Every eligible nonexact query and all equally best ungapped parent sites are included.

IgG_binder_964	1316
IgG_binder_966	1317
IgG_binder_967	1318