

Exercise 5.1

Copy the following into **main.py** and then read the rest of the exercise.

```
def calc_retail_price(wholesale, markup):  
    # remove the following line and write your function here  
    pass  
  
def main():  
    # remove the following line and write your main program here  
    pass  
  
# This is needed for the tests. This is now the first bit of code Python will run.  
# Please ask if you are curious, but it is enough to understand that this calls  
# the main() function and runs whatever code you have in there.  
if __name__ == "__main__":  
    main() # calls the main function  
  
    # uncomment the following lines to test calc_retail_price when you run the  
    # program. You will need to comment out main()  
    # print(calc_retail_price(3.00, 100)) # should print 6.0  
    # calc_retail_price(5.00, 50) # should print 7.5
```

Write a program that asks the user to enter an item's wholesale cost and its markup percentage. It should then display the retail price for the item. For example:

- If the wholesale cost is £3.00 and the markup percentage is 100%, the retail price will be £6.00 and the program should run as follows:

```
Please enter a wholesale cost:  
3.00  
Please enter a markup percentage:  
100  
The retail price is £6.00.
```

- If the wholesale cost is £5.00 and the markup percentage is 50%, the retail price will be £7.50 and the program should run as follows:

```
Please enter a wholesale cost:  
5.00  
Please enter a markup percentage:  
50  
The retail price is £7.50.
```

- Make sure you print out the retail price to 2 decimal places. e.g.

```
x = 6.5
print(f"The value of x is {x:.2f}")
# prints The value of x is 6.50
```

The main program must be written in the `main()` function and must use a function called `calc_retail_price`.

The function should be passed the wholesale cost and markup percentage as arguments and return the retail price..

Below are what `calc_retail_price` should return for given values,

`calc_retail_price(3.00, 100)` should return 6.0.

`calc_retail_price(5.00, 50)` should return 7.5.

I would suggest getting `calc_retail_price()` working first and then building the program.

You should then print out the correct output to 2 decimal places in the `main()` function.