Kempe Type System

Vanessa McHale

September 6, 2021

Contents

0.1	Introduction]	l
0.2	Syntax]	1
0.3	$\operatorname{Judgments}$.	 														1	1

0.1 Introduction

This presents the Kempe type system.

0.2 Syntax

0.3 Judgments

$$\frac{\Gamma \vdash x : \alpha_{1} \cdots \alpha_{n} - -\beta_{1} \cdots \beta_{m} \gamma_{1} \cdots \gamma_{k} \qquad \Gamma \vdash y : \gamma_{1} \cdots \gamma_{k} - -\delta_{1} \cdots \delta_{l}}{\Gamma \vdash xy : \alpha_{1} \cdots \alpha_{n} - -\beta_{1} \cdots \beta_{n} \delta_{1} \cdots \delta_{l}} \qquad \text{(Concat)}$$

$$\frac{\Gamma \vdash x : \alpha_{1} \cdots \alpha_{n} - -\beta_{1} \cdots \beta_{m}}{\Gamma \vdash x : a\alpha_{1} \cdots \alpha_{n} - -a\beta_{1} \cdots \beta_{m}} \qquad \text{(Generalize)}$$

$$\frac{\Gamma \vdash x : \alpha_{1} \cdots \alpha_{n} - -\beta_{1} \cdots \beta_{m}}{\Gamma \vdash [x] : - - [\alpha_{1} \cdots \alpha_{n} - -\beta_{1} \cdots \beta_{m}]} \qquad \text{(Quote)}$$

$$\frac{\Gamma \vdash f : - - [\alpha_{1} \cdots \alpha_{n} - -\beta_{1} \cdots \beta_{m}] \qquad \Gamma \vdash x : - -\alpha_{1} \cdots \alpha_{n}}{\Gamma \vdash \text{apply} fx : - -\beta_{1} \cdots \beta_{m}} \qquad \text{(Apply)}$$