Sr. Item Material/Service Description Reqd/Comp Quantity UoM Basic Price Our HSN No Code Remarks Date Your HSN SOLDER TYPE TUBE: FOR CUSTOMER ALE - RP4 525: 2001879768 TUBE MET COPPER 54MM 1.5MM THK 31.01.2019 75.000 Diameter, od mm: 54 PLAIN BOTH ENDS End preparation: Length: Manufacturing process: **SEAMLESS COPPER** Mat: MAT-OUTER-COVER: CU Mat, spec: BS EN 1057 Standard wire gauge SWG: TABLE "Y" Thickness, wall mm: 1.5 SOLDER TYPE TUBE: FOR CUSTOMER ALE - RP4 525: 31.01.2019 60.000 2001879775 TUBE MET COPPER 42MM 1.5 MMTHK Diameter, od mm: 42 MM End preparation: PLAIN BOTH ENDS Length: 6M Manufacturing process: **SEAMLESS** COPPER MAT-OUTER-COVER: CU Mat, spec : BS EN 1057 TABLE "Y" Standard wire gauge SWG: Thickness, wall mm:

SOLDER TYPE TUBE :

FOR CUSTOMER ALE - RP4 525 :

Sr. No	Item Code			Reqd/Comp Date	Quantity	UoM	Basic Price Our HSN Your HSN
25	2001879774 TUBE MET COPPER 35MM 1.5 MM THK		31.01.2019	66.000	М		
		Diameter, od mm: End preparation: Length: Manufacturing process: Mat: MAT-OUTER-COVER: Mat, spec: Standard wire gauge SWG: Thickness, wall mm:	35 MM PLAIN BOTH ENDS 6M SEAMLESS COPPER CU BS EN 1057 TABLE "Y"				
26	SOLDER TYPE TUBE : FOR CUSTOMER ALE - RP4 525 : 2001879770 TUBE MET COPPER 15MM 1MM		31.01.2019	246.000	М		
		Diameter, od mm: End preparation: Length: Manufacturing process: Mat: MAT-OUTER-COVER: Mat, spec: Standard wire gauge SWG: Thickness, wall mm:	15 PLAIN ENDS 6M SEEMLESS COPPER CU BS EN 1057 TABLE "Y" 1 MM				

SOLDER TYPE TUBE :

FOR CUSTOMER ALE - RP4 525 :

Sr. Item Material/Service Description Reqd/Comp Quantity UoM Basic Price Our HSN No Code Remarks Date Your HSN 2001879781 TUBE MET COPPER 22MM 1.2 MMTHK 31.01.2019 125.000 27 М Diameter, od mm: 22 End preparation: PLAIN BOTH ENDS Length: Manufacturing process: **SEAMLESS** Mat: **COPPER** MAT-OUTER-COVER: CU Mat, spec: BS EN 1057 Standard wire gauge SWG: TABLE "Y" Thickness, wall mm: 1.2 SOLDER TYPE TUBE: FOR CUSTOMER ALE - RP4 525 : 28 2001879782 TUBE MET COPPER 28MM 1.2MMTHK 31.01.2019 112.000 Diameter, od mm: 28 MM End preparation: PLAIN BOTH ENDS Length: 6M Manufacturing process: **SEAMLESS** COPPER MAT-OUTER-COVER: CU Mat, spec : BS EN 1057 Standard wire gauge SWG: TABLE "Y" Thickness, wall mm: