

uPVC CONDUITS & FITTINGS

w.e.f. 01 oct. 2019

Durable and High Impact Resistant | Corrosion Free | Flame Retardant Resistance to Fungal Attacks | Thermal Resistant from - 5°c to + 60°c Fittings Having Brass Insertions | Smooth Finish from Inside, Makes the Pulling of Wire Easier.

POLYCAB CONDUITS SPECIFICATION

Polycab is an ISO 9001:2015 certified organization. POLYCAB CONDUITS & FITTINGS are manufactured in accordance with the Indian Standards viz IS: 9537 P3 and IS: 3419 respectively.



COLOR

Polycab conduits and fittings are available in three different colors.


IS:9537 IS

CM/L-2903961

IS:3419 CM/L-2904054 - Black

- Ivory

- Grey



DIMENSIONS OF uPVC CONDUIT IS: 9537 PART 3

Nominal Size	Nominal Size Outside Diameter		Inside Diameter (Min) mm			
mm	mm	Outside Diameter mm	Light	Medium	Heavy	
20	20	- 0.3	17.4	16.9	15.8	
25	25	- 0.4	22.1	21.4	20.6	
32	32	- 0.4	28.6	27.8	26.6	
40	40	- 0.4	35.8	35.4	34.4	
50	50	- 0.5	45.1	44.3	43.2	

uPVC CONDUITS

COLOR: BLACK / IVORY / GREY | HSN CODE FOR CONDUITS: 39172310

PRODUCT CODE	SIZE OD (mm)	STANDARD PACK	MRP. Per Mtr. (₹)	
LMS (LIG	HT MECHAN	ICAL STRESS)	FRLS	
CPI0120001	20	75 X 3m	21.5	
CPI0125001	25	50 X 3m	30	
CPI0132001	32	25 X 3m	45	
CPI0140001	40	25 X 3m	75	
CPI0150001	50	15 X 3m	109	

MMS (MED				
CPI0220001	20	75 X 3m	24	
CPI0225001	25	50 X 3m	34.50	
CPI0232001	32	25 X 3m	58	
CPI0240001	40	25 X 3m	84	
CPI0250001	50	15 X 3m	128	

HMS (HEA				
CPI0320001	20	75 X 3m	34.5	
CPI0325001	25	50 X 3m	42	
CPI0332001	32	25 X 3m	76.5	
CPI0340001	40	25 X 3m	102	
CPI0350001	50	15 X 3m	152	



PRODUCT CODE	SIZE OD (mm)	STANDARD PACK	TRANSPO- RTATION PACK	MRP. Per Mtr. (₹)				
PP CORRUGATED FLEXIBLE CONDUIT - HSN : 39172200								
PPC0160001	16	50	24	7.50				
PPC0200001	20	50	18	9.50				
PPC0250001	25	25	20	14				
PPC0320001	32	25	15	24.5				
PPC0400001	40	20	12	33	•			
PPC0500001	50	15	12	50				

- * All conduits are also available with one end socket.
- * All black Conduits will be available in 300 mtr jute packaging for 20mm & 25mm.
- * North region will get packing of 120 mtr & 75 mtr per bundle for 20mm & 25mm. respectively.

uPVC CONDUIT FITTINGS

COLOR: BLACK / IVORY / GREY | HSN CODE FOR CONDUIT FITINGS: 39174000

PRODUCT CODE	SIZE OD (mm)	STANDARD PACK	TRANSPORT- ATION PACK	MRP. Per Pc. (₹)	
111		OX - TREMIN			
CFT0120001	20	50	700	16	
CFT0125001	25	40	560	21	-
		BOX - ANGL			4
CFT0220001	20	40	640	17	1
CFT0225001	25	32	448	22	
		DX - THROU			
CFT0320001	20	40	640	17	
CFT0325001	25	32	448	22	
		R BOX - TEE			-40-
CFT0420001 CFT0425001	20 25	36	432	19	-161-
CF10425001	25	28	336	24	
	CULAR BOX	- INTERSEC	TION (4 WAY)		-
CFT0520001	20	36	432	20	
CFT0525001	25	21	336	28	
(CIRCULAR B	OX - 'U' TYF	PE (2 WAY)		(0.00
CFT2420001	20	20	500	29	4
CFT2425001	25	20	500	38	
(CIRCULAR E	OX - 'Y' TYF	PE (3 WAY)		ILLU
CFT2520001	20	20	360	31	
CFT2525001	25	20	360	41	T
(CIRCULAR B	OX - 'H' TYF	PE (4 WAY)		اللا
CFT2620001	20	20	360	33	
CFT2625001	25	20	360	44.5	HTI
DEEF	CIRCULAR	BOX - TREI	MINAL (1 WAY))	
CFT0620001	20	20	280	27	4-4
CFT0625001	25	20	280	32.5	
CFT3432001	32	12	300	38	
DE	EP CIRCULA	AR BOX - AN	IGLE (2 WAY)		
CFT0720001	20	20	280	29	
CFT0725001	25	20	280	33.5	
CFT3132001	32	12	216	41.5	
DEEF	CIRCULAR	BOX - THRO	OUGH (2 WAY))	
CFT0820001	20	20	280	29	
CFT0825001	25	20	280	33.5	- E
CFT3232001	32	12	252	41.5	
D	EEP CIRCU	LAR BOX - T	EE (3 WAY)		
CFT0920001	20	16	224	31	
CFT0925001	25	16	224	39	70
CFT3532001	32	12	168	44	
DEEP C	IRCULAR B	OX - INTERS	ECTION (4 W	AY)	
CFT1020001	20	16	224	32.5	ATT.
CFT1025001	25	15	210	42	
CFT3632001	32	12	168	45	
	CIRCULAR I	LID 65 WITH	SCREWS		A 11
CFT2265001	STANDARD	150	1950	4.7	- 71
	FAN B	OX (STANDA	ARD)		
CFT1120001	20	12	168	44.5	
CFT1125001	25	12	168	44.5	
	FAN	BOX (LARG	iE)		
CFT1220004	20	8	120	61	
CFT1225004	25	8	120	61	
	FANJ	BOX WITH R	OD		
CFT3020001	20/25	30	30	184	
		l .			V. 20.20.00
CETAFOCCO		E BAR SADI		_	
CFT1520001 CFT1525001	20 25	150 150	2550 2550	7 9.5	1.
CF11323001		ı	ı	7.5	
	FEMALI	E BUSH ADA	PTOR		
CFT4120001 CFT4125001	20 25	50 50	800 600	7 11	

PRODUCT CODE	SIZE OD (mm)	STANDARD PACK	TRANSPORT- ATION PACK	MRP. Per Pc. (₹)	
0001		DDLE STRA			-
CFT2320001	20	300	5400	5	940
CFT2325001	25	250	4500	6.5	
		COUPLER			
CFT1319001	19	48	480	4.5	
CFT1320001	20	50	2500	5	
CFT1325001	25	50	1600	7	40
CFT1332001	32	24	240	12.5	
CFT1340001	40	14	252	20	
CFT1350001	50	9	180	34	
RE	DUCERS (COUPLER (Pi	pe To Pipe)		_
CFT31202501	25>20	70	1400	7.5	
CFT31203201	32>20	70	840	10	
CFT31253201	32>25	70	840	12.5)
	SLIP T	YPE BEND L	ONG		
CFT2719001	19	48	864	12.5	
CFT2720001	20	48	864	13.5	7
CFT2725001	25	24	432	19	
CFT1432001	32	18	288	45	
CFT1440001	40	8	160	99	
CFT1450001	50	5	75	150	
	SLIP TYF	PE BEND NC	RMAL		
CFT1419001	19	48	864	7.5	-
CFT1420001	20	48	864	9	
CFT1425001	25	30	600	14	
	INSF	ECTION BE	ND		
CFT2120001	20	35	630	28	
CFT2125001	25	25	375	40	
	F	OUND TEE			-
CFT1820001	20	100	1300	10.5	
CFT1825001	25	60	780	13.5	• •
		PECTION TE			40
CFT2020001	20	35	700	28	and a
CFT2025001	25	24	432	40	- 4
		UND ELBO\			
CFT1720001	20	150	1800	7	
CFT1725001	25	100	1300	9.5	•
		ECTION ELB			
CFT1920001	20	60	1080	27	
CFT1925001	25	36	540	35	

PRODUCT CODE	PRODUCT DESCRIPTION	SIZE OD (mm)	STANDARD PACK	MRP. Per Pc. (₹)	
	BENDING SPRING - HSI	N: 732010	19		
CFT2820001	BENDING SPRING HEAVY	20	10	260	-
CFT2825001	BENDING SPRING HEAVY	25	10	310	and the same of th
CFT2920001	BENDING SPRING MEDIUM	20	10	260	
CFT2925001	BENDING SPRING MEDIUM	25	10	310	

PRODUCT CODE	SIZE OD (mm)	STANDARD PACK	TRANSPORT- ATION PACK	MRP. Per Pc. (₹)				
NON ISI PP CIRCULAR BOX - TERMINAL (1 WAY)								
				BLACK	WHITE & GREY			
CFT3220001	20	50	700	10.5	11.5			
CFT3225001	25	40	560	11.5	12.5			
	NON ISI PP CIRCULAR BOX - ANGLE (2 WAY)							
				BLACK	WHITE & GREY			
CFT3320001	20	40	640	11.5	12.5	SE 189		
CFT3325001	25	32	448	13	14			
NO	NON ISI PP CIRCULAR BOX - THROUGH (2 WAY)							
				BLACK	WHITE & GREY	-		
CFT3420001	20	40	640	11.5	12.5	-		
CFT3425001	25	32	448	13	14			

^{*} PP Junction Boxes requirement with attached LID, 1Rs. Extra charge will be applicable on PP LID.

PRODUCT CODE	SIZE OD (mm)	STANDA- RD PACK	TRANSPORT- ATION PACK	MRP. Per Pc. (₹)		
NON ISI PP CIRCULAR BOX - TEE (3 WAY)						
				BLACK	WHITE & GREY	400_
CFT3520001	20	36	432	12.5	13.5	
CFT3525001	25	28	336	14	15	
NON ISI PP CIRCULAR BOX - INTERSECTION (4 WAY)						
				BLACK	WHITE & GREY	400
CFT3620001	20	36	432	13.5	15	
CFT3625001	25	21	336	16	17	
NON ISI PP CIRCULAR LID WITH SCREWS						
	NON ISI F	P CIRCULA	AR LID WITH S	CREWS		
	NON ISI F	P CIRCULA	AR LID WITH S		WHITE & GREY	•

PRODUCT CODE	SIZE OD (mm)		TRANSPORT- ATION PACK	MRP. Per Pc. (₹)	
NON ISI F	P DEEP CI	RCULAR BO	OX - TREMINAL	(1 WAY)	
CFT4220001	20	20	280	18	
CFT4225001	25	20	280	19	A STATE OF THE PERSON NAMED IN
NONISI	DD DEED (OX - ANGLE (2	\//AV\	
CFT4320001	20	20	280	19	-
CFT4325001	25	20	280	20	Views or
NON ISLE	P DEEP CI	RCULAR BO	X - THROUGH	(2 WAY)	
CFT4420001	20	20	280	19	
CFT4425001	25	20	280	20	
	l .				
NON	SI PP DEEI	CIRCULAR	R BOX - TEE (3 N	NAY)	
CFT4520001	20	16	224	20	
CFT4525001	25	16	224	22	-
NON ISI PP	DEEP CIRC	CULAR BOX	- INTERSECTIO	N (4 WAY)	
CFT4620001	20	16	224	21	
CFT4625001	25	15	210	23	4



Polycab Conduits & Fittings

High Impact Resistant, Corrosion Free, Flame Retardant



Terms and Conditions:

The price are inclusive of government levies. Goods are dispatched by us on purchaser's risk. All claims for loss, damage or shortage will be filed by the purchaser directly. Disputes if any are subject to Mumbai jurisdiction only. Price are subject to change without notice. MRP mentioned is for per meter in case of conduits & per piece in case of accessories in Indian rupees. Due to continuous technology upgrades the design & specification may vary without notice.

Corporate Office:

POLYCAB INDIA LIMITED. (Formerly known as 'Polycab Wires Limited')

Polycab House, 771, Mogul Lane, Mahim (W), Mumbai - 400 016, Maharashtra (India) Ph.: +91-22-2432 7070/4, 6735 1400, Toll Free No.: 1800 267 0008 | Email: enquiry@polycab.com | www.polycab.com