

Операционные системы

Редактор Vi

Савостин Владислав Михайлович

2026-04-04

Цели и задачи работы

Процесс выполнения лабораторной работы

Выводы по проделанной работе

1. Цели и задачи работы


Познакомиться с операционной системой Linux. Получить практические навыки работы с редактором vi, установленным по умолчанию практически во всех дистрибутивах.

1 Изучить возможности редактора Vi

2. Процесс выполнения лабораторной работы


```
vmsavostin@vmsavostin:~$ cd  
vmsavostin@vmsavostin:~$ touch hello.sh  
vmsavostin@vmsavostin:~$ chmod +x hello.sh  
vmsavostin@vmsavostin:~$ vi hello.sh  
vmsavostin@vmsavostin:~$
```

Рисунок 1: Создание каталога



```
vmsavostin@vmsavostin:~ — vi hello.s
#!/bin/bash
HELL=Hello
function hello
{
  LOCAL HELLO=World
  echo $HELLO
}
echo $HELLO
hello
```

Рисунок 2: Работа в редакторе Vi



A terminal window titled 'vmsavostin@vmsavostin:~' with a '+' icon in the top-left corner. The terminal shows the following commands and output:


```
vmsavostin@vmsavostin:~$ cd
vmsavostin@vmsavostin:~$ touch hello.sh
vmsavostin@vmsavostin:~$ chmod +x hello.sh
vmsavostin@vmsavostin:~$ vi hello.sh
vmsavostin@vmsavostin:~$
^[[200~./hello.sh
^[[201~vmsavostin@vmsavos./hello.shhello.sh

./hello.sh: line 5: LOCAL: command not found

vmsavostin@vmsavostin:~$
```

The text 'hello.sh' in the second-to-last line is highlighted with a white background. A white cursor is positioned at the end of the last line.


Рисунок 3: Запуск файла



The screenshot shows a terminal window with a dark background. The title bar at the top reads "vmsavostin@vmsavostin:~ — vi h". The terminal content shows a Bash script being edited in the vi editor. The script defines a function named "hello" that sets a local variable "HELLO" to "World" and prints it. The current line being edited is "hello", with the cursor at the end of the word. The terminal shows the following text:

```
#!/bin/bash
HELLO=Hello
function hello
{
  local HELLO=World
  echo $HELLO
}
echo $HELLO
hello
~
~
~
~
~
~
```

Рисунок 4: Работа в редакторе Vi



```
vmsavostin@vmsavostin:~$ cd
vmsavostin@vmsavostin:~$ touch hello.sh
vmsavostin@vmsavostin:~$ chmod +x hello.sh
vmsavostin@vmsavostin:~$ vi hello.sh
vmsavostin@vmsavostin:~$
^[[200~./hello.sh
^[[201~vmsavostin@vmsavos./hello.shhello.sh

./hello.sh: line 5: LOCAL: command not found

vmsavostin@vmsavostin:~$ vi hello.sh
vmsavostin@vmsavostin:~$ ./hello.sh
Hello
World
vmsavostin@vmsavostin:~$
```

Рисунок 5: Повторный запуск файла

3. Выводы по проделанной работе

В ходе работы мы получили практические навыки работы с редактором vi, установленным по умолчанию практически во всех дистрибутивах UNIX. А также освоили основные режимы и команды