CO2_HTML _LAB MANUAL

EXP 4- Webpage Development with HTML attributes

1.1 AIM: - To develop webpage with HTML attributes.

1.2 Objectives: To understand concept of Design of simple web page with HTML

1.3 Apparatus: Desktop or Laptop with any operating system like UNIX, LINUX and Windows.

1.4 Software: Notepad or Notepad++ or Visual Studio Code and any web Browser like Internet Explorer, Google Chrome, and Mozilla Firefox etc.

PRE-LAB

1.Draw the outline of a webpage.

```
<!DOCTYPE html>
<html>
 <head>
<meta charset="UTF-8">
      <title>Page Title</title>
   </head>

   <body>
 <header>
        </header>

      <main>
        </main>
```

```
    <footer>

      </footer>


  </body>


</html>
```

2.Draw the outline of website.

1.5 Procedure (CODE):

```
<!DOCTYPE html>
<html>
  <head>
    <title>Muneer-Asthetics</title>
    <script>
      alert("Read bible daily");
      prompt("enter your name: ");
    </script>

  </head>
  <body style="background-color:pink;">
      <div style="background-color: beige;"><h1 align="center"><em><b>WELCOME TO MUNEER
ASTHETICS</b></em></h1></div>
      <div style="background-color: papayawhip;"><h4 align="center">Today we are going to see some gods
words</h4></div>

      <hr>
      <table width="100%">
        <tr>
          <td align="left"><img
src="https://t3.ftcdn.net/jpg/09/14/78/18/360_F_914781820_s59HcOlG1cDqeSnvqEu0DrYhmnBYW8qk.jpg"wid
th="300" height="150" title="Web Designing" border="3"></td>
          <td align="right"><img src="https://media.gettyimages.com/id/1491816614/video/senior-woman-
with-eyes-closed-and-hand-raised-praying-in-
church.jpg?s=640x640&k=20&c=v4AHK5TIPTUki0zuyxwnJwvLnWU33XdrrPUjY4O-55s=" align="left"
width="300" height="150" border="3"></td>
          <td align="center"><img src="https://pd-website-content.s3.us-east-2.amazonaws.com/pcom/free-
resources/worship/god-blesses-a-praying-churchvgtnvg.jpg" width="300" height="150" border="3"></td>
        </tr>
      </table>
      <h3>Peaceful audio</h3>
      <audio controls>
```

V Muneer 2500090073 Narasimha raju sir sec A

```
        <source src="https://pixabay.com/music/search/genre/Modern%20Classical/" type="audio/mp3">
    </audio>
    <h3>Inspirational Video</h3>
        <video width="500" controls border="3">
            <source src="https://youtu.be/Fm4o_AwF-_E" type="video/mp4">
            Your browser does not support the video tag.
        </video>
        <center>
         <h1>"For we walk by faith, not by sight." — 2 Corinthians 5:7</h1>
        </center>


  </body>
</html>
```

1.6 Result:



POST-LAB

V Muneer 2500090073 Narasimha raju sir sec A

1.What is the different between program language and script language?

programming languages are typically "compiled," meaning the entire source code is translated into machine-readable binary before it ever runs.

Scripting languages, on the other hand, are a subset of programming languages that are "interpreted" line-by-line. Instead of being converted into a standalone file beforehand, they run inside another program (like your web browser) to automate tasks or add functionality.

2.What is HTML and its use?

HTML (HyperText Markup Language) is the standard foundation of every website on the internet. It isn't a programming language in the traditional sense; instead, it is a **markup language** used to define the structure and layout of a webpage.

3.Write the commands to insert list and table?

There are two main types of lists: **Ordered** (numbered) and **Unordered** (bulleted).

- **Unordered List (`<ul>`):** Uses bullets.
- **Ordered List (`<ol>`):** Uses numbers or letters.
- **List Item (`<li>`):** Used inside both types to define each individual item.

Tables are built row by row. You start with a main container and then define the rows and the data cells inside them.

- **`<table>`**: The main container for the entire table.
- **`<tr>`** (Table Row): Creates a horizontal row.
- **`<th>`** (Table Header): Used in the first row for titles (bolds and centers text by default).
- **`<td>`** (Table Data): Used for standard cells containing information.

4.Write the commands to insert image, audio and video?

The `<img>` tag is used to embed pictures. It is a **self-closing** tag, meaning it does not need a `</img>` closing tag.

- **`src`**: The path or URL to your image file.
- **`alt`**: A text description for accessibility (if the image fails to load).
- **`width`** / **`height`**: Sets the size of the image in pixels.

V Muneer 2500090073 Narasimha raju sir sec A

The `<audio>` tag is a container that requires a closing tag. To make the play/pause buttons appear, you **must** include the `controls` attribute.

- **`controls`**: Displays the play, pause, and volume bar.
- **`<source>`**: Used inside the audio tag to specify the file and its type.
- **`type`**: Tells the browser the format (usually `audio/mpeg` for MP3).

Similar to audio, the `<video>` tag needs the `controls` attribute so the user can interact with it. You can also set a specific width and height.

- **`width`** / **`height`**: Defines the size of the video player.
- **`type`**: Usually `video/mp4` for standard video files.
- **`autoplay`** / **`loop`**: Optional attributes to make the video start automatically or repeat.