

#### C Piscine

Day 24
The Spy Who Coded me

Staff 42 pedago@42.fr

Summary: THE FOLLOWING TAKES PLACE BETWEEN 4.00 P.M. AND 5.00 P.M.

# Contents

1	Instructions	2
2	Austin Powers I	3
3	ft_takes_place.c	4

### Chapter 1

#### Instructions

- The exercises are carefully laid out in order of difficulty, from easiest to hardest. An exercise is only graded if all previous ones are correct. In other words: the grading for a day stops at the first mistake.
- Be mindful of the <u>submission procedures</u> indicated at the start of every exercise.
- Your exercises will be checked and graded by your fellow classmates.
- On top of that, your exercises will be checked and graded by a program called Moulinette.
- Moulinette is very meticulous and strict in its evaluation of your work. It is entirely automated and there is no way to negotiate with it. Be as thorough as possible!
- Moulinette relies on a program called **norminette** to check if your files respect the Norm. An exercise containing files that do not respect the Norm will be graded 0.
- Using a forbidden function is considered cheating. Cheaters get
   -42, and this grade is non-negotiable.
- If **ft\_putchar()** is an authorized function, we will compile your code with our **ft\_putchar.c**.
- You'll only have to submit a main() function if we ask for a program.
- Moulinette compiles with these flags: -Wall -Wextra -Werror, and uses gcc.
- If your program doesn't compile, it will be graded 0.
- You should not leave <u>any</u> additional file in your directory than those specified in the subject.



For this day, norminette is launched without any particular flaq!

### Chapter 2

#### Austin Powers I

So, future. God, my stomac!

" Baby, i don't know that position, but it makes me puke liters of mojo ! "  $^{\circ}$ 

I try to stand up as worthily as possible grabbing the first available pole.

- « Austin Powers ! Let go of my legs this instant !
- Behave, my dear, the night is only begginng...
- I'm Donnie Matrix, special agent 101010 of the MI:6, not one of your groupies !  $\mbox{``}$

I was watching for the first time my guardian who was forcefully push out of his embrace that i thought to be erotic. Flamming red hairs, perfectly shapped wearing a leather skin-tight leotard, her face was stunning.

- « Your face could...
- Later, Powers, interupting me. We're in 2042. Dr Evil escaped to this futur because of your last fight. We managed to follow him but we're in the middle of nowhere, in the center of old London.
- London doesn't exist anymore ?
- The city went bankrupt after the french sealed the tunnel under the north sea as vengeance for killing Jeanne d'Arc.

I feel, thinking that my pouts might seduce Donnie Matrix. Wasted effort. I decided to use plan B.

"There might still be hope... A plan B. My private club in London has a anticapitalist bunker for emergency situations. What's the time? We can still get there before happy hours!"

## Chapter 3

#### ft\_takes\_place.c

Even in the future, watches provide the time. You just have to know how to set them up.

Turn-in directory : ex01/

Files to turn in: ft\_takes\_place.c
Allowed functions: write, printf

 Create a function ft\_takes\_place which displays the time on the standard output like this: THE FOLLOWING TAKES PLACE BETWEEN
 X.00 A.M. AND Y.00 A.M.. Followed by a line break. Example:

THE FOLLOWING TAKES PLACE BETWEEN 10.00 A.M. AND 11.00 A.M.

• Here's how it should be prototyped :

void ft takes place(int hour);

• The **hour** argument will be a valid **int**, in a 24-hour clock format. The output will be in the am/pm format.



Be careful with noon and midnight!