



# C Piscine

Day 24

The Spy Who Coded me

Staff 42 [pedago@42.fr](mailto:pedago@42.fr)

*Summary: THE FOLLOWING TAKES PLACE BETWEEN 8.00 P.M. AND 9.00 A.M.*

# Contents

1	Instructions	2
2	Dr Evil II	3
3	ft_button.c	5

# Chapter 1

## Instructions

- The exercises are carefully laid out in order of difficulty, from easiest to hardest. An exercise is only graded if all previous ones are correct. In other words: the grading for a day stops at the first mistake.
- Be mindful of the submission procedures indicated at the start of every exercise.
- Your exercises will be checked and graded by your fellow classmates.
- On top of that, your exercises will be checked and graded by a program called Moulinette.
- Moulinette is very meticulous and strict in its evaluation of your work. It is entirely automated and there is no way to negotiate with it. Be as thorough as possible!
- Moulinette relies on a program called **norminette** to check if your files respect the Norm. An exercise containing files that do not respect the Norm will be graded 0.
- Using a forbidden function is considered cheating. Cheaters get -42, and this grade is non-negotiable.
- If **ft\_putchar()** is an authorized function, we will compile your code with our **ft\_putchar.c**.
- You'll only have to submit a **main()** function if we ask for a program.
- Moulinette compiles with these flags: **-Wall -Wextra -Werror**, and uses **gcc**.
- If your program doesn't compile, it will be graded 0.
- You should not leave any additional file in your directory than those specified in the subject.



For this day, **norminette** is launched without any particular flag!

# Chapter 2

## Dr Evil II

« Incompetents ! INCOMPETENTS ! »

I'm angry even if it's not advised with a metabolism like mine. The plan was simple, just killing Austin Powers. Instead of that, the bomb didn't explode and they are on their way to my female-bot factory ?

« No 42 ! Bring me those responsible so that i can make an example for the others.

- Awesome, laughed Scott. One more time, the plan was an incarnation of crap. If you really wanted to destroy Austin, why send him an easy to disarm bomb with a letter explaining your evil plan ? Why not using an air strike ?

- Scott, I am the brain of this operation. Don't play in with the grown-ups if you don't even have a beard yet !

- I HATE YOU. I HATE YOUT. I HOPE THAT AUSTIN POWERS WILL DESTROY YOUR FACTORY ! »

Scot left the meeting room running ridiculously. Note to myself : switch his juice brick with C4.

« Bring the accused in !

- Thanks, Frau. Let's proceed with the inspection. Who's got the best aptitude tests results ?

Between the 3 anonymous henchman in the room, the tallest rose his hand showing 5 fingers.

« Thanks, you're dismissed. Good... Who got the worst results ? »

The smallest rose his hand showing 2 fingers.

« For your honnesty, you too, are dismissed. »

I lowered my eyes... In front of me, 3 buttons, one for each henchman.

A certain death in a lava lake awaits the middle henchman !

# Chapter 3

## ft\_button.c

Help Dr Evil choose which button to press.

HINT : it's the one in the middle.

Turn-in directory : ex05/

Files to turn in: ft\_button.c

Allowed functions: None

---

- Create a function `ft_button` which takes three `ints` as argument and returns the middle value.
- Here's how it should be prototyped :

```
int ft_button(int i, int j, int k);
```



To know more about the middle value, read the foreword section...