

#### C Piscine

Day 24
The Spy Who Coded me

Staff 42 pedago@42.fr

Summary: THE FOLLOWING TAKES PLACE BETWEEN 11.00 P.M. AND 12.00 A.M.

# Contents

| 1 | Instructions     | 2 |
|---|------------------|---|
| 2 | Basil Exposition | 3 |
| 3 | ft_spy.c         | 4 |

### Chapter 1

#### Instructions

- The exercises are carefully laid out in order of difficulty, from easiest to hardest. An exercise is only graded if all previous ones are correct. In other words: the grading for a day stops at the first mistake.
- Be mindful of the <u>submission procedures</u> indicated at the start of every exercise.
- Your exercises will be checked and graded by your fellow classmates.
- On top of that, your exercises will be checked and graded by a program called Moulinette.
- Moulinette is very meticulous and strict in its evaluation of your work. It is entirely automated and there is no way to negotiate with it. Be as thorough as possible!
- Moulinette relies on a program called **norminette** to check if your files respect the Norm. An exercise containing files that do not respect the Norm will be graded 0.
- Using a forbidden function is considered cheating. Cheaters get
   -42, and this grade is non-negotiable.
- If **ft\_putchar()** is an authorized function, we will compile your code with our **ft\_putchar.c**.
- You'll only have to submit a main() function if we ask for a program.
- Moulinette compiles with these flags: -Wall -Wextra -Werror, and uses gcc.
- If your program doesn't compile, it will be graded 0.
- You should not leave <u>any</u> additional file in your directory than those specified in the subject.



For this day, norminette is launched without any particular flaq!

### Chapter 2

#### **Basil Exposition**

I'm dead since many years, but my conscience still lives inside a server. Of course, it's difficult to call that life : no feelings just thoughts. Am I still Basil Exposition, Austin Powers' boss if i'm not a man anymore ?

```
[ Yes, yes, just need to push the button, and the Shaguar starts a conference with Basil, Donnie, it always worked. ]
```

Not so long ago, i could have explained everything to Austin Powers. How i managed to find the revers temporal flux and his arrival in 2042. What are the evil dark secret plans of Dr Evil. How to stop him.

```
[ Push the power button ! ]
```

What's Donnie Matrix's secret.

```
[ Ah, it works, it works ! ]
```

- « Basil ! Basil, where are you now ?
- Austin... Powers ?
- It works ? This technology still works ? Said Donnie shocked.
- Basil, we need your help to stop Dr Evil yet another time.
- I know. I intercepted communication in fact all communications from his HQ in Paris, France. You should find important informations while going through them.
- Thanks Basil! You've already met Donnie Matrix, my new...
- Good luck, Austin. Good luck. »

I shut down the communication and returned to silence.

. . .

Strange how loneliness is even more unbearable when you have nobody to talk to.

## Chapter 3

#### ft\_spy.c

Help Austin and Donnie find interesting bits of communications from Dr Evel's HQ.

Turn-in directory : ex08/
Files to turn in: ft\_spy.c
Allowed functions: write

- Create the file **ft\_spy.c** which displays **Alert!!!** on the standard output, followed by a line break, if any of the given arguments is one of these words: **president**, **attack** or **Powers**.
- Evidently, your ft\_spy.c file shouls have a main.

```
$> $./ft_spy "I" "will" "kill" "Austin" "Powers"
Alert!!!
$> $./ft_spy "Hello" "I" "want" "a" "4" "cheese" "pizza"
$> $./ft_spy "The attack" "will" "start" "soon"
$> $./ft_spy "an" "attack" "will" "start" "soon"
Alert!!!
$>
```

• Examine the examples thouroughly :

```
$> $./ft_spy "I" "will" "kill" "Nigel" "PoWeRs"
Alert!!!
$> $./ft_spy " the " " president " "must" "die "
Alert!!!
$> $./ft_spy " the'" "omnipresident" "must" "eat "
$>
```



Why not take advantage of this exercise to add reuseable functions to your lib ?