



C Piscine

Day 24

The Spy Who Coded me

Staff 42 pedago@42.fr

Summary: THE FOLLOWING TAKES PLACE BETWEEN 3.00 P.M. AND 4.00 P.M.

Contents

1	Instructions	2
2	Donnie Matrix I	3
3	ft_generic.c	5

Chapter 1

Instructions

- The exercises are carefully laid out in order of difficulty, from easiest to hardest. An exercise is only graded if all previous ones are correct. In other words: the grading for a day stops at the first mistake.
- Be mindful of the submission procedures indicated at the start of every exercise.
- Your exercises will be checked and graded by your fellow classmates.
- On top of that, your exercises will be checked and graded by a program called Moulinette.
- Moulinette is very meticulous and strict in its evaluation of your work. It is entirely automated and there is no way to negotiate with it. Be as thorough as possible!
- Moulinette relies on a program called **norminette** to check if your files respect the Norm. An exercise containing files that do not respect the Norm will be graded 0.
- Using a forbidden function is considered cheating. Cheaters get -42, and this grade is non-negotiable.
- If **ft_putchar()** is an authorized function, we will compile your code with our **ft_putchar.c**.
- You'll only have to submit a **main()** function if we ask for a program.
- Moulinette compiles with these flags: **-Wall -Wextra -Werror**, and uses **gcc**.
- If your program doesn't compile, it will be graded 0.
- You should not leave any additional file in your directory than those specified in the subject.



For this day, **norminette** is launched without any particular flag!

Chapter 2

Donnie Matrix I

1972. I need to save Austin Powers.

As i'm going through the big opened doors of Dr Evil's lair, i hear Austin fighting with his ennemy. Battle screams echoes in the corridor « Judo chop ! Judo chop ! ». Vivid lights flooding my senses : autodestruction's alarm is activated.

I don't have much time left when i finally arrive where confrontation is taking place. But it's already too late : Dr Evil escaped and Austin is lying unconscious on the ground.

« Shaking his body i screamed, Austin ! Austin !

- Dr... Evil... soporific gaz... catch him...

- It's not the time to lie down, everything is gonna blow, we need to leave, Dr Evil used the reverse timetravel machine. He's in the futur now ...»

I slapped Austing to make him come back to his senses.

« Dr Evil planned to corrupt the present using the future of the past. History will be rewritten if you don't act now...

- SELFDESTRUCT IN 7 SECONDES.

- ... in 7 secondes ! »

I rushed at the reverse timetravel machine's console. Destination ... 2042 ? I switched it on and went back to Austin.

« UP, UP! We only have...

- SELFDESTRUCT IN 11 SECONDES.

- couple of secondes...

- SELFDESTRUCT IN 22 SECONDES.

- before the end...

- SELFDESTRUCT IN 34 SECONDES. »

With a psychedelic flash of light, we went through the time portal to an uncertain future...

Chapter 3

ft_generic.c

The opening melody goes « Tu tu tu tu ; Tu tu tu tu ».

Turn-in directory : ex00/

Files to turn in: ft_generic.c

Allowed functions: write

- Create a function `ft_generic()`. When called by a `main()`, it should display :

```
$>./a.out
Tu tu tu tu ; Tu tu tu tu
$>
```

- Here's how it should be prototyped :

```
void ft_generic(void);
```