

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Act of creating virtual version of something is known as.....
((OPTION_A)) THIS IS MANDATORY OPTION	hypervisor.
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Para virtualization
((OPTION_C)) This is optional	Virtulization
((OPTION_D)) This is optional	Xen.
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	C
((EXPLANATION) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Xen is an open sourcewhich is developed by Cambridge university
((OPTION_A)) THIS IS MANDATORY OPTION	Hypervisor
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Operating System
((OPTION_C)) This is optional	All of these
((OPTION_D)) This is optional	Both a&c
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Hypervisor is also known as
((OPTION_A)) THIS IS MANDATORY OPTION	Microprocessor
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Microcontroller
((OPTION_C)) This is optional	VMM
((OPTION_D)) This is optional	Both a&b
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	C
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Xen hypervisor is of type.....,which is used to separate the policy from the mechanism
((OPTION_A)) THIS IS MANDATORY OPTION	Microkernel
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Microcontroller
((OPTION_C)) This is optional	Microprocessor
((OPTION_D)) This is optional	None of the above
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	A virtual environment is provided by Xen between and
((OPTION_A)) THIS IS MANDATORY OPTION	Hardware and software
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Input and output.
((OPTION_C)) This is optional	Hardware and OS
((OPTION_D)) This is optional	Both a & b
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	C
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Hypervisor, kernel and applications are the most important component ofsystem
((OPTION_A)) THIS IS MANDATORY OPTION	Xen
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Hypervisor
((OPTION_C)) This is optional	Operating System
((OPTION_D)) This is optional	All of these
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	B
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Hypervisor,..... and applications are the most important component of hypervisor system
((OPTION_A)) THIS IS MANDATORY OPTION	Kernel
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Hypervisor
((OPTION_C)) This is optional	Operating system
((OPTION_D)) This is optional	All of these
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO,kernel and applications are the most important component of hypervisor system
((OPTION_A)) THIS IS MANDATORY OPTION	Kernel
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Hypervisor
((OPTION_C)) This is optional	Operating System
((OPTION_D)) This is optional	All of the above
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	B
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	library support level virtualization is done with the help of
((OPTION_A)) THIS IS MANDATORY OPTION	API hooks
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Kernel
((OPTION_C)) This is optional	Operating System
((OPTION_D)) This is optional	All of these
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	The emulation is implemented by the method
((OPTION_A)) THIS IS MANDATORY OPTION	unary translation
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	hexadecimal translation
((OPTION_C)) This is optional	binary translation
((OPTION_D)) This is optional	None f the above
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	C
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	The guest operating system are modified by the
((OPTION_A)) THIS IS MANDATORY OPTION	Hypervisor
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Para virtualixzation
((OPTION_C)) This is optional	Virtulization
((OPTION_D)) This is optional	Xen
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	B
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	The best example of para virtualization is the.....
((OPTION_A)) THIS IS MANDATORY OPTION	KVM
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	VMM
((OPTION_C)) This is optional	JVM
((OPTION_D)) This is optional	Both a&b
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	A computer on which a hypervisor runs one or more virtual machine is called
((OPTION_A)) THIS IS MANDATORY OPTION	Operating syStem
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Host machine
((OPTION_C)) This is optional	Virtualization
((OPTION_D)) This is optional	Full virtualization
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	B
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	The term hypervisor is a variant of
((OPTION_A)) THIS IS MANDATORY OPTION	OS
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Supervisor
((OPTION_C)) This is optional	Virtualization
((OPTION_D)) This is optional	All of these.
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	B
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSOHypervisor is also called as Bare Metal or Embedded or Native Hypervisor
((OPTION_A)) THIS IS MANDATORY OPTION	Type-I
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Type-II
((OPTION_C)) This is optional	Type-III
((OPTION_D)) This is optional	Type-IV
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSOHypervisor is also known as Hosted Hypervisor.
((OPTION_A)) THIS IS MANDATORY OPTION	Type-I
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Type-II
((OPTION_C)) This is optional	Type-III
((OPTION_D)) This is optional	Type-IV
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	B
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSOHypervisor abstract guest operating system from the host operating system.
((OPTION_A)) THIS IS MANDATORY OPTION	Type-I
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Type-II
((OPTION_C)) This is optional	Type-III
((OPTION_D)) This is optional	Type-IV
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	B
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	The instruction which are executes in supervisor mode are known as.....
((OPTION_A)) THIS IS MANDATORY OPTION	. Privileged instruction
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	unprivileged instruction
((OPTION_C)) This is optional	Both
((OPTION_D)) This is optional	None of the above
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Intel provide or technique for processor virtualization
((OPTION_A)) THIS IS MANDATORY OPTION	VT-x , VT-i
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	VT-d, VT-c
((OPTION_C)) This is optional	Both
((OPTION_D)) This is optional	None of the above
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO and offered by Intel for I/O virtualization
((OPTION_A)) THIS IS MANDATORY OPTION	VT-x , VT-i
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	VT-d, VT-c
((OPTION_C)) This is optional	None
((OPTION_D)) This is optional	Both
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	B
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Intel provides EPT for virtualization
((OPTION_A)) THIS IS MANDATORY OPTION	CPU
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	I/O
((OPTION_C)) This is optional	Memory
((OPTION_D)) This is optional	All
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	C
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO instructions are executed in a privileged mode and if executed outside this mode, then get trapped
((OPTION_A)) THIS IS MANDATORY OPTION	privileged instructions
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	control sensitive instructions
((OPTION_C)) This is optional	Behavior sensitive instructions
((OPTION_D)) This is optional	All
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	To make the change in the configuration of resourcesinstructions are used.
((OPTION_A)) THIS IS MANDATORY OPTION	privileged instructions
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	control sensitive instructions
((OPTION_C)) This is optional	Behavior sensitive instructions
((OPTION_D)) This is optional	All
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	B
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO shows different behaviours which depends upon the configuration of resources
((OPTION_A)) THIS IS MANDATORY OPTION	privileged instructions
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	control sensitive instructions
((OPTION_C)) This is optional	Behavior sensitive instructions
((OPTION_D)) This is optional	All
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	C
((EXPLANATION) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	the full or para virtualization are complicated hence.....technique is used to simplify virtualization
((OPTION_A)) THIS IS MANDATORY OPTION	Memory virtualization
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	CPU virtualization
((OPTION_C)) This is optional	hardware assisted CPU virtualization
((OPTION_D)) This is optional	All of the above
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	C
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSOvirtualization is same process as of the virtual memory support which is privileged by modern operating system
((OPTION_A)) THIS IS MANDATORY OPTION	CPU
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	I/O
((OPTION_C)) This is optional	Memory
((OPTION_D)) This is optional	All
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	C
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	The mapping of physical memory to the actual machine memory is responsibility of the.....
((OPTION_A)) THIS IS MANDATORY OPTION	KVM
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	JVM
((OPTION_C)) This is optional	VMM
((OPTION_D)) This is optional	All
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	C
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSOvirtualization is used to manage the routine of various type of I/O request in between virtual devices and the shared physical hardware
((OPTION_A)) THIS IS MANDATORY OPTION	CPU
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	I/O
((OPTION_C)) This is optional	Memory
((OPTION_D)) This is optional	All
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	B
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSOis/are the way of implement I/O virtualization
((OPTION_A)) THIS IS MANDATORY OPTION	Full device emulation
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	direct I/O.
((OPTION_C)) This is optional	Para virtualization
((OPTION_D)) This is optional	All of these
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	D
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	The first approach for I/O virtualization is considered as.....
((OPTION_A)) THIS IS MANDATORY OPTION	Full device emulation
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	direct I/O.
((OPTION_C)) This is optional	Para virtualization
((OPTION_D)) This is optional	All of these
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	B
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	In I/O virtualization the execution of front end driver is done in.....
((OPTION_A)) THIS IS MANDATORY OPTION	Domain 0
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Domain 1
((OPTION_C)) This is optional	Domain V
((OPTION_D)) This is optional	Domain U
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	D
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO performance can be achieved by avoiding high CPU costs
((OPTION_A)) THIS IS MANDATORY OPTION	Close-to-native
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Split-driver model
((OPTION_C)) This is optional	None
((OPTION_D)) This is optional	Both
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	AJAX stands for
((OPTION_A)) THIS IS MANDATORY OPTION	Asynchronous JavaScript and XML
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Asynchronous JavaScript and XAMP
((OPTION_C)) This is optional	None
((OPTION_D)) This is optional	Both
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	AJAX uses..... .for creating dynamic contents
((OPTION_A)) THIS IS MANDATORY OPTION	XHTML
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	CSS
((OPTION_C)) This is optional	DOM
((OPTION_D)) This is optional	All
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	D
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	The example of using AJAX is/are.....
((OPTION_A)) THIS IS MANDATORY OPTION	Google Map
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Gmail
((OPTION_C)) This is optional	Youtube
((OPTION_D)) This is optional	All
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	D
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Need of XML is for.....
((OPTION_A)) THIS IS MANDATORY OPTION	Simlicity
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Organization
((OPTION_C)) This is optional	Standardization
((OPTION_D)) This is optional	All
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	D
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	LAMP isthan LAPP
((OPTION_A)) THIS IS MANDATORY OPTION	Slower
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Faster
((OPTION_C)) This is optional	Equal
((OPTION_D)) This is optional	None of these
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO assertions contains a packet regarding the security information.
((OPTION_A)) THIS IS MANDATORY OPTION	SAMP
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	SOAP
((OPTION_C)) This is optional	Both
((OPTION_D)) This is optional	None
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSOStatement provided by SAMP
((OPTION_A)) THIS IS MANDATORY OPTION	Authentication statement.
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Attribute statement
((OPTION_C)) This is optional	Authentication control statement
((OPTION_D)) This is optional	All of these
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	D
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO is a simple request and response protocol
((OPTION_A)) THIS IS MANDATORY OPTION	SAMP
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	XML
((OPTION_C)) This is optional	HTTP
((OPTION_D)) This is optional	SOAP
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	There are types of SAMP
((OPTION_A)) THIS IS MANDATORY OPTION	One
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Two
((OPTION_C)) This is optional	Three
((OPTION_D)) This is optional	Four
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	C
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO is a open standard and decentralized authentication protocol
((OPTION_A)) THIS IS MANDATORY OPTION	OpenID
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	OpenMP
((OPTION_C)) This is optional	OAuth
((OPTION_D)) This is optional	ALL
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	websites are able to to secure all communications between there servers and web browser
((OPTION_A)) THIS IS MANDATORY OPTION	SSL
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	TLS
((OPTION_C)) This is optional	Both
((OPTION_D)) This is optional	None
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	B
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSOapplications uses the TLS protocol to communicate across a network in a way designed to prevent eavesdropping and tempering
((OPTION_A)) THIS IS MANDATORY OPTION	Input-output
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Client-server
((OPTION_C)) This is optional	Hardware-software
((OPTION_D)) This is optional	None
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	B
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	hypervisor manages the execution of
((OPTION_A)) THIS IS MANDATORY OPTION	guest operating system
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	guest operating system
((OPTION_C)) This is optional	None
((OPTION_D)) This is optional	Both
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSOis totally independent of the operating System
((OPTION_A)) THIS IS MANDATORY OPTION	Type-I
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Type-II
((OPTION_C)) This is optional	Type-III
((OPTION_D)) This is optional	Type-IV
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	A
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSOhypervisor run of conventional operating system
((OPTION_A)) THIS IS MANDATORY OPTION	Type-I
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Type-II
((OPTION_C)) This is optional	Type-III
((OPTION_D)) This is optional	Type-IV
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	B
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSOis totally depends upon the host operating system for its operation
((OPTION_A)) THIS IS MANDATORY OPTION	Type-I
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Type-II
((OPTION_C)) This is optional	Type-III
((OPTION_D)) This is optional	Type-IV
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	B
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Example of type II hypervisor is.....
((OPTION_A)) THIS IS MANDATORY OPTION	VMware Workstation
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Microsoft virtual PC
((OPTION_C)) This is optional	Oracle Virtual Box
((OPTION_D)) This is optional	All of these
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	D
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	1
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	Operating Syatem can be executed on ring 0 while the hypervisor can be executed on
((OPTION_A)) THIS IS MANDATORY OPTION	Ring 0
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	Ring 1
((OPTION_C)) This is optional	Both
((OPTION_D)) This is optional	None
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	B
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

<p>((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)</p>	
<p>((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO</p>	
<p>((OPTION_A)) THIS IS MANDATORY OPTION</p>	
<p>((OPTION_B)) THIS IS ALSO MANDATORY OPTION</p>	
<p>((OPTION_C)) This is optional</p>	
<p>((OPTION_D)) This is optional</p>	
<p>((OPTION_E)) This is optional. If optional keep empty so that system will skip this option</p>	
<p>((CORRECT_CH OICE)) Either A or B or C or D or E</p>	
<p>((EXPLANATION)) This is also optional</p>	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

<p>((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)</p>	
<p>((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO</p>	
<p>((OPTION_A)) THIS IS MANDATORY OPTION</p>	
<p>((OPTION_B)) THIS IS ALSO MANDATORY OPTION</p>	
<p>((OPTION_C)) This is optional</p>	
<p>((OPTION_D)) This is optional</p>	
<p>((OPTION_E)) This is optional. If optional keep empty so that system will skip this option</p>	
<p>((CORRECT_CH OICE)) Either A or B or C or D or E</p>	
<p>((EXPLANATION)) This is also optional</p>	

<p>((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)</p>	
<p>((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO</p>	
<p>((OPTION_A)) THIS IS MANDATORY OPTION</p>	
<p>((OPTION_B)) THIS IS ALSO MANDATORY OPTION</p>	
<p>((OPTION_C)) This is optional</p>	
<p>((OPTION_D)) This is optional</p>	
<p>((OPTION_E)) This is optional. If optional keep empty so that system will skip this option</p>	
<p>((CORRECT_CH OICE)) Either A or B or C or D or E</p>	
<p>((EXPLANATION)) This is also optional</p>	

<p>((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)</p>	
<p>((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO</p>	
<p>((OPTION_A)) THIS IS MANDATORY OPTION</p>	
<p>((OPTION_B)) THIS IS ALSO MANDATORY OPTION</p>	
<p>((OPTION_C)) This is optional</p>	
<p>((OPTION_D)) This is optional</p>	
<p>((OPTION_E)) This is optional. If optional keep empty so that system will skip this option</p>	
<p>((CORRECT_CH OICE)) Either A or B or C or D or E</p>	
<p>((EXPLANATION)) This is also optional</p>	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

<p>((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)</p>	
<p>((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO</p>	
<p>((OPTION_A)) THIS IS MANDATORY OPTION</p>	
<p>((OPTION_B)) THIS IS ALSO MANDATORY OPTION</p>	
<p>((OPTION_C)) This is optional</p>	
<p>((OPTION_D)) This is optional</p>	
<p>((OPTION_E)) This is optional. If optional keep empty so that system will skip this option</p>	
<p>((CORRECT_CH OICE)) Either A or B or C or D or E</p>	
<p>((EXPLANATION)) This is also optional</p>	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

<p>((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)</p>	
<p>((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO</p>	
<p>((OPTION_A)) THIS IS MANDATORY OPTION</p>	
<p>((OPTION_B)) THIS IS ALSO MANDATORY OPTION</p>	
<p>((OPTION_C)) This is optional</p>	
<p>((OPTION_D)) This is optional</p>	
<p>((OPTION_E)) This is optional. If optional keep empty so that system will skip this option</p>	
<p>((CORRECT_CH OICE)) Either A or B or C or D or E</p>	
<p>((EXPLANATION)) This is also optional</p>	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

<p>((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)</p>	
<p>((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO</p>	
<p>((OPTION_A)) THIS IS MANDATORY OPTION</p>	
<p>((OPTION_B)) THIS IS ALSO MANDATORY OPTION</p>	
<p>((OPTION_C)) This is optional</p>	
<p>((OPTION_D)) This is optional</p>	
<p>((OPTION_E)) This is optional. If optional keep empty so that system will skip this option</p>	
<p>((CORRECT_CH OICE)) Either A or B or C or D or E</p>	
<p>((EXPLANATION)) This is also optional</p>	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

<p>((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)</p>	
<p>((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO</p>	
<p>((OPTION_A)) THIS IS MANDATORY OPTION</p>	
<p>((OPTION_B)) THIS IS ALSO MANDATORY OPTION</p>	
<p>((OPTION_C)) This is optional</p>	
<p>((OPTION_D)) This is optional</p>	
<p>((OPTION_E)) This is optional. If optional keep empty so that system will skip this option</p>	
<p>((CORRECT_CH OICE)) Either A or B or C or D or E</p>	
<p>((EXPLANATION)) This is also optional</p>	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

<p>((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)</p>	
<p>((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO</p>	
<p>((OPTION_A)) THIS IS MANDATORY OPTION</p>	
<p>((OPTION_B)) THIS IS ALSO MANDATORY OPTION</p>	
<p>((OPTION_C)) This is optional</p>	
<p>((OPTION_D)) This is optional</p>	
<p>((OPTION_E)) This is optional. If optional keep empty so that system will skip this option</p>	
<p>((CORRECT_CH OICE)) Either A or B or C or D or E</p>	
<p>((EXPLANATION)) This is also optional</p>	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

<p>((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)</p>	
<p>((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO</p>	
<p>((OPTION_A)) THIS IS MANDATORY OPTION</p>	
<p>((OPTION_B)) THIS IS ALSO MANDATORY OPTION</p>	
<p>((OPTION_C)) This is optional</p>	
<p>((OPTION_D)) This is optional</p>	
<p>((OPTION_E)) This is optional. If optional keep empty so that system will skip this option</p>	
<p>((CORRECT_CH OICE)) Either A or B or C or D or E</p>	
<p>((EXPLANATION)) This is also optional</p>	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	

<p>((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)</p>	
<p>((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO</p>	
<p>((OPTION_A)) THIS IS MANDATORY OPTION</p>	
<p>((OPTION_B)) THIS IS ALSO MANDATORY OPTION</p>	
<p>((OPTION_C)) This is optional</p>	
<p>((OPTION_D)) This is optional</p>	
<p>((OPTION_E)) This is optional. If optional keep empty so that system will skip this option</p>	
<p>((CORRECT_CH OICE)) Either A or B or C or D or E</p>	
<p>((EXPLANATION)) This is also optional</p>	

((MARKS)) QUESTION IS OF HOW MANY MARKS? (1 OR 2 OR 3 UPTO 10)	
((QUESTION)) ENTER CONTENT. QTN CAN HAVE IMAGES ALSO	
((OPTION_A)) THIS IS MANDATORY OPTION	
((OPTION_B)) THIS IS ALSO MANDATORY OPTION	
((OPTION_C)) This is optional	
((OPTION_D)) This is optional	
((OPTION_E)) This is optional. If optional keep empty so that system will skip this option	
((CORRECT_CH OICE)) Either A or B or C or D or E	
((EXPLANATION)) This is also optional	