

Server Load Processor

Server Load Processor

Derek, a system administrator, is working to optimize server performance by calculating the **average load per server**. This requires dividing the total workload by the number of servers. However, if the number of servers is **zero**, it can lead to a **division by zero** error, which could affect application stability. Derek wants to ensure his program can handle such scenarios safely.

Your task is to implement a solution that divides the total workload by the number of servers while properly handling potential errors such as **division by zero**. If the **number of servers is zero**, your program should print **"Error"**. The result should print the **integer part** of the division, and errors should be managed gracefully.

Input Format

- The first line contains an integer T , the number of test cases.
- The following T lines each contain two integers `total_load` and `servers`, where `total_load` represents the total workload and `servers` represents the number of servers.

Output Format



Acumen

Innovation

Report

Excellent

YALAGANA

← CODING

INSTRUCTIONS

☰ PROBLEMS LIST

<

>

⌚ 15 : 33

TIME LEFT

✕ QUIT ASSESSMENT

Description

Submissions

Output Format

- For each test case, print the integer part of dividing `total_load` by `servers` if it is valid (i.e., `servers` is not zero).
- If an error occurs, such as division by zero, print `"Error"`.

Constraints

- $1 \leq T \leq 100$
- $0 \leq \text{total_load} \leq 10^9$
- $0 \leq \text{servers} \leq 10^9$

Example 1

Input

```
3
10 2
5 0
```

Code



{ } Test Case





Acumen

Innovation

Report

Excellent

YALAGANA

CODING

INSTRUCTIONS

PROBLEMS LIST



15 : 10

TIME LEFT

QUIT ASSESSMENT

Description

Submissions

Example 1

Input

```
3
10 2
5 0
8 4
```

Output

```
5
Error
2
```

Explanation

- Test Case 1: 10 / 2 is valid and results in 5 (integer part)

Code



Test Case

