

PROCESSED AT :**Thyrocare**

103, Kanakia - B. Zillion building,
lbs marg, kurla (w),
Mumbai - 400 070



Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

☎ 022 - 3090 0000 / 6712 3400 ☎ 9870666333 ✉ wellness@thyrocare.com 🌐 www.thyrocare.com

REPORT

NAME : TANAJI YADAV (54Y/M)
REF. BY : MDC
TEST ASKED : 25-OH VITAMIN D (TOTAL),TSH

SAMPLE COLLECTED AT :
(4000174912),MEDICARE DIAGNOSTIC CENTER
,129 governor lane main road mahim eastMumbai,
Maharashtra 400017, India,400017

TEST NAME	TECHNOLOGY	VALUE	UNITS
25-OH VITAMIN D (TOTAL)	C.L.I.A	20.13	ng/ml
Reference Range :-			

DEFICIENCY : <20 ng/ml || INSUFFICIENCY : 20-<30 ng/ml

SUFFICIENCY : 30-100 ng/ml || TOXICITY : >100 ng/ml

Clinical Significance:

Vitamin D is a fat soluble vitamin that has been known to help the body absorb and retain calcium and phosphorous; both are critical for building bone health. Decrease in vitamin D total levels indicate inadequate exposure of sunlight, dietary deficiency, nephrotic syndrome. Increase in vitamin D total levels indicate Vitamin D intoxication.

Specifications: Precision: Intra assay (%CV):5.3%, Inter assay (%CV):11.9% ; Sensitivity:3.2 ng/ml.

Kit Validation Reference: Holick MF. Vitamin D Deficiency. N Engl J Med. 2007;357:266-81.

Please correlate with clinical conditions.

Method:- Fully Automated Chemi Luminescent Immuno Assay

Sample Collected on (SCT) : 06 Sep 2022 15:45

Sample Received on (SRT) : 06 Sep 2022 17:00

Report Released on (RRT) : 06 Sep 2022 19:40

Sample Type : SERUM

Labcode : 0609093798/MUW02 Dr Vanita Rath MD(Path)

Barcode : Z9825409



Vanita

Dr Sumanta Basak, DPB

PROCESSED AT :**Thyrocare**

103, Kanakia - B. Zillion building,
lbs marg, kurla (w),
Mumbai - 400 070



Tests you can trust

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

☎ 022 - 3090 0000 / 6712 3400

📞 9870666333

✉ wellness@thyrocare.com

🌐 www.thyrocare.com

REPORT

NAME : TANAJI YADAV (54Y/M)
REF. BY : MDC
TEST ASKED : 25-OH VITAMIN D (TOTAL),TSH

SAMPLE COLLECTED AT :
(4000174912),MEDICARE DIAGNOSTIC CENTER ,129
governor lane main road mahim eastMumbai,
Maharashtra 400017, India,400017

TEST NAME	TECHNOLOGY	VALUE	UNITS	REFERENCE RANGE
THYROID STIMULATING HORMONE (TSH)	C.L.I.A	1.54	μIU/ml	0.3-5.5

Comments : *****Please correlate with clinical conditions.****Method :**

TSH - SANDWICH CHEMI LUMINESCENT IMMUNO ASSAY

~~ End of report ~~

Sample Collected on (SCT) : 06 Sep 2022 15:45
Sample Received on (SRT) : 06 Sep 2022 17:00
Report Released on (RRT) : 06 Sep 2022 19:40
Sample Type : SERUM
Labcode : 0609093798/MUW02
Barcode : Z9825409



Dr Vanita Rath MD(Path)

Dr Sumanta Basak, DPB
Page : 2 of 3

CONDITIONS OF REPORTING

- ✓ The reported results are for information and interpretation of the referring doctor only.
- ✓ It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- ✓ Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- ✓ Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- ✓ Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- ✓ This report is not valid for medico-legal purpose.
- ✓ Neither Thyrocare, nor its employees/representatives assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.
- ✓ Thyrocare Discovery video link :- <https://youtu.be/nbdYeRgYyQc>
- ✓ For clinical support please contact @8450950852,8450950853,8450950854 between 10:00 to 18:00








EXPLANATIONS

- ✓ Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- ✓ **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- ✓ **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- ✓ **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- ✓ **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- ✓ **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- ✓ **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- ✓ **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- ✓ **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- ✓ **Reference Range** - Means the range of values in which 95% of the normal population would fall.


SUGGESTIONS

- ✓ Values out of reference range requires reconfirmation before starting any medical treatment.
- ✓ Retesting is needed if you suspect any quality shortcomings.
- ✓ Testing or retesting should be done in accredited laboratories.
- ✓ For suggestions, complaints or feedback, write to us at **info@thyrocare.com** or call us on **022-3090 0000 / 6712 3400**
- ✓ SMS:<Labcode No.> to **9870666333**

Preventive Healthcare is now at your fingertips!



Download Thyroapp Now







TGS

TB - Whole Genome Sequencing

18 drug susceptibility profile | 15 Days TAT

BOOK A TEST

Give a Call - 022 4128 2828

WhatsApp TGS to 8104112632

Email to tgs@focustb.com