

**PROCESSED AT :****Thyrocare**

103, Kanakia - B. Zillion building,  
lbs marg, kurla (w),  
Mumbai - 400 070



Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

☎ 022 - 3090 0000 / 6712 3400 ☎ 9870666333 ✉ wellness@thyrocare.com 🌐 www.thyrocare.com

**REPORT**

**NAME** : RAZIYA SIDDIQUI (35Y/F)  
**REF. BY** : MDC  
**TEST ASKED** : TOTAL IgE

**SAMPLE COLLECTED AT :**  
(4000174912),MEDICARE DIAGNOSTIC CENTER  
,129 governor lane main road mahim eastMumbai,  
Maharashtra 400017, India,400017

TEST NAME	TECHNOLOGY	VALUE	UNITS
<b>TOTAL IGE</b>	<b>C.L.I.A</b>	<b>2135.8</b>	<b>IU/ml</b>
<b>Reference Range :-</b>			

Age Value

0 - 1 Year	1.40 - 52.3
1 - 4 Years	0.40 - 351.6
5 - 10 Years	0.50 - 393
11 - 15 Years	1.90 - 170

Adults < 158

**Clinical significance:**

Quantitative measurement of serum IgE when integrated with other clinical indicator, can provide useful information for the differential clinical diagnosis of Atopic and Non-Atopic disease. Patients with Atopic disease, including allergic asthma, allergic rhinitis and Atopic dermatitis commonly have moderately elevated serum IgE levels. However, a serum IgE level that is within the range of normally expected values does not rule out a limited set of IgE allergy. For diagnostic purpose, results should always be assessed in conjunction with the patients medical history, clinical examination and other findings.

**Specifications:**

Precision: Intra assay (%CV): 7.2 %, Inter assay (%CV): 5.4 %; Sensitivity: 1.5 IU/ml

**Kit validation references**

Kjellman N-IM, Johansson SGO, Roth A. Serum IgE levels in healthy children by a sandwich technique. (Prist). Clin Allergy 1976: 6:51-9.

**Please correlate with clinical conditions.**

**Method:-** TWO SITE SANDWICH IMMUNOASSAY

~~ End of report ~~

**Sample Collected on (SCT)** : 03 Sep 2022 15:15

**Sample Received on (SRT)** : 03 Sep 2022 17:17

**Report Released on (RRT)** : 03 Sep 2022 19:23

**Sample Type** : SERUM

**Labcode** : 0309093933/MUW02 Dr Vanita Rath MD(Path)

**Barcode** : Z9825428



Vanita

Dr Sumanta Basak, DPB

## CONDITIONS OF REPORTING

- ✓ The reported results are for information and interpretation of the referring doctor only.
- ✓ It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- ✓ Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- ✓ Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- ✓ Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- ✓ This report is not valid for medico-legal purpose.
- ✓ Neither Thyrocare, nor its employees/representatives assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.
- ✓ Thyrocare Discovery video link :- <https://youtu.be/nbdYeRgYyQc>
- ✓ For clinical support please contact @8450950852,8450950853,8450950854 between 10:00 to 18:00

## EXPLANATIONS

- ✓ Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- ✓ **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- ✓ **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- ✓ **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- ✓ **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- ✓ **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- ✓ **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- ✓ **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- ✓ **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- ✓ **Reference Range** - Means the range of values in which 95% of the normal population would fall.

## SUGGESTIONS

- ✓ Values out of reference range requires reconfirmation before starting any medical treatment.
- ✓ Retesting is needed if you suspect any quality shortcomings.
- ✓ Testing or retesting should be done in accredited laboratories.
- ✓ For suggestions, complaints or feedback, write to us at **info@thyrocare.com** or call us on **022-3090 0000 / 6712 3400**
- ✓ SMS:<Labcode No.> to **9870666333**

Preventive Healthcare is now at your fingertips!

Download Thyroapp Now

**FocusTB**  
Towards a TB free world

# TGS

## TB - Whole Genome Sequencing

18 drug susceptibility profile | 15 Days TAT

**BOOK A TEST**

Give a Call - 022 4128 2828

WhatsApp TGS to 8104112632

Email to [tgs@focustb.com](mailto:tgs@focustb.com)