

PROCESSED AT :**Thyrocare**

103, Kanakia - B. Zillion building,
lbs marg, kurla (w),
Mumbai - 400 070



Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

☎ 022 - 3090 0000 / 6712 3400 ☎ 9870666333 ✉ wellness@thyrocare.com 🌐 www.thyrocare.com

REPORT

NAME : TARANNUM (37Y/F)
REF. BY : MDC
TEST ASKED : ACCP

SAMPLE COLLECTED AT :
(4000174912),MEDICARE DIAGNOSTIC CENTER
,129 governor lane main road mahim eastMumbai,
Maharashtra 400017, India,400017

TEST NAME	TECHNOLOGY	VALUE	UNITS
ANTI CCP (ACCP)	E.L.I.S.A	3.4	AU/mL
Reference Range :-			

Negative : < 10

Positive : >=10

Clinical Significance :

Anti-Cyclic-Citrullinated-Peptide (Anti-CCP) Antibodies hold promise for early and more accurate detection of Rheumatoid Arthritis before the disease proceeds into an irreversible damage.

Specifications: Specificity : 94 % , Sensitivity : 76 %

Kit Validation reference:

Vossenaar ER et al.,Arthritis Rheum.,50, 3485, 2004

Please correlate with clinical conditions.

Method:- INDIRECT SOLID PHASE ENZYME IMMUNOASSAY

Sample Collected on (SCT) : 22 Sep 2022 16:00

Sample Received on (SRT) : 22 Sep 2022 18:02

Report Released on (RRT) : 23 Sep 2022 00:34

Sample Type : SERUM

Labcode : 2209042131/MUW02 Dr Vanita Rath MD(Path)

Barcode : AC794131



Dr Sumanta Basak, DPB

REPORT

NAME : TARANNUM (37Y/F)
REF. BY : MDC
TEST ASKED : HLA-B27

SAMPLE COLLECTED AT :
(4000174912), MEDICARE DIAGNOSTIC CENTER, 129
governor lane main road mahim east Mumbai,
Maharashtra 400017, India, 400017

Test Description : HLA-B27

Result : Negative

Method : FLOWCYTOMETRY

Interpretation :

There is a strong association between the presence of HLAB27 antigen and an increased incidence of ankylosing spondylitis (AS) as well as others disorders, such as Reiter's Syndrome, psoriatic arthritis and arthropathies associated with inflammatory bowel disease. These disorders are collectively called Seronegative Spondyloarthritis.

HLAB27 positive patient is more likely to exhibit spondyloarthritis.

Please correlate with clinical conditions.

Method : Done on Fully Automated Three Laser Beckman Navios Flowcytometer U.S.A

~~ End of report ~~

Sample Collected on (SCT) : 22 Sep 2022 16:00

Sample Received on (SRT) : 22 Sep 2022 20:24

Report Released on (RRT) : 23 Sep 2022 11:39

Sample Type : EDTA

Labcode : 2209001306/MUW02

Barcode : Z1303929



Dr Kuldeep Singh MD(Path)



Dr Sachin Patil MD(Path)

CONDITIONS OF REPORTING

- ✓ The reported results are for information and interpretation of the referring doctor only.
- ✓ It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- ✓ Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- ✓ Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- ✓ Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- ✓ This report is not valid for medico-legal purpose.
- ✓ Neither Thyrocare, nor its employees/representatives assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.
- ✓ Thyrocare Discovery video link :- <https://youtu.be/nbdYeRgYyQc>
- ✓ For clinical support please contact @8450950852,8450950853,8450950854 between 10:00 to 18:00

EXPLANATIONS

- ✓ Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- ✓ **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- ✓ **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- ✓ **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- ✓ **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- ✓ **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- ✓ **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- ✓ **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- ✓ **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- ✓ **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- ✓ Values out of reference range requires reconfirmation before starting any medical treatment.
- ✓ Retesting is needed if you suspect any quality shortcomings.
- ✓ Testing or retesting should be done in accredited laboratories.
- ✓ For suggestions, complaints or feedback, write to us at **info@thyrocare.com** or call us on **022-3090 0000 / 6712 3400**
- ✓ SMS:<Labcode No.> to **9870666333**

Preventive Healthcare is now at your fingertips!

Download Thyroapp Now

FocusTB
Towards a TB free world

TGS
TB - Whole Genome
Sequencing

18 drug susceptibility profile | 15 Days TAT

BOOK A TEST

Give a Call - 022 4128 2828

WhatsApp TGS to 8104112632

Email to tgs@focustb.com