### **PROCESSED AT:**

#### **Thyrocare**

103, Kanakia - B. Zillion building, lbs marg, kurla (w), Mumbai - 400 070







Corporate office: Thyrocare Technologies Limited, ♥ D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 

REPORT

NAME : MUNAF (60Y/M)

**REF. BY** : MDC

**TEST ASKED** : FT3,FT4,TSH

**SAMPLE COLLECTED AT:** (4000174912),MEDICARE DIAGNOSTIC CENTER,129

governor lane main road mahim eastMumbai,

Maharashtra 400017, India,400017

TEST NAME	TECHNOLOGY	VALUE	UNITS REFERENCE RANGE
THYROID STIMULATING HORMONE (TSH)	C.M.I.A	44.12	μΙU/ml 0.35 - 4.94
FREE TRIIODOTHYRONINE (FT3)	C.M.I.A	1.26	pg/ml 1.71 - 3.71
FREE THYROXINE (FT4)	C.M.I.A	<0.4	ng/dl 0.70 - 1.48

### Please correlate with clinical conditions.

### Method:

TSH - Fully Automated Chemi Luminescent Microparticle Immunoassay

FT3 - Fully Automated Chemi Luminescent Microparticle Immunoassay

FT4 - Fully Automated Chemi Luminescent Microparticle Immunoassay

~~ End of report ~~

Sample Collected on (SCT) Sample Received on (SRT)

Report Released on (RRT) **Sample Type** 

Labcode

**Barcode** 



: 01 Nov 2022 15:50

: 01 Nov 2022 17:44

: 01 Nov 2022 20:36

: SERUM

: 0111092920/MUW02 Dr Sumanta Basak, DPB

: AC794714

Page: 1 of 2

#### CONDITIONS OF REPORTING

- The reported results are for information and interpretation of the referring doctor only.
- It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- This report is not valid for medico-legal purpose.
- Neither Thyrocare, nor its employees/representatives assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.
- Thyrocare Discovery video link :- <a href="https://youtu.be/nbdYeRgYyQc">https://youtu.be/nbdYeRgYyQc</a>
- For clinical support please contact @8450950852,8450950853,8450950854 between 10:00 to 18:00

# **EXPLANATIONS**

- v Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- v **Name** The name is as declared by the client and recored by the personnel who collected the specimen.
- v Ref.Dr The name of the doctor who has recommended testing as declared by the client.
- Labcode This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- Barcode This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- v SCP Specimen Collection Point This is the location where the blood or specimen was collected as declared by the client.
- v SCT Specimen Collection Time The time when specimen was collected as declared by the client.
- v SRT Specimen Receiving Time This time when the specimen reached our laboratory.
- RRT Report Releasing Time The time when our pathologist has released the values for Reporting.
- Reference Range Means the range of values in which 95% of the normal population would fall.

## **SUGGESTIONS**

- Values out of reference range requires reconfirmation before starting any medical treatment.
- Retesting is needed if you suspect any quality shortcomings.
- Testing or retesting should be done in accredited laboratories.
- For suggestions, complaints or feedback, write to us at info@thyrocare.com or call us on 022-3090 0000 / 6712 3400
- SMS:<Labcode No.> to **9870666333**





**BOOK A TEST** 

Give a Call - 022 4128 2828

WhatsApp **TGS** to 8104112632

Email to tgs@focustb.com

Page : 2 of 2