

TYPES OF KIT

TYPES OF KIT


1. TYPE-1 KIT
2. TYPE-2 KIT

TYPES OF KIT


A250.13 Hurricane steel applied kit Type I (3/8” [9.252] pocket)	Type I
A250.13 Hurricane steel applied kit Type II (5/8” [15.875] pocket) for GlassLam)	Type II

TYPE-1 KIT	A250 RATING with (3/8” POCKET SIZE ONLY)
TYPE-2 KIT	A250 RATING with (5/8”, 7/8”, and 1-1/8” POCKET SIZE)


TYPES OF KIT



14 ga. steel channel perimeter reinforcement is required .




DETAIL "A"




Type-1 & Type-2 kit:

a. Curries will manufacture the Type-1 and Type-2 kits.
b. We can provide Type-1 or Type-2 kits on CECO door but need to order these kits from curries through EDGE application.
c. These kits entry and method of ordering kits from EDGE is same, the only difference is pocket size. I have shared few example orders in the next slides which were entered with Type-2 kits.
d. We can provide Type-1 or Type-2 kits with A250 rating (Windstorm).


Type-1 & Type-2 kit:




Type 1 Standard
Kit 3/8" pocket




Type 2 Standard
Kit 5/8", 7/8", 1 1/8"
pockets






Type 1 Standard
Kit 3/8" pocket



Type 2 Standard
Kit 5/8", 7/8", 1 1/8"
pockets

Example-1



How to enter Type-2 kit in the entry?


Example-1:

SO# EVNK3A
Line# 2
This door has A250 rating, Type-2 kit, pocket size and showing visible glass dimensions.

2	HMD	1	IU	18	A60	3' 0"	7' 10"	N	RHR	C1	PR3		U06	TYPE 2 KIT				45H			E-IU
Tag #s: G520-201																Special Instructions: 7150 WS x AU626F 36" 757 SN-134 Hdw# = 7150 X 626F Trim = AU626F Hdw Mfg =YA TWELD/TCAPF Dr. Thick - 1.75" Install Kit w/Channel Pocket Size =1 1/16" Visible glass width = 8" Visible glass height = 24" TOD to Top of Glass = 12" Windstorm Certification A250 +/- 60 psf			

How to enter Type-2 kit in the entry?

Example-1:



How to enter Type-2 kit in the entry?


Example-1:

We can pull the Special Glass Kit P.O.# numbers from the below shown location in F drive.

2021 PO log – **A prefix**

2022 PO log – **B prefix** (SO# EVNK3A released in 2022)


2023 PO log – **C prefix**



	A	B	C	D	E	F	G
1	2022 Customer Service Purchase Order Record						
2	Date Ordere	Prefi	PO#	Vendor	Req.	Order. #	Description
595	10/18/22	B	11912	SARGENT	RRA	EVME3A	FEMA HARDWARE
596	10/18/22	B	11913	SARGENT	RRA	EVM12A	FEMA HARDWARE
597	10/19/22	B	11914	CURRIES	MB	EVNK2A	TYPE-2 KITS
598	10/19/22	B	11915	CURRIES	BT	EVNK3A	TYPE-2 KIT
599	10/19/22	B	11916	CURRIES	MB	EVNK5A	TYPE-2 KITS



Example-2



How to enter Type-2 kit in the entry?

Example-2:

SO# EWAX9A

Lines# 5,6,7,8


This is check and release order. Door entered with A250 rating, Type-2 kit and visible glass dimensions.


```
                                                    Order EWAX9A 00   Type REG
Bill-to 12727447    PINNACLE DOOR AND HARDWARE                  Ord Sts RLS
Ship-to 12727447    PINNACLE DOOR AND HARDWARE (12  Ord-by
Header AC    __  Line  ___                          Store No 1054060

   Lin L S Part Number/     Order Qty/ Totl Resv/ Total BO/              UM WHS
S  No  S S Ext Price        Req Dck Dt Ship Date  BO Pty      Total Ship Vendor
*  005 R O DRACT                 1.000      1.000      .000         .000 EA 572
                   711.66     0/00/00    4/04/23
    Cfg cd LP16GL430*70 2GX LHRC1PR1   U06TYP2        45H   B  T C18E3P2      I
*  006 R O DRACT                 1.000      1.000      .000         .000 EA 572
                   711.66     0/00/00    4/04/23
    Cfg cd LP16GL430*70 2GX RHRC1PR3   U06TYP2        45H   B  T C18E3P5      I
*  007 R O DRACT                 1.000      1.000      .000         .000 EA 572
                   711.66     0/00/00    4/04/23
    Cfg cd LP16GL430*70 2GX RHRC1PR1   U06TYP2        45H   B  T C18DYKJ      I
*  008 R O DRACT                 1.000      1.000      .000         .000 EA 572
                   711.66     0/00/00    4/04/23
    Cfg cd LP16GL430*70 2GX LHRC1PR3   U06TYP2        45H   B  T C18E3P8      +
```

How to enter Type-2 kit in the entry?

Example-2:






How to enter Type-2 kit in the entry?

Example-2:

2022 PO log – **B prefix** (SO# EWAX9A released in 2022)

2	Date Ordere	Prefi	PO#	Vendor	Req.	Order. #	Description
03	12/29/22	B	12320	Tijuana(SMP)	RB	907939	Bullet Door
04	12/29/23	B	12321	SARGENT	RK	SQB161070	FEMA HARDWARE
05	1/3/23	B	12322	SARGENT	JM	EW9H0A	FEMA HARDWARE
06	1/3/23	B	12323	CURRIES	DJ	907712	A250 WITH TYPE 8 KIT
07	1/3/23	B	12324	CURRIES	CM	EWAX9A	TYPE-2 KITS
08	1/13/23	B	12325	PPG	CH	907950	PAINT MT. PEAK WHITE
09	2/23/23	B	12326	PEMKO	CM	908495	SOUND TECH SEALS
10	3/27/23	B	12327	PPG	JN	EX2U0A	1 GALLON RAL 7012 - BASALT GREY PAINT
11		B	12328				

How to order a kit from EDGE application?



How to order a kit from EDGE application?

a. Once the entry is completed and CECO order is ready for release then processor should send an email to bibhu.tripathy@assaabloy.com and Mira.Bai@assaabloy.com like shown below screenshot with all the order, line, tags, door design entry, pocket size details.
(Note: Make sure to ask customer for pocket depth if it was not mentioned on order form, because Type-2 kits available with 5/8”, 7/8”, 1-1/8” pocket size).

How to order a kit from EDGE application?

b. Bibhu or Mira will coordinate and order the kits to curries from EDGE application and enter the store number in your CECO order in 13 screen (AS400).

From: Mandharapu, Chaitanya <Chaitanya.Mandharapu@assaabloy.com>
Sent: Thursday, January 12, 2023 3:05 PM
To: Tripathy, Bibhu <bibhu.tripathy@assaabloy.com>; Bai, Mira <Mira.Bai@assaabloy.com>
Cc: Jella, Saipuneeth <Saipuneeth.Jella@assaabloy.com>; Khan, Faraz <Faraz.Khan@assaabloy.com>
Subject: Type-2 kit PO# 353940-004 , 572 , EWAX9A, STD

Hello,

SO# EWAX9A
PO log# B12324

Lines# 5,6,7,8
Tag# 105.1, 105.2

Please order a type-2 kit of visible glass dimensions Lite-1: 22 x 34 @ 5.875TTL,6.92185VG-L & Lit2-2: 22 x 24 @ 47.875TTL,6.92185VG in the EDGE application and enter store number in 13screen. This order was released from my end.

Lite Details

Lite Type	SGD	Special Glass Design
Lite Style	2GX	2GX - TWO SPECIAL GLASS LITES
Lite Trim	TYP2	TYPE 2 - Applied steel kit (5/
Perimeter GL Cutout Reinf	Y	Yes
Lite - 1	22 x 34 @ 5.875	22 x 34 @ 5.875TTL,6.92185VG-L +
Lite Cutout - 1	23.75 x 35.75 @	23.75 x 35.75 @ 5TTL,6.04685CO
Lite - 2	22 x 24 @ 47.87	22 x 24 @ 47.875TTL,6.92185VG-
Lite Cutout - 2	23.75 x 25.75 @	23.75 x 25.75 @ 47TTL,6.04685C
Special Glass Kit P.O. #	B12324	B12324

How to order a kit from EDGE application?

c. Once they ordered kits to curries. The store number will be entered in 13 screen and reply to the processor email like below with curries order attachment.

RE: Type-2 kit PO# 353940-004 , 572 , EWAX9A, STD



Tripathy, Bibhu
To Mandharapu, Chaitanya; Bai, Mira
Cc Jella, Saipuneeth; Khan, Faraz

DOTReport.pdf
12 KB

Hello,

The kits are ordered. Please see the attached dot report for reference, also store number is updated in 13 screen.

```
:                              SALES ORDER HEADER                REF ORDER PRO    :
: Order    EWAX9A 00   Co/Whs 001 572    Type     REG             Ord Sts OPN    :
: Ord-by                                  Store No 1054060                        :
: Bill-to 12727447                        Ship-to 12727447                        :
```

Thank You
Bibhu Tripathy

From: Mandharapu, Chaitanya <Chaitanya.Mandharapu@assaabloy.com>
Sent: Thursday, January 12, 2023 3:05 PM
To: Tripathy, Bibhu <bibhu.tripathy@assaabloy.com>; Bai, Mira <Mira.Bai@assaabloy.com>
Cc: Jella, Saipuneeth <Saipuneeth.Jella@assaabloy.com>; Khan, Faraz <Faraz.Khan@assaabloy.com>
Subject: Type-2 kit PO# 353940-004 , 572 , EWAX9A, STD

Hello,

How to order a kit from EDGE application?


DIST NO.	CUST P.O. NO.	CURRIES ORDER NO.	DATE	BY	TRACKPOINT QUOTED	PROJECT NAME
1420	353940-004	1054060	01/23/2023	Bibhu Tripathy	Order Type: Priority A	B12324 EWAX9A

SOLD TO	SHIPPING METHOD	TRANS-SHIP TO SVC CTR		DATE REQ'D 02/17/2023
CECO DOOR PROD CURRIES PROD 9159 TELECOM DR MILAN, TN, 38358-3425, US	Pool Ship		SHIP FROM SVC CTR	HOME OFFICE USE ONLY DATE ORDER REC'D 01/23/2023 8:54:56 AM ESTIMATED SHIP DATE 02/17/2023 Price Book: 2022

SHIP TO	DELIVERY CONTACT NAMES:	PHONE NO:	SHIPPING INST:
☐ Ship To Jobsite? CECO DOOR PROD CURRIES PROD 9159 TELECOM DRIVE MILAN, TN, 38358, US			Prepaid/Collect: P

Line #	Quantity	Agency	Rating	Certification	Series Core	Edge	Gauge	Steel Type	Face Type	Width	Width Feet	Width Inches	Height	Height Feet	Height Inches	Door Thickness	Hand	Hinge Rail Gauge	Dbl. Opng.	Hardware Preps: Hardware Type	Mfr. Locations	Deadlock	Hardware Code	Mfr.	Function	Trim	Mullion	Model	Special Location	Astragal	Topcap	Bundling	Elevation Number
1	4										1	10		2	10	4																	
	PartsDATA																																
	Spec. Inst.	WN8KT1P-HG: HG - Specify Vis. size, (5/8", 7/8", 1-1/8" pckt) Pocket Size = 5/8 Pocket Visible Width = 22" Visible Height = 34" Type 2 Kit																															
2	4										1	10		2		4																	
	PartsDATA																																
	Spec. Inst.	WN8KT1P-HG: HG - Specify Vis. size, (5/8", 7/8", 1-1/8" pckt) Pocket Size = 5/8 Pocket Visible Width = 22" Visible Height = 24" Type 2 Kit																															

Example-3



How to enter Type-2 kit in the entry?

Example-3:


SO# EVQN2A

Lines# 3,4

This door has A250 rating + Type 2 kit + Install glass (Glasslam Safety Plus II).

a. Entry asks for Glass P.O. number and Glass kit P.O.# - Pull the P.O. numbers from PO log excel sheet and enter them in the entry fields.

b. Entry asks for Install Glass list price. We should send an email to DJ for price like shown in below screenshot email. Give the order, line, kits, glass type details and visible glass dimensions correctly. Make sure to share the door design correct entry screenshot completely.



How to enter Type-2 kit in the entry?

Example-3:

Lite Details		
Lite Type	SGD	Special Glass Design
Lite Style	2GX	2GX - TWO SPECIAL GLASS LITES
Lite Trim	TYP2	TYPE 2 - Applied steel kit (5/
Install Glass	Y	Yes
Glass Type	GSP2L	GlassLam Safety Plus II w/PET
Glass P.O. Number	B12035	B12035
Perimeter GL Cutout Reinf	Y	Yes
Lite - 1	18 x 28 @ 8.5TT	18 x 28 @ 8.5TTL,8.90625VG-LE
Actual Glass - 1	19 x 29	19 x 29
Lite Cutout - 1	19.75 x 29.75 @	19.75 x 29.75 @ 7.625TTL,8.031
Install Glass List Price	1794	1,794
Lite - 2	18 x 21 @ 46.5T	18 x 21 @ 46.5TTL,8.90625VG-LE
Actual Glass - 2	19 x 22	19 x 22
Lite Cutout - 2	19.75 x 22.75 @	19.75 x 22.75 @ 45.625TTL,8.03
Install Glass List Price	1794	1,794
Special Glass Kit P.O. #	B12036	B12036

How to enter Type-2 kit in the entry?

RE: Advise on glass list price - SO# EVQN2A - Revised



Jones, Daryl
To Jella, Saipuneeth; Bai, Mira
Cc Khan, Faraz; Tripathy, Bibhu; USMIL - Ski Support; Barham, Antwain

Reply | Reply All | Forward

Thu 11/10/2022 8:17 AM


From: Bai, Mira <Mira.Bai@assaabloy.com>
Sent: Tuesday, November 8, 2022 8:04 AM
To: Jones, Daryl <Daryl.Jones@assaabloy.com>
Cc: Jella, Saipuneeth <Saipuneeth.Jella@assaabloy.com>; Khan, Faraz <Faraz.Khan@assaabloy.com>; Tripathy, Bibhu <bibhu.tripathy@assaabloy.com>; USMIL - Ski Support <Ski.Support@assaabloy.com>; Barham, Antwain <Antwain.Barham@assaabloy.com>
Subject: Advise on glass list price - SO# EVQN2A

Hello,

SO#EVQN2A
Line#003,004
These door has door design 2GX, Actual glass size – **19" x 29" and 19" x 22"** with Type-2 kit and install glass type GlassLam Safety Plus II w/PET Flap (Hurricane) 7001916. Please provide the Install glass list price. Please see the attached entry screenshot for reference.
Glass P.O. number – B12035
Kit P.O. number – B12036

Lite Type*	Special Glass Design
Lite Style*	2GX - TWO SPECIAL GLASS LITES PER DOOR
Lite Trim*	TYPE 2 - Applied steel kit (5/8" pocket)

How to enter Type-2 kit in the entry?



How to enter Type-2 kit in the entry?

Lite Cutout - 1	19.75 x 29.75 @ 7.625TTL,8.03125CO-LE
Install Glass List Price*	0
Lite 2 Visible Glass Dimensions	
Width (In)*	18
Height (In)*	21
Vert Locn - Top to Vis Glass*	46.5
Bottom Rail to bottom of Vis Glass (In)	11.625
Horz Locn to Lite Edge of Vis Glass (In)*	8.90625
Special Lite list price Total*	502.00
Lite - 2	18 x 21 @ 46.5TTL,8.90625VG-LE
Actual Glass - 2	19 x 22

How to enter Type-2 kit in the entry?

