

MONTE CARLO OPTIMIZATION OF NON LOCAL MEANS DENOISING ALGORITHM

ROBU PETRU-RĂZVAN, VERZOTTI MATTEO-ALEXANDRU, VOAIDEȘ ROBERT

ABSTRACT. Non-Local Means [1] is a powerful algorithm for image denoising, yet its high computational complexity limits real-time application. This paper replicates the Monte Carlo Non-Local Means Optimization [2], which utilizes random sampling to accelerate weight calculations without significantly degrading peak signal-to-noise ratio.

Keywords. Denoising, Monte Carlo, Optimization

1. INTRODUCTION

Image noise is a random variation of brightness or color information. In most real-life cases, it can be modeled as additive white Gaussian noise:

$$y = x + \eta$$

Where y is the noisy pixel, x the pure pixel and $\eta \sim \mathcal{N}(0, \sigma)$ is the noise.

1.1. Denoising Techniques. Traditional denoising techniques, such as Gaussian smoothing, Median filtering or Local means, operate on the principle of locality, assuming that the true value of the pixel must be similar to the values of its neighbours. This is effective at removing noise, but it also leads to loss of fine textures and blurring of edges.

The Non-Local Means estimates the true value of the pixel by computing a weighted average of different patches, using a weight function that prioritizes pixels with similar structural patterns.

Given a noisy pixel, the surrounding patch \mathbf{y} will be used to check for similarity with other patches. This object can be flattened into a d -pixel: $\mathbf{y} \in \mathbb{R}^d$.

The algorithm requires a set of patches $\mathcal{X} = \{\mathbf{x}_1, \dots, \mathbf{x}_n\}$ that are obtained from reference images.

NLM replaces the noisy pixel with the weighted average of pixels in the reference set:

$$z = \frac{\sum_{i=1}^n w_i x_i}{\sum_{i=1}^n w_i}$$

where x_i represents the center pixel in the patch \mathbf{x}_i , and the weight w_i measures the similarity between the match \mathbf{y} and \mathbf{x}_i .

A standard choice for the weight function is:

$$w_i = e^{-\|\mathbf{y} - \mathbf{x}_i\|^2 / (2h_r^2)}$$

REFERENCES

1. A. Buades, B. Coll, and J.-M. Morel, *A non-local algorithm for image denoising*, 2005 IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR'05) (San Diego, CA, USA), vol. 2, IEEE, 2005, pp. 60–65.
2. Stanley H. Chan, Todd Zickler, and Yue M. Lu, *Monte carlo non-local means: Random sampling for large-scale image filtering*, IEEE Transactions on Image Processing **23** (2014), no. 8, 3711–3725.