

Quality Standards Procedure

History

Version	Date of Approval	Description	Author	Checked	Approved
x.xx	2022/xx/xx	xxxxx	Who Created?	Who Checked?	Who Approved?

1. Overview

Define the procedure for creating a quality standard document.

品質基準書の作成手順を明確にする

2. Purpose

The Quality Standard is a standard for quality and measurement to determine whether the quality is acceptable or not in the SW project. Therefore, it is based on defining its quality for each process

品質基準書はSW作成プロジェクトにおいて、プロセス品質を満たしているかどうかを判断するための品質基準を定めたものである。そのため、各プロセスごとにその品質を定義することを基本とする

3. Creation procedure

Create quality criteria based on templates. The quality standard document is described based on the following contents. Additional information may be added in consultation with the project If added, [Tailoring_Guideline](#) must be followed.

テンプレートをベースに品質基準を作成する。以下の記載内容をベースに品質基準書を記載する。プロジェクトと協議し追加しても良い。追加する場合、[テーラリングガイドライン](#)に従う必要がある。

Check the quality standards you have created regularly. The response to the target is determined in consultation with the project. Basically, it is checked at the timing of an audit, and if it falls below the target value, it is treated as [Non-conformance](#).

作成した品質基準は定期的にチェックする。目標値を下回ったときの対応はプロジェクトと協議して決める。基本的には監査のタイミングでチェックし、目標値を下回った場合は[不適合](#)として扱う。

 テンプレートを使用することをリンクコミで追加

3.1 Process

Describe the process covered. Since the criteria for a-SPICE base are defined here, the process

対象となるプロセスを記載する。ここではA-SPICEベースでの基準を定義しているのでA-SPICE

name of a-SPICE is described, but if the measurement is made in other process units, the process name of that process is described

のプロセス名で記載しているが、他のプロセス単位で計測する場合はそちらのプロセス名を記載する

3.2 check target

Describe the measurement target. Give a descriptive name to the process that you are measuring.

計測対象について記載する。プロセスの何が計測対象となっているかわかり易い名前を付けること。

3.3 MedasurementMethod

Describe the measurement method in detail. The tools used should include links as much as possible

計測方法について具体的に記載する。使用するツール等には可能な限りリンクを記載すること

3.4 Target

Describe the quality target value. The content should be easy to understand with numerical values. If the goal is 100%, but you will gradually increase the target value, include the plan (target value and schedule).

品質目標値について記載する。数値で達成度がわかりやすい内容すること。最終的に100%が目標であっても、段階的に目標値を増していくような場合、その計画（目標値と日程）も記載する

3.5 remark

If there are any restrictions, restrictions, etc., please describe them.

制限・制約等があれば記載する。

Process	check target	Measurement Method	Target	Remark
ACQ.4	Process maturity	Measure the percentage of unresolved nonconformities among the checks in the process audit (excluding items that are not covered). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
	Deliverable achievement	Measure the percentage of outstanding nonconformities in the deliverable audit checks (excluding non-conformities). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
SPL.2	Process maturity	Measure the percentage of unresolved nonconformities among the checks in the process audit (excluding items that are not covered). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
SYS.2	Process maturity	Measure the percentage of unresolved nonconformities among the checks in the process audit (excluding items that are not covered). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
	Deliverable achievement	Measure the percentage of outstanding nonconformities in the deliverable audit checks (excluding non-conformities). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	

Process	check target	Measurement Method	Target	Remark
SYS.3	Process maturity	Measure the percentage of unresolved nonconformities among the checks in the process audit (excluding items that are not covered). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
	Deliverable achievement	Measure the percentage of outstanding nonconformities in the deliverable audit checks (excluding non-conformities). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
SYS.4	Process maturity	Measure the percentage of unresolved nonconformities among the checks in the process audit (excluding items that are not covered). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
	Deliverable achievement	Measure the percentage of outstanding nonconformities in the deliverable audit checks (excluding non-conformities). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	

Process	check target	Measurement Method	Target	Remark
SYS.5	Process maturity	Measure the percentage of unresolved nonconformities among the checks in the process audit (excluding items that are not covered). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
	Deliverable achievement	Measure the percentage of outstanding nonconformities in the deliverable audit checks (excluding non-conformities). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
SWE.1	Process Achievement	Measure the percentage of unresolved nonconformities among the checks in the process audit (excluding items that are not covered). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
	Deliverable achievement	Measure the percentage of outstanding nonconformities in the deliverable audit checks (excluding non-conformities). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	

Process	check target	Measurement Method	Target	Remark
SWE.2	Process Achievement	Measure the percentage of unresolved nonconformities among the checks in the process audit (excluding items that are not covered). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
	Deliverable achievement	Measure the percentage of outstanding nonconformities in the deliverable audit checks (excluding non-conformities). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
SWE.3	Process Achievement	Measure the percentage of unresolved nonconformities among the checks in the process audit (excluding items that are not covered). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
	Deliverable achievement	Measure the percentage of outstanding nonconformities in the deliverable audit checks (excluding non-conformities). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	

Process	check target	Measurement Method	Target	Remark
SWE.4	Process Achievement	Measure the percentage of unresolved nonconformities among the checks in the process audit (excluding items that are not covered). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
	Deliverable achievement	Measure the percentage of outstanding nonconformities in the deliverable audit checks (excluding non-conformities). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
SWE.5	Process Achievement	Measure the percentage of unresolved nonconformities among the checks in the process audit (excluding items that are not covered). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
	Deliverable achievement	Measure the percentage of outstanding nonconformities in the deliverable audit checks (excluding non-conformities). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	

Process	check target	Measurement Method	Target	Remark
SWE.6	Process Achievement	Measure the percentage of unresolved nonconformities among the checks in the process audit (excluding items that are not covered). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
	Deliverable achievement	Measure the percentage of outstanding nonconformities in the deliverable audit checks (excluding non-conformities). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
SUP.1	Process maturity	Measure the percentage of unresolved nonconformities among the checks in the process audit (excluding items that are not covered). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
SUP.2	Process Achievement	Measure the percentage of unresolved nonconformities among the checks in the process audit (excluding items that are not covered). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
SUP.8	Process achievement	Measure the percentage of unresolved nonconformities among the checks in the process audit (excluding items that are not covered). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	

Process	check target	Measurement Method	Target	Remark
SUP.9	Process achievement	Measure the percentage of unresolved nonconformities among the checks in the process audit (excluding items that are not covered). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
SUP.10	Process achievement	Measure the percentage of unresolved nonconformities among the checks in the process audit (excluding items that are not covered). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
man.3	Process maturity	Measure the percentage of unresolved nonconformities among the checks in the process audit (excluding items that are not covered). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	
man.5	Process maturity	Measure the percentage of unresolved nonconformities among the checks in the process audit (excluding items that are not covered). Denominator counts from checklist. The numerator counts the number of tickets issued for AuditFinding that are not closed. If child tickets were created, the count is only for parent tickets (tickets issued at the end of the audit), not for child tickets. checklist	100%	

From:
<http://172.31.120.190/DokuWiki/> - **ALAP Intranet**

Permanent link:
http://172.31.120.190/DokuWiki/qm/process/spf/10_pms/14_pms_qa/workprducts/templates/quality_standards_procedure

Last update: **2023/10/18 16:58**